

ANALYTICAL REPORT

Job Number: 420-109432-1

SDG Number: East Ramapo CSD 2016-90 Kakiat

Job Description: Rockland BOCES

For:

Rockland BOCES

65 Parrott Road, B-4

West Nyack, NY 10994

Attention: Seth Armstrong



Designee for

Debra Bayer

Customer Service Manager

dbayer@envirotestlaboratories.com

08/31/2016

cc: John Gulino

NYSDOH ELAP does not certify for all parameters. EnviroTest Laboratories does hold certification for all analytes where certification is offered by ELAP unless otherwise specified in the Certification Information section of this report. Pursuant to NELAP, this report may not be reproduced, except in full, without written approval of the laboratory. EnviroTest Laboratories Inc. certifies that the analytical results contained herein apply only to the samples tested as received by our laboratory. All questions regarding this report should be directed to the EnviroTest Customer Service Representative.

EnviroTest Laboratories, Inc. Certifications and Approvals: NYSDOH 10142, NJDEP NY015, CTDOH PH-0554

Envirotest Laboratories, Inc.

315 Fullerton Avenue, Newburgh, NY 12550

Tel (845) 562-0890 Fax (845) 562-0841 www.envirotestlaboratories.com

Job Narrative
420-J109432-1

Comments

Sample 132 was not relived. Chain of custody was updated to reflect this discrepancy as per John Gulino at Rockland BOCES.

No additional comments.

Receipt

All samples were received in good condition within temperature requirements.

Metals

No analytical or quality issues were noted.

METHOD SUMMARY

Client: Rockland BOCES

Job Number: 420-109432-1
SDG Number: East Ramapo CSD 2016-90 Kakiat

Description	Lab Location	Method	Preparation Method
Matrix: Water			
ICPMS Metals by 200.8	EnvTest	EPA 200.8 Rev.5.4	
200 Series Drinking Water Prep Determination Step	EnvTest		EPA 200

Lab References:

EnvTest = EnviroTest

Method References:

EPA = US Environmental Protection Agency

METHOD / ANALYST SUMMARY

Client: Rockland BOCES

Job Number: 420-109432-1
SDG Number: East Ramapo CSD 2016-90 Kakiat

Method	Analyst	Analyst ID
EPA 200.8 Rev.5.4	Palentino, Gus J	GJP
EPA 200.8 Rev.5.4	Sirico, Derek	DS

SAMPLE SUMMARY

Client: Rockland BOCES

Job Number: 420-109432-1
SDG Number: East Ramapo CSD 2016-90 Kakiat

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
420-109432-1	16-90-ER--Kak-BF(A)--001	Drinking Water	08/26/2016 0515	08/26/2016 1103
420-109432-2	16-90-ER--Kak-SC-002	Drinking Water	08/26/2016 0516	08/26/2016 1103
420-109432-3	16-90-ER--Kak-DW-003	Drinking Water	08/26/2016 0524	08/26/2016 1103
420-109432-4	16-90-ER--Kak-OT-004	Drinking Water	08/26/2016 0527	08/26/2016 1103
420-109432-5	16-90-ER--Kak-BF(B)-005	Drinking Water	08/26/2016 0520	08/26/2016 1103
420-109432-6	16-90-ER--Kak-BF(A)-006	Drinking Water	08/26/2016 0528	08/26/2016 1103
420-109432-7	16-90-ER--Kak-BF(B)-007	Drinking Water	08/26/2016 0528	08/26/2016 1103
420-109432-8	16-90-ER--Kak-BF-008	Drinking Water	08/26/2016 0531	08/26/2016 1103
420-109432-9	16-90-ER--Kak-TL-009	Drinking Water	08/26/2016 0532	08/26/2016 1103
420-109432-10	16-90-ER--Kak-DW-010	Drinking Water	08/26/2016 0535	08/26/2016 1103
420-109432-11	16-90-ER--Kak-CF-011	Drinking Water	08/26/2016 0538	08/26/2016 1103
420-109432-12	16-90-ER--Kak-CF(A)-012	Drinking Water	08/26/2016 0542	08/26/2016 1103
420-109432-13	16-90-ER--Kak-CF(B)-013	Drinking Water	08/26/2016 0542	08/26/2016 1103
420-109432-14	16-90-ER--Kak-TL-014	Drinking Water	08/26/2016 0548	08/26/2016 1103
420-109432-17	16-90-ER--Kak-CF(A)-017	Drinking Water	08/26/2016 0544	08/26/2016 1103
420-109432-20	16-90-ER--Kak-CF-020	Drinking Water	08/26/2016 0551	08/26/2016 1103
420-109432-21	16-90-ER--Kak-DW-021	Drinking Water	08/26/2016 0559	08/26/2016 1103
420-109432-23	16-90-ER--Kak-BF(B)-023	Drinking Water	08/26/2016 0601	08/26/2016 1103
420-109432-24	16-90-ER--Kak-BF(C)-024	Drinking Water	08/26/2016 0602	08/26/2016 1103
420-109432-25	16-90-ER--Kak-BF(D)-025	Drinking Water	08/26/2016 0602	08/26/2016 1103
420-109432-26	16-90-ER--Kak-BF(A)-026	Drinking Water	08/26/2016 0606	08/26/2016 1103
420-109432-27	16-90-ER--Kak-BF(B)-027	Drinking Water	08/26/2016 0606	08/26/2016 1103
420-109432-28	16-90-ER--Kak-BF(C)-028	Drinking Water	08/26/2016 0607	08/26/2016 1103
420-109432-29	16-90-ER--Kak-BF(D)-029	Drinking Water	08/26/2016 0607	08/26/2016 1103
420-109432-30	16-90-ER--Kak-OT-030	Drinking Water	08/26/2016 0612	08/26/2016 1103
420-109432-31	16-90-ER--Kak-BF-031	Drinking Water	08/26/2016 0610	08/26/2016 1103
420-109432-32	16-90-ER--Kak-BF-032	Drinking Water	08/26/2016 0557	08/26/2016 1103
420-109432-33	16-90-ER--Kak-NF-033	Drinking Water	08/26/2016 0556	08/26/2016 1103
420-109432-34	16-90-ER--Kak-CF-034	Drinking Water	08/26/2016 0616	08/26/2016 1103
420-109432-35	16-90-ER--Kak-CF-035	Drinking Water	08/26/2016 0554	08/26/2016 1103
420-109432-36	16-90-ER--Kak-DW-036	Drinking Water	08/26/2016 0553	08/26/2016 1103
420-109432-39	16-90-ER--Kak-CF(A)-039	Drinking Water	08/26/2016 0550	08/26/2016 1103
420-109432-40	16-90-ER--Kak-CF(B)-040	Drinking Water	08/26/2016 0551	08/26/2016 1103
420-109432-41	16-90-ER--Kak-CF-041	Drinking Water	08/26/2016 0546	08/26/2016 1103
420-109432-42	16-90-ER--Kak-CF-042	Drinking Water	08/26/2016 0551	08/26/2016 1103
420-109432-43	16-90-ER--Kak-CF-043	Drinking Water	08/26/2016 0542	08/26/2016 1103
420-109432-44	16-90-ER--Kak-BF-044	Drinking Water	08/26/2016 0544	08/26/2016 1103
420-109432-45	16-90-ER--Kak-BF-045	Drinking Water	08/26/2016 0537	08/26/2016 1103
420-109432-46	16-90-ER--Kak-CF-046	Drinking Water	08/26/2016 0527	08/26/2016 1103
420-109432-47	16-90-ER--Kak-CF-047	Drinking Water	08/26/2016 0535	08/26/2016 1103
420-109432-48	16-90-ER--Kak-CF-048	Drinking Water	08/26/2016 0534	08/26/2016 1103
420-109432-49	16-90-ER--Kak-BF(A)-049	Drinking Water	08/26/2016 0532	08/26/2016 1103
420-109432-50	16-90-ER--Kak-BF(B)-050	Drinking Water	08/26/2016 0532	08/26/2016 1103
420-109432-51	16-90-ER--Kak-BF(C)-051	Drinking Water	08/26/2016 0533	08/26/2016 1103
420-109432-52	16-90-ER--Kak-BF(D)-052	Drinking Water	08/26/2016 0533	08/26/2016 1103
420-109432-53	16-90-ER--Kak-WC-053	Drinking Water	08/26/2016 0528	08/26/2016 1103

SAMPLE SUMMARY

Client: Rockland BOCES

Job Number: 420-109432-1
SDG Number: East Ramapo CSD 2016-90 Kakiat

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
420-109432-54	16-90-ER--Kak-BF-054	Drinking Water	08/26/2016 0531	08/26/2016 1103
420-109432-55	16-90-ER--Kak-BF-055	Drinking Water	08/26/2016 0530	08/26/2016 1103
420-109432-56	16-90-ER--Kak-BF-056	Drinking Water	08/26/2016 0529	08/26/2016 1103
420-109432-57	16-90-ER--Kak-OT-057	Drinking Water	08/26/2016 0626	08/26/2016 1103
420-109432-58	16-90-ER--Kak-OT-058	Drinking Water	08/26/2016 0625	08/26/2016 1103
420-109432-59	16-90-ER--Kak-BF-059	Drinking Water	08/26/2016 0628	08/26/2016 1103
420-109432-60	16-90-ER--Kak-KF-060	Drinking Water	08/26/2016 0621	08/26/2016 1103
420-109432-61	16-90-ER--Kak-DW-061	Drinking Water	08/26/2016 0623	08/26/2016 1103
420-109432-62	16-90-ER--Kak-BF-062	Drinking Water	08/26/2016 0623	08/26/2016 1103
420-109432-63	16-90-ER--Kak-BF-063	Drinking Water	08/26/2016 0624	08/26/2016 1103
420-109432-64	16-90-ER--Kak-OT-064	Drinking Water	08/26/2016 0628	08/26/2016 1103
420-109432-66	16-90-ER--Kak-CF-066	Drinking Water	08/26/2016 0631	08/26/2016 1103
420-109432-67	16-90-ER--Kak-OT-067	Drinking Water	08/26/2016 0617	08/26/2016 1103
420-109432-68	16-90-ER--Kak-DW-068	Drinking Water	08/26/2016 0613	08/26/2016 1103
420-109432-69	16-90-ER--Kak-DW-069	Drinking Water	08/26/2016 0621	08/26/2016 1103
420-109432-70	16-90-ER--Kak-WC-070	Drinking Water	08/26/2016 0612	08/26/2016 1103
420-109432-71	16-90-ER--Kak-BF-071	Drinking Water	08/26/2016 0614	08/26/2016 1103
420-109432-72	16-90-ER--Kak-KF-072	Drinking Water	08/26/2016 0613	08/26/2016 1103
420-109432-73	16-90-ER--Kak-KF(A)-073	Drinking Water	08/26/2016 0615	08/26/2016 1103
420-109432-74	16-90-ER--Kak-KF(B)-074	Drinking Water	08/26/2016 0615	08/26/2016 1103
420-109432-75	16-90-ER--Kak-KF(C)-075	Drinking Water	08/26/2016 0615	08/26/2016 1103
420-109432-76	16-90-ER--Kak-BF-076	Drinking Water	08/26/2016 0559	08/26/2016 1103
420-109432-77	16-90-ER--Kak-DW-077	Drinking Water	08/26/2016 0603	08/26/2016 1103
420-109432-78	16-90-ER--Kak-BF-078	Drinking Water	08/26/2016 0601	08/26/2016 1103
420-109432-79	16-90-ER--Kak-DW-079	Drinking Water	08/26/2016 0607	08/26/2016 1103
420-109432-80	16-90-ER--Kak-BF-080	Drinking Water	08/26/2016 0600	08/26/2016 1103
420-109432-81	16-90-ER--Kak-DW-081	Drinking Water	08/26/2016 0559	08/26/2016 1103
420-109432-82	16-90-ER--Kak-BF-082	Drinking Water	08/26/2016 0602	08/26/2016 1103
420-109432-83	16-90-ER--Kak-DW-083	Drinking Water	08/26/2016 0609	08/26/2016 1103
420-109432-84	16-90-ER--Kak-IM-084	Drinking Water	08/26/2016 0606	08/26/2016 1103
420-109432-85	16-90-ER--Kak-BF-085	Drinking Water	08/26/2016 0605	08/26/2016 1103
420-109432-86	16-90-ER--Kak-HEF(A)-086	Drinking Water	08/26/2016 0523	08/26/2016 1103
420-109432-87	16-90-ER--Kak-HEF(B)-087	Drinking Water	08/26/2016 0524	08/26/2016 1103
420-109432-88	16-90-ER--Kak-HEF(C)-088	Drinking Water	08/26/2016 0524	08/26/2016 1103
420-109432-89	16-90-ER--Kak-HEF(D)-089	Drinking Water	08/26/2016 0520	08/26/2016 1103
420-109432-90	16-90-ER--Kak-HEF(E)-090	Drinking Water	08/26/2016 0522	08/26/2016 1103
420-109432-91	16-90-ER--Kak-HEF(A)-091	Drinking Water	08/26/2016 0525	08/26/2016 1103
420-109432-92	16-90-ER--Kak-HEF(B)-092	Drinking Water	08/26/2016 0526	08/26/2016 1103
420-109432-93	16-90-ER--Kak-HEF(C)-093	Drinking Water	08/26/2016 0526	08/26/2016 1103
420-109432-94	16-90-ER--Kak-DW-094	Drinking Water	08/26/2016 0527	08/26/2016 1103

SAMPLE SUMMARY

Client: Rockland BOCES

Job Number: 420-109432-1
SDG Number: East Ramapo CSD 2016-90 Kakiat

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
420-109432-95	16-90-ER--Kak-CF-095	Drinking Water	08/26/2016 0529	08/26/2016 1103
420-109432-96	16-90-ER--Kak-DW-096	Drinking Water	08/26/2016 0530	08/26/2016 1103
420-109432-97	16-90-ER--Kak-CF-097	Drinking Water	08/26/2016 0533	08/26/2016 1103
420-109432-98	16-90-ER--Kak-BF-098	Drinking Water	08/26/2016 0532	08/26/2016 1103
420-109432-104	16-90-ER--Kak-CF(A)-104	Drinking Water	08/26/2016 0542	08/26/2016 1103
420-109432-106	16-90-ER--Kak-CF-106	Drinking Water	08/26/2016 0543	08/26/2016 1103
420-109432-107	16-90-ER--Kak-CF-107	Drinking Water	08/26/2016 0543	08/26/2016 1103
420-109432-108	16-90-ER--Kak-CF-108	Drinking Water	08/26/2016 0545	08/26/2016 1103
420-109432-109	16-90-ER--Kak-DW-109	Drinking Water	08/26/2016 0537	08/26/2016 1103
420-109432-110	16-90-ER--Kak-CF(A)-110	Drinking Water	08/26/2016 0537	08/26/2016 1103
420-109432-111	16-90-ER--Kak-CF(B)-111	Drinking Water	08/26/2016 0534	08/26/2016 1103
420-109432-112	16-90-ER--Kak-BF(A)-112	Drinking Water	08/26/2016 0534	08/26/2016 1103
420-109432-113	16-90-ER--Kak-BF(B)-113	Drinking Water	08/26/2016 0534	08/26/2016 1103
420-109432-114	16-90-ER--Kak-BF(C)-114	Drinking Water	08/26/2016 0534	08/26/2016 1103
420-109432-115	16-90-ER--Kak-BF(D)-115	Drinking Water	08/26/2016 0534	08/26/2016 1103
420-109432-116	16-90-ER--Kak-BF(E)-116	Drinking Water	08/26/2016 0534	08/26/2016 1103
420-109432-117	16-90-ER--Kak-BF(A)-117	Drinking Water	08/26/2016 0522	08/26/2016 1103
420-109432-118	16-90-ER--Kak-BF(B)-118	Drinking Water	08/26/2016 0522	08/26/2016 1103
420-109432-119	16-90-ER--Kak-BF(C)-119	Drinking Water	08/26/2016 0522	08/26/2016 1103
420-109432-120	16-90-ER--Kak-BF(D)-120	Drinking Water	08/26/2016 0523	08/26/2016 1103
420-109432-121	16-90-ER--Kak-BF-121	Drinking Water	08/26/2016 0526	08/26/2016 1103
420-109432-122	16-90-ER--Kak-BF-122	Drinking Water	08/26/2016 0524	08/26/2016 1103
420-109432-123	16-90-ER--Kak-TL-123	Drinking Water	08/26/2016 0525	08/26/2016 1103
420-109432-124	16-90-ER--Kak-DW-124	Drinking Water	08/26/2016 0527	08/26/2016 1103
420-109432-133	16-90-ER--Kak-BF(A)-133	Drinking Water	08/26/2016 0528	08/26/2016 1103
420-109432-134	16-90-ER--Kak-BF(B)-134	Drinking Water	08/26/2016 0528	08/26/2016 1103
420-109432-135	16-90-ER--Kak-BF(C)-135	Drinking Water	08/26/2016 0529	08/26/2016 1103
420-109432-136	16-90-ER--Kak-BF(D)-136	Drinking Water	08/26/2016 0529	08/26/2016 1103
420-109432-137	16-90-ER--Kak-BF(A)-137	Drinking Water	08/26/2016 0530	08/26/2016 1103
420-109432-138	16-90-ER--Kak-BF(B)-138	Drinking Water	08/26/2016 0530	08/26/2016 1103
420-109432-139	16-90-ER--Kak-CF-139	Drinking Water	08/26/2016 0532	08/26/2016 1103
420-109432-140	16-90-ER--Kak-BF-140	Drinking Water	08/26/2016 0538	08/26/2016 1103
420-109432-141	16-90-ER--Kak-OT-141	Drinking Water	08/26/2016 0539	08/26/2016 1103
420-109432-142	16-90-ER--Kak-DW-142	Drinking Water	08/26/2016 0620	08/26/2016 1103
420-109432-143	16-90-ER--Kak-BF-143	Drinking Water	08/26/2016 0535	08/26/2016 1103

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-BF(A)--001
Lab Sample ID: 420-109432-1

Date Sampled: 08/26/2016 0515
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/30/2016 1806	
Prep Method: 200			Date Prepared:	08/29/2016 1230	
Lead	14.5	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-SC-002
Lab Sample ID: 420-109432-2

Date Sampled: 08/26/2016 0516
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 1205	
Prep Method: 200			Date Prepared:	08/28/2016 1015	
Lead	4.49	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-DW-003
Lab Sample ID: 420-109432-3

Date Sampled: 08/26/2016 0524
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 1219	
Prep Method: 200			Date Prepared:	08/28/2016 1015	
Lead	7.72	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-OT-004
Lab Sample ID: 420-109432-4

Date Sampled: 08/26/2016 0527
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 1223	
Prep Method: 200			Date Prepared:	08/28/2016 1015	
Lead	20.6 g	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-BF(B)-005
Lab Sample ID: 420-109432-5

Date Sampled: 08/26/2016 0520
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 1226	
Prep Method: 200			Date Prepared:	08/28/2016 1015	
Lead	40.9 g	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-BF(A)-006
Lab Sample ID: 420-109432-6

Date Sampled: 08/26/2016 0528
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 1230	
Prep Method: 200			Date Prepared:	08/28/2016 1015	
Lead	29.5 g	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-BF(B)-007
Lab Sample ID: 420-109432-7

Date Sampled: 08/26/2016 0528
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 1233	
Prep Method: 200			Date Prepared:	08/28/2016 1015	
Lead	23.5 g	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-BF-008
Lab Sample ID: 420-109432-8

Date Sampled: 08/26/2016 0531
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 1244	
Prep Method: 200			Date Prepared:	08/28/2016 1015	
Lead	23.8 g	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-TL-009
Lab Sample ID: 420-109432-9

Date Sampled: 08/26/2016 0532
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 1247	
Prep Method: 200			Date Prepared:	08/28/2016 1015	
Lead	9.88	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-DW-010
Lab Sample ID: 420-109432-10

Date Sampled: 08/26/2016 0535
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 1251	
Prep Method: 200			Date Prepared:	08/28/2016 1015	
Lead	4.64	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-CF-011
Lab Sample ID: 420-109432-11

Date Sampled: 08/26/2016 0538
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 1254	
Prep Method: 200			Date Prepared:	08/28/2016 1015	
Lead	29.5 g	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-CF(A)-012
Lab Sample ID: 420-109432-12

Date Sampled: 08/26/2016 0542
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 1258	
Prep Method: 200			Date Prepared:	08/28/2016 1015	
Lead	6.53	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-CF(B)-013
Lab Sample ID: 420-109432-13

Date Sampled: 08/26/2016 0542
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 1301	
Prep Method: 200			Date Prepared:	08/28/2016 1015	
Lead	8.04	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-TL-014
Lab Sample ID: 420-109432-14

Date Sampled: 08/26/2016 0548
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 1305	
Prep Method: 200			Date Prepared:	08/28/2016 1015	
Lead	16.7 g	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-CF(A)-017
Lab Sample ID: 420-109432-17

Date Sampled: 08/26/2016 0544
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 1308	
Prep Method: 200			Date Prepared:	08/28/2016 1015	
Lead	13.4	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-CF-020
Lab Sample ID: 420-109432-20

Date Sampled: 08/26/2016 0551
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 1312	
Prep Method: 200			Date Prepared:	08/28/2016 1015	
Lead	8.89	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-DW-021
Lab Sample ID: 420-109432-21

Date Sampled: 08/26/2016 0559
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 1315	
Prep Method: 200			Date Prepared:	08/28/2016 1015	
Lead	7.06	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-BF(B)-023
Lab Sample ID: 420-109432-23

Date Sampled: 08/26/2016 0601
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 1326	
Prep Method: 200			Date Prepared:	08/28/2016 1015	
Lead	7.12	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-BF(C)-024
Lab Sample ID: 420-109432-24

Date Sampled: 08/26/2016 0602
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 1329	
Prep Method: 200			Date Prepared:	08/28/2016 1015	
Lead	8.88	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-BF(D)-025
Lab Sample ID: 420-109432-25

Date Sampled: 08/26/2016 0602
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 1333	
Prep Method: 200			Date Prepared:	08/28/2016 1015	
Lead	21.2 g	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-BF(A)-026
Lab Sample ID: 420-109432-26

Date Sampled: 08/26/2016 0606
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 1336	
Prep Method: 200			Date Prepared:	08/28/2016 1015	
Lead	8.52	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-BF(B)-027
Lab Sample ID: 420-109432-27

Date Sampled: 08/26/2016 0606
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 1340	
Prep Method: 200			Date Prepared:	08/28/2016 1100	
Lead	8.54	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-BF(C)-028
Lab Sample ID: 420-109432-28

Date Sampled: 08/26/2016 0607
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 1354	
Prep Method: 200			Date Prepared:	08/28/2016 1100	
Lead	11.1	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-BF(D)-029
Lab Sample ID: 420-109432-29

Date Sampled: 08/26/2016 0607
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 1358	
Prep Method: 200			Date Prepared:	08/28/2016 1100	
Lead	30.4 g	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-OT-030
Lab Sample ID: 420-109432-30

Date Sampled: 08/26/2016 0612
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 1408	
Prep Method: 200			Date Prepared:	08/28/2016 1100	
Lead	6.93	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-BF-031
Lab Sample ID: 420-109432-31

Date Sampled: 08/26/2016 0610
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 1412	
Prep Method: 200			Date Prepared:	08/28/2016 1100	
Lead	9.46	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-BF-032
Lab Sample ID: 420-109432-32

Date Sampled: 08/26/2016 0557
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 1415	
Prep Method: 200			Date Prepared:	08/28/2016 1100	
Lead	10.2	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-NF-033
Lab Sample ID: 420-109432-33

Date Sampled: 08/26/2016 0556
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 1419	
Prep Method: 200			Date Prepared:	08/28/2016 1100	
Lead	30.4 g	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-CF-034
Lab Sample ID: 420-109432-34

Date Sampled: 08/26/2016 0616
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 1422	
Prep Method: 200			Date Prepared:	08/28/2016 1100	
Lead	31.6 g	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-CF-035
Lab Sample ID: 420-109432-35

Date Sampled: 08/26/2016 0554
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution	
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 1426		
Prep Method: 200			Date Prepared:	08/28/2016 1100		
Lead	17.6	g	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-DW-036
Lab Sample ID: 420-109432-36

Date Sampled: 08/26/2016 0553
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 1429	
Prep Method: 200			Date Prepared:	08/28/2016 1100	
Lead	1.01	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-CF(A)-039
Lab Sample ID: 420-109432-39

Date Sampled: 08/26/2016 0550
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 1433	
Prep Method: 200			Date Prepared:	08/28/2016 1100	
Lead	56.0 g	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-CF(B)-040
Lab Sample ID: 420-109432-40

Date Sampled: 08/26/2016 0551
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 1436	
Prep Method: 200			Date Prepared:	08/28/2016 1100	
Lead	37.6 g	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-CF-041
Lab Sample ID: 420-109432-41

Date Sampled: 08/26/2016 0546
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 1440	
Prep Method: 200			Date Prepared:	08/28/2016 1100	
Lead	3.64	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-CF-042
Lab Sample ID: 420-109432-42

Date Sampled: 08/26/2016 0551
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 1450	
Prep Method: 200			Date Prepared:	08/28/2016 1100	
Lead	11.1	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-CF-043
Lab Sample ID: 420-109432-43

Date Sampled: 08/26/2016 0542
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 08/28/2016 1454		
Prep Method: 200			Date Prepared: 08/28/2016 1100		
Lead	5.08	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-BF-044
Lab Sample ID: 420-109432-44

Date Sampled: 08/26/2016 0544
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 08/28/2016 1457		
Prep Method: 200			Date Prepared: 08/28/2016 1100		
Lead	3.08	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-BF-045
Lab Sample ID: 420-109432-45

Date Sampled: 08/26/2016 0537
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 1501	
Prep Method: 200			Date Prepared:	08/28/2016 1100	
Lead	4.83	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-CF-046
Lab Sample ID: 420-109432-46

Date Sampled: 08/26/2016 0527
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 1504	
Prep Method: 200			Date Prepared:	08/28/2016 1100	
Lead	3.73	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-CF-047
Lab Sample ID: 420-109432-47

Date Sampled: 08/26/2016 0535
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 1508	
Prep Method: 200			Date Prepared:	08/28/2016 1100	
Lead	4.11	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-CF-048
Lab Sample ID: 420-109432-48

Date Sampled: 08/26/2016 0534
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 1511	
Prep Method: 200			Date Prepared:	08/28/2016 1100	
Lead	18.2 g	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-BF(A)-049
Lab Sample ID: 420-109432-49

Date Sampled: 08/26/2016 0532
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 1515	
Prep Method: 200			Date Prepared:	08/28/2016 1145	
Lead	7.68	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-BF(B)-050
Lab Sample ID: 420-109432-50

Date Sampled: 08/26/2016 0532
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 1536	
Prep Method: 200			Date Prepared:	08/28/2016 1145	
Lead	33.4 g	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-BF(C)-051
Lab Sample ID: 420-109432-51

Date Sampled: 08/26/2016 0533
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 1540	
Prep Method: 200			Date Prepared:	08/28/2016 1145	
Lead	11.1	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-BF(D)-052
Lab Sample ID: 420-109432-52

Date Sampled: 08/26/2016 0533
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 1543	
Prep Method: 200			Date Prepared:	08/28/2016 1145	
Lead	15.6 g	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-WC-053
Lab Sample ID: 420-109432-53

Date Sampled: 08/26/2016 0528
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 1547	
Prep Method: 200			Date Prepared:	08/28/2016 1145	
Lead	2.67	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-BF-054
Lab Sample ID: 420-109432-54

Date Sampled: 08/26/2016 0531
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 1550	
Prep Method: 200			Date Prepared:	08/28/2016 1145	
Lead	27.2 g	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-BF-055
Lab Sample ID: 420-109432-55

Date Sampled: 08/26/2016 0530
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 1554	
Prep Method: 200			Date Prepared:	08/28/2016 1145	
Lead	3.53	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-BF-056
Lab Sample ID: 420-109432-56

Date Sampled: 08/26/2016 0529
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 1557	
Prep Method: 200			Date Prepared:	08/28/2016 1145	
Lead	11.5	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-OT-057
Lab Sample ID: 420-109432-57

Date Sampled: 08/26/2016 0626
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 1601	
Prep Method: 200			Date Prepared:	08/28/2016 1145	
Lead	31.9 g	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-OT-058
Lab Sample ID: 420-109432-58

Date Sampled: 08/26/2016 0625
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 1604	
Prep Method: 200			Date Prepared:	08/28/2016 1145	
Lead	29.7 g	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-BF-059
Lab Sample ID: 420-109432-59

Date Sampled: 08/26/2016 0628
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 1615	
Prep Method: 200			Date Prepared:	08/28/2016 1145	
Lead	8.01	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-KF-060
Lab Sample ID: 420-109432-60

Date Sampled: 08/26/2016 0621
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 1619	
Prep Method: 200			Date Prepared:	08/28/2016 1145	
Lead	6.25	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-DW-061
Lab Sample ID: 420-109432-61

Date Sampled: 08/26/2016 0623
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 1622	
Prep Method: 200			Date Prepared:	08/28/2016 1145	
Lead	<1.00	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-BF-062
Lab Sample ID: 420-109432-62

Date Sampled: 08/26/2016 0623
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 1626	
Prep Method: 200			Date Prepared:	08/28/2016 1145	
Lead	5.50	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-BF-063
Lab Sample ID: 420-109432-63

Date Sampled: 08/26/2016 0624
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 1629	
Prep Method: 200			Date Prepared:	08/28/2016 1145	
Lead	2.58	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-OT-064
Lab Sample ID: 420-109432-64

Date Sampled: 08/26/2016 0628
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 1633	
Prep Method: 200			Date Prepared:	08/28/2016 1145	
Lead	31.6 g	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-CF-066
Lab Sample ID: 420-109432-66

Date Sampled: 08/26/2016 0631
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution	
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 1636		
Prep Method: 200			Date Prepared:	08/28/2016 1145		
Lead	60.8	g	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-OT-067
Lab Sample ID: 420-109432-67

Date Sampled: 08/26/2016 0617
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 1640	
Prep Method: 200			Date Prepared:	08/28/2016 1145	
Lead	2.66	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-DW-068
Lab Sample ID: 420-109432-68

Date Sampled: 08/26/2016 0613
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 08/28/2016 1643		
Prep Method: 200			Date Prepared: 08/28/2016 1145		
Lead	3.58	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-DW-069
Lab Sample ID: 420-109432-69

Date Sampled: 08/26/2016 0621
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 1647	
Prep Method: 200			Date Prepared:	08/28/2016 1145	
Lead	5.47	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-WC-070
Lab Sample ID: 420-109432-70

Date Sampled: 08/26/2016 0612
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 1658	
Prep Method: 200			Date Prepared:	08/28/2016 1240	
Lead	1.62	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-BF-071
Lab Sample ID: 420-109432-71

Date Sampled: 08/26/2016 0614
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 1712	
Prep Method: 200			Date Prepared:	08/28/2016 1240	
Lead	14.3	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-KF-072
Lab Sample ID: 420-109432-72

Date Sampled: 08/26/2016 0613
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 1715	
Prep Method: 200			Date Prepared:	08/28/2016 1240	
Lead	24.6 g	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-KF(A)-073
Lab Sample ID: 420-109432-73

Date Sampled: 08/26/2016 0615
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 1719	
Prep Method: 200			Date Prepared:	08/28/2016 1240	
Lead	27.0 g	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-KF(B)-074
Lab Sample ID: 420-109432-74

Date Sampled: 08/26/2016 0615
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 1722	
Prep Method: 200			Date Prepared:	08/28/2016 1240	
Lead	33.1 g	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-KF(C)-075
Lab Sample ID: 420-109432-75

Date Sampled: 08/26/2016 0615
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 1726	
Prep Method: 200			Date Prepared:	08/28/2016 1240	
Lead	19.8 g	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-BF-076
Lab Sample ID: 420-109432-76

Date Sampled: 08/26/2016 0559
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 1729	
Prep Method: 200			Date Prepared:	08/28/2016 1240	
Lead	14.5	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-DW-077
Lab Sample ID: 420-109432-77

Date Sampled: 08/26/2016 0603
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 1740	
Prep Method: 200			Date Prepared:	08/28/2016 1240	
Lead	8.62	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-BF-078
Lab Sample ID: 420-109432-78

Date Sampled: 08/26/2016 0601
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 1744	
Prep Method: 200			Date Prepared:	08/28/2016 1240	
Lead	13.1	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-DW-079
Lab Sample ID: 420-109432-79

Date Sampled: 08/26/2016 0607
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 1747	
Prep Method: 200			Date Prepared:	08/28/2016 1240	
Lead	8.94	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-BF-080
Lab Sample ID: 420-109432-80

Date Sampled: 08/26/2016 0600
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 1751	
Prep Method: 200			Date Prepared:	08/28/2016 1240	
Lead	9.26	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-DW-081
Lab Sample ID: 420-109432-81

Date Sampled: 08/26/2016 0559
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 1754	
Prep Method: 200			Date Prepared:	08/28/2016 1240	
Lead	4.10	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-BF-082
Lab Sample ID: 420-109432-82

Date Sampled: 08/26/2016 0602
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution	
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 1758		
Prep Method: 200			Date Prepared:	08/28/2016 1240		
Lead	98.9	g	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-DW-083
Lab Sample ID: 420-109432-83

Date Sampled: 08/26/2016 0609
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 1801	
Prep Method: 200			Date Prepared:	08/28/2016 1240	
Lead	6.85	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-IM-084
Lab Sample ID: 420-109432-84

Date Sampled: 08/26/2016 0606
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 1805	
Prep Method: 200			Date Prepared:	08/28/2016 1240	
Lead	<1.00	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-BF-085
Lab Sample ID: 420-109432-85

Date Sampled: 08/26/2016 0605
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 1808	
Prep Method: 200			Date Prepared:	08/28/2016 1240	
Lead	14.7	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-HEF(A)-086
Lab Sample ID: 420-109432-86

Date Sampled: 08/26/2016 0523
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 1812	
Prep Method: 200			Date Prepared:	08/28/2016 1240	
Lead	202 g	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-HEF(B)-087
Lab Sample ID: 420-109432-87

Date Sampled: 08/26/2016 0524
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/30/2016 1146	
Prep Method: 200			Date Prepared:	08/28/2016 1240	
Lead	128 g	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-HEF(C)-088
Lab Sample ID: 420-109432-88

Date Sampled: 08/26/2016 0524
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/30/2016 1149	
Prep Method: 200			Date Prepared:	08/28/2016 1240	
Lead	89.5 g	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-HEF(D)-089
Lab Sample ID: 420-109432-89

Date Sampled: 08/26/2016 0520
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/30/2016 1153	
Prep Method: 200			Date Prepared:	08/28/2016 1240	
Lead	60.8 g	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-HEF(E)-090
Lab Sample ID: 420-109432-90

Date Sampled: 08/26/2016 0522
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution	
Method: 200.8 Rev.5.4			Date Analyzed:	08/30/2016 1156		
Prep Method: 200			Date Prepared:	08/28/2016 1300		
Lead	146	g	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-HEF(A)-091
Lab Sample ID: 420-109432-91

Date Sampled: 08/26/2016 0525
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 08/30/2016 0025		
Prep Method: 200			Date Prepared: 08/28/2016 1300		
Lead	52.3 g	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-HEF(B)-092
Lab Sample ID: 420-109432-92

Date Sampled: 08/26/2016 0526
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/30/2016 0028	
Prep Method: 200			Date Prepared:	08/28/2016 1300	
Lead	97.5 g	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-HEF(C)-093
Lab Sample ID: 420-109432-93

Date Sampled: 08/26/2016 0526
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/30/2016 0032	
Prep Method: 200			Date Prepared:	08/28/2016 1300	
Lead	42.7 g	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-DW-094
Lab Sample ID: 420-109432-94

Date Sampled: 08/26/2016 0527
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 08/30/2016 0035		
Prep Method: 200			Date Prepared: 08/28/2016 1300		
Lead	8.35	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-CF-095
Lab Sample ID: 420-109432-95

Date Sampled: 08/26/2016 0529
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/30/2016 0039	
Prep Method: 200			Date Prepared:	08/28/2016 1300	
Lead	12.4	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-DW-096
Lab Sample ID: 420-109432-96

Date Sampled: 08/26/2016 0530
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/30/2016 0042	
Prep Method: 200			Date Prepared:	08/28/2016 1300	
Lead	5.24	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-CF-097
Lab Sample ID: 420-109432-97

Date Sampled: 08/26/2016 0533
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/30/2016 0046	
Prep Method: 200			Date Prepared:	08/28/2016 1300	
Lead	14.8	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-BF-098
Lab Sample ID: 420-109432-98

Date Sampled: 08/26/2016 0532
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/30/2016 0049	
Prep Method: 200			Date Prepared:	08/28/2016 1300	
Lead	15.7 g	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-CF(A)-104
Lab Sample ID: 420-109432-104

Date Sampled: 08/26/2016 0542
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/30/2016 1809	
Prep Method: 200			Date Prepared:	08/29/2016 1230	
Lead	73.7 g	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-CF-106
Lab Sample ID: 420-109432-106

Date Sampled: 08/26/2016 0543
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/30/2016 0100	
Prep Method: 200			Date Prepared:	08/28/2016 1300	
Lead	40.4 g	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-CF-107
Lab Sample ID: 420-109432-107

Date Sampled: 08/26/2016 0543
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/30/2016 0103	
Prep Method: 200			Date Prepared:	08/28/2016 1300	
Lead	41.2 g	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-CF-108
Lab Sample ID: 420-109432-108

Date Sampled: 08/26/2016 0545
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/30/2016 0107	
Prep Method: 200			Date Prepared:	08/28/2016 1300	
Lead	10.6	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-DW-109
Lab Sample ID: 420-109432-109

Date Sampled: 08/26/2016 0537
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/30/2016 0110	
Prep Method: 200			Date Prepared:	08/28/2016 1300	
Lead	4.53	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-CF(A)-110
Lab Sample ID: 420-109432-110

Date Sampled: 08/26/2016 0537
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/30/2016 0114	
Prep Method: 200			Date Prepared:	08/28/2016 1300	
Lead	70.9 g	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-CF(B)-111
Lab Sample ID: 420-109432-111

Date Sampled: 08/26/2016 0534
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution	
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 1948		
Prep Method: 200			Date Prepared:	08/28/2016 1300		
Lead	280	g	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-BF(A)-112
Lab Sample ID: 420-109432-112

Date Sampled: 08/26/2016 0534
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 1952	
Prep Method: 200			Date Prepared:	08/28/2016 1300	
Lead	9.04	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-BF(B)-113
Lab Sample ID: 420-109432-113

Date Sampled: 08/26/2016 0534
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 1955	
Prep Method: 200			Date Prepared:	08/28/2016 1300	
Lead	8.01	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-BF(C)-114
Lab Sample ID: 420-109432-114

Date Sampled: 08/26/2016 0534
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 1959	
Prep Method: 200			Date Prepared:	08/28/2016 1300	
Lead	9.59	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-BF(D)-115
Lab Sample ID: 420-109432-115

Date Sampled: 08/26/2016 0534
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 2002	
Prep Method: 200			Date Prepared:	08/28/2016 1300	
Lead	4.28	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-BF(E)-116
Lab Sample ID: 420-109432-116

Date Sampled: 08/26/2016 0534
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 2006	
Prep Method: 200			Date Prepared:	08/28/2016 1300	
Lead	4.99	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-BF(A)-117
Lab Sample ID: 420-109432-117

Date Sampled: 08/26/2016 0522
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 2009	
Prep Method: 200			Date Prepared:	08/28/2016 1317	
Lead	1.70	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-BF(B)-118
Lab Sample ID: 420-109432-118

Date Sampled: 08/26/2016 0522
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 2031	
Prep Method: 200			Date Prepared:	08/28/2016 1317	
Lead	14.1	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-BF(C)-119
Lab Sample ID: 420-109432-119

Date Sampled: 08/26/2016 0522
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 2034	
Prep Method: 200			Date Prepared:	08/28/2016 1317	
Lead	14.5	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-BF(D)-120
Lab Sample ID: 420-109432-120

Date Sampled: 08/26/2016 0523
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 2038	
Prep Method: 200			Date Prepared:	08/28/2016 1317	
Lead	49.8 g	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-BF-121
Lab Sample ID: 420-109432-121

Date Sampled: 08/26/2016 0526
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 2041	
Prep Method: 200			Date Prepared:	08/28/2016 1317	
Lead	16.2 g	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-BF-122
Lab Sample ID: 420-109432-122

Date Sampled: 08/26/2016 0524
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 2045	
Prep Method: 200			Date Prepared:	08/28/2016 1317	
Lead	8.57	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-TL-123
Lab Sample ID: 420-109432-123

Date Sampled: 08/26/2016 0525
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 2049	
Prep Method: 200			Date Prepared:	08/28/2016 1317	
Lead	12.4	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-DW-124
Lab Sample ID: 420-109432-124

Date Sampled: 08/26/2016 0527
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 2052	
Prep Method: 200			Date Prepared:	08/28/2016 1317	
Lead	1.35	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-BF(A)-133
Lab Sample ID: 420-109432-133

Date Sampled: 08/26/2016 0528
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 08/28/2016 2056		
Prep Method: 200			Date Prepared: 08/28/2016 1317		
Lead	14.4	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-BF(B)-134
Lab Sample ID: 420-109432-134

Date Sampled: 08/26/2016 0528
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 2059	
Prep Method: 200			Date Prepared:	08/28/2016 1317	
Lead	20.6 g	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-BF(C)-135
Lab Sample ID: 420-109432-135

Date Sampled: 08/26/2016 0529
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 08/28/2016 2103		
Prep Method: 200			Date Prepared: 08/28/2016 1317		
Lead	26.8 g	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-BF(D)-136
Lab Sample ID: 420-109432-136

Date Sampled: 08/26/2016 0529
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 2114	
Prep Method: 200			Date Prepared:	08/28/2016 1317	
Lead	36.0 g	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-BF(A)-137
Lab Sample ID: 420-109432-137

Date Sampled: 08/26/2016 0530
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 2117	
Prep Method: 200			Date Prepared:	08/28/2016 1317	
Lead	7.66	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-BF(B)-138
Lab Sample ID: 420-109432-138

Date Sampled: 08/26/2016 0530
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 2121	
Prep Method: 200			Date Prepared:	08/28/2016 1317	
Lead	6.26	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-CF-139
Lab Sample ID: 420-109432-139

Date Sampled: 08/26/2016 0532
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 2124	
Prep Method: 200			Date Prepared:	08/28/2016 1317	
Lead	4.84	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-BF-140
Lab Sample ID: 420-109432-140

Date Sampled: 08/26/2016 0538
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 08/28/2016 2128		
Prep Method: 200			Date Prepared: 08/28/2016 1317		
Lead	17.4 g	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-OT-141
Lab Sample ID: 420-109432-141

Date Sampled: 08/26/2016 0539
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 2131	
Prep Method: 200			Date Prepared:	08/28/2016 1317	
Lead	35.0 g	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-DW-142
Lab Sample ID: 420-109432-142

Date Sampled: 08/26/2016 0620
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 2135	
Prep Method: 200			Date Prepared:	08/28/2016 1317	
Lead	39.4 g	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-109432-1
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Client Sample ID: 16-90-ER--Kak-BF-143
Lab Sample ID: 420-109432-143

Date Sampled: 08/26/2016 0535
Date Received: 08/26/2016 1103
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/28/2016 2139	
Prep Method: 200			Date Prepared:	08/28/2016 1317	
Lead	16.2 g	ug/L	1.00	1.00	1.0

DATA REPORTING QUALIFIERS

Client: Rockland BOCES

Job Number:
Sdg Number: East Ramapo CSD 2016-90 Kakiat

Lab Section	Qualifier	Description
Metals	g	Result fails applicable NYS drinking water standards

Certification Information

Client: Rockland BOCES

Job Number:

Sdg Number: East Ramapo CSD 2016-90 Kakiat

The following analytes are Not Part of the ELAP scope of accreditation

Sulfur, Tungsten, Silicon, Bicarbonate Alkalinity, 7 Day BOD 5210C, 28 Day BOD, Soluble BOD, Carbon Dioxide, Carbonate Alkalinity, CBOD Soluble, Chlorine, Cyanide (WAD), Ferrous Iron, Ferric Iron, Total Nitrogen, Total Organic Nitrogen, Dissolved Oxygen, pH, Phenolphthalien Alkalinity, Solids (Fixed), Solids (Percent), Solids (Percent Moisture), Solids (Percent Volatile), Solids (Volatile Suspended), Temperature, TKN (Soluble), Total Inorganic Carbon, Volatile Acids as Acetic Acid, 2-Aminopyridine, 3-Picoline, 1-Methyl-2-pyrrilidinone, Aziridine, Dimethyl sulfoxide, 1-Chlorohexane, Iron Bacteria, Salmonella, & Sulfur Reducing Bacteria.

The following analytes are Not Part of ELAP Potable Water scope of accreditation

Cobalt (200.7, 200.8), Tin (200.7), Strontium (200.7), Gold (200.7), Platinum (200.7), Palladium (200.7), Titanium (200.7), Phosphorus (365.3), Nitrate-Nitrite (10-107-4-1C, 353.2), m-Xylene & p-Xylene (502.2, 524), Naphthalene (502.2), o-Xylene (502.2, 524), & Fecal Coliform (9222D).

The following analytes are Not Part of ELAP Solid and Hazardous Waste scope of accreditation

Ammonia (SM 4500NH3G), TKN (351.2), Phosphorus (365.3), 1,2-Dichloro-1,1,2-trifluoroethane (8260), & Chlorodifluoromethane (8260).

The following analytes are Not Part of ELAP Non Potable Water scope of accreditation

Dissolved Organic Carbon (5310C), Mecoprop (8151A), & MCPA (8151A).

Definitions and Glossary

Client: Rockland BOCES

Job Number:

Sdg Number: East Ramapo CSD 2016-90 Kakiat

<u>Abbreviation</u>	<u>These commonly used abbreviations may or may not be present in this report.</u>
%R	Percent Recovery
DL, RA, RE	Indicates a Dilution, Reanalysis or Reextraction.
EPA	United States Environmental Protection Agency
MDL	Method Detection Limit - an estimate of the minimum amount of a substance that an analytical process can reliably detect. A MDL is analyte- and matrix-specific and may be laboratory-dependent.
ND	Not detected at the reporting limit (or MDL if shown).
QC	Quality Control
RL	Reporting Limit - the minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.
RPD	Relative Percent Difference - a measure of the relative difference between two points



CHAIN OF CUSTODY

109432

REPORT# (Lab Use Only)

Lab Name: EnviroTest Laboratories
 Address & Phone: 315 Fullerton Avenue, Newburgh, New York 12550 845-562-0890

PROJECT REFERENCE		PROJECT LOCATION		MATRIX TYPE		REQUIRED ANALYSES							PAGE 1 of 10	
East Ramapo CSD 2016-090		Kakiat TOWN		D (Drinking Water) or W (Waste Water) Indicate		40ml Vials HCl	250ml Plastic Nitric Acid	250ml Plastic Sulfuric Acid	Liter Plastic	250ml Plastic	Terra Core	Other	Other	TURNAROUND TIME
ENVIROTEST PROJECT MANAGER Debra Bayer		CLIENT PHONE 845-627-4775		COMPOSITE (C) OR GRAB (G) INDICATE		Total # of Containers	Liter Amber HCl	250ml Plastic Nitric Acid	Liter Plastic	250ml Plastic	Other	Other	NORMAL	
CLIENT (SITE) PM John Gulino/Keith Lewandosky		CLIENT FAX 845-627-4775		ACQUOUS (WATER)		NUMBER OF CONTAINERS SUBMITTED	40ml Vials HCl	250ml Plastic Nitric Acid	Liter Plastic	250ml Plastic	Other	Other	QUICK	
CLIENT NAME Rockland BOCES		CLIENT ADDRESS 65 Parrott Road, B-4, West Nyack, NY 10994		OTHER SPECIFY		OTHER SPECIFY	40ml Vials HCl	250ml Plastic Nitric Acid	Liter Plastic	250ml Plastic	Other	Other	VERBAL	
CLIENT ADDRESS 65 Parrott Road, B-4, West Nyack, NY 10994		CLIENT ADDRESS 65 Parrott Road, B-4, West Nyack, NY 10994		OTHER SPECIFY		OTHER SPECIFY	40ml Vials HCl	250ml Plastic Nitric Acid	Liter Plastic	250ml Plastic	Other	Other		
COMPANY CONTRACTING THIS WORK (IF APPLICABLE)		COMPANY CONTRACTING THIS WORK (IF APPLICABLE)		OTHER SPECIFY		OTHER SPECIFY	40ml Vials HCl	250ml Plastic Nitric Acid	Liter Plastic	250ml Plastic	Other	Other		
DATE	TIME	SAMPLE IDENTIFICATION		COMPOSITE (C) OR GRAB (G) INDICATE	D (Drinking Water) or W (Waste Water) Indicate	OTHER SPECIFY	40ml Vials HCl	250ml Plastic Nitric Acid	Liter Plastic	250ml Plastic	Other	Other	REMARKS	
8/26/2016	0515	16-90-ER--Kak-BF(A) --001		S	D		1	1					Lead (DW 200.8)	
8/26/2016	0516	16-90-ER--Kak-SC-002		S	D		1	1					Lead (DW 200.8)	
8/26/2016	0524	16-90-ER--Kak-DW-003		S	D		1	1					Lead (DW 200.8)	
8/26/2016	0527	16-90-ER--Kak-OT-004		S	D		1	1					Lead (DW 200.8)	
8/26/2016	0520	16-90-ER--Kak-BF(B)-005		S	D		1	1					Lead (DW 200.8)	
8/26/2016	0528	16-90-ER--Kak-BF(A)-006		S	D		1	1					Lead (DW 200.8)	
8/26/2016	0528	16-90-ER--Kak-BF(B)-007		S	D		1	1					Lead (DW 200.8)	
8/26/2016	0531	16-90-ER--Kak-BF-008		S	D		1	1					Lead (DW 200.8)	
8/26/2016	0534	16-90-ER--Kak-TL-009		S	D		1	1					Lead (DW 200.8)	
8/26/2016	0535	16-90-ER--Kak-DW-010		S	D		1	1					Lead (DW 200.8)	
8/26/2016	0538	16-90-ER--Kak-CF-011		S	D		1	1					Lead (DW 200.8)	
8/26/2016	0542	16-90-ER--Kak-CF(A)-012		S	D		1	1					Lead (DW 200.8)	
8/26/2016	0542	16-90-ER--Kak-CF(B)-013		S	D		1	1					Lead (DW 200.8)	
8/26/2016	0548	16-90-ER--Kak-TL-014		S	D		1	1					Lead (DW 200.8)	
8/26/2016		16-90-ER--Kak-CF(A)-015		S	D		1	1					Lead (DW 200.8)	
RELINQUISHED BY (SIGNATURE)		COMPANY		DATE	TIME	RECEIVED BY (SIGNATURE)	COMP. DATE	COMP. DATE	COMP. DATE	COMP. DATE	COMP. DATE	COMP. DATE	REMARKS	
<i>[Signature]</i>		FTL		8/26	8:33	<i>[Signature]</i>	8/26/16	8:33	8/26/16	8:33	8/26/16	8:33		
SAMPLED BY (SIGNATURE)		COMPANY		DATE	TIME	RECEIVED BY (SIGNATURE)	COMP. DATE	COMP. DATE	COMP. DATE	COMP. DATE	COMP. DATE	COMP. DATE	REMARKS	
<i>[Signature]</i>		FTL		8/26	8:33	<i>[Signature]</i>	8/26/16	8:33	8/26/16	8:33	8/26/16	8:33		
RELINQUISHED BY (SIGNATURE)		COMPANY		DATE	TIME	RECEIVED BY (SIGNATURE)	COMP. DATE	COMP. DATE	COMP. DATE	COMP. DATE	COMP. DATE	COMP. DATE	REMARKS	
<i>[Signature]</i>		FTL		8/26/16	11:03	<i>[Signature]</i>	8/26/16	11:03	8/26/16	11:03	8/26/16	11:03		

RECEIVED FOR LABORATORY BY (SIGNATURE): *[Signature]*
 DATE: 8/26/16 TIME: 11:03
 CUSTODY INTACT: YES [] NO [X]
 COOLER Temp (C): 25.4
 LABORATORY REMARKS: ICE (Y/N) pH GL2 Reviewed by: _____

EnviroTest Laboratories, Inc.

CHAIN OF CUSTODY

REPORT# (Lab Use Only)

109432

Lab Name: EnviroTest Laboratories
Address & Phone: 315 Fullerton Avenue, Newburgh, New York 12550 845-562-0890

PROJECT REFERENCE		PROJECT LOCATION		PROJECT NO		MATRIX TYPE		REQUIRED ANALYSES							PAGE 2 of 10												
East Ramapo CSD 2016-090		Kakiat		P.O. NUMBER		TOWN		OTHER SPECIFY		40ml Vials HCl		Litter Amber HCl		250ml Plastic Nitric Acid		250ml Plastic Sulfuric Acid		Litter Plastic		250ml Plastic		Terra Core		Other		Other	
EnviroTest Project Manager		Client Phone		Client Fax		Client Phone		Client Fax		Total # of Containers		Litter Amber HCl		250ml Plastic Nitric Acid		250ml Plastic Sulfuric Acid		Litter Plastic		250ml Plastic		Terra Core		Other		Other	
Debra Bayer		845-627-4775								1		1		1		1		1		1		1		1		1	
John Gulino/Keith Lewandosky		845-627-4775								1		1		1		1		1		1		1		1		1	
Rockland BOCES		igulino@rboces.org/ sarmstrong@rboces.org kiewando@rboces.org								1		1		1		1		1		1		1		1		1	
65 Parrott Road, B-4, West Nyack, NY 10994										1		1		1		1		1		1		1		1		1	
COMPANY CONTRACTING THIS WORK IS (Indicate)										1		1		1		1		1		1		1		1		1	
SAMPLE		DATE		TIME		SAMPLE IDENTIFICATION		COMPOSITE (C) OR GRAB (G) INDICATE		ACQUEOUS (WATER)		D (Drinking Water) or W (Waste Water) Indicate		SOLID OR SEMISOLID		OTHER SPECIFY		NUMBER OF CONTAINERS SUBMITTED		# OF COOLERS		REMARKS					
8/26/2016						16-90-ER--Kak-CF(B)-016	Not Sampled			S	D							1				Lead (DW 200.8)					
8/26/2016	0544					16-90-ER--Kak-CF(A)-017	Not Sampled			S	D							1				Lead (DW 200.8)					
8/26/2016						16-90-ER--Kak-CF(B)-018	Not Sampled			S	D							1				Lead (DW 200.8)					
8/26/2016						16-90-ER--Kak-CF-019	Not Sampled			S	D							1				Lead (DW 200.8)					
8/26/2016	0551					16-90-ER--Kak-CF-020				S	D							1				Lead (DW 200.8)					
8/26/2016	0559					16-90-ER--Kak-DW-021				S	D							1				Lead (DW 200.8)					
8/26/2016	0601					16-90-ER--Kak-BF(A)-022	Not Sampled			S	D							1				Lead (DW 200.8)					
8/26/2016	0602					16-90-ER--Kak-BF(B)-023				S	D							1				Lead (DW 200.8)					
8/26/2016	0602					16-90-ER--Kak-BF(C)-024				S	D							1				Lead (DW 200.8)					
8/26/2016	0602					16-90-ER--Kak-BF(D)-025				S	D							1				Lead (DW 200.8)					
8/26/2016	0606					16-90-ER--Kak-BF(A)-026				S	D							1				Lead (DW 200.8)					
8/26/2016	0606					16-90-ER--Kak-BF(B)-027				S	D							1				Lead (DW 200.8)					
8/26/2016	0607					16-90-ER--Kak-BF(C)-028				S	D							1				Lead (DW 200.8)					
8/26/2016	0607					16-90-ER--Kak-BF(D)-029				S	D							1				Lead (DW 200.8)					
8/26/2016	0612					16-90-ER--Kak-OT-030				S	D							1				Lead (DW 200.8)					
RELINQUISHED BY (SIGNATURE)		DATE		TIME		COMPANY		DATE		TIME		RECEIVED BY (SIGNATURE)		DATE		TIME		COMP. DATE		TIME		REMARKS					
<i>[Signature]</i>		8/26		8:33		ETR		8/26		8:33		<i>[Signature]</i>		8/26/14		0833											
SAMPLER BY (SIGNATURE)		DATE		TIME		COMPANY		DATE		TIME		RECEIVED BY (SIGNATURE)		DATE		TIME		COMP. DATE		TIME		REMARKS					
<i>[Signature]</i>		8/26/16		1103		ETR		8/26/16		1103		<i>[Signature]</i>															
RELINQUISHED BY (SIGNATURE)		DATE		TIME		COMPANY		DATE		TIME		RECEIVED BY (SIGNATURE)		DATE		TIME		COMP. DATE		TIME		REMARKS					
<i>[Signature]</i>		8/26/16		1103		ETR		8/26/16		1103		<i>[Signature]</i>															
RECEIVED FOR LABORATORY BY (SIGNATURE)		DATE		TIME		CUSTODY INTACT		Cooler Temp (C)		LABORATORY REMARKS		ICE (Y_N)		PH		CL2		Revised by									
<i>[Signature]</i>		8/26/16		1103		YES		25.4																			

109432

EnviroTest Laboratories
315 Fullerton Avenue, Newburgh, New York 12550 845-562-0890

PROJECT REFERENCE East Ramapo CSD 2016-090		PROJECT LOCATION Kakiat		MATRIX TYPE		REQUIRED ANALYSES						PAGE 3 of 10			
ENVIROTEST PROJECT MANAGER Debra Bayer		TOWN		SOLID OR SEMISOLID		OTHER SPECIFY		40ml Vials HCl		250ml Plastic Nitric Acid		Terra Core		Other	
CLIENT (SITE) PM John Gulino/Keith Lewandosky		CLIENT PHONE 845-627-4775		AQUEOUS (WATER)		OTHER SPECIFY		Liter Amber HCl		250ml Plastic Sulfuric Acid		Liter Plastic		250ml Plastic	
CLIENT NAME Rockland BOCES		CLIENT FAX		COMPOSITE (C) OR GRAB (G) INDICATE		OTHER SPECIFY		Liter Amber HCl		250ml Plastic Nitric Acid		Liter Plastic		250ml Plastic	
CLIENT ADDRESS 65 Parrott Road, B-4, West Nyack, NY 10994		igulino@rboces.org/ sarmstrong@rboces.org klewando@rboces.org		OTHER SPECIFY		OTHER SPECIFY		Total # of Containers		250ml Plastic Sulfuric Acid		Liter Plastic		250ml Plastic	
COMPANY CONTRACTING THIS WORK (IF APPLICABLE)		SAMPLE IDENTIFICATION		DATE		TIME		NUMBER OF CONTAINERS SUBMITTED		250ml Plastic Nitric Acid		Liter Plastic		250ml Plastic	
		16-90-ER--Kak-BF-031		8/26/2016		0610		1		250ml Plastic Nitric Acid		Liter Plastic		250ml Plastic	
		16-90-ER--Kak-BF-032		8/26/2016		0557		1		250ml Plastic Nitric Acid		Liter Plastic		250ml Plastic	
		16-90-ER--Kak-NF-033		8/26/2016		0556		1		250ml Plastic Nitric Acid		Liter Plastic		250ml Plastic	
		16-90-ER--Kak-CF-034		8/26/2016		0616		1		250ml Plastic Nitric Acid		Liter Plastic		250ml Plastic	
		16-90-ER--Kak-CF-035		8/26/2016		0554		1		250ml Plastic Nitric Acid		Liter Plastic		250ml Plastic	
		16-90-ER--Kak-DW-036		8/26/2016		0553		1		250ml Plastic Nitric Acid		Liter Plastic		250ml Plastic	
		16-90-ER--Kak-BF-037		8/26/2016		Not Sampled		1		250ml Plastic Nitric Acid		Liter Plastic		250ml Plastic	
		16-90-ER--Kak-BF-038		8/26/2016		Not Sampled		1		250ml Plastic Nitric Acid		Liter Plastic		250ml Plastic	
		16-90-ER--Kak-CF(A)-039		8/26/2016		0550		1		250ml Plastic Nitric Acid		Liter Plastic		250ml Plastic	
		16-90-ER--Kak-CF(B)-040		8/26/2016		0551		1		250ml Plastic Nitric Acid		Liter Plastic		250ml Plastic	
		16-90-ER--Kak-CF-041		8/26/2016		0546		1		250ml Plastic Nitric Acid		Liter Plastic		250ml Plastic	
		16-90-ER--Kak-CF-042		8/26/2016		0551		1		250ml Plastic Nitric Acid		Liter Plastic		250ml Plastic	
		16-90-ER--Kak-CF-043		8/26/2016		0542		1		250ml Plastic Nitric Acid		Liter Plastic		250ml Plastic	
		16-90-ER--Kak-BF-044		8/26/2016		0544		1		250ml Plastic Nitric Acid		Liter Plastic		250ml Plastic	
		16-90-ER--Kak-BF-045		8/26/2016		0537		1		250ml Plastic Nitric Acid		Liter Plastic		250ml Plastic	
RELINQUISHED BY (SIGNATURE) <i>[Signature]</i>		DATE 8/26		TIME 8:33		COMPANY FTR		RECEIVED BY (SIGNATURE) <i>[Signature]</i>		DATE 8/26/16		TIME 0833		COMPANY FTR	
SAMPLE BY (SIGNATURE) <i>[Signature]</i>		DATE 8/26		TIME 8:33		COMPANY FTR		RECEIVED BY (SIGNATURE) <i>[Signature]</i>		DATE 8/26/16		TIME 0833		COMPANY FTR	
RELINQUISHED BY (SIGNATURE) <i>[Signature]</i>		DATE 8/26/16		TIME 1103		COMPANY FTR		RECEIVED BY (SIGNATURE) <i>[Signature]</i>		DATE 8/26/16		TIME 1103		COMPANY FTR	
RECEIVED FOR LABORATORY BY (SIGNATURE) <i>[Signature]</i>		DATE 8/26/16		TIME 1103		CUSTODY INTACT YES NO		COOLER TEMP (C) 25.4		LABORATORY REMARKS ICE (Y_N) pH CL2		REVIEWED BY			

109432

EnviroTest Laboratories
315 Fullerton Avenue, Newburgh, New York 12550 845-562-0890

PROJECT REFERENCE East Ramapo CSD 2016-090		PROJECT LOCATION Kakiat	MATRIX TYPE	REQUIRED ANALYSES						PAGE 4 of 10				
ENVIROTEST PROJECT MANAGER Debra Bayer		TOWN		40ml Vials HCl	Liter Amber HCl	250ml Plastic Nitric Acid	250ml Plastic Sulfuric Acid	Liter Plastic	250ml Plastic	Terra Core	Other	Other	TURNAROUND TIME	
CLIENT (SITE) PM John Gulino/Keith Lewandosky		CLIENT PHONE 845-627-4775		Total # of Containers									NORMAL <input checked="" type="checkbox"/>	
CLIENT NAME Rockland BOCES		CLIENT FAX		NUMBER OF CONTAINERS SUBMITTED									QUICK	
CLIENT ADDRESS 65 Parrott Road, B-4, West Nyack, NY 10994		igulino@rboces.org/ sarmstrong@rboces.org kiewando@rboces.org											VERBAL	
COMPANY CONTRACTING THIS WORK (if applicable)														
SAMPLE	DATE	TIME	SAMPLE IDENTIFICATION	COMPOSITE (C) OR GRAB (G) INDICATE	AQUEOUS (WATER) INDICATE	D (Drinking Water) or V (Waste Water) Indicate	SOLID OR SEMISOLID	OTHER Specify					# OF COOLERS	REMARKS
8/26/2016	0527		16-90-ER--Kak-CF-046		S	D			1	1				Lead (DW 200.8)
8/26/2016	0535		16-90-ER--Kak-CF-047		S	D			1	1				Lead (DW 200.8)
8/26/2016	0534		16-90-ER--Kak-CF-048		S	D			1	1				Lead (DW 200.8)
8/26/2016	0532		16-90-ER--Kak-BF(A)-049		S	D			1	1				Lead (DW 200.8)
8/26/2016	0532		16-90-ER--Kak-BF(B)-050		S	D			1	1				Lead (DW 200.8)
8/26/2016	0533		16-90-ER--Kak-BF(C)-051		S	D			1	1				Lead (DW 200.8)
8/26/2016	0533		16-90-ER--Kak-BF(D)-052		S	D			1	1				Lead (DW 200.8)
8/26/2016	0528		16-90-ER--Kak-WC-053		S	D			1	1				Lead (DW 200.8)
8/26/2016	0531		16-90-ER--Kak-BF-054		S	D			1	1				Lead (DW 200.8)
8/26/2016	0530		16-90-ER--Kak-BF-055		S	D			1	1				Lead (DW 200.8)
8/26/2016	0529		16-90-ER--Kak-BF-056		S	D			1	1				Lead (DW 200.8)
8/26/2016	0626		16-90-ER--Kak-OT-057		S	D			1	1				Lead (DW 200.8)
8/26/2016	0625		16-90-ER--Kak-OT-058		S	D			1	1				Lead (DW 200.8)
8/26/2016	0628		16-90-ER--Kak-BF-059		S	D			1	1				Lead (DW 200.8)
8/26/2016	0621		16-90-ER--Kak-KF-060		S	D			1	1				Lead (DW 200.8)
RELINQUISHED BY: (SIGNATURE)			COMPANY	DATE	TIME	RECEIVED BY: (SIGNATURE)	COMP. DATE	COMP. DATE	TIME	TIME	TIME	TIME	TIME	TIME
			ETR	8/26	8:33									8/26/16 08:33
SAMPLE BY: (SIGNATURE)			COMPANY	DATE	TIME	RECEIVED BY: (SIGNATURE)	COMP. DATE	COMP. DATE	TIME	TIME	TIME	TIME	TIME	TIME
			ETR	8/26	8:33									
RELINQUISHED BY: (SIGNATURE)			COMPANY	DATE	TIME	RECEIVED BY: (SIGNATURE)	COMP. DATE	COMP. DATE	TIME	TIME	TIME	TIME	TIME	TIME
				8/26/16	11:03									

LABORATORY REMARKS: ICE (Y_N) PH CL2 _____
 RECEIVED FOR LABORATORY BY: (SIGNATURE) DATE 8/26/16 TIME 11:03
 CUSTODY INTACT: Cooler Temp(C): 75.4
 YES NO

109432

Lab Name: EnviroTest Laboratories
Address & Phone: 315 Fullerton Avenue, Newburgh, New York 12550 845-562-0890

PROJECT REFERENCE East Ramapo CSD 2016-090		PROJECT NO	PROJECT LOCATION Kakiat	MATRIX TYPE	REQUIRED ANALYSES							PAGE 5 of 10	
ENVIROTEST PROJECT MANAGER Debra Bayer		P.O. NUMBER	TOWN		40ml Vials HCl	Liter Amber HCl	250ml Plastic Nitric Acid	250ml Plastic Sulfuric Acid	Liter Plastic	250ml Plastic	Terra Core	Other	Other
CLIENT (SITE) PM John Gulino/Keith Lewandosky		CLIENT PHONE 845-627-4775	CLIENT FAX		Total # of Containers								TURNAROUND TIME NORMAL <input checked="" type="checkbox"/> X QUICK VERBAL
CLIENT NAME Rockland BOCES		igulino@rboces.org/ sarmstrong@rboces.org klewando@rboces.org			NUMBER OF CONTAINERS SUBMITTED							# OF COOLERS	
CLIENT ADDRESS 65 Parrott Road, B-4, West Nyack, NY 10994		COMPOSITE (C) OR GRAB (G) INDICATE			OTHER SPECIFY								
COMPANY CONTRACTING THIS WORK (LABORATORY)		SAMPLE IDENTIFICATION											
SAMPLE DATE	TIME											REMARKS	
8/26/2016	0623	16-90-ER--Kak-DW-061	S	D	1								Lead (DW 200.8)
8/26/2016	0623	16-90-ER--Kak-BF-062	S	D	1								Lead (DW 200.8)
8/26/2016	0624	16-90-ER--Kak-BF-063	S	D	1								Lead (DW 200.8)
8/26/2016	0628	16-90-ER--Kak-OT-064	S	D	1								Lead (DW 200.8)
8/26/2016		16-90-ER--Kak-CF-065	S	D	1								Lead (DW 200.8)
8/26/2016	0631	16-90-ER--Kak-CF-066	S	D	1								Lead (DW 200.8)
8/26/2016	0617	16-90-ER--Kak-OT-067	S	D	1								Lead (DW 200.8)
8/26/2016	0613	16-90-ER--Kak-DW-068	S	D	1								Lead (DW 200.8)
8/26/2016	0621	16-90-ER--Kak-DW-069	S	D	1								Lead (DW 200.8)
8/26/2016	0612	16-90-ER--Kak-WC-070	S	D	1								Lead (DW 200.8)
8/26/2016	0614	16-90-ER--Kak-BF-071	S	D	1								Lead (DW 200.8)
8/26/2016	0613	16-90-ER--Kak-KF-072	S	D	1								Lead (DW 200.8)
8/26/2016	0615	16-90-ER--Kak-KF(A)-073	S	D	1								Lead (DW 200.8)
8/26/2016	0615	16-90-ER--Kak-KF(B)-074	S	D	1								Lead (DW 200.8)
8/26/2016	0615	16-90-ER--Kak-KF(C)-075	S	D	1								Lead (DW 200.8)
RELINQUISHED BY (SIGNATURE)	DATE	COMPANY	TIME		RECEIVED BY (SIGNATURE)							TIME	
<i>[Signature]</i>	8/26	EFR	8:33		<i>[Signature]</i>							8/26/16 0833	
SAMPLED BY (SIGNATURE)	DATE	COMPANY	TIME		RECEIVED BY (SIGNATURE)							TIME	
<i>[Signature]</i>	8/26	EFR	8:33		<i>[Signature]</i>								
RELINQUISHED BY (SIGNATURE)	DATE	COMPANY	TIME		RECEIVED BY (SIGNATURE)							TIME	
<i>[Signature]</i>	8/26/16		11:03		<i>[Signature]</i>								
RECEIVED FOR LABORATORY BY (SIGNATURE)		DATE	TIME	CUSTODY INTACT	COOLER TEMP (C)	LABORATORY REMARKS: ICE (Y_N) PH CL2							REVIEWED BY
<i>[Signature]</i>		8/26/16	11:03	YES	25.4								

EnviroTest Laboratories, Inc.

CHAIN OF CUSTODY 109432

Lab Name: EnviroTest Laboratories
Address & Phone: 315 Fullerton Avenue, Newburgh, New York 12550 845-562-0890

REPORT# (Lab Use Only)

PROJECT REFERENCE East Ramapo CSD 2016-090	PROJECT NO	PROJECT LOCATION Kakiat	MATRIX TYPE	REQUIRED ANALYSES	PAGE 6 of 10		
ENVIROTEST PROJECT MANAGER Debra Bayer	P.O. NUMBER	TOWN	OTHER Specify	Other	TURNAROUND TIME		
CLIENT (SITE)/PM John Gulino/Keith Lewandosky	CLIENT PHONE 845-627-4775	CLIENT FAX	Other	Other	NORMAL <input checked="" type="checkbox"/>		
CLIENT NAME Rockland BOCES	igulino@rboces.org/ sarmstrong@rboces.org klewando@rboces.org		Other	Other	QUICK <input type="checkbox"/>		
CLIENT ADDRESS 65 Parrott Road, B-4, West Nyack, NY 10994			Other	Other	VERBAL <input type="checkbox"/>		
COMPANY CONTRACTING THIS WORK (If applicable)			Other	Other			
SAMPLE		SAMPLE IDENTIFICATION		NUMBER OF CONTAINERS SUBMITTED		REMARKS	
DATE	TIME						
8/26/2016	0559	16-90-ER--Kak-BF-076	S	1	1	Lead (DW 200.8)	
8/26/2016	0603	16-90-ER--Kak-DW-077	S	1	1	Lead (DW 200.8)	
8/26/2016	0601	16-90-ER--Kak-BF-078	S	1	1	Lead (DW 200.8)	
8/26/2016	0607	16-90-ER--Kak-DW-079	S	1	1	Lead (DW 200.8)	
8/26/2016	0600	16-90-ER--Kak-BF-080	S	1	1	Lead (DW 200.8)	
8/26/2016	0559	16-90-ER--Kak-DW-081	S	1	1	Lead (DW 200.8)	
8/26/2016	0602	16-90-ER--Kak-BF-082	S	1	1	Lead (DW 200.8)	
8/26/2016	0609	16-90-ER--Kak-DW-083	S	1	1	Lead (DW 200.8)	
8/26/2016	0606	16-90-ER--Kak-IM-084	S	1	1	Lead (DW 200.8)	
8/26/2016	0605	16-90-ER--Kak-BF-085	S	1	1	Lead (DW 200.8)	
8/26/2016	0523	16-90-ER--Kak-HEF(A)-086	S	1	1	Lead (DW 200.8)	
8/26/2016	0524	16-90-ER--Kak-HEF(B)-087	S	1	1	Lead (DW 200.8)	
8/26/2016	0524	16-90-ER--Kak-HEF(C)-088	S	1	1	Lead (DW 200.8)	
8/26/2016	0520	16-90-ER--Kak-HEF(D)-089	S	1	1	Lead (DW 200.8)	
8/26/2016	0522	16-90-ER--Kak-HEF(E)-090	S	1	1	Lead (DW 200.8)	
RELINQUISHED BY (SIGNATURE)	DATE	COMPANY	TIME	RECEIVED BY (SIGNATURE)	COMPADATE	TIME	
<i>[Signature]</i>	8/26	ETR	8:33	<i>[Signature]</i>	8/26/16	0833	
SAMPLED BY (SIGNATURE)	DATE	COMPANY	TIME	RECEIVED BY (SIGNATURE)	COMPADATE	TIME	
<i>[Signature]</i>	8/26	ETR	8:33	<i>[Signature]</i>			
RELINQUISHED BY (SIGNATURE)	DATE	COMPANY	TIME	RECEIVED BY (SIGNATURE)	COMPADATE	TIME	
<i>[Signature]</i>	8/26/16		1103	<i>[Signature]</i>			

RECEIVED FOR LABORATORY BY (SIGNATURE) *[Signature]* DATE 8/26/16 TIME 1103

LABORATORY REMARKS: ICE (Y/N) pH CL2 Revisited by _____

109432

EnviroTest Laboratories
315 Fullerton Avenue, Newburgh, New York 12550 845-562-0890

PROJECT REFERENCE East Ramapo CSD 2016-090		PROJECT NO.	PROJECT LOCATION Kakiat	MATRIX TYPE	REQUIRED ANALYSES						PAGE 7 of 10					
ENVIROTEST PROJECT MANAGER Debra Bayer		P.O. NUMBER	TOWN		40ml Vials HCl	Liter Amber HCl	250ml Plastic Nitric Acid	250ml Plastic Sulfuric Acid	Liter Plastic	250ml Plastic	Terra Core	Other	Other			
CLIENT (SITE) PM John Gulino/Keith Lewandosky		CLIENT PHONE 845-627-4775	CLIENT FAX		Total # of Containers								TURNAROUND TIME			
CLIENT NAME Rockland BOCES		igulino@rboces.org/ sarmstrong@rboces.org/ klewando@rboces.org											NORMAL <input checked="" type="checkbox"/>			
CLIENT ADDRESS 65 Parrott Road, B-4, West Nyack, NY 10994													QUICK <input type="checkbox"/>			
COMPANY CONTRACTING THIS WORK (If applicable)													VERBAL <input type="checkbox"/>			
SAMPLE		SAMPLE IDENTIFICATION		COMPOSITE (C) OR GRAB (G) INDICATE	NUMBER OF CONTAINERS SUBMITTED						# OF COOLERS	REMARKS				
DATE	TIME															
8/26/2016	05:25	16-90-ER--Kak-HEF(A)-091		S	1									Lead (DW 200.8)		
8/26/2016	05:26	16-90-ER--Kak-HEF(B)-092		S	1									Lead (DW 200.8)		
8/26/2016	05:26	16-90-ER--Kak-HEF(C)-093		S	1									Lead (DW 200.8)		
8/26/2016	05:27	16-90-ER--Kak-DW-094		S	1									Lead (DW 200.8)		
8/26/2016	05:29	16-90-ER--Kak-CF-095		S	1									Lead (DW 200.8)		
8/26/2016	05:30	16-90-ER--Kak-DW-096		S	1									Lead (DW 200.8)		
8/26/2016	05:33	16-90-ER--Kak-CF-097		S	1									Lead (DW 200.8)		
8/26/2016	05:32	16-90-ER--Kak-BF-098		S	1									Lead (DW 200.8)		
8/26/2016		16-90-ER--Kak-CF-099		S	1									Lead (DW 200.8)		
8/26/2016		16-90-ER--Kak-CF-100		S	1									Lead (DW 200.8)		
8/26/2016		16-90-ER--Kak-CF-101		S	1									Lead (DW 200.8)		
8/26/2016		16-90-ER--Kak-CF-102		S	1									Lead (DW 200.8)		
8/26/2016		16-90-ER--Kak-CF-103		S	1									Lead (DW 200.8)		
8/26/2016	05:42	16-90-ER--Kak-CF(A)-104		S	1									Lead (DW 200.8)		
8/26/2016		16-90-ER--Kak-CF(B)-105		S	1									Lead (DW 200.8)		
RELINQUISHED BY (SIGNATURE)	DATE	COMPANY	DATE	TIME	RECEIVED BY (SIGNATURE)	COMP/DATE	TIME	RECEIVED BY (SIGNATURE)	COMP/DATE	TIME	RECEIVED BY (SIGNATURE)	COMP/DATE	TIME	RECEIVED BY (SIGNATURE)	COMP/DATE	TIME
<i>[Signature]</i>	8/26	ETL	8/26	8:33	<i>[Signature]</i>		08/27/16	<i>[Signature]</i>		08:33	<i>[Signature]</i>		08:33	<i>[Signature]</i>		08:33
SAMPLED BY (SIGNATURE)	DATE	COMPANY	DATE	TIME	RECEIVED BY (SIGNATURE)	COMP/DATE	TIME	RECEIVED BY (SIGNATURE)	COMP/DATE	TIME	RECEIVED BY (SIGNATURE)	COMP/DATE	TIME	RECEIVED BY (SIGNATURE)	COMP/DATE	TIME
<i>[Signature]</i>	8/26	ETL	8/26	8:33	<i>[Signature]</i>			<i>[Signature]</i>			<i>[Signature]</i>			<i>[Signature]</i>		
RELINQUISHED BY (SIGNATURE)	DATE	COMPANY	DATE	TIME	RECEIVED BY (SIGNATURE)	COMP/DATE	TIME	RECEIVED BY (SIGNATURE)	COMP/DATE	TIME	RECEIVED BY (SIGNATURE)	COMP/DATE	TIME	RECEIVED BY (SIGNATURE)	COMP/DATE	TIME
<i>[Signature]</i>	8/26/16		8/26/16	11:03	<i>[Signature]</i>			<i>[Signature]</i>			<i>[Signature]</i>			<i>[Signature]</i>		
RECEIVED FOR ANALYSIS BY (SIGNATURE)		DATE	TIME	CUSTODY INTACT	COOLER TEMP (C)	LABORATORY REMARKS										
<i>[Signature]</i>		8/26/16	11:03	YES	25.4	ICE (Y/N) PH CL2 _____ Reviewed by _____										

PROJECT REFERENCE: **East Ramapo CSD 2016-090**
 PROJECT LOCATION: **Kakiat**
 ENVIROTEST PROJECT MANAGER: **Debra Bayer**
 CLIENT (SITE) PM: **John Gulino/Keith Lewandosky**
 CLIENT NAME: **Rockland BOCES**
 CLIENT ADDRESS: **65 Parrott Road, B-4, West Nyack, NY 10994**
 COMPANY CONTRACTING THIS WORK (if applicable): **BOCES**

SAMPLE DATE	TIME	SAMPLE IDENTIFICATION	COMPOSITE (C) OR GRAB (G) INDICATE	MATRIX TYPE	REQUIRED ANALYSES							# OF COOLERS	REMARKS
					40ml Vials HCl	Liter Amber HCl	250ml Plastic Nitric Acid	250ml Plastic Sulfuric Acid	Liter Plastic	250ml Plastic	Terra Core		
8/26/2016	0543	16-90-ER--Kak-CF-106	S	D	1	1	1	1	1	1	1	1	Lead (DW 200.8)
8/26/2016	0543	16-90-ER--Kak-CF-107	S	D	1	1	1	1	1	1	1	1	Lead (DW 200.8)
8/26/2016	0545	16-90-ER--Kak-CF-108	S	D	1	1	1	1	1	1	1	1	Lead (DW 200.8)
8/26/2016	0537	16-90-ER--Kak-DW-109	S	D	1	1	1	1	1	1	1	1	Lead (DW 200.8)
8/26/2016	0537	16-90-ER--Kak-CF(A)-110	S	D	1	1	1	1	1	1	1	1	Lead (DW 200.8)
8/26/2016	0534	16-90-ER--Kak-CF(B)-111	S	D	1	1	1	1	1	1	1	1	Lead (DW 200.8)
8/26/2016	0534	16-90-ER--Kak-BF(A)-112	S	D	1	1	1	1	1	1	1	1	Lead (DW 200.8)
8/26/2016	0534	16-90-ER--Kak-BF(B)-113	S	D	1	1	1	1	1	1	1	1	Lead (DW 200.8)
8/26/2016	0534	16-90-ER--Kak-BF(C)-114	S	D	1	1	1	1	1	1	1	1	Lead (DW 200.8)
8/26/2016	0534	16-90-ER--Kak-BF(D)-115	S	D	1	1	1	1	1	1	1	1	Lead (DW 200.8)
8/26/2016	0534	16-90-ER--Kak-BF(E)-116	S	D	1	1	1	1	1	1	1	1	Lead (DW 200.8)
8/26/2016	0522	16-90-ER--Kak-BF(A)-117	S	D	1	1	1	1	1	1	1	1	Lead (DW 200.8)
8/26/2016	0522	16-90-ER--Kak-BF(B)-118	S	D	1	1	1	1	1	1	1	1	Lead (DW 200.8)
8/26/2016	0522	16-90-ER--Kak-BF(C)-119	S	D	1	1	1	1	1	1	1	1	Lead (DW 200.8)
8/26/2016	0523	16-90-ER--Kak-BF(D)-120	S	D	1	1	1	1	1	1	1	1	Lead (DW 200.8)

RECEIVED BY (SIGNATURE): *[Signature]* DATE: **8/26** TIME: **8:33**
 COMPANY: **ETR**
 RECEIVED BY (SIGNATURE): *[Signature]* DATE: **8/26** TIME: **8:33**
 COMPANY: **ETR**
 RECEIVED BY (SIGNATURE): *[Signature]* DATE: **8/26/16** TIME: **0833**
 COMPANY: **ETR**

LABORATORY REMARKS: **ICE (Y N) pH **25.4** CL2 **25.4****

109432

EnviroTest Laboratories
315 Fullerton Avenue, Newburgh, New York 12550 845-562-0890

PROJECT REFERENCE East Ramapo CSD 2016-090		PROJECT NO.	PROJECT LOCATION Kakiat	MATRIX TYPE	REQUIRED ANALYSES				PAGE 9 of 10	
ENVIROTEST PROJECT MANAGER Debra Bayer		P.O. NUMBER	TOWN		Other	Other	Terra Core	250ml Plastic	TURNAROUND TIME	
CLIENT (SITE) PM John Gulino/Keith Lewandosky		CLIENT PHONE 845-627-4775	CLIENT FAX		Liter Plastic	250ml Plastic Sulfuric Acid	250ml Plastic Nitric Acid	Liter Amber HCl	NORMAL <input checked="" type="checkbox"/>	
CLIENT NAME Rockland BOCES		igulino@rboces.org/ sarmstong@rboces.org/ klewando@rboces.org			40ml Vials HCl				QUICK <input type="checkbox"/>	
CLIENT ADDRESS 65 Parrott Road, B-4, West Nyack, NY 10994					Total # of Containers				VERBAL <input type="checkbox"/>	
COMPANY CONTRACTING THIS WORK (if applicable)					NUMBER OF CONTAINERS SUBMITTED				# OF COOLERS	
SAMPLE IDENTIFICATION					1	1	1	1	1	REMARKS
DATE	TIME	DATE	TIME	COMPOSITE (C) OR GRAB (G) INDICATE	ACQUEOUS (WATER)	D (Drinking Water) or W (Waste Water) Indicate	SOLID OR SEMISOLID	OTHER Specify		
8/26/2016	0526	16-90-ER--Kak-BF-121		S	D					Lead (DW 200.8)
8/26/2016	0524	16-90-ER--Kak-BF-122		S	D					Lead (DW 200.8)
8/26/2016	0525	16-90-ER--Kak-TL-123		S	D					Lead (DW 200.8)
8/26/2016	0527	16-90-ER--Kak-DW-124		S	D					Lead (DW 200.8)
8/26/2016		16-90-ER--Kak-CF-125	Not Sampled	S	D					Lead (DW 200.8)
8/26/2016		16-90-ER--Kak-CF(A)-126	Not Sampled	S	D					Lead (DW 200.8)
8/26/2016		16-90-ER--Kak-CF(B)-127	Not Sampled	S	D					Lead (DW 200.8)
8/26/2016		16-90-ER--Kak-CF-128	Not Sampled	S	D					Lead (DW 200.8)
8/26/2016		16-90-ER--Kak-CF(A)-129	Not Sampled	S	D					Lead (DW 200.8)
8/26/2016		16-90-ER--Kak-CF(B)-130	Not Sampled	S	D					Lead (DW 200.8)
8/26/2016		16-90-ER--Kak-CF-131	Not Sampled	S	D					Lead (DW 200.8)
8/26/2016		16-90-ER--Kak-DW-132 *	Not Sampled	S	D					Lead (DW 200.8)
8/26/2016	0529	16-90-ER--Kak-BF(A)-133		S	D					Lead (DW 200.8)
8/26/2016	0528	16-90-ER--Kak-BF(B)-134		S	D					Lead (DW 200.8)
8/26/2016	0524	16-90-ER--Kak-BF(C)-135		S	D					Lead (DW 200.8)
RELINQUISHED BY (SIGNATURE)	DATE	COMPANY	DATE	TIME	RECEIVED BY (SIGNATURE)	COMP. DATE	TIME	COMP. DATE	TIME	
<i>[Signature]</i>	8/26	ETR	8/26	8:35	<i>[Signature]</i>		0833			
SAMPLED BY (SIGNATURE)	DATE	COMPANY	DATE	TIME	RECEIVED BY (SIGNATURE)	COMP. DATE	TIME	COMP. DATE	TIME	
<i>[Signature]</i>	8/26	ETR	8/26	8:35	<i>[Signature]</i>					
RELINQUISHED BY (SIGNATURE)	DATE	COMPANY	DATE	TIME	RECEIVED BY (SIGNATURE)	COMP. DATE	TIME	COMP. DATE	TIME	
<i>[Signature]</i>	8/26/10		8/26/10	11:03	<i>[Signature]</i>					
RECEIVED FOR LABORATORY BY (SIGNATURE)	DATE	TIME	CUSTODY INTACT	COOLER Temp (C)	LABORATORY REMARKS: ICE (Y ___ N ___) pH ___ CL2 ___					
<i>[Signature]</i>	8/26/10	11:03	YES	24.6						

* Not sampled as per John Gulino. Email on File KM 8/26/16.

Lab Name **EnviroTest Laboratories**
 Address & Phone **315 Fullerton Avenue, Newburgh, New York 12550 845-562-0890**

PROJECT REFERENCE: **East Ramapo CSD 2016-090**
 ENVIROTEST PROJECT MANAGER: **Debra Bayer**
 CLIENT (SITE) PM: **John Guilino/Keith Lewandosky**
 CLIENT NAME: **Rockland BOCES**

PROJECT LOCATION: **Kakiat**
 TOWN: **Kakiat**
 CLIENT PHONE: **845-627-4775**
 CLIENT FAX: **845-627-4775**

CLIENT ADDRESS: **65 Parrott Road, B-4, West Nyack, NY 10994**
 COMPANY CONTRACTING THIS WORK: (if applicable)

PROJECT NO: _____
 P.O. NUMBER: _____
 CLIENT PHONE: _____
 CLIENT FAX: _____
 CLIENT NAME: _____
 CLIENT ADDRESS: _____
 COMPANY CONTRACTING THIS WORK: (if applicable): _____

SAMPLE DATE	TIME	SAMPLE IDENTIFICATION	REQUIRED ANALYSES										# OF COOLERS	REMARKS	
			Total # of Containers	40ml Vials HCl	Liter Amber HCl	250ml Plastic Nitric Acid	250ml Plastic Sulfuric Acid	Liter Plastic	250ml Plastic	Terra Core	Other	Other			
8/26/2016	0524	16-90-ER--Kak-BF(D)-136	1											1	Lead (DW 200.8)
8/26/2016	0530	16-90-ER--Kak-BF(A)-137	1											1	Lead (DW 200.8)
8/26/2016	0530	16-90-ER--Kak-BF(B)-138	1											1	Lead (DW 200.8)
8/26/2016	0530	16-90-ER-Kak-CF-139	1											1	Lead (DW 200.8)
8/26/2016	0538	16-90-ER-Kak-BF-140	1											1	Lead (DW 200.8)
8/26/2016	0539	16-90-ER-Kak-OT-141	1											1	Lead (DW 200.8)
8/26/2016	0620	16-90-ER-Kak-DW-142	1											1	Lead (DW 200.8)
8/26/2016	0635	16-90-ER-Kak-BF-143	1											1	Lead (DW 200.8)
			1											1	Lead (DW 200.8)
			1											1	Lead (DW 200.8)
			1											1	Lead (DW 200.8)
			1											1	Lead (DW 200.8)
			1											1	Lead (DW 200.8)
			1											1	Lead (DW 200.8)
			1											1	Lead (DW 200.8)
			1											1	Lead (DW 200.8)

RECEIVED BY (SIGNATURE): *[Signature]* DATE: **8/26** TIME: **8:33**
 COMPANY: **ETL**

SAMPLE BY (SIGNATURE): *[Signature]* DATE: **8/26** TIME: **8:33**
 COMPANY: **ETL**

RELINQUISHED BY (SIGNATURE): *[Signature]* DATE: **8/26/16** TIME: **11:03**
 COMPANY: _____

RECEIVED FOR LABORATORY BY (SIGNATURE): *[Signature]* DATE: **8/26/16** TIME: **11:03**
 COMPANY: _____

LABORATORY REMARKS: ICE (Y) NLT pH GL2 Revisited by: _____
 Cooler Temp (C): **25.4**

LOGIN SAMPLE RECEIPT CHECK LIST

Client: Rockland BOCES

Job Number: 420-109432-1
SDG Number: East Ramapo CSD 2016-90 Kakiat

Login Number: 109432

Question	T/F/NA	Comment
Samples were collected by ETL employee as per SOP-SAM-1	NA	
The cooler's custody seal, if present, is intact.	NA	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is recorded.	True	25.4 C
Cooler Temp. is within method specified range.(0-6 C PW, 0-8 C NPW, or BAC <10 C	False	
If false, was sample received on ice within 6 hours of collection.	True	
Based on above criteria cooler temperature is acceptable.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the sample IDs on the containers and the COC.	False	Sample 132 not recieved
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	NA	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	