

ANALYTICAL REPORT

Job Number: 420-108867-1


SDG Number: East Ramapo CSD 2016-090 Grandview

Job Description: Rockland BOCES

For:

Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Attention: Seth Armstrong



Debra Bayer

Customer Service Manager

dbayer@envirotestlaboratories.com

08/24/2016

cc: John Gulino

NYSDOH ELAP does not certify for all parameters. EnviroTest Laboratories does hold certification for all analytes where certification is offered by ELAP unless otherwise specified in the Certification Information section of this report. Pursuant to NELAP, this report may not be reproduced, except in full, without written approval of the laboratory. EnviroTest Laboratories Inc. certifies that the analytical results contained herein apply only to the samples tested as received by our laboratory. All questions regarding this report should be directed to the EnviroTest Customer Service Representative.

EnviroTest Laboratories, Inc. Certifications and Approvals: NYSDOH 10142, NJDEP NY015, CTDOPH PH-0554

Envirotest Laboratories, Inc.

315 Fullerton Avenue, Newburgh, NY 12550

Tel (845) 562-0890 Fax (845) 562-0841 www.envirotestlaboratories.com

METHOD SUMMARY

Client: Rockland BOCES

Job Number: 420-108867-1
SDG Number: East Ramapo CSD 2016-090 Grandview

Description	Lab Location	Method	Preparation Method
Matrix: Water			
ICPMS Metals by 200.8	EnvTest	EPA 200.8 Rev.5.4	
200 Series Drinking Water Prep Determination Step	EnvTest		EPA 200

Lab References:

EnvTest = EnviroTest

Method References:

EPA = US Environmental Protection Agency

METHOD / ANALYST SUMMARY

Client: Rockland BOCES

Job Number: 420-108867-1

SDG Number: East Ramapo CSD 2016-090 Grandview

Method	Analyst	Analyst ID
EPA 200.8 Rev.5.4	Cusack, Renee	RC
EPA 200.8 Rev.5.4	Sirico, Derek	DS

SAMPLE SUMMARY

Client: Rockland BOCES

Job Number: 420-108867-1
SDG Number: East Ramapo CSD 2016-090 Grandview

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
420-108867-1	16-90-ER-GND-SC-001	Drinking Water	08/15/2016 0501	08/15/2016 0945
420-108867-2	16-90-ER-GND-OT-002	Drinking Water	08/15/2016 0501	08/15/2016 0945
420-108867-3	16-90-ER-GND-BF-003	Drinking Water	08/15/2016 0504	08/15/2016 0945
420-108867-4	16-90-ER-GND-BF-004	Drinking Water	08/15/2016 0505	08/15/2016 0945
420-108867-5	16-90-ER-GND-BF-005	Drinking Water	08/15/2016 0505	08/15/2016 0945
420-108867-6	16-90-ER-GND-BF-006	Drinking Water	08/15/2016 0503	08/15/2016 0945
420-108867-7	16-90-ER-GND-BF-007	Drinking Water	08/15/2016 0504	08/15/2016 0945
420-108867-8	16-90-ER-GND-DW-008	Drinking Water	08/15/2016 0503	08/15/2016 0945
420-108867-9	16-90-ER-GND-CF-009	Drinking Water	08/15/2016 0524	08/15/2016 0945
420-108867-10	16-90-ER-GND-CFF-010	Drinking Water	08/15/2016 0525	08/15/2016 0945
420-108867-11	16-90-ER-GND-CF-011	Drinking Water	08/15/2016 0507	08/15/2016 0945
420-108867-12	16-90-ER-GND-CFF-012	Drinking Water	08/15/2016 0508	08/15/2016 0945
420-108867-13	16-90-ER-GND-CF-013	Drinking Water	08/15/2016 0526	08/15/2016 0945
420-108867-14	16-90-ER-GND-CFF-014	Drinking Water	08/15/2016 0525	08/15/2016 0945
420-108867-15	16-90-ER-GND-CF-015	Drinking Water	08/15/2016 0511	08/15/2016 0945
420-108867-16	16-90-ER-GND-CFF-016	Drinking Water	08/15/2016 0512	08/15/2016 0945
420-108867-17	16-90-ER-GND-KS-017	Drinking Water	08/15/2016 0626	08/15/2016 0945
420-108867-18	16-90-ER-GND-KS-018	Drinking Water	08/15/2016 0628	08/15/2016 0945
420-108867-19	16-90-ER-GND-BF-019	Drinking Water	08/15/2016 0627	08/15/2016 0945
420-108867-20	16-90-ER-GND-OT-020	Drinking Water	08/15/2016 0623	08/15/2016 0945
420-108867-21	16-90-ER-GND-BF-021	Drinking Water	08/15/2016 0624	08/15/2016 0945
420-108867-22	16-90-ER-GND-WC-022	Drinking Water	08/15/2016 0620	08/15/2016 0945
420-108867-23	16-90-ER-GND-NS-023	Drinking Water	08/15/2016 0619	08/15/2016 0945
420-108867-24	16-90-ER-GND-BF-024	Drinking Water	08/15/2016 0621	08/15/2016 0945
420-108867-25	16-90-ER-GND-CF-025	Drinking Water	08/15/2016 0528	08/15/2016 0945
420-108867-26	16-90-ER-GND-CFF-026	Drinking Water	08/15/2016 0529	08/15/2016 0945
420-108867-29	16-90-ER-GND-CF-029	Drinking Water	08/15/2016 0534	08/15/2016 0945
420-108867-30	16-90-ER-GND-CFF-030	Drinking Water	08/15/2016 0534	08/15/2016 0945
420-108867-31	16-90-ER-GND-CF-031	Drinking Water	08/15/2016 0534	08/15/2016 0945
420-108867-32	16-90-ER-GND-CFF-032	Drinking Water	08/15/2016 0535	08/15/2016 0945
420-108867-33	16-90-ER-GND-CF-033	Drinking Water	08/15/2016 0538	08/15/2016 0945
420-108867-34	16-90-ER-GND-CFF-034	Drinking Water	08/15/2016 0537	08/15/2016 0945
420-108867-35	16-90-ER-GND-CF-035	Drinking Water	08/15/2016 0539	08/15/2016 0945
420-108867-36	16-90-ER-GND-CFF-036	Drinking Water	08/15/2016 0540	08/15/2016 0945
420-108867-37	16-90-ER-GND-CF-037	Drinking Water	08/15/2016 0541	08/15/2016 0945
420-108867-38	16-90-ER-GND-CFF-038	Drinking Water	08/15/2016 0541	08/15/2016 0945
420-108867-39	16-90-ER-GND-CF-039	Drinking Water	08/15/2016 0541	08/15/2016 0945
420-108867-40	16-90-ER-GND-CFF-040	Drinking Water	08/15/2016 0542	08/15/2016 0945
420-108867-41	16-90-ER-GND-DW-041	Drinking Water	08/15/2016 0536	08/15/2016 0945
420-108867-42	16-90-ER-GND-CF-042	Drinking Water	08/15/2016 0544	08/15/2016 0945
420-108867-43	16-90-ER-GND-CFF-043	Drinking Water	08/15/2016 0545	08/15/2016 0945
420-108867-44	16-90-ER-GND-CF-044	Drinking Water	08/15/2016 0548	08/15/2016 0945
420-108867-45	16-90-ER-GND-CFF-045	Drinking Water	08/15/2016 0547	08/15/2016 0945
420-108867-46	16-90-ER-GND-CF-046	Drinking Water	08/15/2016 0547	08/15/2016 0945
420-108867-47	16-90-ER-GND-CFF-047	Drinking Water	08/15/2016 0548	08/15/2016 0945
420-108867-48	16-90-ER-GND-CF-048	Drinking Water	08/15/2016 0550	08/15/2016 0945

SAMPLE SUMMARY

Client: Rockland BOCES

Job Number: 420-108867-1
SDG Number: East Ramapo CSD 2016-090 Grandview

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
420-108867-49	16-90-ER-GND-CFF-049	Drinking Water	08/15/2016 0551	08/15/2016 0945
420-108867-50	16-90-ER-GND-CF-050	Drinking Water	08/15/2016 0558	08/15/2016 0945
420-108867-51	16-90-ER-GND-CFF-051	Drinking Water	08/15/2016 0559	08/15/2016 0945
420-108867-52	16-90-ER-GND-CF-052	Drinking Water	08/15/2016 0557	08/15/2016 0945
420-108867-53	16-90-ER-GND-CFF-053	Drinking Water	08/15/2016 0558	08/15/2016 0945
420-108867-54	16-90-ER-GND-CF-054	Drinking Water	08/15/2016 0555	08/15/2016 0945
420-108867-55	16-90-ER-GND-CFF-055	Drinking Water	08/15/2016 0556	08/15/2016 0945
420-108867-56	16-90-ER-GND-CF-056	Drinking Water	08/15/2016 0553	08/15/2016 0945
420-108867-57	16-90-ER-GND-CFF-057	Drinking Water	08/15/2016 0555	08/15/2016 0945
420-108867-58	16-90-ER-GND-BS-058	Drinking Water	08/15/2016 0553	08/15/2016 0945
420-108867-59	16-90-ER-GND-CF-059	Drinking Water	08/15/2016 0551	08/15/2016 0945
420-108867-60	16-90-ER-GND-CF-060	Drinking Water	08/15/2016 0603	08/15/2016 0945
420-108867-61	16-90-ER-GND-CFF-061	Drinking Water	08/15/2016 0604	08/15/2016 0945
420-108867-62	16-90-ER-GND-CF-062	Drinking Water	08/15/2016 0603	08/15/2016 0945
420-108867-63	16-90-ER-GND-CFF-063	Drinking Water	08/15/2016 0603	08/15/2016 0945
420-108867-64	16-90-ER-GND-CF-064	Drinking Water	08/15/2016 0610	08/15/2016 0945
420-108867-65	16-90-ER-GND-CFF-065	Drinking Water	08/15/2016 0611	08/15/2016 0945
420-108867-66	16-90-ER-GND-CF-066	Drinking Water	08/15/2016 0616	08/15/2016 0945
420-108867-67	16-90-ER-GND-CFF-067	Drinking Water	08/15/2016 0615	08/15/2016 0945
420-108867-68	16-90-ER-GND-CF-068	Drinking Water	08/15/2016 0607	08/15/2016 0945
420-108867-69	16-90-ER-GND-CFF-069	Drinking Water	08/15/2016 0608	08/15/2016 0945
420-108867-70	16-90-ER-GND-BF-070	Drinking Water	08/15/2016 0610	08/15/2016 0945
420-108867-71	16-90-ER-GND-BF-071	Drinking Water	08/15/2016 0611	08/15/2016 0945
420-108867-72	16-90-ER-GND-TL-072	Drinking Water	08/15/2016 0613	08/15/2016 0945
420-108867-73	16-90-ER-GND-CF-073	Drinking Water	08/15/2016 0606	08/15/2016 0945
420-108867-74	16-90-ER-GND-CFF-074	Drinking Water	08/15/2016 0607	08/15/2016 0945
420-108867-75	16-90-ER-GND-CF-075	Drinking Water	08/15/2016 0618	08/15/2016 0945
420-108867-76	16-90-ER-GND-CFF-076	Drinking Water	08/15/2016 0619	08/15/2016 0945
420-108867-77	16-90-ER-GND-CF-077	Drinking Water	08/15/2016 0620	08/15/2016 0945
420-108867-78	16-90-ER-GND-CFF-078	Drinking Water	08/15/2016 0621	08/15/2016 0945

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-108867-1
Sdg Number: East Ramapo CSD 2016-090 Grandview

Client Sample ID: 16-90-ER-GND-SC-001
Lab Sample ID: 420-108867-1

Date Sampled: 08/15/2016 0501
Date Received: 08/15/2016 0945
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/17/2016 0000	
Prep Method: 200			Date Prepared:	08/16/2016 1300	
Lead	9.62	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-108867-1
Sdg Number: East Ramapo CSD 2016-090 Grandview

Client Sample ID: 16-90-ER-GND-OT-002
Lab Sample ID: 420-108867-2

Date Sampled: 08/15/2016 0501
Date Received: 08/15/2016 0945
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/17/2016 0003	
Prep Method: 200			Date Prepared:	08/16/2016 1300	
Lead	14.9	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-108867-1
Sdg Number: East Ramapo CSD 2016-090 Grandview

Client Sample ID: 16-90-ER-GND-BF-003
Lab Sample ID: 420-108867-3

Date Sampled: 08/15/2016 0504
Date Received: 08/15/2016 0945
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/17/2016 0007	
Prep Method: 200			Date Prepared:	08/16/2016 1300	
Lead	2.64	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-108867-1
Sdg Number: East Ramapo CSD 2016-090 Grandview

Client Sample ID: 16-90-ER-GND-BF-004
Lab Sample ID: 420-108867-4

Date Sampled: 08/15/2016 0505
Date Received: 08/15/2016 0945
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/17/2016 0021	
Prep Method: 200			Date Prepared:	08/16/2016 1300	
Lead	2.06	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-108867-1
Sdg Number: East Ramapo CSD 2016-090 Grandview

Client Sample ID: 16-90-ER-GND-BF-005
Lab Sample ID: 420-108867-5

Date Sampled: 08/15/2016 0505
Date Received: 08/15/2016 0945
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/17/2016 0025	
Prep Method: 200			Date Prepared:	08/16/2016 1300	
Lead	2.45	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-108867-1
Sdg Number: East Ramapo CSD 2016-090 Grandview

Client Sample ID: 16-90-ER-GND-BF-006
Lab Sample ID: 420-108867-6

Date Sampled: 08/15/2016 0503
Date Received: 08/15/2016 0945
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/17/2016 0028	
Prep Method: 200			Date Prepared:	08/16/2016 1300	
Lead	2.74	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-108867-1
Sdg Number: East Ramapo CSD 2016-090 Grandview

Client Sample ID: 16-90-ER-GND-BF-007
Lab Sample ID: 420-108867-7

Date Sampled: 08/15/2016 0504
Date Received: 08/15/2016 0945
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/17/2016 0032	
Prep Method: 200			Date Prepared:	08/16/2016 1300	
Lead	1.56	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-108867-1
Sdg Number: East Ramapo CSD 2016-090 Grandview

Client Sample ID: 16-90-ER-GND-DW-008
Lab Sample ID: 420-108867-8

Date Sampled: 08/15/2016 0503
Date Received: 08/15/2016 0945
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/17/2016 0042	
Prep Method: 200			Date Prepared:	08/16/2016 1300	
Lead	5.68	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-108867-1
Sdg Number: East Ramapo CSD 2016-090 Grandview

Client Sample ID: 16-90-ER-GND-CF-009
Lab Sample ID: 420-108867-9

Date Sampled: 08/15/2016 0524
Date Received: 08/15/2016 0945
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 08/19/2016 1232		
Prep Method: 200			Date Prepared: 08/17/2016 0900		
Lead	17.6 g	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-108867-1
Sdg Number: East Ramapo CSD 2016-090 Grandview

Client Sample ID: 16-90-ER-GND-CFF-010
Lab Sample ID: 420-108867-10

Date Sampled: 08/15/2016 0525
Date Received: 08/15/2016 0945
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/17/2016 0046	
Prep Method: 200			Date Prepared:	08/16/2016 1300	
Lead	7.72	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-108867-1
Sdg Number: East Ramapo CSD 2016-090 Grandview

Client Sample ID: 16-90-ER-GND-CF-011
Lab Sample ID: 420-108867-11

Date Sampled: 08/15/2016 0507
Date Received: 08/15/2016 0945
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/19/2016 1236	
Prep Method: 200			Date Prepared:	08/17/2016 0900	
Lead	20.3 g	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-108867-1
Sdg Number: East Ramapo CSD 2016-090 Grandview

Client Sample ID: 16-90-ER-GND-CFF-012
Lab Sample ID: 420-108867-12

Date Sampled: 08/15/2016 0508
Date Received: 08/15/2016 0945
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/17/2016 0049	
Prep Method: 200			Date Prepared:	08/16/2016 1300	
Lead	8.60	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-108867-1
Sdg Number: East Ramapo CSD 2016-090 Grandview

Client Sample ID: 16-90-ER-GND-CF-013
Lab Sample ID: 420-108867-13

Date Sampled: 08/15/2016 0526
Date Received: 08/15/2016 0945
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/17/2016 0053	
Prep Method: 200			Date Prepared:	08/16/2016 1300	
Lead	75.5 g	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-108867-1
Sdg Number: East Ramapo CSD 2016-090 Grandview

Client Sample ID: 16-90-ER-GND-CFF-014
Lab Sample ID: 420-108867-14

Date Sampled: 08/15/2016 0525
Date Received: 08/15/2016 0945
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/19/2016 1239	
Prep Method: 200			Date Prepared:	08/17/2016 0900	
Lead	11.0	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-108867-1
Sdg Number: East Ramapo CSD 2016-090 Grandview

Client Sample ID: 16-90-ER-GND-CF-015
Lab Sample ID: 420-108867-15

Date Sampled: 08/15/2016 0511
Date Received: 08/15/2016 0945
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/17/2016 1017	
Prep Method: 200			Date Prepared:	08/16/2016 1300	
Lead	21.5 g	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-108867-1
Sdg Number: East Ramapo CSD 2016-090 Grandview

Client Sample ID: 16-90-ER-GND-CFF-016
Lab Sample ID: 420-108867-16

Date Sampled: 08/15/2016 0512
Date Received: 08/15/2016 0945
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/17/2016 1031	
Prep Method: 200			Date Prepared:	08/16/2016 1300	
Lead	11.4	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-108867-1
Sdg Number: East Ramapo CSD 2016-090 Grandview

Client Sample ID: 16-90-ER-GND-KS-017
Lab Sample ID: 420-108867-17

Date Sampled: 08/15/2016 0626
Date Received: 08/15/2016 0945
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 08/19/2016 1243		
Prep Method: 200			Date Prepared: 08/17/2016 0900		
Lead	66.8 g	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-108867-1
Sdg Number: East Ramapo CSD 2016-090 Grandview

Client Sample ID: 16-90-ER-GND-KS-018
Lab Sample ID: 420-108867-18

Date Sampled: 08/15/2016 0628
Date Received: 08/15/2016 0945
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/19/2016 1246	
Prep Method: 200			Date Prepared:	08/17/2016 0900	
Lead	23.3 g	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-108867-1
Sdg Number: East Ramapo CSD 2016-090 Grandview

Client Sample ID: 16-90-ER-GND-BF-019
Lab Sample ID: 420-108867-19

Date Sampled: 08/15/2016 0627
Date Received: 08/15/2016 0945
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/17/2016 1035	
Prep Method: 200			Date Prepared:	08/16/2016 1300	
Lead	6.19	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-108867-1
Sdg Number: East Ramapo CSD 2016-090 Grandview

Client Sample ID: 16-90-ER-GND-OT-020
Lab Sample ID: 420-108867-20

Date Sampled: 08/15/2016 0623
Date Received: 08/15/2016 0945
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 08/17/2016 1038		
Prep Method: 200			Date Prepared: 08/16/2016 1300		
Lead	84.7 g	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-108867-1
Sdg Number: East Ramapo CSD 2016-090 Grandview

Client Sample ID: 16-90-ER-GND-BF-021
Lab Sample ID: 420-108867-21

Date Sampled: 08/15/2016 0624
Date Received: 08/15/2016 0945
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/17/2016 1042	
Prep Method: 200			Date Prepared:	08/16/2016 1300	
Lead	22.6 g	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-108867-1
Sdg Number: East Ramapo CSD 2016-090 Grandview

Client Sample ID: 16-90-ER-GND-WC-022
Lab Sample ID: 420-108867-22

Date Sampled: 08/15/2016 0620
Date Received: 08/15/2016 0945
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/17/2016 1045	
Prep Method: 200			Date Prepared:	08/16/2016 1300	
Lead	2.37	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-108867-1
Sdg Number: East Ramapo CSD 2016-090 Grandview

Client Sample ID: 16-90-ER-GND-NS-023
Lab Sample ID: 420-108867-23

Date Sampled: 08/15/2016 0619
Date Received: 08/15/2016 0945
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/17/2016 1056	
Prep Method: 200			Date Prepared:	08/16/2016 1300	
Lead	13.9	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-108867-1
Sdg Number: East Ramapo CSD 2016-090 Grandview

Client Sample ID: 16-90-ER-GND-BF-024
Lab Sample ID: 420-108867-24

Date Sampled: 08/15/2016 0621
Date Received: 08/15/2016 0945
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/17/2016 1059	
Prep Method: 200			Date Prepared:	08/16/2016 1300	
Lead	7.86	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-108867-1
Sdg Number: East Ramapo CSD 2016-090 Grandview

Client Sample ID: 16-90-ER-GND-CF-025
Lab Sample ID: 420-108867-25

Date Sampled: 08/15/2016 0528
Date Received: 08/15/2016 0945
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/22/2016 1734	
Prep Method: 200			Date Prepared:	08/18/2016 1545	
Lead	78.4 g	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-108867-1
Sdg Number: East Ramapo CSD 2016-090 Grandview

Client Sample ID: 16-90-ER-GND-CFF-026
Lab Sample ID: 420-108867-26

Date Sampled: 08/15/2016 0529
Date Received: 08/15/2016 0945
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/17/2016 1103	
Prep Method: 200			Date Prepared:	08/16/2016 1300	
Lead	15.9 g	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-108867-1
Sdg Number: East Ramapo CSD 2016-090 Grandview

Client Sample ID: 16-90-ER-GND-CF-029
Lab Sample ID: 420-108867-29

Date Sampled: 08/15/2016 0534
Date Received: 08/15/2016 0945
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/22/2016 1738	
Prep Method: 200			Date Prepared:	08/18/2016 1545	
Lead	15.1 g	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-108867-1
Sdg Number: East Ramapo CSD 2016-090 Grandview

Client Sample ID: 16-90-ER-GND-CFF-030
Lab Sample ID: 420-108867-30

Date Sampled: 08/15/2016 0534
Date Received: 08/15/2016 0945
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/22/2016 1741	
Prep Method: 200			Date Prepared:	08/18/2016 1545	
Lead	10.6	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-108867-1
Sdg Number: East Ramapo CSD 2016-090 Grandview

Client Sample ID: 16-90-ER-GND-CF-031
Lab Sample ID: 420-108867-31

Date Sampled: 08/15/2016 0534
Date Received: 08/15/2016 0945
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/17/2016 1106	
Prep Method: 200			Date Prepared:	08/16/2016 1300	
Lead	31.1 g	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-108867-1
Sdg Number: East Ramapo CSD 2016-090 Grandview

Client Sample ID: 16-90-ER-GND-CFF-032
Lab Sample ID: 420-108867-32

Date Sampled: 08/15/2016 0535
Date Received: 08/15/2016 0945
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 08/17/2016 1110		
Prep Method: 200			Date Prepared: 08/16/2016 1300		
Lead	18.5 g	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-108867-1
Sdg Number: East Ramapo CSD 2016-090 Grandview

Client Sample ID: 16-90-ER-GND-CF-033
Lab Sample ID: 420-108867-33

Date Sampled: 08/15/2016 0538
Date Received: 08/15/2016 0945
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/17/2016 1113	
Prep Method: 200			Date Prepared:	08/16/2016 1300	
Lead	15.0	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-108867-1
Sdg Number: East Ramapo CSD 2016-090 Grandview

Client Sample ID: 16-90-ER-GND-CFF-034
Lab Sample ID: 420-108867-34

Date Sampled: 08/15/2016 0537
Date Received: 08/15/2016 0945
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 08/17/2016 1117		
Prep Method: 200			Date Prepared: 08/16/2016 1300		
Lead	20.8 g	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-108867-1
Sdg Number: East Ramapo CSD 2016-090 Grandview

Client Sample ID: 16-90-ER-GND-CF-035
Lab Sample ID: 420-108867-35

Date Sampled: 08/15/2016 0539
Date Received: 08/15/2016 0945
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution	
Method: 200.8 Rev.5.4			Date Analyzed:	08/17/2016 1120		
Prep Method: 200			Date Prepared:	08/16/2016 1300		
Lead	20.2	g	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-108867-1
Sdg Number: East Ramapo CSD 2016-090 Grandview

Client Sample ID: 16-90-ER-GND-CFF-036
Lab Sample ID: 420-108867-36

Date Sampled: 08/15/2016 0540
Date Received: 08/15/2016 0945
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 08/17/2016 1124		
Prep Method: 200			Date Prepared: 08/16/2016 1300		
Lead	3.38	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-108867-1
Sdg Number: East Ramapo CSD 2016-090 Grandview

Client Sample ID: 16-90-ER-GND-CF-037
Lab Sample ID: 420-108867-37

Date Sampled: 08/15/2016 0541
Date Received: 08/15/2016 0945
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution	
Method: 200.8 Rev.5.4			Date Analyzed:	08/17/2016 1127		
Prep Method: 200			Date Prepared:	08/16/2016 1300		
Lead	26.4	g	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-108867-1
Sdg Number: East Ramapo CSD 2016-090 Grandview

Client Sample ID: 16-90-ER-GND-CFF-038
Lab Sample ID: 420-108867-38

Date Sampled: 08/15/2016 0541
Date Received: 08/15/2016 0945
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/17/2016 1138	
Prep Method: 200			Date Prepared:	08/16/2016 1300	
Lead	17.7 g	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-108867-1
Sdg Number: East Ramapo CSD 2016-090 Grandview

Client Sample ID: 16-90-ER-GND-CF-039
Lab Sample ID: 420-108867-39

Date Sampled: 08/15/2016 0541
Date Received: 08/15/2016 0945
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/22/2016 1745	
Prep Method: 200			Date Prepared:	08/18/2016 1545	
Lead	125 g	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-108867-1
Sdg Number: East Ramapo CSD 2016-090 Grandview

Client Sample ID: 16-90-ER-GND-CFF-040
Lab Sample ID: 420-108867-40

Date Sampled: 08/15/2016 0542
Date Received: 08/15/2016 0945
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 08/17/2016 1141		
Prep Method: 200			Date Prepared: 08/16/2016 1300		
Lead	44.9 g	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-108867-1
Sdg Number: East Ramapo CSD 2016-090 Grandview

Client Sample ID: 16-90-ER-GND-DW-041
Lab Sample ID: 420-108867-41

Date Sampled: 08/15/2016 0536
Date Received: 08/15/2016 0945
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/17/2016 1145	
Prep Method: 200			Date Prepared:	08/16/2016 1300	
Lead	9.20	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-108867-1
Sdg Number: East Ramapo CSD 2016-090 Grandview

Client Sample ID: 16-90-ER-GND-CF-042
Lab Sample ID: 420-108867-42

Date Sampled: 08/15/2016 0544
Date Received: 08/15/2016 0945
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 08/22/2016 1748		
Prep Method: 200			Date Prepared: 08/18/2016 1545		
Lead	21.8 g	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-108867-1
Sdg Number: East Ramapo CSD 2016-090 Grandview

Client Sample ID: 16-90-ER-GND-CFF-043
Lab Sample ID: 420-108867-43

Date Sampled: 08/15/2016 0545
Date Received: 08/15/2016 0945
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/17/2016 1148	
Prep Method: 200			Date Prepared:	08/16/2016 1300	
Lead	9.55	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-108867-1
Sdg Number: East Ramapo CSD 2016-090 Grandview

Client Sample ID: 16-90-ER-GND-CF-044
Lab Sample ID: 420-108867-44

Date Sampled: 08/15/2016 0548
Date Received: 08/15/2016 0945
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 08/17/2016 1152		
Prep Method: 200			Date Prepared: 08/16/2016 1300		
Lead	30.8 g	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-108867-1
Sdg Number: East Ramapo CSD 2016-090 Grandview

Client Sample ID: 16-90-ER-GND-CFF-045
Lab Sample ID: 420-108867-45

Date Sampled: 08/15/2016 0547
Date Received: 08/15/2016 0945
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/17/2016 1206	
Prep Method: 200			Date Prepared:	08/16/2016 1300	
Lead	15.6 g	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-108867-1
Sdg Number: East Ramapo CSD 2016-090 Grandview

Client Sample ID: 16-90-ER-GND-CF-046
Lab Sample ID: 420-108867-46

Date Sampled: 08/15/2016 0547
Date Received: 08/15/2016 0945
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/17/2016 1209	
Prep Method: 200			Date Prepared:	08/16/2016 1300	
Lead	38.2 g	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-108867-1
Sdg Number: East Ramapo CSD 2016-090 Grandview

Client Sample ID: 16-90-ER-GND-CFF-047
Lab Sample ID: 420-108867-47

Date Sampled: 08/15/2016 0548
Date Received: 08/15/2016 0945
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/17/2016 1220	
Prep Method: 200			Date Prepared:	08/16/2016 1300	
Lead	13.7	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-108867-1
Sdg Number: East Ramapo CSD 2016-090 Grandview

Client Sample ID: 16-90-ER-GND-CF-048
Lab Sample ID: 420-108867-48

Date Sampled: 08/15/2016 0550
Date Received: 08/15/2016 0945
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/17/2016 1223	
Prep Method: 200			Date Prepared:	08/16/2016 1300	
Lead	387 g	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-108867-1
Sdg Number: East Ramapo CSD 2016-090 Grandview

Client Sample ID: 16-90-ER-GND-CFF-049
Lab Sample ID: 420-108867-49

Date Sampled: 08/15/2016 0551
Date Received: 08/15/2016 0945
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/17/2016 1227	
Prep Method: 200			Date Prepared:	08/16/2016 1300	
Lead	7.20	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-108867-1
Sdg Number: East Ramapo CSD 2016-090 Grandview

Client Sample ID: 16-90-ER-GND-CF-050
Lab Sample ID: 420-108867-50

Date Sampled: 08/15/2016 0558
Date Received: 08/15/2016 0945
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/17/2016 1230	
Prep Method: 200			Date Prepared:	08/16/2016 1300	
Lead	49.3 g	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-108867-1
Sdg Number: East Ramapo CSD 2016-090 Grandview

Client Sample ID: 16-90-ER-GND-CFF-051
Lab Sample ID: 420-108867-51

Date Sampled: 08/15/2016 0559
Date Received: 08/15/2016 0945
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/17/2016 1234	
Prep Method: 200			Date Prepared:	08/16/2016 1300	
Lead	157 g	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-108867-1
Sdg Number: East Ramapo CSD 2016-090 Grandview

Client Sample ID: 16-90-ER-GND-CF-052
Lab Sample ID: 420-108867-52

Date Sampled: 08/15/2016 0557
Date Received: 08/15/2016 0945
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/17/2016 1237	
Prep Method: 200			Date Prepared:	08/16/2016 1300	
Lead	13.7	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-108867-1
Sdg Number: East Ramapo CSD 2016-090 Grandview

Client Sample ID: 16-90-ER-GND-CFF-053
Lab Sample ID: 420-108867-53

Date Sampled: 08/15/2016 0558
Date Received: 08/15/2016 0945
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/17/2016 1241	
Prep Method: 200			Date Prepared:	08/16/2016 1300	
Lead	14.9	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-108867-1
Sdg Number: East Ramapo CSD 2016-090 Grandview

Client Sample ID: 16-90-ER-GND-CF-054
Lab Sample ID: 420-108867-54

Date Sampled: 08/15/2016 0555
Date Received: 08/15/2016 0945
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 08/17/2016 1244		
Prep Method: 200			Date Prepared: 08/16/2016 1300		
Lead	18.2 g	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-108867-1
Sdg Number: East Ramapo CSD 2016-090 Grandview

Client Sample ID: 16-90-ER-GND-CFF-055
Lab Sample ID: 420-108867-55

Date Sampled: 08/15/2016 0556
Date Received: 08/15/2016 0945
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/17/2016 1248	
Prep Method: 200			Date Prepared:	08/16/2016 1300	
Lead	7.82	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-108867-1
Sdg Number: East Ramapo CSD 2016-090 Grandview

Client Sample ID: 16-90-ER-GND-CF-056
Lab Sample ID: 420-108867-56

Date Sampled: 08/15/2016 0553
Date Received: 08/15/2016 0945
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 08/17/2016 1251		
Prep Method: 200			Date Prepared: 08/16/2016 1300		
Lead	45.4 g	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-108867-1
Sdg Number: East Ramapo CSD 2016-090 Grandview

Client Sample ID: 16-90-ER-GND-CFF-057
Lab Sample ID: 420-108867-57

Date Sampled: 08/15/2016 0555
Date Received: 08/15/2016 0945
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/17/2016 1302	
Prep Method: 200			Date Prepared:	08/16/2016 1300	
Lead	26.0 g	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-108867-1
Sdg Number: East Ramapo CSD 2016-090 Grandview

Client Sample ID: 16-90-ER-GND-BS-058
Lab Sample ID: 420-108867-58

Date Sampled: 08/15/2016 0553
Date Received: 08/15/2016 0945
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 08/22/2016 1752		
Prep Method: 200			Date Prepared: 08/18/2016 1545		
Lead	22.5 g	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-108867-1
Sdg Number: East Ramapo CSD 2016-090 Grandview

Client Sample ID: 16-90-ER-GND-CF-059
Lab Sample ID: 420-108867-59

Date Sampled: 08/15/2016 0551
Date Received: 08/15/2016 0945
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/17/2016 1306	
Prep Method: 200			Date Prepared:	08/16/2016 1300	
Lead	68.5 g	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-108867-1
Sdg Number: East Ramapo CSD 2016-090 Grandview

Client Sample ID: 16-90-ER-GND-CF-060
Lab Sample ID: 420-108867-60

Date Sampled: 08/15/2016 0603
Date Received: 08/15/2016 0945
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/17/2016 1309	
Prep Method: 200			Date Prepared:	08/16/2016 1300	
Lead	5.83	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-108867-1
Sdg Number: East Ramapo CSD 2016-090 Grandview

Client Sample ID: 16-90-ER-GND-CFF-061
Lab Sample ID: 420-108867-61

Date Sampled: 08/15/2016 0604
Date Received: 08/15/2016 0945
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/17/2016 1313	
Prep Method: 200			Date Prepared:	08/16/2016 1300	
Lead	2.10	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-108867-1
Sdg Number: East Ramapo CSD 2016-090 Grandview

Client Sample ID: 16-90-ER-GND-CF-062
Lab Sample ID: 420-108867-62

Date Sampled: 08/15/2016 0603
Date Received: 08/15/2016 0945
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/17/2016 1316	
Prep Method: 200			Date Prepared:	08/16/2016 1300	
Lead	10.8	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-108867-1
Sdg Number: East Ramapo CSD 2016-090 Grandview

Client Sample ID: 16-90-ER-GND-CFF-063
Lab Sample ID: 420-108867-63

Date Sampled: 08/15/2016 0603
Date Received: 08/15/2016 0945
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/17/2016 1320	
Prep Method: 200			Date Prepared:	08/16/2016 1300	
Lead	12.2	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-108867-1
Sdg Number: East Ramapo CSD 2016-090 Grandview

Client Sample ID: 16-90-ER-GND-CF-064
Lab Sample ID: 420-108867-64

Date Sampled: 08/15/2016 0610
Date Received: 08/15/2016 0945
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/17/2016 1323	
Prep Method: 200			Date Prepared:	08/16/2016 1300	
Lead	22.9 g	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-108867-1
Sdg Number: East Ramapo CSD 2016-090 Grandview

Client Sample ID: 16-90-ER-GND-CFF-065
Lab Sample ID: 420-108867-65

Date Sampled: 08/15/2016 0611
Date Received: 08/15/2016 0945
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/17/2016 1327	
Prep Method: 200			Date Prepared:	08/16/2016 1300	
Lead	2.65	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-108867-1
Sdg Number: East Ramapo CSD 2016-090 Grandview

Client Sample ID: 16-90-ER-GND-CF-066
Lab Sample ID: 420-108867-66

Date Sampled: 08/15/2016 0616
Date Received: 08/15/2016 0945
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/22/2016 1756	
Prep Method: 200			Date Prepared:	08/18/2016 1545	
Lead	23.2 g	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-108867-1
Sdg Number: East Ramapo CSD 2016-090 Grandview

Client Sample ID: 16-90-ER-GND-CFF-067
Lab Sample ID: 420-108867-67

Date Sampled: 08/15/2016 0615
Date Received: 08/15/2016 0945
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/17/2016 1348	
Prep Method: 200			Date Prepared:	08/16/2016 1300	
Lead	21.0 g	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-108867-1
Sdg Number: East Ramapo CSD 2016-090 Grandview

Client Sample ID: 16-90-ER-GND-CF-068
Lab Sample ID: 420-108867-68

Date Sampled: 08/15/2016 0607
Date Received: 08/15/2016 0945
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/22/2016 1759	
Prep Method: 200			Date Prepared:	08/18/2016 1545	
Lead	17.5 g	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-108867-1
Sdg Number: East Ramapo CSD 2016-090 Grandview

Client Sample ID: 16-90-ER-GND-CFF-069
Lab Sample ID: 420-108867-69

Date Sampled: 08/15/2016 0608
Date Received: 08/15/2016 0945
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 08/17/2016 1351		
Prep Method: 200			Date Prepared: 08/16/2016 1300		
Lead	16.1 g	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-108867-1
Sdg Number: East Ramapo CSD 2016-090 Grandview

Client Sample ID: 16-90-ER-GND-BF-070
Lab Sample ID: 420-108867-70

Date Sampled: 08/15/2016 0610
Date Received: 08/15/2016 0945
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/17/2016 1355	
Prep Method: 200			Date Prepared:	08/16/2016 1300	
Lead	5.85	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-108867-1
Sdg Number: East Ramapo CSD 2016-090 Grandview

Client Sample ID: 16-90-ER-GND-BF-071
Lab Sample ID: 420-108867-71

Date Sampled: 08/15/2016 0611
Date Received: 08/15/2016 0945
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution	
Method: 200.8 Rev.5.4			Date Analyzed:	08/17/2016 1358		
Prep Method: 200			Date Prepared:	08/16/2016 1300		
Lead	24.8	g	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-108867-1
Sdg Number: East Ramapo CSD 2016-090 Grandview

Client Sample ID: 16-90-ER-GND-TL-072
Lab Sample ID: 420-108867-72

Date Sampled: 08/15/2016 0613
Date Received: 08/15/2016 0945
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/17/2016 1402	
Prep Method: 200			Date Prepared:	08/16/2016 1300	
Lead	3.60	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-108867-1
Sdg Number: East Ramapo CSD 2016-090 Grandview

Client Sample ID: 16-90-ER-GND-CF-073
Lab Sample ID: 420-108867-73

Date Sampled: 08/15/2016 0606
Date Received: 08/15/2016 0945
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/17/2016 1405	
Prep Method: 200			Date Prepared:	08/16/2016 1300	
Lead	46.5 g	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-108867-1
Sdg Number: East Ramapo CSD 2016-090 Grandview

Client Sample ID: 16-90-ER-GND-CFF-074
Lab Sample ID: 420-108867-74

Date Sampled: 08/15/2016 0607
Date Received: 08/15/2016 0945
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/17/2016 1409	
Prep Method: 200			Date Prepared:	08/16/2016 1300	
Lead	17.0 g	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-108867-1
Sdg Number: East Ramapo CSD 2016-090 Grandview

Client Sample ID: 16-90-ER-GND-CF-075
Lab Sample ID: 420-108867-75

Date Sampled: 08/15/2016 0618
Date Received: 08/15/2016 0945
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 08/17/2016 1413		
Prep Method: 200			Date Prepared: 08/16/2016 1300		
Lead	7.22	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-108867-1
Sdg Number: East Ramapo CSD 2016-090 Grandview

Client Sample ID: 16-90-ER-GND-CFF-076
Lab Sample ID: 420-108867-76

Date Sampled: 08/15/2016 0619
Date Received: 08/15/2016 0945
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/17/2016 1416	
Prep Method: 200			Date Prepared:	08/16/2016 1300	
Lead	2.49	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-108867-1
Sdg Number: East Ramapo CSD 2016-090 Grandview

Client Sample ID: 16-90-ER-GND-CF-077
Lab Sample ID: 420-108867-77

Date Sampled: 08/15/2016 0620
Date Received: 08/15/2016 0945
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/17/2016 1427	
Prep Method: 200			Date Prepared:	08/16/2016 1300	
Lead	7.72	ug/L	1.00	1.00	1.0

Seth Armstrong
Rockland BOCES
65 Parrott Road, B-4
West Nyack, NY 10994

Job Number: 420-108867-1
Sdg Number: East Ramapo CSD 2016-090 Grandview

Client Sample ID: 16-90-ER-GND-CFF-078
Lab Sample ID: 420-108867-78

Date Sampled: 08/15/2016 0621
Date Received: 08/15/2016 0945
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	08/17/2016 1430	
Prep Method: 200			Date Prepared:	08/16/2016 1300	
Lead	3.39	ug/L	1.00	1.00	1.0

DATA REPORTING QUALIFIERS

Client: Rockland BOCES

Job Number:

Sdg Number: East Ramapo CSD 2016-090 Grandview

Lab Section	Qualifier	Description
Metals	g	Result fails applicable NYS drinking water standards

Certification Information

Client: Rockland BOCES

Job Number:

Sdg Number: East Ramapo CSD 2016-090 Grandview

The following analytes are Not Part of the ELAP scope of accreditation:

Sulfur, Tungsten, Silicon, Bicarbonate Alkalinity, 7 Day BOD 5210C, 28 Day BOD, Soluble BOD, Carbon Dioxide, Carbonate Alkalinity, CBOD Soluble, Chlorine, Cyanide (WAD), Ferrous Iron, Ferric Iron, Total Nitrogen, Total Organic Nitrogen, Dissolved Oxygen, pH, Phenolphthalien Alkalinity, Solids (Fixed), Solids (Percent), Solids (Percent Moisture) , Solids (Percent Volatile), Solids (Volatile Suspended), Temperature, TKN (Soluble), Total Inorganic Carbon, Volatile Acids as Acetic Acid, 2-Aminopyridine, 3-Picoline, 1-Methyl-2-pyrrilidinone, Aziridine, Dimethyl sulfoxide, 1-Chlorohexane, Iron Bacteria, Salmonella, & Sulfur Reducing Bacteria.

The following analytes are Not Part of ELAP Potable Water scope of accreditation:

Cobalt (200.7, 200.8), Tin (200.7), Strontium (200.7), Gold (200.7), Platinum (200.7), Palladium (200.7), Titanium (200.7), Phosphorus (365.3), Nitrate-Nitrite (10-107-4-1C, 353.2), m-Xylene & p-Xylene (502.2, 524), Naphthalene (502.2), o-Xylene (502.2, 524), & Fecal Coliform (9222D).

The following analytes are Not Part of ELAP Solid and Hazardous Waste scope of accreditation:

Ammonia (SM 4500NH3G), TKN (351.2), Phosphorus (365.3), 1,2-Dichloro-1,1,2-trifluoroethane (8260), & Chlorodifluoromethane (8260).

The following analytes are Not Part of ELAP Non Potable Water scope of accreditation:

Dissolved Organic Carbon (5310C), Mecoprop (8151A), & MCPA (8151A).

Definitions and Glossary

Client: Rockland BOCES

Job Number:

Sdg Number: East Ramapo CSD 2016-090 Grandview

<u>Abbreviation</u>	<u>These commonly used abbreviations may or may not be present in this report.</u>
%R	Percent Recovery
DL, RA, RE	Indicates a Dilution, Reanalysis or Reextraction.
EPA	United States Environmental Protection Agency
MDL	Method Detection Limit - an estimate of the minimum amount of a substance that an analytical process can reliably detect. A MDL is analyte- and matrix-specific and may be laboratory-dependent.
ND	Not detected at the reporting limit (or MDL if shown).
QC	Quality Control
RL	Reporting Limit - the minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.
RPD	Relative Percent Difference - a measure of the relative difference between two points.



CHAIN OF CUSTODY

EnviroTest Laboratories
315 Fullerton Avenue, Newburgh, New York 12550 845-562-0890

Lab Name
EnviroTest Laboratories

Address & Phone
315 Fullerton Avenue, Newburgh, New York 12550 845-562-0890

REPORT# (Lab Use Only)
108867

1066

PROJECT REFERENCE East Ramapo CSD 2016-090		PROJECT NO. 615116	PROJECT LOCATION GRAYMIREN TOWN	MATRIX TYPE OTHER Specify	REQUIRED ANALYSES		PAGE 1 of 6
ENVIROTEST PROJECT MANAGER Debra Bayer		P.O. NUMBER	CLIENT FAX	OTHER	Terra Core	Other	TURNAROUND TIME
CLIENT (SITE) PM John Gulino/Keith Lewandosky		CLIENT PHONE 845-627-4775	CLIENT FAX	OTHER	250ml Plastic	Other	NORMAL <input checked="" type="checkbox"/>
CLIENT NAME Rockland BOCES		CLIENT PHONE	CLIENT FAX	OTHER	Liter Plastic	Other	QUICK <input type="checkbox"/>
CLIENT ADDRESS 65 Patriot Road, B-4, West Nyack, NY 10994		CLIENT PHONE	CLIENT FAX	OTHER	250ml Plastic Sulfuric Acid	Other	VERBAL <input type="checkbox"/>
COMPANY CONTRACTING THIS WORK (if applicable)		CLIENT PHONE	CLIENT FAX	OTHER	250ml Plastic Nitric Acid	Other	# OF COOLERS
SAMPLE IDENTIFICATION		CLIENT PHONE	CLIENT FAX	OTHER	Liter Amber HCl	Other	
DATE	TIME	DATE	TIME	OTHER	40ml Vials HCl	Other	
8/15/2016	5:01	16-90-ER-GND-SC-001		OTHER		Other	Lead (DW 200.8)
8/15/2016	5:01	16-90-ER-GND-OT-002		OTHER		Other	Lead (DW 200.8)
8/15/2016	5:04	16-90-ER-GND-BF-003		OTHER		Other	Lead (DW 200.8)
8/15/2016	5:05	16-90-ER-GND-BF-004		OTHER		Other	Lead (DW 200.8)
8/15/2016	5:05	16-90-ER-GND-BF-005		OTHER		Other	Lead (DW 200.8)
8/15/2016	5:03	16-90-ER-GND-BF-006		OTHER		Other	Lead (DW 200.8)
8/15/2016	5:04	16-90-ER-GND-BF-007		OTHER		Other	Lead (DW 200.8)
8/15/2016	5:03	16-90-ER-GND-DW-008		OTHER		Other	Lead (DW 200.8)
8/15/2016	5:24	16-90-ER-GND-CF-009		OTHER		Other	Lead (DW 200.8)
8/15/2016	5:25	16-90-ER-GND-CFF-010		OTHER		Other	Lead (DW 200.8)
8/15/2016	5:07	16-90-ER-GND-CF-011		OTHER		Other	Lead (DW 200.8)
8/15/2016	5:08	16-90-ER-GND-CFF-012		OTHER		Other	Lead (DW 200.8)
8/15/2016	5:26	16-90-ER-GND-CF-013		OTHER		Other	Lead (DW 200.8)
8/15/2016	5:25	16-90-ER-GND-CFF-014		OTHER		Other	Lead (DW 200.8)
8/15/2016	5:10	16-90-ER-GND-CF-015		OTHER		Other	Lead (DW 200.8)
RECEIVED BY: (SIGNATURE)		DATE	TIME	RECEIVED BY: (SIGNATURE)	DATE	TIME	COMPADATE
[Signature]		8/15/16	0945	[Signature]	8/15/16	0945	
SAMPLED BY: (SIGNATURE)		DATE	TIME	RECEIVED BY: (SIGNATURE)	DATE	TIME	COMPADATE
[Signature]		8/15	0945	[Signature]	8/15/16	0945	
RECEIVED BY: (SIGNATURE)		DATE	TIME	RECEIVED BY: (SIGNATURE)	DATE	TIME	COMPADATE
[Signature]		8/15	0945	[Signature]	8-15-16	0945	
RECEIVED FOR LABORATORY BY: (SIGNATURE)		DATE	TIME	CUSTODY INTACT	COOLER Temp(C):		
[Signature]		8/15/16	0945	YES	25.8°C		
LABORATORY REMARKS:		ICE (Y/N)	PH	CL2	Revised by:		
IR GUN 81							



CHAIN OF CUSTODY

Lab Name: **EnviroTest Laboratories**
 Address & Phone: **315 Fullerton Avenue, Newburgh, New York 12550 845-562-0890**

REPORT# (Lab Use Only): **108867**

2 of 6

PROJECT REFERENCE East Ramapo CSD 2016-090	PROJECT NO.	PROJECT LOCATION GRN	MATRIX TYPE	REQUIRED ANALYSES	PAGE 1 of 6
ENVIROTEST PROJECT MANAGER Debra Bayer	P.O. NUMBER	TOWN	OTHER SPECIFY	Other	TURNAROUND TIME
CLIENT (SITE) PM John Gulino/Keith Lewandosky	CLIENT PHONE 845-627-4775	CLIENT FAX	AQUEOUS (WATER)	250ml Plastic Sulfuric Acid	NORMAL <input checked="" type="checkbox"/> X
CLIENT NAME Rockland BOCES	iquilino@rboces.org/ sarmstrong@rboces.org klewando@rboces.org		D (Drinking Water) or W (Waste Water) Indicate	Liter Plastic	QUICK
CLIENT ADDRESS 65 Parrot Road, B-4, West Nyack, NY 10994			SOLID OR SEMISOLID	250ml Plastic Nitric Acid	VERBAL
COMPANY CONTRACTING THIS WORK (if applicable)			COMPOSITE (C) OR GRAB (G) INDICATE	Liter Amber HCl	# OF COOLERS
				40ml Vials HCl	
				Total # of Containers	

SAMPLE DATE	TIME	SAMPLE IDENTIFICATION	COMPOSITE (C) OR GRAB (G) INDICATE	OTHER SPECIFY	NUMBER OF CONTAINERS SUBMITTED	REMARKS
8/15/2016	5:12	16-90-ER-GND-CFF-016	S		1	Lead (DW 200.8)
8/15/2016	6:26	16-90-ER-GND-KS-017	S		1	Lead (DW 200.8)
8/15/2016	6:28	16-90-ER-GND-KS-018	S		1	Lead (DW 200.8)
8/15/2016	6:27	16-90-ER-GND-BF-019	S		1	Lead (DW 200.8)
8/15/2016	6:23	16-90-ER-GND-OT-020	S		1	Lead (DW 200.8)
8/15/2016	6:24	16-90-ER-GND-BF-021	S		1	Lead (DW 200.8)
8/15/2016	6:20	16-90-ER-GND-WC-022	S		1	Lead (DW 200.8)
8/15/2016	6:19	16-90-ER-GND-NS-023	S		1	Lead (DW 200.8)
8/15/2016	6:21	16-90-ER-GND-BF-024	S		1	Lead (DW 200.8)
8/15/2016	6:28	16-90-ER-GND-CF-025	S		1	Lead (DW 200.8)
8/15/2016	5:29	16-90-ER-GND-CFF-026	S		1	Lead (DW 200.8)
8/15/2016		16-90-ER-GND-CF-027 - NO SAMPLE	S		1	Lead (DW 200.8)
8/15/2016		16-90-ER-GND-CFF-028 - NO SAMPLE	S		1	Lead (DW 200.8)
8/15/2016	5:34	16-90-ER-GND-CF-029	S		1	Lead (DW 200.8)
8/15/2016	5:34	16-90-ER-GND-CFF-030	S		1	Lead (DW 200.8)

RELINQUISHED BY: (SIGNATURE)	DATE	TIME	RECEIVED BY: (SIGNATURE)	DATE	TIME
<i>[Signature]</i>	8/15/16	0945	<i>[Signature]</i>	8/15/16	7:46
COMPANY			COMPANY		
ETR			ETR		
RELINQUISHED BY: (SIGNATURE)	DATE	TIME	RECEIVED BY: (SIGNATURE)	DATE	TIME
<i>[Signature]</i>	8/15	815	<i>[Signature]</i>	8-15-16	7:46
COMPANY			COMPANY		
ETR			ETR		

RECEIVED FOR LABORATORY BY: (SIGNATURE) *[Signature]* DATE 8/15/16 TIME 0945

LABORATORY REMARKS: ICE N PH CL2 Reviewed by: *[Signature]*

Cooler Temp(C): 25.80C

IR Gun #1



CHAIN OF CUSTODY

Lab Name: EnviroTest Laboratories
 Address & Phone: 315 Fullerton Avenue, Newburgh, New York 12550 845-562-0890

REPORT# (Lab Use Only)
 108867

3 of 6

PROJECT REFERENCE East Ramapo CSD 2016-090		PROJECT NO. 614512	MATRIX TYPE OTHER Specify	REQUIRED ANALYSES		PAGE 1 of 6
ENVIROTEST PROJECT MANAGER Debra Bayer		P.O. NUMBER	OTHER Specify	40ml Vials HCl	250ml Plastic Nitric Acid	TURNAROUND TIME
CLIENT (SITE) PM John Gulino/Keith Lewandosky		CLIENT PHONE 845-627-4775	OTHER Specify	Liter Amber HCl	250ml Plastic Sulfuric Acid	NORMAL <input checked="" type="checkbox"/> X
CLIENT NAME Rockland BOCES		CLIENT FAX	OTHER Specify	Liter Plastic	Liter Plastic	QUICK
CLIENT ADDRESS 65 Parrott Road, B-4, West Nyack, NY 10994		igulino@rboces.org saimstrona@rboces.org klewando@rboces.org	OTHER Specify	250ml Plastic Nitric Acid	250ml Plastic Sulfuric Acid	VERBAL
COMPANY CONTACTING THIS WORK OR MODIFIED		igulino@rboces.org saimstrona@rboces.org klewando@rboces.org	OTHER Specify	250ml Plastic Nitric Acid	250ml Plastic Sulfuric Acid	
SAMPLE IDENTIFICATION		DATE	TIME	RECEIVED BY: (SIGNATURE)	COMPACT DATE	TIME
8/15/2016	5:34	8/15/16	0945	RECEIVED BY: (SIGNATURE)	COMPACT DATE	TIME
8/15/2016	5:35	8/15	7:46	RECEIVED BY: (SIGNATURE)	COMPACT DATE	TIME
8/15/2016	5:38	8/15	7:46	RECEIVED BY: (SIGNATURE)	COMPACT DATE	TIME
8/15/2016	5:37	8/15	7:46	RECEIVED BY: (SIGNATURE)	COMPACT DATE	TIME
8/15/2016	5:39	8/15	7:46	RECEIVED BY: (SIGNATURE)	COMPACT DATE	TIME
8/15/2016	5:40	8/15	7:46	RECEIVED BY: (SIGNATURE)	COMPACT DATE	TIME
8/15/2016	5:41	8/15	7:46	RECEIVED BY: (SIGNATURE)	COMPACT DATE	TIME
8/15/2016	5:41	8/15	7:46	RECEIVED BY: (SIGNATURE)	COMPACT DATE	TIME
8/15/2016	5:41	8/15	7:46	RECEIVED BY: (SIGNATURE)	COMPACT DATE	TIME
8/15/2016	5:42	8/15	7:46	RECEIVED BY: (SIGNATURE)	COMPACT DATE	TIME
8/15/2016	5:36	8/15	7:46	RECEIVED BY: (SIGNATURE)	COMPACT DATE	TIME
8/15/2016	5:44	8/15	7:46	RECEIVED BY: (SIGNATURE)	COMPACT DATE	TIME
8/15/2016	5:45	8/15	7:46	RECEIVED BY: (SIGNATURE)	COMPACT DATE	TIME
8/15/2016	5:48	8/15	7:46	RECEIVED BY: (SIGNATURE)	COMPACT DATE	TIME
8/15/2016	5:47	8/15	7:46	RECEIVED BY: (SIGNATURE)	COMPACT DATE	TIME
RECEIVED FOR LABORATORY BY: (SIGNATURE)		DATE	TIME	COOLER TEMP (C)	LABORATORY REMARKS	ICE (Y/N) pH CL2
Debra Bayer		8/15/16	0945	25.8	** As per Seth Armstrong	KM 8/15/16



CHAIN OF CUSTODY

REPORT# (Lab Use Only)
108867
 4086

Lab Name: **EnviroTest Laboratories**
 Address & Phone: **315 Fullerton Avenue, Newburgh, New York 12550 845-562-0890**

PROJECT REFERENCE: **East Ramapo CSD 2016-090**
 ENVIROTEST PROJECT MANAGER: **Debra Bayer**
 CLIENT (SITE) PM: **John Gulino/Keith Lewandosky**
 CLIENT NAME: **Rockland BOCES**
 CLIENT ADDRESS: **65 Patriot Road, B-4, West Nyack, NY 10994**
 COMPANY CONTRACTING THIS WORK (if applicable):

PROJECT LOCATION: **RAMAPO**
 TOWN: **RAMAPO**
 CLIENT PHONE: **845-627-4775**
 CLIENT FAX:
 CLIENT EMAIL: **iqulino@rboces.org / sarmstrong@rboces.org / klewand@rboces.org**

REQUIRED ANALYSES:
 40ml Vials HCl
 1Lter Amber HCl
 250ml Nitric Acid
 1Lter Plastic
 250ml Sulfuric Acid
 1Lter Plastic
 Terra Core
 Other
 Other

PAGE 1 of 6
 TURNAROUND TIME
 NORMAL X
 QUICK
 VERBAL

SAMPLE DATE	TIME	SAMPLE IDENTIFICATION	NUMBER OF CONTAINERS SUBMITTED										REMARKS		
			Total # of Containers	40ml Vials HCl	1Lter Amber HCl	250ml Nitric Acid	1Lter Plastic	250ml Sulfuric Acid	1Lter Plastic	Terra Core	Other	Other			
8/15/2016	5:47	16-90-ER-GND-CF-046	1												Lead (DW 200.8)
8/15/2016	5:48	16-90-ER-GND-CFF-047	1												Lead (DW 200.8)
8/15/2016	5:50	16-90-ER-GND-CF-048	1												Lead (DW 200.8)
8/15/2016	5:51	16-90-ER-GND-CFF-049	1												Lead (DW 200.8)
8/15/2016	5:58	16-90-ER-GND-CF-050	1												Lead (DW 200.8)
8/15/2016	5:57	16-90-ER-GND-CFF-051	1												Lead (DW 200.8)
8/15/2016	5:57	16-90-ER-GND-CF-052	1												Lead (DW 200.8)
8/15/2016	5:58	16-90-ER-GND-CFF-053	1												Lead (DW 200.8)
8/15/2016	5:55	16-90-ER-GND-CF-054	1												Lead (DW 200.8)
8/15/2016	5:56	16-90-ER-GND-CFF-055	1												Lead (DW 200.8)
8/15/2016	5:53	16-90-ER-GND-CF-056	1												Lead (DW 200.8)
8/15/2016	5:55	16-90-ER-GND-CFF-057	1												Lead (DW 200.8)
8/15/2016	5:53	16-90-ER-GND-BS-058	1												Lead (DW 200.8)
8/15/2016	5:54	16-90-ER-GND-CF-059	1												Lead (DW 200.8)
8/15/2016	6:03	16-90-ER-GND-CF-060	1												Lead (DW 200.8)

RELINQUISHED BY (SIGNATURE): *[Signature]* DATE: 8/15/16 TIME: 0945
 RECEIVED BY (SIGNATURE): *[Signature]* DATE: 8/15 TIME: 7:46
 RELINQUISHED BY (SIGNATURE): *[Signature]* DATE: 8/15 TIME: 7:46

RECEIVED FOR LABORATORY BY: (SIGNATURE) *[Signature]* DATE: 8/15/16 TIME: 0945
 COOLER TEMP (C): 25.8
 LABORATORY REMARKS: ICE (Y/N) pH CL2
 IR Gun # 1

Lab Name: **EnviroTest Laboratories**
 Address & Phone: **315 Fullerton Avenue, Newburgh, New York 12550 845-562-0890**

REPORT# (Lab Use Only): **108867**

5 of 6

PROJECT REFERENCE: East Ramapo CSD 2016-090	PROJECT NO.:	PROJECT LOCATION: Granview	MATRIX TYPE: OTHER SPECIF
ENVIROTEST PROJECT MANAGER: Debra Bayer	P.O. NUMBER:	TOWN:	TERRA CORE
CLIENT (SITE) PM: John Gulino/Keith Lewandosky	CLIENT PHONE: 845-627-4775	CLIENT FAX:	250ml Plastic
CLIENT NAME: Rockland BOCES	i.gulino@rboces.org/ s.arnstrong@rboces.org/ k.lewandosky@rboces.org		Liter Plastic
CLIENT ADDRESS: 65 Patriot Road, B-4, West Nyack, NY 10994 COMPANY CONTRACTING THIS WORK (if applicable):			250ml Plastic Sulfuric Acid

SAMPLE DATE	TIME	SAMPLE IDENTIFICATION	REQUIRED ANALYSES						# OF COOLERS	REMARKS
			Total # of Containers	40ml Vials HCl	Liter Amber HCl	250ml Plastic Nitric Acid	250ml Plastic Sulfuric Acid	Liter Plastic		
8/15/2016	6:01	16-90-ER-GND-CFF-061	1							Lead (DW 200.8)
8/15/2016	6:03	16-90-ER-GND-CF-062	1							Lead (DW 200.8)
8/15/2016	6:03	16-90-ER-GND-CFF-063	1							Lead (DW 200.8)
8/15/2016	6:10	16-90-ER-GND-CF-064	1							Lead (DW 200.8)
8/15/2016	6:11	16-90-ER-GND-CFF-065	1							Lead (DW 200.8)
8/15/2016	6:16	16-90-ER-GND-CF-066	1							Lead (DW 200.8)
8/15/2016	6:15	16-90-ER-GND-CFF-067	1							Lead (DW 200.8)
8/15/2016	6:07	16-90-ER-GND-CF-068	1							Lead (DW 200.8)
8/15/2016	6:08	16-90-ER-GND-CFF-069	1							Lead (DW 200.8)
8/15/2016	6:10	16-90-ER-GND-BB-070 <i>BF - As Per KL</i>	1							Lead (DW 200.8)
8/15/2016	6:11	16-90-ER-GND-BB-071 <i>BF - As Per KL</i>	1							Lead (DW 200.8)
8/15/2016	6:13	16-90-ER-GND-TL-072	1							Lead (DW 200.8)
8/15/2016	6:00	16-90-ER-GND-CF-073	1							Lead (DW 200.8)
8/15/2016	6:07	16-90-ER-GND-CFF-074	1							Lead (DW 200.8)
8/15/2016	6:18	16-90-ER-GND-CF-075	1							Lead (DW 200.8)

RELINQUISHED BY: (SIGNATURE) <i>[Signature]</i>	DATE: 8/15/16	TIME: 0945	COMPANY: []
RECEIVED BY: (SIGNATURE) <i>[Signature]</i>	DATE: 8/15	TIME: 1:40	COMPANY: ETR
RECEIVED BY: (SIGNATURE) <i>[Signature]</i>	DATE: 8/15	TIME: 7:40	COMPANY: ETR

LABORATORY REMARKS: *IR Gun*
 ICE (Y/N): Y N
 PH: CL2
 Reversed by: *As per Seth Armstrong OE 8-15-16*



CHAIN OF CUSTODY

Lab Name **EnviroTest Laboratories**
Address & Phone **315 Fullerton Avenue, Newburgh, New York 12550 845-562-0890**

REPORT# (Lab Use Only)

6 of 6

108867

PROJECT REFERENCE East Ramapo CSD 2016-090	PROJECT NO. P.O. NUMBER	PROJECT LOCATION TOWN	MATRIX TYPE	REQUIRED ANALYSES	PAGE 1 of 5
ENVIROTEST PROJECT MANAGER Debra Bayer	CLIENT PHONE 845-627-4775	CLIENT FAX	Other	Terra Core	TURNAROUND TIME
CLIENT (SITE) PM John Gulino/Keith Lewandosky	igulino@rboces.org/ skmstrong@rboces.org		SOLID OR SEMISOLID	250ml Plastic	NORMAL X
CLIENT NAME Rockland BOCES	klewando@rboces.org		D (Drinking Water) or V (Waste Water) Indicate	Liter Plastic	QUICK
CLIENT ADDRESS 65 Parrott Road, B-4, West Nyack, NY 10994			AQUEOUS (WATER)	250ml Plastic Sulfuric Acid	VERBAL
<small>COMPANY CONTRACTING THIS WORK (IF APPLICABLE)</small>					

DATE	TIME	SAMPLE IDENTIFICATION	COMPOSITE (C) OR GRAB (G) INDICATE	OTHER SPECIFY	NUMBER OF CONTAINERS SUBMITTED	REMARKS
8/15/2016	6:10	16-90-ER-GND-CFF-076	S		1	Lead (DW 200.8)
8/15/2016	6:10	16-90-ER-GND-CF-077	S		1	Lead (DW 200.8)
8/15/2016	6:21	16-90-ER-GND-CFF-078	S		1	Lead (DW 200.8)
			S		1	Lead (DW 200.8)
			S		1	Lead (DW 200.8)
			S		1	Lead (DW 200.8)
			S		1	Lead (DW 200.8)
			S		1	Lead (DW 200.8)
			S		1	Lead (DW 200.8)
			S		1	Lead (DW 200.8)
			S		1	Lead (DW 200.8)
			S		1	Lead (DW 200.8)
			S		1	Lead (DW 200.8)
			S		1	Lead (DW 200.8)
			S		1	Lead (DW 200.8)
			S		1	Lead (DW 200.8)
			S		1	Lead (DW 200.8)
			S		1	Lead (DW 200.8)
			S		1	Lead (DW 200.8)
			S		1	Lead (DW 200.8)
			S		1	Lead (DW 200.8)
			S		1	Lead (DW 200.8)
			S		1	Lead (DW 200.8)
			S		1	Lead (DW 200.8)
			S		1	Lead (DW 200.8)
			S		1	Lead (DW 200.8)

RECEIVED BY (SIGNATURE)	DATE	TIME	COMPANY	RECEIVED BY (SIGNATURE)	DATE	TIME	COMPANY
<i>[Signature]</i>	8/15/16	0945		<i>[Signature]</i>	8/15/16	0945	
RECEIVED BY (SIGNATURE)	DATE	TIME	COMPANY	RECEIVED BY (SIGNATURE)	DATE	TIME	COMPANY
<i>[Signature]</i>	8/15	7:46	EFR	<i>[Signature]</i>	8/15/16	0945	
RECEIVED BY (SIGNATURE)	DATE	TIME	COMPANY	RECEIVED BY (SIGNATURE)	DATE	TIME	COMPANY
<i>[Signature]</i>	8/15	7:46	EFR	<i>[Signature]</i>	8/15/16	0945	

RECEIVED FOR LABORATORY BY: (SIGNATURE) *[Signature]*
 DATE/TIME 8/15/16 0945
 CUSTODY INTACT YES NO
 COOLER TEMP(C) 25.8
 LABORATORY REMARKS: ICE N pH CL2 Reviewed by _____

IR Gun #
 8/15/16

LOGIN SAMPLE RECEIPT CHECK LIST

Client: Rockland BOCES

Job Number: 420-108867-1

SDG Number: East Ramapo CSD 2016-090 Grandview

Login Number: 108867

Question	T/F/NA	Comment
Samples were collected by ETL employee as per SOP-SAM-1	NA	
The cooler's custody seal, if present, is intact.	NA	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	False	
Cooler Temperature is recorded.	True	25.8 C
Cooler Temp. is within method specified range.(0-6 C PW, 0-8 C NPW, or BAC <10 C	False	
If false, was sample received on ice within 6 hours of collection.	False	
Based on above criteria cooler temperature is acceptable.	True	Method does not require cooling. AE 8/15/16
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	NA	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	