



EMSL Analytical, Inc.

528 Mineola Avenue, Carle Place, NY, 11514
Telephone: 516.997.7251 Fax:856-786-5974
EMSL-CP-06

EMSL Order ID: 062453792
LIMS Reference ID: EC53792
EMSL Customer ID: ROCL63

Attention: Dawn Izenman
Rockland Boces (Health & Safety Dept.) [ROCL63]
65 Parrott Road Bldg. 4
West Nyack, NY 10994
(845) 627-4764
dizenman@rboces.org

Project Name: 2024 East Ramapo, Kakiat Elementary School
Customer PO:
EMSL Sales Rep: Jeromy Bish
Received: 06/04/2024 14:33
Reported: 06/16/2024 13:44

Analytical Results

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
Sample: 2024-ER-KAK-1/Kitchen triple sink faucet #1 Lims Reference ID: EC53792-01 Matrix: Drinking Water Sampled: 05/31/24 05:00:00									
Metals									
Lead	1.9		1	1.0	µg/L	06/14/24 19:10	06/14/24 19:10	BA	EPA 200.8 (DA)/EPA 200.8
Sample: 2024-ER-KAK-2/Kitchen triple sink faucet #2 Lims Reference ID: EC53792-02 Matrix: Drinking Water Sampled: 05/31/24 05:01:00									
Metals									
Lead	1.1		1	1.0	µg/L	06/14/24 19:11	06/14/24 19:11	BA	EPA 200.8 (DA)/EPA 200.8
Sample: 2024-ER-KAK-3/Kitchen triple sink faucet #3 Lims Reference ID: EC53792-03 Matrix: Drinking Water Sampled: 05/31/24 05:02:00									
Metals									
Lead	<1.0		1	1.0	µg/L	06/14/24 19:16	06/14/24 19:16	BA	EPA 200.8 (DA)/EPA 200.8
Sample: 2024-ER-KAK-4/Kitchen triple sink faucet Lims Reference ID: EC53792-04 Matrix: Drinking Water Sampled: 05/31/24 05:03:00									
Metals									
Lead	2.0		1	1.0	µg/L	06/14/24 19:17	06/14/24 19:17	BA	EPA 200.8 (DA)/EPA 200.8
Sample: 2024-ER-KAK-5/Teachers Lounge across from room 217 sink Lims Reference ID: EC53792-05 Matrix: Drinking Water Sampled: 05/31/24 05:17:00									
Metals									
Lead	3.5		1	1.0	µg/L	06/14/24 19:19	06/14/24 19:19	BA	EPA 200.8 (DA)/EPA 200.8
Sample: 2024-ER-KAK-6/Gym girls locker room water fountain Lims Reference ID: EC53792-06 Matrix: Drinking Water Sampled: 05/31/24 05:16:00									
Metals									
Lead	15.0		1	1.0	µg/L	06/14/24 19:20	06/14/24 19:20	BA	EPA 200.8 (DA)/EPA 200.8

**EMSL Analytical, Inc.**

528 Mineola Avenue, Carle Place, NY, 11514
 Telephone: 516.997.7251 Fax:856-786-5974
 EMSL-CP-06

EMSL Order ID: 062453792
LIMS Reference ID: EC53792
EMSL Customer ID: ROCL63

Attention: Dawn Izenman
 Rockland Boces (Health & Safety Dept.) [ROCL63]
 65 Parrott Road Bldg. 4
 West Nyack, NY 10994
 (845) 627-4764
 dizenman@rboces.org

Project Name: 2024 East Ramapo, Kakiat Elementary School

Customer PO:
EMSL Sales Rep: Jeromy Bish
Received: 06/04/2024 14:33
Reported: 06/16/2024 13:44

Certified Analyses included in this Report

Analyte	Certifications
EPA 200.8 in Drinking Water	
Lead	06-NYSELAP

List of Certifications

Code	Description	Number	Expires
06-NYSELAP	NY NYS ELAP	11469	04/01/2025
06-NYSDOH	New York State Department of Health	11469	04/01/2025
06-CTDPH	Connecticut Department of Public Health	PH-0249	03/31/2025
06-California ELAP	California Water Boards	2339	04/01/2025
06-AIHA LAP	EMSL Analytical, Inc. Carle Place, NY AIHA-LAP, LLC-ELLAP Accredited	102344	09/01/2024

Please see the specific Field of Testing (FOT) on www.emsl.com <<http://www.emsl.com>> for a complete listing of parameters for which EMSL is certified.



EMSL Analytical, Inc.

528 Mineola Avenue, Carle Place, NY, 11514
Telephone: 516.997.7251 Fax:856-786-5974
EMSL-CP-06

EMSL Order ID: 062453792
LIMS Reference ID: EC53792
EMSL Customer ID: ROCL63

Attention: Dawn Izenman
Rockland Boces (Health & Safety Dept.) [ROCL63]
65 Parrott Road Bldg. 4
West Nyack, NY 10994
(845) 627-4764
dizenman@rboces.org

Project Name: 2024 East Ramapo, Kakiat Elementary School
Customer PO:
EMSL Sales Rep: Jeromy Bish
Received: 06/04/2024 14:33
Reported: 06/16/2024 13:44

Notes and Definitions

Item	Definition
(Dig)	For metals analysis, sample was digested.
[2C]	Reported from the second channel in dual column analysis.
DF	Dilution Factor
MDL	Method Detection Limit.
ND	Analyte was NOT DETECTED at or above the detection limit.
Q	Qualifier
RL	Reporting Limit
Wet	Sample is not dry weight corrected.

Measurement of uncertainty and any applicable definitions of method modifications are available upon request. Per EPA NLLAP policy, sample results are not blank corrected.

James Han Laboratory Manager or other approved signatory

EMSL maintains liability limited to cost of analysis. Interpretation and use of test results are the responsibility of the client. This report relates only to the samples reported above, and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. The report reflects the samples as received. Results are generated from the field sampling data (sampling volumes and areas, locations, etc.) provided by the client on the Chain of Custody. Samples are within quality control criteria and met method specifications unless otherwise noted. All results for soil samples are reported on a dry weight basis, unless otherwise noted.



Lead Chain of Custody

EMSL Order Number / Lab Use Only

EMSL Analytical, Inc.
200 Route 130 North
Cinnaminson, NJ 08077



EMSL ANALYTICAL, INC.
TESTING LABS • PRODUCTS • TRAINING

EC53792

PHONE: (800) 220-3675

EMAIL: CinnaminsonLeadLab@emsl.com

Customer Information	Customer ID: ROCL63	Billing Information	Billing ID: ROCL63
	Company Name: Kakiat Elementary School		Company Name: Rockland BOCES
	Contact Name: Dawn Izenman		Billing Contact: Dawn Izenman
	Street Address: 465 Viola Road		Street Address: 65 Parrott Road
	City, State, Zip: Spring Valley, NY 10977		City, State, Zip: West Nyack, NY 10994
Phone: 845-627-4764	Phone: 845-627-4764		
Email(s) for Report: dizenman@rboces.org	Email(s) for Invoice: dizenman@rboces.org		

Project Name/No: 2024 East Ramapo		Purchase Order: 24-01587
EMSL LIMS Project ID: (If applicable, EMSL will provide)	US State where samples collected:	State of Connecticut (CT) must select project location: <input type="checkbox"/> Commercial (Taxable) <input type="checkbox"/> Residential (Non-Taxable)
Sampled By Name:	Sampled By Signature:	No. of Samples in Shipment: 6

Turn-Around-Time (TAT)

3 Hour
 6 Hour
 24 Hour
 32 Hour
 48 Hour
 72 Hour
 96 Hour
 1 Week
 2 Week

Please call ahead for large projects and/or turnaround times 6 Hours or Less *32 Hour TAT available for select tests only; samples must be submitted by 11:30am.

MATRIX	METHOD	INSTRUMENT	REPORTING LIMIT	SELECTION
CHIPS <input type="checkbox"/> % by wt. <input type="checkbox"/> ppm (mg/kg) <input type="checkbox"/> mg/cm ² <small>*Reporting Limit based on a minimum 0.25g sample weight. **Not appropriate for Ceramic Tiles - XRF is recommended</small>	SW 846-7000B	Flame Atomic Absorption	0.008% (80ppm)	<input type="checkbox"/>
	SW 846-6010D*	ICP-OES	0.0004% (4ppm)	<input type="checkbox"/>
AIR	NIOSH 7082	Flame Atomic Absorption	4µg/filter	<input type="checkbox"/>
	NIOSH 7303M	ICP-OES	1.0µg/filter	<input type="checkbox"/>
	NIOSH 7303M	ICP-MS	0.05µg/filter	<input type="checkbox"/>
WIPE <input type="checkbox"/> ASTM <input type="checkbox"/> NON-ASTM <small>*If no box is checked, non-ASTM Wipe is assumed</small>	SW 846-7000B	Flame Atomic Absorption	10µg/wipe	<input type="checkbox"/>
	SW 846-6010D*	ICP-OES	1.0µg/wipe	<input type="checkbox"/>
TCLP	SW 846-1311 / 7000B / SM 3111B	Flame Atomic Absorption	0.4 mg/L (ppm)	<input type="checkbox"/>
	SW 846-1311 / SW 846-6010D*	ICP-OES	0.1 mg/L (ppm)	<input type="checkbox"/>
SPLP	SW 846-1312 / 7000B / SM 3111B	Flame Atomic Absorption	0.4 mg/L (ppm)	<input type="checkbox"/>
	SW 846-1312 / SW 846-6010D*	ICP-OES	0.1 mg/L (ppm)	<input type="checkbox"/>
TTLC	22 CCR App. II, 7000B	Flame Atomic Absorption	40mg/kg (ppm)	<input type="checkbox"/>
	22 CCR App. II, SW 846-6010D*	ICP-OES	2mg/kg (ppm)	<input type="checkbox"/>
STLC	22 CCR App. II, 7000B	Flame Atomic Absorption	0.4 mg/L (ppm)	<input type="checkbox"/>
	22 CCR App. II, SW 846-6010D*	ICP-OES	0.1 mg/L (ppm)	<input type="checkbox"/>
Soil	SW 846-7000B	Flame Atomic Absorption	40mg/kg (ppm)	<input type="checkbox"/>
	SW 846-6010D*	ICP-OES	2mg/kg (ppm)	<input type="checkbox"/>
Wastewater	SM 3111B / SW 846-7000B	Flame Atomic Absorption	0.4 mg/L (ppm)	<input type="checkbox"/>
Unpreserved <input type="checkbox"/>	EPA 200.7	ICP-OES	0.020 mg/L (ppm)	<input type="checkbox"/>
Preserved with HNO3 <input type="checkbox"/> PH<2	EPA 200.5	ICP-OES	0.003 mg/L (ppm)	<input type="checkbox"/>
Drinking Water	EPA 200.8	ICP-MS	0.001 mg/L (ppm)	<input checked="" type="checkbox"/>
Unpreserved <input type="checkbox"/>	40 CFR Part 50	ICP-OES	12 µg/filter	<input type="checkbox"/>
Preserved with HNO3 <input checked="" type="checkbox"/> PH<2				<input checked="" type="checkbox"/>
TSP/SPM Filter				<input type="checkbox"/>
Other:				<input type="checkbox"/>

Sample Number	Sample Location	Volume / Area	Date / Time Sampled
2024-ER-KAK-1	Kitchen triple sink faucet #1	250 ml.	5/31/24 5:00 am
2024-ER-KAK-2	Kitchen triple sink faucet #2	250 ml.	5/31/24 5:01 am
2024-ER-KAK-3	Kitchen triple sink faucet #3	250 ml.	5/31/24 5:02 am
2024-ER-KAK-4	Kitchen single sink faucet	250 ml.	5/31/24 5:03 am
2024-ER-KAK-5	Teachers lounge across from room 217 sink	250 ml.	5/31/24 5:17 am

Method of Shipment:	Sample Condition Upon Receipt:
Relinquished by: Dawn Izenman	Received by: <i>A. Minnifield</i>
Date/Time: 5/31/24 4:00	Date/Time: 6/14/24 2:33pm
Relinquished by:	Received by: <i>A. Minnifield</i>
Date/Time:	Date/Time:

Controlled Document - COC-25 Lead R18 04/04/2024 *6010C Available Upon Request

AGREE TO ELECTRONIC SIGNATURE (By checking, I consent to signing this Chain of Custody document by electronic signature.)

EMSL Analytical, Inc.'s Laboratory Terms and Conditions are incorporated into this Chain of Custody by reference in their entirety. Submission of samples to EMSL Analytical, Inc. constitutes acceptance and acknowledgment of all terms and conditions by Customer.

Pb 200.8 *Kuller* *6/14/24*



Lead Chain of Custody

EMSL Order Number / Lab Use Only

EC53792

EMSL Analytical, Inc.
 200 Route 130 North
 Cinnaminson, NJ 08077

PHONE: (800) 220-3675

EMAIL: CinnaminsonLeadLab@emsl.com

EMSL ANALYTICAL, INC.
 TESTING LABS • PRODUCTS • TRAINING

Additional Pages of the Chain of Custody are only necessary if needed for additional sample information

Special Instructions and/or Regulatory Requirements (Sample Specifications, Processing Methods, Limits of Detection, etc.)

Sample Number	Sample Location	Volume / Area	Date / Time Sampled
2024-ER-KAK-6	Gym girls locker room water fountain	250 ml.	5/31/24 5:16

RECEIVED
 EMSL ANALYTICAL, INC.
 Carle Place, NY
 JUN 04 2024 PM02:31

Method of Shipment:		Sample Condition Upon Receipt:	
Relinquished by: Dawn Izenman	Date/Time: 5/31/24 4:00 PM	Received by: <i>A. Minnifield</i>	Date/Time: 6/4/24
Relinquished by:	Date/Time:	Received by: <i>A. Minnifield</i>	Date/Time: 2:34 pm

Controlled Document - COC-25 Lead R18 04/04/2024

AGREE TO ELECTRONIC SIGNATURE (By checking, I consent to signing this Chain of Custody document by electronic signature.)

EMSL Analytical, Inc.'s Laboratory Terms and Conditions are incorporated into this Chain of Custody by reference in their entirety. Submission of samples to EMSL Analytical, Inc. constitutes acceptance and acknowledgment of all terms and conditions by Customer.

Pb 200-8 Bisher 6/11/24