

STATE OF NORTH CAROLINA/ASHEVILLE CITY SCHOOLS

REQUEST FOR INFORMAL BIDS

#148-MAINT-017

PROJECT: Air Filter Maintenance Services Districtwide

USING AGENCY: Asheville City Schools

ISSUE DATE: June 13, 2022

Bids subject to the conditions made a part hereof will be received until **2:00 p.m., Friday, June 24, 2022**, for furnishing all labor, materials, equipment, and services incidental and implied, for completion of the project described herein.

All Bids must be sent to the Purchasing Clerk at the address or email address provided below:

Asheville City Schools

Attn: Chris Pohlman, Purchasing

85 Mountain Street

Asheville, NC 28801

Phone: 828-350-6101

Fax: 828-251-4915

Email: chris.pohlman@acsgmail.net

Direct inquiries concerning this RFP to:

Chris Pohlman, Purchasing Clerk

Phone: 828-350-6101

Email: chris.pohlman@acsgmail.net

THE PROCUREMENT PROCESS

The following is a general description of the process by which a firm will be selected to provide services.

1. Request for Informal Bids (RFIB), which refers to projects less than \$300,000, is issued to prospective contractors.
2. The deadline for written questions is three days prior to the due date.
3. Bids shall be signed and dated by an official authorized to bind the firm. Unsigned bids will not be considered.
4. All bids must be received by the issuing agency not later than the date and time specified on the cover sheet of this RFIB.
5. Bids will be evaluated according to completeness, content, experience with similar projects, ability of the Bidder and its staff, and cost. Award of a contract to one Bidder does not mean that the other bids lacked merit, but that, all factors considered, the selected bid was deemed most advantageous to the State.
6. Bidders are cautioned that this is a request for bids, not a request to contract, and the State/Asheville City Schools reserves the right to reject any and all unqualified bids when such rejection is deemed to be in the best interest of the State.

(NOTE: THE BID FORM MUST BE FULLY EXECUTED AND RETURNED FOR CONSIDERATION)

BID FORM

#148- MAINT-017

Air Filter Maintenance Services Districtwide

DUE DATE: 6/24/2022 by 2:00PM

Bidder: _____

Address: _____

City/State/Zip: _____ Phone: _____

Fed ID No: _____ MBE Status: _____ Fax: _____

Email: _____

By: (Signature) _____ Date: _____

Printed Name _____ Title: _____

Please indicate the total annual price to provide the products and services described herein. A detailed list that includes listings of all ACS schools; all rooms within each school; and all machines within each room, can be found as Attachment A to this solicitation. This list represents the number of air filters to be replaced on a quarterly basis, or 4 times per year. The total annual cost should be inclusive of all shipping and handling, delivery fees, and/or other fees. The total annual cost should not include applicable sales and use tax.

Total Annual Price^{**}: _____

^{**} The total annual cost should be inclusive of all shipping and handling, delivery fees, and/or other fees.

^{**} The total annual cost should not include sales and use tax.

[END OF BID FORM]

BID SPECIFICATIONS

I. INTENT

Asheville City Schools (“ACS”) is requesting bids for the replacement of air filters on ACS campuses, district-wide, on a quarterly basis. ACS intends to begin this new agreement on or around July 1, 2022.

II. SCOPE OF WORK

Contractor will provide and install all frames, and will retain ownership of all frames installed. Contractor will provide and change all filters on a 3 month rotation or 4 times per year. A schedule should be provided by contractor to ACS upon acceptance of an agreement. Each quarterly filter change is to be completed by the end of months September, December, March, and June.

All filters will meet or exceed an ASHRAE standard of MERV 8.

A detailed list that includes listings of all ACS schools; all rooms within each school; and all machines within each room, can be found as Attachment A to this solicitation. This list represents the number of air filters to be replaced on a quarterly basis.

Any additional filters not listed on Attachment A will be quoted and provided to each school on an as needed basis with prior approval.

III. TERM

The initial term of the contract resulting from this solicitation shall begin on or around July 1, 2022 and continue through June 30, 2023. After the initial term, this agreement may be renewed each year for up to four (4) additional one-year periods. Any price increases shall not exceed the previous year's increase in the Consumer Price Index for Urban Consumers or three (3) percent, whichever is less on the date of renewal. Any proposed price increases must be approved in writing by a District administrator.

IV. SUBMITTAL OF BIDS

All bids must be submitted using the Bid Form included in this solicitation and should be submitted to Chris Pohlman, Asheville City Schools Purchasing Clerk. Bids may be submitted in person, by mail, or via email. Bids that are submitted in person or by mail shall be fully sealed and addressed to the following address.

Chris Pohlman
c/o Asheville City Schools
Attn: 148-MAINT-017
85 Mountain St
Asheville, NC 28801

Bids that are submitted by email should be clearly labeled with 148-MAINT-017 included in the subject line of the email and sent to chris.pohlman@acsgmail.net.

Please note that it is the responsibility of the bidder, regardless of the approved method of delivery the bidder chooses, to ensure that the bid is received on time. Late bids will not be accepted. Bids submitted without the Bid Form included in this solicitation will be considered non-responsive.

ACS assumes no responsibility for the delivery of any solicitation, addendum, solicitation response, or any other such correspondence by the US Postal Service, electronic transmission, facsimile, any other method.

V. INDEMNITY

The Contractor will indemnify and save harmless Asheville City Schools, its Board members, officers, employees, and agents, from and against any and all claims, causes of action, damages, losses, costs, attorneys' fees, and liability to the extent resulting from a willful or negligent act or omission of the Contractor, its officers, agents, and employees in the performance of this Contract.

VI. INSURANCE

Contractor shall maintain, throughout the performance of its obligations under this agreement, a policy or policies of Worker's Compensation insurance with such limits as may be required by law, and a policy or policies of general liability insurance insuring against liability for injury to, and death of persons and damage to, and destruction of, property arising out of or based upon any act or omission of the Contractor or any of its subcontractors or their respective officers, directors, employees or agents. Such general liability insurance shall have limits sufficient to cover any loss or potential loss resulting from this contract. All vehicles that transit school grounds will have insurance as required by the State of North Carolina.

VII. LICENSE AND PERMITS

During the term of the contract, the Contractors shall be responsible for obtaining and maintaining in good standing, all license (including professional licenses, if any), permits, inspections and related fees for each of any such licenses, permits and/or inspections required by ACS, the county, the city, or other government entity or unit to accomplish the work specified in this solicitation document and the contract.

VIII. PERFORMANCE AND DEFAULT

If, through any cause, the Contractor shall fail to fulfill in timely and proper manner the obligations under this agreement, Asheville City Schools shall thereupon have the right to terminate this contract by giving written notice to the Contractor and specifying the effective date thereof. In that event, all finished or unfinished deliverable items under this contract prepared by the Contractor shall, at the option of Asheville City Schools, become its property, and the Contractor shall be entitled to receive just and equitable compensation for any satisfactory work completed on such materials.

In case of default by the Contractor, Asheville City Schools may procure the services from other sources and hold the Contractor responsible for any excess cost occasioned thereby.

Upon the entering of a judgment of bankruptcy of insolvency by or against the Contractor, the Agency may terminate this contract for cause.

Neither party shall be deemed to be in default of its obligations hereunder if and so long as it is prevented from performing such obligations by any act of war, hostile foreign action, nuclear explosion, riot, strikes, civil insurrection, earthquake, hurricane, tornado, or other catastrophic natural event or act of God.

IX. TERMINATION:

Asheville City Schools may terminate this agreement at any time by 30 days' notice in writing to the Contractor. If the contract is terminated by Asheville City Schools as provided herein, the Contractor shall be paid for services satisfactorily completed, less payment or compensation previously made.

X. GENERAL PROVISIONS

a. This solicitation does not commit ACS to award a contract, to pay any costs incurred in the preparation of the bid or to procure any good or service. An award will be made to the Bidder whose bid, in the opinion of ACS, best meets the requirements of this solicitation and the objectives of ACS.

b. Asheville City Schools Procurement Code and Regulations govern and supersede any and all documents, bids and policies, whether stated or implied.

c. District or School Regulations

The Bidder and its representatives shall follow all applicable regulations while on District property, including the No Smoking, no weapons, and drug-free policies. No work shall interfere with school activities or environments unless an authorized employee for that location gives permission. Vendor(s) and its representatives must have a clean background check to come on school property.

d. Drug-free Workplace

By signing and submitting a bid, a Bidder is certifying that it will comply with all requirements of the North Carolina Drug-Free Workplace Act.

e. Jessica Lunsford Act

Under provisions set forth in the Jessica Lunsford Act under North Carolina law, Bidder affirms that neither itself nor any employee or agent of Bidder is listed as a sex offender on the NC Sex Offender and Public Protection Registration Program, the Sexually Violent Predator Registration Program, and/or the National Sex Offender Registry.

f. Addenda

Addenda shall be issued prior to the RFP submittal date and time for the purpose of modifying or interpreting the bid instructions through additions, deletions, clarifications, or corrections. Addenda shall be forwarded to all potential Bidders who are known by ACS to have received a complete copy of the RFP. No addenda shall be issued later than four (4) days prior to the RFP submittal date except to withdraw or postpone the RFP. The Purchasing Agent shall not be legally bound by any amendment or interpretation that is not in writing.

g. Equal Opportunity

Bidder agrees not to refuse to hire, discharge, promote, demote, or to otherwise discriminate in matters of compensation against any person otherwise qualified solely because of race, creed, sex, national origin, ancestry or physical handicap.

h. Authorization and Acceptance

The bid must be signed by an authorized individual who may bind the Bidder to provide the products and services contained in this RFP. All bids received in response to this RFP shall be considered valid for a minimum of sixty (60) days from the bid due date.

ACS or any of its representatives shall not be held responsible for any expenses incurred in the preparation or subsequent presentation of the vendor's response to this solicitation.

i. Bid Clarifications

ACS reserves the right, at any time after opening and prior to award, to request from any Bidder clarification, address technical questions, or to seek or provide other information regarding the Bidder's bid. Such a process may be used for such purposes as providing an opportunity for the Bidder to clarify the bid in order to assure mutual understanding and/or aid in determinations of responsiveness or responsibility.

j. Confidentiality

Ownership of all data, material and documentation originated and prepared pursuant to the RFP shall belong exclusively to ACS and be subject to public inspection in accordance with the Freedom of Information Act. However, commercial and/or financial information which is confidential or privileged included in bids will not be disclosed if such information has been identified by the firm as confidential. All firms who wish to have selected information in their bids remain confidential must visibly mark as "Confidential" each part of the bid they consider to contain proprietary information.

k. Quality of Product

Unless otherwise indicated in this bid it is understood and agreed that any item offered or shipped on this bid shall be new and in first class condition.

l. Bidder's Qualifications

Bidder must, upon request, furnish satisfactory evidence of its ability to furnish products or services in accordance with the terms and conditions of this bid. ACS reserves the right to make the final determination as to the Bidder's ability to provide the services requested herein. No bid shall be accepted from, and no contract will be awarded to, any person, firm, or corporation that is deemed irresponsible or unreliable to ACS.

m. Bid Constitutes Offer

By submitting a bid, the Bidder agrees to be governed by the terms and conditions as set forth in this document. Any bid containing variations from the terms and conditions set forth herein may, at the sole discretion of ACS, render such bid non-responsive. Any inconsistencies between the RFP and any other contractual instrument shall be governed by the terms and conditions of this RFP, except where subsequent amendments to any contract resulting from this RFP award are specifically agreed to in writing by both parties to supersede any such provisions of this RFP.

n. **Contractor Responsibility**

The Contractor alone will be held solely responsible to ACS for performance of all Contractor obligations under any contract resulting from their bid.

o. **Correction of Errors on the Bid Form**

All prices and notations should be printed in ink or typewritten. Errors should be crossed out, corrections entered and initialed by the person signing the bid. Erasures or use of typewriter correction fluid may be cause for rejection. No bid shall be altered or amended after the specified time for opening.

p. **Debarment**

Bidder affirms that itself and/or any of its Principals are neither debarred, per State website at <http://ncadmin.nc.gov/government-agencies/procurement/contracts/debarred-vendors>, nor debarred per Federal Excluded Parties List at www.sam.gov/portal/public/SAM, nor listed on the Final Divestment List and Parent and Subsidiary List, which was created by the NC State Treasurer pursuant to N.C.G.S. 147-86.58, Iran Divestment Act, and which is located at <https://www.nctreasurer.com/inside-the-department/OpenGovernment/Pages/Iran-Divestment-Act-Resources.aspx>. Bidder further affirms that itself and/or any of its Principals are neither suspended, proposed for debarment, declared ineligible, or voluntarily excluded from entering into this Agreement by any federal agency or by any department, agency or political subdivision of the State. 'Principals', for the purposes of this certification, means officers; directors; owners; partners; and persons having primary management or supervisory responsibilities within a business entity (examples: general manager; plant manager; head of a subsidiary, division, or business segment; and similar positions).

q. **Non-Appropriations**

Any contract entered into by ACS or its departments, employees, or agents resulting from this RFP shall be subject to cancellation without damages or further obligation when funds are not appropriated or otherwise made available to support continuation of performance in a subsequent fiscal period or appropriated year.

r. **Approval of Publicity Release**

The Contractor shall not have the right to include ACS's name in its published list of customers, without prior approval of ACS. The Contractor agrees not to publish or cite in any form any comments or quotes from ACS staff. Contractor further agrees not to refer to award of this contract in commercial advertising in such a manner as to state or imply the products or services provided are endorsed or preferred by ACS.

s. **Rejection/Cancellation**

ACS reserves the right to accept or reject, in part or in entirety, any or all bids; to negotiate with all qualified Bidders; and to cancel in part or in entirety this solicitation if it is in the best interest of ACS. Further, ACS reserves the right to waive any or all informalities or technicalities in order to serve the best interest of ACS.

t. **Subcontracting**

If any part of the work covered by this RFP is to be subcontracted, the contractor shall identify the subcontracting organization and the contractual arrangements made therewith. All subcontractor must be approved by ACS. The successful Bidder will also furnish the corporate or company name and the names of the Bidders of any subcontractors engaged by the Bidders. If at the time of the bid, it is the intent of the Bidder to subcontract any part of the work, the area(s) to be subcontracted should be detailed in the bid. The subcontractor qualifications to perform must be submitted.

u. **Unlawful Acts**

ACS interprets a signed bid as signifying that the accompanying bid is not the result of, or affected by, any unlawful act of collusion with any other person or company engaged in the same line of business or commerce or any other fraudulent act punishable under the state of North Carolina or United States law.

v. **Withdrawal of Bid Response**

A bid response cannot be withdrawn after it has been filed, unless the respondent makes a written request to the Purchasing Agent prior to the bid due date and time shown on this solicitation. If ACS has not accepted the bid or awarded a contract within thirty (30) days after the bid due date, the Bidder must inform ACS, in writing, that they do not wish for their response to continue to be considered.

XI. PROJECT REQUIREMENTS

All Bidders must be able to meet and/or exceed all of the qualifications listed in this solicitation. Any Bidder who does not meet the qualifications and/or fails to include any of the information requested in the bid package, may be determined non-responsive. Information will be formatted in order as listed under the bid content.

XII. SPECIFICATIONS DEVIATIONS

Any deviation from the minimum specifications within this solicitation must be noted in detail and submitted in writing on the bid form

XIII. EVALUATION CRITERIA

All bids will be reviewed for purposes of determining responsiveness and responsibility. Any bid, which does not meet the essential requirements of ACS, will be subject to disqualification. For purposes of determining responsibility, all information given by the Bidder concerning its availability to perform fully the contract requirements and the integrity and reliability of the Bidder will be reviewed. The submission of a bid for review does not necessarily qualify the Bidder or bid as being responsive or responsible. Failure to provide specific information, as requested, for use in our evaluation will cause your bid to be disregarded.

Pre-School

<u>Room</u>	<u>Filter Size</u>
P1	2-8 ½ x20 ½ x1 2- 8 ½ x26 ½x1
Hall at P-1	2-8 ½ x20 ½ x1 2- 8 ½ x26 ½ x1
P-2	2- 8 ½ x 20 ½ x1 2-8 ½ x26 ½ x1
Nurse Office	1- 8 ½ x36 ½ x1
P-3	2-8 ½ x20 ½ x1 2- 8 ½ x26 ½ x1
P-4	2-8 ½ x20 ½ x1 2- 8 ½ x26 ½ x1
P-5	2-8 ½ x20 ½ x1 2- 8 ½ x26 ½ x1
P-6	2-8 ½ x20 ½ x1 2- 8 ½ x26 ½ x1
P-7	2-8 ½ x20 ½ x1 2- 8 ½ x26 ½ x1
P-8	2-8 ½ x20 ½ x1 2- 8 ½ x26 ½ x1
P-9	2-8 ½ x20 ½ x1 2- 8 ½ x26 ½ x1
P-10	2-8 ½ x20 ½ x1 2- 8 ½ x26 ½ x1
Laundry (by elevator)	1- 8 ½ x20 ½ x1
Media Center	4- 20x20x1
Directors offices	3- 8 ½ x 30x1
209	2- 8 ½x20 ½ x1 2- 8 ½x26 ½ x1
208	2- 8 ½x20 ½ x1 2- 8 ½x26 ½ x1
207	2- 8 ½x20 ½ x1 2- 8 ½x26 ½ x1
201	2- 8 ½x20 ½ x1 2- 8 ½x26 ½ x1
206	2- 8 ½x20 ½ x1 2- 8 ½x26 ½ x1
202	2- 8 ½x20 ½ x1 2- 8 ½x26 ½ x1
205	2- 8 ½x20 ½ x1 2- 8 ½x26 ½ x1
Hallway	1- 8 ½x36 ½ x1

Pre-School

<u>Room</u>	<u>Filter Size</u>
203	2- 8 ½x20 ½ x1 2- 8 ½x26 ½ x1
204	2- 8 ½x20 ½ x1 2- 8 ½x26 ½ x1
100 (Over Head)	1- 9 ¾x49x1
Dining Room	2- 10x61x1
Kitchen (Storage)	1- 18x24x2
101	1- 9 ¾ x49x1
102	1- 9 ¾x49x1
Down Stairs Hallway	1- 8 ½x20 ½ x1 1- 8 ½x26 ½ x1
103	2- 8 ½x20 ½ x1 2- 8 ½x26 ½ x1
104	2- 8 ½x20 ½ x1 2- 8 ½x26 ½ x1
105	1- 9 ¾x49x1
104 (Ceiling)	1- 8 ½x21 x1
210	2- 8 ½x20 ½ x1 2- 8 ½x26 ½ x1
211	2- 8 ½x20 ½ x1 2- 8 ½x26 ½ x1
Gym	4- 16x20x2
Attic in Gym	6- 18x24x2
Custodians Closet	1- 18x22x2

Filter Totals

7- 18x24x2	4- 20x20x1
50- 8 ½ x20 ½ x1	2- 10x61x1
50- 8 ½ x26 ½ x1	1- 18x22x2
3- 8 ½ x30x1	2- 8 ½ x36 ½ x1
4- 9 ¾ x49x1	4- 16x20x2

Belts

1- AX26 (Attic in Gym)

Claxton

<u>Serves</u>	<u>Location</u>	<u>Size</u>	<u>Belt</u>
3 rd floor	3 rd floor office side	6- 16x25x2 6-20x25x2	1- BX65
2 nd floor hall	3 rd floor office side	6- 16x25x2 6-20x25x2	1- B65
3 rd floor	3 rd floor cafeteria side	6- 16x25x2 6-20x25x2	3- 5VX470
2 nd floor	3 rd floor cafeteria side	6- 16x25x2 6-20x25x2	2 BX51
1 st floor	2 nd floor office side	4-20x20x2	1- BX54
Confer/ nurse #2	2 nd floor office side	1-20x20x1	D.D.
Principle office #1	2 nd floor office side	1- 20X20X1	D.D.
1 st floor	2 nd floor cafeteria side	3- 20x25x2 6- 20x20x2	
RTU 1	roof of café	4- 20x25x2	1- A35
RTU 2	roof of café	4- 20x25x2 2-20x20x2	1- BX62
RTU 3	roof of café	2- 20x25x2	1- AX26
RTU 4	roof of café	2- 20x25x2	1- AX26
RTU 5	roof of café	4- 20x25x2 2- 20x20x2	1- BX62
Kitchen Hood	roof of café		1- BX42

Claxton

<u>K Wing</u>	<u>Size</u>
150	1- 13 3/8 x 53 1/2 x 1
153	1- 13 3/8 x 65 1/2 x 1
152	1- 13 3/8 x 53 1/2 x 1
155	1- 13 3/8 x 65 1/2 x 1
158	1- 13 3/8 x 53 1/2 x 1
157	1- 13 3/8 x 65 1/2 x 1
160	1- 13 3/8 x 53 1/2 x 1
159	1- 13 3/8 x 65 1/2 x 1
Library	6- 20x25x2
Mech. Closet	2- 20x20x2
Gym Intro	1- 10x33x1
Supply across 155	2- 12x24x2
Supply By Entrance	2- 20x20x2 non pleat
Gym Office	1- 10x30x1
Gym	2- 16x16x1
Gym Rooftop	4- 20x25x2 2- Ax25 Belts

Filter Totals

24- 16x25x2	1- 10x33x1
4- 13 3/8 x 65 1/2 x 1	53- 20x25x2
4- 13 3/8 x 53 1/2 x 1	18- 20x20x2
1- 10x30x1	2- 16x16x1
2- 20x20x1	
2- 12x24x2	

Claxton

<u>Serves</u>	<u>Location</u>	<u>Size</u>	<u>Belt</u>
3 rd floor	3 rd floor office side	6- 16x25x2 6-20x25x2	1- BX65
2 nd floor hall	3 rd floor office side	6- 16x25x2 6-20x25x2	1- B65
3 rd floor	3 rd floor cafeteria side	6- 16x25x2 6-20x25x2	3- 5VX470
2 nd floor	3 rd floor cafeteria side	6- 16x25x2 6-20x25x2	2 BX51
1 st floor	2 nd floor office side	4-20x20x2	1- BX54
Confer/ nurse #2	2 nd floor office side	1-20x20x1	D.D.
Principle office #1	2 nd floor office side	1- 20X20X1	D.D.
1 st floor	2 nd floor cafeteria side	3- 20x25x2 6- 20x20x2	
RTU 1	roof of café	4- 20x25x2	1- A35
RTU 2	roof of café	4- 20x25x2 2-20x20x2	1- BX62
RTU 3	roof of café	2- 20x25x2	1- AX26
RTU 4	roof of café	2- 20x25x2	1- AX26
RTU 5	roof of café	4- 20x25x2 2- 20x20x2	1- BX62
Kitchen Hood	roof of café		1- BX42

AHU #	12x24x2	16x24x2	20x24x2	24x24x2	16x20x2	16x25x2	20x20x2	20x25x2
1	6	21						
2				27				
3			18		12			
4					2		2	4
5						12		
6						21		6
7						27		
Totals	6	21	18	27	14	60	2	10
All Filters are Merv 8 Pleated								

Hall Fletcher

<u>Rooms</u>	<u>Filter Size</u>
118	1-10x72x1
119	1-10x72x1
120	1-10x72x1
102	1-10x72x1
217	1-10x72x1
218	1-10x72x1
219	1-10x72x1
220	1-10x72x1
221	1-10x72x1
203	1-10x72x1
202	1- 10X38X1
Down stairs Conf	2- 7X20X1
Garden Room A	1- 8 ½ X20X1 1-8 ½ X26 X1
Garden Room B	1- 8 ½ X20X1 1-8 ½ X26 X
116	1- 8 ½ X20X1 1-8 ½ X26 X1

Filter Size Totals

- 90- 20x25x2
- 9- 16x20x2
- 1- 16x25x2
- 2- 7x20x1
- 3- 8 ½ x20x1
- 3- 8 ½ x26x1
- 10- 10x72x1
- 1-10x38x1

Hall Fletcher

Air Handler 1st Floor

Belt 2 - B57

Filter 6-20x25x2

Fresh Air Handler (Big Unit)

Belt 4-B132

Filter 64- 20X25X2

Air Handler #4 (Locker Room)

Belt 2 – B68

Filter 10- 20X25X2

Air Handler #5 (Auditorium)

Belt 2-BP71

Filter 6- 20X25X2

Air Handler #3 (Outside Library)

Belt 2- B58

Filter 9- 16X20X2

Gym

Belt 1- BX38

Filter 2- 20X25X2 1- 16X25X2

Jones Elementary

<u>Location</u>	<u>Equipment</u>	<u>Filter Size</u>	<u>Belts</u>
M1.3	ERV-1 Supply	2-20x20x2	1- AX36
M1.3	ERV-1 Exhaust	2- 20x20x2	1- AP39
M1.2	DOA-1 4-16	1- 15 3/8x 19 3/8x 2 1- 15.38x 24.38x 2	1- A41
M1.2	DOA-1 1-11	1- 15 3/8x 19 3/8x 2 1- 15.38 x 24.38x2	1- A41
M1.3	DOA-2 20-29	2-14x22x2	1- A44
M1.2	FCA- A 07	1- 20x20x1	D.D.
M1.2	FCA- A 07	1- 20x20x1	D.D.
M2	FCA- A 05	1- 20x20x1	D.D.
M1.2	FCA- A 05	1- 20x20x1	D.D.
M1.2	FCA- A 03	1- 20x20x1	D.D.
M2	FCA- A 03	1- 20x20x1	D.D.
M1.2	FCA- A 01	1- 20x20x1	D.D.
M1.2	FCA- A 01	1- 20x20x1	D.D.
M1.2	FCA- A 08	1- 20x20x1	D.D.
M1.2	FCA- A 08	1- 20x20x1	D.D.
M1.2	FCA- A 06	1- 20x20x1	D.D.
M2	FCA- A 06	1- 20x20x1	D.D.
M1.2	FCA- A 04	1- 20x20x1	D.D.
M2	FCA- A 04	1- 20x20x1	D.D.
M1.2	FCA- A 05	1- 20x20x1	D.D.
M1.2	FCA- A 05	1- 20x20x1	D.D.

Jones Elementary

<u>Location</u>	<u>Equipment</u>	<u>Filter Size</u>	<u>Belts</u>
M1.1	FCU-B Dining	1-20x20x1	D.D.
M1.1	FCU-B Dining	1-20x20x1	D.D.
M1.1	FCU-B Dining	1-20x20x1	D.D.
M1.1	FCU-B1 Dining	1-20x20x1	D.D.
M1.1	FCU-B1 Dining	1-20x20x1	D.D.
M1.2	FCU-C 21	2- 7.25x19.5x1	D.D
M1.2	FCU-C 20	2- 7.25x19.5x1	D.D
M1.2	FCU-C 22	2- 7.25x19.5x1	D.D
M1.2	FCU-C 23	2- 7.25x19.5x1	D.D
M1.2	FCU-C 25	2- 7.25x19.5x1	D.D
M1.2	FCU-C 24	2- 7.25x19.5x1	D.D
M1.2	FCU-C 27	2- 7.25x19.5x1	D.D
M1.2	FCU-C 26	2- 7.25x19.5x1	D.D
M1.3	FCU-C 28	2- 7.25x19.5x1	D.D
M1.3	FCU-C 29	2- 7.25x19.5x1	D.D
M1.3	FCU-C 09	2- 7.25x19.5x1	D.D
M1.3	FCU-C 10	2- 7.25x19.5x1	D.D
M1.3	FCU-C 12	2- 7.25x19.5x1	D.D
M1.3	FCU-C 11	2- 7.25x19.5x1	D.D
M1.3	FCU-C 13	2- 7.25x19.5x1	D.D
M1.3	FCU-C 14	2- 7.25x19.5x1	D.D
M1.3	FCU-C 16	2- 7.25x19.5x1	D.D
M1.3	FCU-C 15	2- 7.25x19.5x1	D.D

Jones Elementary

<u>Location</u>	<u>Equipment</u>	<u>Filter Size</u>	<u>Belts</u>
M1.1	FCU-D A-23	1- 9.25x25.75x1	D.D.
M1.1	FCU-D A-25	1- 9.25x25.75x1	D.D.
M1.1	FCU-D A-22	1- 9.25x25.75x1	D.D.
M1.1	FCU-D A-22A	1- 9.25x25.75x1	D.D.
M1.1	FCU-D A-13	1- 9.25x25.75x1	D.D.
M1.1	FCU-F A-17	1- 9.25x42x1	D.D.
M1.2	FCU-F Hallway	1- 9.25x42x1	D.D.
M1.2	FCU-F Hallway	1- 9.25x42x1	D.D.
M1.3	FCU-F Hallway	1- 9.25x42x1	D.D.
M1.1	Speech	3- 9.25x21.75x1	D.D.
M1.1	Gym	3- 9.25x21.75x1	D.D.
M1.1	Kitchen	2- 10x36x1	D.D.
M1.1	Gym	2- 15.38x24.38x2	1-A25
		1- 19.5x24.75x2	

K-Wing

Commons Area	1- 10 x 64 x 1
Music Room	1- 10 x 64 x 1
Hallway by 31	1- 10 x 64 x 1
31	1- 10 x 64 x 1
33	1- 10 x 64 x 1
35	1- 10 x 64 x 1
Hallway by 34	1- 10 x 36 x 1
34	1- 10 x 64 x 1

Jones Elementary

<u>Location</u>	<u>Equipment</u>	<u>Filter Size</u>	<u>Belts</u>
37		1- 10 x 64 x 1	
36		1- 10 x 64 x 1	
Auditorium Control Room		1- 10 x 64 x1	
Media Center			
AHU 6 Auditorium		9- 16 x 25 x 2	Belt- 2- B55

Filter Totals

- 1- 19.5x24.75x2
- 4- 15.38x24.38x2
- 2- 10x36x1
- 6- 9.25x21.75x1
- 4- 20x20x2
- 2- 15.375x19.375x2
- 2- 14x22x1
- 21- 20x20x1
- 36- 7.25x19.5x1
- 5- 9.25x25.75x1
- 4- 9.25x42x1
- 10- 10x64x1
- 9- 16x25x2

Vance

<u>Room</u>	<u>Filter Size</u>
103	2- 14x20x1 1- 14x24x1
106	2- 14x20x1 1- 14x24x1
109	2- 14x20x1 1- 14x24x1
112	2- 14x20x1 1- 14x24x1
126	2- 14x20x1 1- 14x24x1
129	2- 14x20x1 1- 14x24x1
130	2- 14x20x1 1- 14x24x1
134	1- 13 ½ x 52 ½ x1
140	2- 14x20x1 1- 14x24x1
142	2- 14x20x1 1- 14x24x1
Old Art by 142	1- 15 ¼ x41 ½ x1
Gym	3- 16x25x2 Belt- 1- A33
1 st Floor Teachers Lounge	1- 8 ¾ x 19 ¾ x1
2 nd Floor Teacher Lounge	1- 8 ¾ x 19 ¾ x1
280	2- 14x20x1 1- 14x24x1
277	2- 14x20x1 1- 14x24x1
274	2- 14x20x1 1- 14x24x1
268	2- 14x20x1 1- 14x24x1
265	1- 13 ½ x 65 ½ x1
262	1- 13 ½ x 65 ½ x1
289	1- 13 ½ x 65 ½ x1
248	1- 13 ½ x 52 ½ x1
245	1- 13 ½ x 65 ½ x1

Vance

<u>Room</u>	<u>Filter Size</u>	
242	1- 13 ½ x 65 ½ x1	
239	1- 13 ½ x 65 ½ x1	
230	1- 13 ½ x 65 ½ x1	
229	1- 13 ½ x 65 ½ x1	
228	Media filter	
ESL Classroom	1- 8 ¾ x 19 ¾ x 1	
1 st Floor by Counselor	1- 8 ¾ x 19 ¾ x 1	
2 nd Floor Storage Room	1- 8 ¾ x 19 ¾ x 1	
2 nd Floor Library Office	1- 8 ¾ x 19 ¾ x 1	
Extra Room by Office	1- 20x25x1	
Mechanical Room by Gym	6- 25x25x2	Belts- 2- B72

<u>Filter Totals</u>	<u>Belts</u>
1- 20x25x1	2- B72
3- 16x25x2	1- A33
26- 14x20x1	Makeup Air 1-A51
13- 14x24x1	Exhaust Fans 6- 3L370
2- 13 ½ x 52 ½ x1	1- 3L200
1- 15 ¼ x 41 ½ x1	1- 3L210
6- 8 ¾ x 19 ¾ x1	
8- 13 ½ x 65 ½ 1	
6- 25x25x2	

AMS Filter List

<u>Unit</u>	<u>Filter Size</u>	<u>Belts</u>	<u>Location</u>
1	12 - 16 x 25 x 2		D
	9 - 20 x 25 x 2		
2	4 - 16 x 25 x 2		D
	3 - 20 x 25 x 2		
3	2 - 12 x 24 x 2		D
	4 - 24 x 24 x 2		
	16 - 20 x 25 x 2		
4	4 - 20 x 20 x 2		E
	2 - 20 x 25 x 2		
	8 - 16 x 20 x 2		
	4 - 16 x 25 x 2		
5	12 - 16 x 20 x 2		E
	6 - 16 x 25 x 2		
6	8 - 16 x 20 x 2		F
	4 - 16 x 25 x 2		
	4 - 20 x 20 x 2		
	8 - 20 x 24 x 2		
7	20 - 16 x 25 x 2		F
	6 - 20 x 25 x 2		

AMS Filter List

<u>Unit</u>	<u>Filter Size</u>	<u>Belts</u>	<u>Location</u>
8	4 – 20 x 20 x 2		B
	4 – 20 x 25 x 2		
9	4 – 20 x 20 x 2		B
	3 – 20 x 24 x 2		
	1 – 24 x 24 x 2		
10	8 – 16 x 20 x 2		B
	4 – 16 x 25 x 2		
	4 – 20 x 20 x 2		
	8 – 20 x 24 x 2		
11	8 – 16 x 20 x 2		B
	4 – 16 x 25 x 2		
	4 – 20 x 20 x 2		
	8 – 20 x 24 x 2		
12	8 – 16 x 20 x 2		A
	4 – 16 x 25 x 2		
	4 – 20 x 20 x 2		
	8 – 20 x 24 x 2		

AMS Filter List

<u>Unit</u>	<u>Filter Size</u>	<u>Belts</u>	<u>Location</u>
13	8 – 16 x 20 x 2		A
	4 – 16 x 25 x 2		
	4 – 20 x 20 x 2		
	8 – 20 x 24 x 2		
14	8 – 16 x 20 x 2		A
	4 – 16 x 25 x 2		
	4 – 20 x 20 x 2		
	8 – 20 x 24 x 2		
15	8 – 16 x 20 x 2		A
	4 – 16 x 25 x 2		
	4 – 20 x 20 x 2		
	8 – 20 x 24 x 2		A
ERV	2 – 20 x 24 x 2		B
KMUA – 1	15 – 16 x 20 x 2		D

Asheville High School

Main Bldg

<u>Location</u>	<u>Filter Sizes</u>
202	1- 15 ½ x54x1
205	1- 15 ½ x54x1
204	1- 15 ½ x54x1
207	1- 15 ½ x54x1
206	1- 15 ½ x54x1
209	1- 15 ½ x54x1
208	1- 15 ½ x54x1
214	1- 15 ½ x54x1
217	1- 15 ½ x54x1
216	1- 15 ½ x54x1
219	1- 15 ½ x54x1
218	1- 15 ½ x54x1
221	1- 15 ½ x54x1
220	1- 15 ½ x54x1
223	1- 15 ½ x54x1
121	1- 15 ½ x54x1
122	1- 15 ½ x54x1
120	1- 15 ½ x54x1
119	1- 15 ½ x54x1
117	1- 15 ½ x54x1
118	1- 15 ½ x54x1
116	1- 15 ½ x54x1

Asheville High School

Main Bldg

<u>Location</u>	<u>Filter Sizes</u>	<u>Belts</u>
115	1- 15 ¼ x41 ½ x1	
104	2- 15 ½ x54x1	
108	1- 15 ½ x54x1	
110	1- 15 ½ x54x1	
112	1- 15 ½ x54x1	
Attic in Science prep	3- 24x30x2 3- 18x24x2	
Auditorium	12- 16x20x2 6- 20x20x2 3- 20x25x2	2- BX 46
Attic in Hallway	4- 18x24x2 1- 24x30x2 3- 20x25x2	
Boiler Room AHU2	8- 20x20x2 8- 20x20x21 3- 12x24x2 3- 12x24x21	
Alumni Office	1- 20x25x1 1- 20x24x1	
Media Center	15-20x20x2 15-20x21x21	
Tower 1	1-20x25x1	
Tower 2	1- 20x20x1	
Tower 3	1- 16x20x1	
Tower 4	1- 20x25x1	

Asheville High School

Main Bldg

<u>Location</u>	<u>Filter Sizes</u>
1 st floor Book Room	1- 13x66x1
Teachers Lounge	1- 8 ¾ x33 ½ x1
1 st Floor Prep Room	1- 8 ¾ x33 ½ x1
114	2- 8 ¾ x33 ½ x1
Main Office A/H	1- 16x20x2
SILSA Lobby	washable
SILSA Principle office	washable
PLC	1- 16x20x2
Night Crew Room	1- 8 ¾ x33 ½ x1
2 nd Floor Principle Office	1- 18x25x1
2 nd Floor Prin. Office Lobby	1- 9x61x1
3 rd Floor 308 lobby	1- 8 ¾ x33 ½ x1
308 Office	1- 8 ¾ x33 ½ x1
203 Science Wing	1- 20x36x1
201/203 Comp Lab	1- 8 7/8x 42 1/8 x1
201/203 Prep Room	1- 8 7/8x 24 1/8 x1
201 Science Wing	1- 20x36x1
200-203 Science Wing	1- 20x36x1
306	1- 15 ½ x54x1
103	1- 20x36x1
100	2- 20x20x1

Asheville High School

CTE Bldg

<u>Location</u>	<u>Filter Sizes</u>	<u>Belts</u>
CTE Boiler Room	4- 20x25x2 4- 20x20x2 4- 16x20x2 4- 16x25x2	1- BX54
Video Class Room	1- 10x72x1	
Video Class room Mech.	2- 16x20x2 4-16x25x2	
Band Room/ Chorus on Roof	8- 16x20x2 6- 16x20x2	1- AX36 2- 4L430
Aud. Seats	4- 20x25x2 4- 20x20x2 2- 16x20x2 2- 16x25x2	1- BP53
Stage unit in Set Shop	6- 16x20x2	1- B36

Filter Size Totals

Belt Totals

8- 20x25x2	1- Bx54
8- 20x20x2	1- Ax36
22- 16x20x2	2- 4L430
10- 16x25x2	1- Bp53
1- 10x72x1	1- B36

Asheville High School

<u>Location</u>	<u>Filter Sizes</u>	<u>Belts</u>
<u>Cafeteria</u>		
RTU 1	8- 20x25x2	
RTU 2	8-20x25x2	
RTU 3	2- 20x25x2	
RTU 4	2- 20x25x2	
RTU 5	2- 20x25x2	
RTU 6	4- 20x25x2	2- 20x20x2
<u>Filter Size Totals</u>		<u>Belt Sizes</u>
2- 20x20x2		2- AP60
26- 20x25x2		1- A44

Asheville High School

<u>Location</u>	<u>Filter Sizes</u>	<u>Belts</u>
<u>GYM</u>		
Gym Main Right	4- 20x20x2 2- 16x20x2	who cares
Gym Main Left	4- 20x20x2 2- 16x20x2	who cares
Gym Package Left	4- 20x25x2 2- 20x20x2	1- BX68
Gym Package Right	4- 20x25x2 2- 20x20x2	1- BX68
Area before boys B Ball Locker	1- 8 7/8 x42 1/8 x1	
Office by B Ball locker room	1- 9x42x1	
Hall by Girls B Ball locker	1- 8 7/8x42 1/8x1	
Gym Storage	2- 18x24x1 2- 16x29 1/2 x2	

Filter Size Totals

Belt Size Totals

12- 20x20x2
 4- 16x20x2
 8- 20x25x2
 2- 8 7/8 x 42 1/8 x1
 1- 9x42x1
 2- 18x24x1
 2- 16x 29 1/2 x2

2- Bx68
 1- A31

Asheville High School

Cultural Arts Bldg.

<u>Location</u>	<u>Filter Sizes</u>
Clay Room 814	1- 10x45x1 1- 10x61x1 1-10x36x1
Visual Arts 812	1- 10x36x1 1- 10x61x1 1- 10x45x1
Painting 813	1- 10x61x1
Vocal Music office 810	1- 10x36x1 1- 10x45x1
Instrumental Music 811	1- 10x36x1
Audio/ Visual 823	1- 8x32x1 1- 13x65x1 1- 8x42x1
821	1- 8x32x1 1- 8x42x1
Piano class across 821	1- 10x61x1
Drama Classroom	1- 10x45x1
Drama Class Hallway	1- 10x45x1
807 A, B, C	4- 10x45x1 1- 10x54x1 1- 10x48x1

Filter Size Totals

9- 10x45x1	4- 10x61x1
4- 10x36x1	2- 8x32x1
1- 13x65x1	2- 8x42x1
1- 10x54x1	1- 10x48x1

Asheville High School

Vocational Bldg

Location

Filter Sizes

Storage Room by boiler 4 Hall	4- 16x20x2 2- 20x20x2
Room 404 Graphics	6- 16x20x2
Room 406 Wood Shop	6- 16x20x2
Room 408 Machine Shop	6- 16x20x2
Room 410 Computer Engineer	2-20x20x2
Room 500	2- 14x20x1 1-14x24x1
Room 501	2- 14x20x1 1-14x24x1
Room 502	2- 14x20x1 1-14x24x1
Room 503	2- 14x20x1 1-14x30x1
Room 508	2- 14x20x1 1-14x30x1
Room 511	2- 14x20x1 1-14x24x1
Room 509	1- 8.875x61x1 1- 8.875x42x1
Room 505	1- 8.875x42x1 1- 8.875x42x1
Hallway by 505	1- 8.875x61x1
Room 506	
Room 504	1- 8.875x33x1
Room 507	2- 14x24x1 1- 14x30x1

Filter Size Totals

22- 16x20x2
4- 20x20x2
10- 14x20x1
5- 14x24x1
3- 14x30x1
2- 8.875x61x1
3- 8.875x42x1
1- 8.875x33x1

Asheville High School

<u>Location</u>	<u>Filter Sizes</u>
525	2- 14x20x1 1- 14x24x1
524	1- 14x24x1 1- 14x30x1
526	1- 20x25x1
527	1- 20x25x1
Culinary	3- 15.75x77.5x1
Culinary Room	1- 14x24x1 1- 14x30x1
Cosmo B	2- 14x20x1 1- 14x24x1
Cosmo A	2- 14x24x1 1- 14x30x1
Lobby	2- 14x20x1 1- 14x24x1
600 Hallway End	Radiator heat
600 Hallway by Lounge	1- 14x24x1 1- 14x30x1
600	2- 14x20x1 1- 14x24x1
601	2- 14x20x1 1- 14x24x1
602	2- 14x20x1 1- 14x24x1
603	2- 14x20x1 1- 14x24x1
604	2- 14x20x1 1- 14x24x1
605	2- 14x20x1 1- 14x24x1
606	2- 14x20x1 1- 14x24x1
609	1- 8.875x42x1
611	2- 14x20x1 1- 14x24x1
Faculty Lounge	1- 8.875x61x1

Asheville High School

Main Bldg

<u>Location</u>	<u>Filter Sizes</u>
101	1- 20x36x1
Lobby by Concession	1- 18x25x1
Visitor Concession Stand	2- 18x18x1
1 st Floor Comp Lab	1- 8 7/8 x42 1/8 x1
1 st Floor Prep Room	1- 8 7/8 x19 1/8 x1
Field House Package	2- 20x25x2
Old Girls Gym	12- 16x20x2
Old Boys Gym	6- 16x20x2 3- 20x25x2
Press Box	1- 13x21 ½ x 1
Room 400	6- 16x20x2

Filter Size Totals

28- 15 ½ x54x1	1- 15 ¼ x41 ½ x1	15- 20x20x21
4- 24x30x2	7- 18x24x2	3- 12x24x2
50- 16x20x2	47- 20x20x2	8- 20x20x21
19- 20x25x2	3- 18x24x2	3- 12x24x21
3- 20x25x1	1- 20x24x1	
3- 20x20x1	1- 8 7/8 x 19 1/8 x1	
1- 13x66x1	7- 8 ¾ x33 ½ x1	
3- 18x25x1	1- 9x61x1	
5- 20x36x1	2- 8 7/8 x 42 1/8 x1	
1- 8 7/8 x 24 1/8 x1	2- 18x18x1	
1- 13x21 ½ x1	1- 16x20x1	

Asheville High School

Filter Size Totals

22- 14x20x1

16- 14x24x1

4- 14x30x1


1- 8.875x42x1

1- 8.875x61x1

2- 20x25x1

3- 15.75x77.5x1


~~UNITS 348 ARE DY *~~
 * NEEDS FILTERS CHANGED
 4 X A YEAR




A
 B
 C
 D
 E
 F

AHU-6
 AHU-7

AHU-1
 KMUA-1
 AHU-2
 AHU-3 *





North Star Academy (Montford)

<u>Location</u>	<u>Equipment</u>	<u>Filter Size</u>	<u>Belts</u>
Offices	AHU-1	2-20x25x2	1xA30
Media	AHU-2	2-16x25x2	1xA41
126	AHU-3	2-20x25x2	1xA29
202	AHU-4	2-16x24x2	1xA38
Roof	DOA-1	6- 16x24x2	1xBX71
110	FCU-A	2- 9 ¼ x25 ¾ x1	
111	FCU-A	2- 9 ¼ x25 ¾ x1	
112	FCU-A	2- 9 ¼ x25 ¾ x1	
113	FCU-A	2- 9 ¼ x25 ¾ x1	
117	FCU-A	2- 9 ¼ x25 ¾ x1	
122	FCU-A	2- 9 ¼ x25 ¾ x1	
123	FCU-A	2- 9 ¼ x25 ¾ x1	
236	FCU-A	2- 9 ¼ x25 ¾ x1	
238	FCU-A	2- 9 ¼ x25 ¾ x1	
239	FCU-A	2- 9 ¼ x25 ¾ x1	
240	FCU-A	2- 9 ¼ x25 ¾ x1	
241	FCU-A	2- 9 ¼ x25 ¾ x1	
243	FCU-A	2- 9 ¼ x25 ¾ x1	
244	FCU-A	2- 9 ¼ x25 ¾ x1	
136	FCU-B	2- 9 ¼ x41 ¾ x1	
140	FCU-B	2- 9 ¼ x41 ¾ x1	
141	FCU-B	2- 9 ¼ x41 ¾ x1	
200	FCU-B	2- 9 ¼ x41 ¾ x1	

North Star Academy (Montford)

<u>Location</u>	<u>Equipment</u>	<u>Filter Size</u>	<u>Belts</u>
127	FCU-E	Washable	
104	FCU-F	2- 16x25x2	
106	FCU-F	2- 16x25x2	
127-A	FCU-G	2- 16x24x2	1xAx38
127-B	FCU-G	2- 16x24x2	1xAx38
Ceiling Hall 11	FCU-H	Washable	
Ceiling Hall 24	FCU-H	Washable	
Wall	AC-1	Washable	
Ceiling 103			
Ceiling 104			
Ceiling 105			
Ceiling 106			
Roof 238	EF-1		Direct Drive
Roof 122	EF-2		Direct Drive
Roof 110A	EF-3		Direct Drive
Roof 110B	EF-4		Direct Drive
Roof 110C	EF-5		Direct Drive
Roof 218	EF-6		Direct Drive
Roof 219	EF-7		Direct Drive

North Star Academy (Montford)

<u>Location</u>	<u>Equipment</u>	<u>Filter Size</u>	<u>Belts</u>
202	FCU-B	2- 9 ¼ x41 ¾ x1	
211-A	FCU-B	2- 9 ¼ x41 ¾ x1	
211-B	FCU-B	2- 9 ¼ x41 ¾ x1	
215-A	FCU-B	2- 9 ¼ x41 ¾ x1	
215-B	FCU-B	2- 9 ¼ x41 ¾ x1	
216-A	FCU-B	2- 9 ¼ x41 ¾ x1	
216-B	FCU-B	2- 9 ¼ x41 ¾ x1	
220	FCU-B	2- 9 ¼ x41 ¾ x1	
Corridor	FCU-B	2- 9 ¼ x41 ¾ x1	
134	FCU-C	1- 9 ¼ x31 ¾ x1	
138	FCU-C	1- 9 ¼ x31 ¾ x1	
201	FCU-C	1- 9 ¼ x31 ¾ x1	
205	FCU-C	1- 9 ¼ x31 ¾ x1	
206-A	FCU-C	1- 9 ¼ x31 ¾ x1	
206-B	FCU-C	1- 9 ¼ x31 ¾ x1	
212	FCU-C	1- 9 ¼ x31 ¾ x1	
214	FCU-C	1- 9 ¼ x31 ¾ x1	
221-A	FCU-C	1- 9 ¼ x31 ¾ x1	
221-B	FCU-C	1- 9 ¼ x31 ¾ x1	
224	FCU-C	1- 9 ¼ x31 ¾ x1	
118	FCU-D	1- 9 ¼ x25 ¾ x1	
119	FCU-D	1- 9 ¼ x25 ¾ x1	
235	FCU-D	1- 9 ¼ x25 ¾ x1	
237	FCU-D	1- 9 ¼ x25 ¾ x1	

North Star Academy (Montford)

Filter Totals

4- 20x25x2

6- 16x25x2

14- 16x24x2

32- 9 ¼ x25 ¾ x1

26- 9 ¼ x41 ¾ x1

11- 9 ¼ x31 ¾ x1

Belt Totals

1* 1xA30

1* 1xA41

1* 1xA29

3* 1xA38

1* 1xBx71

Air Purification Equipment

School	Make/Model	Quantity at Location
Asheville High School	Dayton 2HPB2	35
Asheville Middle School	Dayton 2HPB2	7
Asheville Middle School	Bludri Airshield	1
Montford North Star Academy	Dayton 2HPB2	8
Montford North Star Academy	Toshiba - CAF-W36USW	48
Montford North Star Academy	Airshield - AP-9090	1
Claxton Elementary	Dayton 2HPB2	22
Isaac Dickson Elementary	Dayton 2HPB2	17
Hall Fletcher Elementary	Dayton 2HPB2	18
Ira B Jones Elementary	Dayton 2HPB2	5
Lucy S Herring Elementary	Dayton 2HPB2	35
Central Office	Dayton 2HPB2	6