

**Salem School District
Office of the Superintendent**

Notification of Asbestos Management Plan

To: All Staff, Parents/Guardians
Date: January 26, 2024

The Asbestos Hazard Emergency Response Act (40CFR 763.93) requires notice be given that Salem School has asbestos containing materials in the building. A Management Plan has been developed over the years and we continue to monitor, encapsulate and remove these materials.

The Management Plan is available and is accessible to the public at the Superintendent's Office.

*If you have any questions, please contact Chris Lund, Director of Facilities at 860-460-4204.
Thank you.*

DESIGNATED PERSON'S STATEMENT OF ASSURANCE

Purpose: Our management Plan is required to contain a true and correct statement signed by the individual designated by the Local Education Agency (the "Designated Person") which certifies that the general LEA's responsibilities, as stipulated by regulations of Connecticut State Agencies (RCSA) 19a-333-1 to 13 have been met or will be met.

The Local Education Agency General Responsibilities:

- a) We have designated a person to ensure that requirements under this section are properly implemented. {RCSA 19a-333-2 (g)}
- b) The Designated Person has received adequate training to perform the duties assigned under this section. {RCSA 19a-333-2 (h)}
- c) We will and have ensured that the activities of any persons who perform inspections, reinspections, periodic surveillances, develop and update management plans, and develop and implement response actions (including O&M), are carried out in accordance with {RCSA 19a-333-2 (a)}.
- d) We have trained all custodial and maintenance employees as required by this {RCSA 19a-333-2(b)} and other applicable Federal and/or State regulations.
- e) We have informed and will yearly inform workers and building occupants, or their legal guardians, of inspections, response actions, and post-response action activities, including periodic reinspections and surveillance activities that are planned or in progress. Copies of all notifications are maintained in this Management Plan. {RCSA 19a-333-2 c }
- f) We have ensured that the short-term workers (telephone repair workers, utility workers, ...) who may come into contact with asbestos in a school are provided with information regarding the location of ACBM and suspected ACBM assumed to be ACM. The method of compliance is maintained with this plan. {RCSA 19a-333-2(d)}
- g) We have ensured that the warning labels are posted in accordance with {RCSA 19a-333-2(e)}
- h) We have ensured that management plans are available for inspection and notification of such availability has been provided as specified in the management plan under {RCSA 19a-333-2(f)}.
- i) We have and will continue to consider whether any conflict of interest may arise from the interrelationship among accredited personnel and whether that should influence the selection of accredited personnel to perform activities under this section {RCSA 19a-333-2 (i)}.

- j) We have and will continue to ensure that any person or group who designs or conducts a response action, other than O & M, with respect to ACBM or PACM be fully accredited by an accreditation program in accordance with sections RCSA section 20-440-2(a), RCSA section 20-440-5(a and b).
- k) Ensure all recordkeeping requirements are ongoing according to RCSA 19a-333-11.

I, the Designated Person for SALEM SCHOOL
State the above information is true to the best of my knowledge.

C. R. Lund
Signature

C. R. LUND, Ed.D., PE
Name

1/26/2024
Date