G

Printing date 26.07.2013

Revision: 26.07.2013

1 Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- Trade name: GAS LEAK DETECTOR MID TEMP
- · Article number: 23008, 22032, 23128
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the preparation Leak detection fluid
- · 1.3 Details of the supplier of the Safety Data Sheet
- Manufacturer/Supplier:
 Highside Chemicals, Inc.
 1114 Reichold Road
 Gulfport, MS 39503 USA
 Phone: (228) 896-9220
- · 1.4 Emergency telephone number:

ChemTel Inc.

(800)255-3924, +1 (813)248-0585

2 Hazards identification

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008

The product is not classified according to GHS regulations.

The product is not classified according to the CLP regulation.

- Classification according to Directive 67/548/EEC or Directive 1999/45/EC Not applicable.
- Information concerning particular hazards for human and environment:

The product does not have to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company.

- · 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008 N/A
- Hazard pictograms N/A
- · Signal word N/A
- · Hazard-determining components of labelling: None.
- · Hazard statements N/A
- Additional information:
- 2,5 percent of the mixture consists of component(s) of unknown toxicity Safety data sheet available on request.
- · Hazard description:
- · WHMIS-symbols: Not hazardous under WHMIS.

(Contd. on page 2)

Revision: 26.07.2013 Printing date 26.07.2013

Trade name: GAS LEAK DETECTOR - MID TEMP

· NFPA ratings (scale 0 - 4)

(Contd. of page 1)



Health = 2 Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



2 Health = 2 Fire = 0 REACTIVITY Reactivity = 0

HMIS Long Term Health Hazard Substances

127087-87-0 Poly(oxy-1,2-ethanediyl),alpha-(4-nonylphenyl)-omega-hydroxy, branched

- 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable. · vPvB: Not applicable.

3 Composition/information on ingredients

- 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:		
CAS: 127087-87-0 NLP: 500-315-8	Poly(oxy-1,2-ethanediyl),alpha-(4-nonylphenyl)-omega-hydroxy, branched Xn R21/22; Xi R36/38 R52 Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319	<10%
CAS: 68603-42-9 EINECS: 271-657-0	Coconut diethanolamide Xi R36/38 ♦ Skin Irrit. 2, H315; Eye Irrit. 2, H319	<10%
CAS: 111-42-2 EINECS: 203-868-0 Index number: 603-071-00-1	2,2'-iminodiethanol Xn R22-48/22; Xi R38-41 STOT RE 2, H373 Eye Dam. 1, H318 Acute Tox. 4, H302; Skin Irrit. 2, H315	<1,0%

· Additional information: For the wording of the listed risk phrases refer to section 16.

4 First aid measures

- · 4.1 Description of first aid measures
- · General information: No special measures required.
- · After inhalation:

Supply fresh air.

Seek medical treatment in case of complaints.

(Contd. on page 3)

Printing date 26.07.2013 Revision: 26.07.2013

Trade name: GAS LEAK DETECTOR - MID TEMP

(Contd. of page 2)

· After skin contact:

Clean with water and soap.

If skin irritation continues, consult a doctor.

After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

- · 4.2 Most important symptoms and effects, both acute and delayed Gastric or intestinal disorders.
- · Hazards No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: None.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- Additional information No further relevant information available.

6 Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Particular danger of slipping on leaked/spilled product.

Wear protective clothing.

Ensure adequate ventilation

- 6.2 Environmental precautions: No special measures required.
- · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Clean the affected area carefully; suitable cleaners are:

Warm water

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- 7.1 Precautions for safe handling No special measures required.
- Information about fire and explosion protection: No special measures required.

(Contd. on page 4)

Printing date 26.07.2013 Revision: 26.07.2013

Trade name: GAS LEAK DETECTOR - MID TEMP

(Contd. of page 3)

- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Protect from frost.

· 7.3 Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · DNELs No further relevant information available.
- · PNECs No further relevant information available.
- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

- · Respiratory protection: Not required under normal conditions of use.
- · Protection of hands: Rubber gloves
- · Eve protection:



Safety glasses

- · Body protection: Not required under normal conditions of use.
- · Limitation and supervision of exposure into the environment No special requirements.
- · Risk management measures No special requirements.

9 Physical and chemical properties

- 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form:

Liquid

Colour:

Pink Mild

· Odour: · Odour threshold:

Not determined.

(Contd. on page 5)

Printing date 26.07.2013 Revision: 26.07.2013

Trade name: GAS LEAK DETECTOR - MID TEMP

	(Contd. o	of pa
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	212 °F / 100 °C	
· Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Ignition temperature:	Not determined.	
Decomposition temperature:	Not determined.	
Self-igniting:	Product is not self-igniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapour pressure at 20 °C:	23 hPa	
Density at 20 °C:	1 g/cm³	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
water:	Fully miscible.	
Partition coefficient (n-octanol/wat	er): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	Not determined.	
Solids content:	Not determined.	
9.2 Other information	No further relevant information available.	

10 Stability and reactivity

- · 10.1 Reactivity
- 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

- 10.3 Possibility of hazardous reactions Reacts with strong acids and oxidizing agents.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.

(Contd. on page 6)

Printing date 26.07.2013 Revision: 26.07.2013

Trade name: GAS LEAK DETECTOR - MID TEMP

· 10.6 Hazardous decomposition products: Possible in traces.

(Contd. of page 5)

11 Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: Slight irritant effect on eyes.
- · Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.

When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

12 Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability biodegradable
- · 12.3 Bioaccumulative potential Does not accumulate in organisms.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- General notes:

This statement was deduced from products with a similar structure or composition.

Due to available data on eliminability/decomposition and bioaccumulation potential a prolonged damage of the environment is unlikely.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

13 Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

On the basis of the necessary technical regulations and after consultation with the disposal agent and the relevant authorities, can be disposed of with domestic waste or incinerated with domestic waste.

- Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

(Contd. on page 7)

Printing date 26.07.2013 Revision: 26.07.2013

Trade name: GAS LEAK DETECTOR - MID TEMP

· Recommended cleansing agents: Water only.

(Contd. of page 6)

14.1 UN-Number	NI/A	
DOT, ADR, ADN, IMDG, IATA	N/A	
14.2 UN proper shipping name		
DOT, ADR, ADN, IMDG, IATA	N/A	
14.3 Transport hazard class(es)		
DOT, ADR, ADN, IMDG, IATA		
Class	N/A	
14.4 Packing group		
DOT, ADR, IMDG, IATA	N/A	
14.5 Environmental hazards:		
Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	
14.7 Transport in bulk according to Ann	ex II of	
MARPOL73/78 and the IBC Code	Not applicable.	

15 Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- ·SARA
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

111-42-2 2,2'-iminodiethanol

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · Proposition 65 (California):
- Chemicals known to cause cancer:

Present in trace quantities: CAS 81-88-9.

ſ	68603-42-9	Coconut diethanolamide
	111-42-2	2,2'-iminodiethanol
	81-88-9	9-(2-carboxyphenyl)-3,6-bis(diethylamino)xanthylium chloride

(Contd. on page 8)

Revision: 26.07.2013 Printing date 26.07.2013

Trade name: GAS LEAK DETECTOR - MID TEMP

(Contd. of page 7)

Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

Chemicals known to cause developmental toxicity:

Present in trace quantities: CAS 872-50-4.

872-50-4 N-methyl-2-pyrrolidone

Carcinogenic Categories

EPA (Environmental Protection Agency)

None of the ingredients is listed.

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

TLV (Threshold Limit Value established by ACGIH)

111-42-2 2,2'-iminodiethanol

А3

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

· Canada

Canadian Domestic Substances List (DSL)

All ingredients are listed.

Canadian Ingredient Disclosure list (limit 0.1%)

None of the ingredients is listed.

· Canadian Ingredient Disclosure list (limit 1%)

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H302 Harmful if swallowed.

H315 Causes skin irritation.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

R21/22 Harmful in contact with skin and if swallowed.

R22 Harmful if swallowed.

R36/38 Irritating to eyes and skin.

R38 Irritating to skin.

(Contd. on page 9)

Printing date 26.07.2013 Revision: 26.07.2013

Trade name: GAS LEAK DETECTOR - MID TEMP

(Contd. of page 8)

R41 Risk of serious damage to eyes.

R48/22 Harmful: danger of serious damage to health by prolonged exposure if swallowed.

R52 Harmful to aquatic organisms.

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the

International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

· Sources

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com





SAFETY DATA SHEET

FOR INDUSTRIAL USE ONLY

GE22608

GE MAX EXTRA SILICONIZED ACRYLIC CAULK

Section 1. Product and company identification

Product name : GE22608 Chemical name : Not available

Manufacturer/Importer/ : Momentive Performance Materials - Daytona

Distributor Information 703 South Street

New Smyrna Beach FL 32168

Contact person : 4information@momentive.com

Telephone : General information

+1-800-295-2392

Emergency telephone number

Supplier : CHEMTREC

1-800-424-9300

Section 2. Hazards identification

Classification of the substance or

mixture

SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2A

GHS label elements

Hazard pictograms

Signal word : Warning

Hazard statements : H319 Causes serious eye irritation.

Precautionary statements

General : Not applicable.

Prevention: Wear eye or face protection.

Wash hands thoroughly after handling.

Response : IF IN EYES:

Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical attention.

Storage : Not applicable.

Disposal : Not applicable.

114-10 Page: 2/10

Other hazards which do not result in classification

: Uncured product is irritating to eyes, skin, and respiratory system.

Section 3. Composition/information on ingredients

Substance/mixture : Mixture Chemical name : Not available

Hazardous ingredients	% by weight	CAS
		number
Poly(oxy-1,2-ethanediyl), .alpha[(1,1,3,3-	1 - 5	9036-19-5
tetramethylbutyl)phenyl]omegahydroxy-		

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact : Immediately flush eyes with plenty of water, occasionally lifting the

upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.

Inhalation : Remove victim to fresh air and keep at rest in a position comfortable

for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or

waistband.

Skin contact : Flush contaminated skin with plenty of water. Remove

contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before

reuse

Ingestion: Wash out mouth with water. Remove dentures if any. Remove

victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : Treat symptomatically. Contact poison treatment specialist

immediately if large quantities have been ingested or inhaled.

Specific treatments : No specific treatment.

Protection of first aid personnel: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to

114-10 Page: 3/10

give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media : Use dry chemical, CO2, alcohol-resistant foam or water spray (fog).

: water jet

Specific hazards arising from the chemical

No specific fire or explosion hazard.

Hazardous thermal decomposition products

Decomposition products may include the following materials:

carbon dioxide carbon monoxide

Measurements at temperatures above 150°C in presence of air (oxygen) have shown that small amounts of formaldehyde are

formed due to oxidative degradation.

Special protective actions for firefighters Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Use water spray to keep fire-exposed containers cool. Fire water contaminated with this material must be contained and prevented from being discharged to

any waterway, sewer or drain.

Special protective equipment for fire-fighters

Fire-fighters should wear appropriate protective equipment and self-

contained breathing apparatus (SCBA) with a full face-piece

operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel : No action shall be taken involving any personal risk or without

suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on

appropriate personal protective equipment.

For emergency responders : If specialised clothing is required to deal with the spillage, take note

of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Environmental precautions : Avoid dispersal of spilled material and runoff and contact with s

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways,

soil or air).

Methods and material for containment and cleaning up

Small spill : Move containers from spill area. Vacuum or sweep up material and

place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see section 1 of SDS for emergency contact information and section 13 of SDS for waste

disposal.

Large spill : Move containers from spill area. Approach release from upwind.

Prevent entry into sewers, water courses, basements or confined

114-10 Page: 4/10

areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see section 1 of SDS for emergency contact information and section 13 of SDS for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures

Put on appropriate personal protective equipment (see section 8 of SDS). Do not ingest. Avoid contact with eyes, skin and clothing. Use only with adequate ventilation. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous.

Advice on general occupational hygiene

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10 of SDS) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

None.

Appropriate engineering controls

No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure below any recommended or statutory limits.

Environmental exposure controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid

114-10 Page: 5/10

exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.

Skin protection

Hand protection : Chemical-resistant, impervious gloves complying with an approved

standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the

gloves cannot be accurately estimated.

Body protection: Personal protective equipment for the body should be selected based

on the task being performed and the risks involved and should be

approved by a specialist before handling this product.

Other skin protection : Appropriate footwear and any additional skin protection measures

should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this

product

Respiratory protection : Use a properly fitted, particulate filter respirator complying with an

approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working

limits of the selected respirator.

Section 9. Physical and chemical properties

Appearance

Physical state : Solid
Color : colorless.

Odor : ammonia
Odor threshold : Not available

PH : 7.9 [Conc. (% w/w): > 0.00000 g/l]

Melting point : Not available

Boiling point : 100.00 °C (212.00 °F)

Flash point : 93.3 °C (199.94 °F) (Estimated.)

Burning time: Not availableBurning rate: Not availableEvaporation rate: Not availableFlammability (solid, gas): Not available

Lower and upper explosive : Lower: Not available (flammable) limits : Upper: Not available

Vapor pressure : Not available Vapor density : Not available

Relative density : 1.05

Density : 1.05 g/cm3

Solubility: Not availableSolubility in water: Not availablePartition coefficient: n-: Not available

114-10 Page: 6/10

octanol/water

Auto-ignition temperature: Not availableDecomposition temperature: Not availableSADT: Not available

Viscosity : Dynamic: Not available

Kinematic: Not available

 $\begin{tabular}{lll} \textbf{Volatile organic content} & : & 0.09 \% \ (w/w) \\ \end{tabular}$

43.25 g/l

Other information

No additional information.

Section 10. Stability and reactivity

Reactivity: Stable under normal conditions.

Chemical stability : The product is stable.

Possibility of hazardous reactions : Under normal conditions of storage and use, hazardous reactions

will not occur.

Conditions to avoid : No specific data.

Incompatible materials : No specific data.

Hazardous decomposition: Under normal conditions of storage and use, hazardous

decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

products

Conclusion/Summary : Not determined

Irritation/Corrosion

Conclusion/Summary

Skin : Not determined eyes : Not determined Respiratory : Not determined

Sensitization

Conclusion/Summary

Skin : Not determined Respiratory : Not determined

Mutagenicity

Conclusion/Summary : Not determined

Carcinogenicity

Conclusion/Summary : Not determined

Reproductive toxicity

114-10 Page: 7/10

Conclusion/Summary : Not determined

Teratogenicity

Conclusion/Summary : Not determined

Specific target organ toxicity (single exposure)

Not available

Specific target organ toxicity (repeated exposure)

Not available

Aspiration hazard

Not available

Information on the likely routes of : Not available

exposure

Potential acute health effects

Eye contact : Causes serious eye irritation.

Inhalation: No known significant effects or critical hazards.Skin contact: No known significant effects or critical hazards.Ingestion: Irritating to mouth, throat and stomach.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact: Adverse symptoms may include the following:

pain or irritation

watering

redness

Inhalation: No specific data.Skin contact: No specific data.Ingestion: No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects : Not available
Potential delayed effects : Not available

Long term exposure

Potential immediate effects : Not available Potential delayed effects : Not available

Potential chronic health effects

Conclusion/Summary : Not determined

General: No known significant effects or critical hazards.Carcinogenicity: No known significant effects or critical hazards.Mutagenicity: No known significant effects or critical hazards.Teratogenicity: No known significant effects or critical hazards.Developmental effects: No known significant effects or critical hazards.Fertility effects: No known significant effects or critical hazards.

Numerical measures of toxicity

114-10 Page: 8/10

Acute toxicity estimates

Not available

Section 12. Ecological information

Ecotoxicity

Conclusion/Summary : Not available

Persistence/degradability

Conclusion/Summary : Not available

Mobility in soil

Soil/water partition coefficient

(KOC)

Not available

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

Special precautions for user

: This product is not regarded as dangerous goods according to the national and international regulations on the transport of dangerous goods.

114-10 Page: 9/10

15. Regulatory information

United States

U.S. Federal regulations : United States - TSCA 12(b) - Chemical export notification: None

required.

United States - TSCA 5(a)2 - Final significant new use rules: Not

listed

United States - TSCA 5(a)2 - Proposed significant new use rules:

Not listed

United States - TSCA 5(e) - Substances consent order: Not listed

SARA 311/312

Classification : Immediate (acute) health hazard

California Prop. 65: : WARNING: This product contains less than 0.1% of a chemical known

to the State of California to cause cancer., WARNING: This product contains less than 1% of a chemical known to the State of California to

cause birth defects or other reproductive harm.

Canada

WHMIS (Canada) : Class D-2B: Material causing other toxic effects (Toxic).

International regulations

International lists : Australia inventory (AICS): Not determined.

Taiwan inventory (CSNN): Not determined.

Canada inventory: Not determined. Japan inventory: Not determined.

China inventory (IECSC): Not determined.

Korea inventory: Not determined.

New Zealand Inventory (NZIoC): Not determined. Philippines inventory (PICCS): Not determined.

United States inventory (TSCA 8b): All components are listed or exempted.

Section 16. Other information

Hazardous Material Information System III (U.S.A.):

Health	1
Flammability	1
Physical hazards	0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on MSDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868. The customer is responsible for determining the PPE code for this material.

Full text of abbreviated H statements

: Not applicable.

114-10 Page: 10/10

History

Date of printing: 11/30/2015Date of issue/Date of revision: 04/10/2015Date of previous issue: 04/06/2015

Version : 1.1

Prepared by

Key to abbreviations

: Product Safety Stewardship

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) RID = The Regulations concerning the International Carriage of Dangerous Goods

by Rail

UN = United Nations

References : Not available

Notice to reader

Unless otherwise specified in section 1, Momentive Products are intended for industrial application only. They arenot intended for specific medical applications, neither for long-lasting (> 30 days) implantation into the human body, injected or directly ingested, nor for the manufacture of multiple usable contraceptives Keep out of the reach of children.

Further Information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

®,*, and TM indicate trademarks owned by or licensed to Momentive.



Revision Date: 07/28/2016

GE281 3TG(T)-TUBE (0.198LBS-0.090KG)

SAFETY DATA SHEET

1. Identification

Product identifier: GE281 3TG(T)-TUBE (0.198LBS-0.090KG)

Other means of identification

Synonyms:

SILICONE SEALANT

Recommended use and restriction on use

Recommended use: Silicone Elastomer

Restrictions on use: Not known.

Manufacturer/Importer/Distr :

ibutor Information

Momentive Performance Materials LLC

260 Hudson River Road

Waterford NY 12188

Contact person

: commercial.services@momentive.com

Telephone

General information

+1-800-295-2392

Emergency telephone

number

Supplier

CHEMTREC

1-800-424-9300

2. Hazard(s) identification

Hazard Classification

Health Hazards

Skin Corrosion/Irritation

Category 2

Serious Eye Damage/Eye Irritation

Category 2A

Skin sensitizer

Category 1

Toxic to reproduction

Category 1B

Label Elements

Hazard Symbol:

Revision Date: 07/28/2016

GE281 3TG(T)-TUBE (0.198LBS-0.090KG)



Signal Word:

No signal word.

Hazard Statement:

Causes serious eye irritation.

Causes skin irritation.

May cause an allergic skin reaction. May damage fertility or the unborn child.

Precautionary Statement

Prevention:

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Wear protective gloves. Wear eye protection/face protection. Avoid breathing dust. Wash hands thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace.

Response:

IF exposed or concerned: Get medical advice/attention. IF ON SKIN: Wash with plenty of water. Take off contaminated clothing. Wash contaminated clothing before reuse. If skin irritation or rash occurs: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists:

Storage:

Store locked up.

Disposal:

Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product

characteristics at time of disposal.

Other hazards which do not result in GHS classification:

None.

3. Composition/information on ingredients



Revision Date: 07/28/2016

GE281 3TG(T)-TUBE (0.198LBS-0.090KG)

Mixtures

Chemical Identity	CAS number	Content in percent (%)*	Notes
Distillates, petroleum, hydrotreated middle	64742-46-7	7 - 13%	# This substance has workplace exposure limit(s).
Hexamethyldisilazane	999-97-3	1 - 5%	No data available.
TITANIUM DIOXIDE	13463-67-7	1 - 5%	# This substance has workplace exposure limit(s).
DIBUTYL TIN BIS ACETYLACETONATE	22673-19-4	0.1 - 1%	# This substance has workplace exposure limit(s).
Silica	7631-86-9	0.1 - 1%	# This substance has workplace exposure limit(s).

^{*} All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

The respirable particle(s) listed above are inextricably bound within the polymer matrix, and therefore does not present an inhalation hazard during normal use of this product. Tooling or machining of the cured product (sanding, cutting, milling) may release hazardous, respirable substances.

4. First-aid measures

Ingestion:

If swallowed, do NOT induce vomiting. Give a glass of water.

Inhalation:

If inhaled, remove to fresh air. If not breathing give artificial respiration using a barrier device. If breathing is difficult give oxygen. Get medical

attention.

Skin Contact:

To clean from skin, remove completely with a dry cloth or paper towel, before washing with detergent and water. If skin irritation occurs: Get

medical advice/attention.

Eye contact:

In case of contact with eyes, rinse immediately with plenty of water and

seek medical advice.

Most important symptoms/effects, acute and delayed

Symptoms:

Treatment is symptomatic and supportive.

Hazards:

No data available.

Indication of immediate medical attention and special treatment needed

SDS_US

3/15



Revision Date: 07/28/2016

GE281 3TG(T)-TUBE (0.198LBS-0.090KG)

Treatment:

No data available.

5. Fire-fighting measures

General Fire Hazards:

No data available.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media:

All standard extinguishing agents are suitable.

Unsuitable extinguishing

media:

No data available.

Specific hazards arising from

the chemical:

No data available.

Special protective equipment and precautions for firefighters

Special fire fighting

procedures:

No data available.

Special protective equipment

for fire-fighters:

Firefighters must wear NIOSH/MSHA approved positive pressure selfcontained breathing apparatus with full face mask and full protective

clothing.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Avoid contact with skin and eyes. Keep out of reach of children. Keep container tightly closed. Adequate ventilation should be provided so that exposure limits are not exceeded.

Methods and material for containment and cleaning up: Wipe, scrape or soak up in an inert material and put in a container for disposal. Wash walking surfaces with detergent and water to reduce slipping hazard. Wear proper protective equipment as specified in the protective equipment section.

7. Handling and storage

Precautions for safe handling:

Sensitivity to static discharge is not expected.

Conditions for safe storage,

including any incompatibilities:

No data available.

Revision Date: 07/28/2016

GE281 3TG(T)-TUBE (0.198LBS-0.090KG)

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

Chemical Identity	type	Exposure Limit Values	Source
Distillates, petroleum, hydrotreated middle - Inhalable fraction.	TWA	5 mg/m3	US. ACGIH Threshold Limit Values (03 2015)
Distillates, petroleum, hydrotreated middle - Mist.	REL	5 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
	STEL	10 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
	PEL	5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA	5 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
TITANIUM DIOXIDE	TWA	10 mg/m3	US. ACGIH Threshold Limit Values (03 2015)
TITANIUM DIOXIDE - Total dust.	PEL	15 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA	10 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
DIBUTYL TIN BIS ACETYLACETONATE - as Sn	STEL	0.2 mg/m3	US. ACGIH Threshold Limit Values (03 2015)
·	TWA	0.1 mg/m3	US. ACGIH Threshold Limit Values (03 2015)
	REL.	0.1 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
	PEL	0.1 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA	0.1 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
Silica	REL	6 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
	TWA	6 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	TWA	20 millions of particles per cubic foot of air	US. OSHA Table Z-3 (29 CFR 1910.1000) (2000)
	TWA	0.8 mg/m3	US. OSHA Table Z-3 (29 CFR 1910.1000) (2000)

This product contains one or more substances with an occupational exposure limit. However, the respirable particle(s) of this/these substance(s) are inextricably bound within the polymer matrix. Therefore, we do not expect an exposure to this/these substance(s) during normal use of this product. Tooling or machining of the cured product (sanding, cutting, milling) may release hazardous, respirable substances.

Appropriate Engineering Controls

Eye wash facilities and emergency shower must be available when handling this product.

Revision Date: 07/28/2016

GE281 3TG(T)-TUBE (0.198LBS-0.090KG)

Individual protection measures, such as personal protective equipment

General information:

Ventilation and other forms of engineering controls are preferred for controlling exposures. Respiratory protection may be needed for non-

routine or emergency situations.

Eye/face protection:

Safety glasses with side shields

Skin Protection

Hand Protection:

Cloth gloves.

Other:

Wear suitable protective clothing and eye/face protection.

Respiratory Protection:

If exposure limits are exceeded or respiratory irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Supplied air respirators may be required for non-routine or emergency situations. Respiratory protection must be provided in accordance with OSHA

regulations (see 29CFR 1910.134).

Hygiene measures:

No data available.

9. Physical and chemical properties

Appearance

Physical state:

solid

Form:

solid

Color: Odor: White Ammonia.

Odor threshold:

No data available.

pH:

not applicable

Melting point/freezing point:

not applicable

Initial boiling point and boiling range:

not applicable

Flash Point:

>> 93.3 °C (estimated)

Evaporation rate:

No data available.

Flammability (solid, gas):

No data available.

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%):

No data available.

Flammability limit - lower (%):

No data available.

Explosive limit - upper (%):

No data available.

Explosive limit - lower (%):

No data available.

Vapor pressure:

not applicable

Vapor density:

No data available.

SDS_US

6/15

Revision Date: 07/28/2016

GE281 3TG(T)-TUBE (0.198LBS-0.090KG)

Density:

No data available.

Relative density:

1.02

Solubility(ies)

Solubility in water:

Insoluble

Solubility (other):

PARTIAL IN TOLUENE

Partition coefficient (n-octanol/water) Log

No data available.

Pow:

Auto-ignition temperature:

No data available.

Decomposition temperature:

No data available.

SADT:

No data available.

Viscosity, dynamic: Viscosity, kinematic:

No data available. No data available.

VOC:

27 g/l

10. Stability and reactivity

Reactivity:

No data available.

Chemical Stability:

No data available.

Possibility of hazardous

reactions:

Hazardous polymerisation does not occur.

Conditions to avoid:

None known.

Incompatible Materials:

None known.

Hazardous Decomposition

Products:

Carbon dioxide Ammonia. Silicon dioxide. Measurements at temperatures above 150°C in presence of air (oxygen) have shown that small amounts of

formaldehyde are formed due to oxidative degradation.

11. Toxicological information

Information on likely routes of exposure

Ingestion:

No data available.

Inhalation:

No data available.

Skin Contact:

No data available.

Eye contact:

No data available.

Symptoms related to the physical, chemical and toxicological characteristics

Ingestion:

No data available.

Inhalation:

No data available.

SDS US

7/15



Revision Date: 07/28/2016

GE281 3TG(T)-TUBE (0.198LBS-0.090KG)

Skin Contact:

No data available.

Eye contact:

No data available.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral

Product:

No data available.

Specified substance(s):

Hexamethyldisilazane

LD 50 (Rat): 870 mg/kg

TITANIUM DIGXIDE

LD 50 (Rat): > 10,000 mg/kg

Silica

LD 50 (Rat): > 15,000 mg/kg

Dermal

Product:

No data available.

Specified substance(s):

TITANIUM DIOXIDE

LD 50 (Rabbit): > 10,000 mg/kg

Inhalation

Product:

No data available.

Specified substance(s):

TITANIUM DIOXIDE

LC50 (Rat): > 6.8 mg/l

Repeated dose toxicity

Product:

No data available.

Skin Corrosion/Irritation

Product:

No data available.

Specified substance(s):

Hexamethyldisilazane

No data available. (Rabbit): Corrosive

Specified substance(s):

Silica

(Rabbit): No skin irritation

Revision Date: 07/28/2016

GE281 3TG(T)-TUBE (0.198LBS-0.090KG)

Serious Eye Damage/Eye Irritation

Product:

No data available.

Specified substance(s):

TITANIUM DIOXIDE

No eye irritation

Respiratory or Skin Sensitization

Product:

No data available.

Specified substance(s):

TITANIUM DIOXIDE

negative

Carcinogenicity

Product:

No data available.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

TITANIUM DIOXIDE Overall evaluation: 2B. Possibly carcinogenic to humans.

US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

Germ Cell Mutagenicity

In vitro

Product:

No data available.

In vivo

Product:

No data available.

Reproductive toxicity

Product:

No data available.

Specific Target Organ Toxicity - Single Exposure

Product:

No data available.

Specific Target Organ Toxicity - Repeated Exposure

SDS_US 9/15



Revision Date: 07/28/2016

GE281 3TG(T)-TUBE (0.198LBS-0.090KG)

Product:

No data available.

Aspiration Hazard

Product:

No data available.

Other effects:

Contains dibutyltin compound(s) - May impair fertility. May cause harm to

unborn child.

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish

Product:

No data available.

Specified substance(s):

TITANIUM DIOXIDE

LC0 (Leuciscus idus, 48 h): > 1,000 mg/l

Silica

LC0 (Brachydanio rerio, 96 h): 5,000 mg/l

Aquatic Invertebrates

Product:

No data available.

Chronic hazards to the aquatic environment:

Fish

Product:

No data available.

Specified substance(s):

Silica

LC0 (Brachydanio rerio, 4 d): 5,000 mg/l

Aquatic Invertebrates

Product:

No data available.

Toxicity to Aquatic Plants

Product:

No data available.

Persistence and Degradability

Biodegradation

Product:

No data available.

Specified substance(s):

SDS_US

10/15



Revision Date: 07/28/2016

GE281 3TG(T)-TUBE (0.198LBS-0.090KG)

TITANIUM DIOXIDE

0 %

BOD/COD Ratio

Product:

No data available.

Bioaccumulative Potential

Bioconcentration Factor (BCF)

Product:

No data available.

Partition Coefficient n-octanol / water (log Kow)

Product:

No data available.

Mobility in Soil: No data available.

Known or predicted distribution to environmental compartments

Distillates, petroleum,

hydrotreated middle

No data available.

Hexamethyldisilazane

No data available. No data available.

TITANIUM DIOXIDE DIBUTYL TIN BIS

No data available.

ACETYLACETONATE

Silica

No data available.

Known or predicted distribution to environmental compartments

METHYLPOLYSILOXANE

No data available.

SILANE.

No data available.

DICHLORODIMETHYL-. REAKTION PRODUCTS WITH SILICA, Silane, dichlorodimethyl-, reaction

products with silica

SILOXANES AND SILICONES, DI-ME No data available.

Other Adverse Effects:

No data available.

13. Disposal considerations

Disposal instructions:

Disposal should be made in accordance with federal, state and local

regulations.

Contaminated Packaging:

No data available.



Revision Date: 07/28/2016

GE281 3TG(T)-TUBE (0.198LBS-0.090KG)

14. Transport information

DOT

Not regulated.

IMDG

Not regulated.

IATA

Not regulated.

Special precautions for user:

This product is not regarded as dangerous goods according to the

national and international regulations on the transport of

dangerous goods.

15. Regulatory information

US Federal Regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4):

None present or none present in regulated quantities.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Immediate (Acute) Health Hazards Delayed (Chronic) Health Hazard

SARA 302 Extremely Hazardous Substance

None present or none present in regulated quantities.

SARA 304 Emergency Release Notification

None present or none present in regulated quantities.

Revision Date: 07/28/2016

GE281 3TG(T)-TUBE (0.198LBS-0.090KG)

SARA 311/312 Hazardous Chemical

Chemical Identity Threshold Planning Quantity

Distillates, petroleum,

10000 lbs

hydrotreated middle

Hexamethyldisilazane 10000 lbs TITANIUM DIOXIDE 10000 lbs DIBUTYL TIN BIS 10000 lbs

DIBUTYL TIN BIS ACETYLACETONATE

Silica

10000 lbs

SARA 313 (TRI Reporting)

None present or none present in regulated quantities.

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

None present or none present in regulated quantities.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

None present or none present in regulated quantities.

US State Regulations

US, California Proposition 65

This product contains chemical(s) known to the State of California to cause cancer and/or to cause birth defects or other reproductive harm.

TITANIUM DIOXIDE

Carcinogenic.

Methanol

Developmental toxin.

US. New Jersey Worker and Community Right-to-Know Act

Chemical Identity

METHYLPOLYSILOXANE

SILANE, DICHLORODIMETHYL-, REAKTION PRODUCTS WITH SILICA. Silane, dichlorodimethyl-, reaction products with silica

Distillates, petroleum, hydrotreated middle

SILOXANES AND SILICONES, DI-ME

Hexamethyldisilazane

US. Massachusetts RTK - Substance List

Chemical Identity

Distillates, petroleum, hydrotreated middle 10,10'-OXYBISPHENOXARSINE

US. Pennsylvania RTK - Hazardous Substances

Chemical Identity

Distillates, petroleum, hydrotreated middle TITANIUM DIOXIDE

US. Rhode Island RTK

No ingredient regulated by RI Right-to-Know Law present.

Revision Date: 07/28/2016


GE281 3TG(T)-TUBE (0.198LBS-0.090KG)

Inventory Status:

Australia AICS:	n (Negative listing)	Remarks: None.
Canada DSL Inventory List:	y (positive listing)	Remarks: None.
EU EINECS List:	y (positive listing)	Remarks: None.
Japan (ENCS) List:	n (Negative listing)	Remarks: None.
China Inventory of Existing	y (positive listing)	Remarks: None.
Chemical Substances:		
Korea Existing Chemicals Inv.	n (Negative listing)	Remarks: None.
_(K <u>E</u> C1):		
Canada NDSL Inventory:	n (Negative listing)	Remarks: None.
Philippines PICCS:	n (Negative listing)	Remarks: None.
US TSCA Inventory:	y (positive listing)	Remarks: All components are
		listed or exempted on TSCA
New Zealand Inventory of	n (Negative listing)	Remarks: None.
Chemicals:		
Taiwan, Taiwan inventory	y (positive listing)	Remarks: None.
(CSNN):		

16.Other information, including date of preparation or last revision

HMIS Hazard ID



Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible: *Chronic health effect

Issue Date: 07/28/2016

Revision Date: No data available.

Version #: 1.10

Further Information: No data available.

SDS_US 14/15



Revision Date: 07/28/2016

GE281 3TG(T)-TUBE (0.198LBS-0.090KG)

Disclaimer:

Notice to reader

Unless otherwise specified in section 1, Momentive products are intended for use in the manufacture and/or formulation of products and are not intended for direct consumer use. These products are not intended for long-lasting (> 30 days) implantation, injection or direct ingestion into the human body, nor for use in the manufacture of multiple use contraceptives. Keep out of the reach of children.

Further Information


The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

SDS_US 15/15

Product Name: • Revision Date: None

Product Name: Germ-X Hand Sanitizer with Vitamin E and Aloe

Revision Number: 0



Safety Data Sheet



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name

053AF Germ-X Hand Sanitizer with Vitamin E and Aloe

Other means of identification

Synonyms

None

Recommended use of the chemical and restrictions on use

Recommended Use

Hand Sanitizer

Uses advised against

Use only as directed

Details of the supplier of the safety data sheet

Supplier Name

Vi-Jon Inc.

Supplier Address

Vi-Jon Inc.

8800 Page Avenue

Saint Louis MO 63114

US

Supplier Phone Number

Phone: 314-427-1000 (M-F 8am-4pm CST)

Fax:3144271010

Supplier Email

info@vijon.com

Emergency telephone number

Chemtrec: 1-800-424-9300 (24-Hour)

Product Name: Germ-X Hand Sanitizer with Vitamin E and Aloe

Revision Date: None

Revision Number: 0

2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids

Category 3

GHS Label elements, including precautionary statements

Emergency Overview

Signal word

Warning

Flammable liquid and vapor



Appearance: Clear to Slightly Hazy,

Physical State: Slightly Viscous Liquid

Odor: Floral, Alcohol

Pale Green, Slightly Viscous Liquid

Precautionary Statements - Prevention

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ ventilating/ lighting/ equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Precautionary Statements - Response

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

Precautionary Statements - Storage

Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Unknown Toxicity

0.259927% of the mixture consists of ingredient(s) of unknown toxicity

Other information

Toxic to aquatic life

PROLONGED OR REPEATED CONTACT MAY DRY SKIN AND CAUSE IRRITATION

May cause slight eye irritation

Interactions with Other Chemicals

None known.



Product Name: Revision Date: None

Product Name: Germ-X Hand Sanitizer with Vitamin E and Aloe

Revision Number: 0

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%	Trade Secret
Ethyl Alcohol 62% v/v	64-17-5	50 - 100	*
Aloe Barbadensis Leaf Gel	85507-69-3	0 - 10	*
Carbomer	Proprietary	0 – 10	*
FD&C Blue No. 1	3844-45-9	0 – 10	*
FD&C Yellow No. 5	1934-21-0	0 – 10	*
Fragrance	Proprietary	0 – 10	*
Glycerin	56-81-5	0 – 10	*
sopropyl Alcohol	67-63-0	0 – 10	*
sopropyl Myristate	110-27-0	0 – 10	*
Propylene Glycol	57-55-6	0 - 10	*
Tocopheryl Acetate	7695-91-2	0 - 10	*
Water	7732-18-5	10 - 50	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret

4. FIRST AID MEASURES

First aid measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15

minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove

contact lenses, if present and easy to do. Continue rinsing.

Skin Contact In the case of skin irritation or allergic reactions, see a physician.

Inhalation Move to fresh air. Get medical attention immediately if symptoms occur. May

cause allergic respiratory reaction. If breathing has stopped, contact emergency

medical services immediately and give artificial respiration.

Ingestion Do NOT induce vomiting. Rinse mouth immediately and drink plenty of water.

Never give anything by mouth to an unconscious person.

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved, take

precautions to protect themselves and prevent spread of contamination.

Most important symptoms and effects, both acute and delayed

Most Important Symptoms and No information available.

Effects

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

Product Name: Revision Date: None

Product Name: Germ-X Hand Sanitizer with Vitamin E and Aloe

Revision Number: 0

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam.

Unsuitable extinguishing media

CAUTION: All these products have a very low flash point. Use of water spray when fighting fire may be inefficient.

Specific Hazards Arising from the Chemical

Vapors can form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Most vapors are heavier than air. They will spread along ground and collect in low or confined areas (sewers, basements, tanks). Vapor explosion hazard indoors, outdoors or in sewers. Runoff to sewer may create fire or explosion hazard.

Uniform Fire Code

Flammable Liquid: I-C

Hazardous Combustion Products

Carbon oxides.

Explosion Data_

Sensitivity to Mechanical Impact

No.

Sensitivity to Static Discharge

Yes.

Protective equipment and precautions for firefighters

Move containers from fire area if you can do it without risk.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area).

All equipment used when handling the product must be grounded. Do not touch or walk

through spilled material. Stop leak if you can do it without risk.

Other Information Water spray may reduce vapor; but may not prevent ignition in closed spaces.

Environmental Precautions

Environmental Precautions Prevent entry into waterways, sewers, basements or confined areas.

Methods and material for containment and cleaning up

Methods for Containment A vapor suppressing foam may be used to reduce vapors. Absorb or cover with dry earth,

sand or other non-combustible material and transfer to containers.

Methods for cleaning up

Use clean non-sparking tools to collect absorbed material. Dike far ahead of liquid spill for

later disposal. Soak up with inert absorbent material. Pick up and transfer to properly

labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling

Handle in accordance with good industrial hygiene and safety practice. Use personal protection equipment. Avoid contact with skin and eyes. Avoid breathing vapors or mists. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions.

Conditions for safe storage, including any incompatibilities

Storage Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from

heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national

regulations. Store in accordance with local regulations.

Incompatible Products None known based on information supplied.



Product Name: Revision Date: None

Product Name: Germ-X Hand Sanitizer with Vitamin E and Aloe

Revision Number: 0

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

There is no exposure data pertaining to the Product. This section reflects exposure data pertaining to individual ingredients.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethyl Alcohol 62% v/v	STEL: 1000 ppm	TWA: 1000 ppm	IDLH: 3300 ppm 10% LEL
64-17-5		TWA: 1900 mg/m ³	TWA: 1000 ppm
		(vacated) TWA: 1000 ppm	TWA: 1900 mg/m ³
		(vacated) TWA: 1900 mg/m ³	
Glycerin	TWA: 10 mg/m³ mist	TWA: 15 mg/m ³ mist, total	···
56-81-5	-	particulate	
		TWA: 5 mg/m ³ mist, respirable	
		fraction	
		(vacated) TWA: 10 mg/m³ mist,	
		total particulate	
		(vacated) TWA: 5 mg/m ³ mist,	
		respirable fraction	

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits Immediately Dangerous to Life or Health

Other Exposure Guidelines

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d

962 (11th Cir., 1992) See section 15 for national exposure control parameters

Appropriate engineering controls

Engineering Measures

Showers

Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/Face Protection

Tight sealing safety goggles.

Skin and Body Protection

Wear protective gloves and protective clothing. Long sleeved clothing. Chemical resistant

apron. Impervious gloves. Antistatic boots.

Respiratory Protection

No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended.

Wash hands before breaks and immediately after handling the product.

Product Name: Revision Date: None

None known

None known

Product Name: Germ-X Hand Sanitizer with Vitamin E and Aloe

Revision Number: 0

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Physical State Slightly Viscous Liquid

Appearance Clear to Slightly Hazy, Pale Green, Odor Floral, Alcohol

Slightly Viscous Liquid

Color Pale Green Odor Threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks Method</u>

7.0 None known нα No data available None known Melting / freezing point No data available Boiling point / boiling range None known Flash Point 23 C / 73 F None known No data available None known **Evaporation Rate** None known Flammability (solid, gas) No data available

Flammability Limit in Air

Upper flammability limit
Lower flammability limit
No data available
Vapor pressure
No data available

Vapor density No data available None known None known Specific Gravity 0.90 None known Water Solubility Miscible in water None known Solubility in other solvents No data available None known Partition coefficient: n-octanol/waterNo data available No data available None known Autoignition temperature No data available None known Decomposition temperature No data available None known Kinematic viscosity

Dynamic viscosityNo data availableExplosive propertiesNo data availableOxidizing PropertiesNo data available

Other Information

Softening Point

VOC Content (%)

Particle Size

Particle Size Distribution

No data available
No data available
No data available

10. STABILITY AND REACTIVITY

Reactivity

No data available.

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to avoid

Heat, flames and sparks.

Incompatible materials

None known based on information supplied.

Hazardous Decomposition Products

Carbon oxides.

When used in accordance with the directions.



11. TOXICOLOGICAL INFORMATION

There is no data for this product. The information included in this section describes the potential hazards of the individual ingredients.

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available.

Eye Contact Specific test data for the substance or mixture is not available.

Skin Contact Specific test data for the substance or mixture is not available.

Ingestion Specific test data for the substance or mixture is not available.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Ethyl Alcohol 62% v/v 64-17-5	-	-	= 124.7 mg/L (Rat)4 h
Glycerin 56-81-5	-	> 10 g/kg (Rabbit)	-
Isopropyl Myristate 110-27-0	> 10000 mg/kg (Rat)	= 5 g/kg (Rabbit)	> 41 mg/L (Rat)
Water 7732-18-5	> 90 mL/kg (Rat)	-	-

Information on toxicological effects

Symptoms

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization

No information available.

Mutagenic Effects

No information available.

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Ethyl Alcohol 62% v/v	A3	Group 1	Known	×
64-17-5				
FD&C Blue No. 1		Group 3		
3844-45-9				

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive Toxicity

No information available.

STOT - single exposure

No information available.

STOT - repeated exposure

No information available.

Chronic Toxicity

No known effect based on information supplied. Ethanol has been shown to be a

reproductive toxin only when consumed as an alcoholic beverage. Ethanol has been shown

to be carcinogenic in long-term studies only when consumed as alcoholic beverage.

Target Organ Effects

Blood, Central Nervous System (CNS), Eyes, Liver, Reproductive System, Respiratory

system. Skin.

Aspiration Hazard

No information available.

Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (inhalation-dust/mist)

228.70 mg/l



Product Name: Revision Date: None

Product Name: Germ-X Hand Sanitizer with Vitamin E and Aloe

Revision Number: 0

12. ECOLOGICAL INFORMATION

There is no ecological data on the Product. The Product ingredients are expected to be safe for the environment at concentrations predicted under normal use and accidental spill scenarios. Packaging components are compatible with the conventional solid waste management practices.

Ecotoxicity

No information available.

Persistence and Degradability

No information available.

Bioaccumulation

No information available.

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal methods This material, as supplied, is a hazardous waste according to federal regulations (40 CFR

261).

Contaminated Packaging Do not reuse empty containers.

US EPA Waste Number D001
California Hazardous Waste Codes 331

14. TRANSPORT INFORMATION

DOT

Proper Shipping Name CONSUMER COMMODITY

Hazard Class ORM-D

Description CONSUMER COMMODITY, ORM-D

Emergency Response Guide 127

Number

TDG

UN-No. UN1170

Proper Shipping Name ETHANOL Hazard Class 3

Packing Group

Description UN1170, ETHANOL, 3, III

MEX

UN-No. UN1170
Proper Shipping Name ETHANOL

Hazard Class 3
Packing Group III

Description UN1170, ETHANOL, 3, III

ICAO

<u>UN-No.</u> UN1170

Proper Shipping Name ETHANOL SOLUTION

Hazard Class 3
Packing Group |||

Description UN1170, ETHANOL SOLUTION, 3, III

<u>IATA</u>

UN-No. UN1170

Proper Shipping Name ETHANOL SOLUTION

Hazard Class 3
Packing Group III

Description UN1170, ETHANOL SOLUTION, 3, III

IMDG/IMO

UN-No. UN1170
Proper Shipping Name ETHANOL

Hazard Class 3
Packing Group III
EmS-No. F-E, S-D

Description UN1170, ETHANOL, 3, III

<u>RID</u>

UN-No. UN1170

Proper Shipping Name ETHANOL SOLUTION Hazard Class 3

Packing Group III
Classification code F1

Description UN1170, ETHANOL SOLUTION, 3, III

<u>ADR</u>

UN-No. UN1170

Proper Shipping Name ETHANOL SOLUTION

Hazard Class3Packing GroupIIIClassification codeF1Tunnel restriction code(D/E)

Description UN1170, ETHANOL SOLUTION, 3, III

ADN

UN-No. UN1170

Proper Shipping Name ETHANOL SOLUTION

Hazard Class3Packing GroupIIIClassification codeF1Special Provisions144, 601

Description UN1170, ETHANOL SOLUTION, 3, III

Hazard Labels3Limited Quantity5 LVentilationVE01

(4)

15. REGULATORY INFORMATION

International Inventories

TSCA

Complies

DSL

All components are listed either on the DSL or NDSL.

IECSC

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard	No
Chronic Health Hazard	No
Fire Hazard	Yes
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

US State Regulations

California Proposition 65 - NONE

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Ethyl Alcohol 62% v/v		X			
64-17-5					
Carbomer	Х				
9003-01-4					
Glycerin	X	Х	X	X	
56-81-5					

International Regulations

Mexico

National occupational exposure limits

TOTAL COOL PRIORIES IN THE CONTROL OF THE CONTROL O				
Component	Carcinogen Status	Exposure Limits		
Ethyl Alcohol 62% v/v		Mexico: TWA 1000 ppm		
64-17-5 (50 - 100)		Mexico: TWA 1900 mg/m ³		

Mexico - Occupational Exposure Limits - Carcinogens

Canada

WHMIS Hazard Class

B2 D2A







16. OTHER INFORMATION

1 Flammability 3 Instability 0 Physical and

Chemical Hazards -

NONE

HMIS Health Hazards 1 Flammability 3 Physical Hazard 0 Personal Protection

Х

Prepared By WERCS Professional Services, LLC

Health Hazards

23 British American Blvd. Latham, NY 12110

1-800-572-6501

Issuing Date

NFPA

May 11, 2015

Revision Date Revision Note

None None

General Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Approved and Updated by Vi-Jon, Inc.

Disclaimer:

The information and recommendations contained in the Safety Data Sheet (SDS) are supplied pursuant to 29 CFR 1910.1200 of the Occupational Safety and Health Standards Hazard Communication Rule. The information and recommendations set forth herein are presented in good faith and believed to be correct as of this date hereof.

Vi-Jon, however, makes no representation as to the completeness or accuracy thereof, and information is supplied upon the express condition that the persons receiving the information will be required to make their own determination as to its suitability for their purposes prior to use. In no event will Vi-Jon be responsible for any damages of any nature whatsoever resulting from the use of, reliance upon, or the misuse of this information.

No representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose, or of any other nature, are made hereunder with respect to information or the product to which the information refers. The information as supplied herein is simply to be informative and intended solely to alert the user of the substance which is the subject matter of this SDS. The ultimate compliance with federal, state or local regulations concerning the use of this compound, or compliance with respect to product liability, rests solely upon the purchaser thereof.

End of Safety Data Sheet

SAFETY DATA SHEET

A product of Neutron Industries

7107 N. Black Canyon Highway Phoenix, AZ 85021 To order, call: 1-800-421-8481 www.ni-712.com



1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: Germicidal Giant Plus

Product Description: An aerosol cleaner, deodorizer, disinfectant

EPA Registration Number: 44446-23-42666

24 Hour Emergency CHEMTREC Number: 800-424-9300

MSDS Number: 117207

EPA Establishment Number: 44446-TX-1-1

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

FIFRA Hazard Classification:

CAUTION: Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Harmful if swallowed or absorbed through skin. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Contents under pressure. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting. Never throw container into fire or incinerator.

Skin corrosion/irritation: Category 1A, B, C Acute toxicity; inhalation: Category 4 Acute toxicity; oral: Category 4 Corrosive to metals: Category 1





Corrosive

Exclamation Mark

DANGER

Hazard Statements:

H314 Causes severe skin burns and eye damage. H332 Harmful if inhaled. H302 Harmful if swallowed. H290 May be corrosive to metals.

Precautionary Statements:

P261 Avoid breathing vapors. P270 Do not eat, drink or smoke when using this product. P234 Keep only in original container. P271 Use only outdoors or in a well-ventilated area. P264 Wash hands thoroughly after handling. P280 Wear protective gloves, protective clothing, and eye protection.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Ingredients n-Alkyl (60% C14, 30% C16,	<u>CAS Number</u> 68391-01-5	Weight 0.10%	ACGIH NE	<u>osha</u> Ne
5% C12, 5% C18) Dimethyl Benzyl Ammonium Chloride				
Alkyl (68% C12, 32% C14) Dimethyl Ethylbenzyl	68956-79-6	0.10%	NE	NE
Ammonium Chloride				
Ethylene Glycol Monobutyl Ether	111-76-2	<12%	20 ppm	50 ppm
Isopropanol	67-63-0	<7.0%	400 ppm	400 ppm
Potassium Hydroxide	1310-58-3	<7.0%	2 mg/m3	2 mg/m3
Liquefied Petroleum Gas	68476-86-8	<12%	1000 ppm	1000 ppm

,,

4. FIRST AID MEASURES

P390 Absorb spillage to prevent material damage. P312 Call a POISON CENTER or physician if you feel unwell. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P302+P352 IF ON SKIN: Wash with plenty of soap and water. P332+P313 IF SKIN irritation occurs: Get medical attention. P301+P312 IF SWALLOWED: call a POISON CENTER or physician if you feel unwell. P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

5. FIRE FIGHTING MEASURES

Flashpoint(Method): Flame extension < 18 inches.

 $Lower\ Explosive\ Limit(LEL):\ NA\quad Upper\ Explosive\ Limit(UEL):\ NA\quad Autoignition\ Temperature:\ NA$

Flammable Properties: Keep away from heat, flames, sparks or other sources of ignition. May form flammable mixtures with air when heated to flash point. Improper handling of solvent soaked rags can cause spontaneous combustion. Before disposal, wash rags with soap and water and dry in well-ventilated area or store in a fireproof container with no other flammable or combustible materials present.

Extinguishing Media: Carbon Dioxide, dry chemical, foam.

Fire Fighting Instructions: Wear self-contained breathing apparatus and full protective clothing. Contains oil, water is not effective in fire fighting.

6. ACCIDENTAL RELEASE MEASURES

Ventilate area. Halt spill at source, dike and contain spill. Flush with plenty of water to drain. Dispose of in accordance with Federal, State and Local Regulations regarding waste disposal.

7. HANDLING AND STORAGE

P406 Store in corrosive resistant container with a resistant inner liner. P402 Store in dry place. P405 Store locked up.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls: Use general or local ventilation to keep exposure levels below exposure limits.

Personal Protective Equipment: Personal Protective Equipment: Respiratory: Use respirable fume respirator or air supplied respirator when soldering in confined space or where local exhaust or ventilation does not keep exposure

Respiratory: Normal room ventilation is adequate. Use a NIOSH/MHSA approved respirator if exposure limits are exceeded.

Eye: Wear approved safety glasses or goggles with unperforated eyeshields where splashing may occur.

Skin: For repeated or prolonged contact, wear chemically impervious gloves such as Nitrile.

Other: An emergency eyewash station or source of clean potable water should be available in case of accidental eye contact.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: White Odor: Mild.
Physical State: Liquid Aerosol pH: 12.25
Solubility in Water: 100% Diluted pH: NA
Boiling Point: NA Specific Gravity: 1.01
Freezing Point: NA VOC Content: NA
Melting Point: NA

10. STABILITY AND REACTIVITY

Stability: Stable

Hazardous Ingredients

Hazardous Polymerization: Will not occur. Conditions to Avoid: None expected Incompatibility: Oxidizing agents.

Hazardous Decomposition Products: Carbon Dioxide, Carbon Monoxide

11. TOXICOLOGICAL INFORMATION

This product contains no ingredient at 0.1% or greater that is listed as a human carcinogen.

CAS Number

n-Alkyl (60% C14, 30% C16, 5% C12, 250 mg/kg (oral rat) 3400 mg/kg (rabbit) 5% C18) Dimethyl Benzyl Ammonium Chloride 3400 mg/kg (rabbit oral) 86 mg/l/1 hr (rat) Alkyl (68% C12, 32% C14) Dimethyl 68956-79-6 Ethylbenzyl Ammonium Chloride Ethylene Glycol Monobutyl Ether 1480 mg/kg (rat oral) 700 ppm/7 hr (mouse) 111-76-2 Isopropanol 67-63-0 5045 mg/kg (rat oral) 11,830 mg/l/1 hr (flathead minnow) Potassium Hydroxide 179 mg/l/96 hr (flathead minnow) 1310-58-3 365 mg/kg (oral rat) Liquefied Petroleum Gas NE NE 68476-86-8

LC50

12. ECOLOGICAL INFORMATION

This product is toxic to fish.

13. DISPOSAL CONSIDERATIONS

P501 Dispose of container in accordance with all Federal, State and Local Regulations regarding waste disposal.

14. TRANSPORT INFORMATION

DOT Shipping Data: Limited Quantity

Canadian TDG: Not available for sale in Canada.

For International Shipments by Air:

For International Shipments by Vessel:

15. REGULATORY INFORMATION

TSCA: All ingredients in this product are listed or exempt from listing on the TSCA Chemical Inventory.

CEPA: All ingredients in this product are listed or exempt from listing on the Canadian DSL/NDSL.

Proposition 65: This product contains no listed substances known to the State of California to cause cancer, birth defects or reproductive harm, at reportable levels under the statute.

SARA 313: This product contains no toxic chemicals subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 (40CFR372).

VOC: NA

HMIS RATING: HEALTH = 1 FLAMMABILITY = 0 REACTIVITY = 1 PPE = A

WHMIS RATING: Not available for sale in Canada

16. OTHER INFORMATION

NA = Not Available or Not Applicable

NE = Not Established

Read and follow all label directions and precautions before using the product. This product is intended for industrial and institutional use only. NOT FOR HOUSEHOLD USE OR RESALE. KEEP OUT OF THE REACH OF CHILDREN. While we believe that the data contained herein is factual and the opinions expressed are those of qualified experts, the data are not to be taken as a warranty or representation for which the company assumes legal responsibility. They are offered solely for your consideration, investigation, and verification. Any use of these data and information must be determined by the user to be in accordance with applicable Federal, State, and Local Laws and regulations.

Prepared On: 05/26/2015 Replaces: 05/05/2013

FICHE SIGNALÉTIQUE DE SÉCURITÉ

A product of Neutron Industries

7107 N. Black Canyon Highway Phoenix, AZ 85021 To order, call: 1-800-421-8481 www.ni-712.com



1. IDENTIFICATION DU PRODUIT CHIMIQUE ET DE LA SOCIÉTÉ

Nom du produit : Germicidal Giant Plus Description du produit :

EPA Registration Number: 44446-23-42666

Numéro d'urgence CHEMTREC 24 h/24 : 800-424-9300 Numéro de la fiche signalétique de produit : 117207 EPA Establishment Number : 44446-TX-1-1

2. IDENTIFICATION DES DANGERS ***VUE GÉNÉRALE D'URGENCE***





Corrosif

Point d'exclamation

DANGER

Mention de danger:

H314 Provoque des brûlures de la peau et des lésions oculaires graves. H332 Nocif par inhalation. H302 Nocif en cas d'ingestion. H290 Peut être corrosif pour les métaux.

Conseils de prudence:

P261 Éviter de respirer les vapeurs. P270 Ne pas manger, boire ou fumer en manipulant ce produit. P234 Conserver uniquement dans le récipient d'origine. P271 Utiliser seulement en plein air ou dans un endroit bien ventilé. P264 Se laver soigneusement la peau après manutention. P280 Porter des gants de protection, des vêtements de protection, une protection oculaire.

3. COMPOSITION/INFORMATION SUR LES INGRÉDIENTS

Ingrédients dangereux	Numéro CAS	<u>Poids</u>	<u>ACGIH</u>	<u>OSHA</u>
n-Alkyl (60% C14, 30% C16,	68391-01-5	0.10%	NE	NE
5% C12, 5% C18) Dimethyl				
Benzyl Ammonium Chloride				
	68956-79-6	0.10%	NE	NE
Ethylene Glycol Ether	111-76-2	<12%	20 ppm	50 ppm
Monobutyl				
Isopropanol	67-63-0	<7.0%	400 ppm	400 ppm
Potassium Hydroxide	1310-58-3	<7.0%	2 mg/m3	2 mg/m3
Gaz de pétrole liquéfié	68476-86-8	<12%	1000 ppm	1000 ppm

,,

4. PREMIERS SOINS

P390 Absorber toute substance répandue pour éviter qu'elle attaque les matériaux environnants. P312 Appeler un CENTRE ANTIPOISON ou un médecin en cas de malaise. P305+P351+P338 EN CAS DE CONTACT AVEC LES YEUX: rincer avec précaution à l'eau pendant plusieurs minutes. Enlever les lentilles de contact si la victime en porte et si elles peuvent être facilement enlevées. Continuer à rincer. P304+P340 EN CAS D'INHALATION: Transporter la victime à l'extérieur et la maintenir au repos dans une position où elle peut confortablement respirer. P302+P352 EN CAS DE CONTACT AVEC LA PEAU: laver abondamment à l'eau et au savon. P332+P313 En cas d'irritation cutanée: consulter un médecin. P301+P312 EN CAS D'INGESTION: Appeler un CENTRE ANTIPOISON ou un médecin en cas de malaise. P301+P330+P331 EN CAS D'INGESTION: Rincer la bouche. NE PAS faire vomir.

5. EN CAS D'INCENDIE

Point d'éclair : Prolongation de flamme moins de 18 pouces.

Limite d'explosivité inférieure (LIE) : NA Limite d'explosivité supérieure (LSE) : NA

Température d'auto-inflammation : NA

Propriétés d'inflammabilité : Garder à l'écart de la chaleur, de flammes, étincelles et autres sources d'inflammation. En cas de chauffage jusqu'au point d'éclair, peutformer des mélanges inflammables avec l'air. La manipulation inexacte des chiffons imbibés dissolvants peut causer la combustion spontanée. Avant disposition, lavez les chiffons avecde l'eau le savon et et séchez dans le secteur bien-aéré ou entreposé dans un récipient ignifuge sans d'autres matériaux inflammables oucombustibles actuels.

Moyens d'extinction : Dioxyde de carbone, poudre chimique, mousse extinctrice.

Lutte contre l'incendie: Porter un appareil respiratoire autonome et une tenue protectrice intégrale. Contient de l'huile, l'eau n'est pas un moyen d'extinction efficace.

6. ÉMISSIONS ACCIDENTELLES

Ventiler la zone. Interrompre le déversement à la source, l'endiguer et le contenir. Évacuer à grande eau. Éliminer conformément aux réglementations fédérale, provinciale et locale en vigueuren matière d'élimination des déchets

7. MANIPULATION ET CONSERVATION

P406 Entreproser dans un contenant résistant à la corrosion muni d'un revêtement intérieur non corrosif. P402 Stocker dans un endroit sec. P405 Entreposer dans un endroit verrouillé.

8. EXPOSITION/PROTECTION INDIVIDUELLE

Moyens techniques : Assurer une ventilation forcée adéquate pour maintenir l'exposition en deçà de la valeur limite d'exposition. Équipement de protection individuelle : Équipement de protection individuelle : Equipement de protection individuelle : Utiliser un appareil

respiratoire pour vapeurs inahalables ou un appareil respiratoire à adduction d'air pour souder dans les espaces fermés ou dans les endroits où l'aspiration ou la ventilation locales ne suffisent pas à maintenir l'exposition en dessous de son seuil limite admissible.

Respiratoire: La ventilation normale est suffisante. Si les limites d'exposition sont dépassées, utiliser un appareil respiratoire agréé NIOSH/MSHA.

Oculaire : Porter des lunettes de protection homologuées munies d'écrans latéraux non perforés.

Cutanée : En cas de contact répété ou prolongé, porter des gants de protection chimique.

Autre: Un bassin oculaire d'urgence ou une source d'eau potable propre devrait être prêt à être utilisé en cas de contact oculaire accidentel.

9. PROPRIÉTÉS PHYSIQUES ET CH IMIQUES

Aspect : Blanc Odeur : Doux
État de la matière : aérosol liquide Concentrer pH : 12.25
Solubilité dans l'eau : 100% Dilué pH : NA
Contenu de VOC : NA Densité : <1

Point de congélation/fusion : NA / NA

10. STABILITÉ ET RÉACTIVITÉ

Stabilité: Stable

Polymérisation dangereuse: Ne se produira pas.

Conditions à éviter : Aucune connue Incompatibilité : agents oxydants.

Produits de décomposition dangereuse : Monoxyde de carbone, dioxyde de carbone.

11. INFORMATIONS TOXICOLOGIQUES

Ce produit ne contient aucun ingrédient déclaré cancérogène humain à des teneurs supérieures ou égales à 0,1 %.

 Ingrédients dangereux
 Numéro CAS
 LD50
 LC50

 n-Alkyl (60% C14, 30% C16, 5% C12,
 68391-01-5
 250 mg/kg (oral rat)
 3400 mg/kg (rabbit)

 5% C18) Dimethyl Benzyl Ammonium
 400 mg/kg (rabbit)

Chloride

68956-79-6 86 mg/l/1 hr (rat) 3400 mg/kg (rabbit oral) Ethylene Glycol Ether Monobutyl 111-76-2 1480 mg/kg (rat oral) 700 ppm/7 hr (mouse) 5045 mg/kg (rat oral) 11,830 mg/l/1 hr (flathead minnow) Isopropanol 67-63-0 Potassium Hydroxide 1310-58-3 179 mg/l/96 hr (flathead minnow) 365 mg/kg (oral rat) Gaz de pétrole liquéfié 68476-86-8 NE NE

12. INFORMATIONS ÉCOLOGIQUES

Ce produit est toxique pour les poissons.

13. DESTRUCTION

P501 Éliminer le contenant conformément à tous les règlements fédéraux, d'État et locales en matière d'élimination des déchets.

14. TRANSPORT

INFORMATION DE TRANSPORT D.O.T.: Quantité limitée TMD AU CANADA: Non disponible pour la vente au Canada. Pour les expéditions internationales par Air: Pour les expéditions internationales par Vessel:

15. INFORMATIONS RÉGLEMENTAIRES

TSCA: Tous les ingrédients contenus dans ce produit figurent ou sont exempts de figurer sur l'inventaire du TSCA.

CEPA: Tous les ingrédients contenus dans ce produit figurent ou sont exempts de figurer sur la LIS et la LES (Canada).

Proposition 65 : Ce produit ne contient aucune substance chimique reconnus dans l'État de Californie pour causer le cancer, des malformations congénitales ou d'autres problèmes de reproduction.

SARA 313 : Ne produit ne contient aucune substance chimique toxique devant être déclarée aux termes de la section 313 de la loi Emergency Planning and Community Right-To-Know Act de 1986 (40 CFR 372.65C).

 $CLASSIFICATION\ HMIS: SANT\'E = 1 \quad INFLAMMABILIT\'E = 0 \quad R\'EACTIVIT\'E = 1 \quad EPS = A$

CLASSIFICATION SIMDUT: Non disponible pour la vente au Canada

16. AUTRES INFORMATIONS

néant = Non disponible ou sans objet n.e. = Non établi

Lire et suivre toutes les instructions et les précautions d'emploi figurant sur l'étiquette avant d'utiliser le produit. Ces produits sont réservés uniquement à l'usage industriel et par les collectivités. CES PRODUITS NE SONT PAS DESTINÉS À L'USAGE DOMESTIQUE OU À LA REVENTE. GARDER HORS DE LA PORTÉE DES ENFANTS. Bien qu'à notre avis les informations énoncées ci-dessus soient réelles et que le jugement exprimé soit celui d'experts qualifiés, elles ne doivent pas être considérées comme une garantie ou une déclaration pour lesquelles la société assume une responsabilité légale. Ces informations sont données uniquement pour examen, investigation et vérification. L'utilisation des ces informations doit être déterminée par l'utilisateur conformément à la réglementation et à la loi fédérales, d'État et régionales applicables.

INFORMATIONS SUR LA SANTÉ ET LA SÉCURITÉ : (216) 861-7114

Date de Préparation: 05/26/2015 Remplace: 05/05/2013

PLANILLA DE DATOS DE SEGURIDAD

A product of Neutron Industries

7107 N. Black Canyon Highway Phoenix, AZ 85021 To order, call: 1-800-421-8481 www.ni-712.com



1. PRODUCTO QUÍMICO Y DATOS DE LA COMPAÑÍA

Nombre del producto: Germicidal Giant Plus

Descripción del producto: Desinfectante, desodorizante y limpiador en aerosol. EPA Registration Number: 44446-23-42666

Núm. CHEMTREC las 24 horas: 800-424-9300 Número MSDS: 117207 EPA Establishment Number: 44446-TX-1-1

2. ENUMERACIÓN DE PELIGROS

DESCRIPCIÓN GENERAL DE LAS SITUACIONES DE EMERGENCIA





Corrosivo

Signo de exclamación

PELIGRO

H314 Provoca quemaduras graves en la piel y lesiones oculares graves. H332 Nocivo en caso de inhalación. H302 Nocivo en caso de ingestión. H290 Puede ser corrosivo para los metales.

P261 Evitar respirar humo. P270 No comer, beber ni fumar durante su utilización. P234 Mantener en el recipiente original. P271 Utilizar únicamente en exteriores o en un lugar bien ventilado. P264 Lavar la piel meticulosamente después de la manipulación. P280 Llevar guantes protectores, ropa protectora, protección en los ojos.

3. COMPOSICIÓN/INFORMACIÓN SOBRE LOS COMPONENTES

Componentes peligrosos n-Alkyl (60% C14, 30% C16,	<u>Número CAS</u> 68391-01-5	<u>Peso</u> 0.10%	ACGIH NE	<u>OSHA</u> NE
5% C12, 5% C18) Dimethyl	00071 01 3	0.1070	TTE	112
Benzyl Ammonium Chloride				
Cloruro de alquil (68% C12,	68956-79-6	0.10%	NE	NE
32% C14) dimetil etilbencil				
amonio				
Etilenglicol monobutil éter	111-76-2	<12%	20 ppm	50 ppm
Isopropanol	67-63-0	<7.0%	400 ppm	400 ppm
Potassium Hydroxide	1310-58-3	<7.0%	2 mg/m3	2 mg/m3
Gas de petróleo licuefecho	68476-86-8	<12%	1000 ppm	1000 ppm

,,

4. MEDIDAS DE PRIMEROS AUXILIOS

P390 Absorber el vertido para que no dañe otros materiales. P312 Llamar a un CENTRO DE INFORMACION TOXICOLOGICA o a un médico en caso de malestar. P305+P351+P338 EN CASO DE CONTACTO CON LOS OJOS: Aclarar cuidadosamente con agua durante varios minutos. Quitar las lentes de contacto, si lleva y resulta fácil. Seguir aclarando. P304+P340 EN CASO DE INHALACIÓN: Lleve a la víctima al aire fresco y Mantenga descansando en una posición cómoda para respirar. P302+P352 EN CASO DE CONTACTO CON LA PIEL: Lavar con agua y jabón abundantes. P332+P313 En caso de irritación cutánea: Consultar a un médico. P301+P312 EN CASO DE INGESTIÓN: llamar a un CENTRO DE TOXICOLOGÍA o médico SI se siente indispuesto. P301+P330+P331 EN CASO DE INGESTIÓN: Limpie la boca. NO provoque el vómito.

5. MEDIDAS PARA COMBATIR INCENDIOS

Pto. inflamabilidad: Extensión de la llama < 18 pulgadas.

 $L\'imite\ explosivo\ inferior\ (LEL):\ NA\quad L\'imite\ explosivo\ superior\ (UEL):\ NA\quad Temperatura\ de\ autoignici\'on:\ NA$

Inflamabilidad: Mantenga alejado de objetos calientes, llamas, chispas y otras fuentes de ignición. Puede formar mezclas inflamables con el aire cuando se lo calientahasta el pto. inflamabilidad. La dirección incorrecta de trapos empapados solventes puede causar la combustión espontánea. Antes de la disposición, lave los trapos conel jabón y agua y sequese en área bien-ventilada o almacénelos en un envase incombustible sin otros materiales inflamables o combustiblespresentes. Medio extinguidor: Dióxido de carbono, productos químicos en polvo, espuma.

Instrucciones para combatir el fuego: Use un aparato autónomo para respirar e indumentaria de protección. Por contener aceite, el agua no resultará eficaz para combatir incendios.

6. MEDIDAS EN CASO DE DERRAME ACCIDENTAL

Ventile el área. Coloque una barrera física y contenga el derrame en el propio sitio de origen. Limpie el derrame con agua en abundancia y vierta todo por el drenaje. Obedezca todos los reglamentos federales, estatales y locales relativos a la disposición final de residuos.

7. MANIPULACIÓN Y ALMACENAMIENTO

P406 Almacenar en resistente al corrosivo contáiner con una línea interna resistente. P402 Almacenar en un lugar seco. P405 Almacenar bajo llave.

8. CONTROL DE EXPOSICIÓN/PROTECCIÓN PERSONAL

Controles de ingeniería: Proveer suficiente ventilación mecánica para mantener la exposición por debajo del límite de concentración máxima (Threshold Limit Value, TLV).

Equipo de protección personal: Equipo de protección personal: Equipo de protección personal: Respiratorio: Cuando suelde en recintos pequeños o cuando la ventilación local no mantenga la exposición por debajo del TLV, utilice una mascarilla que proteja contra las emanaciones o un respirador con suministro de oxígeno.

Respiratorio: Si el límite de exposición en el lugar de trabajo es excedido, se aconseja el uso de un respirador de aire ante la ausencia de control ambiental.

Ojos: Use gafas protectoras o gafas con protección lateral sin perforaciones aprobadas.

Piel: Si el contacto fuera prolongado o repetido, use guantes resistentes a productos químicos.

Otros: Una estación de lavaojos de emergencia o una fuente de agua potable limpia debe estar disponible en caso de contacto accidental con los ojos.

9. PROPIEDADES FÍSICAS Y QUÍMICAS

Aspecto: Blanco

Estado de agregación: líquido Aerosol Solubilidad en agua: 100%

Contenido de VOC: NA

Olor: Leve

Concentrarse pH: 12.25 Diluido pH: NA Peso específico: 1.01

Punto de congelación/fusión: NA / NA

10. ESTABILIDAD Y REACTIVIDAD

Estabilidad: Estable

Polimerización peligrosa: No ocurrirá. Condiciones a evitar: Agentes oxidantes. Incompatibilidad: Agentes oxidantes.

Productos de descomposición peligrosos: Monóxido de carbono, Dióxido de carbono.

11. INFORMACIÓN TOXICOLÓGICA

Este producto no contiene ningún componente en 0.1% o más del que se señale como un carcinógeno humano.

Número CAS Componentes peligrosos LD50 LC50

n-Alkyl (60% C14, 30% C16, 5% C12, 68391-01-5 250 mg/kg (oral rat) 3400 mg/kg (rabbit)

5% C18) Dimethyl Benzyl Ammonium

Cloruro de alquil (68% C12, 32% C14) 68956-79-6 3400 mg/kg (rabbit oral)

86 mg/l/1 hr (rat)

dimetil etilbencil amonio Etilenglicol monobutil éter 111-76-2 1480 mg/kg (rat oral) 700 ppm/7 hr (mouse)

Isopropanol 67-63-0 5045 mg/kg (rat oral) 11,830 mg/l/1 hr (flathead minnow) Potassium Hydroxide 1310-58-3 365 mg/kg (oral rat) 179 mg/l/96 hr (flathead minnow)

Gas de petróleo licuefecho 68476-86-8 NE NE

12. INFORMACIÓN ECOLÓGICA

Este producto es tóxico para los peces.

13. SUGERENCIAS PARA SU DISPOSICIÓN FINAL

P501 Elimine el recipiente en conformidad con todas las regulaciones federales, estatales y locales relacionadas con la eliminación de residuos.

14. INFORMACIÓN SOBRE TRANSPORTE

DATOS DE EMBARQUE SEGÚN EL DOT (Ministerio de Transporte de los EE.UU.): Cantidad Limitada

TDG CANADIENSE: Producto no regulado. No disponible para la venta en Canadá.

Para los envíos internacionales de Air:

Para los envíos internacionales de Vessel:

15. INFORMACIÓN SOBRE REGLAMENTOS

TSCA: Todos los químicos de este producto están catalogados o están exentos de ser catalogados en el inventario químico de la Ley de Control de Sustancias Tóxicas(Toxic Substances Control Act, TSCA).

CEPA: Todos los químicos de este producto están catalogados o están exentos de ser catalogados en el DSL/NDSL canadiense.

Propuesta 65: Este producto no contiene sustancias registradas en el Estado de California como causante de cáncer, defectos de nacimiento u otros daños reproductivos.

SARA 313: Este producto no contiene sustancias tóxicas sujetas a los requisitos de información del Artículo 313 de la ley de 1986 (40 CFR 372.65) de Planeamiento anteemergencias y Derecho a Estar Informado de la Comunidad.

CLASIFICACIÓN HMIS: SALUD = 1 INFLAMABILIDAD = 0 REACTIVIDAD = 1 EQUIPO DE PROTECCIÓN PERSONAL= A

CLASIFICACIÓN WHMIS: No se vende en Canadá.

16. OTRA INFORMACIÓN

NA = No disponible o No se aplica

NE = No se ha establecido

Antes de utilizar este producto, lea y obedezca todas las instrucciones y precauciones. Este producto fue formulado para utilizarse únicamente en el ámbito industrial e institucional. NO ES PARA REVENTA NI PARA USO EN EL ÁMBITO HOGAREÑO. MANTENGA FUERA DEL ALCANCE DE LOS NIÑOS. Si bien se considera que los datos contenidos en esta planilla son correctos y las opiniones expresadas son las de calificados expertos, los datos no deberán considerarse como garantía ni como declaración por las que la compañía asume responsabilidad legal alguna. Estos datos se brindan sólo para evaluación, investigación y verificación por parte del cliente. El usuario es quien deberá determinar si cualquier uso que se dé a estos datos e información está de acuerdo con las leyes y reglamentos federales, estatales y locales aplicables.

INFORMACIÓN DE SEGURIDAD Y SALUD: (216) 861-7114

Preparado Encendido: 05/26/2015 Reemplaza: 05/05/2013

SAFETY DATA SHEET

Glass Plus Cleaner



1. Product and company identification

Product name Glass Plus Cleaner

Distributed by : Reckitt Benckiser LLC.

Morris Corporate Center IV

399 Interpace Parkway (P.O. Box 225) Parsippany, New Jersey 07054-0225

+1 973 404 2600

Emergency telephone

number (Medical)

: 1-800-338-6167

Emergency telephone : 1-800-424-9300 (U.S. & Canada) CHEMTREC

number (Transport)

Outside U.S. and Canada (North America), call Chemtrec:703-527-3887

Website: : http://www.rbnainfo.com

Product use : Glass Cleaner.

This SDS is designed for workplace employees, emergency personnel and for other conditions and situations where there is greater potential for large-scale or prolonged exposure, in accordance with the requirements of USDOL Occupational Safety and Health Administration.

This SDS is not applicable for consumer use of our products. For consumer use, all precautionary and first aid language is provided on the product label in accordance with the applicable government regulations, and shown in Section 15 of this SDS.

SDS # : D0277149 v3.0

Formulation #: : 1651-045 (0277059 v1.0)

UPC Code / Sizes : 19200-89331-00 (32 FL. OZ. (946 mL) Trigger Spray Bottle)

2. Hazards identification

Classification of the substance or mixture

: Not classified

GHS label elements

Hazard pictograms : Not applicable.

Signal word : No signal word.

Hazard statements : No known significant effects or critical hazards.

Precautionary statements

General: Read label before use. Keep out of reach of children. If medical advice is needed,

have product container or label at hand.

Prevention : Not applicable.
Response : Not applicable.
Storage : Not applicable.
Disposal : Not applicable.

Code # : FF0277059 1 SDS # : D0277149 v3.0 Date of issue : 21/10/2014. 1/9

2. Hazards identification

Supplemental label

elements

: None known.

Hazards not otherwise

: None known.

classified

3. Composition/information on ingredients

Substance/mixture

Ingredient name	%	CAS number
3-butoxypropan-2-ol	0.1 - 1	5131-66-8

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

4. First aid measures

Description of necessary first aid measures

: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower Eve contact

evelids. Check for and remove any contact lenses. Get medical attention if irritation

occurs.

Inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get

medical attention if symptoms occur.

: Flush contaminated skin with plenty of water. Remove contaminated clothing and Skin contact

shoes. Get medical attention if symptoms occur.

: Wash out mouth with water. Move to fresh air. If material has been swallowed and the Ingestion

exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if

symptoms occur.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact : May cause eye irritation upon direct contact with eyes.

: No known significant effects or critical hazards. Inhalation : No known significant effects or critical hazards. Skin contact : No known significant effects or critical hazards. Ingestion

Over-exposure signs/symptoms

: No specific data. Eye contact Inhalation : No specific data. Skin contact : No specific data. : No specific data. Ingestion

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : Treat symptomatically. Specific treatments : No specific treatment.

Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

2/9 Code # : FF0277059 1 SDS# : D0277149 v3.0 **Date of issue** : 21/10/2014.

4. First aid measures

media

Specific hazards arising from the chemical

: In a fire or if heated, a pressure increase will occur and the container may burst.

Hazardous thermal decomposition products

: Decomposition products may include the following materials:

carbon dioxide carbon monoxide

Special protective actions for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

For emergency responders: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For nonemergency personnel".

Environmental precautions

: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

Small spill

: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large spill

: Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

7. Handling and storage

Precautions for safe handling

Protective measures : Put on appropriate personal protective equipment (see Section 8).

Date of issue : 21/10/2014. 3/9 : D0277149 v3.0 Code # : FF0277059 1 SDS#

7. Handling and storage

including any incompatibilities

Conditions for safe storage, : Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

8. Exposure controls/personal protection

Control

Occupational exposure limits

Not applicable.

Appropriate engineering controls

: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Environmental exposure controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with sideshields.

Skin protection

Hand protection

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is

Body protection

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection

: Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

9. Physical and chemical properties

Appearance

: Liquid. [Clear.] Physical state

: Blue. Color

: Floral. Odor

: Not available. Odor threshold

Date of issue : 21/10/2014. 4/9 SDS# : D0277149 v3.0 Code # : FF0277059 1

9. Physical and chemical properties

: 10 to 11 [Conc. (% w/w): 100%] pН

: Not available. Melting point **Boiling point** : Not available.

: Closed cup: >93.3°C (>199.9°F) Flash point

: Not available. **Evaporation rate** Flammability (solid, gas) : Not available. Lower and upper explosive : Not available.

(flammable) limits

 Not available. Vapor pressure Vapor density : Not available. : 0.997 to 1.003 Relative density

: Easily soluble in the following materials: cold water and hot water. Solubility

Partition coefficient: n-

octanol/water

: Not available.

Auto-ignition temperature : Not available. : Not available. **Decomposition temperature** Not available. **Viscosity**

10. Stability and reactivity

: No specific test data related to reactivity available for this product or its ingredients. Reactivity

Chemical stability

: The product is stable.

Possibility of hazardous

reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

Polymerization. : There are no data available on the mixture itself.

: No specific data. Conditions to avoid

: Do not mix with household chemicals Incompatible materials

Hazardous decomposition

products

: Hazardous decomposition products : carbon oxides , Various Organic chemicals.

11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
3-butoxypropan-2-ol	LD50 Dermal	Rabbit	3100 mg/kg	-

Irritation/Corrosion

Not available.

Sensitization

Not available.

Mutagenicity

Not available.

Carcinogenicity

Not available.

Reproductive toxicity

5/9 Date of issue : 21/10/2014. : D0277149 v3.0 SDS# Code # : FF0277059 1

11. Toxicological information

Not available.

Teratogenicity

Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on the likely

routes of exposure

: Not available.

Potential acute health effects

Eye contact: May cause eye irritation upon direct contact with eyes.

Inhalation: No known significant effects or critical hazards.Skin contact: No known significant effects or critical hazards.Ingestion: No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : No specific data.
Inhalation : No specific data.
Skin contact : No specific data.
Ingestion : No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate : Not available.

effects

Potential delayed effects: Not available.

Long term exposure

Potential immediate : Not available.

effects

Potential delayed effects : Not available.

Potential chronic health effects

Not available.

General : No known significant effects or critical hazards.
 Carcinogenicity : No known significant effects or critical hazards.
 Mutagenicity : No known significant effects or critical hazards.
 Teratogenicity : No known significant effects or critical hazards.
 Developmental effects : No known significant effects or critical hazards.
 Fertility effects : No known significant effects or critical hazards.

Code # : FF0277059_1 SDS # : D0277149 v3.0 Date of issue : 21/10/2014. 6/9

11. Toxicological information

Numerical measures of toxicity

Acute toxicity estimates

Route	ATE value
Dermal	310000 mg/kg

12. Ecological information

Toxicity

Not available.

Persistence and degradability

Not available.

Bioaccumulative potential

Not available.

Mobility in soil

Soil/water partition coefficient (Koc)

: Not available.

Other adverse effects

: No known significant effects or critical hazards.

13. Disposal considerations

Disposal methods

: Waste packaging should be recycled. Waste must be disposed of in accordance with federal, state and local environmental control regulations.

14. Transport information

Not a DOT controlled material (United States). Not a TDG-controlled material. This preparation is not classified as dangerous according to international transport regulations (ADR/RID, IMDG or ICAO/IATA).

15. Regulatory information

U.S. Federal regulations

: TSCA 8(a) PAIR: α -hexylcinnamaldehyde; 2-(4-tert-butylbenzyl)propionaldehyde

TSCA 8(a) CDR Exempt/Partial exemption: Not determined

United States inventory (TSCA 8b): Not determined.

Clean Air Act Section 112

(b) Hazardous Air Pollutants (HAPs)

: Not listed

Clean Air Act Section 602

: Not listed

SDS#

Class I Substances

Clean Air Act Section 602 : Not listed

Class II Substances

Code # : FF0277059_1

(D0277149 v3.0)

: D0277149 v3.0

Date of issue : 21/10/2014.

7/9

15. Regulatory information

DEA List I Chemicals

: Not listed

(Precursor Chemicals)

DEA List II Chemicals

: Not listed

(Essential Chemicals)

SARA 302/304

Composition/information on ingredients

No products were found.

SARA 304 RQ

: Not applicable.

SARA 311/312

Classification

: Not applicable.

Composition/information on ingredients

No products were found.

State regulations

Massachusetts

: None of the components are listed.

New York

: None of the components are listed.

New Jersey Pennsylvania : None of the components are listed. : None of the components are listed.

Label elements

Signal word Hazard statements : No specific hazard. : No specific hazard.


Precautionary measures

: Wash thoroughly after handling. Keep out of the reach of children.

16. Other information

Hazardous Material

Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on MSDSs under 29 CFR 1910. 1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

SDS#

Code # : FF0277059 1 (D0277149 v3.0)


: D0277149 v3.0

Date of issue : 21/10/2014.

8/9

16. Other information

National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

Date of issue : 21/10/2014.

Date of previous issue : 10/05/2013

Version : 3

Prepared by : Reckitt Benckiser LLC.

Product Safety Department

1 Philips Parkway

Montvale, New Jersey 07646-1810 USA.

FAX: 201-476-7770

Revision comments : Update as per US GHS

Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.



RB is a member of the CSPA Product Care Product Stewardship Program.

Code # : FF0277059 1 SDS # : D0277149 v3.0 Date of issue : 21/10/2014. 9/9

CHENILLE KRAFT COMPANY, THE 6 AMBROGIO DRIVE, GURNEE, IL 60031

PRODUCT NAME:

GLITTER

NUMBER:

Various

CHEMICAL NAME:

Plastic

CHEMICAL FAMILY:

PHYSICAL DATA

BUILING POINT, (760 mm. Hg):

FREEZING POINT: N/A

1.3 - 1.4 SPECIFIC GRAVITY (H20 = 1):

VAPOR PRESSURE AT 20° C: N/A

VAPOR DENSITY (air = 1) : N/A

SOLUBILITY IN WATER (% by wt.): Insoluble

% VOLATILES BY VOLUMN: Negligible

EVAPORATION RATE

N/a (Butyl Acetate = 1):

APPEARANCE AND ODOR:

Bright colored plastic particles

HAZARDOUS INGREDIENTS

MATERIAL	% .	TLV (UNITS) - TWA	(mg/m³)
PVC Resin	80-85	Not listed	
MBS resin	2-15	nat listed	
TIN (organic co		0.1 as Sn	
Zinc Stearate ((557-05-1)0-1	10	
Carbon 8lack (1	1333-86-4)0-2	3.5	
Surfactand (112	2-03-8) 0-2	not listed	

FIRE & EXPLOSION HAZARD DATA

FLASH POINT (TEST METHOD):

AUTOIGNITION TEMPERATURE:

FLAMMABLE LIMITS IN AIR, % BY VOLUMN: LOWER: self extinguishing EXTINGUISHING MEDIA:

UPPER:

use water, carbon dioxide or sand

SPECIAL FIRE FIGHTING PRUCEDURES:

Wear self contained breathing apparatas

UNUSUAL FIRE AND EXPLOSION HAZARDS: None

HEALTH HAZARD DATA - EFFECTS OF OVEREXPOSURE

Not applicable

REACTIVITY DATA

STABILITY: UNSTABLE STABLE XX

CONDITIONS TO AVOID: N/A

INCOMPATIBILITY (MATERIALS TO AVOID): N/A

HAZARDOUS DECOMPOSITION PRODUCTS: Inermal CO2 Thermal Decomposition will produce

HAZARDOUS POLYMERIZATION: MAY OCCUR WILL NOT OCCUR XX

SPILL OR LEAK PROCEDURES

N/A

SPECIAL PROTECTION INFORMATION .

RESPIRATORY PROTECTION:

N/A

VENTILATION: General

PROTECTIVE GLOVES:

Not required

EYE PROTECTION:

Not required

OTHER PROTECTIVE GEAR: not required

SPECIAL PRECAUTIONS

PRECAUTIONARY LABELING: Do Not Take Internally

OTHER HANDLING AND STORAGE CONDITIONS:

Keep Dry - Keep cool

EMERGIENCY AND FIRST AID PROCEDURES

EYE CONTACT:

N/A

SKIN CONTACT:

N/A

INHALATION:

N/A

INGESTION:

Call physician

WASTE DISPOSAL METHOD

Dispose in compliance with govenrmental regulations

ENVIRONMENTAL HAZARDS

MATERIAL SAFETY DATA SHEET

1. Chemical Product and Company Identification

Description: Glitter/Glitter Flake

Product Type: Decorative Polymeric Polyethylene Terephthalate Based Plastic

2. Manufacturer/Supplier Information

School Specialty, Inc. W6316 Design Drive

Greenville, WI 54924

School Specialty Phone: 888-388-3224

National Poison Control Center: 800-222-1222

3. Composition, Information On Ingredients:

The product conforms to ASTM D-4236 standards (the standard practice for labeling art materials for acute and chronic adverse health hazards)

CAS Number: Not Assigned EC Number: Not Assigned

Percentage: 100%

4. Emergency Overview:

Appearance: Multicolored Solid Flakes

Odor: None

Not a significant fire hazard

5. Hazards

INGESTION: Not harmful under normal conditions of use.

INHALATION: Not harmful under normal conditions of use. However,

airborne particles may cause nose, throat, and lung irritation SKIN: May cause irritation on prolonged or repeated contact. EYES: May cause irritation on prolonged or repeated contact.

First aid measures

INGESTION: If accidentally swallowed contact poison control center, or

hospital emergency room for treatment procedures.

INHALATION: Remove to fresh air.

SKIN: Rinse with water.

EYES: Flush with large amounts of water

6. Fire Fighting Measures

Auto-ignition temperature:

Upper/lower flammable limits;

Upper/lower Explosive limits:

Not applicable
Not applicable
Not applicable
Not applicable

Melting Point: >300°C.

Extinguishing media: Water, dry powder, foam, carbon dioxide.

Accidental Release Measures:

Sweep (scoop) up and remove to a chemical disposal area. Avoid entry into natural bodies of water.

7. Handling and Storage

Handling

Handle in accordance with good industrial hygiene and safety practices.

INHALATION: Avoid prolonged or repeated breathing of dust.

SKIN: Avoid prolonged contact with skin.

EYES: Avoid prolonged or repeated contact with eyes

Storage:

Store in a cool, dry place in closed container.

8. Exposure Controls/Personal Protection

Exposure Controls

If airborne contaminants (dust) are generated, provide sufficient ventilation to keep contaminant levels below acceptable limits.

Personal Protection

Where air contamination can exceed acceptable limits, appropriate equipment, such as goggles or face masks, should be worn.

9. Physical and Chemical Properties

Percent volatiles <1% PH Not applicable Specific Gravity Not applicable Appearance Glossy solid Auto-ignition temperature Not applicable **Boiling Point** Not applicable Vapor Density Not applicable Vapor Pressure Not applicable Flammable Limits Not applicable Flash Point Not applicable Freezing Point Not applicable Odor None Solubility in Water Insoluble

10. Stability and Reactivity

Stable

Toxicological Information

Not available

p.2 Glitter/Glitter Flakes

Ecological Information

Not available

Incompatibilities

Oxidizers

Decomposition Products

Carbon Monoxide, Carbon Dioxide

Hazardous Polymerization

Will not occur

Other Hazards:

None known

Disposals .

Dispose in accordance with all applicable federal and local regulations.

11. Other Information

Product conforms to ASTM D-4236.

MATERIAL SAFETY DATA SHEET

PRODUCT CODE: LG Series (1) Product: Lead Free Gloss Glazes

Manufacturer's Name:

American Art Clay CO., Inc.

Address:

6060 Guion Road Indianapolis, IN 46254

Information Number:

(800) 374-1600

Emergency Number: (800) 374-1600

Vapor Pressure

Mm Hg @ Temp

Section 1- Product Identification

Product Name: Gloss Glazes

Product Class: Ceramic Glazes

Product Size: 16 oz., 1 lb., gal

Weight

Percent

LG. 1, 10, 11, 14, 20, 21, 23, 24, 30, 34, 36, 40, 42, 48, 50, 51, 52, 54, 55, 57, 58, 59, 60, 61, 62, 63, 65, 67, 68, 760, LF 100, DC 10, TL-1, DW-11, Bennett Clear & Brickyard Clear Gloss Glaze

Section II - Hazardous Ingredients

CAS# Reportable Components 7732-18-5 Water 65997-18-4 Sod. Borosilicate Frit 1332-58-7 Clay Mixture Inorganic Stains 9004-32-4 Gum

No reportable quantities of hazardous ingredients are present.

No hazardous ingredients. Carries the "AP" Seal. Labeling conforms to ASTM D4236.

Section III - Physical / Chemical Characteristics

Boiling Range: N/A

Vapor Density: Heavier than air.

Coating V.O.C.: N/A

Appearance and Odor: Liquid / Dry

Specific Gravity (H20=1): Less than 2

Evaporation Rate: N/A Material V.O.C.: N/A

Section IV - Fire and Explosion Hazards Data

Flash Point: N/A

Flammable limits In Air by Volume: NA - Lower

Extinguishing Media: N/A

Unusual Fire and Explosion Hazards: None.

NA - Upper:

Special Firefighting Procedures: No fire hazards.

Section V- Reactivity Data Conditions to Avoid: None

Method Used: N/A

Stability: Stable Incompatibility (Materials to Avoid): None

Hazardous Decomposition or Byproducts: Will not occur.

Hazardous Polymerization: Will not occur.

Section VI - Health Hazard Data

Inhalation Health Risks and Symptoms of Exposure: None.

Page 2 LG Series (1)

Skin and Eye Contact Health Risks and Symptoms of Exposure: Rinse eyes thoroughly with water for 15 minutes. If irritation persists contact physician. Skin - wash hands with soap and water.

Skin Absorption Health Risks and Symptoms of Exposure: None.

Ingestion Health Risks and Symptoms of Exposure: No hazardous ingredients.

Health Hazards (Acute / Chronic): No hazardous ingredients.

Carcinogenicity: N- NTP Carcinogen

N - IARC Monographs

N - OSHA Regulated

Medical Conditions Generally Aggravated by Exposure: Unknown.

Emergency and First Aid Procedures: Contact your local poison control for further health information.

Section VII - Precautions For Safe Handling and Use

Steps to be taken in case material released or spilled: Specific steps not necessary.

Waste Disposal Method: Dispose of paper towel in trash and rinse sponge. In manufacturing, dispose of in accordance to Local, State and Federal regulations.

Precautions to be taken in handling and storing. Always keep lid tightly on jar of moist product while not in use or storage. Uncovered product will dry out.

Other precautions: None.

Section VIII - Control Measures

Respiratory Protection: When spraying or mixing dry glaze use NIOSH certified mask for dust or mist. Not needed for brush, sponge or dipping application.

Ventilation: Not needed for brush application. If spraying glazes use spray booth.

Protective Gloves: Not needed.

Eye Protection: Not needed.

Other Protective Clothing or Equipment: Not needed.

Work /Hygienic Practices: Refer to AMACO Product Encyclopedia & Safety Manual. Manual available upon request.

Section IX - Disclaimer

Information presented herein has been compiled from sources considered to be dependable and is accurate and reliable to the best of our knowledge and belief but is not guaranteed to be so. Since conditions of use are beyond our control we make no warranties, expressed or implied, except those that may be contained in our written acknowledgement.

Prepared By: L. Jenkins

2005

MATERIAL SAFETY DATA SHEET

Product: Leaded Gloss Glazes Product Code: LG Series (3) Manufacturer's Name: American Art Clay Co., Inc. 6060 Guion Road Indianapolis, IN 46254 Emergency Number: (800) 374-1600 Information Number: (800) 374-1600 Section I - Product Identification Product Class: Ceramic Glazes Product Size: 16 oz. Product Name: Gloss Glazes LG 9, 32, 2001 Section II - Hazardous Ingredients Weight Vapor Pressure CAS# Reportable Components Percent Mm Hg @ Temp 20 65997-18-4 Ceramic Frit Lead Compd. - ACGIH TLV .05mg/M3, OSHA PEL .05 mg/M3 @ PB 7732-18-5 Water 1332-58-7 Clay 14808-60-7 Flint 9004-32-4 Gum Carries the "HL/CL" Scal. Labeling conforms to ASTM D4236. Contains lead borosilicate frit. NOT FOR USE IN HOME OR HOME STUDIO. See Section VI. Tableware producers are responsible in complying with FDA guidelines for lead release for tableware. Indicates toxic Chemical(s) subject to reporting requirements of Section 313 of Title III and of CFR 372 are present. Section III - Physical / Chemical Characteristics Specific Gravity(H20-1): Less than 2. Boiling Range: NA Vapor Density: Heavier than air. Evaporation Rate: NA Material V.O.C.: NA Coating V.O.C.: NA Appearance and Odor: Liquid Fire and Explosion Hazard Data Section IV Mcthod Used: NA Flash Point: NA Flammable Limits In Air by Volume: NA - Lower NA - Upper Extinguishing Media: NA Special Firefighting Procedures: No fire hazard. Unusual Fire and Explosion Hazards: No fire hazard. Section V - Reactivity Data Conditions to Avoid: None. Stability: Stable Incompatibility (Materials to Avoid): None. Hazardous Decomposition or Byproducts: Will not occur. Hazardous Polymerization: Will not occur.

Section VI - Health Hazard Data

Inhalation Health Risks and Symptoms of Exposure: May cause damage to the lungs by inhalation of dust or mist. Cancer agent based on laboratory tests. Not for spray application. Refer to Health hazards for further information.

Skin and Eye Contact Health Risks and Symptoms of Exposure: Eye – rinsc eyes thoroughly with water for 15 minute. If irritation persists contact physician, Skin – Wash hands with soap and water after use.

Skin Absorption Health Risks and Symptoms of exposure: See above. Wash hands immediately after use. Ingestion Health Risks and Symptoms of Exposure: May be harmful if swallowed. Cancer agent based on experimental data. Exposure may cause damage to the testes, difficulty with child bearing or harm to the developing fetus. Exposure may cause nervous system, kidney or bone marrow damage.

Health Hazards (Acute / Chronic): Contains lead borosilicate frit. May be harmful if swallowed. Cancer agent based on experimental data. May cause damage to the lungs by inhalation of dust or mist. Exposure may cause damage to the testes, difficulty with child bearing or harm to the developing fetus. Exposure may cause nervous system, kidney or bone marrow damage.

Carcinogenicity: Y - NTP Carcinogen

N - IARC Monographs

N - OSHA Regulated

Medical Conditions generally aggravated by Exposure: Unknown.

Emergency and First Aid Procedures: Contact your local poison control for further health information.

Section VII - Precautions for Safe Handling and Use

Steps To Be Taken In Case Material is released or spilled; Clean with paper towel and wet sponge. Wash with soap and water. Damp mop after use. Do not create dust. Cleaning should be done on routine basis.

Waste Disposal Method: Dispose of paper towel in trash and rinse sponge. In manufacturing, dispose of in accordance to Local, State or Federal regulations.

Precautions to be taken In Handling and Storing: Wear apron. Always keep lid tightly on moist product while not in use or storage. Uncovered product will dry out.

Other Precautions: NOT FOR USE BY CHILDREN OR IN HEALTHCARE FACILITIES. DO NOT EAT, DRINK OR SMOKE WHILE USING. WEAR APRON AND WASH HANDS IMMEDIATELY AFTER USE. DO NOT USE IF PREGNANT OR CONTEMPLATING PREGNANCY.

Section VIII - Control Measures

Respiratory Protection: Not needed for brush or sponge application. Product not for spray application,

Ventilation: Not Needed.

Protective Gloves: Not needed.

Eye Protection: Not needed.

Other Protective Clothing or Equipment: Apron

Work / Hygienic Practices: Refer to AMACO Product Encyclopedia & Safety Manual. Manual available upon request.

Section IX - Disclaimer

Information presented herein has been compiled from sources considered to be dependable and is accurate and reliable to the best of our knowledge and belief but is not guaranteed to be so. Since conditions of use are beyond our control we make no warranties, expressed or implied, except those that may be contained in our written acknowledgement.

Prepared by: L. Jenkins 2005

MATERIAL SAFETY DATA SHEET

Product: Lead / Cadmium Gloss Glazes Product Code: LG Series (4)

American Art Clay Co., Inc. Manufacturer's Name:

> 6060 Guion Road Indianapolis, IN 46254

Information Number: (800) 374-1600 Emergency Number: (800) 374-1600

Section I - Product Identification

Product Name: Gloss Glazes Product Class: Ceramic Glazes Product Size: 16 oz.

LG 53, 56 & 66

Section II - Hazardous Ingredients

Reportable Components CAS# Vapor Pressure Weight Mm Hg @ Temp Percent

Ceramic Frit 65997-18-4 49.67

Lead Compd. - ACGIH TLV .05mg/M3, OSHA PEL .05mg/M3 @ PB Cadmium Compd. - ACGIH TLV 10 ug/M3, OSHA PEL 5 ug/M3 @ CD

Water 7732-18-5 Clay 1332-58-7

Flint 14808-60-7 Gum 9004-32-4

Carries the "HL/CL" Seal. Labeling conforms to ASTM D4236. Contains lead borosilicate frit and cadmium pigment. NOT FOR USE IN HOME OR HOME STUDIO. Tableware producers are responsible in complying with FDA guidelines for lead release for tableware.

* Indicates toxic chemical(s) subject to reporting of Section 313 of Title III and of 40 CFR 372 are present.

Section III - Physical / Chemical Characteristics

Boiling Range: NA

Vapor Density: Heavier than air.

Coating V.O.C.: NA

Appearance and Odor: Liquid

Specific Gravity (H20=1): Less than 2.

Evaporation Rate: NA Material V.O.C.: NA

Section IV - Fire and Explosion Hazard Data

Flash Point; NA

Flammable Limits In Air by Volume: NA - Lower

Extinguishing Media: NA

Special Firefighting Procedures: No fire hazard. Unusual Fire and Explosion Hazards: No fire hazard. Method Used: NA

NA - Upper

Section V - Reactivity Data

Conditions to Avoid: None

Stability: Stable

Incompatibility (Materials to Avoid): None.

Hazardous Decomposition or Byproducts: Will not occur.

Hazardous Polymerization: Will not occur.

Section VI - Health Hazard Data

Inhalation Health Risks and Symptoms of Exposure: May cause damage to the lungs by inhalation of dust or mist. Cancer agent based on laboratory tests. Not for spray application. Refer to Health Hazard Data for further information.

Skin and Eye Contact Health Risks and Symptoms of Exposure: Eye- rinse eyes thoroughly with water for 15 minutes. If irritation persists contact physician. Skin- wash hands with soap and water after using.

Skin Absorption Health Risks and Symptoms of Exposure: May be harmful if swallowed. Wash hands with soap and water after using.

Ingestion Health Risks and Symptoms of Exposure: May be harmful if swallowed. Cancer agent based on experimental data. May cause damage to the lungs by inhalation of dust or mist. Exposure may cause damage to the testes, difficulty with child bearing or harm to the developing fetus. Exposure may cause nervous system, kidney or bone marrow damage.

Health Hazards (Acute / Chronic): Contains Lead borosilicate frit. See above.

Carcinogenicity: Yes - NTP Carcinogen

Yes - IARC Monographs

N - OSHA Regulated

Medical Conditions generally aggravated By Exposure: Unknown.

Emergency and First Aid Procedures: Contact your local poison control for further health information.

Section VII - Precautions for Safe Handling and Use

Steps To Be Taken In Case Material Release or Spilled: Clean with paper towel and wet sponge. Wash with soap and water, Damp mop after use. Do not create dust. Cleaning should be on a routine basis.

Waste Disposal Method: Dispose of paper towels in trash and rinse sponge. In manufacturing, dispose of in accordance to Local, State or Federal regulations.

Precautions to be taken In Handling and Storing: Wear Apron. Always keep lid tightly on jar of moist product while not in use or storing. Uncovered product will dry out.

Other Precautions: NOT FOR USE BY CHILDREN OR IN HEALTHCARE FACILITIES. DO not eat, drink or smoke while using. Wear apron and wash hands immediately after use. Do not use if pregnant or contemplating pregnancy.

Page 3 LG Series (4)

Section VIII - Control Measures

Respiratory Protection: Not needed for brush or sponge application. Product not for spray application.

Ventilation: Not needed. Protective Gloves: Not needed. Eye Protection: Not needed.

Other Protective Clothing or Equipment: Apron

Work / Hygienic Practices: Refer to AMACO Product Encyclopedia & Safety Manual. Manual available upon request,

Section IX Disclaimer

Information presented herein has been compiled from sources considered to be dependable and is accurate and reliable to the best of our knowledge and belief but is not guaranteed to be so. Since conditions of use are beyond our control we make no warranties, expressed or implied, except those that may be contained in our written acknowledgement.

Prepared by: L. Jenkins

2005

MATERIAL SAFETY DATA SHEET

PRODUCT: Lead Free Gloss Glaze (Copper)

Product Code: LG Series (2)

Manufacturer's Name:

American Art Clay Co., Inc.

6060 Guion Road Indianapolis, IN 46254

Information Number: (800) 374-1600

(Copper)

Emergency Number: (800) 374-1600

Section I – Product Identification

Product Name: Gloss Glazes

Product Class: Ceramic Glazes

Product Size: 16 oz., 1 lb., gal

LG 2, 25, 26, 27, 44, 45, 46

Section II - Hazardous Ingredients

Reportable Components

CAS#

Vapor Pressure Mm Hg (a) Temp Weight Percent

Copper Carbonate

7492-68-4

Copper: ACGIH TLV 1mg/M3, OSHA PEL 1mg/M3 @ CU

Water

7732-18-5

Sod. Borosilicate Frit Clay

65997-18-4 1332-58-7

Flint

14808-60-7

Carries the "HL/CL" Scal. Labeling conforms to ASTM D4236. Contains Copper. Refer to Section VI.

Section III- Physical / Chemical Characteristics

Boiling Range: NA

Specific Gravity (H20=1): Less than 2

Vapor Density: Heavier than air.

Coating V.O.C.: NA

Evaporation Rate: NA Material V.O.C.: NA

Appearance and Odor: Liquid / Dry

Section IV - Fire and Explosion Hazard Data

Flash Point: NA

Method Used: NA

Flammable Limits In Air By Volume: NA - Lower

NA - Upper

Extinguishing Media: NA

Special Firefighting Procedures: No fire hazard. Unusual Fire and Explosion Hazards: No fire hazard.

Section V - Reactivity Data

Stability: Stable

Conditions to Avoid: None.

Incompatibility (Materials to Avoid): None

Hazardous Decomposition or Byproducts: Will not occur.

Hazardous Polymerization: Will not occur

Section VI - Health Hazard Data

Inhalation Health Risks and Symptoms of Exposure: None.

Page 2 LG Series (2)

Skin and Eye Contact Health Risks and Symptoms of Exposure: Eye rinse eyes thoroughly with water for 15 minutes. If irritation persists contact physician. Skin – wash hands with soap and water after use..

Ingestion Health Risks and Symptoms of Exposure: May be harmful if swallowed. Exposure may cause damage to the kidneys, liver or anemia. If swallowed get prompt medical attention. Health Hazards (Acute / Chronic): Contains soluble copper. See above.

Carcinogenicity: N - NTP Carcinogen

N - IARC Monographs

N - OSHA Regulated

Medical Conditions Generally Aggravated by Exposure: Unknown.

Emergency and First Aid Procedures: Contact your local poison control center for further information,

Section VII - Precautions for Safe Handling

Steps To Be Taken In Case Material is released or spilled: Specific Steps not necessary.

Waste Disposal Method: Dispose of paper towel in trash and rinse sponge. In manufacturing, dispose of in accordance to Local, State & Federal regulations.

Precautions To Be Taken In Handling and Storing: Always keep lid tightly on jar of moist product while not in use or storage. Uncovered product will dry out.

Other Precautions: Not for use by children or in healthcare facilities.

Section VIII - Control Measures

Respiratory Protection: Not needed for brush or sponge application. Product not for spray application.

Ventilation: Not needed.

Protective Gloves: Not needed.

Eye Protection: Not needed.

Other Protective Clothing or Equipment: Not needed.

Work / Hygienic Practices: Refer to AMACO product Encyclopedia & Safety Manual. Manual available upon request.

Section IX - Disclaimer

Information presented herein has been compiled from sources considered to be dependable and is accurate and reliable to the best of our knowledge and belief but is not guaranteed to be so. Since conditions of use are beyond our control we make no warranties, expressed or implied, except those that may be contained in our written acknowledgement.

Prepared by: L. Jenkins

2005

Product Number 722

Issuing Date No data available

Revision Date 5/28/15

Revision Number 3



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE **COMPANY/UNDERTAKING**

Product identifier

Product Name

Gloss Remover & Pre-Paint cleaner

Other means of identification

Synonyms

None

Recommended use of the chemical and restrictions on use

Recommended Use

Solvent mixture

Uses advised against

No information available

Details of the supplier of the safety data sheet

Supplier Name

Supplier Address

Sunnyside Corporation

225 Carpenter Avenue

Wheeling

IL

60090

US

Supplier Phone Number

Phone:8003238611

Fax:8475419043

Supplier Email

sscontact@sunnysidecorp.com

Emergency telephone number

Chem Trec 8004249300

2, HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Reproductive toxicity	Category 1B
Aspiration toxicity	Category 1
Flammable liquids	Category 3

GHS Label elements, including precautionary statements



Emergency Overview

Signal word

Danger

Hazard Statements

May damage fertility or the unborn child May be fatal if swallowed and enters airways Flammable liquid and vapor



Appearance Clear

Physical State Liquid

Odor Solvent

Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ ventilating/ lighting/ equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

Skin

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Ingestion

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Do NOT induce vomiting

Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

Precautionary Statements - Storage

Store locked up

Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Unknown Toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity

Other information



Causes mild skin irritation

PROLONGED OR REPEATED CONTACT MAY DRY SKIN AND CAUSE IRRITATION

Interactions with Other Chemicals

Use of alcoholic beverages may enhance toxic effects.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%	Trade Secret
Isoparaffinic Hydrocarbon	64742-48-9	60 - 100	
Dipropylene Glycol Methyl Ether	34590-94-8	1 - 10	
N-Methyl-2-Pyrrolidone	872-50-4	1 - 10	

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret

4. FIRST AID MEASURES

First aid measures

General Advice

Show this safety data sheet to the doctor in attendance. Immediate medical

attention is required.

Eye Contact

If symptoms persist, call a physician. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue

rinsing.

Skin Contact

In the case of skin irritation or allergic reactions see a physician. Wash off

immediately with soap and plenty of water while removing all contaminated clothes

and shoes.

Inhalation

Remove to fresh air. If not breathing, give artificial respiration. If breathing is

difficult, (trained personnel should) give oxygen.

Ingestion

Do NOT induce vomiting. Aspiration hazard if swallowed - can enter lungs and cause damage. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Call a physician or poison control

center immediately.

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

Most important symptoms and effects, both acute and delayed

Most Important Symptoms and Difficulty in breathing. Coughing and/ or wheezing. Dizziness. Effects

Indication of any immediate medical attention and special treatment needed



Notes to Physician

Treat symptomatically. Because of the danger of aspiration, emesis or gastric lavage should not be employed unless the risk is justified by the presence of additional toxic substances.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Dry chemical, CO2, water spray or regular foam. Use water spray or fog; do not use straight streams.

Unsuitable Extinguishing Media

CAUTION: All these products have a very low flash point. Use of water spray when fighting fire may be inefficient.

Specific Hazards Arising from the Chemical

Some may be transported hot.

Uniform Fire Code

Combustible Liquid: II

Hazardous Combustion Products

Carbon oxides.

Explosion Data

Sensitivity to Mechanical Impact

No.

Sensitivity to Static Discharge

Yes.

Protective equipment and precautions for firefighters

Move containers from fire area if you can do it without risk.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions

Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. See section 8 for more information. Avoid contact with skin, eyes or clothing. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material.

Other Information

Water spray may reduce vapor; but may not prevent ignition in closed spaces.

Environmental Precautions

Environmental Precautions

Prevent entry into waterways, sewers, basements or confined areas.

Methods and material for containment and cleaning up

Methods for Containment

A vapor suppressing foam may be used to reduce vapors. Absorb or cover with dry earth,

sand or other non-combustible material and transfer to containers.

Methods for cleaning up

Use clean non-sparking tools to collect absorbed material. Dike far ahead of liquid spill for

later disposal.



7. HANDLING AND STORAGE

Precautions for safe handling

Handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Use personal protection equipment. Avoid breathing vapors or mists. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions.

Conditions for safe storage, including any incompatibilities

Storage

Store locked up. Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Keep out of the reach of children. Store away from other materials. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers.

Incompatible Products

None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Dipropylene Glycol Methyl Ether	STEL: 150 ppm TWA: 100 ppm S*	TWA: 100 ppm TWA: 600 mg/m³ (vacated) TWA: 100 ppm (vacated) TWA: 600 mg/m³ (vacated) STEL: 150 ppm (vacated) STEL: 900 mg/m³ (vacated) STEL: 90* S*	IDLH: 600 ppm TWA: 100 ppm TWA: 600 mg/m³ STEL: 150 ppm STEL: 900 mg/m³

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits NIOSH IDLH Immediately Dangerous to Life or Health

Other Exposure Guidelines

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992) See section 15 for national exposure control parameters

Appropriate engineering controls

Engineering Measures

Showers

Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/Face Protection

Tight sealing safety goggles.



Skin and Body Protection

Wear protective gloves and protective clothing. Long sleeved clothing. Chemical resistant

apron. Impervious gloves. Antistatic boots.

Respiratory Protection

No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product. Contaminated work clothing should not be allowed out of the workplace.

Regular cleaning of equipment, work area and clothing is recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Physical State Appearance

Melting / freezing point

Flammability (solid, gas)

Flammability Limit in Air Upper flammability limit

Lower flammability limit

Liquid Clear Water / White

Odor **Odor Threshold** Solvent No information available

Color

pН

Property

Flash Point

Evaporation Rate

Vapor pressure

Values Unknown No data available Boiling point / boiling range No data available

39 C / 102 F

No data available No data available

No data available

No data available No data available

Vapor density No data available No data available **Specific Gravity** Very low solubility **Water Solubility** No data available Solubility in other solvents Partition coefficient: n-octanol/waterNo data available Autoignition temperature **Decomposition temperature**

Kinematic viscosity Dynamic viscosity **Explosive properties Oxidizing Properties** No data available Remarks/ Method

None known None known None known None known None known None known

None known None known None known None known None known None known None known None known None known None known

Other Information

Softening Point VOC Content (%) Particle Size

Particle Size Distribution

No data available No data available No data available



10. STABILITY AND REACTIVITY

Reactivity

No data available.

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to avoid

Heat, flames and sparks.

Incompatible materials

None known based on information supplied.

Hazardous Decomposition Products

Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available. Aspiration into lungs can

produce severe lung damage. May cause pulmonary edema. Pulmonary edema can be

fatal. May cause irritation of respiratory tract.

Eye Contact Specific test data for the substance or mixture is not available. May cause irritation.

Skin Contact Repeated exposure may cause skin dryness or cracking.

Ingestion Specific test data for the substance or mixture is not available. Potential for aspiration if

swallowed. May cause lung damage if swallowed. Aspiration may cause pulmonary edema

and pneumonitis. May be fatal if swallowed and enters airways.

Component Information

Oral LD50	Dermal LD50	Inhalation LC50
> 5000 mg/kg (Rat)	> 3160 mg/kg (Rabbit)	-
= 5230 mg/kg (Rat)	= 9500 mg/kg (Rabbit)	-
= 3598 mg/kg (Rat)	= 8 g/kg (Rabbit)	= 3.1 mg/L (Rat) 4 h
	> 5000 mg/kg (Rat) = 5230 mg/kg (Rat)	> 5000 mg/kg (Rat) > 3160 mg/kg (Rabbit) = 5230 mg/kg (Rat) = 9500 mg/kg (Rabbit)

Information on toxicological effects

Symptoms Difficulty in breathing. Coughing and/ or wheezing. Asthma-like and/ or skin allergy-like

symptoms.



Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization

No information available.

Mutagenic Effects

There is no data available for this product.

Carcinogenicity

Contains no ingredient listed as a carcinogen.

Reproductive Toxicity

Contains a known or suspected reproductive toxin.

STOT - single exposure

No information available.

STOT - repeated exposure

No information available.

Chronic Toxicity

No known effect based on information supplied. Contains a known or suspected reproductive toxin. Aspiration may cause pulmonary edema and pneumonitis.

Target Organ Effects

Reproductive System. Respiratory system. Central Nervous System (CNS). Eyes. Skin.

Aspiration Hazard

No information available.

Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 28,776.00 mg/kg ATEmix (dermal) 58,238.00 mg/kg (ATE) ATEmix (inhalation-dust/mist) 44.30 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Persistence and Degradability

No information available.

Bioaccumulation

No information available

Chemical Name	Log Pow
Dipropylene Glycol Methyl Ether	-0.064
N-Methyl-2-Pyrrolidone	-0.46

Other adverse effects

No information available.



13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal methods

This material, as supplied, is a hazardous waste according to federal regulations (40 CFR

261)

Contaminated Packaging

Dispose of contents/containers in accordance with local regulations.

US EPA Waste Number

D001

California Hazardous Waste Codes 213

14. TRANSPORT INFORMATION

DOT

NOT REGULATED (If shipped in NON BULK packaging by ground transport)

Proper Shipping Name

NON-REGULATED

Hazard Class

N/A

Emergency Response Guide

128

Number

TDG

ÜN-No.

UN1268

Proper Shipping Name

PETROLEUM DISTILLATES, N.O.S.

Hazard Class Packing Group

ى III

MEX

UN-No.

UN1268

Proper Shipping Name

Petroleum distillates, n.o.s.

Hazard Class
Packing Group

3

Description

UN1268 Petroleum distillates, n.o.s.,3,III

ICAO

UN-No.

UN1268

Proper Shipping Name

Petroleum distillates, n.o.s.

Hazard Class Packing Group

ى III

Description

1268, Petroleum distillates, n.o.s., 3, PG III

IA<u>TA</u>

UN-No.

1268

Proper Shipping Name

PETROLEUM DISTILLATES, N.O.S.

Hazard Class
Packing Group

111

Description

UN1268, Petroleum distillates, n.o.s., 3, PG III

IMDG/IMO

UN-No.

1268

Proper Shipping Name

Petroleum distillates, n.o.s.

Hazard Class Packing Group EmS No.

111

Description

F-E, S-E 1268, Petroleum distillates, n.o.s.,3,PG III, FP 49C RID

UN-No.

1268

Proper Shipping Name

Petroleum distillates, n.o.s.

Hazard Class Packing Group

ill

Classification code

F1

Description

1268 Petroleum distillates, n.o.s.,3,III

ADR

UN-No.

UN1268

Proper Shipping Name

Petroleum distillates, n.o.s.

Hazard Class Packing Group

III

Classification code

III F1

Description

UN1268 Petroleum distillates, n.o.s.,3,III

ADN

UN-No.

UN1268

Proper Shipping Name

Petroleum distillates, n.o.s.

Hazard Class

3

Packing Group

Ш

Classification code

F1

Description

UN1268 Petroleum distillates, n.o.s.,3,III

Hazard Labels Limited Quantity

LQ7

Ventilation

LQ7 VE01

15. REGULATORY INFORMATION

International Inventories

TSCA

Complies

DSL

All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
N-Methyl-2-Pyrrolidone		5 - 10	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard
Chronic Health Hazard
Fire Hazard
Sudden release of pressure hazard
No
Reactive Hazard
No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)



CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65
N-Methyl-2-Pyrrolidone	Developmental

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Dipropylene Glycol Methyl Ether	X	X	X	X	X
N-Methyl-2-Pyrrolidone	X	X	X	X	

International Regulations

Mexico

National occupational exposure limits

Component	Carcinogen Status	Exposure Limits
Dipropylene Glycol Methyl Ether		Mexico: TWA 100 ppm
(5-10)		Mexico: TWA 60 mg/m ³
(-		Mexico: STEL 150 ppm
		Mexico: STEL 900 mg/m ³

Mexico - Occupational Exposure Limits - Carcinogens

Canada

WHMIS Hazard Class

B3 - Combustible liquid D2A - Very toxic materials



16. OTHER INFORMATION

NFPA

Health Hazards 2

Flammability 2

Instability 0

Physical and Chemical Hazards

HMIS

Health Hazards * 2

Flammability 2

Physical Hazard 0

Chemical Hazards - Personal Protection X

Chronic Hazard Star Legend * = Chronic Health Hazard



Prepared By

Product Stewardship

23 British American Blvd.

Latham, NY 12110 1-800-572-6501

15-Sep-2014

Revision Date

Revision Note

No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

GOJO® Clear & Mild Foam Handwash



Version 1.2

Revision Date: 02/10/2015

MSDS Number: 30255-00003

Date of last issue: 12/02/2014 Date of first issue: 11/14/2014

SECTION 1. IDENTIFICATION

Product name

GOJO® Clear & Mild Foam Handwash

Manufacturer or supplier's details

Company name of supplier

: GOJO Industries, Inc.

Address

One GOJO Plaza, Suite 500

Akron OH 44311

Telephone

1 (330) 255-6000

Emergency telephone

1-800-424-9300 CHEMTREC

Recommended use of the chemical and restrictions on use

Recommended use

: Skin-care

Restrictions on use

This is a personal care or cosmetic product that is safe for consumers and other users under normal and reasonably foreseeable use. Cosmetics and consumer products, specifically defined by regulations around the world, are exempt from the requirement of an SDS for the consumer. While this material is not considered hazardous, this SDS contains valuable information critical to the safe handling and proper use of the product for industrial workplace conditions as well as unusual and unintended exposures such as large spills. This SDS should be retained and available for employees and other users of this product. For specific intended-use guidance, please refer to the information

provided on the package or instruction sheet.

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Eye irritation

: Category 2A

GHS Label element

Hazard pictograms

Signal Word

: Warning

Hazard Statements

: H319 Causes serious eye irritation.

Precautionary Statements

: Prevention:

P264 Wash skin thoroughly after handling. P280 Wear eye protection/ face protection.

GOJO® Clear & Mild Foam Handwash



Version 1.2

Revision Date: 02/10/2015

MSDS Number: 30255-00003

Date of last issue: 12/02/2014 Date of first issue: 11/14/2014

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/

attention.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

: Mixture

Hazardous ingredients

Chemical Name	CAS-No.	Concentration (%)
Alcohols, C10-16, ethoxylated, sulfates, sodium salts	68585 - 34-2	>= 1 - < 5
Cocoamidopropyl betaine	61789-40-0	>= 1 - < 5
Glycerine	56-81-5	>= 1 - < 5

SECTION 4. FIRST AID MEASURES

General advice

: In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled

: If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of skin contact

: Wash with water and soap as a precaution.

Get medical attention if symptoms occur.

In case of eye contact

: In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Get medical attention.

If swallowed

: If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur.

Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and

delayed

: Causes serious eye irritation.

Protection of first-aiders

: First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment

when the potential for exposure exists.

Notes to physician

: Treat symptomatically and supportively.

GOJO® Clear & Mild Foam Handwash



Version

Revision Date: 02/10/2015

MSDS Number: 30255-00003

Date of last issue: 12/02/2014 Date of first issue: 11/14/2014

1.2

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

: Water spray

Alcohol-resistant foam

Dry chemical

Carbon dioxide (CO2)

Unsuitable extinguishing

media

: None known.

Specific hazards during fire

fighting

: Exposure to combustion products may be a hazard to health.

Hazardous combustion prod-

ucts

: Sulfur oxides

Carbon oxides Metal oxides

Nitrogen oxides (NOx)

Specific extinguishing

methods

: Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.
Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment

for fire-fighters

: In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

: Use personal protective equipment.

Follow safe handling advice and personal protective

equipment recommendations.

Environmental precautions

: Discharge into the environment must be avoided.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material.

For large spills, provide diking or other appropriate

containment to keep material from spreading. If diked material

can be pumped, store recovered material in appropriate container.

Clean up remaining materials from spill with suitable

absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

employed in the cleanup of releases. You will need to





Version 1.2

Revision Date: 02/10/2015

MSDS Number: 30255-00003

Date of last issue: 12/02/2014 Date of first issue: 11/14/2014

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures

: See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation

: Use only with adequate ventilation.

Advice on safe handling

: Avoid inhalation of vapor or mist.

Do not swallow. Do not get in eyes.

Avoid prolonged or repeated contact with skin.

Handle in accordance with good industrial hygiene and safety

practice.

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage

: Keep in properly labeled containers.

Store in accordance with the particular national regulations.

Materials to avoid

: Do not store with the following product types:

Strong oxidizing agents

SECTION 8, EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Ingredients	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Glycerine	56-81-5	TWA (mist, respirable fraction)	5 mg/m3	OSHA Z-1
		TWA (mist, total dust)	15 mg/m3	OSHA Z-1

Hazardous components without workplace control parameters

Ingredients	CAS-No.
Alcohols, C10-16, ethoxylated,	68585-34-2
sulfates, sodium salts	
Cocoamidopropyl betaine	61789-40-0

Engineering measures

Ensure adequate ventilation, especially in confined areas.

Minimize workplace exposure concentrations.

Personal protective equipment

Respiratory protection

General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where





Version 1.2

Revision Date: 02/10/2015

MSDS Number: 30255-00003

Date of last issue: 12/02/2014 Date of first issue: 11/14/2014

concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

Hand protection

Material

: Impervious gloves

Remarks

: Choose gloves to protect hands against chemicals depending on the concentration specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before

breaks and at the end of workday.

Eye protection

: Wear the following personal protective equipment:

Safety goggles

Skin and body protection

: Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure

potential.

Skin contact must be avoided by using impervious protective

clothing (gloves, aprons, boots, etc).

Hygiene measures

: Ensure that eye flushing systems and safety showers are

located close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

: liquid

Color

: clear, Colorless to pale yellow

Odor

soapy

Odor Threshold

: No data available

рΗ

: 4.7 - 6.2

Melting point/freezing point

: No data available

Initial boiling point and boiling

: No data available

range





Version 1.2

Revision Date: 02/10/2015

MSDS Number: 30255-00003

Date of last issue: 12/02/2014 Date of first issue: 11/14/2014

Flash point

: 100 °C

Evaporation rate

: No data available

Flammability (solid, gas)

: Not applicable

Upper explosion limit

: No data available

Lower explosion limit

: No data available

Vapor pressure

: No data available

Relative vapor density

: No data available

Density

: 1.00 g/cm3

Solubility(ies)

Water solubility

: soluble

Partition coefficient: n-

octanol/water

: Not applicable

Autoignition temperature

: No data available

Decomposition temperature

: The substance or mixture is not classified self-reactive.

Viscosity

Viscosity, kinematic

: 10 - 20 mm2/s (20 °C)

Explosive properties

: Not explosive

Oxidizing properties

: The substance or mixture is not classified as oxidizing.

SECTION 10. STABILITY AND REACTIVITY

Reactivity

: Not classified as a reactivity hazard.

Chemical stability

: Stable under normal conditions.

Possibility of hazardous reac-

tions

: Can react with strong oxidizing agents.

Conditions to avoid

: None known.

Incompatible materials

: Oxidizing agents

Hazardous decomposition

products

: No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

GOJO® Clear & Mild Foam Handwash



Version

Revision Date:

MSDS Number:

Date of last issue: 12/02/2014

1.2

02/10/2015

30255-00003

Date of first issue: 11/14/2014

Inhalation Skin contact

Ingestion

Eye contact

Acute toxicity

Not classified based on available information.

Ingredients:

Alcohols, C10-16, ethoxylated, sulfates, sodium salts:

Acute oral toxicity

: LD50 (Rat): > 2,000 mg/kg

Assessment: The substance or mixture has no acute oral

toxicity

Cocoamidopropyl betaine:

Acute oral toxicity

: LD50: > 5,000 mg/kg

Method: OECD Test Guideline 401

Remarks: Based on data from similar materials

Acute dermal toxicity

: LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Remarks: Based on data from similar materials

Glycerine:

Acute oral toxicity

: LD50 (Rat): > 5,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Product:

Result: No skin irritation

Ingredients:

Alcohols, C10-16, ethoxylated, sulfates, sodium salts:

Result: Skin irritation

Glycerine:

Result: No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Result: Irritation to eyes, reversing within 21 days

Ingredients:

Alcohols, C10-16, ethoxylated, sulfates, sodium salts:

Result: Irreversible effects on the eye

Cocoamidopropyl betaine:

Species: Rabbit

GOJO® Clear & Mild Foam Handwash



Version 1.2

Revision Date: 02/10/2015

MSDS Number: 30255-00003

Date of last issue: 12/02/2014 Date of first issue: 11/14/2014

Result: Irreversible effects on the eye Method: OECD Test Guideline 405

Remarks: Based on data from similar materials

Glycerine:

Result: No eye irritation

Respiratory or skin sensitization

Skin sensitization: Not classified based on available information. Respiratory sensitization: Not classified based on available information.

<u> Product:</u>

Assessment: Does not cause skin sensitization.

Ingredients:

Cocoamidopropyl betaine:

Test Type: Maximization Test (GPMT) Routes of exposure: Skin contact

Species: Guinea pig Result: negative

Remarks: Based on data from similar materials

Germ cell mutagenicity

Not classified based on available information.

Ingredients:

Cocoamidopropyl betaine:

Genotoxicity in vitro

: Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Remarks: Based on data from similar materials

Genotoxicity in vivo

: Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

Glycerine:

Genotoxicity in vitro

: Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Carcinogenicity

Not classified based on available information.

Ingredients:

Glycerine:

Species: Rat

Application Route: Ingestion Exposure time: 2 Years Result: negative





Version 1.2

Revision Date: 02/10/2015

MSDS Number: 30255-00003

Date of last issue: 12/02/2014 Date of first issue: 11/14/2014

IARC

No ingredient of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHA

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcino-

gen by OSHA.

NTP

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

Reproductive toxicity

Not classified based on available information.

Ingredients:

Cocoamidopropyl betaine:

Effects on fetal development

Test Type: Embryo-fetal development

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 414

Result: negative

Remarks: Based on data from similar materials

Glycerine:

Effects on fertility

Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Effects on fetal development

Test Type: Embryo-fetal development

Species: Rabbit

Application Route: Ingestion

Result: negative

\$TOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Repeated dose toxicity

Ingredients:

Cocoamidopropyl betaine:

Species: Rat

NOAEL: 250 mg/kg

Application Route: Ingestion

Exposure time: 90 d

Method: OECD Test Guideline 408

Remarks: Based on data from similar materials

Glycerine:





Version 1.2

Revision Date: 02/10/2015

MSDS Number: 30255-00003

Date of last issue: 12/02/2014 Date of first issue: 11/14/2014

Species: Rat NOAEL: 167 mg/m3 LOAEL: 660 mg/m3

Application Route: inhalation (dust/mist/fume)

Exposure time: 13 w Symptoms: Local irritation

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Ingredients:

Cocoamidopropyl betaine:

Toxicity to fish

: LC50: > 1 - 10 mg/l

Exposure time: 96 h Method: ISO 7346/2

Remarks: Based on data from similar materials

Toxicity to bacteria

: EC50: > 100 mg/l

Method: OECD Test Guideline 209

Remarks: Based on data from similar materials

Glycerine:

Toxicity to fish

: LC50 (Oncorhynchus mykiss (rainbow trout)): 54,000 mg/l

Exposure time: 96 h

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): 1,955 mg/l

Exposure time: 48 h

Toxicity to bacteria

: NOEC (Pseudomonas putida): > 10,000 mg/l

Exposure time: 16 h

Persistence and degradability

Product:

Biodegradability

: Result: Biodegradable

Ingredients:

Alcohols, C10-16, ethoxylated, sulfates, sodium salts:

Biodegradability

: Result: Readily biodegradable.

Cocoamidopropyl betaine:

Biodegradability

: Result: Readily biodegradable.

Biodegradation: > 60 % Exposure time: 28 d

Method: OECD Test Guideline 301

Remarks: Based on data from similar materials

Glycerine:



GOJO® Clear & Mild Foam Handwash

Version 1.2

Revision Date: 02/10/2015

MSDS Number: 30255-00003

Date of last issue: 12/02/2014 Date of first issue: 11/14/2014

Biodegradability

: Result: Readily biodegradable.

Biodegradation: 94 % Exposure time: 1 d

Bioaccumulative potential

<u>Ingredients:</u>

Glycerine:

Partition coefficient: n-

octanol/water

: log Pow: -1.76

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues

: Dispose of in accordance with local regulations.

Contaminated packaging

: Dispose of as unused product.

Empty containers should be taken to an approved waste

handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulation

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity





Version

Revision Date: 02/10/2015

MSDS Number: 30255-00003

Date of last issue: 12/02/2014 Date of first issue: 11/14/2014

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards

: Acute Health Hazard

SARA 302

: No chemicals in this material are subject to the reporting

requirements of SARA Title III, Section 302.

SARA 313

: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

Pennsylvania Right To Know

Water	7732 - 18-5	90 - 100 %
Glycerine	56-81-5	1 - 5 %
New Jersey Right To Know		

Water
Alcohols, C10-16, ethoxylated, sulfates,

Glycerine

sodium salts

Cocoamidopropyl betaine

7732-18-5 90 - 100 % 68585-34-2 1 - 5 % 61789-40-0 1 - 5 % 56-81-5 1 - 5 %

California Prop 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other

reproductive defects.

The ingredients of this product are reported in the following inventories:

AICS

: All ingredients listed or exempt.

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), NECSI (Taiwan), TSCA (USA)





Version

Revision Date: 02/10/2015


MSDS Number: 30255-00003

Date of last issue: 12/02/2014 Date of first issue: 11/14/2014

SECTION 16. OTHER INFORMATION

Further information

NFPA:



HMIS III:

HEALTH	2
FLAMMABILITY	1
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High

4 = Extreme, * = Chronic

Full text of other abbreviations

OSHA Z-1

: USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim-

its for Air Contaminants

OSHA Z-1 / TWA

: 8-hour time weighted average

Sources of key data used to compile the Material Safety

Data Sheet

: Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Revision Date

: 02/10/2015

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8

GOJO® ORIGINAL FORMULA™ Hand Cleaner



Version 1.0

Revision Date:

02/12/2015

MSDS Number:

57113-00001

Date of last issue: -

Date of first issue: 02/12/2015

SECTION 1. IDENTIFICATION

Product name

GOJO® ORIGINAL FORMULA™ Hand Cleaner

Manufacturer or supplier's details

Company name of supplier

GOJO Industries, Inc.

Address

One GOJO Plaza, Suite 500

Akron OH 44311

Telephone

1 (330) 255-6000

Emergency telephone

1-800-424-9300 CHEMTREC

Recommended use of the chemical and restrictions on use

Recommended use

: Skin-care

Restrictions on use

This is a personal care or cosmetic product that is safe for consumers and other users under normal and reasonably foreseeable use. Cosmetics and consumer products, specifically defined by regulations around the world, are exempt from the requirement of an SDS for the consumer. While this material is not considered hazardous, this SDS contains valuable information critical to the safe handling and proper use of the product for industrial workplace conditions as well as unusual and unintended exposures such as large spills. This SDS should be retained and available for employees and other users of this product. For specific intended-use guidance, please refer to the information provided on the package or instruction sheet.

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Serious eye damage

: Category 1

GHS Label element

Hazard pictograms

Signal Word

: Danger

Hazard Statements

: H318 Causes serious eye damage.

Precautionary Statements

Prevention:

P280 Wear eye protection/ face protection.

Response:

GOJO® ORIGINAL FORMULA™ Hand Cleaner



Version

Revision Date:

MSDS Number:

Date of last issue: -

1.0

02/12/2015

57113-00001

Date of first issue: 02/12/2015

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.

Other hazards

Repeated exposure may cause skin dryness or cracking.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

: Mixture

Hazardous ingredients

Chemical Name	CAS-No.	Concentration (%)
Distillates (petroleum), hydrotreated light	64742-47-8	>= 30 - < 50
White mineral oil (petroleum)	8042-47-5	>= 10 - < 20
Ethoxylated branched C11-14, C13-rich alcohols	78330-21-9	>= 1 - < 5
Propylene glycol	57-55 - 6	>= 1 - < 5
Petrolatum	8009-03-8	>= 1 - < 5
Sodium Hydroxymethylglycinate	70161-44-3	>= 0.1 -< 1

SECTION 4. FIRST AID MEASURES

General advice

: In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled

: If inhaled, remove to fresh air,

Get medical attention if symptoms occur.

In case of skin contact

: Wash with water and soap as a precaution. Get medical attention if symptoms occur.

In case of eye contact

: In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Get medical attention immediately.

If swallowed

: If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and

: Prolonged or repeated contact may dry skin and cause

irritation.

delayed

Causes serious eye damage.

Protection of first-aiders

: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment

when the potential for exposure exists.

Notes to physician

: Treat symptomatically and supportively.





Version

1.0

Revision Date: 02/12/2015

MSDS Number:

Date of last issue: -

57113-00001

Date of first issue: 02/12/2015

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

: Water spray

Alcohol-resistant foam

Dry chemical

Carbon dioxide (CO2)

Unsuitable extinguishing

media

: None known.

Specific hazards during fire

fighting

: Exposure to combustion products may be a hazard to health.

Hazardous combustion prod-

ucts

: Carbon oxides

Specific extinguishing

methods

: Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment

for fire-fighters

: In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.

Follow safe handling advice and personal protective

equipment recommendations.

Environmental precautions

Discharge into the environment must be avoided.
 Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material.

For large spills, provide diking or other appropriate

containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate

container.

Clean up remaining materials from spill with suitable

absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

employed in the cleanup of releases. You will need to

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

GOJO® ORIGINAL FORMULA™ Hand Cleaner



Version

Revision Date:

MSDS Number:

Date of last issue: -

1.0

02/12/2015

57113-00001

Date of first issue: 02/12/2015

certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures

: See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation

: Use only with adequate ventilation.

Advice on safe handling

: Do not get on skin or clothing.

Avoid inhalation of vapor or mist.

Do not swallow. Do not get in eyes.

Handle in accordance with good industrial hygiene and safety

practice.

Keep container tightly closed.

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage

: Keep in properly labeled containers.

Keep tightly closed.

Store in accordance with the particular national regulations.

Materials to avoid

: Do not store with the following product types:

Strong oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Ingredients	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Distillates (petroleum), hydrotreated light	64742-47-8	TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Mist)	5 mg/m3	NIOSH REL
7.0		ST (Mist)	10 mg/m3	NIOSH REL
White mineral oil (petroleum)	8042-47-5	TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Inhal- able fraction)	5 mg/m3	ACGIH
		TWA (Mist)	5 mg/m3	NIOSH REL
		ST (Mist)	10 mg/m3	NIOSH REL
Propylene glycol	57-55-6	TWA	10 mg/m3	US WEEL
Petrolatum	8009-03-8	TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Inhal- able fraction)	5 mg/m3	ACGIH
		TWA (Mist)	5 mg/m3	NIOSH REL
		ST (Mist)	10 mg/m3	NIOSH REL

Hazardous components without workplace control parameters

Ingredients	 CAS-No.	1



GOJO® ORIGINAL FORMULA™ Hand Cleaner

Version 1.0 Revision Date: 02/12/2015

MSDS Number: 57113-00001

Date of last issue: -

Date of first issue: 02/12/2015

Ethoxylated branched C11-14, C13-rich alcohols	78330-21-9
Sodium	70161-44-3
Hydroxymethylglycinate	

Engineering measures

: Ensure adequate ventilation, especially in confined areas.

Minimize workplace exposure concentrations.

Personal protective equipment

Respiratory protection

: General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other

circumstance where air purifying respirators may not provide

adequate protection.

Hand protection

Material

: Impervious gloves

Remarks : Choose gloves to protect hands against chemicals depending

on the concentration specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before

breaks and at the end of workday.

Eye protection : Wear the following personal protective equipment:

Chemical resistant goggles must be worn. If splashes are likely to occur, wear:

Face-shield

Skin and body protection : Select appropriate protective clothing based on chemical

resistance data and an assessment of the local exposure

potential.

: liquid

Skin contact must be avoided by using impervious protective

clothing (gloves, aprons, boots, etc).

Hygiene measures : Ensure that eye flushing systems and safety showers are

located close to the working place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance





Version 1.0 Revision Date: 02/12/2015

MSDS Number: 57113-00001

Date of last issue: -

Date of first issue: 02/12/2015

Color

: opaque, white, yellow

Odor

: solvent

Odor Threshold

: No data available

рΗ

: 9.0

Melting point/freezing point

: No data available

Solidification / Setting point

No data available

Initial boiling point and boiling

range

: No data available

Flash point

: > 100 °C

Evaporation rate

: No data available

Flammability (solid, gas)

: Not applicable

Upper explosion limit

: No data available

Lower explosion limit

: No data available

Relative vapor density

Vapor pressure

No data availableNo data available

Density

: 1 g/cm3

Solubility(ies)

Water solubility

: soluble

Partition coefficient: n-

octanol/water

: Not applicable

Autoignition temperature

: No data available

Decomposition temperature

: The substance or mixture is not classified self-reactive.

Viscosity

Viscosity, kinematic

: 10,000 - 45,000 mm2/s (20 °C)

Explosive properties

: Not explosive

Oxidizing properties

: The substance or mixture is not classified as oxidizing.

SECTION 10. STABILITY AND REACTIVITY

Reactivity

: Not classified as a reactivity hazard.





Version

Revision Date:

MSDS Number:

Date of last issue: -

1.0

02/12/2015

57113-00001

Date of first issue: 02/12/2015

Chemical stability

: Stable under normal conditions.

Possibility of hazardous reac-

tions

Can react with strong oxidizing agents.

Conditions to avoid

: None known.

Incompatible materials

: Oxidizing agents

Hazardous decomposition

products

: No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity

: Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

ingredients:

Distillates (petroleum), hydrotreated light:

Acute oral toxicity

: LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity

: LC50 (Rat): > 5.3 mg/l Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute

inhalation toxicity

Remarks: Based on data from similar materials

Acute dermal toxicity

: LD50 (Rabbit); > 3,160 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

White mineral oil (petroleum):

Acute oral toxicity

: LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity

: LC50 (Rat): > 5 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Assessment: The substance or mixture has no acute

inhalation toxicity

Acute dermal toxicity

and the second of the second o

LD50 (Rabbit): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity





Version

Revision Date:

MSDS Number:

Date of last issue: -

1.0

02/12/2015

57113-00001

Date of first issue: 02/12/2015

Ethoxylated branched C11-14, C13-rich alcohols:

Acute oral toxicity

: Acute toxicity estimate: 500 mg/kg

Method: Expert judgment

Propylene glycol:

Acute oral toxicity

: LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity

: LC50 (Rabbit): > 159 mg/l, > 51091 ppm

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute

inhalation toxicity

Acute dermal toxicity

: LD50 (Rabbit): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

Petrolatum:

Acute oral toxicity

: LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 401

Remarks: Based on data from similar materials

Acute dermal toxicity

: LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Remarks: Based on data from similar materials

Sodium Hydroxymethylglycinate:

Acute oral toxicity

: LD50 (Rat): 1,050 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Product:

Result: No skin irritation

Ingredients:

Distillates (petroleum), hydrotreated light:

Assessment: Repeated exposure may cause skin dryness or cracking.

White mineral oil (petroleum):

Species: Rabbit

Result: No skin irritation

Ethoxylated branched C11-14, C13-rich alcohols:

Species: Rabbit

Result: No skin irritation

Remarks: Based on data from similar materials

Propylene glycol: Species: Rabbit

Method: OECD Test Guideline 404

Result: No skin irritation

GOJO® ORIGINAL FORMULA™ Hand Cleaner



Version

Revision Date:

MSDS Number:

Date of last issue: -

1.0

02/12/2015

57113-00001

Date of first issue: 02/12/2015

Petrolatum:

Species: Rabbit

Method: OECD Test Guideline 404

Result: No skin irritation

Remarks: Based on data from similar materials

Sodium Hydroxymethylglycinate:

Species: Rabbit Result: Skin irritation

Serious eye damage/eye irritation

Causes serious eye damage.

Ingredients:

Distillates (petroleum), hydrotreated light:

Species: Rabbit

Result: No eye irritation

White mineral oil (petroleum):

Species: Rabbit

Result: No eye irritation

Ethoxylated branched C11-14, C13-rich alcohols:

Result: Irreversible effects on the eye

Remarks: Based on data from similar materials

Propylene glycol:

Species: Rabbit

Result: No eye irritation

Method: OECD Test Guideline 405

Petrolatum:

Species: Rabbit

Result: No eye irritation

Method: OECD Test Guideline 405

Remarks: Based on data from similar materials

Sodium Hydroxymethylglycinate:

Species: Rabbit

Result: Irritation to eyes, reversing within 21 days

Respiratory or skin sensitization

Skin sensitization: Not classified based on available information.

Respiratory sensitization: Not classified based on available information.

Product:

Assessment: Does not cause skin sensitization.

Ingredients:

Distillates (petroleum), hydrotreated light:

Test Type: Maximization Test (GPMT)
Routes of exposure: Skin contact

tan dan kacamatan 12 k. Arabaka bikan kacamatan d

GOJO® ORIGINAL FORMULA™ Hand Cleaner



Version

Revision Date:

MSDS Number:

Date of last issue: -

1.0

02/12/2015

57113-00001

Date of first issue: 02/12/2015

Species: Guinea pig Result: negative

Remarks: Based on data from similar materials

White mineral oil (petroleum):

Test Type: Buehler Test

Routes of exposure: Skin contact

Species: Guinea pig Result: negative

Ethoxylated branched C11-14, C13-rich alcohols:

Test Type: Human repeat insult patch test (HRIPT)

Routes of exposure: Skin contact

Result: negative

Remarks: Based on data from similar materials

Propylene glycol:

Test Type: Maximization Test (GPMT) Routes of exposure: Skin contact

Species: Guinea pig Result: negative

Petrolatum:

Test Type: Buehler Test

Routes of exposure: Skin contact

Species: Guinea pig Result: negative

Remarks: Based on data from similar materials

Sodium Hydroxymethylglycinate:

Test Type: Maximization Test (GPMT) Routes of exposure: Skin contact

Species: Guinea pig Result: positive

Assessment: Probability or evidence of skin sensitization in humans

Germ cell mutagenicity

Not classified based on available information.

Ingredients:

Distillates (petroleum), hydrotreated light:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Genotoxicity in vivo : Test Type: Chromosomal aberration

Species: Rat

Application Route: Intraperitoneal injection

Result: negative

Remarks: Based on data from similar materials

White mineral oil (petroleum):

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

GOJO® ORIGINAL FORMULA™ Hand Cleaner



Version 1.0

Revision Date:

02/12/2015

MSDS Number:

57113-00001

Date of last issue: -

Date of first issue: 02/12/2015

Genotoxicity in vivo

: Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Intraperitoneal injection Method: OECD Test Guideline 474

Result: negative

Remarks: Based on data from similar materials

Propylene glycol:

Genotoxicity in vitro

: Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Genotoxicity in vivo

: Test Type: In vivo micronucleus test

Species: Mouse

Application Route: Intraperitoneal injection

Result: negative

Petrolatum:

Genotoxicity in vitro

: Test Type: Chromosome aberration test in vitro

Result: negative

Remarks: Based on data from similar materials

Genotoxicity in vivo

: Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Intraperitoneal injection Method: OECD Test Guideline 474

Result: negative

Remarks: Based on data from similar materials

Sodium Hydroxymethylglycinate:

Genotoxicity in vitro

: Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Genotoxicity in vivo

: Test Type: Unscheduled DNA synthesis (UDS) test with

mammalian liver cells in vivo

Species: Rat Result: negative

Carcinogenicity

Not classified based on available information.

Ingredients:

White mineral oil (petroleum):

Species: Rat

Application Route: Ingestion Exposure time: 24 Months

Result: negative

Propylene glycol:

Species: Rat

Application Route: Ingestion Exposure time: 2 Years



GOJO® ORIGINAL FORMULA™ Hand Cleaner

Version Revision Date: MSDS Number: Date of last issue: -

1.0 02/12/2015 57113-00001 Date of first issue: 02/12/2015

Petrolatum: Species: Rat

Application Route: Ingestion Exposure time: 2 Years Result: negative

IARC No ingredient of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHA No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential carcino-

gen by OSHA.

NTP No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

Reproductive toxicity

Not classified based on available information.

Ingredients:

Distillates (petroleum), hydrotreated light:

Effects on fertility : Test Type: One-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat

Application Route: Ingestion

Result: negative

White mineral oil (petroleum):

Effects on fertility : Test Type: One-generation reproduction toxicity study

Species: Rat

Application Route: Skin contact

Result: negative

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat

Application Route: Ingestion

Result: negative

Propylene glycol:

Effects on fertility : Species: Mouse

Application Route: Ingestion

Result: negative

Effects on fetal development : Test Type: Embryo-fetal development

Species: Mouse

Application Route: Ingestion





Version

1.0

Revision Date: 02/12/2015

MSDS Number: 57113-00001

Date of last issue: -

Date of first issue: 02/12/2015

Petrolatum:

Effects on fertility

: Test Type: Reproduction/Developmental toxicity screening

test

Species: Rat

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

Effects on fetal development

Test Type: Embryo-fetal development

Species: Rat

Application Route: Skin contact

Result: negative

Remarks: Based on data from similar materials

Sodium Hydroxymethylglycinate:

Effects on fetal development

Species: Rat

Application Route: Ingestion

Result: negative

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Repeated dose toxicity

Ingredients:

Distillates (petroleum), hydrotreated light:

Species: Rat

NOAEL: > 10.4 mg/l

Application Route: inhalation (vapor)

Exposure time: 90 d

Remarks: Based on data from similar materials

White mineral oil (petroleum):

Species: Rat

LOAEL: 160 mg/kg

Application Route: Ingestion

Exposure time: 90 d

Species: Rat LOAEL: >= 1 mg/l

Application Route: inhalation (dust/mist/fume)

Exposure time: 4 w

Method: OECD Test Guideline 412

Propylene glycol:

Species: Rat

NOAEL: 1,700 mg/kg Application Route: Ingestion

Exposure time: 2 y

Petrolatum:

Species: Rat





Version

Revision Date:

MSDS Number:

Date of last issue: -

1.0 02/12/2015

57113-00001

Date of first issue: 02/12/2015

NOAEL: 5,000 mg/kg Application Route: Ingestion

Exposure time: 2 y

Aspiration toxicity

Not classified based on available information.

Product:

No aspiration toxicity classification

Ingredients:

Distillates (petroleum), hydrotreated light:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

White mineral oil (petroleum):

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Ingredients:

Distillates (petroleum), hydrotreated light:

Toxicity to fish

: LL50 (Danio rerio (zebra fish)): > 250 mg/l

Exposure time: 96 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 203

Toxicity to daphnia and other

aquatic invertebrates

: EL50 (Acartia tonsa): > 3,193 mg/l

Exposure time: 48 h

Test substance: Water Accommodated Fraction

Toxicity to algae

: EL50 (Skeletonema costatum (marine diatom)): > 3,200 mg/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction

NOELR (Skeletonema costatum (marine diatom)): 993 mg/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction

Toxicity to daphnia and other

aquatic invertebrates (Chronic toxicity) : NOELR (Ceriodaphnia dubia (water flea)): > 70 mg/l

Exposure time: 8 d

Exposure time: 3 h

Test substance: Water Accommodated Fraction

Toxicity to bacteria

: EC50: > 100 mg/l

White mineral oil (petroleum):

Toxicity to fish

: LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 96 h



GOJO® ORIGINAL FORMULA™ Hand Cleaner

Version 1.0

Revision Date:

02/12/2015

MSDS Number:

57113-00001

Date of last issue: -

Date of first issue: 02/12/2015

Method: OECD Test Guideline 203

Toxicity to daphnia and other

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae

NOEC (Pseudokirchneriella subcapitata (green algae)): 100

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to fish (Chronic

toxicity)

: NOEC (Oncorhynchus mykiss (rainbow trout)): 1.000 mg/l

Exposure time: 28 d

Toxicity to daphnia and other

aquatic invertebrates

(Chronic toxicity)

: NOEC (Daphnia magna (Water flea)): 1,000 mg/l

Exposure time: 21 d

Ethoxylated branched C11-14, C13-rich alcohols:

Toxicity to fish

: LC50 (Oncorhynchus mykiss (rainbow trout)): 5.6 mg/l

Exposure time: 96 h

Remarks: Based on data from similar materials

Toxicity to daphnia and other

aquatic invertebrates

EC50 (Daphnia magna (Water flea)); > 1 - 10 mg/l

Exposure time: 48 h

Remarks: Based on data from similar materials

Toxicity to algae

EC50: > 1 - 10 mg/l

Exposure time: 96 h

Remarks: Based on data from similar materials

Toxicity to fish (Chronic

toxicity)

NOEC (Lepomis macrochirus (Bluegill sunfish)): > 0.33 mg/l

Exposure time: 30 d

Remarks: Based on data from similar materials

Toxicity to daphnia and other

aquatic invertebrates (Chronic toxicity)

: NOEC (Daphnia magna (Water flea)): 0.77 mg/l

Exposure time: 21 d

Remarks: Based on data from similar materials

Propylene glycol:

Toxicity to fish

: LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l

Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates

: EC50 (Ceriodaphnia dubia (water flea)): 18,340 mg/l

Toxicity to algae

Exposure time: 48 h

: EC50 (Skeletonema costatum (marine diatom)): 19,000 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 201

Toxicity to fish (Chronic

toxicity)

: Chronic Toxicity Value: 2,500 mg/l

Exposure time: 30 d

Toxicity to daphnia and other aquatic invertebrates

NOEC (Ceriodaphnia dubia (water flea)): 29,000 mg/l

Exposure time: 7 d



GOJO® ORIGINAL FORMULA™ Hand Cleaner

Version 1.0

Revision Date: 02/12/2015

MSDS Number: 57113-00001

Date of last issue: -

Date of first issue: 02/12/2015

(Chronic toxicity)

Toxicity to bacteria

: NOEC (Pseudomonas putida): > 20,000 mg/l

Exposure time: 18 h

Petrolatum:

Toxicity to fish

: LL50 (Pimephales promelas (fathead minnow)): > 100 mg/l

Exposure time: 96 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 203

Remarks: Based on data from similar materials

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): > 10,000 mg/l

Exposure time: 48 h

Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials

Toxicity to algae

: NOEL (Pseudokirchneriella subcapitata (green algae)): >=

100 mg/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

Toxicity to daphnia and other

aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 10 mg/l

Exposure time: 21 d

Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials

Sodium Hydroxymethylglycinate:

Toxicity to fish

: LC50: > 10 - 100 mg/t

Exposure time: 96 h

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia pulex (Water flea)): > 10 - 100 mg/l

Exposure time: 48 h

Toxicity to algae

: ErC50 (Desmodesmus subspicatus (Scenedesmus

subspicatus)): > 10 - 100 mg/l

Exposure time: 72 h

Toxicity to bacteria

: EC50: > 100 mg/l

Exposure time: 120 h

Persistence and degradability

Ingredients:

Distillates (petroleum), hydrotreated light:

Biodegradability : Result:

: Result: Readily biodegradable.

Biodegradation: 82 % Exposure time: 24 d

Method: OECD Test Guideline 301F

White mineral oil (petroleum):

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 31 %



GOJO® ORIGINAL FORMULA™ Hand Cleaner

Version 1.0 Revision Date: 02/12/2015

MSDS Number:

Date of last issue: -

57113-00001

Date of first issue: 02/12/2015

Exposure time: 28 d

Ethoxylated branched C11-14, C13-rich alcohols:

Biodegradability

: Result: Readily biodegradable.

Biodegradation: 95 % Exposure time: 28 d

Method: OECD Test Guideline 301F

Remarks: Based on data from similar materials

Propylene glycol:

Biodegradability

: Result: Readily biodegradable.

Biodegradation: 98.3 % Exposure time: 28 d

Method: OECD Test Guideline 301F

Petrolatum:

Biodegradability

: Result: Not readily biodegradable.

Biodegradation: 31 % Exposure time: 28 d

Method: OECD Test Guideline 301F

Remarks: Based on data from similar materials

Sodium Hydroxymethylglycinate:

Biodegradability

: Result: Readily biodegradable.

Bioaccumulative potential

Ingredients:

Propylene glycol:

Partition coefficient: n-

: log Pow: -1.07

octanol/water

Sodium Hydroxymethylglycinate:

Partition coefficient: n-

: log Pow: < 3

octanol/water

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues

: Dispose of in accordance with local regulations.

Contaminated packaging

: Dispose of as unused product.

Empty containers should be taken to an approved waste

handling site for recycling or disposal.



GOJO® ORIGINAL FORMULA™ Hand Cleaner

Version 1.0

Revision Date: 02/12/2015

MSDS Number: 57113-00001

Date of last issue: -

Date of first issue: 02/12/2015

SECTION 14. TRANSPORT INFORMATION

International Regulation

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

Ingredients	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
Sodium hydroxide	1310-73-2	1000	*

^{*:} Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards

: Acute Health Hazard

SARA 302

: No chemicals in this material are subject to the reporting

requirements of SARA Title III, Section 302.

SARA 313

: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis)

reporting levels established by SARA Title III, Section 313.

US State Regulations

Pennsylvania Right To Know

agin io anow		
Distillates (petroleum), hydrotreated light	64742-47-8	30 - 50 %
Water	7732-18-5	30 - 50 %
White mineral oil (petroleum)	8042-47-5	10 - 20 %
Oleic acid	112-80-1	5 - 10 %
Ethoxylated branched C11-14, C13-rich alcohols	78330-21-9	1 - 5 %
Propviene alvcol	57-55-6	1 - 5 %



GOJO® ORIGINAL FORMULA™ Hand Cleaner

Version 1.0	Revision Date: 02/12/2015	MSDS Number: 57113-00001	Date of last issue: - Date of first issue: 02/12/2	2015
	Petrolatur	n	8009-03-8	1 - 5 %
	Sodium hy	/droxide	1310-73-2	0.1 - 1 %
New .	Jersey Right To Kno	ow .		
	Distillates	(petroleum), hydrotreat	ed light 64742-47-8	30 - 50 %
	Water		7732-18-5	30 - 50 %
	White min	eral oil (petroleum)	8042-47-5	10 - 20 %
	Oleic acid		112-80-1	5 - 10 %
	Ethoxylate alcohols	ed branched C11-14, C	13-rich 78330-21-9	1 - 5 %
	Propylend	glycol	57-55-6	1 - 5 %

California Prop 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other

reproductive defects.

The ingredients of this product are reported in the following inventories:

AICS

: All ingredients listed or exempt.


Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), NECSI (Taiwan), TSCA (USA)

SECTION 16. OTHER INFORMATION

Further information

NFPA:



Special hazard

HMIS III:

PHYSICAL HAZARD	0
FLAMMABILITY	1
HEALTH	3

0 = not significant, 1 =Slight.

2 = Moderate, 3 = High

4 = Extreme, * = Chronic

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL : USA. NIOSH Recommended Exposure Limits

OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim-

its for Air Contaminants

US WEEL : USA. Workplace Environmental Exposure Levels (WEEL)

ACGIH / TWA : 8-hour, time-weighted average



GOJO® ORIGINAL FORMULA™ Hand Cleaner

Version 1.0	Revision Date: 02/12/2015	MSDS Number: 57113-00001	Date of last issue: - Date of first issue: 02/12/2015
NIOS	H REL / TWA	-	average concentration for up to a 10-hour a 40-hour workweek
NIOS	H REL / ST		ute TWA exposure that should not be exceeded
OSHA	A Z-1 / TWA	: 8-hour time we	
US W	/EEL / TWA	: 8-hr TWA	
comp	ces of key data used to ile the Material Safety Sheet		cal data, data from raw material SDSs, OECD search results and European Chemicals Ageneuropa.eu/
Revis	ion Date	: 02/12/2015	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8

GOJO® Pomeberry Foam Handwash



Version

Revision Date:

MSDS Number:

Date of last issue: 01/02/2015 Date of first issue: 11/24/2014

1.3

02/16/2015

31905-00004

SECTION 1. IDENTIFICATION

Product name

: GOJO® Pomeberry Foam Handwash

Manufacturer or supplier's details

Company name of supplier

: GOJO Industries, Inc.

Address

One GOJO Plaza, Suite 500

Akron OH 44311

Telephone

1 (330) 255-6000

Emergency telephone

1-800-424-9300 CHEMTREC

Recommended use of the chemical and restrictions on use

Recommended use

Skin-care

Restrictions on use

This is a personal care or cosmetic product that is safe for consumers and other users under normal and reasonably foreseeable use. Cosmetics and consumer products, specifically defined by regulations around the world, are exempt from the requirement of an SDS for the consumer. While this material is not considered hazardous, this SDS contains valuable information critical to the safe handling and proper use of the product for industrial workplace conditions as well as unusual and unintended exposures such as large spills. This SDS should be retained and available for employees and other users of this product. For specific intended-use guidance, please refer to the information provided on the package or instruction sheet.

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Eye irritation

Category 2A

GHS Label element

Hazard pictograms

Signal Word

Warning

Hazard Statements

H319 Causes serious eye irritation.

Precautionary Statements

Prevention:

P264 Wash skin thoroughly after handling. P280 Wear eye protection/ face protection.

GOJO® Pomeberry Foam Handwash



Version 1.3

Revision Date: 02/16/2015

MSDS Number: 31905-00004

Date of last issue: 01/02/2015 Date of first issue: 11/24/2014

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/

attention.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

: Mixture

Hazardous ingredients

Chemical Name	CAS-No.	Concentration (%)
Alcohols, C10-16, ethoxylated, sulfates, sodium salts	68585-34-2	>= 1 - < 5
Cocoamidopropyl betaine	61789-40-0	>= 1 - < 5
Glycerine	56-81-5	>= 1 - < 5

SECTION 4. FIRST AID MEASURES

General advice

: In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled

: If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of skin contact

: Wash with water and soap as a precaution.

Get medical attention if symptoms occur.

In case of eye contact

: In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Get medical attention.

If swallowed

: If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur.

Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and

delayed

: Causes serious eye irritation.

Protection of first-aiders

: First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment

when the potential for exposure exists.

Notes to physician

: Treat symptomatically and supportively.

GOJO® Pomeberry Foam Handwash



Version

1.3

Revision Date: 02/16/2015

MSDS Number: 31905-00004

Date of last issue: 01/02/2015

Date of first issue: 11/24/2014

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

: Water spray

Alcohol-resistant foam

Dry chemical

Carbon dioxide (CO2)

Unsuitable extinguishing

media

: None known.

Specific hazards during fire

fighting

: Exposure to combustion products may be a hazard to health.

Hazardous combustion prod-

ucts

: Sulfur oxides Carbon oxides

Metal oxides

Nitrogen oxides (NOx)

Specific extinguishing

methods

Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.
Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment

for fire-fighters

: In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.

Follow safe handling advice and personal protective

equipment recommendations.

Environmental precautions

: Discharge into the environment must be avoided.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

barriers)

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material.

For large spills, provide diking or other appropriate

containment to keep material from spreading. If diked material

can be pumped, store recovered material in appropriate

container.

Clean up remaining materials from spill with suitable

absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

employed in the cleanup of releases. You will need to

GOJO® Pomeberry Foam Handwash



Version

Revision Date:

MSDS Number:

Date of last issue: 01/02/2015

1.3

02/16/2015

31905-00004

Date of first issue: 11/24/2014

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures

: See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation

: Use only with adequate ventilation.

Advice on safe handling

: Avoid inhalation of vapor or mist.

Do not swallow.

Do not get in eyes.

Avoid prolonged or repeated contact with skin.

Handle in accordance with good industrial hygiene and safety

practice.

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage

: Keep in properly labeled containers.

Store in accordance with the particular national regulations.

Materials to avoid

: Do not store with the following product types:

Strong oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Ingredients	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Glycerine	56-81-5	TWA (mist, respirable fraction)	5 mg/m3	OSHA Z-1
		TWA (mist, total dust)	15 mg/m3	OSHA Z-1

Hazardous components without workplace control parameters

	Ingredients	CAS-No.
	Alcohols, C10-16, ethoxylated,	68585-34-2
	sulfates, sodium salts	
Į	Cocoamidopropyl betaine	61789-40-0

Engineering measures

Ensure adequate ventilation, especially in confined areas.

Minimize workplace exposure concentrations.

Personal protective equipment

Respiratory protection

General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where

GOJO® Pomeberry Foam Handwash



Version 1.3

Revision Date: 02/16/2015

MSDS Number: 31905-00004

Date of last issue: 01/02/2015 Date of first issue: 11/24/2014

concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

adequate (

Hand protection

Material

: Impervious gloves

Remarks

: Choose gloves to protect hands against chemicals depending on the concentration specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Eye protection

: Wear the following personal protective equipment:

Safety goggles

Skin and body protection

: Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure

potential.

Skin contact must be avoided by using impervious protective

clothing (gloves, aprons, boots, etc).

Hygiene measures

: Ensure that eye flushing systems and safety showers are

located close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

: liquid

Color

clear, blue

Odor

fruity

Odor Threshold

No data available

pН

4.7 - 6.2

Melting point/freezing point

No data available

Initial boiling point and boiling

range

: No data available

GOJO® Pomeberry Foam Handwash



Version 1.3

Revision Date: 02/16/2015

MSDS Number: 31905-00004

Date of last issue: 01/02/2015 Date of first issue: 11/24/2014

Flash point

: > 100 °C

Evaporation rate

: No data available

Flammability (solid, gas)

: Not applicable

Upper explosion limit

: No data available

Lower explosion limit

: No data available

Vapor pressure

: No data available

Relative vapor density

: No data available

Density

: 1.00 g/cm3

Solubility(ies)

Water solubility

: soluble

Partition coefficient: n-

octanol/water

: Not applicable

Autoignition temperature

: No data available

Decomposition temperature

: The substance or mixture is not classified self-reactive.

Viscosity

Viscosity, kinematic

: 10 - 20 mm2/s (20 °C)

Explosive properties

: Not explosive

Oxidizing properties

: The substance or mixture is not classified as oxidizing.

SECTION 10. STABILITY AND REACTIVITY

Reactivity

: Not classified as a reactivity hazard.

Chemical stability

: Stable under normal conditions.

Possibility of hazardous reac-

tions

: Can react with strong oxidizing agents.

Conditions to avoid

: None known.

Incompatible materials

: Oxidizing agents

Hazardous decomposition

products

: No hazardous decomposition products are known.

SECTION 11, TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

GOJO® Pomeberry Foam Handwash



Version 1.3

Revision Date: 02/16/2015

MSDS Number: 31905-00004

Date of last issue: 01/02/2015 Date of first issue: 11/24/2014

.____

Inhalation Skin contact Ingestion

Eye contact

Acute toxicity

Not classified based on available information.

Ingredients:

Alcohols, C10-16, ethoxylated, sulfates, sodium salts:

Acute oral toxicity

: LD50 (Rat): > 2,000 mg/kg

Assessment: The substance or mixture has no acute oral

toxicity

Cocoamidopropyl betaine:

Acute oral toxicity

: LD50: > 5,000 mg/kg

Method: OECD Test Guideline 401

Remarks: Based on data from similar materials

Acute dermal toxicity

: LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Remarks: Based on data from similar materials

Glycerine:

Acute oral toxicity

: LD50 (Rat): > 5,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Product:

Result: No skin irritation

Ingredients:

Alcohols, C10-16, ethoxylated, sulfates, sodium salts:

Result: Skin irritation

Glycerine:

Result: No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Result: Irritation to eyes, reversing within 21 days

Ingredients:

Alcohols, C10-16, ethoxylated, sulfates, sodium salts:

Result: Irreversible effects on the eye

Cocoamidopropyl betaine:

Species: Rabbit

GOJO® Pomeberry Foam Handwash



Version

Revision Date:

MSDS Number:

Date of last issue: 01/02/2015

1.3

02/16/2015

31905-00004

Date of first issue: 11/24/2014

Result: Irreversible effects on the eye Method: OECD Test Guideline 405

Remarks: Based on data from similar materials

Glycerine:

Result: No eye irritation

Respiratory or skin sensitization

Skin sensitization: Not classified based on available information. Respiratory sensitization: Not classified based on available information.

Assessment: Does not cause skin sensitization.

Ingredients:

Cocoamidopropyl betaine:

Test Type: Maximization Test (GPMT) Routes of exposure: Skin contact

Species: Guinea pig Result: negative

Remarks: Based on data from similar materials

Germ cell mutagenicity

Not classified based on available information.

Ingredients:

Cocoamidopropyl betaine:

Genotoxicity in vitro

: Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Remarks: Based on data from similar materials

Genotoxicity in vivo

: Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

Glycerine:

Genotoxicity in vitro

: Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Carcinogenicity

Not classified based on available information.

Ingredients:

Glycerine:

Species: Rat

Application Route: Ingestion Exposure time: 2 Years

GOJO® Pomeberry Foam Handwash



Version 1.3

Revision Date: 02/16/2015

e: MSDS Number:

Date of last issue: 01/02/2015

31905-00004

Date of first issue: 11/24/2014

IARC

No ingredient of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHA

No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential carcino-

gen by OSHA.

NTP

No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

Reproductive toxicity

Not classified based on available information.

Ingredients:

Cocoamidopropyl betaine:

Effects on fetal development

: Test Type: Embryo-fetal development

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 414

Result: negative

Remarks: Based on data from similar materials

Glycerine:

Effects on fertility

Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Effects on fetal development

Test Type: Embryo-fetal development

Species: Rabbit

Application Route: Ingestion

Result: negative

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Repeated dose toxicity

Ingredients:

Cocoamidopropyl betaine:

Species: Rat

NOAEL: 250 mg/kg

Application Route: Ingestion

Exposure time: 90 d

Method: OECD Test Guideline 408

Remarks: Based on data from similar materials

Glycerine:

GOJO® Pomeberry Foam Handwash



Version

Revision Date:

MSDS Number:

Date of last issue: 01/02/2015

1.3

02/16/2015

31905-00004

Date of first issue: 11/24/2014

Species: Rat

NOAEL: 167 mg/m3

LOAEL: 660 mg/m3

Application Route: inhalation (dust/mist/fume)

Exposure time: 13 w Symptoms: Local irritation

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Ingredients:

Cocoamidopropyl betaine:

Toxicity to fish

: LC50: > 1 - 10 mg/l

Exposure time: 96 h

Method: ISO 7346/2

Remarks: Based on data from similar materials

Toxicity to bacteria

: EC50: > 100 mg/l

Method: OECD Test Guideline 209

Remarks: Based on data from similar materials

Glycerine:

Toxicity to fish

: LC50 (Oncorhynchus mykiss (rainbow trout)): 54,000 mg/l

Exposure time: 96 h

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): 1,955 mg/l

Exposure time: 48 h

Toxicity to bacteria

: NOEC (Pseudomonas putida): > 10,000 mg/l

Exposure time: 16 h

Persistence and degradability

Product:

Biodegradability

: Result: Biodegradable

Ingredients:

Alcohols, C10-16, ethoxylated, sulfates, sodium salts:

Biodegradability

: Result: Readily biodegradable.

Cocoamidopropyl betaine:

Biodegradability

Result: Readily biodegradable.

Biodegradation: > 60 %

Exposure time: 28 d

Method: OECD Test Guideline 301

Remarks: Based on data from similar materials

Glycerine:

GOJO® Pomeberry Foam Handwash



Version 1.3

Revision Date: 02/16/2015

MSDS Number: 31905-00004

Date of last issue: 01/02/2015 Date of first issue: 11/24/2014

Biodegradability

: Result: Readily biodegradable.

Biodegradation: 94 % Exposure time: 1 d

Bioaccumulative potential

Ingredients:

Glycerine:

Partition coefficient: n-

octanol/water

: log Pow: -1.76

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues

: Dispose of in accordance with local regulations.

Contaminated packaging

: Dispose of as unused product.

Empty containers should be taken to an approved waste

handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulation

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation


49 CFR

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity





Version 1.3

Revision Date: 02/16/2015

MSDS Number: 31905-00004

Date of last issue: 01/02/2015 Date of first issue: 11/24/2014

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards

: Acute Health Hazard

SARA 302

: No chemicals in this material are subject to the reporting

requirements of SARA Title III, Section 302.

SARA 313

: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis)

reporting levels established by SARA Title III, Section 313.

US State Regulations

Pennsylvania Right To Know

ıht To Know		
Glycerine	56 - 81-5	1 - 5 %
Water	7732-18-5	90 - 100 %

New Jersey Rig

Water	7732-18-5	90 - 100 %
Alcohols, C10-16, ethoxylated, sulfates,	68585-34-2	1 - 5 %
sodium salts		
Cocoamidopropyl betaine	61789-40-0	1 - 5 %
Glycerine	56-81-5	1 - 5 %

California Prop 65

This product does not contain any chemicals known to the

State of California to cause cancer, birth, or any other

reproductive defects.

The ingredients of this product are reported in the following inventories:

AICS

: All ingredients listed or exempt.

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), NECSI (Taiwan), TSCA (USA)

GOJO® Pomeberry Foam Handwash



Version 1.3

Revision Date: 02/16/2015


MSDS Number: 31905-00004

Date of last issue: 01/02/2015 Date of first issue: 11/24/2014

SECTION 16. OTHER INFORMATION

Further information

NFPA:



HMIS III:

HEALTH	2
FLAMMABILITY	1
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight, 2 = Moderate, 3 = High

4 = Extreme, * = Chronic

Full text of other abbreviations

OSHA Z-1

: USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim-

its for Air Contaminants

OSHA Z-1 / TWA

8-hour time weighted average

Sources of key data used to compile the Material Safety

Data Sheet

: Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Revision Date

: 02/16/2015

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8



Revision Date: 15-Sept-2015

Item Number(s): 209505, 209514, 209701

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product name

GOLDEN HARVEST® UNIVERSAL WHEAT WALLPAPER PASTE / WALL SIZE

Other means of identification

Synonyms

None

Recommended use of the chemical and restrictions on use

Recommended use

Adhesive - Construction, Wallcovering

Uses advised against

See Technical Data Sheet

Details of the supplier of the safety data sheet

Supplier name

Roman Decorating Products, LLC

Supplier address

824 State Street Calumet City, IL

60409 US

Supplier phone number

Phone: 708-891-0770

Fax: 708-891-4746

Supplier e-mail

technicalhelp@romandec.com

Emergency telephone number

Company emergency phone number 708-891-0770

2. HAZARDS IDENTIFICATION

Classification

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

UNIVERSAL WHEAT Revision Date 15-Sept-2015

GHS Label elements, including precautionary statements

Emergency Overview

The product contains no substances which at their given concentration, are considered to be hazardous to health.

Appearance White

Physical state Solid/Powder

Odor Dry powder

Precautionary Statements - Prevention

Obtain special instructions before use.

Precautionary Statements - Response

None

Precautionary Statements - Storage

None

Precautionary Statements - Disposal

None

Hazards not otherwise classified (HNOC)

Not applicable

Unknown toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity.

Other information

May cause slight eye irritation.

Interactions with other chemicals

No information available.

3. COMPOSITION/INFORMATION ON INGREDIENTS

The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures

Eye contact Rinse thoroughly with plenty of water, also under the eyelids. If symptoms persist, call a

physician.

Skin contact Wash with soap and water.

Inhalation Remove to fresh air.

Ingestion Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an

unconscious person.

Page 2/7

UNIVERSAL WHEAT Revision Date 15-Sept-2015

Most important symptoms and effects, both acute and delayed

Most important symptoms and

No information available.

effects

Indication of any immediate medical attention and special treatment needed

Notes to physician

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

No information available.

Hazardous combustion products

Carbon oxides.

Explosion data

Sensitivity to mechanical impact

No

Sensitivity to static discharge

No

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions

Avoid contact with eyes.

Environmental precautions

Environmental precautions

Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for containment

Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Pick up and transfer to properly labeled containers.

UNIVERSAL WHEAT Revision Date 15-Sept-2015

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin and eyes.

Conditions for safe storage, including any incompatibilities

Storage Do not freeze. Keep container tightly closed.

Incompatible products None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

This product, as supplied, does not contain any hazardous materials with occupational Exposure guidelines

exposure limits established by the region specific regulatory bodies.

Appropriate engineering controls

Engineering measures Showers

Eyewash stations

Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/face protection No special protective equipment required.

Skin and body protection No special protective equipment required.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

Odor

Odor threshold

Handle in accordance with good industrial hygiene and safety practice. Hygiene measures

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and chemical properties

Physical state

Solid/Powder

White

White

Property

Values

Melting / freezing point

Not applicable Not applicable

Boiling point / boiling range

Not applicable

Flash point

Evaporation rate

Appearance

Color

pH

Not applicable

Flammability (solid, gas)

Not applicable

No data available

Dry powder

No information available

UNIVERSAL WHEAT Revision Date 15-Sept-2015

Flammability limit in air

Upper flammability limit Not applicable Lower flammability limit Not applicable Not applicable Vapor pressure Not applicable Vapor density Not applicable Specific gravity Water solubility Miscible in water Solubility in other solvents No data available Partition coefficient: n-octanol/waterNot applicable Autoignition temperature Not applicable Decomposition temperature Not applicable Kinematic viscosity Not applicable Dynamic viscosity Not applicable Not applicable Explosive properties Not applicable Oxidizing properties Softening point Not applicable Not applicable VOC content (actual) No data available Particle size Particle size distribution No data available

10. STABILITY AND REACTIVITY

Reactivity

Not applicable.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Hazardous polymerization

Hazardous polymerization does not occur.

Conditions to avoid

None known based on information supplied.

Incompatible materials

None known based on information supplied.

Hazardous decomposition products

Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product information

Specific test data for the substance or mixture is not available.

Component information

Page 5/7

UNIVERSAL WHEAT Revision Date 15-Sept-2015

Information on toxicological effects

Symptoms

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization

No information available.

Mutagenic effects

No information available.

Carcinogenicity

Contains no ingredient listed as a carcinogen.

Reproductive toxicity

No information available.

STOT - single exposure

No information available.

STOT - repeated exposure

No information available.

Chronic toxicity

No known effect based on information supplied.

Target organ effects

None known.

Aspiration hazard

No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal methods

Dispose of contents/containers in accordance with federal, state and local regulations.

14. TRANSPORT INFORMATION

DOT

NOT REGULATED

Proper shipping name

NON REGULATED

Hazard class

N/A

TDG

Not regulated

MEX

Not regulated

ICAO

Not regulated

IATA

Not regulated

Proper shipping name

NON REGULATED

Hazard class

N/A

IMDG/IMO

Not regulated

Hazard class

N/A

RID

Not regulated

ADR

Not regulated

ADN

Not regulated

15. REGULATORY INFORMATION

International inventories

TSCA

Complies

DSL

All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US state regulations

California proposition 65

This product does not contain any Proposition 65 chemicals.

16. OTHER INFORMATION

NFPA HMIS Health Hazards 0 Health Hazards 0 Flammability 0 Flammability 0 Instability 0

Physical and Chemical Hazards

Physical Hazard 0 Personal Protection X

Prepared By

Product Stewardship

23 British American Blvd.

Latham, NY 12110 1-800-572-6501

Revision Date

15-Sept-2015

Revision Note

No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

Confirms to OSHA Hazard Communication Standard (CFR 29 1910.1200) HazCom 2012

GOO GONE

Product: Goo Gone- 2028, 2030, 2030A, 2050, 2053, 2082, 2086, 2087, 2089, 2090, 2092,

2035CLIP, 2095CLIP, 2129, 2139B, 2166D, 2221D, 2223

Revision Date: 12-Jun-2018

SECTION 1 – IDENTIFICATION

Product Identifier

Product Name: Goo Gone

Product Code: 2028, 2030, 2030A, 2050, 2053, 2082, 2086, 2087, 2089, 2090, 2092, 2035CLIP,

2095CLIP, 2129, 2139B, 2166D, 2221D, 2223

Recommended Use of the Chemical and Restrictions for Use

Recommended Use: Cleaner

Restrictions for Use: Use only as directed.

Details of the Supplier

Manufacturer: Goo Gone

755 Tri-State Parkway Gurnee, IL 60031 855-364-8135

Emergency Phone Number

24-Hour Number: 1-800-535-5053 **International:** 1-352-323-3500

SECTION 2 – HAZARDS IDENTIFICATION

Classification

Hazard Class	Category
Flammable Liquid	4
Skin Sensitization	1
Aspiration Hazard	1

Label Elements

Hazard Symbols(s):





Signal Word(s): Danger

Hazard Statement(s): Combustible liquid. May cause an allergic skin reaction. May be fatal if swallowed and enters airways.

Precautionary Statement(s): Keep away from flames and hot surfaces. No smoking. Avoid breathing fume/mist/vapors/spray. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/eye protection/face protection. If swallowed: Immediately call a poison center/doctor. Do NOT induce vomiting. If on skin: Wash with plenty of water. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents and container in accordance with all local, regional, national and international regulations.

Other Hazards

None known

SECTION 3 - COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS Number	Wt %
Petroleum distillates, hydrotreated light	64742-47-8	60-100
D-Limonene	5989-27-5	1-5
Orange, sweet, extract	8028-48-6	0.5-1.5

The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

Document No.: 130529-5 Release Date: 1/10/2014 Page 1 of 5

Confirms to OSHA Hazard Communication Standard (CFR 29 1910.1200) HazCom 2012

GOO GONE

Product: Goo Gone- 2028, 2030, 2030A, 2050, 2053, 2082, 2086, 2087, 2089, 2090, 2092,

2035CLIP, 2095CLIP, 2129, 2139B, 2166D, 2221D, 2223

Revision Date: 12-Jun-2018

SECTION 4 – FIRST AID MEASURES

First Aid Measures

Inhalation: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.

Eye Contact: Rinse immediately with water for at least 15 minutes. Remove contact lenses, if worn. If irritation persists, seek medical attention immediately.

Ingestion: If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.

Skin: In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash with soap and water. If irritation persists, seek medical attention.

Most Important Symptoms and Effects (Acute and Delayed)

Inhalation: May cause respiratory track irritation.

Eye Contact: May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.

Ingestion: May be harmful if swallowed. May cause stomach distress, nausea or vomiting.

Skin: May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin. May cause sensitization by skin contact.

Indication of any Immediate Medical Attention and Special Treatment Needed

Note to Physician: Treat symptomatically.

SECTION 5 - FIRE FIGHTING MEASURES

Extinguishing Media

Suitable: Treat for surrounding material.

Unsuitable: None known.

Specific Hazards Arising from Chemical

Products of combustion include but are not limited to: oxides of carbon.

Protective Equipment and Precautions for Firefighters

Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA). As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment, and Emergency Procedures

Personal Precautions: Use personal protective equipment as required.

Environmental Precautions: See Section 12 for ecological information.

Methods and Material for Containment and Cleaning Up

Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE). For cleaning up scoop up material and place in a disposal container. Provide ventilation.

SECTION 7 - HANDLING AND STORAGE

Precautions for Safe Handling

Handling: Keep away from sources of ignition. No smoking. Avoid contact with skin and eyes. Avoid breathing fume/mist/vapors/spray. Do not swallow. Handle and open container with care. When using do not eat, drink or smoke.

General Hygiene Advice: Launder contaminated clothing before use. Wash hands before eating, drinking, or smoking.

Document No.: 130529-5 Page 2 of 5

Release Date: 1/10/2014

Confirms to OSHA Hazard Communication Standard (CFR 29 1910.1200) HazCom 2012



Revision Date: 12-Jun-2018

Product: Goo Gone- 2028, 2030, 2030A, 2050, 2053, 2082, 2086, 2087, 2089, 2090, 2092,

2035CLIP, 2095CLIP, 2129, 2139B, 2166D, 2221D, 2223

Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions: Keep container closed when not in use. Store in a dry, cool, and well-ventilated area. Keep out of

reach of children.

Incompatible Materials: None known.

SECTION 8 – EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Exposure Guidelines:

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Petroleum distillates, hydrotreated light (64742-47-8)	200 mg/m ³	100 ppm	Not available
D-Limonene (5989-27-5)	Not available	Not available	Not available
Orange, sweet, extract (8028-48-6)	Not available	Not available	Not available

Appropriate Engineering Controls

Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below recommended exposure limits.

Individual Protection Measures

Respiratory Protection: None required under normal use conditions. In case of insufficient ventilation, wear suitable respiratory equipment.

Skin and Body Protection: Wear suitable protective clothing.

Eye/Face Protection: Safety glasses or goggles are recommended when using product.

General Work/Hygienic Practices: Do not eat, smoke or drink where material is handled, processed or stored. Wash hands carefully before eating or smoking. Handle in accordance with good industrial hygiene and safety practice.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Yellow clear liquid

Odor: Citrus

Odor threshold: Not determined

pH: Not determined

Melting point/freezing point: Not determined

Initial boiling point and boiling range: Not determined

Flash point: 85°C (185°F) TCC Evaporation rate: Not determined Flammability (solid, gas): Flammable

Upper/lower flammability or explosive limits: Not determined

Vapor pressure: Not determined Vapor density: Not determined

Relative density: 0.80

Solubility(ies): Not determined

Partition coefficient (n-octanol/water): Not determined

Auto-ignition temperature: Not determined

Decomposition temperature: Not determined

Viscosity: Not determined

SECTION 10 – STABILITY AND REACTIVITY

Reactivity: Not reactive under normal conditions.

Chemical stability: Stable under recommended storage conditions.

Document No.: 130529-5 Release Date: 1/10/2014 Page 3 of 5

Confirms to OSHA Hazard Communication Standard (CFR 29 1910.1200) HazCom 2012



Revision Date: 12-Jun-2018

Product: Goo Gone- 2028, 2030, 2030A, 2050, 2053, 2082, 2086, 2087, 2089, 2090, 2092,

2035CLIP, 2095CLIP, 2129, 2139B, 2166D, 2221D, 2223

Possibility of hazardous reactions: None under normal use.

Conditions to avoid: Heat. Incompatible materials. Sources of ignition.

Incompatible materials: None known.

Hazardous decomposition products: May include and are not limited to: oxides of carbon.

SECTION 11 - TOXICOLOGICAL INFORMATION

Information on Toxicological Effects

Likely Routes of Exposure: Inhalation, skin contact, eye contact, ingestion

Information Related to Physical, Chemical, and Toxicological Effects

See section 4 of this SDS.

Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure

Carcinogenicity: NTP: No IARC: No OSHA: No

Numerical Measures of Toxicity

Product	
ATE (oral)	>2000 mg/kg, rat
ATE (dermal)	>2000 mg/kg, rabbit
ATE (inhalation)	Not available

Component Information:

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Petroleum distillates, hydrotreated light (64742-47-8)	>5000 mg/kg, rat	>2000 mg/kg, rabbit	>5.2 mg/l/4h, rat
D-Limonene (5989-27-5)	4400 mg/kg, rat	>5000 mg/kg, rabbit	Not available
Orange, sweet, extract (8028-48-6)	>5000 mg/kg, rat	>5000 mg/kg, rabbit	Not available

SECTION 12 - ECOLOGICAL INFORMATION

Ecotoxicity: Not established

Persistence and degradability: Not established
Bioaccumulative potential: Not established

Mobility in soil: No additional information available

Other adverse effects: No additional information available.

SECTION 13 – DISPOSAL CONSIDERATIONS

See section 8 of this SDS for exposure controls and personal protection.

Dispose of the product and container in accordance with all applicable local, state, and federal regulations.

SECTION 14 - TRANSPORT INFORMATION

Note: Classification changes based on quantity, packaging, and method of shipment. See current shipping paper for most up to date shipping information.

DOT (Ground): Not Regulated- See 49 CFR 173.150(f)(2) as the product is not bulk packaged.

IATA (Air): Not Regulated IMDG (Vessel): Not Regulated

SECTION 15 - REGULATORY INFORMATION

All ingredients in this product are listed or are excluded from listing on the US Toxic Substances Act (TSCA) Chemical Substance Inventory.

Document No.: 130529-5 Page 4 of 5

Release Date: 1/10/2014

Confirms to OSHA Hazard Communication Standard (CFR 29 1910.1200) HazCom 2012



Revision Date: 12-Jun-2018

Product: Goo Gone- 2028, 2030, 2030A, 2050, 2053, 2082, 2086, 2087, 2089, 2090, 2092,

2035CLIP, 2095CLIP, 2129, 2139B, 2166D, 2221D, 2223

This product is labeled in accordance with regulations administered by the Consumer Product Safety Commission (CPSC). The use pattern and exposure in the workplace are generally not consistent with those experienced by consumers. The requirements of the Occupational Safety and Health Administration (OSHA) applicable to this Safety Data Sheet differ from the requirements of the CPSC and as a result, this SDS may contain additional health hazard information not pertinent to consumer use and not found on the product label.

SECTION 16 – OTHER INFORMATION

Issue Date: 23-Aug-2017 Revision Date: 12-Jun-2018

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designed and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

Document No.: 130529-5 Page 5 of 5

Release Date: 1/10/2014



Revision Date: 4/21/15 SDS Number: 307765

Prepared according to Global Harmonized System (GHS) standards

SECTION 1

CHEMICAL PRODUCT IDENTIFICATION

Graco Inc.

88 11th Avenue Northeast Minneapolis, Minnesota 55413 Tel: 612-623-6000

customerservice@graco.com

Product Trade Name: Graco TSL

CAS Number: Not Determined. Synonyms/Other: Not Applicable.

Part Number(s): 238049, 206994, 206995, 206996, 206997, 206998, 24C822, 24C823, CAN994, 17C436

Recommended Use: Specialty Lubricant Restrictions on Use: Not Determined.

Created Date: 8/19/2013

Preparation/Revision Date: 4/21/2015

Emergency Phone Number: 1-800-424-9300 (CHEMTREC)

SECTION 2

HAZARD IDENTIFICATION

Appearance: Clear, Colorless Liquid
Odor: Mild, Sweet Odor

Classification: This material is not considered to be hazardous according to the Globally Harmonized

System of Classification and Labelling Chemicals (GHS), Third Revised Edition.

Target Organs: Not applicable.

Pictogram(s): Signal Word:

None required.
None required.
Not required.

Hazard Statement:
Other Hazards:
Prevention:
Response:
Storage Procedures:
Disposal:
Not required.
None required.
None required.
None required.
None required.

Other: See section 11 for complete health hazard information.

0	= ^	TIC	ИС	•
0	= 0		ЛN	J

COMPOSITION OF INGREDIENTS

Component	CAS Number	Percentage (by weight)
Phthalic Acid Esters	53306-54-0	80-100%

The balance of components do not contribute to the overall classification of the fluid, according to the GHS Standard.

SECTION 4

FIRST AID MEASURES

Eye Contact: If irritation occurs, cautiously rinse eyes with lukewarm, gently flowing water for 5 minutes,

while holding the eyelids open. If eye irritation persists: Get medical advice/attention.

Skin Contact: Call a doctor if you feel unwell.



Revision Date: 4/21/15 SDS Number: 307765

Inhalation: Get medical advice or attention if you feel unwell or are concerned.

Ingestion: If you feel unwell or concerned: Get medical advice/attention. Rinse mouth. Do NOT

induce vomiting. If vomiting occurs naturally, lie on your side, in the recovery position.

Other: No additional information

SECTION 5

FIRE FIGHTING MEASURES

Flash Point: 240°C by Cleveland Open Cup Tester.

Flammable limits: Not determined.

Extinguishing media: Use dry chemical, alcohol foam, all purpose AFFF or carbon dioxide to extinguish fire.

Special firefighting procedures: DO NOT direct a solid stream of water or foam into hot, burning pools of liquid since this

may cause frothing and increase fire intensity. Frothing can be violent and possibly endanger any firefighter standing too close to the burning liquid. Use water spray to cool fire exposed containers and structures until fire is out if it can be done with minimal risk. Avoid spreading burning material with water used for cooling purposes. Wear full

firefighting turn-out gear (full Bunker gear), and respiratory protection (SCBA).

Unusual fire & explosion

hazards:

Dense smoke may be generated while burning. Toxic fumes, gases or vapors may evolve on burning. High temperatures may create heavy flammable vapors that may

settle along ground level and low spots to create an invisible fire hazard.

Byproducts of combustion: Fires involving this product may release oxides of carbon, phosphorus, nitrogen and

sulfur; reactive hydrocarbons and irritating vapors.

Autoignition temperature:

Explosion data:

Not determined. Care should always be exercised in dust/mist areas.

Other: Dispose of fire debris and contaminated extinguishing water in accordance with official

regulations.

Not determined.

SECTION 6

ACCIDENTAL RELEASE MEASURES

Spill control procedures (land): Immediately turn off or isolate any source of ignition (pilot lights, electrical equipment,

flames, heaters, etc.). Evacuate area and ventilate. Personnel wearing proper protective equipment should contain spill immediately with inert materials (sand, earth, chemical spill pads of cotton) by forming dikes. Dikes should be placed to contain spill in a manner that will prevent material from entering sewers and waterways. Large spill, once contained, may be picked up using explosion proof, non-sparking vacuum pumps, shovels, or buckets, and disposed of in suitable containers for disposal. If a large spill occurs notify appropriate authorities. In case of road spill or accident contact Chem-Trec (800-424-9300).

Spill control procedures

(water):

Try to contain large spills with floating booms to prevent spill from spreading. Remove from surface by skimming or with suitable adsorbents. If a large spill occurs notify appropriate authorities (normally the National Response Center or Coast Guard at 800-

424-8802).

Waste disposal method: Do not empty into drains. All disposals must comply with federal, state, and local

regulations. The material, if spilled or discarded may be a regulated waste. Refer to state and local regulations. Department of Transportation (DOT) regulations may apply for

transporting this material when spilled. See Section 14.

Other: CAUTION - If spilled material is cleaned up using a regulated solvent, the resulting waste

mixture will be regulated.



Revision Date: 4/21/15 SDS Number: 307765

SECTION 7

HANDLING AND STORAGE

Handling procedures: Keep containers closed when not in use. Do not transfer to unmarked containers. Empty

containers retain product residue which may exhibit hazards of material, therefore do not pressurize, cut, glaze, weld, or use for any other purposes. Return drums to reclamation

centers for proper cleaning and reuse.

Handling temperatures should not exceed 60°C (140°F) to minimize danger of burns. Open containers carefully in a well ventilated area or use appropriate respiratory

protection. Wash thoroughly after handling.

Storage procedures: Store containers away from heat, sparks, open flame, or oxidizing materials. Extended

storage at excessive temperatures may produce odorous and toxic fumes from product

decomposition.

Additional information: No additional information.

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Personal protection: Applicable mainly to persons in repeated contact situations such as packaging of product,

service/maintenance, and cleanup/spill control personnel.

Respiratory protection: None required if ventilation is adequate. Otherwise a respiratory protection program

meeting OSHA 1910.134 and ANSI Z88.2 requirements must be followed. Where misting may occur, wear an MSHA/NIOSH approved (or equivalent) half-mask form dust/mist air

purifying respirator.

Eye protection: Eye protection is strongly recommended. Wear safety glasses with side shields or

vented/splash proof goggles (ANSI Z87.1 or approved equivalent).

Hand protection: Impervious, chemically resistant gloves such as neoprene or nitrile rubber to avoid skin

sensitization and absorption.

Other protection: Use of an apron and overboots of chemically impervious materials such as neoprene or

nitrile rubber is recommended based on level of activity and exposure. If handling hot material use insulated protective equipment. Launder soiled clothes. Properly dispose of

contaminated leather articles and other materials which cannot be decontaminated.

Local control measures: Use adequate ventilation when working with material in an enclosed area. Mechanical

methods such as fume hoods or area fans may be used to reduce localized vapor/mist areas. If vapor or mist is generated when the material handled, adequate ventilation in accordance with good engineering practice must be provided to maintain concentrations below the specified exposure. Eyewash stations and showers should be available in

areas where this material is used and stored.

Other: Consumption of food and drink should be avoided in work areas where product is present.

Always wash hands and face with soap and water before eating, drinking or smoking.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear, Colorless Liquid
Odor: Mild, Sweet Odor
Odor threshold: Not determined.
pH: Not applicable.
Melting/Freezing point: Not determined.

Initial boiling point: 260°C (500°F) @ 10.000 mmHg.

Boiling range: Not determined.

Flash point: 240°C.

Evaporation rate: Not determined.
Flammability: Not determined.
Upper flammable limit: Not determined.

Revision Date: 4/21/15 SDS Number: 307765



Lower flammable limit:Not determined.Vapor pressure:0.100 mmHg @ 155°CVapor density:Not determined.

Relative density: 1.166 g/cm3 @ 15.6°C
Solubility: Slightly Soluble in Water.

Partition Coefficient:

Auto-ignition temperature:

Decomposition temperature:

Viscosity:

Other

Not determined.

Not determined.

Not determined.

Not determined.

Not applicable.

SECTION 10

STABILITY AND REACTIVITY

Reactivity

Chemical stability: Material is chemically stable at room temperatures and pressure.

Hazardous polymerization: Will not occur.

Conditions to avoid: Avoid high temperatures and product contamination. **Incompatibility with other** Avoid contact with acids and strong oxidizing materials.

materials:

Decomposition products: Smoke, carbon monoxide, carbon dioxide, and other aldehydes of incomplete

combustion. Oxides of carbon, nitrogen, and sulfur; reactive hydrocarbons and irritating

vapors.

Other: Not applicable.

SECTION 11

TOXICOLOGICAL INFORMATION

Acute toxicity (LD50) *See note at the bottom of the section

Oral: >5000 mg/kg

Dermal: >5000 mg/kg

Inhalation: >20.0 mg/l

Skin irritation: Non-irritant

Eye irritation: Non-irritant

Dermal sensitization: Not expected to have a sensitizing effect. **Respiratory sensitization:** Not expected to have a sensitizing effect.

Aspiration Hazard: Not applicable

Chronic Toxicity

Mutagenicity: Not suspected of causing genetic defects

Carcinogenicity: Not suspected of causing cancer.

Reproductive toxicity: Not expected to have adverse effects on reproduction.

STOT-single exposure: Not expected to have adverse effects.

STOT-repeated exposure: Not expected to have long term adverse effects.

Other: *All data in this section is based off calculations from Part 3 of the Globally Harmonized

System of Classification and Labelling of Chemicals (GHS) utilizing information from the

constituent components.

SECTION 12

ECOLOGICAL INFORMATION

Environmental toxicity

 Fish:
 > 100 mg/l.

 Invertebrates:
 > 100 mg/l.

 Aquatic plants:
 > 100 mg/l.

 Microorganism:
 > 100 mg/l.



Revision Date: 4/21/15 SDS Number: 307765

Persistence/Degradability: This product is not expected to be readily biodegradable.

Bioaccumulation: Not determined.

Mobility in soil: Not determined.

Other: All classifications are based on calculations in Part 4 of the Globally Harmonized System

of Classification and Labelling of Chemicals (GHS) utilizing information from the

constituent components.

SECTION 13

DISPOSAL CONSIDERATIONS

Waste disposal: This product unadulterated by other materials can be classified as a non-hazardous

waste. Depending on use, used product may be regulated. Dispose of in a licensed facility. Do not discharge product in to sewer system. Dispose of containers by crushing or puncturing, so as to prevent unauthorized use of used containers. Waste management

should be in full compliance with federal, state, and local laws.

Other: The transportation, storage, treatment and disposal of RCRA waste material must be

conducted in compliance with 40 CFR 262, 263, 264, 268 and 270. Chemical additions, processing or otherwise altering this material may make the waste management information presented in this SDS incomplete, inaccurate or otherwise inappropriate.

SECTION 14

TRANSPORT INFORMATION

Land Transport (DOT): Not Regulated. **Proper Shipping Name:** Not applicable. Land Transport (TDG): Not Regulated. Not applicable. **Proper Shipping Name:** Not Regulated. Sea Transport (IMDG): **Proper Shipping Name:** Not applicable. Air Transport (IATA): Not Regulated. Not applicable. **Proper Shipping Name:** Other: Marine Pollutant: No.

SECTION 15

REGULATORY INFORMATION

WHMIS: Not Controlled.

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the (M)SDS contains all the information required by the

Controlled Products Regulations.

Federal Regulation

Clean water act/oil: Not Determined.

TSCA: All components of this material are listed in the U.S. TSCA Inventory.

Other TSCA: Not applicable.

SARA title III: Section 302/304 extremely hazardous substances:

None.

Section 311, 312 hazard categorization:

Acute (immediate health effects):

Chronic (delayed health effects):

NO
Fire (hazard):

NO
Reactivity (hazard):

NO
Pressure (sudden release hazard):

NO



Revision Date: 4/21/15 SDS Number: 307765

Section 313 toxic chemicals:

No components present are at or greater than the de minimis (minimum reportable)

concentration requirements for reporting.

CERCLA: For stationary/moving sources - reportable quantity (due to): Not hazardous due to the

petroleum exclusion.

State Regulations

Right-to-know

Not determined.

Other: A release

A release of this product, as supplied, is exempt from reporting under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA). However, releases may be reportable to the Nation Response Center under the Clean Water Act, 33 U.S.C. 1321(b)(3) and (5) - see head of Section 15. Failure to report may result in substantial civil and criminal penalties.

Recommend contacting the local authorities in the event of any type of spill to determine local reporting requirements and also to aid in the cleanup.

SECTION 16	OTHER INFORMATION			
	NFPA 704	NPCA-HMIS	KEY	
HEALTH:	2	2	0 = Minimal	
FIRE:	1	1	1 = Slight	
REACTIVITY:	0	0	2 = Moderate	
SPECIFIC HAZARD:	None	N/A	3 = Serious	
PROTECTION INDEX:	N/A	В	4 = Severe	
PROTECTION INDEX:	N/A	В	4 = Severe	

Version: VI

This Safety Data Sheet and the information it contains is offered to you in good faith as accurate. We have reviewed any information contained in this Data Sheet which we have received from sources outside our company. We believe that information to be correct, but cannot guarantee its accuracy or completeness. Health and safety precautions in this Data Sheet may not be adequate for all individuals and/or situations. It is the users' obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. No statement made in this Data Sheet shall be construed as a permission or recommendation for the use of any product in a manner that might infringe existing patents. No warranty is made, either express or implied.

NOTES: NA = Not Applicable; NE = Not Established; UN = Unavailable

All written and visual data contained in this document reflects the latest product information available at the time of publication.

Graco reserves the right to make changes at any time without notice.

Headquarters: Minneapolis

International Offices: Belgium, Korea, Hong Kong, Japan GRACO INC. P.O. BOX 1441 MINNEAPOLIS, MN 55440-1441

www.graco.com PRINTED IN U.S.A.

Revisions / Comments: Added exception in Section 14, updated Section 16: 12/13/2013.

Updated Section 14, reviewed entire document: 09/11/2014.

Added customer part number, updated SDS number, added email address to contact

information, updated footer of last page per customer request: 09/23/2014 Added marine pollutant statement per customer request: 10/10/2014.

Added WHMIS information to Section 15, reviewed entire document: 04/21/2015.



SAFETY DATA SHEET

OSHA HCS (29 CFR 1910.1200)

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Graphite Dry Lube Trade Name

8-GS Product Code

Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s) Lubricant None

Uses Advised Against

The Blaster Corporation Company Identification

8500 Sweet Valley Drive Valley View, Ohio 44125

(216) 901-5800 Telephone (216) 901-5801 Fax www.blastercorp.com Website:

CHEMTREC 24 hr. 1-800-424-9300 Emergency telephone number

SECTION 2: HAZARDS IDENTIFICATION

Classification of the substance or mixture

OSHA HCS (29 CFR 1910.1200)

Flam. Aerosol 1; Liquefied gas; Skin Irrit. 2; Eye Irrit. 2; STOT SE 3; Asp.

Tox. 1

Label elements

Hazard Symbol



Signal word(s)

Extremely flammable aerosol. Hazard Statement(s)

Contains gas under pressure; may explode if heated.

Causes skin irritation. Causes serious eye irritation.

May be fatal if swallowed and enters airways.

May cause drowsiness or dizziness.

Precautionary Statement(s) Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Do not spray on an open flame or other ignition source.

Do not pierce or burn, even after use.

Use only outdoors or in a well-ventilated area.

Avoid breathing spray.

Protect from sunlight and do not expose to temperatures exceeding 50

°C/122 °F.

Wear protective gloves/eye protection. Wash hands and exposed skin after use.

Keep out of reach of children.

Toxic to aquatic life. Toxic to aquatic life with long lasting effects. Other hazards

Page: 1/7 Revision: November 5, 2014



SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Ingredient(s)	% wt. *	CAS No.	Hazard classification
			Flam. Liq. 2; H225
			Asp. Tox. 1; H304
	30 - 40	Trade Secret	Skin Irrit. 2; H315
Petroleum Distillate	30 - 40	rrade decret	STOT SE 3; H336
			Aquatic Acute 2; H401
			Aquatic Chronic 2; H411
			Flam. Liq. 2; H225
Isopropanol	30 - 35	67-63-0	Eye Irrit. 2; H319
			STOT SE 3; H336
	15.00	74.00.0	Flam. Gas 1; H220
Propane	15 - 20	74-98-6	Liquefied gas; H280
	10 15	100.07.0	Flam. Gas 1; H220
Butane	10 - 15	106-97-8	Liquefied gas; H280

Additional Information - Substances in the product which may present a health or environmental hazard, or which have been assigned occupational exposure limits, are detailed below.:

n-Butanol (CAS No. 71-36-3), <1%

Propylene glycol methyl ester (CAS No. 107-98-2) <1%

SECTION 4: FIRST AID MEASURES



Description of first aid measures

Inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing. If breathing is labored, administer oxygen. Call a POISON CENTER/doctor if you feel unwell.

Skin Contact

Wash affected skin with soap and water. If skin irritation occurs, get medical advice/attention. Take off contaminated clothing and wash it

before reuse.

Eye Contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye

irritation persists, get medical advice/attention.

Ingestion

Do not give anything by mouth to an unconscious person. Seek medical

treatment. Do NOT induce vomiting.

Most important symptoms and effects, both acute and delayed

Aspiration of droplets may cause pulmonary oedema. May cause drowsiness and dizziness.

Indication of any immediate medical attention and special treatment needed

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing Media

-Suitable Extinguishing Media

Revision: November 5, 2014

-Unsuitable Extinguishing Media

Н

Extinguish with carbon dioxide, dry chemical, foam or water spray. Do not use water jet.

Highly flammable vapor (flash point below 23°C).

Special hazards arising from the substance or mixture

Page: 2/7

^{*} The exact percentage withheld as a trade secret in accordance with 29 CFR 1910.1200.



Advice for fire-fighters

A self contained breathing apparatus and suitable protective clothing should be worn in fire conditions. Keep containers cool by spraying with water if exposed to fire.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and

emergency procedures

Keep away from heat/sparks/open flames/hot surfaces. – No smoking. Take precautionary measures against static discharges. Avoid contact

with skin and eyes. Avoid breathing vapors.

Environmental precautions Prevent liquid entering sewers, basements and work pits. Collect

spillage.

Methods and material for containment and cleaning up

Cover spills with inert absorbent material. Transfer to a container for

disposal or recovery.

Reference to other sections

Additional Information

None

None

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Keep away from heat/sparks/open flames/hot surfaces. – No smoking. Avoid contact with skin and eyes. Use product in a well-ventilated area only.

Conditions for safe storage, including any incompatibilities

-Storage temperature

Store locked up.Keep in a cool, well ventilated place. Protect from sunlight. Store at temperatures not exceeding 50 °C / 122 °F. Keep

container tightly closed.

-Incompatible materials

This product should be stored away from sources of strong heat or

oxidizing chemicals.

Specific end use(s)

Lubricant

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits

		(8hr	TWA)	(ST	EL) en alace	Alexander and
SUBSTANCE.	CAS No.	PEL (OSHA)	TLV (ACGIH)	PEL (OSHA)	TLV (ACGIH)	Note:
Alkanes and cycloalkanes (C5 - C8)			1500 mg/m3			
Alkanes and cycloalkanes (C9 - C15)			1200 mg/m3			
Isopropanol	67-63-0	400 ppm	200 ppm		400 ppm	
n-Butanol	71-36-3	100 ppm	20 ppm			
Propylene glycol methyl ester	107-98-2		50 ppm		100 ppm	
n-Butane	106-97-8		250 ppm			
Propane	74-98-6	1000 ppm	Aspyx.*			#

*Assure minimum oxygen content of work atmosphere.

Recommended monitoring method

NIOSH 1550 (Naphthas); NIOSH 1500 (hydrocarbons, B.P. 36 - 126 °C); NIOSH 1400 (alcohols I); NIOSH 1401 (alcohols II); NIOSH 2554 (Glycol Ethers)

Exposure controls

Appropriate engineering controls

Provide adequate ventilation to ensure that the occupational exposure limit is not exceeded.

Personal protection equipment

Revision: November 5, 2014 Page: 3/7



Eye/face protection

0

Wear protective eyewear (goggles, face shield, or safety glasses).

Skin protection (Hand protection/ Other)

(1)

Wear suitable gloves if prolonged skin contact is likely (Butyl rubber)

Respiratory protection



Normally no personal respiratory protection is necessary. In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards

Not normally required. Use gloves with insulation for thermal protection, when needed.

Environmental Exposure Controls

None known

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance Color.

Color. Odor

Odor Threshold (ppm)

pH (Value)

Melting Point (°C) / Freezing Point (°C)

Boiling point/boiling range (°C): Flash Point (°C)

Evaporation Rate Flammability (solid, gas) Explosive Limit Ranges

Vapor pressure (Pascal) Vapor Density (Air=1)

Density (g/ml)

Solubility (Water) Solubility (Other)

Partition Coefficient (n-Octanol/water)

Auto Ignition Point (°C)

Decomposition Temperature (°C)

Kinematic Viscosity (@40°C)

Kinematic Viscosity (@40°C)

Explosive properties Oxidizing properties

Other information

Aerosol spray

Colorless

Mild isopropanol odor

Not available

Not available

Not available

Not available

-104 (Propane)

Not available

Extremely flammable 2.1% - 9.5% v/v (Propane)

ca. 95 x 10⁴ (Propane)

ca. 1.56 @ 0°C (Propane)

Not available

Not available

Not available

Not available

450 (Propane)

Not available

0.49 mm²/sec (Naphtha (petroleum) hydrotreated light)

Not explosive.

Not oxidizing.

Not available

SECTION 10: STABILITY AND REACTIVITY

Reactivity

Chemical stability

Possibility of hazardous reactions Conditions to avoid

Stable under normal conditions.

Stable.

None anticipated.

Avoid contact with heat and ignition sources.

Incompatible materials

Strong oxidizing agents; Strong Acids; Aldehydes; Halogens; Amines; Halogenated Hydrocarbons, Alkalis.Do not use with aluminum equipment at temperatures exceeding 120°F.

Hazardous decomposition product(s)

Carbon monoxide, Carbon dioxide, Acrid smoke

Revision: November 5, 2014

Page: 4/7



SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes: Inhalation, Skin Contact, Eye Contact

Information on toxicological effects

Petroleum distillate (CAS No. Trade Secret) - By analogy with similar materials:

Acute toxicity (calculated / estimated)

Oral: LD50 >5000 mg/kg-bw Dermal: LD50 >2000 mg/kg-bw

Inhalation: LC0 ≥7.6 mg/l (Vapor), 4-hr. rat - May cause

drowsiness or dizziness.

Irritation/Corrosivity

Causes skin irritation. Repeated exposure may cause skin dryness

or cracking.

Sensitization

It is not a skin sensitizer.

Repeated dose toxicity

Dermal: NOEAL >2000 mg/kg bw (systemic effects)

Inhalation: NOAEC = 1.4 mg/l (Vapor)

Carcinogenicity

It is unlikely to present a carcinogenic hazard to man.

I	NTP	IARC	ACGIH	OSHA	March NIOSH
ļ	No.	No.	No.	No.	No.

Mutagenicity

Reproductive toxicity

Not to be expected

Not to be expected

Isopropanol (CAS# 67-63-0):

Acute toxicity

Oral: LD50 = 5.84 g/kg (rat)

Inhalation: LC50 > 1000 ppm (rat) 6 hour(s) Dermal: LD50 = 16.4 ml/kg (rabbit) 24 hour(s)

May cause drowsiness or dizziness.

Irritation/Corrosivity

Sensitization

Irritating to eyes.

It is not a skin sensitizer.

Repeated dose toxicity

NOAEL = 5,000 ppm (Inhalation)
May cause drowsiness or dizziness.

Carcinogenicity

It is unlikely to present a carcinogenic hazard to man.

NTP	IARC	ACGIH	OSHA	利用数数 HNIOSH (
No.	No.	No.	No.	No.

Mutagenicity

There is no evidence of mutagenic potential.

Reproductive toxicity Not available

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity

Petroleum distillate (CAS No. Trade Secret) - By analogy with similar materials:

Short term

LL50 (96 hour): 8.2 mg/L (fish) EL50 (48 hour): 4.5 mg/L (crustacea)

EL50 (72 hour): 3.1 mg/L (algae)

Long Term

NOELR (21 days): 2.6 mg/L (crustacea; reproduction) NOELR (72 hour): 0.5 mg/L (algae; growth rate)

Persistence and degradability

According to OECD criteria the product is not readily biodegradable but

inherently biodegradable.

Bioaccumulative potential

The product has no potential for bioaccumulation.

Mobility in soil

Not available.

Results of PBT and vPvB assessment

Not classified as PBT or vPvB.

Other adverse effects

None known.



Isopropanol (CAS# 67-63-0):

Short term LC50 (96 hour): 10,000 mg/l (Fathead minnow (Pimephales promelas))

LC50 24hour(s): >10,000 mg/l (Daphnia magna)

Long Term

NOEC: 3.37 µmol/l (Daphnia magna) (Growth rate)

Persistence and degradability

Readily biodegradable.

Bioaccumulative potential

Not available.

Mobility in soil

Not available.

Results of PBT and vPvB assessment

Not classified as PBT or vPvB.

Other adverse effects

None known.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal should be in accordance with local, state or national legislation. Consult an accredited waste disposal contractor or the local authority for advice.

SECTION 14: TRANSPORT INFORMATION

Air transport Sea transport U.S. DOT (IMDG) (ICAO/IATA) 1950 1950 1950 **UN** number Aerosois, flammable Aerosols, flammable Aerosols, flammable **Proper Shipping Name** 2.1 2.1 2.1 Transport hazard class(es) Not applicable Not applicable Packing group Not applicable None assigned None assigned **Environmental hazards** None assigned None assigned None assigned None assigned Special precautions for user

Transport in buik according to Annex II of MARPOL73/78 and the IBC Code: Not applicable

SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture:

TSCA (Toxic Substance Control Act) - Inventory Status: All components listed or polymer exempt.

Designated Hazardous Substances and Reportable Quantities (40 CFR 302.4):

Г	Chemical Name	CAS No.	Typical %wt.	RQ (Pounds)
	n-Butanol	71-36-3	0.3	5000

SARA 311/312 - Hazard Categories:

SARA 313 - Toxic Chemicals (40 CFR 372):

Chemical Name	CAS No.	Typical %wt.
Isopropanol	67-63-0	33
n-Butanol	71-36-3	0.5

SARA 302 - Extremely Hazardous Substances(40 CFR 355):

	<u> </u>			
Chemical Name		CAS No.	Typical %wt.	TPQ (pounds)
None				

California Proposition 65 List:

Chemical Name	CAS No.	Type of Toxicity
None		

Revision: November 5, 2014 Page: 6/7



SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16.

Date of preparation: September 11, 2014

Hazard Statement(s) and Risk Phrases Listed in: SECTION 2:/ SECTION 3:

Hazard Statement(s)

- H220: Extremely flammable gas.
- H222: Extremely flammable aerosol.
- H225: Highly flammable liquid and vapor.
- H226: Flammable liquid and vapour.
- H280; Contains gas under pressure; may explode if heated.
- H302: Harmful if swallowed.
- H304: May be fatal if swallowed and enters airways.
- H315: Causes skin irritation.
- H318: Causes serious eye damage.
- H319: Causes serious eye irritation.
- H335: May cause respiratory irritation.
- H336: May cause drowsiness or dizziness.
- H401:Toxic to aquatic life.
- H411: Toxic to aquatic life with long lasting effects.

Training advice: None.

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

Revision: November 5, 2014 Page: 7/7



THE DOW CHEMICAL COMPANY

Product name: GREAT STUFF™ Window and Door Insulating

Foam Sealant STW 12oz HC EF 12ct

Issue Date: 11/05/2015

Print Date: 11/06/2015

THE DOW CHEMICAL COMPANY encourages and expects you to read and understand the entire (M)SDS, as there is important information throughout the document. We expect you to follow the precautions identified in this document unless your use conditions would necessitate other appropriate methods or actions.

1. IDENTIFICATION

Product name: GREAT STUFF™ Window and Door Insulating Foam Sealant STW 12oz HC EF 12ct

Recommended use of the chemical and restrictions on use

Identified uses: Polyurethane foam.

COMPANY IDENTIFICATION

THE DOW CHEMICAL COMPANY 2030 WILLARD H DOW CENTER MIDLAND MI 48674-0000 UNITED STATES

Customer Information Number:

800-258-2436

SDSQuestion@dow.com

EMERGENCY TELEPHONE NUMBER

24-Hour Emergency Contact: 800-424-9300 Local Emergency Contact: 800-424-9300

2. HAZARDS IDENTIFICATION

Hazard classification

This material is hazardous under the criteria of the Federal OSHA Hazard Communication Standard 29CFR 1910.1200.

Flammable aerosols - Category 2 Gases under pressure - Liquefied gas

Acute toxicity - Category 4 - Inhalation

Skin irritation - Category 2 Eye irritation - Category 2B

Respiratory sensitisation - Category 1

Skin sensitisation - Category 1

Carcinogenicity - Category 2

Specific target organ toxicity - single exposure - Category 3

Specific target organ toxicity - repeated exposure - Category 2 - Inhalation

Label elements Hazard pictograms



Signal word: DANGER!

Hazards

Flammable aerosol.

Contains gas under pressure; may explode if heated.

Causes skin and eye irritation.

May cause an allergic skin reaction.

Harmful if inhaled.

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause respiratory irritation.

Suspected of causing cancer.

May cause damage to organs (Respiratory Tract) through prolonged or repeated exposure if inhaled.

Precautionary statements

Prevention

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Do not spray on an open flame or other ignition source.

Pressurized container: Do not pierce or burn, even after use.

Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

Wash skin thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Contaminated work clothing should not be allowed out of the workplace.

Wear protective gloves/ protective clothing/ eye protection/ face protection.

In case of inadequate ventilation wear respiratory protection.

Response

IF ON SKIN: Wash with plenty of soap and water.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON

CENTER or doctor/ physician if you feel unwell.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF exposed or concerned: Get medical advice/ attention.

If skin irritation or rash occurs: Get medical advice/ attention.

If eye irritation persists: Get medical advice/ attention.

Take off contaminated clothing and wash before reuse.

Storage

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

Disposal

Dispose of contents/ container to an approved waste disposal plant.

Page 2 of 18

Other hazards Water Reactive

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature: Polyurethane prepolymer

This product is a mixture.

Component	CASRN	Concentration
Diphenylmethane Diisocyanate, isomers and	9016-87-9	>= 10.0 - <= 30.0 %
homologues	0010 01 0	10.0
Polymethylenepolyphenyl polyisocyanate, polypropyleneglycol copolymer	53862-89-8	>= 30.0 - <= 60.0 %
Polymethylenepolyphenylisocyanate, propoxylated glycerin polymer	57029-46-6	>= 10.0 - <= 30.0 %
Tris(1-chloro-2-propyl) phosphate	13674-84-5	>= 5.0 - <= 10.0 %
Isobutane	75-28-5	>= 5.0 - <= 10.0 %
Methyl ether	115-10-6	>= 1.0 - <= 5.0 %
Propane	74-98-6	>= 1.0 - <= 5.0 %
4,4' -Methylenediphenyl diisocyanate	101-68-8	>= 10.0 - <= 30.0 %

Note

Note: CAS 101-68-8 is an MDI isomer that is part of CAS 9016-87-9.

4. FIRST AID MEASURES

Description of first aid measures

General advice: First Aid responders should pay attention to self-protection and use the recommended protective clothing (chemical resistant gloves, splash protection). If potential for exposure exists refer to Section 8 for specific personal protective equipment.

Inhalation: Move person to fresh air. If not breathing, give artificial respiration; if by mouth to mouth use rescuer protection (pocket mask, etc). If breathing is difficult, oxygen should be administered by qualified personnel. Call a physician or transport to a medical facility.

Skin contact: Remove material from skin immediately by washing with soap and plenty of water. Remove contaminated clothing and shoes while washing. Seek medical attention if irritation persists. Wash clothing before reuse. An MDI skin decontamination study demonstrated that cleaning very soon after exposure is important, and that a polyglycol-based skin cleanser or corn oil may be more

Page 3 of 18

effective than soap and water. Discard items which cannot be decontaminated, including leather articles such as shoes, belts and watchbands. Suitable emergency safety shower facility should be available in work area.

Eye contact: Immediately flush eyes with water; remove contact lenses, if present, after the first 5 minutes, then continue flushing eyes for at least 15 minutes. Obtain medical attention without delay, preferably from an ophthalmologist. Suitable emergency eye wash facility should be immediately available.

Ingestion: If swallowed, seek medical attention. Do not induce vomiting unless directed to do so by medical personnel.

Most important symptoms and effects, both acute and delayed: Aside from the information found under Description of first aid measures (above) and Indication of immediate medical attention and special treatment needed (below), any additional important symptoms and effects are described in Section 11: Toxicology Information.

Indication of any immediate medical attention and special treatment needed

Notes to physician: Maintain adequate ventilation and oxygenation of the patient. May cause respiratory sensitization or asthma-like symptoms. Bronchodilators, expectorants and antitussives may be of help. Treat bronchospasm with inhaled beta2 agonist and oral or parenteral corticosteroids. Respiratory symptoms, including pulmonary edema, may be delayed. Persons receiving significant exposure should be observed 24-48 hours for signs of respiratory distress. Exposure may increase "myocardial irritability". Do not administer sympathomimetic drugs such as epinephrine unless absolutely necessary. If you are sensitized to diisocyanates, consult your physician regarding working with other respiratory irritants or sensitizers. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient. Excessive exposure may aggravate preexisting asthma and other respiratory disorders (e.g. emphysema, bronchitis, reactive airways dysfunction syndrome).

5. FIREFIGHTING MEASURES

Suitable extinguishing media: Water fog or fine spray. Dry chemical fire extinguishers. Carbon dioxide fire extinguishers. Foam. Alcohol resistant foams (ATC type) are preferred. General purpose synthetic foams (including AFFF) or protein foams may function, but will be less effective.

Unsuitable extinguishing media: Do not use direct water stream. Straight or direct water streams may not be effective to extinguish fire.

Special hazards arising from the substance or mixture

Hazardous combustion products: During a fire, smoke may contain the original material in addition to combustion products of varying composition which may be toxic and/or irritating. Combustion products may include and are not limited to: Nitrogen oxides. Isocyanates. Hydrogen chloride. Carbon monoxide. Carbon dioxide. Hydrogen cyanide.

Unusual Fire and Explosion Hazards: Contains flammable propellant. Aerosol cans exposed to fire can rupture and become flaming projectiles. Propellant release may result in a fireball. Vapors are heavier than air and may travel a long distance and accumulate in low lying areas. Ignition and/or flash back may occur. Dense smoke is produced when product burns.

Advice for firefighters

Product name: GREAT STUFF™ Window and Door Insulating

Foam Sealant STW 12oz HC EF 12ct

Fire Fighting Procedures: Keep people away. Isolate fire and deny unnecessary entry. Stay upwind. Keep out of low areas where gases (fumes) can accumulate. Water may not be effective in extinguishing fire. Do not use direct water stream. May spread fire. Fight fire from protected location or safe distance. Consider the use of unmanned hose holders or monitor nozzles. Eliminate ignition sources. Move container from fire area if this is possible without hazard. Use water spray to cool fire-exposed containers and fire-affected zone until fire is out.

Special protective equipment for firefighters: Wear positive-pressure self-contained breathing apparatus (SCBA) and protective fire fighting clothing (includes fire fighting helmet, coat, trousers, boots, and gloves). Avoid contact with this material during fire fighting operations. If contact is likely, change to full chemical resistant fire fighting clothing with self-contained breathing apparatus. If this is not available, wear full chemical resistant clothing with self-contained breathing apparatus and fight fire from a remote location. For protective equipment in post-fire or non-fire clean-up situations, refer to the relevant sections.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures: Evacuate area. Only trained and properly protected personnel must be involved in clean-up operations. Keep personnel out of low areas. Keep personnel out of confined or poorly ventilated areas. Keep upwind of spill. Ventilate area of leak or spill. No smoking in area. Confined space entry procedures must be followed before entering the area. Eliminate all sources of ignition in vicinity of spill or released vapor to avoid fire or explosion. Vapor explosion hazard. See Section 10 for more specific information. Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

Environmental precautions: Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information.

Methods and materials for containment and cleaning up: Contain spilled material if possible. Isolate area until gas has dispersed. Ground and bond all containers and handling equipment. Use non-sparking tools in cleanup operations. Eliminate all sources of ignition in vicinity of spill or released vapor to avoid fire or explosion. Collect in suitable and properly labeled containers. Absorb with materials such as: Clay. Dirt. Milsorb®. Sand. Sawdust. Vermiculite. See Section 10 for more specific information. See Section 13, Disposal Considerations, for additional information.

7. HANDLING AND STORAGE

Precautions for safe handling: Keep away from heat, sparks and flame. No smoking, open flames or sources of ignition in handling and storage area. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated contact with skin. Avoid breathing vapor. Wash thoroughly after handling. Keep container closed. Use only with adequate ventilation. Keep out of reach of children. Vapors are heavier than air and may travel a long distance and accumulate in low lying areas. Ignition and/or flash back may occur. Contents under pressure. Do not puncture or incinerate container. Containers, even those that have been emptied, can contain vapors. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers. Do not enter confined spaces unless adequately ventilated. Use of non-sparking or explosion-proof equipment may be necessary, depending upon the type of operation. See Section 8, EXPOSURE CONTROLS AND PERSONAL PROTECTION.

Foam Sealant STW 12oz HC EF 12ct

Conditions for safe storage: Minimize sources of ignition, such as static build-up, heat, spark or flame. Store in a dry place. See Section 10 for more specific information.

Storage stability

Storage temperature: Storage Period: 25 °C (77 °F) 12 Month

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure limits are listed below, if they exist.

Component	Regulation	Type of listing	Value/Notation
Isobutane	ACGIH	STEL	1,000 ppm
Methyl ether	US WEEL	TWA	1,000 ppm
Propane	ACGIH		Asphyxiant
·	OSHA Z-1	TWA	1,800 mg/m3 1,000
			ppm
4,4' -Methylenediphenyl diisocyanate	ACGIH	TWA	0.005 ppm
	OSHA Z-1	С	0.2 mg/m3 0.02 ppm
	NIOSH REL	TWA	0.05 mg/m3 0.005 ppm
	NIOSH REL	С	0.2 mg/m3 0.02 ppm

This material contains a simple asphyxiant which may displace oxygen. Insure adequate ventilation to prevent an oxygen deficient atmosphere.

The minimum requirement of 19.5% oxygen at sea level (148 torr O2, dry air) provides an adequate amount of oxygen for most work assignments.

Exposure controls

Engineering controls: Use only with adequate ventilation. Local exhaust ventilation may be necessary for some operations. Provide general and/or local exhaust ventilation to control airborne levels below the exposure guidelines. Exhaust systems should be designed to move the air away from the source of vapor/aerosol generation and people working at this point. The odor and irritancy of this material are inadequate to warn of excessive exposure. Lethal concentrations may exist in areas with poor ventilation.

Individual protection measures

Eye/face protection: Use safety glasses (with side shields).

Skin protection

Hand protection: Use gloves chemically resistant to this material. Examples of preferred glove barrier materials include: Butyl rubber. Chlorinated polyethylene. Polyethylene. Ethyl vinyl alcohol laminate ("EVAL"). Examples of acceptable glove barrier materials include: Neoprene. Nitrile/butadiene rubber ("nitrile" or "NBR"). Viton. Polyvinyl chloride ("PVC" or "vinyl"). NOTICE: The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all relevant workplace factors such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), potential body reactions to glove materials, as well as the instructions/specifications provided by the glove supplier.

Page 6 of 18

Product name: GREAT STUFF™ Window and Door Insulating Foam Sealant STW 12oz HC EF 12ct

> Other protection: Use protective clothing chemically resistant to this material. Selection of specific items such as face shield, boots, apron, or full body suit will depend on the task.

Respiratory protection: Atmospheric levels should be maintained below the exposure guideline. When atmospheric levels may exceed the exposure guideline, use an approved airpurifying respirator equipped with an organic vapor sorbent and a particle filter. For situations where the atmospheric levels may exceed the level for which an air-purifying respirator is effective, use a positive-pressure air-supplying respirator (air line or self-contained breathing apparatus). For emergency response or for situations where the atmospheric level is unknown, use an approved positive-pressure self-contained breathing apparatus or positivepressure air line with auxiliary self-contained air supply. In confined or poorly ventilated areas, use an approved self-contained breathing apparatus or positive pressure air line with auxiliary self-contained air supply.

The following should be effective types of air-purifying respirators: Organic vapor cartridge with a particulate pre-filter.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Foam Physical state Yellow Color Musty Odor

Odor Threshold No test data available

Not applicable pΗ

No test data available Melting point/range No test data available Freezing point

Boiling point (760 mmHg) Not applicable

closed cup -104 °C (-155 °F) Estimated. Flash point

Evaporation Rate (Butyl Acetate

= 1)

No data available

Flammability (solid, gas) Not applicable Lower explosion limit Upper explosion limit Not applicable

1,151 kPa at 55 °C (131 °F) Estimated. Vapor Pressure

Relative Vapor Density (air = 1) No test data available 1.06 Estimated. Relative Density (water = 1) Insoluble Water solubility

Partition coefficient: n-

Explosive properties

octanol/water

Reacts with water.

No test data available

No test data available Auto-ignition temperature

No test data available Decomposition temperature Not applicable **Kinematic Viscosity** Not explosive

No Oxidizing properties

Molecular weight No data available

Page 7 of 18

NOTE: The physical data presented above are typical values and should not be construed as a specification.

10. STABILITY AND REACTIVITY

Reactivity: No data available

Chemical stability: Stable under recommended storage conditions. See Storage, Section 7. Unstable at elevated temperatures.

Possibility of hazardous reactions: Can occur. Exposure to elevated temperatures can cause product to decompose and generate gas. This can cause pressure build-up and/or rupturing of closed containers. Acids.

Conditions to avoid: Avoid temperatures above 50 °C

Elevated temperatures can cause container to vent and/or rupture. Exposure to elevated temperatures can cause product to decompose.

Incompatible materials: Avoid contact with: Acids. Alcohols. Amines. Ammonia. Bases. Metal compounds. Strong oxidizers. Products based on diisocyanates like TDI and MDI react with many materials to release heat. The reaction rate increases with temperature as well as with increased contact; these reactions can become violent. Contact is increased by stirring or if the other material acts as a solvent. Products based on diisocyanates such as TDI and MDI are not soluble in water and will sink to the bottom, but react slowly at the interface. The reaction forms carbon dioxide gas and a layer of solid polyurea. Reaction with water will generate carbon dioxide and heat.

Hazardous decomposition products: Decomposition products depend upon temperature, air supply and the presence of other materials. Toxic gases are released during decomposition.

11. TOXICOLOGICAL INFORMATION

Toxicological information appears in this section when such data is available.

Acute toxicity

Acute oral toxicity

Low toxicity if swallowed. Small amounts swallowed incidentally as a result of normal handling operations are not likely to cause injury; however, swallowing larger amounts may cause injury. Observations in animals include: Gastrointestinal irritation.

As product: Single dose oral LD50 has not been determined.

LD50, Rat, > 2,000 mg/kg Estimated.

Acute dermal toxicity

Prolonged skin contact is unlikely to result in absorption of harmful amounts.

As product: The dermal LD50 has not been determined.

LD50, Rabbit, > 2,000 mg/kg Estimated.

Foam Sealant STW 12oz HC EF 12ct

Acute inhalation toxicity

In confined or poorly ventilated areas, vapor can easily accumulate and can cause unconsciousness and death due to displacement of oxygen. Excessive exposure may cause irritation to upper respiratory tract (nose and throat) and lungs. May cause pulmonary edema (fluid in the lungs.) Effects may be delayed. May cause central nervous system depression. Symptoms of excessive exposure may be anesthetic or narcotic effects; dizziness and drowsiness may be observed. Excessive exposure may increase sensitivity to epinephrine and increase myocardial irritability (irregular heartbeats). Decreased lung function has been associated with overexposure to isocyanates.

As product: The LC50 has not been determined.

Skin corrosion/irritation

Prolonged contact may cause moderate skin irritation with local redness. Material may stick to skin causing irritation upon removal. May stain skin.

Serious eye damage/eye irritation

May cause moderate eye irritation.

May cause slight temporary corneal injury.

Sensitization

Skin contact may cause an allergic skin reaction.

Animal studies have shown that skin contact with isocyanates may play a role in respiratory sensitization.

May cause allergic respiratory reaction.

MDI concentrations below the exposure guidelines may cause allergic respiratory reactions in individuals already sensitized.

Asthma-like symptoms may include coughing, difficult breathing and a feeling of tightness in the chest. Occasionally, breathing difficulties may be life threatening.

Specific Target Organ Systemic Toxicity (Single Exposure)

May cause respiratory irritation. Route of Exposure: Inhalation

Specific Target Organ Systemic Toxicity (Repeated Exposure)

Tissue injury in the upper respiratory tract and lungs has been observed in laboratory animals after repeated excessive exposures to MDI/polymeric MDI aerosols.

Carcinogenicity

Lung tumors have been observed in laboratory animals exposed to respirable aerosol droplets of MDI/Polymeric MDI (6 mg/m3) for their lifetime. Tumors occurred concurrently with respiratory irritation and lung injury. Current exposure guidelines are expected to protect against these effects reported for MDI.

Teratogenicity

In laboratory animals, MDI/polymeric MDI did not cause birth defects; other fetal effects occurred only at high doses which were toxic to the mother.

Reproductive toxicity

Based on information for component(s): May cause harm to breastfed babies.

Page 9 of 18

Mutagenicity

In vitro genetic toxicity studies were negative for component(s) tested. Genetic toxicity data on MDI are inconclusive. MDI was weakly positive in some in vitro studies; other in vitro studies were negative. Animal mutagenicity studies were predominantly negative.

Aspiration Hazard

Based on physical properties, not likely to be an aspiration hazard.

COMPONENTS INFLUENCING TOXICOLOGY:

Diphenylmethane Diisocyanate, isomers and homologues

Acute inhalation toxicity

LC50, Rat, 4 Hour, dust/mist, 0.49 mg/l

For similar material(s): 2,4'-Diphenylmethane diisocyanate (CAS 5873-54-1). LC50, Rat, 4 Hour, Aerosol, 0.31 mg/l

For similar material(s): 4,4'-Methylenediphenyl diisocyanate (CAS 101-68-8). LC50, Rat, 1 Hour, Aerosol, 2.24 mg/l

Polymethylenepolyphenyl polyisocyanate, polypropyleneglycol copolymer

Acute inhalation toxicity

The LC50 has not been determined.

Polymethylenepolyphenylisocyanate, propoxylated glycerin polymer

Acute inhalation toxicity

The LC50 has not been determined.

Tris(1-chloro-2-propyl) phosphate

Acute inhalation toxicity

LC50, Rat, 4 Hour, dust/mist, > 7 mg/l

Isobutane

Acute inhalation toxicity

LC50, Mouse, 1 Hour, 52 mg/l

Methyl ether

Acute inhalation toxicity

LC50, Rat, 4 Hour, gas, 164000 ppm

Propane

Acute inhalation toxicity

LC50, Rat, male and female, 4 Hour, vapour, > 425000 ppm

4,4' -Methylenediphenyl diisocyanate

Acute inhalation toxicity

LC50, Rat, 1 Hour, dust/mist, 2.24 mg/l

12. ECOLOGICAL INFORMATION

Page 10 of 18

Foam Sealant STW 12oz HC EF 12ct

Ecotoxicological information appears in this section when such data is available.

Toxicity

Diphenylmethane Diisocyanate, isomers and homologues

Acute toxicity to fish

The measured ecotoxicity is that of the hydrolyzed product, generally under conditions maximizing production of soluble species.

Material is practically non-toxic to aquatic organisms on an acute basis

(LC50/EC50/EL50/LL50 >100 mg/L in the most sensitive species tested).

Based on information for a similar material:

LC50, Danio rerio (zebra fish), static test, 96 Hour, > 1,000 mg/l, OECD Test Guideline 203 or Equivalent

Acute toxicity to aquatic invertebrates

Based on information for a similar material:

EC50, Daphnia magna (Water flea), static test, 24 Hour, > 1,000 mg/l, OECD Test Guideline 202 or Equivalent

Acute toxicity to algae/aquatic plants

Based on information for a similar material:

NOEC, Desmodesmus subspicatus (green algae), static test, 72 Hour, Growth rate inhibition, 1,640 mg/l, OECD Test Guideline 201 or Equivalent

Toxicity to bacteria

Based on information for a similar material:

EC50, activated sludge, static test, 3 Hour, Respiration rates., > 100 mg/l

Toxicity to soil-dwelling organisms

EC50, Eisenia fetida (earthworms), Based on information for a similar material:, 14 d, > 1,000 mg/kg

Toxicity to terrestrial plants

EC50. Avena sativa (oats), Growth inhibition, 1,000 mg/l

EC50, Lactuca sativa (lettuce), Growth inhibition, 1,000 mg/l

Polymethylenepolyphenyl polyisocyanate, polypropyleneglycol copolymer

Acute toxicity to fish

Not expected to be acutely toxic to aquatic organisms.

Polymethylenepolyphenylisocyanate, propoxylated glycerin polymer

Acute toxicity to fish

For this family of materials:

Material is practically non-toxic to aquatic organisms on an acute basis (LC50/EC50/EL50/LL50 >100 mg/L in the most sensitive species tested).

Tris(1-chloro-2-propyl) phosphate

Acute toxicity to fish

Material is slightly toxic to aquatic organisms on an acute basis (LC50/EC50 between 10 and 100 mg/L in the most sensitive species tested).

LC50, Lepomis macrochirus (Bluegill sunfish), static test, 96 Hour, 84 mg/l, OECD Test Guideline 203 or Equivalent

Page 11 of 18

Acute toxicity to aquatic invertebrates

EC50, Daphnia magna (Water flea), 48 Hour, 131 mg/l

Acute toxicity to algae/aquatic plants

ErC50, Pseudokirchneriella subcapitata (green algae), static test, 96 Hour, Growth rate inhibition, 82 mg/l, OECD Test Guideline 201 or Equivalent

Toxicity to bacteria

EC50, activated sludge, Respiration inhibition, 3 Hour, 784 mg/l, OECD 209 Test

Chronic toxicity to aquatic invertebrates

NOEC, Daphnia magna (Water flea), semi-static test, 21 d, number of offspring, 32 mg/l LOEC, Daphnia magna (Water flea), semi-static test, 21 d, number of offspring, > 32 mg/l

Isobutane

Acute toxicity to fish

No relevant data found.

Methyl ether

Acute toxicity to fish

Material is practically non-toxic to aquatic organisms on an acute basis (LC50/EC50/EL50/LL50 >100 mg/L in the most sensitive species tested). LC50, Poecilia reticulata (guppy), semi-static test, 96 Hour, > 4,000 mg/l

Acute toxicity to aquatic invertebrates

LC50, Daphnia magna (Water flea), 48 Hour, > 4,000 mg/l, OECD Test Guideline 202 or Equivalent

Propane

Acute toxicity to fish

No relevant data found.

4,4' -Methylenediphenyl diisocyanate

Acute toxicity to fish

The measured ecotoxicity is that of the hydrolyzed product, generally under conditions maximizing production of soluble species.

Material is practically non-toxic to aquatic organisms on an acute basis (LC50/EC50/EL50/LL50 >100 mg/L in the most sensitive species tested).

Based on information for a similar material:

LC50, Danio rerio (zebra fish), static test, 96 Hour, > 1,000 mg/l, OECD Test Guideline 203 or Equivalent

Acute toxicity to aquatic invertebrates

Based on information for a similar material:

EC50, Daphnia magna (Water flea), static test, 24 Hour, > 1,000 mg/l, OECD Test Guideline 202 or Equivalent

Acute toxicity to algae/aquatic plants

Based on information for a similar material:

NOEC, Desmodesmus subspicatus (green algae), static test, 72 Hour, Growth rate inhibition, 1,640 mg/l, OECD Test Guideline 201 or Equivalent

Page 12 of 18

Product name: GREAT STUFF™ Window and Door Insulating

Foam Sealant STW 12oz HC EF 12ct

Toxicity to bacteria

Based on information for a similar material:

EC50, activated sludge, static test, 3 Hour, Respiration rates., > 100 mg/l

Toxicity to soil-dwelling organisms

EC50, Eisenia fetida (earthworms), Based on information for a similar material:, 14 d, > 1,000 mg/kg

Toxicity to terrestrial plants

EC50, Avena sativa (oats), Growth inhibition, 1,000 mg/l EC50, Lactuca sativa (lettuce), Growth inhibition, 1,000 mg/l

Persistence and degradability

Diphenylmethane Diisocyanate, isomers and homologues

Biodegradability: In the aquatic and terrestrial environment, material reacts with water forming predominantly insoluble polyureas which appear to be stable. In the atmospheric environment, material is expected to have a short tropospheric half-life, based on calculations and by analogy with related diisocyanates.

10-day Window: Not applicable

Biodegradation: 0 % Exposure time: 28 d

Method: OECD Test Guideline 302C or Equivalent

Polymethylenepolyphenyl polyisocyanate, polypropyleneglycol copolymer

Biodegradability: Expected to degrade slowly in the environment.

Polymethylenepolyphenylisocyanate, propoxylated glycerin polymer

Biodegradability: For this family of materials: Material is readily biodegradable. Passes OECD test(s) for ready biodegradability.

Tris(1-chloro-2-propyl) phosphate

Biodegradability: Material is expected to biodegrade very slowly (in the environment). Fails

to pass OECD/EEC tests for ready biodegradability.

10-day Window: Fail Biodegradation: 14 % Exposure time: 28 d

Method: OECD Test Guideline 301E or Equivalent

10-day Window: Not applicable

Biodegradation: 95 % Exposure time: 64 d

Method: OECD Test Guideline 302A or Equivalent

Theoretical Oxygen Demand: 1.17 mg/mg

Photodegradation

Test Type: Half-life (indirect photolysis)

Sensitizer: OH radicals Atmospheric half-life: 0.24 d

Method: Estimated.

Isobutane

Page 13 of 18

Product name: GREAT STUFF™ Window and Door Insulating Foam Sealant STW 12oz HC EF 12ct

Biodegradability: Biodegradation may occur under aerobic conditions (in the presence of

Theoretical Oxygen Demand: 3.58 mg/mg

Photodegradation

oxygen).

Test Type: Half-life (indirect photolysis)

Sensitizer: OH radicals Atmospheric half-life: 4.4 d

Method: Estimated.

Methyl ether

Biodegradability: Material is expected to biodegrade very slowly (in the environment). Fails

to pass OECD/EEC tests for ready biodegradability.

10-day Window: Fail Biodegradation: 5 % Exposure time: 28 d

Method: OECD Test Guideline 301A or Equivalent

Theoretical Oxygen Demand: 2.08 mg/mg

Photodegradation

Test Type: Half-life (indirect photolysis)

Sensitizer: OH radicals Atmospheric half-life: 6.4 d

Method: Estimated.

Propane

Biodegradability: No relevant data found.

Theoretical Oxygen Demand: 3.64 mg/mg

Photodegradation

Test Type: Half-life (indirect photolysis)

Sensitizer: OH radicals
Atmospheric half-life: 8.4 d

Method: Estimated.

4,4' -Methylenediphenyl diisocyanate

Biodegradability: In the aquatic and terrestrial environment, material reacts with water forming predominantly insoluble polyureas which appear to be stable. In the atmospheric environment, material is expected to have a short tropospheric half-life, based on calculations and by analogy with related diisocyanates.

10-day Window: Not applicable

Biodegradation: 0 % Exposure time: 28 d

Method: OECD Test Guideline 302C or Equivalent

Bioaccumulative potential

Diphenylmethane Diisocyanate, isomers and homologues

Product name: GREAT STUFF™ Window and Door Insulating

Foam Sealant STW 12oz HC EF 12ct

Bioaccumulation: Bioconcentration potential is low (BCF < 100 or Log Pow < 3). Reacts with water. In the aquatic and terrestrial environment, movement is expected to be limited by its reaction with water forming predominantly insoluble polyureas. **Bioconcentration factor (BCF):** 92 Cyprinus carpio (Carp) 28 d

Polymethylenepolyphenyl polyisocyanate, polypropyleneglycol copolymer

Bioaccumulation: In the aquatic and terrestrial environment, movement is expected to be limited by its reaction with water forming predominantly insoluble polyureas.

Polymethylenepolyphenylisocyanate, propoxylated glycerin polymer

Bioaccumulation: No relevant data found.

Tris(1-chloro-2-propyl) phosphate

Bioaccumulation: Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

Partition coefficient: n-octanol/water(log Pow): 2.59 Measured

Bioconcentration factor (BCF): 0.8 - 4.6 Cyprinus carpio (Carp) 42 d Measured

Isobutane

Bioaccumulation: Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

Partition coefficient: n-octanol/water(log Pow): 2.76 Measured

Methyl ether

Bioaccumulation: Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

Partition coefficient: n-octanol/water(log Pow): 0.10 Measured

Propane

Bioaccumulation: Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

Partition coefficient: n-octanol/water(log Pow): 2.36 Measured

4,4' -Methylenediphenyl diisocyanate

Bioaccumulation: Bioconcentration potential is low (BCF < 100 or Log Pow < 3). Reacts with water. In the aquatic and terrestrial environment, movement is expected to be limited by its reaction with water forming predominantly insoluble polyureas.

Bioconcentration factor (BCF): 92 Cyprinus carpio (Carp) 28 d

Mobility in soil

Diphenylmethane Diisocyanate, isomers and homologues

In the aquatic and terrestrial environment, movement is expected to be limited by its reaction with water forming predominantly insoluble polyureas.

Polymethylenepolyphenyl polyisocyanate, polypropyleneglycol copolymer

In the aquatic and terrestrial environment, movement is expected to be limited by its reaction with water forming predominantly insoluble polyureas.

Polymethylenepolyphenylisocyanate, propoxylated glycerin polymer

No relevant data found.

Tris(1-chloro-2-propyl) phosphate

Potential for mobility in soil is slight (Koc between 2000 and 5000).

Partition coefficient(Koc): 1300 Estimated.

Isobutane

Page 15 of 18

Potential for mobility in soil is very high (Koc between 0 and 50). **Partition coefficient(Koc)**: 35 Estimated.

Methyl ether

Potential for mobility in soil is very high (Koc between 0 and 50).

Partition coefficient(Koc): 1.29 - 14 Estimated.

Propane

Potential for mobility in soil is very high (Koc between 0 and 50).

Partition coefficient(Koc): 24 - 460 Estimated.

4,4' -Methylenediphenyl diisocyanate

In the aquatic and terrestrial environment, movement is expected to be limited by its reaction with water forming predominantly insoluble polyureas.

13. DISPOSAL CONSIDERATIONS

Disposal methods: DO NOT DUMP INTO ANY SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER. All disposal practices must be in compliance with all Federal, State/Provincial and local laws and regulations. Regulations may vary in different locations. Waste characterizations and compliance with applicable laws are the responsibility solely of the waste generator. AS YOUR SUPPLIER, WE HAVE NO CONTROL OVER THE MANAGEMENT PRACTICES OR MANUFACTURING PROCESSES OF PARTIES HANDLING OR USING THIS MATERIAL. THE INFORMATION PRESENTED HERE PERTAINS ONLY TO THE PRODUCT AS SHIPPED IN ITS INTENDED CONDITION AS DESCRIBED IN MSDS SECTION: Composition Information. FOR UNUSED & UNCONTAMINATED PRODUCT, the preferred options include sending to a licensed, permitted: Incinerator or other thermal destruction device.

14. TRANSPORT INFORMATION

DOT

Proper shipping name Aerosols UN number UN 1950

Class 2.1

Packing group

Classification for SEA transport (IMO-IMDG):

Proper shipping name AEROSOLS UN number UN 1950

Class 2.1

Packing group

Marine pollutant No

Transport in bulk Consult IMO regulations before transporting ocean bulk

according to Annex I or II of MARPOL 73/78 and the

IBC or IGC Code

Classification for AIR transport (IATA/ICAO):

Product name: GREAT STUFF™ Window and Door Insulating

Foam Sealant STW 12oz HC EF 12ct

Proper shipping name

Aerosols, flammable

UN number Class UN 1950

2.1

Packing group

This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Transportation classifications may vary by container volume and may be influenced by regional or country variations in regulations. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.

15. REGULATORY INFORMATION

OSHA Hazard Communication Standard

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910,1200.

Superfund Amendments and Reauthorization Act of 1986 Title III (Emergency Planning and Community Right-to-Know Act of 1986) Sections 311 and 312

Acute Health Hazard Chronic Health Hazard Fire Hazard

Superfund Amendments and Reauthorization Act of 1986 Title III (Emergency Planning and Community Right-to-Know Act of 1986) Section 313

This product contains the following substances which are subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and which are listed in 40 CFR 372.

Components
4,4' -Methylenediphenyl diisocyanate
Diphenylmethane Diisocyanate, isomers and homologues

CASRN
101-68-8
9016-87-9

Pennsylvania Worker and Community Right-To-Know Act:

The following chemicals are listed because of the additional requirements of Pennsylvania law:

 Components
 CASRN

 Methyl ether
 115-10-6

 Isobutane
 75-28-5

 Propane
 74-98-6

California Proposition 65 (Safe Drinking Water and Toxic Enforcement Act of 1986)

This product contains no listed substances known to the State of California to cause cancer, birth defects or other reproductive harm, at levels which would require a warning under the statute.

United States TSCA Inventory (TSCA)

All components of this product are in compliance with the inventory listing requirements of the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

16. OTHER INFORMATION

Revision

Identification Number: 101195308 / A001 / Issue Date: 11/05/2015 / Version: 8.0 Most recent revision(s) are noted by the bold, double bars in left-hand margin throughout this document.

Leaend

Legenu		
ACGIH	USA. ACGIH Threshold Limit Values (TLV)	
Asphyxiant	Asphyxiant	
С	Ceiling	
NIOSH REL	USA. NIOSH Recommended Exposure Limits	
OSHA Z-1	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air	
	Contaminants	
STEL	Short-term exposure limit	
TWA	8-hour, time-weighted average	
US WEEL	USA. Workplace Environmental Exposure Levels (WEEL)	

Information Source and References

This SDS is prepared by Product Regulatory Services and Hazard Communications Groups from information supplied by internal references within our company.

THE DOW CHEMICAL COMPANY urges each customer or recipient of this (M)SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this (M)SDS and any hazards associated with the product. The information herein is provided in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given. Regulatory requirements are subject to change and may differ between various locations. It is the buyer's/user's responsibility to ensure that his activities comply with all federal, state, provincial or local laws. The information presented here pertains only to the product as shipped. Since conditions for use of the product are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product. Due to the proliferation of sources for information such as manufacturer-specific (M)SDSs, we are not and cannot be responsible for (M)SDSs obtained from any source other than ourselves. If you have obtained an (M)SDS from another source or if you are not sure that the (M)SDS you have is current, please contact us for the most current version.



Revision Date 06-May-2015 Version 1

1. IDENTIFICATION

Product identifier

Product Name Great Value Glass Cleaner

Other means of identification

 Product UPC
 78742-04960

 Product Code
 15403065644

Recommended use of the chemical and restrictions on use

Recommended Use Consumer use. Cleaning agent.
Uses advised against Do not mix with other chemicals

Details of the supplier of the safety data sheet

Manufacturer Address Distributor

KIK International LLC
33 Macintosh Blvd.
Concord, Ontario
Canada L4K 4L5
Wal-Mart Stores, Inc.
702 SW 8th ST.
Bentonville, AR 72712
1-877-505-2267

1-800-479-6603

Emergency telephone number

Emergency Telephone Poison Control Center (Medical): (866) 366-5048

Chemtel (Transportation) 1-888-255-3924

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Label elements

Emergency Overview

The product contains no substances which at their given concentration, are considered to be hazardous to health

Color blue Physical state liquid Odor Slight Ammonia

Hazards not otherwise classified (HNOC)

Not applicable

Other Information

3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

Chemical Name	CAS No.	Weight-%
Ethylene glycol, monobutyl ether acetate	112-07-2	0.5 - 1.5*
Ammonia	7664-41-7	0.1 - 0.5*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin contact Wash skin with soap and water. If symptoms persist, call a physician.

Inhalation Remove to fresh air.

Ingestion Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. If

symptoms persist, call a physician.

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media No information available.

Specific hazards arising from the chemical

No information available.

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Ensure adequate ventilation, especially in confined areas.

Environmental precautions

Environmental precautions See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Do not mix with

other chemicals.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible materials None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethylene glycol, monobutyl ether acetate 112-07-2	TWA: 20 ppm	-	TWA: 5 ppm TWA: 33 mg/m³
Ammonia 7664-41-7	STEL: 35 ppm TWA: 25 ppm	TWA: 50 ppm TWA: 35 mg/m³ (vacated) STEL: 35 ppm (vacated) STEL: 27 mg/m³	IDLH: 300 ppm TWA: 25 ppm TWA: 18 mg/m ³ STEL: 35 ppm STEL: 27 mg/m ³

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

Appropriate engineering controls

Engineering Controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin and body protection Wear protective gloves and protective clothing.

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state liquid

Appearance aqueous solution Odor Slight Ammonia

Color blue Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH 11

Melting point/freezing point
Boiling point / boiling range
Flash point
Evaporation rate
Flammability (solid, gas)
No information available
No information available
No information available
No information available

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit:
Vapor pressure
Vapor density
Specific Gravity
No information available
No information available
No information available
No information available

Water solubility Soluble in water

Solubility in other solvents No information available Partition coefficient No information available Autoignition temperature No information available **Decomposition temperature** No information available Kinematic viscosity No information available Dynamic viscosity No information available Density No information available **Bulk density** No information available Explosive properties No information available Oxidizing properties No information available

Other Information

Softening point
Molecular weight
VOC Content (%)
No information available
No information available
No information available

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Do not mix with other chemicals. Extremes of temperature and direct sunlight.

Incompatible materials

None known based on information supplied.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Inhalation of vapors in high concentration may cause irritation of respiratory system.

Eye contact Avoid contact with eyes. May cause slight irritation.

Skin contact Avoid contact with skin. Substance may cause slight skin irritation.

Ingestion

Ingestion may cause irritation to mucous membranes.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Ethylene glycol, monobutyl ether acetate 112-07-2	= 1600 mg/kg(Rat)	= 1480 mg/kg(Rabbit)	-
Ammonia 7664-41-7	= 350 mg/kg (Rat)	¥	= 2000 ppm (Rat) 4 h

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Ethylene glycol, monobutyl ether acetate 112-07-2	A3	-	-	-

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
Chronic toxicity
Aspiration hazard
No information available.
No information available.
No information available.
No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (inhalation-dust/mist) 112.8 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

Toxic to aquatic life with long lasting effects

98.57845% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Ethylene glycol, monobutyl ether acetate 112-07-2	500: 72 h Desmodesmus subspicatus mg/L EC50	-	37: 48 h Daphnia magna mg/L EC50
Ammonia 7664-41-7	-	0.44: 96 h Cyprinus carpio mg/L LC50 0.26 - 4.6: 96 h Lepomis macrochirus mg/L LC50 1.17: 96 h Lepomis macrochirus mg/L LC50 flow-through 0.73 - 2.35: 96 h Pimephales promelas mg/L LC50 5.9: 96 h Pimephales promelas mg/L LC50 static 1.5: 96 h Poecilia reticulata mg/L LC50 1.19: 96 h Poecilia reticulata mg/L LC50 static	25.4: 48 h Daphnia magna mg/L LC50

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Mobility

No information available.

Chemical Name	Partition coefficient
Ethylene glycol, monobutyl ether acetate 112-07-2	1.51
Ammonia 7664-41-7	-1.14

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container. Refer to all federal, state and local regulations prior to disposal of

container and unused contents by reuse, recycle or disposal.

14. TRANSPORT INFORMATION

DOT Not regulated

IATA Not regulated

IMDG Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA Complies DSL/NDSL Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %		
Ethylene glycol, monobutyl ether acetate - 112-07-2	1.0		
SARA 311/312 Hazard Categories			
Acute health hazard	No		
Chronic Health Hazard	No		
Fire hazard	No		
Sudden release of pressure hazard	No		
Reactive Hazard	No		

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21

and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Ammonia 7664-41-7	100 lb	·-	-	Х

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Ammonia	100 lb	100 lb	RQ 100 lb final RQ
7664-41-7			RQ 45.4 kg final RQ

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Ethylene glycol, monobutyl ether acetate 112-07-2	X	-	X
Ammonia 7664-41-7	X	X	X

U.S. EPA Label Information

EPA Pesticide Registration Number This product does not contain any substances regulated as pesticides Difference between SDS and CPSC label

This product is regulated under Consumer Product Safety Commission and is subject to certain labeling requirements under the Federal Hazardous Substances Act (16 CFR Part 1500) . These requirements differ from the classification criteria and hazard information required for safety data sheets and for workplace product labels.

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

Health hazards 0 Flammability 0 Instability 0 **Physical and Chemical** NFPA Properties -Health hazards 0 Flammability 0 Physical hazards 0 Personal protection X HMIS

Prepared By Regulatory Affairs **Revision Date** 06-May-2015

No information available **Revision Note**

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet



According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Product name Green Klean Chlorinated Disinfecting Tablets

Product id **AS 9717BT GK** 29/08/2016 Revision date

Revision: 2

Identification of the substance & the company

Chemical name DICHLOROISOCYANURIC ACID, SODIUM SALT OF

Synonym(s) Effervescent NaDCC Tablets, Sodium Dichloro-s-Triazinetrione

Multi-purpose product including bleaching, cleaning, and deodorizing. Type of product and use

Supplier SOP Green Klean

615 Industrial Dr. Ste D

Cary, IL 60013

USA

Phone Number 815-479-0460

Medical: (800) 420-9236 **Emergency Telephone**

Chemtrec: (800) 424-9300

Hazards identification

Signal Word

GHS classification Warning

Harmful if swallowed. Causes serious eye irritation. May cause respiratory

irritation.

Avoid breathing dust. Do not eat, drink or smoke when using this product.

Use only in

well-ventilated areas. Wear safety glasses with side shields (or goggles).

Wear protective gloves. Wash hands thoroughly after handling.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF

SWALLOWED: Call a POISON CENTER or doctor/physician if you feel

unwell. Rinse mouth.

Hazard statements Store in a well-ventilated place. Keep container tightly closed. Store away

> from incompatible materials. Keep out of the reach of children. Dispose of waste and residues in accordance with local authority

requirements. None known.

Contact with acids liberates toxic gas.



According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Product name Green Klean Chlorinated Disinfecting Tablets

Product id AS_9717BT_GK

Revision date 29/08/2016 Revision: 2

Precautionary statements P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P264 - Wash hands thoroughly after handling

P271 - Avoid use in a confined area
P273 - Avoid release to the environment

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P337 + P313 - If eye irritation persists: Get medical advice/attention

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for

breathing

P312 - Call a POISON CENTER or doctor/physician if you feel unwell

P391 - Collect spillage

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P405 - Store locked up

P501 - Dispose of contents/container in accordance with national and international

regulations

3. Composition / information on ingredients

Components	CAS No.	Weight %
DICHLOROISOCYANURIC ACID, SODIUM	2893-78-9	30-62.5
SALT OF		
ADIPIC ACID	124-04-9	10-35
SODIUM BICARBONATE	144-55-8	21.44–22.76
SODIUM CARBONATE	497-19-8	2-12

4. First-aid measures

Eye contact Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove

contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call

a poison control center or doctor for treatment advice.

Skin contact Take off contaminated clothing. Rinse skin immediately with plenty of waterfor

15-20 minutes. Call a poison control center or doctor for treatment advice.

Inhalation Move person to fresh air. If person is not breathing, call 911 or an ambulance,

then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a

poison control center or doctor for further treatment advice.



According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Product name Green Klean Chlorinated Disinfecting Tablets

Product id AS_9717BT_GK

Revision date 29/08/2016 Revision: 2

Ingestion Call poison control center, or doctor immediately for treatment advice.

Have person sip a glass of water if able to swallow.

Do not induce vomiting unless told to do so by the poison control center or doctor.

Do not give anything by mouth to an unconscious person.

Most important symptoms and effects, acute or delayed

- Eye Contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. If eye irritation

persists: Get medical advice/attention. Wash off with soap and water. Get medical

attention if irritation develops and persists.

- Skin contact

Rinse mouth. IF SWALLOWED: Call a POISON CENTER or doctor/physician if

you feel unwell.

- Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Call a POISON CENTER or doctor/physician if you feel unwell.

Provide general supportive measures and treat symptomatically. In case of shortness of breath, give oxygen. Keep victim warm. Keep victim under

observation. Symptoms may be delayed.

Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

In the case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Ensure that medical personnel are aware of the

material(s) involved, and take precautions to protect themselves.

- Ingestion Alcohol resistant foam. Water fog. Dry chemical powder. Carbon dioxide (CO2).

None known.

During fire, gases hazardous to health may be formed.

Self-contained breathing apparatus and full protective clothing must be worn in

Note to physician case of fire.

Medical conditions aggravated by exposure



According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Product name Green Klean Chlorinated Disinfecting Tablets

Product id AS 9717BT GK Revision date 29/08/2016

Revision: 2

Fire - fighting measures

Suitable extinguishing media Large amounts of water may be needed and the flow of water should not be

stopped until the fire/reaction has stopped.

Extinguishing media not to be Avoid using dry chemicals, carbon dioxide or halogenated extinguishing agents.

Unusual fire and explosion hazards

used

When heated to decomposition, may release poisonous and corrosive fumes of nitrogen trichloride, nitrogen, cyanogen chloride, phosgene, chlorine and CO.

Fire fighting procedure

Cool containers with water spray. Fire fighters should wear full protective clothing and self-contained breathing apparatus (SCBA) in positive pressure mode. On small fires, use water spray or fog. On large fires, use heavy deluge or fog streams. Flooding amounts of water may be required before extinguishment can be accomplished.

6. Accidental release measures

Keep unnecessary personnel away. Wear appropriate protective equipment and Personal precautions

clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. For Methods for cleaning up

personal protection, see section 8 of the SDS.

Collect spillage. Sweep up or gather material and place in appropriate container for disposal. Following product recovery, flush area with water. For waste

Environmental precautions

disposal, see section 13 of the SDS. Mix only with water. Do not mix with other chemicals. Minimize dust generation

and accumulation. Do not breathe dust. Do not get this material in contact with

- Soil eyes. Do not taste or swallow. Provide adequate ventilation. Contamination with moisture, dirt, organic matter or other chemicals or any other foreign matter may start a chemical reaction with generation of heat, liberation of hazardous gases and possible generation of fire and explosion. Wear appropriate personal - Water protective equipment. Observe good industrial hygiene practices. When using, do

not eat, drink or smoke. Wash thoroughly after handling. Wash contaminated

clothing before reuse.

Store in original tightly closed container. Keep container dry. Do not store near acids. Contact with acids liberates toxic gas. Store away from incompatible materials

- Air



According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Product name Green Klean Chlorinated Disinfecting Tablets

Product id AS_9717BT_GK

Revision date 29/08/2016 Revision: 2

7. Handling and storage

Handling Avoid contact with skin, eyes, and clothing. Upon contact with skin or eyes, wash

off with water. Avoid breathing the substance. Use respiratory protection when exposure is possible. Vapour space in a closed container may contain a slight amount of chlorine gas and compounds from decomposition of the product.

Storage Store in a dry, cool (< 25°C), well ventilated area away from incompatible

materials (see "materials to avoid"). Do not allow water to get into the container

8. Exposure controls / personal protection

Exposure Limits:

Components	ACGIH-TLV Data	OSHA (PEL) Data
DICHLOROISOCYANURIC ACID, SODIUM	Not determined	Not determined
SALT OF		
2893-78-9		
ADIPIC ACID	5 mg/m³	Not determined
124-04-9	10 0 0	
SODIUM BICARBONATE	Not determined	Not determined
144-55-8		
SODIUM CARBONATE	Not determined	Not determined
497-19-8		

Ventilation requirements This material should be handled in a well-ventilated area. Use local exhaust as

necessary, especially under dusty conditions.

Personal protective equipment:

- Respiratory protection In case of insufficient ventilation wear suitable respiratory equipment.

- Hand protection Chemical resistant gloves, PVC or nitrile recommended

- Eye protection Chemical safety goggles

Hygiene measures Do not eat, smoke or drink where material is handled, processed or stored. Wash

hands thoroughly after handling and before eating or smoking. Safety shower and

eye bath should be provided.

9. Physical and chemical properties

Appearance White to off white tablets

Odor Slight chlorine.

pH 5-6



According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Product name Green Klean Chlorinated Disinfecting Tablets

AS 9717BT GK Product id

29/08/2016 Revision: 2 Revision date

Boiling point/range Not applicable Flash point Not applicable

Not applicable under standard conditions **Evaporation rate (ether=1)**

Not flammable Flammability (solid, gas)

Vapor pressure Not applicable under standard conditions Vapor density Not applicable under standard conditions

Solubility:

- Solubility in water Completely miscible

Partition coefficient Log Kow - 0

(n-octanol/water)

Auto-ignition temperature Not applicable

Decomposition temperature 225-250°C (437-482°F)

10. Stability and reactivity

Contact with small amounts of water may result in an exothermic reaction with the Reactivity

liberation of toxic fumes.

Stable under normal conditions

Stability

Possibility of hazardous

reactions

Contact with acid liberates toxic gases If heated by outside source to temperatures above 240°C (464°F), this product will undergo decomposition with the evolution of

noxious gases.

Heating above decomposition temperature. Contamination with moisture, organic Conditions to avoid

> matter or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion.

Materials to avoid Strong acids and/or alkalines. Reducing agents. Combustible material. The active

> ingredient in this preparation is a strong oxidising agent. The preparation of concentrated solutions or slurries is not recommended. Avoid contact with water on concentrated material in the container. Also avoid contact with easily oxidisable organic material: ammonia, urea or similar nitrogen containing

compounds; inorganic reducing compounds; floor sweeping compounds; calcium

hypochlorite and alkalis.

Hazardous decomposition

products

Nitrogen trichloride, nitrogen, cyanogen chloride, phosgene, chlorine and CO.

11. Toxicological information

The toxicological data refer only to the active ingredient Note:

unless otherwise specified

Acute toxicity:

- Rat oral LD50 >2000 mg/kg (the product as a whole)



According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Product name Green Klean Chlorinated Disinfecting Tablets

Product id AS_9717BT_GK

Revision date 29/08/2016 Revision: 2

- Rabbit dermal LD50 >5000 mg/kg

- Rat inhalation LC50 0.27-1.17 mg/L/4h

- Dermal irritation (rabbit) Moderate irritant

- Eye irritation (rabbit) Severe irritant

Dermal sensitization Not a sensitizer

Chronic toxicity Chronic inhalation exposure may cause impairment of lung function and

permanent lung damage. Based on animal studies, exposure to concentrations of monosodium cyanurate at the solubility limit may cause cardiovascular, kidney

and urinary bladder effects.

Mutagenicity Not mutagenic by the Ames Test.

Carcinogenicity Not known to be a carcinogen.

Not classified by IARC, OSHA, EPA.

Not included in NTP 13th Report on Carcinogens

Reproductive toxicity No data available

12. Ecological information

Note: The environmental toxicity data mentioned below are from studies conducted on

the active ingredient.

Aquatic toxicity:

- **96 Hour-LC50**, **Fish** 0.13-0.36 mg/l (Rainbow trout)

0.25-1.0 mg/l (Bluegill sunfish) 1.21 mg/l (Inland silverside)

- 96 Hour-EC50, Marine

Invertebrate

1.65 mg/l (96h, Mysid shrimp)

- **48 Hour-EC50, Marine** 0.196 mg/l (V

Invertebrate

0.196 mg/l (Water flea)

Avian toxicity:

Oral LD50, Bobwhite quail
Oral LD50, Mallard duck
1732 mg/kg
1916 mg/kg

Dietary LC50, Mallard duck
 Dietary LC50, Bobwhite quail
 10,000 ppm
 10,000 ppm

{ Page 7 of 10 }



According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Product name Green Klean Chlorinated Disinfecting Tablets

Product id AS_9717BT_GK

Revision date 29/08/2016 Revision: 2

Persistence and degradability The materials used in this preparation will not persist in the environment.

The free available chlorine from Sodium dishloroisocyanurate is rapidly consumed by reaction with organic and inorganic materials to produce chloride ion. The

stable degradation products are chloride ion and cyanuric acid.

Sodium Dichloroisocyanurate is subject to hydrolysis. Cyanuric acid produces by

hydrolysis is biodegradable.

Bioaccumulative potential Trichloroisocyanuric acid hydrolyses in water liberating chlorine and cyanuric acid.

These products are not bioaccumulative

Note: Not considered to be PBT or vPvB

13. Disposal considerations

Waste disposal Avoid access to streams, lakes or ponds. Observe all federal, state and local

environmental regulations when disposing of this material. Do not transport damp or wet material. Neutralise materials to a non-oxidising state for safe disposal.

Disposal of Packaging Clean Container and dispose of according to local and national regulations

14. Transportation information

Independent tests, carried out by TNO Prins Mauritis Laboratory, conducted according to the procedure as described in the United Nations Recommendations on the Transport of Dangerous Goods, Manual of Tests and Criteria, third revised edition, test O.1. have demonstrated that the product is not oxidizing for transport

DOT Not regulated for non bulk shipments

For bulk shipments regulated as:

UN No. 3077

Proper shipping name: Environmentally hazardous substance, solid, n.o.s

(contains Sodium dichloro-s-triazinetrione)
Class: 9 - Miscellaneous Hazardous Material

Packing Group: III

Label: 9

Note: Certain shipping modes or package sizes may have exceptions from the transport regulations and may be classified as Consumer Commodity and Limited Quantity. The classification provided may not reflect those exceptions and may not

apply to all shipping modes or package sizes.



According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Product name Green Klean Chlorinated Disinfecting Tablets

AS 9717BT GK Product id

29/08/2016 Revision: 2 Revision date

Regulatory information

USA All the ingredients in this preparation are listed in the EPA TSCA Inventory.

This product is registered under FIFRA

69470-37-91038 - EPA Registration no.

DANGER - Emergency overview in accordance to EPA Master Label Corrosive

Causes irreversible eye damage

Harmful if swallowed, inhaled or absorbed through the skin

Strong oxidizing agent

CERCLA/SARA - 302 ext. haz.

substances

This material contains hazardous substance (Adipic Acid) as defined by

CERCLA/SARA and the Reportable Quantity (RQ) is 5000 lbs.

This product is categorized as an immediate health hazard, and fire and reactivity - SARA (311, 312)

physical hazard (Sodium dichloroisocyanurate)

Hazardous Substances list

- New Jersey Right-to-Know **Hazardous Substances list**

- Massachusetts Right-to-Know Listed (Adipic Acid, Sodium dichloroisocyanurate)

Listed (Adipic Acid, Sodium dichloroisocyanurate)

- Pennsylvania Right-to-Know **Hazardous Substances list**

Listed (Adipic Acid, Sodium dichloroisocyanurate)

- Rhode Island Right-to-Know **Hazardous Substances list**

Listed (Adipic Acid, Sodium dichloroisocyanurate)

Listed in DSL Canada

WHMIS hazard class For Sodium dichloroisocyanurate:

C oxidizing materials

D1B Toxic material causing immediate and serious toxic effects

D2B Toxic materials causing other toxic effects

For Sodium Carbonate: E corrosive material

D2B Toxic materials causing other toxic effects

EU All ingredients are reported in EINECS



According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Product name Green Klean Chlorinated Disinfecting Tablets

Product id AS_9717BT_GK

Revision date 29/08/2016 Revision: 2

16. Other information

All sections reformatted in accordance with OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Although the information and recommendations set forth herein (hereinafter "information") are presented in good faith and believed to be correct as of the date hereof, SOP Green Klean makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving same will make their own determination as to its safety and suitability for their purposes prior to use. In no event will SOP Green Klean be responsible for damages of any nature whatsoever resulting from the use of or reliance upon information. NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESSED OR IMPLIED, OF MERCHANT ABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE, ARE MADE HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.

Prepared by North America Regulatory Affairs

ICL-IP America Inc. 95 MacCorkle Ave., S.W.

South Charleston, WV 25303, USA Phone number: (304)746-3000

Prepared for SOP Green Klean

615 Industrial Drive; Ste. D

Cary, IL 60013 Tel: (815) 479-0460

End of safety data sheet



Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations
Date of Issue: 05/01/2018

Version: 1.0

SECTION 1: IDENTIFICATION

1.1. Product Identifier
Product Form: Granular
Product Name: Green Scapes

1.2. Intended Use of the Product Use of the Substance/Mixture: Melting Ice.

1.3. Name, Address, and Telephone of the Responsible Party

Company

Scotwood Industries, Inc. 12980 Metcalf Ave. STE 240 Overland Park, Kansas 66213

Office: (913) 851-3500 Toll Free: (800) 844-2022 Fax: (913) 851-3377

1.4. Emergency Telephone Number

Emergency Number : (800)-424-9300

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the Substance or Mixture

GHS-US Classification

Not classified

2.2. Label Elements

GHS-US Labeling

No labeling applicable

2.3. Other Hazards

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

2.4. Unknown Acute Toxicity (GHS-US)

No data available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixture

Name	Product Identifier	%	GHS-US classification
Sodium chloride	(CAS-No.) 7647-14-5	90 - 100	Not classified
Magnesium chloride	(CAS-No.) 7786-30-3	< 5	Not classified

Full text of H-phrases: see Section 16.

SECTION 4: FIRST AID MEASURES

4.1. Description of First-aid Measures

First-aid Measures General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid Measures After Inhalation: When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.

First-aid Measures After Skin Contact: Remove contaminated clothing. Drench affected area with water for at least 5 minutes. Obtain medical attention if irritation develops or persists.

First-aid Measures After Eye Contact: Rinse cautiously with water for at least 5 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention.

First-aid Measures After Ingestion: Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

4.2. Most Important Symptoms and Effects Both Acute and Delayed

Symptoms/Injuries: None expected under normal conditions of use.

Symptoms/Injuries After Inhalation: Prolonged exposure may cause irritation.

Symptoms/Injuries After Skin Contact: Prolonged exposure may cause skin irritation.

Symptoms/Injuries After Eye Contact: May cause moderate irritation, including burning sensation, tearing, redness or swelling.

Symptoms/Injuries After Ingestion: Ingestion may cause adverse effects. **Chronic Symptoms:** None expected under normal conditions of use.

05/01/2018 EN (English US) 1/5

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing Media

Suitable Extinguishing Media: Water spray, dry chemical, foam, carbon dioxide.

Unsuitable Extinguishing Media: Do not use a heavy water stream. Use of heavy stream of water may spread fire.

5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not considered flammable but may burn at high temperatures.

Explosion Hazard: Product is not explosive.

Reactivity: Hazardous reactions will not occur under normal conditions.

5.3. Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire. **Firefighting Instructions:** Use water spray or fog for cooling exposed containers.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: Sodium oxides. Magnesium oxides.

Other Information: Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Avoid breathing dust. **6.1.1.** For Non-Emergency Personnel

Protective Equipment: Use of personal protective equipment (PPE) is not generally required but should be evaluated based on

the extent and severity of accidental release.

Emergency Procedures: Evacuate unnecessary personnel.

6.1.2. For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.

6.2. Environmental Precautions

Prevent entry to sewers and public waters. Avoid release to the environment.

6.3. Methods and Materials for Containment and Cleaning Up

For Containment: Contain solid spills with appropriate barriers and prevent migration and entry into sewers or streams.

Methods for Cleaning Up: Clean up spills immediately and dispose of waste safely. Recover the product by vacuuming, shoveling or sweeping. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for Safe Handling

Additional Hazards When Processed: Handle in accordance with standard industrial practices and ensure appropriate ventilation.

Precautions for Safe Handling: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures.

7.2. Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Comply with applicable regulations.

Storage Conditions: Keep container closed when not in use. Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.

Incompatible Materials: Strong acids, strong bases, strong oxidizers.

7.3. Specific End Use(s)

Melting Ice.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control Parameters

For substances listed in Section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), or OSHA (PEL).

05/01/2018 EN (English US) 2/5

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

8.2. Exposure Controls

Appropriate Engineering Controls : Emergency eye wash fountains and safety showers should be available in the

immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.

Personal Protective Equipment : Not generally required. The use of personal protective equipment may be

necessary as conditions warrant.

Materials for Protective Clothing : Chemically resistant materials and fabrics.

Hand Protection : Wear protective gloves. **Eye and Face Protection** : Chemical safety goggles.

Skin and Body Protection: Wear suitable protective clothing.

Respiratory Protection : If exposure limits are exceeded or irritation is experienced, approved respiratory

protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory

protection.

Other Information : When using, do not eat, drink or smoke.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on Basic Physical and Chemical Properties

Physical State : Solid

Appearance : No data available Odor No data available **Odor Threshold** : No data available : No data available pH : No data available **Evaporation Rate Melting Point** : No data available **Freezing Point** No data available **Boiling Point** : No data available Flash Point : No data available

Auto-ignition Temperature : No data available
Decomposition Temperature : No data available
Flammability (solid, gas) : No data available
Vapor Pressure : No data available
Relative Vapor Density at 20°C : No data available

Relative Density : No data available
Solubility : No data available
Partition Coefficient: N-Octanol/Water : No data available
Viscosity : No data available

9.2. Other Information

No additional information available

SECTION 10: STABILITY AND REACTIVITY

- 10.1. Reactivity: Hazardous reactions will not occur under normal conditions.
- 10.2. Chemical Stability: Stable under recommended handling and storage conditions (see Section 7).
- 10.3. Possibility of Hazardous Reactions: Hazardous polymerization will not occur.
- 10.4. Conditions to Avoid: Direct sunlight, extremely high or low temperatures, and incompatible materials.
- **10.5. Incompatible Materials:** Strong acids, strong bases, strong oxidizers.
- 10.6. Hazardous Decomposition Products: None expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on Toxicological Effects

Acute Toxicity: Not classified

Sodium chloride (7647-14-5)		
LD50 Oral Rat 3 g/kg		
LD50 Dermal Rabbit	50 Dermal Rabbit > 10000 mg/kg (Species: New Zealand White)	
LC50 Inhalation Rat	halation Rat > 42 g/m³ (Exposure time: 1 h)	
Magnesium chloride (7786-30-3)		

05/01/2018 EN (English US) 3/5

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

LD50 Oral Rat	2800 mg/kg
LD50 Dermal Rat	> 2000 mg/kg

Skin Corrosion/Irritation: Not classified
Serious Eye Damage/Irritation: Not classified
Respiratory or Skin Sensitization: Not classified

Germ Cell Mutagenicity: Not classified **Carcinogenicity:** Not classified

Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (Single Exposure): Not classified
Specific Target Organ Toxicity (Repeated Exposure): Not classified

Aspiration Hazard: Not classified

Symptoms/Injuries After Inhalation: Prolonged exposure may cause irritation.

Symptoms/Injuries After Skin Contact: Prolonged exposure may cause skin irritation.

Symptoms/Injuries After Eye Contact: May cause moderate irritation, including burning sensation, tearing, redness or swelling.

Symptoms/Injuries After Ingestion: Ingestion may cause adverse effects. **Chronic Symptoms:** None expected under normal conditions of use.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

00 00 0 to	
Sodium chloride (7647-14-5)	
LC50 Fish 1	5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through])
EC50 Daphnia 1	1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC50 Fish 2	12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
EC50 Daphnia 2	340.7 (340.7 - 469.2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
NOEC Chronic Fish	252 mg/l (Species: Pimephales promelas)
Magnesium chloride (7786-30-	3)
LC50 Fish 1	1970 - 3880 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 Daphnia 1	140 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])

12.2. Persistence and Degradability

Telescence and Degradaming		
Green Scapes		
Persistence and Degradability May cause long-term adverse effects in the environment.		

12.3. Bioaccumulative Potential

Green Scapes	
Bioaccumulative Potential Not established.	
Sodium chloride (7647-14-5)	
BCF Fish 1	(no bioaccumulation)

12.4. Mobility in Soil

No additional information available

12.5. Other Adverse Effects

Other Information : Avoid release to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste Treatment Methods

Waste Disposal Recommendations: Dispose of contents/container in accordance with local, regional, national, and international regulations.

SECTION 14: TRANSPORT INFORMATION

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

05/01/2018 EN (English US) 4/5

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- **14.1.** In Accordance with DOT Not regulated for transport
- 14.2. In Accordance with IMDG Not regulated for transport
- 14.3. In Accordance with IATA Not regulated for transport

SECTION 15: REGULATORY INFORMATION

15.1. US Federal Regulations

Green Scapes			
SARA Section 311/312 Hazard Classes Health hazard - Serious eye damage or eye irritation			
Sodium chloride (7647-14-5)			
Listed on the United States TSCA (Toxic Substances Control Act) inventory			
Magnesium chloride (7786-30-3)			
Listed on the United States TSCA (Toxic Substances Control Act) inventory			

15.2. US State Regulations

Neither this product nor its chemical components appear on any US state lists, or its chemical components are not required to be disclosed.

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Date of Preparation or Latest Revision : 05/01/2018

Other Information : This document has been prepared in accordance with the SDS

requirements of the OSHA Hazard Communication Standard 29 CFR

1910.1200

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

SDS US (GHS HazCom)

05/01/2018 EN (English US) 5/5

Product Number 870

Issuing Date No data available

Revision Date 05/28/15

Revision Number 2



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name

Gum Spirits of Turpentine

Other means of identification

Synonyms

None

Recommended use of the chemical and restrictions on use

Recommended Use

Paint Thinner (*Note Future CARB requirements: 2013 - 3 wt%)

Uses advised against

No information available

Details of the supplier of the safety data sheet

Supplier Name

Sunnyside Corporation

Supplier Address

225 Carpenter Avenue

Wheeling

ΙL

60090

US

Supplier Phone Number

Phone:8003238611

Fax:8475419043

Supplier Email

sscontact@sunnysidecorp.com

Emergency telephone number

Chem Trec 8004249300

2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids

Category 3

GHS Label elements, including precautionary statements

Emergency Overview -

Signal word

Warning



Flammable liquid and vapor



Appearance Clear

Physical State Liquid

Odor Pine

Precautionary Statements - Prevention

Keep away from heat/sparks/open flames/hot surfaces. - No smoking Keep container tightly closed Ground/bond container and receiving equipment Use explosion-proof electrical/ ventilating/ lighting/ equipment Use only non-sparking tools Take precautionary measures against static discharge Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

Skin

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

Precautionary Statements - Storage

Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Unknown Toxicity

100% of the mixture consists of ingredient(s) of unknown toxicity

Other information

PROLONGED OR REPEATED CONTACT MAY DRY SKIN AND CAUSE IRRITATION May cause slight eye irritation

Interactions with Other Chemicals

No information available.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%	Trade Secret
Gum Turpentine	9005-90-7	60 - 100	

4. FIRST AID MEASURES

First aid measures

Eye Contact If symptoms persist, call a physician. Rinse immediately with plenty of water, also

under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue

rinsing.

Skin Contact In the case of skin irritation or allergic reactions see a physician. Wash off

immediately with soap and plenty of water while removing all contaminated clothes

and shoes.

Inhalation Remove to fresh air. If not breathing, give artificial respiration. If breathing is

difficult, (trained personnel should) give oxygen.

Ingestion Do NOT induce vomiting. Drink plenty of water. If symptoms persist, call a

physician.

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved, take

precautions to protect themselves and prevent spread of contamination.

Most important symptoms and effects, both acute and delayed

Most Important Symptoms and No information available.

Effects

Indication of any immediate medical attention and special treatment needed

Notes to Physician

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Dry chemical, CO2, water spray or regular foam. Use water spray or fog; do not use straight streams.

Unsuitable Extinguishing Media

CAUTION: All these products have a very low flash point. Use of water spray when fighting fire may be inefficient.

Specific Hazards Arising from the Chemical

Some may be transported hot.

Uniform Fire Code

Flammable Liquid: I-C

Hazardous Combustion Products

Carbon oxides.

Explosion Data

Sensitivity to Mechanical Impact

No.

Sensitivity to Static Discharge

Yes.

Protective equipment and precautions for firefighters

Move containers from fire area if you can do it without risk.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions

Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material.

Other Information

Water spray may reduce vapor; but may not prevent ignition in closed spaces.

Environmental Precautions

Environmental Precautions

Prevent entry into waterways, sewers, basements or confined areas.

Methods and material for containment and cleaning up

Methods for Containment

A vapor suppressing foam may be used to reduce vapors. Absorb or cover with dry earth,

sand or other non-combustible material and transfer to containers.

Methods for cleaning up

Dike far ahead of liquid spill for later disposal. Soak up with inert absorbent material. Use

clean non-sparking tools to collect absorbed material.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling

Handle in accordance with good industrial hygiene and safety practice. Use personal protection equipment. Avoid contact with skin and eyes. Avoid breathing vapors or mists. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions.

Conditions for safe storage, including any incompatibilities

Storage

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers.

Incompatible Products

None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies

Appropriate engineering controls

Engineering Measures

Showers

Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/Face Protection

Tight sealing safety goggles.

Skin and Body Protection

Wear protective gloves and protective clothing. Long sleeved clothing. Chemical resistant

apron. Impervious gloves. Antistatic boots.

Respiratory Protection

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties



Physical State Appearance

Color

Liquid Clear

Pale vellow to water / white

Odor Odor Threshold Pine

No information available

Property рH

Melting / freezing point Boiling point / boiling range Flash Point **Evaporation Rate** Flammability (solid, gas) Flammability Limit in Air

Values ÜNKNOWN No data available No data available 33 C / 91 F No data available No data available

Remarks/ Method None known None known None known None known None known None known

No data available Upper flammability limit No data available Lower flammability limit No data available Vapor pressure No data available Vapor density No data available Specific Gravity Negligible Water Solubility No data available Solubility in other solvents Partition coefficient: n-octanol/waterNo data available No data available Autoignition temperature No data available Decomposition temperature No data available Kinematic viscosity No data available **Dynamic viscosity** No data available **Explosive properties** No data available **Oxidizing Properties**

None known None known

Other Information

Softening Point VOC Content (%) Particle Size

No data available No data available No data available

Particle Size Distribution

10. STABILITY AND REACTIVITY

Reactivity

No data available.

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to avoid

Heat, flames and sparks.

Incompatible materials

None known based on information supplied.

Hazardous Decomposition Products

Carbon oxides.

11. TOXICOLOGICAL INFORMATION



Information on likely routes of exposure

Product Information Product does not present an acute toxicity hazard based on known or supplied information.

Inhalation Specific test data for the substance or mixture is not available.

Eye Contact Specific test data for the substance or mixture is not available.

Skin Contact Specific test data for the substance or mixture is not available.

Ingestion Specific test data for the substance or mixture is not available.

Component Information

Sensitization

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No information available.

Mutagenic Effects No information available.

Carcinogenicity Contains no ingredient listed as a carcinogen.

Reproductive Toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Chronic Toxicity No known effect based on information supplied.

Target Organ Effects None known.

Aspiration Hazard No information available.

Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document Not applicable

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Persistence and Degradability

No information available.

Bioaccumulation

No information available

Other adverse effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal methods

This material, as supplied, is a hazardous waste according to federal regulations (40 CFR 261). Gum Turpentinesoaked materials may spontaneously combust and should be properly managed to avoid ignition and heat sources or oxygen rich environments. Collect and store soaked materials in closed, water filled metal containers to help prevent combustion.

Contaminated Packaging

Dispose of contents/containers in accordance with local regulations.

US EPA Waste Number

D001

California Hazardous Waste Codes 213

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste	
Gum Turpentine	Toxic	
	lgnitable	

14. TRANSPORT INFORMATION

DOT

Proper Shipping Name

CONSUMER COMMODITY

Hazard Class

ORM-D

Description

CONSUMER COMMODITY, ORM-D

Emergency Response Guide

128

Number

TDG

ŪN-No.

UN1299

Proper Shipping Name

TURPENTINE

Hazard Class

3

Packing Group

111

Description

UN1299, TURPENTINE, 3, III

MEX

UN-No.

UN1299

Proper Shipping Name

TURPENTINE

Hazard Class

3



Packing Group

UN1299 TURPENTINE, 3, III Description

Ш

ICAO

UN1299 UN-No. TURPENTINE **Proper Shipping Name**

Hazard Class 3 Ш **Packing Group**

UN1299, TURPENTINE, 3, III Description

IATA

UN1299 UN-No. TURPENTINE **Proper Shipping Name**

3 **Hazard Class** Ш **Packing Group**

UN1299, TURPENTINE, 3, III Description

IMDG/IMO

UN1299 UN-No. TURPENTINE **Proper Shipping Name**

3 **Hazard Class** Ш **Packing Group** F-E, S-E EmS No.

UN1299, TURPENTINE, 3, III, FP 33C Description

RID

UN1299 UN-No. TURPENTINE **Proper Shipping Name**

Hazard Class Ш Packing Group Classification code

UN1299 TURPENTINE, 3, III Description

ADR

UN1299 UN-No. TURPENTINE **Proper Shipping Name**

3 **Hazard Class** Ш **Packing Group** Classification code

UN1299 TURPENTINE, 3, III Description

ADN

UN1299 UN-No. TURPENTINE **Proper Shipping Name**

Hazard Class 3 **Packing Group** 111 Classification code F1

UN1299 TURPENTINE, 3, III Description

3 **Hazard Labels** 5 L **Limited Quantity** VE01 Ventilation

15. REGULATORY INFORMATION

International Inventories

TSCA

All components are listed either on the DSL or NDSL. DSL

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory



DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute Health Hazard	No
Chronic Health Hazard	No
Fire Hazard	Yes
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Gum Turpentine			Х		

International Regulations

WHMIS Hazard Class B2 - Flammable liquid



16. OTHER INFORMATION				
NFPA	Health Hazards 1	Flammability 3	Instability 0	Physical and Chemical Hazards -
HMIS	Health Hazards 1	Flammability 3	Physical Hazard 0	Personal Protection X



Prepared By

Product Stewardship

23 British American Blvd.

Latham, NY 12110 1-800-572-6501 17-Sep-2014

Revision Date

Revision Note

No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet



Revision Date 10-Apr-2015 Version 1

1. IDENTIFICATION

Product identifier

Product Name Gumout Jet Spray Carb and Choke Cleaner

Other means of identification

Product Code 600951

Document SKU: 800002230, 800002231, 800002241

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Carburetor Cleaner Consumer Use

Uses advised against All other applications

Details of the supplier of the safety data sheet

Supplier Address <u>Manufacturer Address</u> <u>Distributor</u>

ITW Global Brands

6925 Portwest Dr., Suite 100

Houston, TX 77024

Company Phone Number 1-855-888-1988

24 Hour Emergency Phone Number (CHEMTREC) 1-800-424-9300 or 1-703-527-3887 (U.S.)

(RMPDC) 1-877-504-9352 (U.S.)

E-mail address SDS@itwgb.com

2 HAZARDS IDENTIFICATION 2000

Classification

OSHA Regulatory Status

A STATE OF THE STA

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

NOTE: This product is a consumer product and is labeled in accordance with the US Consumer Product Safety Commission regulations which take precedence over OSHA Hazard Communication labeling. The actual container label will not include the label elements below. The labeling below applies to industrial/professional products.

Serious eye damage/eye irritation	Category 2
Reproductive toxicity	Category 2
Specific target organ toxicity (single exposure)	Category 3
Specific target organ toxicity (repeated exposure)	Category 2
Flammable aerosols	Category 1
Gases under pressure	Compressed gas

Label elements

Emergency Overview

Danger

Causes serious eye irritation

Suspected of damaging fertility or the unborn child

May cause drowsiness or dizziness

May cause damage to organs through prolonged or repeated exposure

Extremely flammable aerosol

Contains gas under pressure; may explode if heated



Appearance Colorless

Physical state Liquid Flammable Aerosol

Odor Alcohol

Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Wear eye/face protection

Do not breathe dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Do not puncture or incinerate container

Contents under pressure and can explode when exposed to heat or open flame

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention IF SWALLOWED: Rinse mouth. DO NO induce vomiting

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Precautionary Statements - Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Do not expose to temperatures exceeding 122 °F (50 °C)

Keep away from heat, sparks, flames and other ignition sources

Keep out of reach of children

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Other Information

- Causes mild skin irritation
- May be harmful if inhaled or swallowed
- Harmful to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS 3

substance(s)

Chemical Name	CAS No	Weight-%	Trade Secret
ACETONE	67-64-1	60 - 100	*
TOLUENE	108-88-3	5 - 10	*
CARBON DIOXIDE	124-38-9	5 - 10	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES 編集

Description of first aid measures

General advice Get medical advice/attention if you feel unwell.

Eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention.

Skin contact IF ON SKIN:. Wash skin with soap and water. If skin irritation persists, call a physician.

Wash contaminated clothing before reuse.

Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. If symptoms persist, call a physician.

Ingestion IF SWALLOWED:. Do NOT induce vomiting. Never give anything by mouth to an

unconscious person. Call a physician.

Self-protection of the first aider Use personal

Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Most important symptoms and effects, both acute and delayed

Symptoms See section 2 for more information.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

Suitable extinguishing media

企业企业工作中的

Dry chemical, CO2, sand, earth, water spray or regular foam

Unsuitable extinguishing media

None.

Specific hazards arising from the chemical

Extremely flammable. Contents under pressure and can explode when exposed to heat or flames. Vapors may cause flash fire.

Explosion data

Sensitivity to Mechanical Impact

None.

Sensitivity to Static Discharge

May be ignited by heat, sparks or flames.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation, especially in confined areas. Avoid contact with skin, eyes and

inhalation of vapors. Use personal protective equipment as required. Remove all sources of

ignition.

Environmental precautions

Environmental precautions Do not flush into surface water or sanitary sewer system. See Section 12 for additional

ecological Information.

Methods and material for containment and cleaning up

Methods for containment

Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Ensure adequate ventilation. Soak up with inert absorbent material. Sweep up and shovel

into suitable containers for disposal.

Prevention of secondary hazards

Clean contaminated objects and areas thoroughly observing environmental regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling

Handle in accordance with good industrial hygiene and safety practice. Avoid breathing vapors or mists. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Wash contaminated clothing before reuse. Use personal protective equipment as required.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep containers tightly closed in a cool, well-ventilated place. Keep away from sunlight, ignition sources and other sources of heat. Do not expose to temperatures exceeding 50 °C/122 °F. Keep out of the reach of children.

Incompatible materials

Strong oxidizing agents

***** 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
ACETONE 67-64-1	STEL: 750 ppm TWA: 500 ppm	TWA: 1000 ppm TWA: 2400 mg/m³ (vacated) TWA: 750 ppm (vacated) TWA: 1800 mg/m³ (vacated) STEL: 2400 mg/m³ The acetone STEL does not apply to the cellulose acetate fiber industry. It is in effect for all other sectors (vacated) STEL: 1000 ppm	IDLH: 2500 ppm TWA: 250 ppm TWA: 590 mg/m³
TOLUENE 108-88-3	TWA: 20 ppm	TWA: 200 ppm (vacated) TWA: 100 ppm (vacated) TWA: 375 mg/m³ (vacated) STEL: 150 ppm (vacated) STEL: 560 mg/m³ Ceiling: 300 ppm	IDLH: 500 ppm TWA: 100 ppm TWA: 375 mg/m³ STEL: 150 ppm STEL: 560 mg/m³
CARBON DIOXIDE 124-38-9	STEL: 30000 ppm TWA: 5000 ppm	TWA: 5000 ppm TWA: 9000 mg/m³ (vacated) TWA: 10000 ppm (vacated) TWA: 18000 mg/m³ (vacated) STEL: 30000 ppm (vacated) STEL: 54000 mg/m³	IDLH: 40000 ppm TWA: 5000 ppm TWA: 9000 mg/m ³ STEL: 30000 ppm STEL: 54000 mg/m ³

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Appropriate engineering controls

Engineering Controls

Showers

Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear safety glasses with side shields (or goggles).

Skin and body protection Wear protective gloves and protective clothing.

Respiratory protection Use NIOSH-approved air-purifying respirator with organic vapor cartridge or canister, as

appropriate.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. Regular cleaning of

equipment, work area and clothing is recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

Tag Closed Cup

Information on basic physical and chemical properties

Physical state Liquid; Flammable Aerosol

Appearance Colorless
Odor Alcohol

Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH No information available

Melting point / freezing pointNo information availableBoiling point / boiling range56 °C / 133 °F

Flash point
-20 °C / -4 °F
Evaporation rate
No information available

Flammability (solid, gas) No information available Flammability Limit in Air

Upper flammability limit: 2.6 Lower flammability limit: 12.8 Vapor pressure 185

Vapor density No information available

Relative density 0.798

Water solubility Miscible in water

Solubility in other solvents No information available Partition coefficient No information available

Autoignition temperature 465 °C / 869 °F

Decomposition temperatureNo information availableKinematic viscosityNo information availableDynamic viscosityNo information availableExplosive propertiesNo information availableOxidizing propertiesNo information available

Other Information

Softening point No information available Molecular weight No information available

 VOC Content (%)
 9.8%

 Density
 0.797 g/cm3

Bulk density No information available

10. STABILITY AND REACTIVITY 3. 200

Reactivity

Stable under normal use

Chemical stability

Stable under recommended storage conditions

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Keep away from all heat sources, open flames and other sources of ignition.

Incompatible materials

Strong oxidizing agents

White control of the second and the

Hazardous Decomposition Products

Carbon oxides

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation May cause irritation of respiratory tract. May cause central nervous system depression with

nausea, headache, dizziness, vomiting, and incoordination. Intentional misuse by deliberately concentrating and inhaling contents may be harmful or fatal. Harmful by

inhalation.

Eye contact Contact with eyes may cause irritation. May cause redness and tearing of the eyes.

Skin contact May cause skin irritation and/or dermatitis.

Ingestion Ingestion may cause irritation to mucous membranes. Potential for aspiration if swallowed.

Aspiration may cause pulmonary edema and pneumonitis. May be fatal if swallowed.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
ACETONE 67-64-1	= 5800 mg/kg (Rat)	-	= 50100 mg/m³ (Rat)8 h
TOLUENE 108-88-3	= 2600 mg/kg (Rat)	= 12000 mg/kg (Rabbit)	= 12.5 mg/L (Rat) 4 h

Information on toxicological effects

Symptoms

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization

No information available. No information available.

Germ cell mutagenicity Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
TOLUENE	-	Group 3	-	-
108-88-3				

IARC (International Agency for Research on Cancer)

Not classifiable as a human carcinogen

Chronic toxicity

May cause adverse liver effects.

Target Organ Effects

Central nervous system, Central Vascular System (CVS), Eyes, kidney, Liver, Respiratory

system, Skin.

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral)

5526 mg/kg

ATEmix (dermal)

122449 ma/ka

ATEmix (inhalation-dust/mist)

62 mg/l

12 ECOLOGICAL INFORMATION

Ecotoxicity

	Chemical Name	Algae/aquatic plants	Fish	Crustacea
	ACETONE	-	4.74 - 6.33: 96 h Oncorhynchus	10294 - 17704: 48 h Daphnia
١	67-64-1		mykiss mL/L LC50 6210 - 8120: 96	
١			h Pimephales promelas mg/L LC50	12700: 48 h Daphnia magna mg/L
١			static 8300: 96 h Lepomis	EC50
Į			macrochirus mg/L LC50	

TOLUENE 108-88-3		15.22 - 19.05: 96 h Pimephales promelas mg/L LC50 flow-through 12.6: 96 h Pimephales promelas mg/L LC50 static 5.89 - 7.81: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 14.1 - 17.16: 96 h Oncorhynchus mykiss mg/L LC50 static 5.8: 96 h Oncorhynchus mykiss mg/L LC50 semi-static 11.0 - 15.0: 96 h Lepomis macrochirus mg/L LC50 static 54: 96 h Oryzias latipes mg/L LC50 static 54: 96 h Poecilia reticulata mg/L LC50 semi-static 50.87 - 70.34: 96 h Poecilia reticulata mg/L LC50 static	5.46 - 9.83: 48 h Daphnia magna mg/L EC50 Static 11.5: 48 h Daphnia magna mg/L EC50
---------------------	--	--	---

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Mobility

Disperses in water.

Chemical Name	Partition coefficient
ACETONE 67-64-1	-0.24
TOLUENE 108-88-3	2.65

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS TO SECURITY OF THE PROPERTY OF THE

Waste treatment methods

Disposal of wastes

Recover or recycle if possible. Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging

Do not reuse container.

US EPA Waste Number

U002 U220

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
ACETONE 67-64-1		Included in waste stream: F039	-	U002
TOLUENE 108-88-3	U220	Included in waste streams: F005, F024, F025, F039, K015, K036, K037, K149, K151	-	U220

Chemical Name	RCRA - Halogenated Organic Compounds	RCRA - P Series Wastes	RCRA - F Series Wastes	RCRA - K Series Wastes
TOLUENE 108-88-3		-	Toxic waste waste number F025 Waste description: Condensed light ends, spent filters and filter aids, and spent desiccant wastes from the production of certain chlorinated aliphatic hydrocarbons, by free radical catalyzed processes. These chlorinated aliphatic	

600951 - Gumout Jet Spray Carb and Choke Cleaner

Revision Date 10-Apr-2015

	hydrocarbons are those
	having carbon chain lengths
	ranging from one to and
	including five, with varying
]	amounts and positions of
	chlorine substitution.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
ACETONE 67-64-1	Ignitable
TOLUENE 108-88-3	Toxic Ignitable

14. TRANSPORT INFORMATION 55

DOT

UN/ID no

UN 1950

Proper shipping name:

Aerosols, Consumer Commodity, Limited Quantity (LQ)

Hazard Class

<u>IATA</u>

UN/ID no

UN 1950

Proper shipping name:

Aerosols, Consumer commodity, Limited Quantity (LQ)

Hazard Class

IMDG

UN/ID no

UN 1950

Proper shipping name:

Aerosols, Consumer Commodity, Limited Quantity (LQ)

Hazard Class 2.1

M5. REGULATORY INFORMATION

International Inventories

TSCA Complies DSL/NDSL Complies **EINECS/ELINCS** Complies **ENCS** Not determined **IECSC** Not determined KECL Not determined **PICCS** Not determined **AICS** Not determined

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
TOLUENE - 108-88-3	1.0

SARA 311/312 Hazard Categories

Acute health hazard	
	No
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No.
Reactive Hazard	No

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	
TOLUENE 108-88-3	1000 lb	X	Х	Substances X

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
ACETONE 67-64-1	5000 lb		RQ 5000 lb final RQ
TOLUENE 108-88-3	1 lb	-	RQ 2270 kg final RQ RQ 1 lb final RQ
State Regulations			RQ 0.454 kg final RQ

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65
TOLUENE - 108-88-3	Developmental
II C State Distance D	Female Reproductive
U.S. State Right-to-Know Regulations	

Chemical Name	New Jersey	Massachusetts	Pennsylvania
ACETONE 67-64-1	Х	X	X
TOLUENE 108-88-3	X	X	Х
CARBON DIOXIDE 124-38-9	X	Х	X

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

WHMIS Hazard Class

Non-controlled

NFPA Health hazards 2 Flammability 3 Instability 0 <u>HMIS</u> Health hazards 2 Flammability 3 Physical hazards 1 Personal protection B

NFPA (National Fire Protection Association) HMIS (Hazardous Material Information System)

Revision Date

10-Apr-2015

Revision Note

4

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Revision Date	10-Apr-2015
----------------------	-------------

End of Safety Data Sheet