



**Marietta City Schools**  
**2024–2025 District Unit Planner**

*Grade 7 Honors Mathematics*

<b>Unit title</b>	Unit 1: Making Relevant Connections within The Number System	<b>MYP year</b>	2	<b>Unit duration (hrs)</b>	<i>27 hours</i>
-------------------	--	-----------------	---	----------------------------	-----------------

**Mastering Content and Skills through INQUIRY (Establishing the purpose of the Unit):** *What will students learn?*

**GA DoE Standards**

**Standards**

**7.NR.1** Solve relevant, mathematical problems, including multi-step problems, involving the four operations with rational numbers and quantities in any form (integers, percentages, fractions, and decimal numbers).

**7.MP:** Display perseverance and patience in problem-solving. Demonstrate skills and strategies needed to succeed in mathematics, including critical thinking, reasoning, and effective collaboration and expression. Seek help and apply feedback. Set and monitor goals.

**Gifted Standards**

**Gifted Strand 2: Creative Thinking Skills:** Students will develop and utilize creative thinking through a variety of products and problem solving.

**Gifted Strand 3: Higher Order Thinking and Problem Solving Skills:** Students will develop and utilize critical thinking, higher order thinking, logical thinking and problem solving skills in various situations.

**Gifted Strand 4: Advanced Communication and Collaboration Skills:** Students will develop advanced communication and collaboration skills in working toward a common goal with shared accountability for the final outcome.

**Concepts/Skills to support mastery of standards**

**NUMERICAL REASONING – integers, percentages, fractions, decimal numbers**

**7.NR.1: Solve relevant, mathematical problems, including multi-step problems, involving the four operations with rational numbers and quantities in any form (integers, percentages, fractions, and decimal numbers).**

Expectations		Evidence of Student Learning (not all inclusive; see Grade Level Overview for more details)			
7.NR.1.1	Show that a number and its opposite have a sum of 0 (are additive inverses). Describe situations in which opposite quantities combine to make 0.	<b>Terminology</b> <ul style="list-style-type: none"> <li>In the equation <math>3 + -3 = 0</math>, 3 and <math>-3</math> are additive inverses of each other.</li> </ul>		<b>Example</b> <ul style="list-style-type: none"> <li>Your bank account balance is <math>-\\$25.00</math>. You deposit <math>\\$25.00</math> into your account. The net balance is <math>\\$0.00</math>.</li> </ul>	
7.NR.1.2	Show and explain $p + q$ as the number located a distance $ q $ from $p$ , in the positive or negative direction, depending on whether $q$ is positive or negative. Interpret sums of rational numbers by describing applicable situations.	<b>Strategies and Methods</b> <ul style="list-style-type: none"> <li>Students should be able to add and subtract integers and other rational numbers presented within relevant, mathematical problems, using strategic thinking and a variety of tools.</li> </ul>		<b>Example</b> <ul style="list-style-type: none"> <li><math>6 + (-4)</math> is 4 units to the left of 6 on a horizontal number line or 4 units down from 6 on a vertical number line.</li> </ul>	
7.NR.1.3	Represent addition and subtraction with rational numbers on a horizontal or a vertical number line diagram to solve authentic problems.	<b>Strategies and Methods</b> <ul style="list-style-type: none"> <li>Students should represent a variety of types of rational numbers on a number line diagram presented both horizontally and vertically.</li> </ul>			
7.NR.1.4	Show and explain subtraction of rational numbers as adding the additive inverse, $p - q = p + (-q)$ . Show that the distance between two rational numbers on the number line is the absolute value of their difference and apply this principle in contextual situations.	<b>Examples</b> <ul style="list-style-type: none"> <li>Find the distance between a submarine submerged at a depth of <math>27\frac{3}{4}</math> feet below sea level and an airplane flying at an altitude of <math>1262\frac{1}{2}</math> feet above sea level.</li> <li><math>-\frac{1}{2} - (-2)</math> is the same expression as <math>-\frac{1}{2} + -(-2)</math>, which is 2 units to the right of <math>-\frac{1}{2}</math> on a horizontal number line or 2 units up from <math>-\frac{1}{2}</math> on a vertical number line.</li> </ul>			
7.NR.1.5	Apply properties of operations, including part-whole reasoning, as strategies to add and subtract rational numbers.	<b>Fundamentals</b> <ul style="list-style-type: none"> <li>Students should be allowed to explore the signs of integers and what they really mean to discover integer rules.</li> </ul>	<b>Strategies and Methods</b> <ul style="list-style-type: none"> <li>Students should be able to use the Commutative and Associative properties to combine more than two rational numbers flexibly.</li> </ul>	<b>Terminology</b> <ul style="list-style-type: none"> <li>Part-whole reasoning refers to how numbers can be split into parts to add and subtract numbers more efficiently.</li> </ul>	<b>Example</b> <ul style="list-style-type: none"> <li><math>(-8) + 5 + (-2)</math> may be solved as <math>(-8) + (-2) + 5</math> to first make <math>-10</math> by using the Commutative Property.</li> </ul>

7.NR.1.6	Make sense of multiplication of rational numbers using realistic applications.	<p><b>Strategies and Methods</b></p> <ul style="list-style-type: none"> <li>Student should have opportunities to use concepts of repeated addition and the meaning of a negative sign as the “opposite of,” with both models and representations, leading to deriving the rules for multiplying signed numbers.</li> <li>Models may include, but are not limited to, number lines and counters.</li> </ul>		<p><b>Examples</b></p> <ul style="list-style-type: none"> <li><math>4 * (-5)</math> is 4 groups of <math>(-5)</math> and <math>(-4) * (-3)</math> is the opposite of <math>4 * (-3)</math>.</li> <li>If yellow counters represent positive amounts and red counters represent negative amounts, you can model <math>3 * (-2)</math> as three groups of two red counters.</li> <li>David has a \$0.00 balance in his bank account. He makes three withdrawals of \$1.46 each. What is his bank account balance after the three withdrawals?</li> </ul>															
7.NR.1.7	Show and explain that integers can be divided, assuming the divisor is not zero, and every quotient of integers is a rational number.	<p><b>Fundamentals</b></p> <ul style="list-style-type: none"> <li>If <math>p</math> and <math>q</math> are integers (<math>q \neq 0</math>), then <math>-\left(\frac{p}{q}\right) = \frac{-p}{q} = \frac{p}{-q}</math>.</li> </ul>		<p><b>Example</b></p> <ul style="list-style-type: none"> <li><math>-\left(\frac{20}{5}\right) = -4</math> is the same as <math>\frac{-20}{5} = -4</math> and <math>\frac{20}{-5} = -4</math></li> </ul>															
7.NR.1.8	Represent the multiplication and division of integers using a variety of strategies and interpret products and quotients of rational numbers by describing them based on the relevant situation.	<p><b>Fundamentals</b></p> <ul style="list-style-type: none"> <li>Students should be allowed to explore the signs of integers and what they really mean to discover integer rules.</li> </ul>	<p><b>Strategies and Methods</b></p> <ul style="list-style-type: none"> <li>Students can represent multiplication and division using number lines, counters, etc.</li> </ul>	<p><b>Example</b></p> <ul style="list-style-type: none"> <li>Create a model and realistic situations for each of the products. Write and model the family of equations related to <math>2 \times 3 = 6</math>.</li> </ul> <table border="1" data-bbox="1518 655 2119 842"> <thead> <tr> <th>Equation</th> <th>Number Line Model</th> <th>Context</th> </tr> </thead> <tbody> <tr> <td><math>2 \times 3 = 6</math></td> <td></td> <td>Selling two packages of apples at \$3.00 per pack</td> </tr> <tr> <td><math>2 \times -3 = -6</math></td> <td></td> <td>Spending 3 dollars each on 2 packages of apples</td> </tr> <tr> <td><math>-2 \times 3 = -6</math></td> <td></td> <td>Owing 2 dollars to each of your three friends</td> </tr> <tr> <td><math>-2 \times -3 = 6</math></td> <td></td> <td>Forgiving 3 debts of \$2.00 each</td> </tr> </tbody> </table>	Equation	Number Line Model	Context	$2 \times 3 = 6$		Selling two packages of apples at \$3.00 per pack	$2 \times -3 = -6$		Spending 3 dollars each on 2 packages of apples	$-2 \times 3 = -6$		Owing 2 dollars to each of your three friends	$-2 \times -3 = 6$		Forgiving 3 debts of \$2.00 each
Equation	Number Line Model	Context																	
$2 \times 3 = 6$		Selling two packages of apples at \$3.00 per pack																	
$2 \times -3 = -6$		Spending 3 dollars each on 2 packages of apples																	
$-2 \times 3 = -6$		Owing 2 dollars to each of your three friends																	
$-2 \times -3 = 6$		Forgiving 3 debts of \$2.00 each																	
7.NR.1.9	Apply properties of operations as strategies to solve multiplication and division problems involving rational numbers represented in an applicable scenario.	<p><b>Fundamentals</b></p> <ul style="list-style-type: none"> <li>Students should be allowed to explore the signs of integers and what they really mean to discover integer rules.</li> <li>Students should be able to reason about direction on a number line when representing multiplication and division using the tool.</li> </ul>		<p><b>Strategies and Methods</b></p> <ul style="list-style-type: none"> <li>Students should be able to use the Commutative and Associative properties to combine more than two rational numbers flexibly.</li> </ul>	<p><b>Example</b></p> <ul style="list-style-type: none"> <li><math>(-8) * 2 * (-5)</math> may be solved as <math>(-8) * (2 * (-5))</math> to multiply by negative ten, using the Associative Property.</li> </ul>														
7.NR.1.10	Convert rational numbers between forms to include fractions, decimal numbers and percentages, using understanding of the part divided by the whole. Know that the decimal form of a rational number terminates in 0s or eventually repeats.	<p><b>Fundamentals</b></p> <ul style="list-style-type: none"> <li>This is an extension of previous understanding from 6th grade of writing common fractions as decimal numbers and percentages.</li> </ul>		<p><b>Age/Developmentally Appropriate</b></p> <ul style="list-style-type: none"> <li>Students should know that every rational number can be written as the ratio of two integers, terminating decimal numbers, or repeating decimal numbers.</li> </ul>															

7.NR.1.11	Solve multi-step, contextual problems involving rational numbers, converting between forms as appropriate, and assessing the reasonableness of answers using mental computation and estimation strategies.	<p><i>Example</i></p> <ul style="list-style-type: none"> <li>If Sara makes \$25 an hour gets a 10% raise, she will make an additional <math>\frac{1}{10}</math> of her salary an hour, or \$2.50, for a new salary of \$27.50.</li> </ul>
-----------	--	---

**Vocabulary**

[K12 Mathematics Glossary](#)

- Rational number
- Opposite
- Absolute value
- Additive inverse
- Zero pair
- Integers
- Repeating Decimal
- Terminating Decimal
- Negative Numbers
- Positive Numbers
- Long Division
- Multiplicative Inverse
- Rational Numbers

Key concept	Related concept(s)	Global context
<p><b>Relationships</b> The connections and associations between properties, objects, people and ideas.</p>	<p><b>Model, Representation</b></p>	<p><b>Identity and Relationships</b></p>

**Statement of inquiry**

Mathematical models can help people represent real world relationships using operations with rational numbers.

**Inquiry questions**

**Factual**— What is a rational number? What is the difference between positive and negative numbers? What is absolute value? What is the additive inverse of a given number?

**Conceptual**— How can something be less than nothing? How can operations with positive and negative numbers be represented using models, such as number lines and counters?

**Debatable** - Is there one best method for solving operations with rational numbers?

MYP Objectives	Assessment Tasks	
<i>What specific MYP <b>objectives</b> will be addressed during this unit?</i>	<i><b>Relationship</b> between summative assessment task(s) and statement of inquiry:</i>	<i>List of common formative and summative assessments.</i>
Criterion A: Knowing and Understanding Criterion D: Applying to real-world context	Students will demonstrate how to use mathematical models to represent real world situations with rational numbers.	<b>Formative Assessment(s):</b> Unit 1 CFA <b>Summative Assessment(s):</b> Unit 1: Making Relevant Connections within the Number System Unit 1 MYP Assessment- Debits and Credits

**Approaches to learning (ATL)**

**Category:** Social

**Cluster:** Collaboration Skills

**Skill Indicator:** Give and receive meaningful feedback.

**Category:** Thinking

**Cluster:** Critical Thinking, Creative Thinking, & Transfer

**Skill Indicator:** Apply skills and knowledge in unfamiliar situations.

**Design Cycle Transdisciplinary:** Inquiring and Analyzing, Developing Ideas, Creating a Solution, Evaluation

**Learning Experiences**

Add additional rows below as needed.

Objective or Content	Learning Experiences	Personalized Learning and Differentiation
<p><b>7.NR.1.1</b> Show that a number and its opposite have a sum of 0 (are additive inverse). Describe situations in which opposite quantities combine to make 0.</p> <p><b>7.NR.1.2</b> Show and explain <math>p + q</math> as the number located a distance <math> q </math> from <math>p</math>, in the positive or negative direction, depending on whether <math>q</math> is positive or negative. Interpret sums of rational numbers by describing applicable situations.</p> <p><b>7.NR.1.3</b> Represent addition with rational numbers on a horizontal or a vertical number line diagram to solve authentic problems.</p> <p><b>7.NR.1.4</b> Show and explain subtraction of rational numbers as adding the additive inverse, <math>p - q = p + (-q)</math>. Show that the distance between two rational numbers on the number line is the absolute value of their difference and apply this principle in contextual situations.</p> <p><b>7.NR.1.5</b> Apply properties of operations, including part-whole reasoning, as strategies to add and subtract rational numbers.</p>	<p>Up in the Air In this learning plan, students will use a concrete model to help them understand how to add and subtract integers. <a href="#">Teacher Guidance</a> <a href="#">Student Handout</a></p>	<p>Individual Partner</p>

<p><b>7.NR.10</b> Convert rational numbers between forms to include fractions, decimal numbers and percents, using understanding of the part divided by the whole. Know that the decimal form of a rational number terminates in 0s or eventually repeats.</p>	<p>Repeater vs Terminator In this learning plan, students will convert fractions to decimals and determine if the decimal form of the rational number is terminating or repeating. <a href="#">Teacher Guidance</a> <a href="#">Student Handout</a></p>	<p>Partners Small groups (3 – 4 students)</p>

**Content Resources**

**[6-11 Savvas Correlation to 2021 standards](#)**

**Intervention Tasks**

[Greedy Pig](#) and [Number Cards](#) (7.NR.1.2, 1.3, 1.4, 1.5)

-Know the basic addition and subtraction facts.

[Fair Shares](#) (7.NR.1.5 and 1.10)

-Know simple fractions in everyday use.

[Adding in Parts](#) and [Addition/Subtraction Strategies](#) (7.NR.1.2, 1.3 ,1.4, 1.5,1.6, 1.7,1.8,1.9)

-Understand addition and subtraction of fractions, decimals, and integers.

-Record and interpret additive and simple multiplicative strategies, using a variety of strategies.

**Other Resources**

- **Savvas**
- **Desmos**
- **Hands-On Math**
- [GaDOE Unit 1 Curriculum Map](#)