Diabetes Medical Management Plan (DMMP)

This plan should be completed by the student's personal diabetes health care team, including the parents/guardians. It should be reviewed with relevant school staff and copies should be kept in a place that can be accessed easily by the school nurse, trained diabetes personnel, and other authorized personnel.

| Date of plan: | This plan is val | id for the current school year: |
|-----------------------------|-------------------|---------------------------------|
| Student information | | |
| Student's name: | | Date of birth: |
| Date of diabetes diagnosis: | | ☐ Type 2 ☐ Other: |
| School: | | School phone number: |
| Grade: | Homeroom teacher: | |
| School nurse: | | Phone: |
| Contact information | | |
| Parent/guardian 1: | | |
| | | |
| Telephone: Home: | | |
| Email address: | | |
| | | |
| | | |
| Telephone: Home: | | |
| Email address: | | |
| | | |
| | | |
| Telephone: | | ncy number: |
| Email address: | | |
| Other emergency contacts: | | |
| Name: | Relat | ionship: |
| Telenhone: Home: | | Cell: |



| Checking blood | glucose | | | | | |
|--|--|--|-----------------------------|----------|---------------------|----------------------|
| Brand/model of blood | glucose meter: | | | | | |
| Target range of blood | glucose: | | | | | |
| Before meals: □ 90- | -130 mg/dL □ Other | : | | | | |
| Check blood glucose le | evel: | | | | | |
| ☐ Before breakfast | ☐ After breakfast | | Hours after breakfast | □ 2 | hours after a corre | ection dose |
| ☐ Before lunch | ☐ After lunch | | Hours after lunch | □в | efore dismissal | |
| ☐ Mid-morning | ☐ Before PE | ☐ After | PE | □о | ther: | |
| ☐ As needed for signs, | /symptoms of low or h | igh blood | glucose | □А | s needed for signs | /symptoms of illness |
| Preferred site of testing | ng: ☐ Side of fingerti | p 🗆 Oth | ner: | _ | | |
| Note: The side of the fi | ingertip should always | be used t | o check blood glucose lev | vel if h | nypoglycemia is su | spected. |
| Student's self-care blo | ood glucose checking s | kills: | | | | |
| ☐ Independently chec | ks own blood glucose | | | | | |
| ☐ May check blood gl | ucose with supervisior | 1 | | | | |
| ☐ Requires school nur | se or trained diabetes | personne | el to check blood glucose | ! | | |
| ☐ Uses a smartphone | or other monitoring to | chnology | to track blood glucose va | alues/ | | |
| Continuous glucose m | onitor (CGM): 🗆 Yes | i □ No | Brand/model: | | | |
| Alarms set for: Sev | ere Low: | Lov | v: Hi | ligh: _ | | |
| Predictive alarm: Low | v: Hi | gh: | Rate of change | e: Low | v: | High: |
| Threshold suspend set | ting: | | | | | |
| CGM may be used for | insulin calculation if gl | ucose is b | etween mg/dL _ | Ye | sNo | |
| CGM may be used for | hypoglycemia manage | ment | Yes No | | | |
| CGM may be used for | hyperglycemia manag | ement | _ Yes No | | | |
| Do not disconnect If the adhesive is p If the CGM becom Refer to the manual | should be given at leas t from the CGM for spo beeling, reinforce it wi nes dislodged, return e ufacturer's instructions | t three incorts activit th approviverything on how t | ches away from the CGM ies. | s. Do l | not throw any par | |
| The student troubles | hoots alarms and malf | unctions | | | ☐ Yes | □ No |
| | hat to do and is able t | | h a HIGH alarm. | | ☐ Yes | □ No |
| | hat to do and is able t | o deal wit | h a LOW alarm. | | ☐ Yes | □ No |
| The student knows w | | CM indica: | tes a rapid trending rise o | or | ☐ Yes | □ No |
| fall in the blood gluco | | ivi illulca | tes a rapid trending rise t | OI | ☐ Yes | □ No |
| The student should be | escorted to the nurse | if the CGI | M alarm goes off: ☐ Yes | s 🗆 l | No | |
| Other instructions for | the school health tean | າ: | | | | |



| Hypoglycemia treatment | | | | |
|---|---|------------------------------------|---------------------|------------------------------------|
| Student's usual symptoms of hypo | glycemia (list below): | | | |
| | | | | |
| If exhibiting symptoms of hypoglycoproduct equal to grams of o | | vel is less tha | nmg/dL, | give a quick-acting glucose |
| Recheck blood glucose in 15 minute | es and repeat treatment if b | olood glucose | level is less than | n mg/dL. |
| Additional treatment: | | | | |
| If the student is unable to eat or domovement): • Position the student on his or longer than the student or longer than the student of | | - | is having seizure | e activity or convulsions (jerking |
| Administer glucagon | Name of glucagon use | d: | | |
| Injection: | | | | |
| □ 1 mg | □½ mg □ Ot | her (dose) | | |
| • Route: | ☐ Subcutaneous (SC) | ☐ Intramu | uscular (IM) | |
| Site for glucagon injection: | ☐ Buttocks | ☐ Arm | ☐ Thigh | Other: |
| Nasal route: | | | | |
| ☐ 3 mg | | | | |
| Route:Site: | ☐ Intranasal (IN)☐ Nose | | | |
| Call 911 (Emergency Medical S Contact the student's health ca If on insulin pump, stop by place | are provider. | _ | | vith EMS to hospital. |
| Hyperglycemia treatment | | | | |
| Student's usual symptoms of hype | rglycemia (list below): | | | |
| Check ☐ Urine ☐ Blood form For blood glucose greater than insulin (see correction dose or Notify parents/guardians if bloom For insulin pump users: see Additional Allow unrestricted access to the Give extra water and/or non-see | mg/dL AND at leaders). od glucose is over ditional Information for Stelle bathroom. | st hour mg/dL. udent with In | rs since last insul | in dose, give correction dose of |
| Additional treatment for ketones: | | | | |

• Follow physical activity and sports orders. (See Physical Activity and Sports)

If the student has symptoms of a hyperglycemia emergency, call 911 (Emergency Medical Services) and contact the student's parents/guardians and health care provider. Symptoms of a hyperglycemia emergency include: dry mouth, extreme thirst, nausea and vomiting, severe abdominal pain, heavy breathing or shortness of breath, chest pain, increasing sleepiness or lethargy, or depressed level of consciousness.



| Insulin therapy | | | |
|--|------------------------------------|--------------------------------|-----------------------------|
| Insulin delivery device: | ☐ Syringe | ☐ Insulin pen | ☐ Insulin pump |
| Type of insulin therapy at school: | ☐ Adjustable (basal-bolus) ins | sulin | ☐ No insulin |
| Adjustable (Basal-bolus) Insulin T • Carbohydrate Coverage/Core | | : | |
| • Carbohydrate Coverage: | | | |
| Insulin-to-carbohydrate rati | o: | | |
| Breakfast: 1 unit of insulin p Lunch: 1 unit of insulin per_ Snack: 1 unit of insulin per_ | | 2 | |
| | Carbohydrate Dose Ca | Iculation Example | |
| Total Grams of Carb | ohydrate to Be Eaten ÷ Insulin- | to-Carbohydrate Ratio = | Units of Insulin |
| Correction Dose: Blood glucose co | prrection factor (insulin sensitiv | ity factor) = Target bloo | d glucose =mg/dL |
| | Correction Dose Calcu | ulation Example | |
| (Current Blood Gluce | ose —Target Blood Glucose) ÷ C | Correction Factor = Units o | of Insulin |
| Correction dose scale (use instead | d of calculation above to determ | nine insulin correction dose): | |
| Blood glucose to m | g/dL, give units E | Blood glucose to n | ng/dL, give units |
| Blood glucose to m | g/dL, give units E | Blood glucose to n | ng/dL, give units |
| See the worksheet examples in Ad instructions on how to compute th | = | = | |
| When to give insulin: | | | |
| Breakfast | | | |
| ☐ Carbohydrate coverage only | | | |
| ☐ Carbohydrate coverage plus co last insulin dose. | rrection dose when blood gluco | ose is greater than mg/dL | and hours since |
| ☐ Other: | | | |
| Lunch | | | |
| ☐ Carbohydrate coverage only | | | |
| ☐ Carbohydrate coverage plus co last insulin dose. | rrection dose when blood glucc | ose is greater than mg/c | IL and hours since |
| ☐ Other: | | | |
| Snack | | | |
| \square No coverage for snack | | | |
| ☐ Carbohydrate coverage only | | | |
| ☐ Carbohydrate coverage plus co last insulin dose. | rrection dose when blood gluco | ose is greater than mg/c | IL and hours since |
| ☐ Correction dose only: For bloo | d glucose greater than | mg/dL AND at least hou | rs since last insulin dose. |
| ☐ Other: | | | |



| Insulin thera | py (continued) | | | |
|-------------------------------|---|------------------------|---------------------------|---|
| Fixed Insulin Ther | apy Name of insuling | : | | |
| ☐ Units of | insulin given pre-breakt | fast daily | | |
| □ Units of | insulin given pre-lunch | daily | | |
| ☐ Units of | insulin given pre-snack | daily | | |
| ☐ Other: | | | | |
| | | | | |
| Basal Insulin Ther | apy Name of insulin: _ | | | |
| To be given durin | g school hours: P | re-breakfast dose: | units | |
| | P | re-lunch dose: | units | |
| | P | re-dinner dose: | units | |
| Other diabetes me | edications: | | | |
| Name: | Dose: | Route: | Times | given: |
| | | | | given: |
| | | | | |
| Parents/Guardian | s Authorization to Adj | ust Insulin Dose | | |
| ☐ Yes ☐ No | Parents/guardians auth | orization should be o | btained before admin | stering a correction dose. |
| | Parents/guardians are a range: +/ units | | e or decrease correction | n dose scale within the following |
| | _ | | | o-carbohydrate ratio within the , +/ grams of carbohydrate. |
| | Parents/guardians are a +/ units of insu | | or decrease fixed insulii | n dose within the following range: |
| Student's self-car | e insulin administratio | n skills: | | |
| ☐ Independently | calculates and gives ow | n injections. | | |
| ☐ May calculate/ | give own injections with | n supervision. | | |
| ☐ Requires schoo supervision. | I nurse or trained diabe | etes personnel to calc | ulate dose and studen | t can give own injection with |
| ☐ Requires schoo | I nurse or trained diabe | etes personnel to calc | ulate dose and give th | e injection. |
| · | | · | - | • |
| | | | | |
| Additional in | formation for stu | ident with insu | in pump | |
| | | | | p: |
| | | | | Basal rate: |
| | | | | Basal rate: |
| | | Basal rate: | | |
| Other pump instr | uctions: | | | |
| Care barrie mati | | | | |
| Type of infusion s | et· | | | |
| . The or uningion a | ··· | | | |



| Additional information for studen | t with insulin pump (continu | ued) | |
|---|--|----------------------|-----------------------|
| Appropriate infusion site(s): | | | |
| ☐ For blood glucose greater than mg/o failure or infusion site failure. Notify parent | —————————————————————————————————————— | hours after corr | ection, consider pump |
| ☐ For infusion site failure: Insert new infusion | set and/or replace reservoir, or give | insulin by syringe o | or pen. |
| ☐ For suspected pump failure: Suspend or rem | | | • |
| | | | |
| Physical Activity | | | |
| May disconnect from pump for sports activitie | s: 🗆 Yes, for hours | | □ No |
| Set a temporary basal rate: | ☐ Yes,% temporary | basal for hou | ırs 🗆 No |
| Suspend pump use: | ☐ Yes, for hours | | □No |
| | | | |
| Student's Self-care Pump Skills: Check "Ye | es" or "No" if the student can per | | pendently. |
| Counts carbohydrates | | ☐ Yes | □ No |
| Calculates correct amount of insulin for carbo | hydrates consumed | ☐ Yes | □ No |
| Administers correction bolus | | ☐ Yes | □ No |
| Calculates and sets basal profiles | ☐ Yes | □ No | |
| Calculates and sets temporary basal rate | | ☐ Yes | □ No |
| Changes batteries | | ☐ Yes | □ No |
| Disconnects pump | | ☐ Yes | □ No |
| Reconnects pump to infusion set | | ☐ Yes | □ No |
| Prepares reservoir, pod, and/or tubing | | ☐ Yes | □ No |
| Inserts infusion set | | ☐ Yes | □ No |
| Troubleshoots alarms and malfunctions | | ☐ Yes | □ No |
| Meal plan | | | |
| Meal/Snack | Time | Carbohydrate Co | ontent (grams) |
| Breakfast | | | |
| Mid-morning snack | | | |
| | | | |
| Lunch | | to | |
| Mid-afternoon snack | | | |
| Other times to give snacks and content/amou | nt: | | |
| Instructions for when food is provided to the | class (e.g., as part of a class party or | food sampling ever | nt): |
| Parent/guardian substitution of food for meals | , snacks and special events/parties p | permitted. | |
| Special event/party food permitted: ☐ Pare | nts'/Guardians' discretion | ident discretion | |
| Student's self-care nutrition skills: ☐ Independently counts carbohydrates | | | |
| \square May count carbohydrates with supervision | | | |
| ☐ Requires school nurse/trained diabetes pers | sonnel to count carbohydrates | | |



| Physical activity and sports | |
|--|--|
| A quick-acting source of glucose such as $\ \square$ glucose tabs and/or $\ \square$ sugar-containing juice must be available physical education activities and spo | |
| Student should eat ☐ 15 grams ☐ 30 grams of carbohydrate ☐ other: | |
| □ before □ every 30 minutes during □ every 60 minutes during □ after vigorous physical activity | □ other: |
| If most recent blood glucose is less thanmg/dL, student can participate in physical activity when blocorrected and abovemg/dL. | ood glucose is |
| Avoid physical activity when blood glucose is greater thanmg/dL or if urine/blood ketones are m | noderate to large. |
| (See Administer Insulin for additional information for students on insulin pumps.) | |
| Disaster/emergency and drill plan | |
| To prepare for an unplanned disaster, emergency (72 hours) or drill, obtain emergency supply kit from par School nurse or other designated personnel should take student's diabetes supplies and medications to st destination to make available to student for the duration of the unplanned disaster, emergency, or drill. | - |
| ☐ Continue to follow orders contained in this DMMP. | |
| ☐ Additional insulin orders as follows (e.g., dinner and nighttime): | |
| | |
| | |
| ☐ Other: | |
| | |
| | |
| Signatures | |
| This Diabetes Medical Management Plan has been approved by: | |
| This Diabetes Medical Management Plan has been approved by: | Date |
| This Diabetes Medical Management Plan has been approved by: Student's Physician/Health Care Provider I, (parent/guardian) give permission to the school nurqualified health care professional or trained diabetes personnel of (school) | irse or anotherto perform Diabetes Medical ement Plan to all iformation to |
| This Diabetes Medical Management Plan has been approved by: Student's Physician/Health Care Provider I, (parent/guardian) give permission to the school nurqualified health care professional or trained diabetes personnel of (school) and carry out the diabetes care tasks as outlined in (student) Diabetes Medical Management Plan. I also consent to the release of the information contained in this Diabetes Medical Manage school staff members and other adults who have responsibility for my child and who may need to know this in maintain my child's health and safety. I also give permission to the school nurse or another qualified health care | irse or anotherto perform Diabetes Medical ement Plan to all iformation to |
| This Diabetes Medical Management Plan has been approved by: Student's Physician/Health Care Provider I, (parent/guardian) | irse or anotherto perform Diabetes Medical ement Plan to all iformation to |
| This Diabetes Medical Management Plan has been approved by: Student's Physician/Health Care Provider I, (parent/guardian) | irse or anotherto perform Diabetes Medical ement Plan to all iformation to |
| This Diabetes Medical Management Plan has been approved by: Student's Physician/Health Care Provider I, (parent/guardian) | trse or another to perform Diabetes Medical ement Plan to all formation to e professional to |

