

# Chesterfield Township School December 2020 HEALTH OFFICE REPORT

Date: January 7, 2021

Student Visits:	Category	Number
	First Aid	5
	Medications	3
	Medical	13
	Other	5
	Counseling	1
	Health Screenings	0
	Health screenings for I&RS or CST	0
	Head lice checks	0
	DYFS	0
	Staff Visits	6
	Parent Communication	227
	Documentation of records	20
	Daily COVID screening	10
Health Office Visits:	Total: 290	Per Day: 17
Communicable Diseases:	Disease	Number of cases
	Strep Throat	0
	Conjunctivitis	0
	Lice	0
	Flu	0
	Impetigo	0
	Ringworm	0
	Chicken Pox	0
	COVID 19 positive cases	10
Accident Reports		0
Students on daily medication / treatment		1
Telephone Calls to parents for illness or injury at school		2
Attendance Meeting as Attendance Officer		0
Special Services – I&RS, IEP, 504 meetings attended by nurse		0
Telephone calls to Poison Control		0
Students Out of District		6
DYFS		0
Home Visits		0
Students on Homebound Instruction		0
Contact Tracing		10
COVID Related Data Collection and/or Guidance		65

Comments:

- Attended Restart Recovery Committee meeting
- Collaborated with BCHD on individual cases r/t COVID
- Notified preschool parents of required flu shots
- Prepared information for DOH for yearly audit
- New nurse orientation
- Health office equipment serviced

School Nurse: Charmaine Ramos, MEd, BSN, CSN, RN	Charmaine Ramos
Courtney Gauze, BSN,, RN	Courtney Gauze



## Facilities Report January 2021

1. **Heat Pumps** – 4 Heat pumps have been repaired, while school has been fully remote.
2. **Cafeteria Refrigerator** – the walk-in refrigerator in the school Kitchen was repaired.
3. **Custodial and Maintenance Staff** – during the fully remote period in January the staff has been doing preventative maintenance and additional cleaning throughout the building. Most of the work cannot be done when school is in session.
4. **Wireless Panic Buttons** – Omega security installed new equipment and program into existing Honeywell security control. These panic buttons will be monitored for panic, low battery and sensor trouble.
5. **Security Cameras** – CM3 came in over the break to fix 3 security cameras that were offline and not recording.

Andrew Polo  
Business Administrator  
January 20, 2021

# School Dude Report Dec 2020

Work OrderID	Status	Request Date	Requester	Area Type	Location
	Description	Completion Date	Assigned To	Building	Area Number
	Action Taken	Priority		Craft	Equipment
14877	Closed Work Orders	12/1/2020 3:44:15	Robert Carter		30 Saddle Way
	Monthly - Fire Extinguishers - Refer to PM schedule details. fire extinguishers checked out ok	12/22/2020 Medium	Pingitor, Lary		Fire Exiguishers
14878	Closed Work Orders	12/1/2020 3:44:16	Robert Carter		30 Saddle Way
	Monthly - PM Schedule created on 1/26/2012 - Refer to PM schedule details. generator fuel level 669 gallons	12/4/2020 Medium	Pingitor, Lary		Fuel#1
14879	Closed Work Orders	12/1/2020 3:44:17	Robert Carter		30 Saddle Way
	Monthly - PM Schedule created on 1/30/2012 - Refer to PM schedule details. solar readings for November. 537385	12/1/2020 Medium	Pingitor, Lary		Solar 1
14880	Closed Work Orders	12/1/2020 3:44:17	Robert Carter		30 Saddle Way
	Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. 240 filters changed	12/22/2020 Medium	Pingitor, Lary	Heating/Ventilation /Air Conditioning	HP#64
14881	Closed Work Orders	12/1/2020 3:44:17	Robert Carter		30 Saddle Way
	Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. 102 filters changed	12/22/2020 Medium	Pingitor, Lary	Heating/Ventilation /Air Conditioning	HP#67
14882	Closed Work Orders	12/1/2020 3:44:18	Robert Carter		30 Saddle Way
	Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. 103 filters changed	12/16/2020 Medium	Pingitor, Lary	Heating/Ventilation /Air Conditioning	HP#68
14883	Closed Work Orders	12/1/2020 3:44:18	Robert Carter		30 Saddle Way
	Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. hallway by 103 filters changed	12/16/2020 Medium	Pingitor, Lary	Heating/Ventilation /Air Conditioning	HP#84
14884	Closed Work Orders	12/1/2020 3:44:18	Robert Carter		30 Saddle Way
	Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. 104 filters changed	12/16/2020 Medium	Pingitor, Lary	Heating/Ventilation /Air Conditioning	HP#69
14885	Closed Work Orders	12/1/2020 3:44:18	Robert Carter		30 Saddle Way
	Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. 109 filters changed	12/16/2020 Medium	Pingitor, Lary	Heating/Ventilation /Air Conditioning	HP#83

# School Dude Report Dec 2020

Work OrderID	Status	Request Date	Requester	Area Type	Location
	Description	Completion Date	Assigned To	Building	Area Number
	Action Taken	Priority		Craft	Equipment
14886	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. 108 filters changed	12/1/2020 3:44:18 12/22/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#70
14887	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. 110 filters changed	12/1/2020 3:44:19 12/22/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#71
14888	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. 111 filters changed	12/1/2020 3:44:19 12/21/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#82
14889	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. 112a filters changed	12/1/2020 3:44:19 12/22/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#72
14890	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. 112b filters changed	12/1/2020 3:44:19 12/22/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#73
14891	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. hallway by 112a filters changed	12/1/2020 3:44:19 12/22/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#85
14892	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. 116 filters changed	12/1/2020 3:44:19 12/22/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#74
14893	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. 115 filters changed	12/1/2020 3:44:20 12/16/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#81

# School Dude Report Dec 2020

Work OrderID	Status	Request Date	Requester	Area Type	Location
	Description	Completion Date	Assigned To	Building	Area Number
	Action Taken	Priority		Craft	Equipment
14894	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. 118 filters changed	12/1/2020 3:44:20 12/16/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#75
14895	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. 117 filters changed	12/1/2020 3:44:20 12/16/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#80
14896	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. hallway by 119 filters changed	12/1/2020 3:44:20 12/16/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#86
14897	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. 119 filters changed	12/1/2020 3:44:20 12/16/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#79
14898	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. 122 filters changed	12/1/2020 3:44:21 12/15/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#76
14899	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. 123 filters changed	12/1/2020 3:44:21 12/16/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#77
14900	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. hallway by 122 filters changed	12/1/2020 3:44:21 12/16/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#78
14901	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. 217 filters changed	12/1/2020 3:44:21 12/16/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#59

# School Dude Report Dec 2020

Work OrderID	Status	Request Date	Requester	Area Type	Location
	Description	Completion Date	Assigned To	Building	Area Number
	Action Taken	Priority		Craft	Equipment
14902	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. 220 filters changed	12/1/2020 3:44:21 12/16/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#32
14903	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. 221 filters changed	12/1/2020 3:44:22 12/15/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#33
14904	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. 222 filters changed	12/1/2020 3:44:22 12/15/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#55
14905	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. hallway by 221 filters changed	12/1/2020 3:44:22 12/15/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#37
14906	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. 223 filters changed	12/1/2020 3:44:22 12/15/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#34
14907	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. 224 filters done	12/1/2020 3:44:22 12/15/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#54
14908	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. 225 filters changed	12/1/2020 3:44:22 12/15/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#35
14909	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. 226 filters changed	12/1/2020 3:44:22 12/15/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#53

# School Dude Report Dec 2020

Work OrderID	Status	Request Date	Requester	Area Type	Location
	Description	Completion Date	Assigned To	Building	Area Number
	Action Taken	Priority		Craft	Equipment
14910	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. 227 filters changed	12/1/2020 3:44:23 12/15/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#38
14911	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. 228 filters changed	12/1/2020 3:44:23 12/15/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#52
14912	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. 230 filters changed	12/1/2020 3:44:23 12/15/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#51
14913	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. 229 filters changed	12/1/2020 3:44:23 12/15/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#39
14914	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. 233a filters changed	12/1/2020 3:44:24 12/14/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#40
14915	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. hallway by 227 filters changed	12/1/2020 3:44:24 12/14/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#56
14916	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. 234 filters changed	12/1/2020 3:44:24 12/14/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#50
14917	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. 233b filters changed	12/1/2020 3:44:24 12/14/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#41



# School Dude Report Dec 2020

Work OrderID	Status	Request Date	Requester	Area Type	Location
	Description	Completion Date	Assigned To	Building	Area Number
	Action Taken	Priority		Craft	Equipment
14918	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. hallway by 236 filters changed	12/1/2020 3:44:24 12/14/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#57
14919	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. 236 filters changed	12/1/2020 3:44:24 12/14/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#42
14920	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. 237 filters changed	12/1/2020 3:44:25 12/14/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#43
14921	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. 235 filters changed	12/1/2020 3:44:25 12/14/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#49
14922	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. 242 filters changed	12/1/2020 3:44:25 12/14/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#36
14923	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. 244 filters changed	12/1/2020 3:44:25 12/14/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#48
14924	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. 243 filters changed	12/1/2020 3:44:25 12/14/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#44
14925	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. 245 filters changed	12/1/2020 3:44:26 12/14/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#47

# School Dude Report Dec 2020

Work OrderID	Status	Request Date	Requester	Area Type	Location
	Description	Completion Date	Assigned To	Building	Area Number
	Action Taken	Priority		Craft	Equipment
14926	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. 246 filters changed	12/1/2020 3:44:26 12/14/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#45
14927	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. hallway by 246 filters changed	12/1/2020 3:44:26 12/14/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#58
14928	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. 247 filters changed	12/1/2020 3:44:26 12/14/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#46
14929	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. receiving filters changed	12/1/2020 3:44:26 12/14/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#63
14930	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. kitchen store room filters changed	12/1/2020 3:44:26 12/14/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#61
14931	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. kitchen filters changed	12/1/2020 3:44:27 12/14/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#62
14932	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. 252 filters changed	12/1/2020 3:44:27 12/14/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#60
14933	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. hallway by cafeteria	12/1/2020 3:44:27 12/14/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#112

# School Dude Report Dec 2020

Work OrderID	Status	Request Date	Requester	Area Type	Location
	Description	Completion Date	Assigned To	Building	Area Number
	Action Taken	Priority		Craft	Equipment
14934	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. 256 filters changed	12/1/2020 3:44:27 12/14/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#109
14935	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. 224 unit 2 filters changed	12/1/2020 3:44:27 12/14/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#96
14936	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. 257 filters changed	12/1/2020 3:44:28 12/14/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#108
14937	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. hallway by 260 filters changed	12/1/2020 3:44:28 12/14/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#104
14938	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. stage right filters changed	12/1/2020 3:44:28 12/14/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#113
14939	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. stage left filters changed	12/1/2020 3:44:28 12/14/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#107
14940	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. nurses office filters changed	12/1/2020 3:44:28 12/14/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#105
14941	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. lobby unit 1 filters changed	12/1/2020 3:44:28 12/14/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#101

# School Dude Report Dec 2020

Work OrderID	Status	Request Date	Requester	Area Type	Location
	Description	Completion Date	Assigned To	Building	Area Number
	Action Taken	Priority		Craft	Equipment
14942	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. main office filters changed	12/1/2020 3:44:29 12/11/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#102
14943	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. vice principle office filters changed	12/1/2020 3:44:29 12/11/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#103
14944	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. lobby filters changed	12/1/2020 3:44:29 12/11/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#99
14945	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. 205 a filters changed	12/1/2020 3:44:29 12/11/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#98
14946	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. boe.office filters changed	12/1/2020 3:44:29 12/11/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#100
14947	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. media center# 1 filters changed	12/1/2020 3:44:29 12/11/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#95
14948	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. 203 media center filters changed	12/1/2020 3:44:30 12/11/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#97
14949	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. art room filters changed	12/1/2020 3:44:30 12/11/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#94

# School Dude Report Dec 2020

Work OrderID	Status	Request Date	Requester	Area Type	Location
	Description	Completion Date	Assigned To	Building	Area Number
	Action Taken	Priority		Craft	Equipment
14950	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. hallway by 207 filters changed	12/1/2020 3:44:30 12/11/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#93
14951	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. hallway by 208 filters changed	12/1/2020 3:44:30 12/11/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#111
14952	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. 208 c filters changed	12/1/2020 3:44:30 12/11/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#65
14953	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. 210 filters changed	12/1/2020 3:44:31 12/11/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#110
14954	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. 209 filters changed	12/1/2020 3:44:31 12/11/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#92
14955	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. 333 filters changed	12/1/2020 3:44:31 12/11/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#11
14956	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. 332 filters changed	12/1/2020 3:44:31 12/11/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#91
14957	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. 331 filters changed	12/1/2020 3:44:31 12/11/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#12

# School Dude Report Dec 2020

Work OrderID	Status	Request Date	Requester	Area Type	Location
	Description	Completion Date	Assigned To	Building	Area Number
	Action Taken	Priority		Craft	Equipment
14958	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. stairway 4 filters changed	12/1/2020 3:44:31 12/11/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#90
14959	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. 327 filters changed	12/1/2020 3:44:32 12/11/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#13
14960	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. 329 filters changed	12/1/2020 3:44:32 12/11/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#10
14961	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. 326 filters changed	12/1/2020 3:44:32 12/11/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#14
14962	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. 328 filters changed	12/1/2020 3:44:32 12/11/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#9
14963	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. 325b filters changed	12/1/2020 3:44:32 12/11/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#31
14964	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. hallway by 325 filters changed	12/1/2020 3:44:32 12/11/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#29
14965	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. 325b filters changed	12/1/2020 3:44:33 12/11/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#15

# School Dude Report Dec 2020

Work OrderID	Status	Request Date	Requester	Area Type	Location
	Description	Completion Date	Assigned To	Building	Area Number
	Action Taken	Priority		Craft	Equipment
14966	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. 325 filters changed	12/1/2020 3:44:33 12/11/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#30
14967	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. stairway 3 filters changed. found hose off for duct work re attached hose	12/1/2020 3:44:33 12/11/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#89
14968	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. 322 filters changed	12/1/2020 3:44:33 12/11/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#8
14969	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. 321 filters changed	12/1/2020 3:44:33 12/11/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#17
14970	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. 320filters changed	12/1/2020 3:44:33 12/11/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#7
14971	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. hallway by 324 filters changed	12/1/2020 3:44:34 12/10/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#28
14972	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. 317 filters changed	12/1/2020 3:44:34 12/10/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#18
14973	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. 315 filters changed	12/1/2020 3:44:34 12/10/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#19

# School Dude Report Dec 2020

Work OrderID	Status	Request Date	Requester	Area Type	Location
	Description	Completion Date	Assigned To	Building	Area Number
	Action Taken	Priority		Craft	Equipment
14974	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. 316 filters changed	12/1/2020 3:44:34 12/10/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#6
14975	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. 313 filters changed	12/1/2020 3:44:34 12/10/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#20
14976	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. 314 filters changed	12/1/2020 3:44:34 12/10/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#5
14977	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. hallway by 312 filters changed	12/1/2020 3:44:35 12/9/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#27
14978	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. stairway 3 filters changed	12/1/2020 3:44:35 12/10/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#88
14979	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. 310 filters changed	12/1/2020 3:44:35 12/10/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#21
14980	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. 307 filters changed	12/1/2020 3:44:35 12/10/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#22
14981	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. hallway by 307 filters changed	12/1/2020 3:44:35 12/10/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#26



# School Dude Report Dec 2020

Work OrderID	Status	Request Date	Requester	Area Type	Location
	Description	Completion Date	Assigned To	Building	Area Number
	Action Taken	Priority		Craft	Equipment
14982	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. 305 filters changed	12/1/2020 3:44:35 12/10/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#3
14983	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. 306 filters changed	12/1/2020 3:44:36 12/9/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#23
14984	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. 304 filters changed	12/1/2020 3:44:36 12/9/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#2
14985	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. 303 filters changed	12/1/2020 3:44:36 12/9/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#24
14986	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. 301 filters changed	12/1/2020 3:44:36 12/9/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#25
14987	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. stairway 1 filters changed	12/1/2020 3:44:36 12/9/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#87
14988	Closed Work Orders Monthly - PM Schedule created on 2/7/2012 - Refer to PM schedule details. 302 filters changed	12/1/2020 3:44:37 12/9/2020 Medium	Robert Carter Pingitor, Lary	Heating/Ventilation /Air Conditioning	30 Saddle Way HP#1
14989	Closed Work Orders Monthly - PM Schedule created on 9/25/2012 - Refer to PM schedule details. IPM no findings	12/1/2020 3:44:37 12/4/2020 Medium	Robert Carter Pingitor, Lary	Pest Control	30 Saddle Way IPM

# School Dude Report Dec 2020

Work OrderID	Status	Request Date	Requester	Area Type	Location
	Description	Completion Date	Assigned To	Building	Area Number
	Action Taken	Priority		Craft	Equipment
14990	Closed Work Orders	12/1/2020 3:44:38	Robert Carter		30 Saddle Way
	Monthly - PM Schedule created on 12/3/2012 - Refer to PM schedule details. roof no new issues found	12/22/2020 Medium	Pingitor, Lary		ROOF
14991	Closed Work Orders	12/1/2020 3:44:38	Robert Carter		30 Saddle Way
	Monthly - PM Schedule created on 5/22/2018 - Refer to PM schedule details. geo vault 2inc water level same as last time	12/4/2020 Medium	Pingitor, Lary		
14992	Closed Work Orders	12/1/2020	Charmaine Ramos	Nurse's Office	30 Saddle Way
	We need our doorbells installed. One for the health office the other for the screening room installed 2 intercom systems one in nurses office. and screening room	12/2/2020 Medium	Pingitor, Lary	General Maintenance	A202A
14993	Closed Work Orders	12/1/2020	Charmaine Ramos	Art Room	30 Saddle Way
	please sanitize screening room Steven sanitized screening room	12/1/2020 Medium	Pingitor, Lary	Custodial	2203
14998	Closed Work Orders	12/3/2020 1:04:14	Robert Carter		30 Saddle Way
	Weekly - PM Schedule created on 1/9/2012 - Refer to PM schedule details. water room heat was on no issues found	12/4/2020 Medium	Pingitor, Lary	Heating/Ventilation /Air Conditioning	UH#11
14999	Closed Work Orders	12/3/2020 1:04:14	Robert Carter		30 Saddle Way
	Weekly - PM Schedule created on 1/9/2012 - Refer to PM schedule details. fire pump room heat was on no problems at this time	12/4/2020 Medium	Pingitor, Lary	Heating/Ventilation /Air Conditioning	UH#12
15000	Closed Work Orders	12/3/2020	Charmaine Ramos	Art Room	30 Saddle Way
	please RE-sanitize screening room and remove rolling trash can. It needs to be cleaned and returned to its original location. Steven sanitized as needed cleaned trash can	12/3/2020 Medium	Pingitor, Lary	Custodial	A2204
15003	Closed Work Orders	12/4/2020	Charmaine Ramos	Nurse's Office	30 Saddle Way
	bathroom faucet dripping replaced cartridge in faucet	12/4/2020 Medium	Pingitor, Lary	Plumbing	
15004	Closed Work Orders	12/4/2020	Larry Pingitor		
	main outside entrance door door closer not working bolt came loose on door closer replaced bolt	12/4/2020 Medium	Pingitor, Lary		

# School Dude Report Dec 2020

Work OrderID	Status	Request Date	Requester	Area Type	Location
	Description	Completion Date	Assigned To	Building	Area Number
	Action Taken	Priority		Craft	Equipment
15005	Closed Work Orders	12/4/2020	annemarie petty	Classroom	30 Saddle Way
	is it possible to turn the temp. up in the room? My thermostat is as high as it goes and it is cool in here now that the weather is colder. Adjusted temperature in the room	12/4/2020 Medium	Pingitor, Lary	Heating/Ventilation /Air Conditioning	B230
15006	Closed Work Orders	12/7/2020 2:07:55	Robert Carter		30 Saddle Way
	Weekly - PM Schedule created on 2/16/2011 - Refer to PM schedule details. playground1 no issues found trash was pulled	12/8/2020 Medium	Pingitor, Lary		PLAYGROUND#1
15007	Closed Work Orders	12/7/2020 2:07:55	Robert Carter		30 Saddle Way
	Weekly - PM Schedule created on 2/16/2011 - Refer to PM schedule details. playground 2 no issues found trash was checked	12/8/2020 Medium	Pingitor, Lary		Playground#2
15008	Closed Work Orders	12/7/2020 2:07:56	Robert Carter		30 Saddle Way
	Weekly - PM Schedule created on 1/11/2012 - Refer to PM schedule details. not in use at this time	12/7/2020 Medium	Pingitor, Lary	Equipment Maintenance	Steamer #1
15009	Closed Work Orders	12/7/2020 2:07:56	Robert Carter		30 Saddle Way
	Weekly - PM Schedule created on 2/27/2012 - Refer to PM schedule details. generator no test needed at this time	12/14/2020 Medium	Pingitor, Lary		Generator
15010	Closed Work Orders	12/7/2020 2:07:57	Robert Carter		30 Saddle Way
	Weekly - PM Schedule created on 9/10/2012 - Refer to PM schedule details. courtyard no issues found	12/7/2020 Medium	Pingitor, Lary	Landscaping	Courtyard
15012	Closed Work Orders	12/7/2020	Gwendolyn McCreary	Music Room	30 Saddle Way
	I think the temp in my room needs to be reset. No matter how far I set the thermostat to warm, it does not feel as though the heat is on. The room is too cold. Time Available: any called for service mc closky mechanical bad connection on blower motor. running ok	12/8/2020 Medium	Pingitor, Lary	Heating/Ventilation /Air Conditioning	260
15014	Closed Work Orders	12/10/2020	Robert Carter		30 Saddle Way
	Weekly - PM Schedule created on 1/9/2012 - Refer to PM schedule details. water room heat was on no issues found	12/10/2020 Medium	Pingitor, Lary	Heating/Ventilation /Air Conditioning	UH#11

# School Dude Report Dec 2020

Work OrderID	Status	Request Date	Requester	Area Type	Location
	Description	Completion Date	Assigned To	Building	Area Number
	Action Taken	Priority		Craft	Equipment
15015	Closed Work Orders	12/10/2020	Robert Carter		30 Saddle Way
	Weekly - PM Schedule created on 1/9/2012 - Refer to PM schedule details. fire pump room heat was on no issues found	12/10/2020 Medium	Pingitor, Lary	Heating/Ventilation /Air Conditioning	UH#12
15017	Closed Work Orders	12/11/2020	Melissa Hillman	Classroom	30 Saddle Way
	My room was not cleaned last night. The floors and table are dirty. I cleaned the tables this morning. Paper towels and soap was not refilled. had a sub last night cleaned room	12/11/2020 Medium	Pingitor, Lary	Custodial	220
15018	Closed Work Orders	12/14/2020	Robert Carter		30 Saddle Way
	Weekly - PM Schedule created on 2/16/2011 - Refer to PM schedule details. playground 1 trash was pulled no issues found	12/15/2020 Medium	Pingitor, Lary		PLAYGROUND#1
15019	Closed Work Orders	12/14/2020	Robert Carter		30 Saddle Way
	Weekly - PM Schedule created on 2/16/2011 - Refer to PM schedule details. playground 2 no issues found trash was pulled	12/15/2020 Medium	Pingitor, Lary		Playground#2
15020	Closed Work Orders	12/14/2020	Robert Carter		30 Saddle Way
	Weekly - PM Schedule created on 2/27/2012 - Refer to PM schedule details. twl run time 286.1	12/15/2020 Medium	Pingitor, Lary		Generator
15021	Closed Work Orders	12/14/2020	Robert Carter		30 Saddle Way
	Weekly - PM Schedule created on 9/10/2012 - Refer to PM schedule details. courtyard no issues found	12/14/2020 Medium	Pingitor, Lary	Landscaping	Courtyard
15022	Closed Work Orders	12/14/2020	Courtney Kovac	Classroom	30 Saddle Way
	Several student desks are wobbly/uneven. student desks adjusted	12/14/2020 Medium	Pingitor, Lary	Custodial	B246
15024	Closed Work Orders	12/15/2020	Kristi Boyle	Classroom	30 Saddle Way
	Can you please remove the broken desk in my room? It is in the back by the sink. Time Available: ASAP removed broken desk replaced it	12/16/2020 Medium	Pingitor, Lary	General Maintenance	321
15026	Closed Work Orders	12/16/2020	Melissa Hillman	Classroom	30 Saddle Way
	The student tables and chairs were not cleaned last night cleaned tables and glitter on chairs	12/16/2020 Medium	Pingitor, Lary	Custodial	220

# School Dude Report Dec 2020

Work OrderID	Status	Request Date	Requester	Area Type	Location
	Description	Completion Date	Assigned To	Building	Area Number
	Action Taken	Priority		Craft	Equipment
15030	Closed Work Orders	12/17/2020	Robert Carter		30 Saddle Way
	Weekly - PM Schedule created on 1/9/2012 - Refer to PM schedule details.	12/22/2020	Pingitor, Lary		
	water room no issues heat was on	Medium		Heating/Ventilation /Air Conditioning	UH#11
15031	Closed Work Orders	12/17/2020	Robert Carter		30 Saddle Way
	Weekly - PM Schedule created on 1/9/2012 - Refer to PM schedule details.	12/22/2020	Pingitor, Lary		
	fire pump room heat was on no issues found	Medium		Heating/Ventilation /Air Conditioning	UH#12
15032	Complete	12/18/2020	Antoinette DiEleuterio	Classroom	30 Saddle Way
	Please move the teacher's desk and table next to it from 316 to 326 in the back corner. The teacher's desk and table are in the back of room 316 behind the partition. Please let me know if you have any questions about what to move or where to move it. Thank you. Dan and Steven moved desk and table to rm. 326	12/18/2020	Cardona, Dan	Moving	316
		Medium			
15034	Closed Work Orders	12/21/2020	Robert Carter		30 Saddle Way
	Weekly - PM Schedule created on 2/16/2011 - Refer to PM schedule details.	12/22/2020	Pingitor, Lary		
	playground 1 no issues trash was pulled	Medium			PLAYGROUND#1
15035	Closed Work Orders	12/21/2020	Robert Carter		30 Saddle Way
	Weekly - PM Schedule created on 2/16/2011 - Refer to PM schedule details.	12/22/2020	Pingitor, Lary		
	playground 2 no issues found trash was pulled	Medium			Playground#2
15036	Closed Work Orders	12/21/2020	Robert Carter		30 Saddle Way
	Weekly - PM Schedule created on 1/11/2012 - Refer to PM schedule details.	12/22/2020	Pingitor, Lary		
	steamer is not being used at this time	Medium		Equipment Maintenance	Steamer #1
15037	Closed Work Orders	12/21/2020	Robert Carter		30 Saddle Way
	Weekly - PM Schedule created on 2/27/2012 - Refer to PM schedule details.	12/22/2020	Pingitor, Lary		
	generator test with load 2pm 12-22-20	Medium			Generator
15038	Closed Work Orders	12/21/2020	Robert Carter		30 Saddle Way
	Weekly - PM Schedule created on 9/10/2012 - Refer to PM schedule details.	12/21/2020	Pingitor, Lary		
	Court yard no issues at this time	Medium		Landscaping	Courtyard

# School Dude Report Dec 2020

Work OrderID	Status	Request Date	Requester	Area Type	Location
	Description	Completion Date	Assigned To	Building	Area Number
	Action Taken	Priority		Craft	Equipment
15040	Closed Work Orders	12/24/2020	Robert Carter		30 Saddle Way
	Weekly - PM Schedule created on 1/9/2012 - Refer to PM schedule details.	12/29/2020	Pingitor, Lary		
	Water room no issues at this time heat was on	Medium		Heating/Ventilation /Air Conditioning	UH#11
15041	Closed Work Orders	12/24/2020	Robert Carter		30 Saddle Way
	Weekly - PM Schedule created on 1/9/2012 - Refer to PM schedule details.	12/29/2020	Pingitor, Lary		
	Fire pump room no issues at this time heat is on	Medium		Heating/Ventilation /Air Conditioning	UH#12
15042	Closed Work Orders	12/28/2020	Robert Carter		30 Saddle Way
	Weekly - PM Schedule created on 2/16/2011 - Refer to PM schedule details.	12/29/2020	Pingitor, Lary		
	Playground 1 trash was ok no problems at this time	Medium			PLAYGROUND#1
15043	Closed Work Orders	12/28/2020	Robert Carter		30 Saddle Way
	Weekly - PM Schedule created on 2/16/2011 - Refer to PM schedule details.	12/29/2020	Pingitor, Lary		
	Playground 2 trash was ok no new problems. New mats installed on swings and at the base of all the slides	Medium			Playground#2
15044	Closed Work Orders	12/28/2020	Robert Carter		30 Saddle Way
	Weekly - PM Schedule created on 2/27/2012 - Refer to PM schedule details.	12/29/2020	Pingitor, Lary		
	No test needed at this time	Medium			Generator
15045	Closed Work Orders	12/28/2020	Robert Carter		30 Saddle Way
	Weekly - PM Schedule created on 9/10/2012 - Refer to PM schedule details.	12/29/2020	Pingitor, Lary		
	Courtyard no issues at this time	Medium		Landscaping	Courtyard
15046	Closed Work Orders	12/31/2020	Robert Carter		30 Saddle Way
	Weekly - PM Schedule created on 1/9/2012 - Refer to PM schedule details.	1/4/2021	Pingitor, Lary		
	water room no issues heat was on	Medium		Heating/Ventilation /Air Conditioning	UH#11
15047	Closed Work Orders	12/31/2020	Robert Carter		30 Saddle Way
	Weekly - PM Schedule created on 1/9/2012 - Refer to PM schedule details.	1/6/2021	Pingitor, Lary		
	fire pump room heat was on no issues found	Medium		Heating/Ventilation /Air Conditioning	UH#12

# School Dude Report Dec 2020

Work OrderID	Status	Request Date	Requester	Area Type	Location
	Description	Completion Date	Assigned To	Building	Area Number
	Action Taken	Priority		Craft	Equipment
15048	Closed Work Orders	1/1/2021 4:14:40	Robert Carter		30 Saddle Way
	Monthly - Fire Extinguishers - Refer to PM schedule details. fire extinguishers checked out ok	1/4/2021 Medium	Pingitor, Lary		Fire Exiguishers
15049	Closed Work Orders	1/1/2021 4:14:41	Robert Carter		30 Saddle Way
	Monthly - PM Schedule created on 1/26/2012 - Refer to PM schedule details. fuel level for generator 663gallons	1/4/2021 Medium	Pingitor, Lary		Fuel#1
15050	Closed Work Orders	1/1/2021 4:14:42	Robert Carter		30 Saddle Way
	Monthly - PM Schedule created on 1/30/2012 - Refer to PM schedule details. solar readings for december 539345	1/4/2021 Medium	Pingitor, Lary		Solar 1
15051	Closed Work Orders	1/1/2021 4:14:42	Robert Carter		30 Saddle Way
	Yearly - PM Schedule created on 9/5/2012 - Refer to PM schedule details. eye wash checked out ok	1/4/2021 Medium	Pingitor, Lary	Plumbing	Eye Wash #1
15052	Closed Work Orders	1/1/2021 4:14:43	Robert Carter		30 Saddle Way
	Yearly - PM Schedule created on 9/5/2012 - Refer to PM schedule details. emergency shower in science lab operates ok	1/4/2021 Medium	Pingitor, Lary	Plumbing	Emergency Shower #1
15053	Closed Work Orders	1/1/2021 4:14:43	Robert Carter		30 Saddle Way
	Monthly - PM Schedule created on 9/25/2012 - Refer to PM schedule details. ipm no findings by contractor	1/6/2021 Medium	Pingitor, Lary	Pest Control	IPM
15054	Closed Work Orders	1/1/2021 4:14:44	Robert Carter		30 Saddle Way
	Monthly - PM Schedule created on 12/3/2012 - Refer to PM schedule details. no new issues at this time	1/6/2021 Medium	Pingitor, Lary		ROOF
15055	Closed Work Orders	1/1/2021 4:14:44	Robert Carter		30 Saddle Way
	Monthly - PM Schedule created on 5/22/2018 - Refer to PM schedule details. geo vault water level was the same as last month 2 inches	1/6/2021 Medium	Pingitor, Lary		
15056	Closed Work Orders	1/4/2021 2:52:20	Robert Carter		30 Saddle Way
	Weekly - PM Schedule created on 2/16/2011 - Refer to PM schedule details. playground 1 no issues found trash was pulled	1/6/2021 Medium	Pingitor, Lary		PLAYGROUND#1

# School Dude Report Dec 2020

Work OrderID	Status	Request Date	Requester	Area Type	Location
	Description	Completion Date	Assigned To	Building	Area Number
	Action Taken	Priority		Craft	Equipment
15057	Closed Work Orders	1/4/2021 2:52:21	Robert Carter		30 Saddle Way
	Weekly - PM Schedule created on 2/16/2011 - Refer to PM schedule details.	1/6/2021	Pingitor, Lary		Playground#2
	playground 2 no issues found trash was pulled	Medium			
15058	Closed Work Orders	1/4/2021 2:52:22	Robert Carter		30 Saddle Way
	Weekly - PM Schedule created on 1/11/2012 - Refer to PM schedule details.	1/4/2021	Pingitor, Lary		
	steamer not being used at this time	Medium		Equipment Maintenance	Steamer #1
15059	Closed Work Orders	1/4/2021 2:52:24	Robert Carter		30 Saddle Way
	Weekly - PM Schedule created on 2/27/2012 - Refer to PM schedule details.	1/12/2021	Pingitor, Lary		
	no test needed at this time	Medium			Generator
15060	Closed Work Orders	1/4/2021 2:52:26	Robert Carter		30 Saddle Way
	Monthly - PM Schedule created on 8/6/2012 - Refer to PM schedule details.	1/11/2021	Pingitor, Lary		
	vacuum 1 changed bag filters cleaned inside unit belt was ok	Medium		Equipment Maintenance	Vacuum#1
15061	Closed Work Orders	1/4/2021 2:52:26	Robert Carter		30 Saddle Way
	Monthly - PM Schedule created on 8/6/2012 - Refer to PM schedule details.	1/11/2021	Pingitor, Lary		
	vacuum 2 changed bag and filters belt was ok cleaned unit	Medium		Equipment Maintenance	Vacuum#2
15062	Closed Work Orders	1/4/2021 2:52:27	Robert Carter		30 Saddle Way
	Monthly - PM Schedule created on 8/6/2012 - Refer to PM schedule details.	1/11/2021	Pingitor, Lary		
	vacuum changed belt and filters and bag cleaned unit	Medium		Equipment Maintenance	Vacuum#3
15063	Closed Work Orders	1/4/2021 2:52:27	Robert Carter		30 Saddle Way
	Monthly - PM Schedule created on 8/6/2012 - Refer to PM schedule details.	1/11/2021	Pingitor, Lary		
	vacuum 4 cleaned unit belt was ok changed filter and bag	Medium		Equipment Maintenance	Vacuum#4
15064	Closed Work Orders	1/4/2021 2:52:27	Robert Carter		30 Saddle Way
	Monthly - PM Schedule created on 8/6/2012 - Refer to PM schedule details.	1/6/2021	Pingitor, Lary		
	changed bag runs ok	Medium		Equipment Maintenance	Vacuum#5
15065	Closed Work Orders	1/4/2021 2:52:28	Robert Carter		30 Saddle Way
	Weekly - PM Schedule created on 9/10/2012 - Refer to PM schedule details.	1/4/2021	Pingitor, Lary		
	courtyard no issues found	Medium		Landscaping	Courtyard



# School Dude Report Dec 2020

Work OrderID	Status	Request Date	Requester	Area Type	Location
	Description	Completion Date	Assigned To	Building	Area Number
	Action Taken	Priority		Craft	Equipment
15066	Closed Work Orders Weekly - PM Schedule created on 1/9/2012 - Refer to PM schedule details. water room heat was on no issues at this time	1/7/2021 12:52:11 1/7/2021 Medium	Robert Carter Pingitor, Lary		30 Saddle Way UH#11
15067	Closed Work Orders Weekly - PM Schedule created on 1/9/2012 - Refer to PM schedule details. fire pump room heat was on no issues found	1/7/2021 12:52:12 1/7/2021 Medium	Robert Carter Pingitor, Lary		30 Saddle Way UH#12
15068	Closed Work Orders kitchen needs 3 new carts put together steven put 3 carts together for the kitchen	1/7/2021 1/7/2021 Medium	Larry Pingitor Pingitor, Lary	Kitchen	30 Saddle Way General Maintenance
15069	Closed Work Orders Weekly - PM Schedule created on 2/16/2011 - Refer to PM schedule details. playground 1 no issues found trash was ok	1/11/2021 1:24:01 1/11/2021 Medium	Robert Carter Pingitor, Lary		30 Saddle Way PLAYGROUND#1
15070	Closed Work Orders Weekly - PM Schedule created on 2/16/2011 - Refer to PM schedule details. playground 2 no issues found trash was ok	1/11/2021 1:24:01 1/11/2021 Medium	Robert Carter Pingitor, Lary		30 Saddle Way Playground#2
15071	Closed Work Orders Weekly - PM Schedule created on 2/27/2012 - Refer to PM schedule details. generator TWL jan. 6 2021 run time 287.9-	1/11/2021 1:24:02 1/12/2021 Medium	Robert Carter Pingitor, Lary		30 Saddle Way Generator
15072	Closed Work Orders Weekly - PM Schedule created on 9/10/2012 - Refer to PM schedule details. courtyard no issues found	1/11/2021 1:24:03 1/11/2021 Medium	Robert Carter Pingitor, Lary		30 Saddle Way Landscaping Courtyard

E+mon D-mon Meter Readings

Month	Total Generation (kWh) month end	Monthly Generation (kWh)	Cumulative from March 2011	SREC's per month	SREC's Cumulative from March 2011	SREC's sold	Rate per SREC	Total Sale Amount	Date of Sale	Remaining SREC's to sell
February, 2011	2770	2770								
March, 2011	8330	5560		5		5	\$620	\$3,100.00	9/8/11	
April, 2011	12790	4460		6		6	\$620	\$3,720.00	9/8/11	
May, 2011	18580	5790		7		7	\$620	\$4,340.00	9/8/11	
June, 2011	27880	9300	25110	7	25	7	\$100	\$700.00	6/1/12	
July, 2011	36008	8128	33238	8	33	8	\$100	\$800.00	6/1/12	
August, 2011	42832	6824	40062	6	39	6	\$100	\$600.00	6/1/12	
September, 2011	44594	1762	41824	1	40	1	\$100	\$100.00	6/1/12	
October, 2011	49840	5246	47070	5	45	5	\$100	\$500.00	6/1/12	
November, 2011	52780	2940	50010	3	48	3	\$100	\$300.00	6/1/12	
December, 2011	55662	2882	52892	3	51	3	\$100	\$300.00	6/1/12	
January, 2012	58390	2728	55620	3	54	3	\$100	\$300.00	6/1/12	
February, 2012	62012	3622	59242	3	57	3	\$100	\$300.00	6/1/12	
March, 2012	67228	5216	64458	5	62	5	\$100	\$500.00	6/1/12	
March, 2012				2	64	2	\$122.50	\$245.00	5/28/13	
April, 2012	73557	6329	70787	6	70	6	\$122.50	\$735.00	5/28/13	
May, 2012	80249	6692	77479	7	77	7	\$122.50	\$857.50	5/28/13	
June, 2012	86301	6052	83531	6	83	6	\$135.50	\$813.00	5/28/13	
July, 2012	92564	6263	89794	6	89	6	\$135.50	\$813.00	5/28/13	
August, 2012	98918	6354	96148	7	96	7	\$135.50	\$948.50	5/28/13	
September, 2012	103665	4747	100895	4	100	4	\$135.50	\$542.00	5/28/13	
October, 2012	106951	3286	104181	4	104	4	\$135.50	\$542.00	5/28/13	
November, 2012	109775	2824	107005	3	107	3	\$135.50	\$406.50	5/28/13	
December, 2012	111679	1904	108909	1	108	1	\$135.50	\$135.50	5/28/13	
January, 2013	114506	2827	111736	3	111	3	\$135.50	\$406.50	5/28/13	
February, 2013	117268	2762	114498	3	114	3	\$135.50	\$406.50	12/4/13	
March, 2013	120850	3582	118080	4	118	4	\$135.50	\$542.00	12/4/13	
April, 2013	127875	7025	125105	7	125	7	\$135.50	\$948.50	12/4/13	
May, 2013	134826	6951	132056	7	132	7	\$135.50	\$948.50	12/4/13	
June, 2013	141813	6987	139043	7	139	7	\$140.00	\$980.00	12/4/13	
July, 2013	146518	4705	143748	4	143	4	\$140.00	\$560.00	12/4/13	
August, 2013	152478	5960	149708	6	149	6	\$140.00	\$840.00	12/4/13	
September, 2013	158850	6372	156080	7	156	7	\$140.00	\$980.00	12/4/13	
October, 2013	161905	3055	159135	3	159	3	\$140.00	\$420.00	12/4/13	
November, 2013	165060	3155	162290	3	162	3	\$175.00	\$525.00	6/16/14	
December, 2013	166379	1319	163609	1	163	1	\$175.00	\$175.00	6/16/14	
January, 2014	168122	1743	165352	2	165	2	\$175.00	\$350.00	6/16/14	
February, 2014	169528	1406	166758	1	166	1	\$175.00	\$175.00	6/16/14	
March, 2014	173999	4471	171229	5	171	5	\$175.00	\$875.00	6/16/14	
April, 2014	179855	5856	177085	6	177	6	\$175.00	\$1,050.00	6/16/14	
May, 2014	186024	6169	183254	6	183	6	\$196.00	\$1,176.00	12/7/14	
June, 2014	193796	7772	191026	8	191	8	\$197.00	\$1,576.00	12/7/14	
July, 2014	200195	6399	197425	6	197	6	\$197.00	\$1,182.00	12/7/14	
August, 2014	205793	5598	203023	6	203	6	\$197.00	\$1,182.00	12/7/14	
September, 2014	210414	4621	207644	4	207	4	\$197.00	\$788.00	12/7/14	
October, 2014	214312	3898	211542	4	211	4	\$197.00	\$788.00	12/7/14	
November, 2014	216878	2566	214108	3	214	3	\$228.50	\$685.50	6/17/15	
December, 2014	218810	1932	216040	2	216	2	\$228.50	\$457.00	6/17/15	
January, 2015	220903	2093	218133	2	218	2	\$228.50	\$457.00	6/17/15	
February, 2015	223106	2203	220336	2	220	2	\$228.50	\$457.00	6/17/15	
March, 2015	226883	3777	224113	4	224	4	\$228.50	\$914.00	6/17/15	
April, 2015	232854	5971	230084	6	230	6	\$228.50	\$1,371.00	6/17/15	
May, 2015	239646	6792	236876	6	236	6	\$258.00	\$1,548.00	12/1/15	

E+mon D-mon Meter Readings

June, 2015	245524	<b>5878</b>	242754	6	242	6	\$258.00	\$1,548.00	12/1/15	
July, 2015	252536	<b>7012</b>	249766	7	249	7	\$258.00	\$1,806.00	12/1/15	
August, 2015	259153	<b>6617</b>	256383	7	256	7	\$258.00	\$1,806.00	12/1/15	
September, 2015	263908	<b>4755</b>	261138	5	261	5	\$258.00	\$1,290.00	12/1/15	
October, 2015	268273	<b>4365</b>	265503	4	265	4	\$258.00	\$1,032.00	12/1/15	
November, 2015	271026	<b>2753</b>	268256	3	268	3	\$193.00	\$579.00	8/15/17	
December, 2015	273242	<b>2216</b>	270472	2	270	2	\$193.00	\$386.00	8/15/17	
January, 2016	275363	<b>2121</b>	272593	2	272	2	\$193.00	\$386.00	8/15/17	
February, 2016	277983	<b>2620</b>	275213	3	275	3	\$193.00	\$579.00	8/15/17	
March, 2016	283738	<b>5755</b>	280968	5	280	5	\$193.00	\$965.00	8/15/17	
April, 2016	289130	<b>5392</b>	286360	6	286	6	\$193.00	\$1,158.00	8/15/17	
May, 2016	294478	<b>5348</b>	291708	5	291	5	\$193.00	\$965.00	8/15/17	
June, 2016	302274	<b>7796</b>	299504	8	299	8	\$195.00	\$1,560.00	8/15/17	
July, 2016	308004	<b>5730</b>	305234	6	305	6	\$195.00	\$1,170.00	8/15/17	
August, 2016	314445	<b>6441</b>	311675	6	311	6	\$195.00	\$1,170.00	8/15/17	
September, 2016	319354	<b>4909</b>	316584	5	316	5	\$195.00	\$975.00	8/15/17	
October, 2016	323364	<b>4010</b>	320594	4	320	4	\$195.00	\$780.00	8/15/17	
November, 2016	326569	<b>3205</b>	323799	3	323	3	\$195.00	\$585.00	8/15/17	
December, 2016	328851	<b>2282</b>	326081	3	326	3	\$195.00	\$585.00	8/15/17	
January, 2017	330377	<b>1526</b>	327607	1	327	1	\$195.00	\$195.00	8/15/17	
February, 2017	333530	<b>3153</b>	330760	3	330	3	\$195.00	\$585.00	8/15/17	
March, 2017	337510	<b>3980</b>	334740	4	334	4	\$195.00	\$780.00	8/15/17	
April, 2017	342349	<b>4839</b>	339579	5	339	5	\$195.00	\$975.00	8/15/17	
May, 2017	348015	<b>5666</b>	345245	6	345	6	\$195.00	\$1,170.00	8/15/17	
June, 2017	354910	<b>6895</b>	352140	7	352	7	\$225.50	\$1,578.50	6/21/18	
July, 2017	360693	<b>5783</b>	357923	5	357	5	\$225.50	\$1,127.50	6/21/18	
August, 2017	367274	<b>6581</b>	364504	7	364	7	\$225.50	\$1,578.50	6/21/18	
September, 2017	371617	<b>4343</b>	368847	4	368	4	\$225.50	\$902.00	6/21/18	
October, 2017	375258	<b>3641</b>	372488	4	372	4	\$225.50	\$902.00	6/21/18	
November, 2017	378337	<b>3079</b>	375567	3	375	3	\$225.50	\$676.50	6/21/18	
December, 2017	380253	<b>1916</b>	377483	2	377	2	\$225.50	\$451.00	6/21/18	
January, 2018	382604	<b>2351</b>	379834	2	379	2	\$225.50	\$451.00	6/21/18	
February, 2018	385186	<b>2582</b>	382416	3	382	3	\$225.50	\$676.50	6/21/18	
March, 2018	389701	<b>4515</b>	386931	4	386	4	\$225.50	\$902.00	6/21/18	
April, 2018	393945	<b>4244</b>	391175	5	391	5	\$225.50	\$1,127.50	6/21/18	
May, 2018	399873	<b>5928</b>	397103	6	397					6
June, 2018	406148	<b>6275</b>	403378	6	403					6
July, 2018	412093	<b>5945</b>	409323	6	409					6
August, 2018	418417	<b>6324</b>	415647	6	415					6
September, 2018	421469	<b>3052</b>	418699	3	418					3
October, 2018	425118	<b>3649</b>	422348	4	422					4
November, 2018	427655	<b>2537</b>	424885	2	424					2
December, 2018	429732	<b>2077</b>	426962	2	426					2
January, 2019	432133	<b>2401</b>	429363	3	429					3
February, 2019	435366	<b>3233</b>	432596	3	432					3
March, 2019	440432	<b>5066</b>	437662	5	437					5
April, 2019	445995	<b>5563</b>	443225	6	443					6
May, 2019	452163	<b>6168</b>	449393	6	449					6
June, 2019	458474	<b>6311</b>	455704	6	455					6
July, 2019	467987	<b>9513</b>	465217	10	465					10
August, 2019	471540	<b>3553</b>	468770	3	468					3
September, 2019	476427	<b>4887</b>	473657	5	473					5
October, 2019	479948	<b>3521</b>	477178	4	477					4
November, 2019	483146	<b>3198</b>	480376	3	480					3
December, 2019	485137	<b>1991</b>	482367	2	482					2
January, 2020	487839	<b>2702</b>	485069	3	485					3

E+mon D-mon Meter Readings

February, 2020	491107	<b>3268</b>	488337	3	488					3
March, 2020	498915	<b>7808</b>	496145	8	496					8
April, 2020	500565	<b>1650</b>	497795	1	497					1
May, 2020	507164	<b>6599</b>	504394	7	504					7
June, 2020	515283	<b>8119</b>	512513	8	512					8
July, 2020	521172	<b>5889</b>	518402	6	518					6
August, 2020	526269	<b>5097</b>	523499	5	523					5
September, 2020	531947	<b>5678</b>	529177	6	529					6
October, 2020	534481	<b>2534</b>	531711	2	531					2
November, 2020	537385	<b>2904</b>	534615	3	534					3
December, 2020	539345	<b>1960</b>	536575		529					
<b>Totals</b>						<b>391</b>		<b>\$77,764.50</b>		<b>143</b>

\*\*8/3/12: updated April and June with figures from CEPS website from 24 to 21 SREC's