

90102192

Urinal Screen w/Block

(M)SDS Format : ANSI ▾

PDF Copy

Print

Email



View (M)SDS Section :

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [13](#) [14](#) [15](#) [16](#)

SECTION 1 : PRODUCT AND COMPANY IDENTIFICATION

Product Name: **Kleen Screen with Deodorant Block (165-1, -2, -3, -4)**
 SDS Manufacturer Number: 165
 Manufacturer Name: <http://www.continentalcommercialproducts.com/contact.htm>
 Address: 305 Rock Industrial Park Drive
 Bridgeton, MO 63044
 USA
 Website: <http://www.continentalcommercialproducts.com/contact.htm>
 Emergency Phone Number: 1-800-424-9300
 CHEMTREC: 800-424-9300 (24 hours everyday).
 Canutec: (613) 996-6666 (Canada 24 hours everyday).

HMIS	
Health Hazard	1
Physical Hazard	
Reactivity	0
Personal Protection	X

SECTION 2 : COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS#	Ingredient Percent
Sodium Sulfate	7757-82-6	<50 by weight
Ethanol amine dodecyl sulfate	N/A	<10 by weight
Fatty amide type surface active agent	N/A	<30 by weight
Alkyl alcohol ethoxylates	N/A	<10 by weight
Fatty alcohol ethoxylate sulfates	N/A	<10 by weight
Sulfonic acid	N/A	<10 by weight
Perfume	N/A	<10 by weight
Pigment	N/A	<2 by weight

SECTION 3 : HAZARDS IDENTIFICATION

Emergency Overview: WARNING! Irritant.
 Route of Exposure: Eyes. Skin. Inhalation. Ingestion.
 Potential Health Effects:
 Eye: May cause irritation.
 Skin: May cause irritation.

Inhalation:	May cause irritation.
Ingestion:	May be harmful if swallowed. May cause vomiting.
Target Organs:	Eyes. Respiratory system.
Aggravation of Pre-Existing Conditions:	None generally recognized.

SECTION 4 : FIRST AID MEASURES

Eye Contact:	Immediately flush eyes with plenty of water for at least 15 to 20 minutes. Ensure adequate flushing of the eyes by separating the eyelids with fingers. Get immediate medical attention.
Skin Contact:	Immediately wash skin with soap and plenty of water. Get medical attention if irritation develops or persists.
Inhalation:	If inhaled, remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Seek immediate medical attention.
Ingestion:	If swallowed, do NOT induce vomiting. Call a physician or poison control center immediately. Never give anything by mouth to an unconscious person.

SECTION 5 : FIRE FIGHTING MEASURES

Flammable Properties:	Non Flammable.
Flash Point:	None.
Flash Point Method:	Not applicable.
Auto Ignition Temperature:	Not determined.
Lower Flammable/Explosive Limit:	Not determined.
Upper Flammable/Explosive Limit:	Not determined.
Fire Fighting Instructions:	Evacuate area of unprotected personnel. Use cold water spray to cool fire exposed containers to minimize risk of rupture. Do not enter confined fire space without full protective gear. If possible, contain fire run-off water.
Extinguishing Media:	Use carbon dioxide (CO2) or dry chemical when fighting fires involving this material.
Protective Equipment:	As in any fire, wear Self-Contained Breathing Apparatus (SCBA), MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6 : ACCIDENTAL RELEASE MEASURES

Personnel Precautions:	Evacuate area and keep unnecessary and unprotected personnel from entering the spill area.
Spill Cleanup Measures:	Shovel or sweep up for re-use or disposal. Avoid creating dusty conditions. Provide ventilation. Clean up spills immediately observing precautions in the protective equipment section.

SECTION 7 : HANDLING and STORAGE

Handling:	Use with adequate ventilation. Avoid breathing dust or particulates.
Storage:	Store in a cool, dry, well ventilated area away from sources of heat and incompatible materials. Keep container tightly closed when not in use.
Hygiene Practices:	Wash thoroughly after handling.

SECTION 8 : EXPOSURE CONTROLS, PERSONAL PROTECTION - EXPOSURE GUIDELINES

Engineering Controls:	Use appropriate engineering control such as process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Good general ventilation should be sufficient to control airborne levels. Where such systems are not effective wear suitable personal protective equipment, which performs satisfactorily and meets OSHA or other recognized standards. Consult with local procedures for selection, training, inspection and maintenance of the personal protective equipment.
-----------------------	--

Eye/Face Protection:	Wear appropriate protective glasses or splash goggles as described by 29 CFR 1910.133, OSHA eye and face protection regulation, or the European standard EN 166.
Skin Protection Description:	Wear appropriate protective gloves and other protective apparel to prevent skin contact. Consult manufacturer's data for permeability data.
Respiratory Protection:	A NIOSH approved air-purifying respirator with an organic vapor cartridge or canister may be permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits. Protection provided by air purifying respirators is limited. Use a positive pressure air supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known, or any other circumstances where air purifying respirators may not provide adequate protection.

EXPOSURE GUIDELINES

SECTION 9 : PHYSICAL and CHEMICAL PROPERTIES

Physical State Appearance:	Solid.
Odor:	Floral
Boiling Point:	Not determined.
Melting Point:	Not determined.
Solubility:	Not determined.
Vapor Density:	Not determined.
Vapor Pressure:	Not determined.
Evaporation Rate:	Not determined.
pH:	Not determined.
Flash Point:	None.
Flash Point Method:	Not applicable.
Auto Ignition Temperature:	Not determined.

SECTION 10 : STABILITY and REACTIVITY

Chemical Stability:	Stable under normal temperatures and pressures.
Hazardous Polymerization:	Not reported.
Conditions to Avoid:	None expected
Incompatible Materials:	Oxidizing agents. Strong acids and alkalis.

SECTION 11 : TOXICOLOGICAL INFORMATION

Sodium Sulfate :

Ingestion: Oral - Mouse LD50: 5989 mg/kg - [Details of toxic effects not reported other than lethal dose value] (RTECS)

SECTION 12 : ECOLOGICAL INFORMATION

Ecotoxicity:	No ecotoxicity data was found for the product.
Environmental Fate:	No environmental information found for this product.

SECTION 13 : DISPOSAL CONSIDERATIONS

Waste Disposal: Consult with the US EPA Guidelines listed in 40 CFR Part 261.3 for the classifications of hazardous waste prior to disposal. Furthermore, consult with your state and local waste requirements or guidelines, if applicable, to ensure

compliance. Arrange disposal in accordance to the EPA and/or state and local guidelines.

RCRA Number:

Not determined.

SECTION 14 : TRANSPORT INFORMATION

DOT Hazard Class: Not applicable.

DOT Packing Group: Not applicable.

SECTION 15 : REGULATORY INFORMATION

Sodium Sulfate :

TSCA Inventory Status: Listed

State Regulations: Listed in the State of Massachusetts Hazardous Substance List.
Listed in the Pennsylvania State Hazardous Substances List.

SECTION 16 : ADDITIONAL INFORMATION

HMIS Ratings:

HMIS Health Hazard: 1

HMIS Fire Hazard: 1

HMIS Reactivity: 0

HMIS Personal Protection: X

SDS Revision Date: July 11, 2011

SDS Format: According to ANSI Z400.1-2004

MSDS Author: Actio Corporation

Copyright© 1996-2015 Actio Corporation. All Rights Reserved.



SECTION 1 : PRODUCT AND COMPANY IDENTIFICATION

Product Name: Kleen Screen Urinal Screen Red/Strawberry
Product Code: 165-4
MSDS Manufacturer Number: 165
Manufacturer Name: http://www.continentalcommercialproducts.com/contact.htm
Address: 305 Rock Industrial Park Drive, Bridgeton, MO 63044 USA
Website: http://www.continentalcommercialproducts.com/contact.htm
Emergency Phone Number: 1-800-424-9300
CHEMTREC: 800-424-9300 (24 hours everyday)
Canutec: (613) 996-6666 (Canada 24 hours everyday)
MSDS Creation Date: July 20, 2012
MSDS Revision Date: January 25, 2013
(M)SDS Format:

HMIS table with columns: Health Hazard (1), Fire Hazard (1), Reactivity (0), Personal Protection (X)

SECTION 2 : COMPOSITION/INFORMATION ON INGREDIENTS

Table with 3 columns: Chemical Name, CAS#, Ingredient Percent. Rows include Sodium Sulfate, AOS, TX-4, and Sodium Soap.

SECTION 3 : HAZARDS IDENTIFICATION

Emergency Overview: WARNING! Irritant.
Route of Exposure: Eyes, Skin, Inhalation, Ingestion.
Potential Health Effects:
Eye: May cause irritation.
Skin: May cause irritation.
Inhalation: May cause irritation.
Ingestion: May be harmful if swallowed, May cause vomiting.
Target Organs: Eyes, Respiratory system.
Aggravation of Pre-Existing Conditions: None generally recognized.

SECTION 4 : FIRST AID MEASURES

Eye Contact: Immediately flush eyes with plenty of water for at least 15 to 20 minutes.
Skin Contact: Immediately wash skin with soap and plenty of water.
Inhalation: If inhaled, remove to fresh air.
Ingestion: If swallowed, do NOT induce vomiting.

SECTION 5 : FIRE FIGHTING MEASURES

Flammable Properties: Non Flammable.
Flash Point: None.
Flash Point Method: Not applicable.

Auto Ignition Temperature: Not determined.
Lower Flammable/Explosive Limit: Not determined.
Upper Flammable/Explosive Limit: Not determined.
Fire Fighting Instructions: Evacuate area of unprotected personnel. Use cold water spray to cool fire exposed containers to minimize risk of rupture. Do not enter confined fire space without full protective gear. If possible, contain fire run-off water.
Extinguishing Media: Use carbon dioxide (CO2) or dry chemical when fighting fires involving this material.
Protective Equipment: As in any fire, wear Self-Contained Breathing Apparatus (SCBA), MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6 : ACCIDENTAL RELEASE MEASURES

Personnel Precautions: Evacuate area and keep unnecessary and unprotected personnel from entering the spill area.
Spill Cleanup Measures: Shovel or sweep up for re-use or disposal. Avoid creating dusty conditions. Provide ventilation. Clean up spills immediately observing precautions in the protective equipment section.

SECTION 7 : HANDLING and STORAGE

Handling: Use with adequate ventilation. Avoid breathing dust or particulates.
Storage: Store in a cool, dry, well ventilated area away from sources of heat and incompatible materials. Keep container tightly closed when not in use.
Hygiene Practices: Wash thoroughly after handling.

SECTION 8 : EXPOSURE CONTROLS, PERSONAL PROTECTION - EXPOSURE GUIDELINES

Engineering Controls: Use appropriate engineering control such as process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Good general ventilation should be sufficient to control airborne levels. Where such systems are not effective wear suitable personal protective equipment, which performs satisfactorily and meets OSHA or other recognized standards. Consult with local procedures for selection, training, inspection and maintenance of the personal protective equipment.
Eye/Face Protection: Wear appropriate protective glasses or splash goggles as described by 29 CFR 1910.133, OSHA eye and face protection regulation, or the European standard EN 166.
Skin Protection Description: Wear appropriate protective gloves and other protective apparel to prevent skin contact. Consult manufacturer's data for permeability data.
Respiratory Protection: A NIOSH approved air-purifying respirator with an organic vapor cartridge or canister may be permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits. Protection provided by air purifying respirators is limited. Use a positive pressure air supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known, or any other circumstances where air purifying respirators may not provide adequate protection.

EXPOSURE GUIDELINES

SECTION 9 : PHYSICAL and CHEMICAL PROPERTIES

Physical State Appearance: Solid.
Odor: Floral.
Boiling Point: Not determined.
Melting Point: Not determined.
Solubility: Soluble in water.
Vapor Density: Not determined.
Vapor Pressure: Not determined.
Evaporation Rate: Not determined.
pH: Not determined.
Flash Point: None.
Flash Point Method: Not applicable.
Auto Ignition Temperature: Not determined.

SECTION 10 : STABILITY and REACTIVITY

Chemical Stability: Stable under normal temperatures and pressures.
Hazardous Polymerization: Not reported.
Conditions to Avoid: None expected
Incompatible Materials: Oxidizing agents. Strong acids and alkalis.

SECTION 11 : TOXICOLOGICAL INFORMATION

Sodium Sulfate - anhydrous :

Ingestion: Oral - Mouse LD50: 5989 mg/kg - [Details of toxic effects not reported other than lethal dose value] (RTECS)

SECTION 12 : ECOLOGICAL INFORMATION

Ecotoxicity: No ecotoxicity data was found for the product.

Environmental Fate: No environmental information found for this product.

SECTION 13 : DISPOSAL CONSIDERATIONS

Waste Disposal: Consult with the US EPA Guidelines listed in 40 CFR Part 261.3 for the classifications of hazardous waste prior to disposal. Furthermore, consult with your state and local waste requirements or guidelines, if applicable, to ensure compliance. Arrange disposal in accordance to the EPA and/or state and local guidelines.

RCRA Number: Not determined.

SECTION 14 : TRANSPORT INFORMATION

DOT Hazard Class: Not applicable.

DOT Packing Group: Not applicable.

SECTION 15 : REGULATORY INFORMATION

Sodium Sulfate - anhydrous :

TSCA Inventory Status: Listed

State Regulations: Listed In the State of Massachusetts Hazardous Substance List.
Listed In the Pennsylvania State Hazardous Substances List.

SECTION 16 : ADDITIONAL INFORMATION

MSDS Creation Date: July 20, 2012

MSDS Revision Date: January 25, 2013

MSDS Author: Actio Corporation

Copyright© 1996-2013 Actio Corporation. All Rights Reserved.

Continental Commercial Products

305 Rock Industrial Park Dr.

Bridgeton, MO 63044

Phone: +1 314.656.4301

Email: JaniCS@contico.com • Website: www.continentalcommercialproducts.com

All Categories > Restroom Products > Urinal & Toilet Products > Kleen Screen Urinal Screens > Item # 165-4

**Item # 165-4, Kleen Screen Urinal Screens**With 4 oz (113 g) Non-Para, Deodorant Block
White with Red Block[larger image](#)**Specifications**

CMC Item Name	Kleen Screen - Urinal Screen
Brand	CMC
Stock Item	Yes
Scent	Strawberry
Pack Case	1 dz.
Case Weight	3.74 lb
Case Cube	0.37
Fragrance	Strawberry
Capacity	4 oz 113 g
Color	White with Red Block
Unit of Measure	Dozen
Carton Quantity	1
Carton US Weight	3.78
Carton US Cubes	0.37
Carton Metric Weight	1.714608
Carton Metric Cubes	0.10471
Master Carton Quantity	1
Master Carton US Weight	3.78
Master Carton US Cube	0.37
Master Carton Metric Weight	1.714608
Master Carton Metric Cube	0.10471
Modular Carton Quantity	90
Modular Carton US Weight	340.2
Modular Carton US Cube	33.75
Modular Carton Metric Weight	154.31472
Modular Carton Metric Cube	9.55125