

Lead in Drinking Water Report


Carlstadt Public School District
550 Washington Street
Carlstadt, New Jersey 07072

Carlstadt Elementary School

August 2024

Prepared for:
Carlstadt Public School District
550 Washington Street
Carlstadt, New Jersey 07072

Prepared by:
New Wave Engineering, LLC
PO Box 4124
Wayne, New Jersey 07474



New Wave Environmental Engineering Solutions

August 19, 2024

Mr. Paul Roth
Interim Business Administrator
Carlstadt Public School District
550 Washington Street
Carlstadt, New Jersey 07072

Re: Lead in Drinking Water Services per NJAC 6A:26
Carlstadt School, 550 Washington Street, Carlstadt, New Jersey 07072

Dear Mr. Roth,

New Wave is pleased to submit this lead in the drinking water report for the Carlstadt Public School District. This report details the methods and findings of the comprehensive lead in drinking water services as per New Jersey state regulations (amendments to N.J.A.C 6A:26 Educational Facilities) performed at the elementary school in the Carlstadt School District, located at the above referenced addresses on July 27, 2024.

Best Regards,

Nadine Bello

Nadine Bello, MS, RPIH, CIEC, AST
New Wave Engineering, LLC

Table of Content

SUMMARY.....	Page 1
1.0 PROJECT BACKGROUND.....	Page 1
2.0 LEAD IN DRINKING WATER.....	Page 2
3.0 DRINKING WATER SAMPLING METHODOLOGY.....	Page 3
4.0 DRINKING WATER ANALYSIS RESULTS.....	Page 4
5.0 CONCLUSIONS & RECOMMENDATIONS.....	Page 6
6.0 DISCLAIMER.....	Page 6
7.0 CLOSING.....	Page 7

APPENDIX A Chain of Custody and Lab Results

Executive Summary of Lead in Drinking Water Services

July 2024

New Wave Engineering was retained to conduct a first draw “lead in drinking water sampling” at the district’s school buildings located within the Carlstadt Public School District in July 2024. Water samples were collected from designated drinking water outlets at the following school:

All samples were collected according to the regulatory guidelines outlined in the amendments to the N.J.A.C. 6A:26: Educational Facilities (July 2016) and its supporting documentation.

- **Carlstadt Elementary School**

First draw sample results indicated that water sources sampled at locations from the above noted school, exhibited no lead levels above the Regulatory Action Level of 15ppb. All potable drinking water sources tested can continue to resume regular usage. The next required testing of drinking water sources in NJ schools will need to be completed in three (3) years unless any plumbing changes are made to the water system.

1.0 PROJECT BACKGROUND

New Wave Engineering was contacted by the Carlstadt Public School District (the "Client") to perform lead in drinking water sampling to determine the lead content of drinking water from sources throughout the school facilities. Additionally, as per State regulations, New Wave was contracted to update a Quality Assurance Project Plan (QAPP) and a Sampling Plan (SP), including: a Drinking Water Outlet Inventory, Filter Inventory, and Outlet Location Schematic in conjunction with the District’s Buildings and Grounds Director.

The purpose of lead in drinking water sampling is to determine if any sampled drinking water sources exhibit lead levels exceeding the Regulatory Action Level of 15 parts per billion (ppb). Drinking water concentration points included: any water sources from which a student, staff, or faculty may reasonably drink or from which the water may be used for cooking or beverage preparation, including, but not limited to, water coolers/bubblers, kitchen faucets, Nurse's Office faucets, and Faculty/Staff lounges.

For further information on guidance protocols and Action Levels that were followed please refer to: The EPA's Revised Technical Guidance - "3Ts for Reduced Lead in Drinking Water in Schools" and the Guidance Document from NJDEP Division of Water Supply and Geoscience — *"Lead in Drinking Water: Guidance for Schools and Child Care Facilities Served by Public Water"*.

2.0 LEAD IN DRINKING WATER

Lead is a toxic substance that can be harmful to human health. As compared to adults, children are more susceptible to the detrimental health effects of lead, as their nervous systems are not yet fully developed. Exposure to lead can occur in a variety of ways including through food, soil, deteriorating lead-based paint, and drinking water. Lead can leach into drinking water from plumbing materials such as pipes and solders, as well as brass plumbing fixtures. For this investigation, planning, preparation, methodology, sampling, and follow up actions were conducted according to the technical guidance provided by New Jersey following the adoption of amendments to N.J.A.C. 6A:26: *"Educational Facilities, requiring the sampling of drinking water for Lead in Schools."*

3.0 DRINKING WATER SAMPLING METHODOLOGY

New Wave collected drinking water samples from water outlets throughout each school building. At each collection point, New Wave filled a 250 milliliter (ml) wide-mouth high density polyethylene (HDPE) sample collection bottle from the designated water source. Samples were collected after the water in the school building had not been used for at least 8 hours, but not more than 48 hours. The initial sample at each collection point represents the first draw sample. The first draw sample is representative of the water from the end point of the water source (i.e., the bubbler/bottle filler or tap).

A field blank using lead-free laboratory reagent water was also collected for each school during the sampling event to rule out contamination of samples during the collection and transportation process. All samples were recorded utilizing proper chain of custody documents and couriered to *Garden State Laboratory*, a New Jersey certified laboratory (*NJ Lab ID #20044*) located in Hillside, New Jersey for analysis via EPA method 200.80.

During the initial sampling event on July 27, 2024, New Wave collected the following number of samples from the Carlstadt Elementary School Building:

Carlstadt Elementary School

- 1) 46 First Draw Samples
- 2) 1 Field Blank Sample

Receipt of the first draw sampling results indicates that no location produced a level greater than 15 ppb. Since no location exceeded the action level, no further action is required.

For a complete drinking water outlet inventory and sampling location diagram for each facility, refer to the Sampling Plan, dated May 2017. Updates to this documentation can be found in the Field Logbook for each facility.

4.0 DRINKING WATER ANALYSIS RESULTS

The analytical “lead in drinking water results” for each first draw sample is listed in the Table below:

Table 1: Analytical Lead Results for First Draw Water Samples
Collected from **The Carlstadt Elementary School**- July 27, 2024

Sample I.D.	Type of Collection Point	Lead Concentration (ppb)	Above Regulatory Action Level?
CAR-PS-24-01	Kitchen Food prep Island Sink	<0.00154 mg/l	No
CAR-PS-24-02	Kitchen Food Prep Island Sink #2	<0.00100 mg/l	No
CAR-PS-24-03	Kitchen Food Prep Island Sink # 3	<0.00100 mg/l	No
CAR-PS-24-04	Kitchen Food Prep Island Sink #4	<0.00100 mg/l	No
CAR-PS-24-05	Snack Room Sink	<0.00436 mg/l	No
CAR-PS-24-06	Teacher’s Lounge Sink	<0.00100 mg/l	No
CAR-PS-24-07	Room 18 Sink	<0.00355mg/l	No
CAR-PS-24-08	Lower Level Hall B/F Left	<0.00100 mg/l	No
CAR-PS-24-08A	Lower Level Hall B/F Right	<0.00100 mg/l	No
CAR-PS-24-09	Room 04 Bubbler	<0.00393mg/l	No
CAR-PS-24-010	Boy’s Locker Room Foyer B/F Left	<0.00100 mg/l	No
CAR-PS-24-010A	Boy’s Locker Room Foyer B/F Right	<0.00100 mg/l	No
CAR-PS-24-011	Boy’s Locker Room B/F Left	<0.00100 mg/l	No
CAR-PS-24-011A	Boy’s Locker Room B/F Right	<0.00100 mg/l	No
CAR-PS-24-012	Girls Locker Room Foyer B/F Left	<0.00100 mg/l	No
CAR-PS-24-012A	Girls Locker Room Foyer B/F Right	<0.00100 mg/l	No
CAR-PS-24-013	Girls Locker Room B/F Left	<0.00100 mg/l	No
CAR-PS-24-013A	Girls Locker Room B/F Right	<0.00100 mg/l	No
CAR-PS-24-014	Main Office Sink	<0.00100 mg/l	No
CAR-PS-24-015	Room 108 Bubbler	<0.00100 mg/l	No
CAR-PS-24-016	Room 109 Bubbler	<0.00160 mg/l	No
CAR-PS-24-017	Room 112 Bubbler	<0.00100 mg/l	No
CAR-PS-24-018	Room 113 Bubbler	<0.00100 mg/l	No
CAR-PS-24-019	Room 114 Bubbler	<0.00445 mg/l	No
CAR-PS-24-020	Room 117 Bubbler	<0.00324 mg/l	No
CAR-PS-24-021	Nurse’s Office Sink	<0.00100 mg/l	No
CAR-PS-24-22	1 st Floor Hall B/F Left	<0.00100 mg/l	No

Sample ID	Type of Collection Point	Lead Concentration (ppb)	Above Regulatory Action Level?
CAR-PS-24-022A	1 st Floor Hall B/F Right	<0.00115 mg/l	No
CAR-PS-24-023	Room 156 Bubbler	<0.00100 mg/l	No
CAR-PS-24-024	Room 155 Bubbler	<0.00100 mg/l	No
CAR-PS-24-025	Room 147 Bubbler	<0.00124 mg/l	No
CAR-PS-24-026	Room 154 Bubbler	<0.00120 mg/l	No
CAR-PS-24-027	Room 153 Bubbler	<0.00137 mg/l	No
CAR-PS-24-028	Room 148 Bubbler	<0.00117 mg/l	No
CAR-PS-24-029	Room 152 Bubbler	<0.00165 mg/l	No
CAR-PS-24-030	Room 149 Bubbler	<0.00100 mg/l	No
CAR-PS-24-031	Room 150 Bubbler	<0.00282 mg/l	No
CAR-PS-24-032	Room 202 Bubbler	<0.00100 mg/l	No
CAR-PS-24-033	Room 203 Bubbler	<0.00100 mg/l	No
CAR-PS-24-034	2 nd Floor Hall B/F Left	<0.00100 mg/l	No
CAR-PS-24-034A	2 nd Floor Hall B/F Right	<0.00100 mg/l	No
CAR-PS-24-035	Room 238 Bubbler	<0.00163 mg/l	No
CAR-PS-24-036	Room 237 Bubbler	<0.00102 mg/l	No
CAR-PS-24-037	Room 227 Bubbler	<0.00100 mg/l	No
CAR-PS-24-038	Room 236 Bubbler	<0.00143 mg/l	No
CAR-PS-24-039	Room 235 Bubbler	<0.00308 mg/l	No
CAR-PS-24-040	Room 228 Bubbler	<0.00118 mg/l	No
CAR-PS-24-041	Room 234 Bubbler	<0.00100 mg/l	No
CAR-PS-24-042	Room 229 Bubbler	<0.00100 mg/l	No
CAR-PS-24-043	Room 230 Bubbler	<0.00100 mg/l	No
CAR-PS-24-045	Room 302 Bubbler	<0.00100 mg/l	No
CAR-PS-24-046	3 rd Floor Hall B/F Left	<0.00100 mg/l	No
CAR-PS-24-046A	3 rd Floor Hall B/F Right	<0.00100 mg/l	No
CAR-PS-24-047	FIELD BLANK	<0.00100 mg/l	No

BF= Bottle Filler Station WF=Water Fountain Bub=Bubbler

All laboratory analytical results of first-draw samples were compared to the NJDEP's Regulatory Action Level of 15.0 ppb for lead. Analysis of lead in the first draw drinking water samples indicated that, at the time of the sampling event, no samples exceeded the action level of 15.0 ppb.

5.0 CONCLUSIONS & RECOMMENDATIONS

New Wave collected the first draw samples from drinking water sources throughout the Carlstadt Public elementary school facility. First draw sample results indicated **that no** water samples *exceeded* the regulatory action level of 15.0 ppb.

- Continue to monitor lead in drinking water levels as part of a regular sampling and maintenance plan, per New Jersey State regulations testing for lead in drinking water is required every three (3) years.
- Implement an aerator cleaning maintenance program to prevent the build up of debris behind the aerator screen which may contribute to elevated lead levels.
- Enter all filter maintenance, aerator maintenance, plumbing repairs/changes and any other important information into the Field Logbook for each School water location.
- Use only cold water for food and beverage preparation, as hot water is more likely to contribute to the corrosion of plumbing materials and therefore may contain a greater level of water contaminants from the plumbing system.

6.0 Disclaimer

This investigation focused on lead in drinking water. No other heavy metals or additional contaminants were sampled for/or analyzed. Note: Lead concentrations in water can change as water continues to move through the water system.

Each sample taken was a “grab sample” and represents lead concentrations only at the specific time of collection and may vary based upon the water usage in the facility. Interpretation of these results is only valid if the facility is serviced by a municipal water supplier or water utility.

Our lead sampling event was in response to recent amendments to N.J.A.C. 6A:26i *Educational Facilities* dated July 13, 2016, which requires testing for lead in drinking water of public and charter school districts.

The Lead Hazard Assessment has limitations with regards to identification of actual health and environmental issues. It is limited to only those items listed in the report and all items reflect conditions at the time of the assessment.

New Wave Engineering, LLC warrants only that the contents of this report constitute an informed discussion of the assessment of the subject property and is prepared exclusively for the above noted client. New Wave Engineering, LLC assumes no liability with regards to the use of this information or decisions which are made regarding the subject properties. It is at the discretion of the Carlstadt Public School District, given the results and information in this report, to use their own best judgment to determine any appropriate course of action.

7.0 Closing

The drinking water in the Carlstadt Public Elementary School is below the action level of 15 ppb. Normal utilization of all potable drinking water sources can continue as usual.

Thank you for utilizing New Wave to assist you with this project. Please do not hesitate to call if you have any questions relating to this report or for any other environmental health and safety concerns.

APPENDIX A CHAIN OF CUSTODY AND LAB RESULTS



Garden State Laboratories, Inc.

Report of Analysis

410 Hillside Ave.
Hillside, NJ 07205

Telephone: 800-273-8901
Email: info@gsllabs.com
Internet: www.gsllabs.com

Main Lab
NJDEP Lab Cert. #20044

Jersey Shore Lab
NJDEP Lab Cert. #15037

Lakehurst Lab
NJDEP Lab Cert. #15041

Mathew Klein, M.S., Founder (1916-1996)
Harvey Klein, M.S., Laboratory Director
Jordan B. Klein, B.A., Exec. Vice President
Sharon Ercoliani, B.A. Laboratory Manager

For: Carlstadt Public School - NW
550 Washington St.

Carlstadt, NJ 07072

Laboratory Director:

Attention: José Agudelo

Client Number: CAR08

Report Date: 08/08/2024

Sample ID: CARLSTADT PUBLIC
SCHOOL/CAR-PS-24-01
Kitchen Food prep Island sink

Lab Sample ID: 240729042-01

Site: Collection Date/Time: 07/27/2024 05:57

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.8		1	0.00154 mg/l	0.015	0.00100	0.00032	20044	08/06/24 14:14	

Sample ID: CARLSTADT PUBLIC
SCHOOL/CAR-PS-24-02
Kitchen food prep island 2nd sink

Lab Sample ID: 240729042-02

Site: Collection Date/Time: 07/27/2024 05:58

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.8		1	< 0.00100 mg/l	0.015	0.00100	0.00032	20044	08/06/24 14:19	

Sample ID: CARLSTADT PUBLIC
SCHOOL/CAR-PS-24-03
Kitchen food prep island sink

Lab Sample ID: 240729042-03

Site: Collection Date/Time: 07/27/2024 05:58

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.8		1	< 0.00100 mg/l	0.015	0.00100	0.00032	20044	08/06/24 14:24	

Sample ID: CARLSTADT PUBLIC
SCHOOL/CAR-PS-24-04
Kitchen food prep island sink

Lab Sample ID: 240729042-04

Site: Collection Date/Time: 07/27/2024 05:59

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.8		1	< 0.00100 mg/l	0.015	0.00100	0.00032	20044	08/06/24 14:29	



Garden State Laboratories, Inc.

Sample ID: CARLSTADT PUBLIC SCHOOL/CAR-PS-24-05 Snack room sink
Lab Sample ID: 240729042-05

Site: Collection Date/Time: 07/27/2024 05:59

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.8		1	0.00436 mg/l	0.015	0.00100	0.00032	20044	08/02/24 13:37	

Sample ID: CARLSTADT PUBLIC SCHOOL/CAR-PS-24-06 Teacher's lounge sink
Lab Sample ID: 240729042-06

Site: Collection Date/Time: 07/27/2024 06:01

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.8		1	< 0.00100 mg/l	0.015	0.00100	0.00032	20044	08/06/24 14:48	

Sample ID: CARLSTADT PUBLIC SCHOOL/CAR-PS-24-07 Room 18 sink
Lab Sample ID: 240729042-07

Site: Collection Date/Time: 07/27/2024 06:02

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.8		1	0.00355 mg/l	0.015	0.00100	0.00032	20044	08/06/24 14:53	

Sample ID: CARLSTADT PUBLIC SCHOOL/CAR-PS-24-08 LL HALL B/F LEFT
Lab Sample ID: 240729042-08

Site: Collection Date/Time: 07/27/2024 06:06

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.8		1	< 0.00100 mg/l	0.015	0.00100	0.00032	20044	08/06/24 15:03	

Sample ID: CARLSTADT PUBLIC SCHOOL/CAR-PS-24-08A LL HALL B/F RIGHT
Lab Sample ID: 240729042-09

Site: Collection Date/Time: 07/27/2024 06:06

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.8		1	< 0.00100 mg/l	0.015	0.00100	0.00032	20044	08/06/24 15:08	



Garden State Laboratories, Inc.

Sample ID: CARLSTADT PUBLIC SCHOOL/CAR-PS-24-09 ROOM 04 BUBBLER
Lab Sample ID: 240729042-10

Site: Collection Date/Time: 07/27/2024 06:07

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.8		1	0.00393 mg/l	0.015	0.00100	0.00032	20044	08/06/24 15:13	

Sample ID: CARLSTADT PUBLIC SCHOOL/CAR-PS-24-10 BOYS LOCKER RM FOYER B/F LEFT
Lab Sample ID: 240729042-11

Site: Collection Date/Time: 07/27/2024 06:13

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.8		1	< 0.00100 mg/l	0.015	0.00100	0.00032	20044	08/06/24 15:18	

Sample ID: CARLSTADT PUBLIC SCHOOL/CAR-PS-24-10A BOYS LOCKER RM FOYER B/F RIGHT
Lab Sample ID: 240729042-12

Site: Collection Date/Time: 07/27/2024 06:13

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.8		1	< 0.00100 mg/l	0.015	0.00100	0.00032	20044	08/06/24 15:23	

Sample ID: CARLSTADT PUBLIC SCHOOL/CAR-PS-24-11 BOYS LOCKER ROOM B/F LEFT
Lab Sample ID: 240729042-13

Site: Collection Date/Time: 07/27/2024 06:15

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.8		1	< 0.00100 mg/l	0.015	0.00100	0.00032	20044	08/06/24 15:27	

Sample ID: CARLSTADT PUBLIC SCHOOL/CAR-PS-24-11A BOYS LOCKER ROOM B/F RIGHT
Lab Sample ID: 240729042-14

Site: Collection Date/Time: 07/27/2024 06:15

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.8		1	< 0.00100 mg/l	0.015	0.00100	0.00032	20044	08/06/24 15:32	



Garden State Laboratories, Inc.

Sample ID: CARLSTADT PUBLIC SCHOOL/CAR-PS-24-12 GIRLS LOCKER ROOM FOYER B/F LEFT
Lab Sample ID: 240729042-15

Site: Collection Date/Time: 07/27/2024 06:18

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.8		1	< 0.00100 mg/l	0.015	0.00100	0.00032	20044	08/06/24 15:56	

Sample ID: CARLSTADT PUBLIC SCHOOL/CAR-PS-24-12A GIRLS LOCKER FOYER B/F RIGHT
Lab Sample ID: 240729042-16

Site: Collection Date/Time: 07/27/2024 06:18

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.8		1	< 0.00100 mg/l	0.015	0.00100	0.00032	20044	08/06/24 16:01	

Sample ID: CARLSTADT PUBLIC SCHOOL/CAR-PS-24-13 GIRLS LOCKER ROOM B/F LEFT
Lab Sample ID: 240729042-17

Site: Collection Date/Time: 07/27/2024 06:19

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.8		1	< 0.00100 mg/l	0.015	0.00100	0.00032	20044	08/06/24 16:06	

Sample ID: CARLSTADT PUBLIC SCHOOL/CAR-PS-24-13A GIRLS LOCKER ROOM B/F RIGHT
Lab Sample ID: 240729042-18

Site: Collection Date/Time: 07/27/2024 06:19

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.8		1	< 0.00100 mg/l	0.015	0.00100	0.00032	20044	08/06/24 16:16	

Sample ID: CARLSTADT PUBLIC SCHOOL/CAR-PS-24-14 MAIN OFFICE
Lab Sample ID: 240729042-19

Site: Collection Date/Time: 07/27/2024 06:22

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.8		1	< 0.00100 mg/l	0.015	0.00100	0.00032	20044	08/06/24 16:31	



Garden State Laboratories, Inc.

Sample ID: CARLSTADT PUBLIC SCHOOL/CAR-PS-24-15 ROOM 108 BUBBLER Lab Sample ID: 240729042-20

Site: Collection Date/Time: 07/27/2024 06:23

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.8		1	< 0.00100 mg/l	0.015	0.00100	0.00032	20044	08/06/24 16:36	

Sample ID: CARLSTADT PUBLIC SCHOOL/CAR-PS-24-16 ROOM 109 BUBBLER Lab Sample ID: 240729042-21

Site: Collection Date/Time: 07/27/2024 06:24

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9		1	< 0.00100 mg/l	0.015	0.00100	0.00055	20044	08/06/24 12:41	

Sample ID: CARLSTADT PUBLIC SCHOOL/CAR-PS-24-17 ROOM 112 BUBBLER Lab Sample ID: 240729042-22

Site: Collection Date/Time: 07/27/2024 06:25

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9		1	0.00160 mg/l	0.015	0.00100	0.00055	20044	08/06/24 12:43	

Sample ID: CARLSTADT PUBLIC SCHOOL/CAR-PS-24-18 ROOM 113 BUBBLER Lab Sample ID: 240729042-23

Site: Collection Date/Time: 07/27/2024 06:26

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9		1	< 0.00100 mg/l	0.015	0.00100	0.00055	20044	08/06/24 12:46	

Sample ID: CARLSTADT PUBLIC SCHOOL/CAR-PS-24-19 ROOM 114 BUBBLER Lab Sample ID: 240729042-24

Site: Collection Date/Time: 07/27/2024 06:26

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9		1	< 0.00100 mg/l	0.015	0.00100	0.00055	20044	08/06/24 12:49	



Garden State Laboratories, Inc.

Sample ID: CARLSTADT PUBLIC SCHOOL/CAR-PS-24-20 ROOM 117 BUBBLER Lab Sample ID: 240729042-25

Site: Collection Date/Time: 07/27/2024 06:27

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9		1	0.00445 mg/l	0.015	0.00100	0.00055	20044	08/06/24 12:52	

Sample ID: CARLSTADT PUBLIC SCHOOL/CAR-PS-24-21 NURSE'S OFFICE SINK Lab Sample ID: 240729042-26

Site: Collection Date/Time: 07/27/2024 06:28

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9		1	0.00324 mg/l	0.015	0.00100	0.00055	20044	08/06/24 12:55	

Sample ID: CARLSTADT PUBLIC SCHOOL/CAR-PS-24-22 1ST FL HALL B/F LEFT Lab Sample ID: 240729042-27

Site: Collection Date/Time: 07/27/2024 06:30

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9		1	< 0.00100 mg/l	0.015	0.00100	0.00055	20044	08/06/24 12:58	

Sample ID: CARLSTADT PUBLIC SCHOOL/CAR-PS-24-22A 1ST FL HALL B/F RIGHT Lab Sample ID: 240729042-28

Site: Collection Date/Time: 07/27/2024 06:30

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9		1	< 0.00100 mg/l	0.015	0.00100	0.00055	20044	08/06/24 13:09	

Sample ID: CARLSTADT PUBLIC SCHOOL/CAR-PS-24-23 ROOM 156 BUBBLER Lab Sample ID: 240729042-29

Site: Collection Date/Time: 07/27/2024 06:31

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9		1	< 0.00100 mg/l	0.015	0.00100	0.00055	20044	08/06/24 13:12	



Garden State Laboratories, Inc.

Sample ID: CARLSTADT PUBLIC SCHOOL/CAR-PS-24-24 ROOM 155 BUBBLER Lab Sample ID: 240729042-30

Site: Collection Date/Time: 07/27/2024 06:31

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9		1	0.00115 mg/l	0.015	0.00100	0.00055	20044	08/06/24 13:15	

Sample ID: CARLSTADT PUBLIC SCHOOL/CAR-PS-24-25 ROOM 147 BUBBLER Lab Sample ID: 240729042-31

Site: Collection Date/Time: 07/27/2024 06:32

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9		1	< 0.00100 mg/l	0.015	0.00100	0.00055	20044	08/06/24 13:18	

Sample ID: CARLSTADT PUBLIC SCHOOL/CAR-PS-24-26 ROOM 154 BUBBLER Lab Sample ID: 240729042-32

Site: Collection Date/Time: 07/27/2024 06:32

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9		1	< 0.00100 mg/l	0.015	0.00100	0.00055	20044	08/06/24 13:21	

Sample ID: CARLSTADT PUBLIC SCHOOL/CAR-PS-24-27 ROOM 153 BUBBLER Lab Sample ID: 240729042-33

Site: Collection Date/Time: 07/27/2024 06:32

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9		1	0.00124 mg/l	0.015	0.00100	0.00055	20044	08/06/24 13:26	

Sample ID: CARLSTADT PUBLIC SCHOOL/CAR-PS-24-28 ROOM 148 BUBBLER Lab Sample ID: 240729042-34

Site: Collection Date/Time: 07/27/2024 06:35

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9		1	0.00120 mg/l	0.015	0.00100	0.00055	20044	08/06/24 13:35	



Garden State Laboratories, Inc.

Sample ID: CARLSTADT PUBLIC SCHOOL/CAR-PS-24-29 ROOM 152 BUBBLER Lab Sample ID: 240729042-35

Site: Collection Date/Time: 07/27/2024 06:36

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9		1	0.00137 mg/l	0.015	0.00100	0.00055	20044	08/06/24 13:43	

Sample ID: CARLSTADT PUBLIC SCHOOL/CAR-PS-24-30 ROOM 149 BUBBLER Lab Sample ID: 240729042-36

Site: Collection Date/Time: 07/27/2024 06:36

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9		1	0.00117 mg/l	0.015	0.00100	0.00055	20044	08/06/24 13:46	

Sample ID: CARLSTADT PUBLIC SCHOOL/CAR-PS-24-31 ROOM 150 BUBBLER Lab Sample ID: 240729042-37

Site: Collection Date/Time: 07/27/2024 06:36

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9		1	0.00165 mg/l	0.015	0.00100	0.00055	20044	08/06/24 13:49	

Sample ID: CARLSTADT PUBLIC SCHOOL/CAR-PS-24-32 ROOM 202 BUBBLER Lab Sample ID: 240729042-38

Site: Collection Date/Time: 07/27/2024 06:38

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9		1	< 0.00100 mg/l	0.015	0.00100	0.00055	20044	08/06/24 13:52	

Sample ID: CARLSTADT PUBLIC SCHOOL/CAR-PS-24-33 ROOM 203 BUBBLER Lab Sample ID: 240729042-39

Site: Collection Date/Time: 07/27/2024 06:40

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9		1	0.00282 mg/l	0.015	0.00100	0.00055	20044	08/06/24 13:54	



Garden State Laboratories, Inc.

Sample ID: CARLSTADT PUBLIC SCHOOL/CAR-PS-24-34 2ND FL HALL B/F LEFT Lab Sample ID: 240729042-40

Site: Collection Date/Time: 07/27/2024 06:41

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9		1	< 0.00100 mg/l	0.015	0.00100	0.00055	20044	08/06/24 13:57	

Sample ID: CARLSTADT PUBLIC SCHOOL/CAR-PS-24-34A 2ND FL HALL B/F RIGHT Lab Sample ID: 240729042-41

Site: Collection Date/Time: 07/27/2024 06:41

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9		1	< 0.00100 mg/l	0.015	0.00100	0.00055	20044	08/06/24 14:00	

Sample ID: CARLSTADT PUBLIC SCHOOL/CAR-PS-24-35 ROOM 238 BUBBLER Lab Sample ID: 240729042-42

Site: Collection Date/Time: 07/27/2024 06:44

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9		1	0.00163 mg/l	0.015	0.00100	0.00055	20044	08/06/24 14:03	

Sample ID: CARLSTADT PUBLIC SCHOOL/CAR-PS-24-36 ROOM 237 BUBBLER Lab Sample ID: 240729042-43

Site: Collection Date/Time: 07/27/2024 06:45

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9		1	0.00102 mg/l	0.015	0.00100	0.00055	20044	08/06/24 14:06	

Sample ID: CARLSTADT PUBLIC SCHOOL/CAR-PS-24-37 ROOM 227 BUBBLER Lab Sample ID: 240729042-44

Site: Collection Date/Time: 07/27/2024 06:46

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9		1	< 0.00100 mg/l	0.015	0.00100	0.00055	20044	08/06/24 14:09	



Garden State Laboratories, Inc.

Sample ID: CARLSTADT PUBLIC SCHOOL/CAR-PS-24-38 ROOM 236 BUBBLER Lab Sample ID: 240729042-45

Site: Collection Date/Time: 07/27/2024 06:46

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9		1	0.00143 mg/l	0.015	0.00100	0.00055	20044	08/06/24 14:23	

Sample ID: CARLSTADT PUBLIC SCHOOL/CAR-PS-24-39 ROOM 235 BUBBLER Lab Sample ID: 240729042-46

Site: Collection Date/Time: 07/27/2024 06:47

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9		1	0.00308 mg/l	0.015	0.00100	0.00055	20044	08/06/24 14:32	

Sample ID: CARLSTADT PUBLIC SCHOOL/CAR-PS-24-40 ROOM 228 BUBBLER Lab Sample ID: 240729042-47

Site: Collection Date/Time: 07/27/2024 06:48

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9		1	0.00118 mg/l	0.015	0.00100	0.00055	20044	08/06/24 14:35	

Sample ID: CARLSTADT PUBLIC SCHOOL/CAR-PS-24-41 ROOM 234 BUBBLER Lab Sample ID: 240729042-48

Site: Collection Date/Time: 07/27/2024 06:49

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9		1	< 0.00100 mg/l	0.015	0.00100	0.00055	20044	08/06/24 14:37	

Sample ID: CARLSTADT PUBLIC SCHOOL/CAR-PS-24-42 ROOM 229 BUBBLER Lab Sample ID: 240729042-49

Site: Collection Date/Time: 07/27/2024 06:50

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9		1	< 0.00100 mg/l	0.015	0.00100	0.00055	20044	08/06/24 14:40	



Garden State Laboratories, Inc.

Sample ID: CARLSTADT PUBLIC SCHOOL/CAR-PS-24-43 ROOM 230 BUBBLER Lab Sample ID: 240729042-50

Site: Collection Date/Time: 07/27/2024 06:51

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9		1	< 0.00100 mg/l	0.015	0.00100	0.00055	20044	08/06/24 14:43	

Sample ID: CARLSTADT PUBLIC SCHOOL/CAR-PS-24-45 ROOM 302 BUBBLER Lab Sample ID: 240729042-51

Site: Collection Date/Time: 07/27/2024 06:54

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9		1	< 0.00100 mg/l	0.015	0.00100	0.00055	20044	08/06/24 14:57	

Sample ID: CARLSTADT PUBLIC SCHOOL/CAR-PS-24-46 3RD FLOOR B/F LEFT Lab Sample ID: 240729042-52

Site: Collection Date/Time: 07/27/2024 06:55

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9		1	< 0.00100 mg/l	0.015	0.00100	0.00055	20044	08/06/24 14:54	

Sample ID: CARLSTADT PUBLIC SCHOOL/CAR-PS-24-46A 3RD FLOOR B/F RIGHT Lab Sample ID: 240729042-53

Site: Collection Date/Time: 07/27/2024 06:55

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9		1	< 0.00100 mg/l	0.015	0.00100	0.00055	20044	08/06/24 15:00	

Sample ID: CARLSTADT PUBLIC SCHOOL/CAR-PS-24-47 FIELD BLANK Lab Sample ID: 240729042-54

Site: Collection Date/Time: 07/27/2024 06:55

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9		1	< 0.00100 mg/l	0.015	0.00100	0.00055	20044	08/06/24 15:03	

DF=Dilution factor, <=less than, MCL=Maximum Contaminant Level, Rep. Limit=Reporting Limit, MDL=Method Detection Limit, SM YR=Standard Methods Publication Year, and NC=Not Certified.
The liability of Garden State Laboratories, Inc. for services rendered shall in no event exceed the amount of the invoice.
Main Lab certified by NJDEP #20044-TNI, NY Dept. of Health #11550 and PADEP #68-03680.

Garden State Laboratories, Inc.

Main Lab - 410 Hillside Avenue, Hillside NJ 07205 - NJDEP Lab Cert. #20044
 Jersey Shore Lab - 54 Main Street, Waretown NJ 08758 - NJDEP Lab Cert. #15037
 Tel. 800-273-8901/908-688-8900 Fax 908-688-8966 www.gslabs.com info@gslabs.com

Office and Drop off Locations

North Jersey Office: 225 Sparta Avenue, Sparta, NJ 07871 Tel. 973-729-1827
 West Jersey Office: 2050 Route 31 North, Glen Gardner, NJ 08826 Tel. 908-537-7414

FOR SAMPLE RECEIVING USE ONLY

DATE/TIME/TEMP./REC'D AT LAB:

7-29-24 13:06 23.7

Page: of

GSL CLIENT # CAR 08

MICRO#

CHEM. # 270729042-01-05

SAMPLE REC'D BY:

☐ GSL FIELD SAMPLER/PICK-UP☐ PICK-UP AT DROP OFF LOCATION☒ DELIVERED BY CLIENT

Name CARLSTADT PUBLIC SCHOOL

Contact/Authorized by: JERRY BELLO

Mailing Address: 550 WASHINGTON STREET CARLSTADT NJ Phone: 973-981-4850

City/State/Zip: CARLSTADT NEW JERSEY 07072 Email: JERRY@newwave

SAMPLE INFORMATION environmental.com

SAMPLE TYPE: DW

SAMPLE LOCATION: CARLSTADT PUBLIC SCHOOL

Grab	Comp	SAMPLE ID	SAMPLE COLLECTION				ANALYSIS REQUIRED (Print Legibly)		CONTAINER INFORMATION			
			Date	Time	AM	PM	<input type="checkbox"/> List attached	Total Pages	No.	Type*	Size	Pres.*
X		CAR-PS-24-01 Kitchen Food Prep Island Sink	07/27/24	5:57	X		LEAD-FIRST DRAW	42-01	1	P	250ml	A
X		CAR-PS-24-02 Kitchen Food Prep Island Sink	07/27/24	5:58	X		LEAD FIRST DRAW	42-02	1	P	250ml	A
X		CAR-PS-24-03 Kitchen Food Prep Island Sink	07/27/24	5:58	X		LEAD FIRST DRAW	42-03	1	P	250ml	A
X		CAR-PS-24-04 Kitchen Food Prep Island Sink	07/27/24	5:59	X		LEAD FIRST DRAW	42-04	1	P	250ml	A
X		CAR-PS-24-05 Snack Room Sink	07/27/24	5:59	X		LEAD FIRST DRAW	42-05	1	P	250ml	A

*Container Type: P = Plastic G = Glass A = Amber Glass T = Sterile Thio V = Vial Other/Specify: _____
 *Preservation Code: A = Non Preserved B = Sulfuric Acid C = Sodium Hydroxide D = Nitric Acid
 E = Hydrochloric Acid F = Zinc Acetate G = Sodium Thiosulfate H = Ascorbic Acid I = Cooled Other/Specify: _____

TURNAROUND TIME: ☒ Standard ☐ Rush (IF RUSH REQUESTED) Rush Due by:REPORT FORMAT: ☒ Standard Report ☐ Other/Specify:☐ Standard Report + E2 PWS ID#:

PAYMENT INFORMATION

☐ Sampling/Pick-up Fee: \$ ☐ Composite Fee: \$ ☐ Rush Fee: \$ Amount Due: \$

 Payment Method: ☐ Credit Card Type: ☐ Check # ☐ Other: See Quote

Note:

SAMPLE CUSTODY EXCHANGES MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION

PLEASE PRINT YOUR NAME LEGIBLY, USE FULL LEGAL SIGNATURE, DATE AND TIME

Sampled by (PRINT): NADINE Bello

Signature: Nadine Bello

Date/Time: 07-29-2024

Client/Client's Representative (PRINT): NADINE Bello

Signature: Nadine Bello

Date/Time: 07/29-2024

1. Received/Relinquished by (PRINT):

Signature:

Date/Time:

2. Received/Relinquished by (PRINT): JOLLYN MACK

Signature: J. Mack

Date/Time: 7-29-24 13:06

Garden State Laboratories, Inc.

Main Lab - 410 Hillside Avenue, Hillside NJ 07205 - NJDEP Lab Cert. #20044

Jersey Shore Lab - 54 Main Street, Waretown NJ 08758 - NJDEP Lab Cert. #15037

Tel. 800-273-8901/908-688-8900 Fax 908-688-8966 www.gslabs.com info@gslabs.com

Office and Drop off Locations

North Jersey Office: 225 Sparta Avenue, Sparta, NJ 07871 Tel. 973-729-1827

West Jersey Office: 2050 Route 31 North, Glen Gardner, NJ 08826 Tel. 908-537-7414

FOR SAMPLE RECEIVING USE ONLY

DATE/TIME/TEMP. REC'D AT LAB:

7-29-24 13:06 23.7

Page of

GSL CLIENT # CAR-08

MICRO #

CHEM. # 240729042-06-10

SAMPLE REC'D BY:

☐ GSL FIELD SAMPLER/PICK-UP

☐ PICK-UP AT DROP OFF LOCATION

☒ DELIVERED BY CLIENT

CLIENT INFORMATION (REPORT TO BE SENT TO)

Name: CARLSTADT PUBLIC SCHOOL Contact/Authorized by: JERRY BELLO

Mailing Address: 550 WASHINGTON STREET Phone: 973-981-4850

City/State/Zip: CARLSTADT, NEW JERSEY 07072 Email: JERRY@newwair

environmental.com

SAMPLE TYPE: DW

SAMPLE LOCATION: CARLSTADT PUBLIC SCHOOL

Grab	Comp	SAMPLE ID	SAMPLE COLLECTION				ANALYSIS REQUIRED (Print Legibly)		CONTAINER INFORMATION			
			Date	Time	AM	PM	<input type="checkbox"/> List attached	Total Pages	No.	Type*	Size	Pres.*
X		CAR-PS-24-06-Teacher's Lounge Sink	07-27-24	6:01	X		LEAD-FIRST DRAW	42-06	1	P	250ML	A
X		CAR-PS-24-07-Room 18 Sink	07-27-24	6:02	X		LEAD FIRST DRAW	42-07	1	P	250ML	A
X		CAR-PS-24-08-LL Hall B/F Left	07-27-24	6:06	X		LEAD FIRST DRAW	42-08	1	P	250ML	A
X		CAR-PS-24-08A-LL Hall B/F Right	07-27-24	6:06	X		LEAD FIRST DRAW	42-09	1	P	250ML	A
X		CAR-PS-24-09-Room 04 Bubbler	07-27-24	6:07	X		LEAD FIRST DRAW	42-10	1	P	250ML	A

*Container Type: P = Plastic G = Glass A = Amber Glass T = Sterile Thio V = Vial Other/Specify: _____
 *Preservation Code: A = Non Preserved B = Sulfuric Acid C = Sodium Hydroxide D = Nitric Acid
 E = Hydrochloric Acid F = Zinc Acetate G = Sodium Thiosulfate H = Ascorbic Acid I = Cooled Other/Specify: _____

TURNAROUND TIME: ☒ Standard ☐ Rush (if RUSH REQUESTED) Rush Due by:

REPORT FORMAT: ☒ Standard Report ☐ Other/Specify:

☐ Standard Report + E2 PWS ID#:

PAYMENT INFORMATION

☐ Sampling/Pick-up Fee: \$ ☐ Composite Fee: \$ ☐ Rush Fee: \$ Amount Due: \$

Payment Method: ☐ Credit Card Type: ☐ Check # ☐ Other: See Quote

Note:

SAMPLE CUSTODY EXCHANGES MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION

PLEASE PRINT YOUR NAME LEGIBLY, USE FULL LEGAL SIGNATURE, DATE AND TIME

Sampled by (PRINT): NADINE Bello

Signature: *Nadine Bello*

Date/Time: 07-29-2024

Client/Client's Representative (PRINT): NADINE Bello

Signature: *Nadine Bello*

Date/Time: 07-29-2024

1. Received/Relinquished by (PRINT):

Signature:

Date/Time:

2. Received/Relinquished by (PRINT): Jason March

Signature: *J. March*

Date/Time: 7-29-24 13:06

Garden State Laboratories, Inc.

Main Lab - 410 Hillside Avenue, Hillside NJ 07205 - NJDEP Lab Cert. #20044
Jersey Shore Lab - 54 Main Street, Waretown NJ 08758 - NJDEP Lab Cert. #15037

Tel. 800-273-8901/908-688-8900 Fax 908-688-8966 www.gslabs.com info@gslabs.com

Office and Drop off Locations

North Jersey Office: 225 Sparta Avenue, Sparta, NJ 07871 Tel. 973-729-1827

West Jersey Office: 2050 Route 31 North, Glen Gardner, NJ 08826 Tel. 908-537-7414

FOR SAMPLE RECEIVING USE ONLY

DATE/TIME/TEMP. REC'D AT LAB:

7-29-24 13:06 23.7

Page of

GSL CLIENT # CAR 08

MICRO #

CHEM. # 240729042-11-15

SAMPLE REC'D BY:

☐ GSL FIELD SAMPLER/PICK-UP

☐ PICK-UP AT DROP OFF LOCATION

☒ DELIVERED BY CLIENT

CLIENT INFORMATION (REPORT TO BE SENT TO)

Name: CARLSTADT Public School Contact/Authorized by: JERRY Bello

Mailing Address: 550 WASHINGTON STREET Phone: 973-981-4850

City/State/Zip: CARLSTADT NEW JERSEY 07072 Email: JERRY@NEW WARE@

SAMPLE INFORMATION: Environmental.com

SAMPLE TYPE: DW

SAMPLE LOCATION: CARLSTADT Public School

Grab	Comp	SAMPLE ID	SAMPLE COLLECTION				ANALYSIS REQUIRED (Print Legibly)		CONTAINER INFORMATION			
			Date	Time	AM	PM	<input type="checkbox"/> List attached	Total Pages	No.	Type*	Size	Pres.*
X		CAR-PS24-10 Boys Locker Room Foyer B/F Left	7-27-24	6:13	X		LEAD FIRST DRAW	42-11	1	P	250ml A	
X		CAR-PS24-10 Boys Locker Room Foyer B/F Right	7-27-24	6:13	X		LEAD FIRST DRAW	42-12	1	P	250ml A	
X		CAR-PS24-10 Boys Locker Room B/F Left	7-27-24	6:15	X		LEAD FIRST DRAW	42-13	1	P	250ml A	
X		CAR-PS24-10 Boys Locker Room B/F Right	7-27-24	6:15	X		LEAD FIRST DRAW	42-14	1	P	250ml A	
X		CAR-PS24-10 Girls Locker Room Foyer B/F Left	7-27-24	6:18	X		LEAD FIRST DRAW	42-15	1	P	250ml A	

*Container Type: P = Plastic G = Glass A = Amber Glass T = Sterile Thio V = Vial Other/Specify:

*Preservation Code: A = Non Preserved B = Sulfuric Acid C = Sodium Hydroxide D = Nitric Acid
E = Hydrochloric Acid F = Zinc Acetate G = Sodium Thiosulfate H = Ascorbic Acid I = Cooled Other/Specify:

TURNAROUND TIME: ☒ Standard ☐ Rush (if RUSH REQUESTED) Rush Due by:

REPORT FORMAT: ☒ Standard Report ☐ Other/Specify:

☐ Standard Report + E2 PWS ID#:

PAYMENT INFORMATION

☐ Sampling/Pick-up Fee: \$ ☐ Composite Fee: \$ ☐ Rush Fee: \$ Amount Due: \$

Payment Method: ☐ Credit Card Type: ☐ Check # ☐ Other.. See Quote

Note:

SAMPLE CUSTODY EXCHANGES MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION

PLEASE PRINT YOUR NAME LEGIBLY, USE FULL LEGAL SIGNATURE, DATE AND TIME

Sampled by (PRINT): NADINE Bello

Signature:

Date/Time: 7-29-2024

Client/Client's Representative (PRINT): NADINE BELLG

Signature:

Date/Time: 07-29-2024

1. Received/Relinquished by (PRINT):

Signature:

Date/Time:

2. Received/Relinquished by (PRINT): Jalon Moech

Signature:

Date/Time: 7-29-24 13:06

CHAIN OF CUSTODY RECORD - PRESS HARD AND PRINT CLEARLY - USE BALL POINT PEN

Garden State Laboratories, Inc.

Main Lab - 410 Hillside Avenue, Hillside NJ 07205 - NJDEP Lab Cert. #20044
Jersey Shore Lab - 54 Main Street, Waretown NJ 08758 - NJDEP Lab Cert. #15037
Tel. 800-273-8901/908-688-8900 Fax. 908-688-8966 www.gslabs.com info@gslabs.com

Office and Drop off Locations

North Jersey Office: 225 Sparta Avenue, Sparta, NJ 07871 Tel. 973-729-1827
West Jersey Office: 2050 Route 31, North, Glen Gardner, NJ 08826 Tel. 908-537-7414

FOR SAMPLER RECEIVING USE ONLY

DATE/TIME/TEMP. REC'D AT LAB:

7-24-24 13:06 237

Page of

GSL CLIENT # CAR 08

MICRO #

CHEM. # 240729042-16-20

SAMPLE REC'D BY:

☐ GSL FIELD SAMPLER/PICK-UP☐ PICK-UP AT DROP OFF LOCATION☒ DELIVERED BY CLIENT

IMPORTANT: PRINTED NAMES & SIGNATURES ARE REQUIRED

CLIENT INFORMATION (REPORT TO BE SENT TO)

Name: CARLSTADT Public School Contact/Authorized by: JERRY Bell 6

Mailing Address: 550 WASHINGTON STREET Phone: 973-981-4850

City/State/Zip: CARLSTADT NJ 07072 Email: JERRY@newwave

SAMPLE INFORMATION environmental

SAMPLE TYPE: DW

SAMPLE LOCATION: CARLSTADT Public School

Grab	Comp	SAMPLE ID	SAMPLE COLLECTION				ANALYSIS REQUIRED (Print Legibly)		CONTAINER INFORMATION			
			Date	Time	AM	PM	<input type="checkbox"/> List attached	Total Pages	No.	Type*	Size	Pres.*
X		CAR-PS-24-10A Girls locker Foyer B/F Right	7-27-24	6:18	X		LEAD FIRST DRAW	42-16	1	P	250ml	A
X		CAR-PS-24-10B Girls locker Rm B/F Left	07-27-24	6:19	X		LEAD FIRST DRAW	42-17	1	P	250ml	A
X		CAR-PS-24-10C Girls locker Rm B/F Right	07-27-24	6:19	X		LEAD FIRST DRAW	42-18	1	P	250ml	A
X		CAR-PS-24-10D Main Office	07-27-24	6:22	X		LEAD FIRST DRAW	42-19	1	P	250ml	A
X		CAR-PS-24-10E Room 108 Bubble	07-27-24	6:23	X		LEAD FIRST DRAW	42-20	1	P	250ml	A

*Container Type: P = Plastic G = Glass A = Amber Glass T = Sterile Thio V = Vial Other/Specify: _____
*Preservation Code: A = Non Preserved B = Sulfuric Acid C = Sodium Hydroxide D = Nitric Acid
E = Hydrochloric Acid F = Zinc Acetate G = Sodium Thiosulfate H = Ascorbic Acid I = Cooled Other/Specify: _____

TURNAROUND TIME: ☒ Standard ☐ Rush (IF RUSH REQUESTED) Rush Due by:REPORT FORMAT: ☒ Standard Report ☐ Other/Specify:☐ Standard Report + E2 PWS ID#:

PAYMENT INFORMATION

☐ Sampling/Pick-up Fee: \$ ☐ Composite Fee: \$ ☐ Rush Fee: \$ Amount Due: \$Payment Method: ☐ Credit Card Type: ☐ Check # ☐ Other: See Quote

Note:

SAMPLE CUSTODY EXCHANGES MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION

PLEASE PRINT YOUR NAME LEGIBLY; USE FULL LEGAL SIGNATURE, DATE AND TIME

Sampled by (PRINT): NADINE BELLO

Signature: Nadine Bello

Date/Time: 07-24-24

Client/Client's Representative (PRINT): NADINE BELLO

Signature: Nadine Bello

Date/Time: 07-24-24

1. Received/Relinquished by (PRINT):

Signature: J. Moeck

Date/Time:

2. Received/Relinquished by (PRINT): J. Moeck

Signature: J. Moeck

Date/Time: 7-24-24 13:06

Garden State Laboratories, Inc.

Main Lab - 410 Hillside Avenue, Hillside NJ 07205 - NJDEP Lab Cert. #20044
Jersey Shore Lab - 54 Main Street, Waretown NJ 08758 - NJDEP Lab Cert. #15037
 Tel. 800-273-8901/908-688-8900 Fax 908-688-8966 www.gslabs.com info@gslabs.com

Office and Drop off Locations

North Jersey Office: 225 Sparta Avenue, Sparta, NJ 07871 Tel. 973-729-1827

West Jersey Office: 2050 Route 31 North, Glen Gardner, NJ 08826 Tel. 908-537-7414

FOR SAMPLE RECEIVING USE ONLY

DATE/TIME/TEMP REC'D AT LAB:

7-29-24 13:06-237

Page of

GSL CLIENT # CAR 08

MICRO#

CHEM. # 2407290 42-21-25

SAMPLE REC'D BY:

☐ GSL FIELD SAMPLER/PICK-UP

☐ PICK-UP AT DROP OFF LOCATION

☒ DELIVERED BY CLIENT

CLIENT INFORMATION (REPORT TO BE SENT TO)

Name: CARLSTADT PUBLIC SCHOOL

Contact/Authorized by: JERRY Bello

Mailing Address: 550 WASHINGTON STREET

Phone: 978-981-4850

City/State/Zip: CARLSTADT, NEW JERSEY 07072

Email: JERRY@newwave

SAMPLE INFORMATION

enclonmental.com

SAMPLE TYPE: DW

SAMPLE LOCATION: CARLSTADT PUBLIC SCHOOL

Grab	Comp	SAMPLE ID	SAMPLE COLLECTION				ANALYSIS REQUIRED (Print Legibly)		CONTAINER INFORMATION			
			Date	Time	AM	PM	<input type="checkbox"/> List attached	Total Pages	No.	Type*	Size	Pres.*
X		CAR-PS-24-16 Room 109 Bubbler	07-27-24	6:24	X		LEAD FIRST DRAW	42-21	1	P	250mL	A
X		CAR-PS-24-17 Room 112 Bubbler	07-27-24	6:25	X		LEAD FIRST DRAW	42-22	1	P	250mL	A
X		CAR-PS-24-18 Room 113 Bubbler	07-27-24	6:26	X		LEAD FIRST DRAW	42-23	1	P	250mL	A
X		CAR-PS-24-19 Room 114 Bubbler	07-27-24	6:26	X		LEAD FIRST DRAW	42-24	1	P	250mL	A
X		CAR-PS-24-20 Room 117 Bubbler	07-27-24	6:27	X		LEAD FIRST DRAW	42-25	1	P	250mL	A

*Container Type: P = Plastic G = Glass A = Amber Glass T = Sterile Thio V = Vial Other/Specify: _____

*Preservation Code: A = Non Preserved B = Sulfuric Acid C = Sodium Hydroxide D = Nitric Acid
 E = Hydrochloric Acid F = Zinc Acetate G = Sodium Thiosulfate H = Ascorbic Acid I = Cooled Other/Specify: _____

TURNAROUND TIME: ☒ Standard ☐ Rush (IF RUSH REQUESTED) Rush Due by: _____

REPORT FORMAT: ☒ Standard Report ☐ Other/Specify: _____

☐ Standard Report + E2 PWS ID#: _____

PAYMENT INFORMATION

☐ Sampling/Pick-up Fee: \$ ☐ Composite Fee: \$ ☐ Rush Fee: \$ Amount Due: \$

Payment Method: ☐ Credit Card Type: ☐ Check # ☐ Other: See Quote

Note: _____

SAMPLE CUSTODY EXCHANGES MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION

PLEASE PRINT YOUR NAME LEGIBLY; USE FULL LEGAL SIGNATURE, DATE AND TIME

Sampled by (PRINT): NADINE Bello

Signature: *Nadine Bello*

Date/Time: 07-29-24

Client/Client's Representative (PRINT): NADINE Bello

Signature: *Nadine Bello*

Date/Time: 07-29-24

1. Received/Relinquished by (PRINT):

Signature:

Date/Time:

2. Received/Relinquished by (PRINT): Jolani March

Signature: *J. March*

Date/Time: 7-29-24 13:06

Garden State Laboratories, Inc.

Main Lab - 410 Hillside Avenue, Hillside NJ 07205 - NJDEP Lab Cert. #20044
Jersey Shore Lab - 54 Main Street, Waretown NJ 08758 - NJDEP Lab Cert. #15037
 Tel. 800-273-8901/908-688-8900 Fax 908-688-8966 www.gslabs.com info@gslabs.com

Office and Drop off Locations

North Jersey Office: 225 Sparta Avenue, Sparta, NJ 07871 Tel. 973-729-1827

West Jersey Office: 2050 Route 31 North, Glen Gardner, NJ 08826 Tel. 908-537-7414

FOR SAMPLE RECEIVING USE ONLY

DATE/TIME/TEMP. REC'D AT LAB:

7-29-24 13:06 23.7

Page of

GSL CLIENT # CAR08

MICRO #

CHEM. # 240729042-26-30

SAMPLE REC'D BY:

☐ GSL FIELD SAMPLER/PICK-UP

☐ PICK-UP AT DROP OFF LOCATION

☒ DELIVERED BY CLIENT

CLIENT INFORMATION (REPORT TO BE SENT TO)

Name: CARLSTADT Public School Contact/Authorized by: JERRY BELLO

Mailing Address: 550 WASHINGTON STREET Phone: 973-981-4850

City/State/Zip: CARLSTADT NEW JERSEY 07072 Email: JERRY@ncw.wave

SAMPLE INFORMATION

SAMPLE TYPE: DW

SAMPLE LOCATION: CARLSTADT

Grab	Comp	SAMPLE ID	SAMPLE COLLECTION				ANALYSIS REQUIRED (Print Legibly)		CONTAINER INFORMATION			
			Date	Time	AM	PM	<input type="checkbox"/> List attached	Total Pages	No.	Type*	Size	Pres.*
X		CAR-PS-24-21-NURSE'S OFFICE SINK	7-27-24	6:28	X		LEAD	FIRST DRAW	42-26	1	P	250ml A
X		CAR-PS-24-22 1st Hall B/E left	7-27-24	6:30	X		LEAD	FIRST DRAW	42-27	1	P	250ml A
X		CAR-PS-24-22 1st Hall B/E Right	7-27-24	6:30	X		LEAD	FIRST DRAW	42-28	1	P	250ml A
X		CAR-PS-24-23 Room 156 Bubblers	7-27-24	6:31	X		LEAD	FIRST DRAW	42-29	1	P	250ml A
X		CAR-PS-24-24 Room 155 Bubblers	7-27-24	6:31	X		LEAD	FIRST DRAW	42-30	1	P	250ml A

*Container Type: P = Plastic G = Glass A = Amber Glass T = Sterile Thio V = Vial Other/Specify: _____
 *Preservation Code: A = Non Preserved B = Sulfuric Acid C = Sodium Hydroxide D = Nitric Acid
 E = Hydrochloric Acid F = Zinc Acetate G = Sodium Thiosulfate H = Ascorbic Acid I = Cooled Other/Specify: _____

☐ SUBCONTRACTED WORK

TURNAROUND TIME: ☒ Standard ☐ Rush (IF RUSH REQUESTED) Rush Due by:

REPORT FORMAT: ☒ Standard Report ☐ Other/Specify:

☐ Standard Report + E2 PWS ID#:

PAYMENT INFORMATION

☐ Sampling/Pick-up Fee: \$ ☐ Composite Fee: \$ ☐ Rush Fee: \$ Amount Due: \$

Payment Method: ☐ Credit Card Type: ☐ Check # ☐ Other: See Quote

Note:

SAMPLE CUSTODY EXCHANGES MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION

PLEASE PRINT YOUR NAME LEGIBLY, USE FULL LEGAL SIGNATURE, DATE AND TIME

Sampled by (PRINT): NADINE BELLO

Signature: Nadine Bello

Date/Time: 7-29-2024

Client/Client's Representative (PRINT): NADINE BELLO

Signature: Nadine Bello

Date/Time: 7-29-2024

1. Received/Relinquished by (PRINT):

Signature:

Date/Time:

2. Received/Relinquished by (PRINT): Jolon March

Signature: J. March

Date/Time: 7-29-24 13:00

CHAIN OF CUSTODY RECORD - PRESS HARD AND PRINT CLEARLY - USE BALL POINT PEN

IMPORTANT: PRINTED NAMES & SIGNATURES ARE REQUIRED

CHAIN OF CUSTODY RECORD - PRESS HARD AND PRINT CLEARLY - USE BALL POINT PEN

IMPORTANT: PRINTED NAMES & SIGNATURES ARE REQUIRED

Garden State Laboratories, Inc.

Main Lab - 410 Hillside Avenue, Hillside NJ 07205 - NJDEP Lab Cert. #20044

Jersey Shore Lab - 54 Main Street, Waretown NJ 08758 - NJDEP Lab Cert. #15037

Tel. 800-273-8901/908-688-8900 Fax 908-688-8966 www.gslabs.com info@gslabs.com

Office and Drop off Locations

North Jersey Office: 225 Sparta Avenue, Sparta, NJ 07871 Tel. 973-729-1827

West Jersey Office: 2050 Route 31 North, Glen Gardner, NJ 08826 Tel. 908-537-7414

FOR SAMPLE RECEIVING USE ONLY

DATE/TIME/TEMP. REC'D AT LAB:

7-29-24 13:06 23.7

Page of

GSL CLIENT # CAR 08

MICRO#

CHEM. # 240729042-31-35

SAMPLE REC'D BY:

☐ GSL FIELD SAMPLER/PICK-UP

☐ PICK-UP AT DROP OFF LOCATION

☒ DELIVERED BY CLIENT

CLIENT INFORMATION (REPORT TO BE SENT TO)

Name: CARLSTADT Public School Contact/Authorized by: JERRY BELLO

Mailing Address: 550 WASHINGTON STREET Phone: 973-981-4880

City/State/Zip: CARLSTADT NEW JERSEY 07072 Email: JERRY@NEWJERSEY.COM

SAMPLE INFORMATION

SAMPLE TYPE: DW

SAMPLE LOCATION: CARLSTADT PUBLIC SCHOOL

Grab	Comp	SAMPLE ID	SAMPLE COLLECTION				ANALYSIS REQUIRED (Print Legibly)		CONTAINER INFORMATION			
			Date	Time	AM	PM	<input type="checkbox"/> List attached	Total Pages	No.	Type*	Size	Pres.*
X		CAR-PS-24-25 Room 147 Bubbler	7-27-24	6:32	X		LEAD	FIRST DRAW	42-31	1	P	250ml A
X		CAR-PS-24-26 Room 154 Bubbler	7-27-24	6:32	X		LEAD	FIRST DRAW	42-32	1	P	250ml A
X		CAR-PS-24-27 Room 153 Bubbler	7-27-24	6:32	X		LEAD	FIRST DRAW	42-33	1	P	250ml A
X		CAR-PS-24-28 Room 148 Bubbler	7-27-24	6:35	X		LEAD	FIRST DRAW	42-34	1	P	250ml A
Y		CAR-PS-24-29 Room 152 Bubbler	7-27-24	6:36	Y		LEAD	FIRST DRAW	42-35	1	P	250ml A

*Container Type: P = Plastic G = Glass A = Amber Glass T = Sterile Thio V = Vial Other/Specify:

*Preservation Code: A = Non Preserved B = Sulfuric Acid C = Sodium Hydroxide D = Nitric Acid
E = Hydrochloric Acid F = Zinc Acetate G = Sodium Thiosulfate H = Ascorbic Acid I = Cooled Other/Specify:

TURNAROUND TIME: ☒ Standard ☐ Rush (If RUSH REQUESTED) Rush Due by:

REPORT FORMAT: ☒ Standard Report ☐ Other/Specify:

☐ Standard Report + E2 PWS ID#:

PAYMENT INFORMATION

☐ Sampling/Pick-up Fee: \$ ☐ Composite Fee: \$ ☐ Rush Fee: \$ Amount Due: \$

Payment Method: ☐ Credit Card Type: ☐ Check # ☐ Other: See Quote

Note:

SAMPLE CUSTODY EXCHANGES MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION

PLEASE PRINT YOUR NAME LEGIBLY, USE FULL LEGAL SIGNATURE, DATE AND TIME

Sampled by (PRINT): NADINE BELLO

Signature: Nadine Bello

Date/Time: 7-29-2024

Client/Client's Representative (PRINT): NADINE BELLO

Signature: Nadine Bello

Date/Time: 7-29-2024

1. Received/Relinquished by (PRINT):

Signature:

Date/Time:

2. Received/Relinquished by (PRINT): Jason M. Moeck

Signature: J. Moeck

Date/Time: 7-29-24 13:06

Garden State Laboratories, Inc.

Main Lab - 410 Hillside Avenue, Hillside NJ 07205 - NJDEP Lab Cert. #20044
Jersey Shore Lab - 54 Main Street, Waretown NJ 08758 - NJDEP Lab Cert. #15037
Tel. 800-273-8901/908-688-8900 Fax 908-688-8966 www.gslabs.com info@gslabs.com

Office and Drop off Locations

North Jersey Office: 225 Sparta Avenue, Sparta, NJ 07871 Tel. 973-729-1827
West Jersey Office: 2050 Route 31 North, Glen Gardner, NJ 08826 Tel. 908-537-7414

FOR SAMPLE RECEIVING USE ONLY

DATE/TIME/TEMP. REC'D AT LAB:

7-29-24 13:06 23.7

Page of

GSL CLIENT # CAR08

MICRO #

CHEM: # 240729042-36-40

SAMPLE REC'D BY:

☐ GSL FIELD SAMPLER/PICK-UP☐ PICK-UP AT DROP OFF LOCATION☒ DELIVERED BY CLIENT

CLIENT INFORMATION (REPORT TO BE SENT TO)

Name: CARLSTADT PUBLIC SCHOOL Contact/Authorized by: JERRY BELLO

Mailing Address: 550 WASHINGTON STREET Phone: 973-981-4850

City/State/Zip: CARLSTADT, NEW JERSEY 07072 Email: JERRY@newware

SAMPLE INFORMATION ENVIRONMENTAL

SAMPLE TYPE: DW

SAMPLE LOCATION: CARLSTADT, NEW JERSEY Public School

Grab	Comp	SAMPLE ID	SAMPLE COLLECTION				ANALYSIS REQUIRED (Print Legibly)		CONTAINER INFORMATION			
			Date	Time	AM	PM	<input type="checkbox"/> List attached	Total Pages	No.	Type*	Size	Pres.*
X		CAR-PS-24-30 Room 149 Bubbles	7-27-24	6:36	Y		LEAD FIRST DRAW	42-36	1	P	250ml	A
X		CAR-PS-24-31 Room 150 Bubbles	7-27-24	6:36	Y		LEAD FIRST DRAW	42-37	1	P	250ml	A
X		CAR-PS-24-32 Room 202 Bubbles	7-27-24	6:38	X		LEAD FIRST DRAW	42-38	1	P	250ml	A
X		CAR-PS-24-33 Room 203 Bubbles	7-27-24	6:40	Y		LEAD FIRST DRAW	42-39	1	P	250ml	A
Y		CAR-PS-24-34 2nd Fl Hall B/E Left	7-27-24	6:41	X		LEAD FIRST DRAW	42-40	1	P	250ml	A

*Container Type: P = Plastic G = Glass A = Amber Glass T = Sterile Thio V = Vial Other/Specify:

*Preservation Code: A = Non Preserved B = Sulfuric Acid C = Sodium Hydroxide D = Nitric Acid
E = Hydrochloric Acid F = Zinc Acetate G = Sodium Thiosulfate H = Ascorbic Acid I = Cooled Other/Specify:☐ SUBCONTRACTED WORKTURNAROUND TIME: ☒ Standard ☐ Rush (IF RUSH REQUESTED) Rush Due by:REPORT FORMAT: ☒ Standard Report ☐ Other/Specify:☐ Standard Report + E2 PWS ID#:

SEND TO:

DATE/TIME:

METHOD OF SHIPMENT:

PAYMENT INFORMATION

☐ Sampling/Pick-up Fee: \$ ☐ Composite Fee: \$ ☐ Rush Fee: \$ Amount Due: \$Payment Method: ☐ Credit Card Type: ☐ Check # ☐ Other: See Quote

Note:

SAMPLE CUSTODY EXCHANGES MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION

PLEASE PRINT YOUR NAME LEGIBLY, USE FULL LEGAL SIGNATURE, DATE AND TIME

Sampled by (PRINT): NADINE Bello

Signature: Nadine Bello

Date/Time: 7-29-2024

Client/Client's Representative (PRINT): NADINE Bello

Signature: Nadine Bello

Date/Time: 7-29-2024

1. Received/Relinquished by (PRINT):

Signature:

Date/Time:

2. Received/Relinquished by (PRINT): JASON MARCH

Signature: J. March

Date/Time: 7-29-24 13:06

Garden State Laboratories, Inc.

Main Lab - 410 Hillside Avenue, Hillside NJ 07205 - NJDEP Lab Cert. #20044
 Jersey Shore Lab - 54 Main Street, Waretown NJ 08758 - NJDEP Lab Cert. #15037
 Tel. 800-273-8901/908-688-8900 Fax 908-688-8966 www.gslabs.com info@gslabs.com

Office and Drop off Locations

North Jersey Office: 225 Sparta Avenue, Sparta, NJ 07871 Tel. 973-729-1827

West Jersey Office: 2050 Route 31 North, Glen Gardner, NJ 08826 Tel. 908-537-7414

FOR SAMPLE RECEIVING USE ONLY

DATE/TIME/TEMP. REC'D AT LAB:

7-29-24 13:06 23.7

Page of

GSL CLIENT # CAR 08

MICRO #

CHEM. # 240729 042-41-45

SAMPLE REC'D BY:

☐ GSL FIELD SAMPLER/PICK-UP

☐ PICK-UP AT DROP OFF LOCATION

☒ DELIVERED BY CLIENT

CLIENT INFORMATION (REPORT TO BE SENT TO)

Name: CARLSTADT Public School Contact/Authorized by: JERRY BELLO

Mailing Address: 550 WASHINGTON STREET Phone: 973-981-4850

City/State/Zip: CARLSTADT New Jersey 07072 Email: JERRY@newwarp

SAMPLE INFORMATION

SAMPLE TYPE: DW

SAMPLE LOCATION: CARLSTADT Public School

Grab	Comp	SAMPLE ID	SAMPLE COLLECTION				ANALYSIS REQUIRED (Print Legibly)	CONTAINER INFORMATION			
			Date	Time	AM	PM		No.	Type*	Size	Pres.*
X		CAR-PS-24-34A2 nd Fl Hall b/Floor	7-27-24	6:41	X		LEAD FIRST DRAW 42-41	1	P	250ML	A
X		CAR-PS-24-35 Room 238 Bubble	7-27-24	6:44	X		LEAD FIRST DRAW 42-42	1	P	250ML	A
X		CAR-PS-24-36 Room 237 Bubble	7-27-24	6:45	X		LEAD FIRST DRAW 42-43	1	P	250ML	A
X		CAR-PS-24-37 Room 227 Bubble	7-27-24	6:46	X		LEAD FIRST DRAW 42-44	1	P	250ML	A
X		CAR-PS-24-38 Room 236 Bubble	7-27-24	6:46	X		LEAD FIRST DRAW 42-45	1	P	250ML	A

*Container Type: P = Plastic G = Glass A = Amber Glass T = Sterile Thio V = Vial Other/Specify: _____
 *Preservation Code: A = Non Preserved B = Sulfuric Acid C = Sodium Hydroxide D = Nitric Acid
 E = Hydrochloric Acid F = Zinc Acetate G = Sodium Thiosulfate H = Ascorbic Acid I = Cooled Other/Specify: _____

☐ SUBCONTRACTED WORK

TURNAROUND TIME: ☒ Standard ☐ Rush (IF RUSH REQUESTED) Rush Due by:

REPORT FORMAT: ☒ Standard Report ☐ Other/Specify:

☐ Standard Report + E2 PWS ID#:

PAYMENT INFORMATION

☐ Sampling/Pick-up Fee: \$ ☐ Composite Fee: \$ ☐ Rush Fee: \$ Amount Due: \$
 Payment Method: ☐ Credit Card Type: ☐ Check # ☐ Other: See Quote

Note:

SAMPLE CUSTODY EXCHANGES MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION

PLEASE PRINT YOUR NAME LEGIBLY, USE FULL LEGAL SIGNATURE, DATE AND TIME

Sampled by (PRINT): NADINE BELLO

Signature: *Nadine Bello*

Date/Time: 07-27-2024

Client/Client's Representative (PRINT): NADINE BELLO

Signature: *Nadine Bello*

Date/Time: 07-27-2024

1. Received/Relinquished by (PRINT):

Signature:

Date/Time:

2. Received/Relinquished by (PRINT): Salon Maceh

Signature: *S. Maceh*

Date/Time: 7-29-24 13:06

Garden State Laboratories, Inc.

Main Lab - 410 Hillside Avenue, Hillside NJ 07205 - NJDEP Lab Cert. #20044
Jersey Shore Lab - 54 Main Street, Waretown NJ 08758 - NJDEP Lab Cert. #15037
Tel. 800-273-8901/908-688-8900 Fax: 908-688-8966 www.gslabs.com info@gslabs.com

Office and Drop off Locations

North Jersey Office: 225 Sparta Avenue, Sparta, NJ 07871 Tel. 973-729-1827
West Jersey Office: 2050 Route 31 North, Glen Gardner, NJ 08826 Tel. 908-537-7414

FOR SAMPLE RECEIVING USE ONLY

DATE/TIME/TEMP. REC'D AT LAB:

7-29-24 13:06:23.7

Page 11 of 11

GSL CLIENT # CAR 08

MICRO#

CHEM. # 2407290424650

SAMPLE REC'D BY:

☐ GSL FIELD SAMPLER/PICK-UP☐ PICK-UP AT DROP OFF LOCATION☒ DELIVERED BY CLIENT

CLIENT INFORMATION (REPORT TO BE SENT TO)

Name: CARLSTADT PUBLIC SCHOOL Contact/Authorized by: JERRY Bello
Mailing Address: 550 WASHINGTON STREET Phone: 973-981-4850
City/State/Zip: CARLSTADT New Jersey 07072 Email: JERRY@newwave
environmental.com

SAMPLE INFORMATION

SAMPLE TYPE: DW

SAMPLE LOCATION: CARLSTADT PUBLIC School

Grab	Comp	SAMPLE ID	SAMPLE COLLECTION				ANALYSIS REQUIRED (Print Legibly)		CONTAINER INFORMATION			
			Date	Time	AM	PM	<input type="checkbox"/> List attached	Total Pages	No.	Type*	Size	Pres.*
X		CAR-PS-24-39 Room 235 Bubbln	7-27-24	6:47	X		LEAD FIRST DRAW 42-46		1	P	250 mL	A
X		CAR-PS-24-40 Room 228 Bubbln	7-27-24	6:48	X		LEAD FIRST DRAW 42-47		1	P	250 mL	A
X		CAR-PS-24-41 Room 234 Bubbln	7-27-24	6:49	X		LEAD FIRST DRAW 42-48		1	P	250 mL	A
X		CAR-PS-24-42 Room 229 Bubbln	7-27-24	6:50	X		LEAD FIRST DRAW 42-49		1	P	250 mL	A
X		CAR-PS-24-43 Room 230 Bubbln	7-27-24	6:51	X		LEAD FIRST DRAW 42-50		1	P	250 mL	A

*Container Type: P = Plastic G = Glass A = Amber Glass T = Sterile Thio V = Vial Other/Specify:

*Preservation Code: A = Non Preserved B = Sulfuric Acid C = Sodium Hydroxide D = Nitric Acid
E = Hydrochloric Acid F = Zinc Acetate G = Sodium Thiosulfate H = Ascorbic Acid I = Cooled Other/Specify:

TURNAROUND TIME: ☒ Standard ☐ Rush (IF RUSH REQUESTED) Rush Due by:

REPORT FORMAT: ☒ Standard Report ☐ Other/Specify:

☐ Standard Report + E2 PWS ID#:

PAYMENT INFORMATION

☐ Sampling/Pick-up Fee: \$ ☐ Composite Fee: \$ ☐ Rush Fee: \$ Amount Due: \$

Payment Method: ☐ Credit Card Type: ☐ Check # ☐ Other: See Quote

Note:

SAMPLE CUSTODY EXCHANGES MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION

PLEASE PRINT YOUR NAME LEGIBLY; USE FULL LEGAL SIGNATURE, DATE AND TIME

Sampled by (PRINT): NADINE Bello	Signature: <i>Nadine Bello</i>	Date/Time: 07-29-24
Client/Client's Representative (PRINT): NADINE Bello	Signature: <i>Nadine Bello</i>	Date/Time: 07-29-24
1. Received/Relinquished by (PRINT):	Signature:	Date/Time:
2. Received/Relinquished by (PRINT): Jaelon Moore	Signature: <i>J. Moore</i>	Date/Time: 7-29-24 13:06

CHAIN OF CUSTODY RECORD - PRESS HARD AND PRINT CLEARLY - USE BALL POINT PEN

Garden State Laboratories, Inc.

Main Lab - 410 Hillside Avenue, Hillside NJ 07205 - NJDEP Lab Cert. #20044

Jersey Shore Lab - 54 Main Street, Waretown NJ 08758 - NJDEP Lab Cert. #15037

Tel. 800-273-8901/908-688-8900 Fax 908-688-8966 www.gslabs.com info@gslabs.com

Office and Drop off Locations

North Jersey Office: 225 Sparta Avenue, Sparta, NJ 07871 Tel. 973-729-1827

West Jersey Office: 2050 Route 31 North, Glen Gardner, NJ 08826 Tel. 908-537-7414

FOR SAMPLE RECEIVING USE ONLY

DATE/TIME/TEMP. REC'D AT LAB:

7-29-24 13:06 23.7

Page

of

GSL CLIENT # CAR 08

MICRO #

CHEM. # 240729042-S1-54

SAMPLE REC'D BY:

☐ GSL FIELD SAMPLER/PICK-UP☐ PICK-UP AT DROP OFF LOCATION☒ DELIVERED BY CLIENT

CLIENT INFORMATION (REPORT TO BE SENT TO)

Name: CARLSTADT Public School

Contact/Authorized by: JERRY Bello

Mailing Address: 550 WASHINGTON STREET

Phone: 973-981-4850

City/State/Zip: CARLSTADT NEW JERSEY 07072

Email: JERRY@newware

SAMPLE INFORMATION

SAMPLE TYPE: DW

SAMPLE LOCATION: CARLSTADT Public School

Grab	Comp	SAMPLE ID	SAMPLE COLLECTION				ANALYSIS REQUIRED (Print Legibly)		CONTAINER INFORMATION			
			Date	Time	AM	PM	<input type="checkbox"/> List attached	Total Pages	No.	Type*	Size	Pres.*
X		CAR-PS-24-45-Room 302 Bubblers	07/27/24	6:54	X				1	D	250mL	A
X		CAR-PS-24-46 3 rd Floor B/F Left	07/27/24	6:55	X				1	P	250mL	A
X		CAR-PS-24-46A 3 rd Floor B/F Right	7/24/24	6:55	X				1	P	250mL	A
X		CAR-PS-24-47 Field Blank	07-27-24	6:55	X				1	P	250mL	A

⇒ *Container Type: P = Plastic G = Glass A = Amber Glass T = Sterile Thio V = Vial Other/Specify: _____

⇒ *Preservation Code: A = Non Preserved B = Sulfuric Acid C = Sodium Hydroxide D = Nitric Acid
E = Hydrochloric Acid F = Zinc Acetate G = Sodium Thiosulfate H = Ascorbic Acid I = Cooled Other/Specify: _____TURNAROUND TIME: ☒ Standard ☐ Rush (if RUSH REQUESTED) Rush Due by:REPORT FORMAT: ☒ Standard Report ☐ Other/Specify:☐ Standard Report + E2 PWSID#:

PAYMENT INFORMATION

☐ Sampling/Pick-up Fee: \$ ☐ Composite Fee: \$ ☐ Rush Fee: \$ Amount Due: \$Payment Method: ☐ Credit Card Type: ☐ Check # ☐ Other: See Quote

Note:

SAMPLE CUSTODY EXCHANGES MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION

PLEASE PRINT YOUR NAME LEGIBLY, USE FULL LEGAL SIGNATURE, DATE AND TIME

Sampled by (PRINT): NADINE Bello

Signature: 

Date/Time: 07-27-2024

Client/Client's Representative (PRINT): NADINE Bello

Signature: 

Date/Time: 07/29/2024

1. Received/Relinquished by (PRINT):

Signature:

Date/Time:

2. Received/Relinquished by (PRINT): J. Moeck

Signature: J. Moeck

Date/Time: 7-29-24 13:06