Barre City Early Education Program 2024-2025 24-2025



Barre City Elementary and Middle School

50 Parkside Terrace, Barre, VT 05641 Tel 802-476-6541 Fax 802-476-1492 http://www.bcemsvt.org

Classroom Staff:

Room 120 Jennifer Howes, Early Childhood Educator Zoe Jacobs, Classroom Paraeducator

Room 121 Monique Brochu, Early Childhood Educator Christina North, Classroom Paraeducator

Room 125 Nancy Benoit, Early Childhood Educator Corrina Garbacik, Classroom Paraeducator

Other Early Education Staff:

Marissa Hebert, Early Childhood Special Educator

Lara Merchant, Early Childhood Special Educator

Spencer Horchler, Speech Language Pathologist

476-6541 x4120 jhowebce@buusd.org

476-6541 x4121 mbrocbce@buusd.org

476-6617 x4125 nbenobce@buusd.org

476-6541 x4147 mhebebce@buusd.org

476-6541 x4174 Imercbce@buusd.org

476-6541 x4147 shorcbce@buusd.org

Table of Contents

Page

Walaama	3
	ა ვ
	ა ვ
	3
	4
. yp	4
	4
	4
	4
	4
5, 5,	5
	5-6
	6
Reporting Child Abuse	6
Communication	6
Positive Guidance and Behavior Management	7
Health	7-8
Injuries/Accidents	8
Wellness	
Learning to be Independent	8-9
Nutrition and Snacks	9
Hazing, Harassment & Bullying	9
Medication	9
Technology	9
Clothing	9-10
Evacuations and Safety Drills	10
Concerns	10
ADA, Early Childhood Special Ed & Section 504	24
Resources for Families	11
Appendix A: USDA Nutrition Information	12-13
Appendix B: Signs and Symptoms	14-23

<u>Welcome</u>

Welcome to the Barre City Early Education Program! Our program is a not-for-profit, state licensed prekindergarten program located at the Barre City Elementary and Middle School. The Barre City Early Education Program has earned five stars in Vermont's Step Ahead Recognition System (STARS), which means that are rated as "outstanding in all five (practice) areas."

Philosophy

We believe that it is important for school and families to work together to make sure that preschool is a positive and enriching experience for all children. We believe that you know the most about your child and we invite you to share your knowledge with us as we put together a program that cultivates respect for each child and challenges each child to learn and grow. We believe in setting up an inclusive learning environment in which individual differences are valued. We seek to nurture self-esteem and create a love of learning through play, discovery and exploration.

Enrollment

Children whose parents or legal guardians are residents of Barre City are eligible to enter <u>prekindergarten</u> at the beginning of the school year provided they have reached the age of three (3) on or before September 1st of that year. There is often a wait list and we will work to invite your child to attend as quickly as we are able.

Children whose parents or legal guardians are residents of Barre City are eligible to enter <u>kindergarten</u> at the beginning of the school year provided they have reached the age of five (5) on or before September 1st of that year. Children who are age eligible for kindergarten will not be retained or enrolled in prekindergarten.

The enrollment process is completed with our school registrar. After all registration paperwork (including proof of residency, immunizations, and documentation of the child's date of birth) has been submitted, your child's teacher will be in contact with you to confirm your child's start date. Enrollment in our preschool programs is on a first come, first served basis.

Regional Enrollment Agreement Regarding 5 Year Old Students

A regional agreement with the Winooski Valley Superintendents Association, of which the BUUSD is a part, outlines enrollment processes for children who turn 5 before the September 1 cut-off date. The agreement states: "Five-year-old students who are otherwise eligible for public kindergarten will not be enrolled in public school PreK programs except in extraordinary circumstances as determined by the child's evaluation team (IEP, 504, EST). When considering retention, the team should review data and consider increased instructional time and access to Special Education services in the kindergarten settings."

Orientation

Our process for entering the prekindergarten program allows for a gradual start so that everyone becomes familiar with the program. This process usually begins in the spring with Prekindergarten Open House. In September, a "Meet-n-Greet" offers a visit to your child's classroom. When school begins, half of the class starts on one day and the other half starts the next day. This smaller group size allows children and staff time to get to know each other before the full group attends. We encourage families to visit our library and playground, to help your child become familiar with the school building and outdoor areas.

When children enroll after the start of the year, a visit to the classroom with a parent/guardian is scheduled. The child is invited to attend 2-3 days in a week before attending the full week program thereafter.

Prekindergarten Hours of Operation and Calendar

The Barre City Prekindergarten program follows the Barre City Elementary & Middle School calendar except for the start of the year and during family-teacher conferences. Please see the prekindergarten newsletters or blog from your child's teacher for additional dates the program is closed.

The Barre City Prekindergarten program hours of operation are as follows: Monday through Friday, AM Session 8:45-11:15 Monday through Friday, PM Session 12:50-3:20

Typical Daily Schedule

Each day, your child will have choice time, teacher-directed time, physical activity (through physical education or outside play), meeting/circle, and a snack/meal. Please see your child's teacher for more specific information about the classroom schedule.

Vermont Early Learning Standards

Our curriculum is based on the Vermont Early Learning Standards (VELS), which emphasize the importance of learning through play and exploration. We have copies of the standards on hand and the Agency of Education has additional information on the internet. You can learn more about the VELS at: https://education.vermont.gov/sites/aoe/files/documents/edu-early-education-early-learning-standards.pdf

Child Progress

We use a tool called Teaching Strategies GOLD® to track your child's progress. With this information, teachers are able to guide students' learning by planning engaging experiences that are responsive to individual and group needs. Teachers will discuss your child's progress during family-teacher conference times, which are offered twice per year. You may request a meeting with your child's teacher at any time to discuss any questions or concerns you may have.

Educational Support

The Early Education team is committed to a comprehensive system of educational services that will result in all children succeeding in the classroom. Your child's teacher may discuss additional supports and services, instructional strategies or accommodations if there are concerns. Additionally, your child's teacher is available should you have any concerns.

Attendance

For safety purposes families should call the school by 8:00am if their child is going to be absent. If you do not contact the school, the office will verify the absence by a telephone call to the home or work that morning.

Emergency School Closing/Delay

Any school closing or delay due to inclement weather will be broadcast on the following radio and TV stations: WSNO at 1450 AM, WSKI at 1240 AM, WDEV at 550 AM, WEZF at 92.9 FM, WCVR at 102.1 FM, WWFY at 100.9 FM as well as on WCAX television station. In addition, the Barre Unified Union School District has adopted an electronic notification system whereby families will be notified of such events as school closings, and other emergencies as deemed appropriate by school administration. Success of this program is completely dependent on accurate and updated contact information provided to the school by families. You may also check the website listed below for up-to-date closing information: corp.sover.net/schoolclosings.

Bus Transportation

The Barre City Prekindergarten program provides bus transportation for all Prekindergarten students within Barre City limits, providing that your requested stop is approved by the Transportation Coordinator. All children will be assigned a bus to and from school. For your child's safety, we need your help to keep your child's transportation plans consistent because the short sessions in Prekindergarten make it difficult to accommodate inconsistent changes. If your transportation needs change on a given day, you may need to drop your child off or pick your child up at school. Please speak with your child's teacher if you need help making a consistent plan. If you will be picking up your child instead of having him/her ride the bus, you will need to contact your child's teacher by 10:00 for the morning session and 2:30 for the afternoon session. Be sure to speak with someone directly regarding transportation changes; do not leave a voicemail message.

When you registered your child, you provided Barre City Prekindergarten staff with names and identifying information of people who are authorized to pick up your child from school/bus stop. There must be an authorized adult waiting at the bus stop for your child in order for your child to be allowed off the bus. Only those people listed will be allowed to pick up your child. For the safety of your child we will ask to see identification from the pick-up person.

Confidentiality

Please be assured that any personal information relating to your child/family shall remain in confidence and shall only be released by written consent of those involved. In order to protect the confidentiality of each child, please do not take pictures of any child except for your own.

Reporting Child Abuse

Vermont law requires all Barre City Elementary and Middle School staff report any suspected incidents of child abuse and/or neglect to the Department for Children and Families within 24 hours of receiving a report of abuse/neglect or a suspicion of abuse/neglect. For more information, please see the Barre Unified Union School District's policy titled Child Abuse & Neglect Reporting Policy CODE: JLF.

Communication

We emphasize the importance of communication between parents, families, teachers and children. The Home/School Folder is one of the primary modes of communication that is used in our program. Each child will have a folder and journal that travels between school and home. At school, any notes about your child and updates about his or her learning will be placed in this folder. Families can also use the folder or email to tell us about what is happening at home or communicate any questions or concerns. Please feel free to call the teaching staff in your child's classroom if you have an immediate concern. All families will be offered at least two Parent/Teacher conferences, one in the fall and another in the spring.

Positive Guidance and Behavior Management

In prekindergarten, we emphasize and teach age-appropriate social skills and behaviors to all children. Each staff member establishes a positive, supportive relationship with each child and provides children with good role models of appropriate behavior. Clear, consistent behavioral expectations are established including being kind to each other and being respectful of others and of the environment. The prekindergarten staff use a variety of ways to help young children learn self-control, independence, and cooperation. Some of these strategies include:

- Redirection, encouragement and reinforcing appropriate behaviors
- Providing acceptable outlets for some inappropriate behaviors.
- Allowing children to make choices within the behavioral guidelines.
- Modifying the environment to minimize potential conflicts and to promote learning.



- Guiding and assisting children in learning ways to solve problems/conflicts themselves i.e. using their words (talking), changing materials or moving to another space.
- "Take a break" allows children to calm themselves in a safe manner. This might look like a child doing a quiet activity at a table, reading a book or sitting quietly away from the group.

If a child exhibits a challenge with behavior, the following steps are taken:

- The teacher talks with the child about the problem behavior, why it is a problem.
- The teacher then offers alternative behaviors, strategies, materials, and gives the child choices within the behavioral guidelines.
- The teacher observes, assesses the child, the group and the environment and makes changes accordingly.
- The teacher discusses the situation with the child's family via telephone call or note home (or both).

Health: Staying Home When Sick

Our prekindergarten programs follow the Vermont Department of Health and Child Development Division's health and safety protocols. Guidance around COVID-19 in schools is ever changing as we learn more about this illness. We ask prekindergarten families to pay close attention to and follow district-wide communications on health and safety practices and procedures.

In general, if your child is ill and experiencing fever, vomiting, diarrhea, cough, runny nose or is unable to keep up with the busy pace of the preschool day, <u>we ask that you keep your child home</u>. Children with the symptoms above should, at a minimum, stay home until they are symptom free, without medication, for 24 hours. If your child experiences these symptoms at school, we will have your child evaluated by the school nurse to determine whether or not s/he needs to be taken home. *See appendix B for more detailed information on health conditions and when to keep your child home from the Child Development Division.

Injuries/Accidents

In the event of an accident or injury, first aid will be administered by the classroom teacher or school nurse. The nurse or teacher will complete an accident report. If the injury is minor, you will be notified at the end of the day through the accident report. If there is a serious accident, you or the emergency contact will be called immediately and appropriate emergency care will be sought. If warranted, emergency medical services will be called or your child will be transported to emergency care. For any injury that requires a visit to a medical or dental professional, a copy of the accident report will be sent to Child Care Licensing within two (2) working days.

<u>Wellness</u>

All students must be in compliance with state immunization requirements and annual well child exams. BCEMS must have a copy of these medical services on file. Please provide the school nurse with any updates changes in your child's health information, such as an updated annual exam, new immunizations, medications, or allergies. If you have questions regarding your child's health and attendance please call the school nurse at 476-6617 x6196.

The prekindergarten program does not allow hand sanitizer to be carried with your child. Accidents can happen, including children spilling the bottles on the bus. Children are required to wash their hands upon arrival, after using the bathroom, before/after eating and after blowing their noses.

Your child's daily program will include outside play (except when the temperature is below 10 degrees, factoring in the wind chill). If you choose to use sunblock, we ask that you apply this at home. If you want reapplication at school, please send in a labeled bottle with your signature and written directions of when you want the sunscreen applied (for example: "during the fall and spring months"). This permission must be updated annually. Children are not permitted to apply sunscreen independently. Please note that aerosol sprays are not permitted in the prekindergarten program.

Smoking is not permitted on school grounds.

Learning to be Independent

Independence is an important concept for children and each child develops at his/her own pace. We will make every effort to partner with families on the toilet training process. When your child comes to school wearing a diaper, we will check it at least every two hours. It's common for three-year-olds to use the toilet with some assistance for clothing and wiping. It's common for four-year-olds to use the bathroom completely on their own and they may start requesting privacy. When your child uses the bathroom independently, we will offer time, space and privacy throughout the day. Your child's confidence will grow as s/he becomes successful and independent in self-care such as dressing, toileting, washing hands, and eating. Prekindergarten staff are committed to promoting independence in the school setting so please communicate any specific requests with us. **Please note**: if your child wears diapers or pull-ups, <u>you must supply diapers/pull-ups AND wipes</u>.

Nutrition and Snacks

Both sessions provide children with a meal at no cost. Milk will be provided to all students at no cost. If you would prefer to send a meal for your child, you are welcome to do so. When you send food to school with your child, please be sure to follow the school's wellness policy outlined in the BCEMS Parent/Student Handbook. Please be sure to prepare the meal in the way your child is used to (for example, if you cut up grapes at home, please send them to school cut up). We will encourage children to serve and feed themselves. Children are not allowed to bring candy to school. If your child is sent to school with candy, the candy will be sent back home.

Hazing, Harassment & Bullying

BCEMS is committed to providing all of its students with a safe and supportive school environment in which all members of the school community are treated with respect. For more information, please see the Barre Unified Union School District's policy titled "Policy on the Prevention of Harassment, Hazing and Bullying of Students" CODE: F20.

Medication Policy

The Barre City Middle and Elementary School medication policy requires the use of a written physician's order for school administration of prescription medication; also a written permission from a parent/guardian to have the medication administered in school. The permission form and detailed prescription medication procedure are included in the Parent/Student Handbook. The following information that must be provided: name & date of birth of the child, any medication allergies, name of medication and dosage as well as administration schedule and route (mouth, nose, inhalation), reason for medication, stare and end dates of medication and any special instructions.

If non-prescription medication is to be used during school hours, the school nurse must be notified and a written permission with instructions for administration from the parent/guardian must accompany the medications. Medications may not be transported to school by your child.

For further information regarding health concerns, refer to the Parent/Student Handbook.

Technology

You may see a Smart Board or use of a computer or tablet in some of the classrooms. Tablets are sometimes used to take pictures and/or to record child progress. The use of Smart Boards and computers (screens) will be limited to developmentally appropriate and educationally relevant and will be supervised by teaching staff. Children who use assistive technology as part of their Individual Education Plan will have consistent access to their devices.

<u>Clothing</u>

Prekindergarten children go outside and get messy regularly. Please make sure your child is appropriately dressed, including safe and comfortable shoes (not flip flops or shoes with high heels). Our Vermont winters require proper

outerwear- hat, mittens, snowsuit and boots. Please mark all clothing and boots with your child's name or initials. You must provide an extra set of clothing (including shirt, pants, underwear and socks) to be kept at school or in their backpacks as we are required to have this on hand. As children grow and the seasons change, the change of clothes may need to change. Please check your child's extra set of clothing periodically and replace items as necessary.

Evacuations and Safety Drills

Your child will be participating in different kinds of evacuations and safety drills each month during the school year. Prekindergarten staff will follow school procedures for these drills. We will notify you after a drill occurs. Please remember that these drills happen without warning. Children do not have time to get a coat or to change into safe walking shoes. It is imperative that children are dressed appropriately and are wearing shoes that are secure on their feet. If your child is wearing flips flops or dress shoes with a heel, they will be uncomfortable and possibly unsafe. When we evacuate, the entire school walks in several single file lines and it is nearly impossible to stop to adjust footwear in a safe manner. If you need help with clothing or footwear, please let your child's teacher know. We may be able to help. Thank you for helping us keep your child safe.

Concerns

Should you have questions or concerns about the program, about school procedures, or if you need assistance regarding your child, please talk with your child's prekindergarten teacher or special educator. Should further assistance be required please contact the Early Education Director. We are interested in knowing your thoughts, questions, concerns, and suggestions.

Overview of ADA, Early Childhood Special Education and Section 504

The Americans with Disabilities Act (ADA) and Americans with Disabilities Act Amendments Act (ADAAA) is a civil rights law that prohibits discrimination against individuals with disabilities in all areas of public life, including jobs, schools, transportation, and all public and private places that are open to the general public. The purpose of the law is to make sure that people with disabilities have the same rights and opportunities as everyone else. The ADA gives civil rights protections to individuals with disabilities similar to those provided to individuals on the basis of race, color, sex, national origin, age, and religion. It guarantees equal opportunity for individuals with disabilities in public accommodations, employment, transportation, state and local government services, and telecommunications. For more information, visit: https://www.ada.gov/

Special Education & Child Find

School Districts are responsible to identify, locate and evaluate any child who may have a disability. This is done through "child find" activities, such as public notices in newspapers and social media, communication with other community agencies and through developmental screenings. When a referral for evaluation is needed, the responsibility is determined by the child's age.

- Children aged birth-to-three are referred to Children's Integrated Services-Early Intervention.
- Children aged 3 through 5 are evaluated by the local educational agency (LEA) where the child resides. If eligible, services are offered based on the outcome of the child's IEP meeting for students in the public school setting and in the private schools within the school district boundary
- Students aged 5 through 21 who are parentally placed in independent elementary and secondary schools outside their LEA of residence, are provided Child Find by the LEA where the independent school is located.

When a child is found eligible for an Individualized Education Plan (IEP), the school district is responsible for offering services within the boundaries of the school district. If a parent declines these services or places their child in a program outside of the school district, there is no obligation for service provision.

For more information, visit: http://education.vermont.gov/student-support/special-education

Section 504 of the Rehabilitation Act of 1973 is a federal civil rights statute prohibiting discrimination against students with disabilities and guarantees them a free and appropriate public education. Every entity, including public and independent schools, that receives federal funding, directly or indirectly is subject to the requirements and there is no federal or state funding provided to assist schools in complying with Section 504 yet public and Independent Schools receiving federal funds, directly or indirectly, are individually responsible for compliance with Section 504. Federal regulations prohibit schools and private programs from excluding students with disabilities for whom they are able to provide an appropriate education with "minor adjustments." Section 504 is a civil rights statute and not a special education statute, and thus has a broader scope than the Individuals with Disabilities Education Act (IDEA). Students with disabilities receiving special education services are protected under Section 504 but not all Section 504 students are eligible for special education. With regard to prekindergarten, the PreK program that the child attends, not the school district, is the responsible party for Section 504.

Evaluation Referrals

The first step in supporting a family and child with potential disability is making a referral. This can be done directly by the parent/guardian or by another person on behalf of the child (with the guardian's permission). The referral starts the process of determining if a child has a disability which qualifies her/him for an IEP or 504 Plan. If you have any questions or concerns about the development of a child, please contact the School District's Director of Special Services or Principal.

Resources for families

The staff at Barre City is available to help and support families with information and resources about child development, behavior, and other concerns. The prekindergarten program does have a small lending library available with books pertaining to child development and parenting. If you would like to check out one of these books, please let your child's teacher know.

Vermont 2-1-1 is the number to dial to find out about hundreds of important community resources, like emergency food and shelter, disability services, counseling, senior services, health care, child care, drug and alcohol programs, legal assistance, transportation agencies, educational and volunteer opportunities, and much more. www.vermont211.org

- 2-1-1 is not an emergency number like 9-1-1, nor is it directory assistance like 4-1-1
- 2-1-1 is your first step toward solving everyday problems or when you are facing difficult times.
- It's a free service. It's confidential. It's 24/7.

Vt. Agency of Human Services (www.screendoor.vermont.gov)

The Family Center of Washington County 383 Sherwood Drive Montpelier, VT 05602 (802) 262-3292 Child Care Referral line: 262-3292 x122, or toll-free 1-877-705-9008

Children with Special Health Needs/Child Development Clinic Vermont Department of Health 108 Cherry St, PO Box 70 Burlington, VT 05401 (802) 863-7338 or 1-800-660-4427 Capstone Community Action Head Start 1-800-639-1053 jboyd@capstonevt.org

Washington County Mental Health 802-229-0591

Child Development Division Department for Children and Families 103 South Main St 2 & 3 North Waterbury, Vt 05671-5500 1-800-649-2642

Child Care Consumer Line: 1-800-649-2642 or 802-769-6152



United States Department of Agriculture

NEW Child and Adult Care Food Program Meal Patterns

Child and Adult Meals

USDA recently revised the CACFP meal patterns to ensure children and adults have access to healthy, balanced meals throughout the day. Under the new child and adult meal patterns, meals served will include a greater variety of vegetables and fruit, more whole grains, and less added sugar and saturated fat. The changes made to the meal patterns are based on


the Dietary Guidelines for Americans, scientific recommendations from the National Academy of Medicine, and stakeholder input. CACFP centers and day care homes must comply with the new meal patterns by October 1, 2017.


New Child and Adult Meal Patterns

Greater variety of vegetables and fruits:

- The combined fruit and vegetable component is now a separate vegetable component and a separate fruit component; and
- * Juice is limited to once per day.

More whole grains:





 Ounce equivalents (oz eq) are used to determine the amount of creditable grains (starting October 1, 2019).

More protein options:

- Meat and meat alternates may be served in place of the entire grains component at breakfast a maximum of three times per week; and
- Tofu counts as a meat alternate.

Age appropriate meals:

* A new age group to address the needs of older children 13 through 18 years old.

See a side-by-side comparison of the old and new child and adult meal patterns on the other side. For more information on the new CACFP meal patterns visit: <u>http://www.fns.usda.gov/cacfp/meals-and-snacks</u>.


Appendix A

Less added sugar:

- Yogurt must contain no more than 23 grams of sugar per 6 ounces; and
- Breakfast cereals must contain no more than
 6 grams of sugar per dry ounce.

Making every sip count:

 Unflavored whole milk must be served to 1 year olds; unflavored low-fat or fat-free milk must be served to children 2 through 5 years old; and unflavored low-fat, unflavored fat-free, or flavored fat-free milk must be served to children 6 years old and older and adults;



 Yogurt may be served in place of milk once per day for adults only.

Additional improvements:

- Extends offer versus serve to at-risk afterschool programs; and
- Frying is not allowed as a way of preparing foods on-site.

April 22, 2016



Old and New Child and Adult Meal Patterns:

Let's Compare



Breakfast Meal Patterns

	Age	s 1- 2	Ages	s 3-5	Ages 6-12	& 13-18	Adu	lts
	Old	New	Old	New	Old	New	Old	New
Milk	½ cup	½ cup	¾ cup	¾ cup	1 cup	1 cup	1 cup	1 cup
Vegetables, fruit, or both	¼ cup	¼ cup	½ cup	½ cup	½ cup	½ cup	½ сир	½ cup
Grains	1/2 serving	½ oz eq*	1/2 serving	½ oz eq*	1 serving	1 oz eq*	2 servings	2 oz eq*

*Meat and meat alternates may be used to substitute the entire grains component a maximum of three times per week. Oz eq = ounce equivalents

Lunch and Supper Meal Patterns

	Ages	1-2	Ages	3-5	Ages 6-12	& 13-18	Adu	lts
	Old	New	Old	New	Old	New	Old	New
Milk	½ cup	½ cup	¾ cup	¾ cup	1 cup	1 cup	1 cup	1 cup*
Meat and meat alternates	1 oz	1 oz	1 ½ oz	1 ½ oz	2 oz	2 oz	2 oz	2 oz
Vegetables	¼ cup	⅓ cup	½ cup	¼ cup	¾ cup	½ cup	1 cup	½ cup
Fruit	74 cup	⅓ cup	/2 cup	¼ cup	74 cup	¼ cup	rcup	½ cup
Grains	½ serving	½ oz eq	½ serving	½ oz eq	1 serving	1 oz eq	2 servings	2 oz eq

*A serving of milk is not required at supper meals for adults

Oz eq = ounce equivalents

Snack Meal Pattern

	Age	i 1-2	Ages	3-5	Ages 6-12	& 13-18	Adu	lts
	Old	New	Old	New	Old	New	Old	New
Milk	½ cup	½ cup	½ cup	½ cup	1 cup	1 cup	1 cup	1 cup
Meat and meat alternates	½ oz	½ oz	½ oz	½ oz	1 oz	1 oz	1 oz	1 oz
Vegetables	½ cup	½ cup	½ cup	½ cup	¾ cup	¾ cup	½ cup	½ cup
Fruit	72 Cup	½ cup	72 cup	½ cup	[™] cub	¾ cup	72 cup	½ cup
Grains	½ serving	½ oz eq	½ serving	½ oz eq	1 serving	1 oz eq	1 serving	1 oz eq

Select 2 of the 5 components for snack.

Oz eq = ounce equivalents

Note: All serving sizes are minimum quantities of the food components that are required to be served.

April 22, 2016

		Signs an	Signs and Symptoms Chart	hart		
Symptom	Common Causes	Complaints or What Might Notify Health Notify Temporarily Exclude? Be Seen Consultant Parent Parent	Notify Health Consultant	Notify Parent		If Excluded, Readmit When
Cold Symptoms	Cold Symptoms Viruses (early stage of many viruses) Runny or stuffy nose many viruses) many viruses) 6 Coughing 6 Coughing Adenovirus 9 Coughing 6 Coughing Adenovirus 9 Coughing 6 Coughing Enterovirus 9 Coughing 9 Coughing Enterovirus 9 Coughing 9 Coughing Respiratory 9 Fever 9 Coronavirus Rhinovirus 6 Coronavirus 16 Fever Influenza 10 Luenza 10 Luenza	 Runny or stuffy nose Scratchy throat Coughing Sneezing Watery eyes Fever 	Not necessary Yes	Yes	 No, unless: Fever accompanied by behavior change. Individual looks or acts very ill. Individual has difficulty breathing. Individual has blood red or purple rash not associated with injury. 	• Exclusion criteria are resolved.

		Signs a	Signs and Symptoms Chart	art		
Symptom	Common Causes	Complaints or What Might Be Seen	Notify Health Consultant	Notify Parent	Temporarily Exclude?	If Excluded, Readmit When
	Bacteria • Mycoplasma				exclusion criteria	
Cough (May come from congestion anywhere from ears to lungs. Cough is a body response to something that is irritating tissues in the airway.)	 Common cold Lower respiratory infection (eg, pneumonia, bronchiolitis) Croup Asthuna Sinus infection Bronchitis 	 Dry or wet cough Runny nose (clear, white, or yellow-green) Sore throat Throat irritation Hoarse voice, barking cough 	Not necessary	Yes	No, unless: • Severe cough • Rapid and/or difficult breathing • Wheezing if not already evaluated and treated • Cyanosis (i.e., blue color of skin and mucous membranes)	• Exclusion criteria are resolved.
Diarrhea	Usually viral, less commonly bacterial or parasitic	 Frequent loose or watery stools compared to child's normal pattern. (Note that exclusively breastfed infants normally have frequent unformed and somewhat watery stools, or may have several days with no stools.) Abdominal cramps. Fever. Generally not feeling well. Sometimes accompanied by vomiting. 	For one or more cases of bloody diarrhea or 2 or more children with diarrhea in group within a week	Yes	 Yes, if Stool is not contained in the diaper for diapered children. Diarrhea is causing "accidents" for toilet-trained children. Stool frequency exceeds 2 or more stools above normal for that child, because this may cause too much work for the teacher/caregivers and make it difficult to maintain good sanitation. Blood/mucus in stool. Abnormal color of stool for child (eg, all black or very pale). No urine output in 8 hours. Jaundice (i.e., yellow skin or eyes). 	 Cleared to return by health professional for all cases of bloody diarrhea and diarrhea caused by <i>Shigella</i>, <i>Salmonella</i>, or <i>Giardia</i>. Diapered children have their stool contained by the diaper (even if the stools remain loose) and toilet-trained children do not have toileting accidents. Able to participate.

		Signs a	Signs and Symptoms Chart	hart		
Symptom	Common Causes	Complaints or What Might Be Seen	Notify Health Consultant	Notify Parent	Temporarily Exclude? • Fever with heleavier	If Excluded, Readmit When
					change. Looks or acts very ill.	
Difficult or	1. Common cold	1. Common cold: Stuffy	Not necessary	Yes	Yes, if	 Exclusion criteria are
Noisy Breathing	2. Croup	nose, sore throat, cough,			1.Fever accompanied by	resolved.
					behavior change.	
	4. Bronchiolitis	Croup: Barking cough,			2. Individual looks or acts	
		hoarseness, fever,			very ill.	
		possible chest			3.Individual has difficulty	
	7. Object stuck in	discomfort (symptoms			breathing.	
	airway	worse at night), and/or			4. Individual has blood red or	
		very noisy breathing,			purple rash not associated	
		especially when			with injury.	
		breathing in.			5. The individual meets other	
		3. Epiglottitis: Gasping			exclusion criteria.	
		noisily for breath with				
		mouth wide open, chin				
		pulled down, high fever,				
		and/or bluish (cyanotic)				
		nails and skin; drooling,				
		unwilling to lie down.				
		4. (and 5.) Bronchiolitis				
		and Asthma: Individual				
		is working hard to				
		breathe; rapid breathing;				
		space between ribs looks				
		like it is sucked in with				
		each breath (retractions);				
		wheezing; whistling				
		sound with breathing;				
		cold/cough; irritable and				
		unwell. Takes longer to				
		breathe out than to				
		breathe in.				

		Signs a	Signs and Symptoms Chart	hart		
Symptom	Common Causes	Complaints or What Might Be Seen	Notify Health Consultant	Notify Parent	Temporarily Exclude?	If Excluded, Readmit When
		 See above. Pneumonia: Deep cough, fever, rapid breathing, or space between ribs looks like it is sucked in with each breath (retractions). Object stuck in airway: Symptoms similar to croup (2 above) 				
Earache	 Bacteria or viruses Often occurs in context of common cold 	 1. Fever 2. Pain or irritability 3. Difficulty hearing 4. "Blocked ears" 5. Drainage 6. Swelling around ear 	Not necessary	Yes	 No, unless: Unable to participate. Care would compromise staff's ability to care for other children. Fever with behavior change. 	• Exclusion criteria are resolved.
Pinkeye	 Detected a function of the membrane covering the eye and eyelid (bacterial (bacterial conjunctivitis) 2. Viral infection of the membrane covering the eye and eyelid (viral conjunctivitis) 3. Allergic irritation of the membrane covering the eye and eyelid (allergic conjunctivitis) 4. Chemical irritation 	 Detected intection. Fills color instead of whites of eyes and thick yellow/green discharge. May be irritated, swollen, or crusted in the morning. Viral infection: Pinkish/red, irritated, swollen eyes; watery discharge; possible upper respiratory infection. (and 4.) Allergic and chemical irritation: red, tearing, itchy eyes; runny nose, sneezing; watery discharge. 	теу, п 2 ог тоге children have red eyes with watery discharge	6	For outlet and conjunctions No. Exclusion is no longer required for this condition. Health professionals may vary on whether to treat this condition with antibiotic medication. The role of antibiotics in treatment and preventing spread is unclear. Most individuals with pinkeye get better after 5 or 6 days without antibiotics. For other forms No, unless: • The individual meets other exclusion criteria.	 For variet un conjunction, once parent has discussed with health professional. Antibiotics may or may not be prescribed. Exclusion criteria are resolved.
	covering the eye	,			Note: One type of viral	

		Signs a	Signs and Symptoms Chart	hart		
Symptom	Common Causes	Complaints or What Might Be Seen	Notify Health Consultant	Notify Parent	Temporarily Exclude?	If Excluded, Readmit When
	and eyelid (irritant conjunctivitis) (eg, swimming in heavily chlorinated water, air pollution)				conjunctivitis spreads rapidly and requires exclusion. If 2 or more children in the group have watery red eyes without any known chemical irritant exposure, exclusion may be required and health authorities should be notified.	
Fever	 Any viral, bacterial, or parasitic infection Overheating Reaction to medication (e.g., vaccine, oral) Other noninfectious illnesses (e.g., rheumatoid arthritis, malignancy) 	Flushing, tired, irritable, decreased activity Notes • Fever alone is not harmful. When a individual has an infection, raising the body temperature is part of the body's normal defense against outside attacks. • Rapid elevation of body temperature sometimes triggers a febrile seizure in young children; this usually is outgrown by age 6 years. The first time a febrile seizure happens, the child requires evaluation. These seizures are frightening, but do not cause the child any	Not necessary	Yes	No unless: • Behavior change. • Unable to participate. • Care would compromise staff's ability to care for other children. Note: Temperatures considered meaningfully elevated above normal, although not necessarily an indication of a significant health problem, for individuals older than 4 months are 100°F (37.8°C) axillary (armpit) • 100°F (37.8°C) axillary (armpit) • 100°F (38.9°C) orally • Aural (ear) temperature equal to oral or rectal temperature	• Able to participate • Exclusion criteria are resolved.
		long-term harm. Parents			-	

		Signs a	Signs and Symptoms Chart	hart		
Symptom	Common Causes	Complaints or What Might Be Seen	Notify Health Consultant	Notify Parent	Temporarily Exclude?	If Excluded, Readmit When
		should inform their child's health professional every time the child has a seizure, even if the child is known to have febrile seizures. Warning: Do not give aspirin. It has been linked to an increased risk of Reye syndrome (a rare and serious disease affecting the brain and liver).			Get immediate medical attention when infant younger than 4 months has unexplained temperature of 101°F (38.3°C) rectally or 100°F (37.8°C) axillary. Any infant younger than 2 months with fever should get medical attention within an hour.	
Headache	 Any bacterial/viral infection Other noninfectious causes 	 Tired and irritable Can occur with or without other symptoms 	Not necessary	Yes	No, unless: • Individual is unable to participate Note: Notify health professional in case of sudden, severe headache with vomiting or stiff neck that might signal meningitis. The stiff neck of concern is reluctance and unusual discomfort when the child is asked to look at his or her "belly button" (putting chin to chest) – different from soreness in the side of the neck.	• Able to participate
Itching	 Ringworm Chickenpox Pinworm Head lice 	 Ringworm: Itchy ring- shaped patches on skin or bald patches on scalp. Chickenpox: Blister-like 	For infestations such as lice and scabies; if more than one	Yes	For chickenpox, scabies, and impetigo Yes	 Exclusion criteria are resolved. On medication or treated as recommended by a

auses Complaints or What Might Be Seen spots surrounded by red or irritant spots surrounded by red vy) 3. Pinworm: Anal itching. vy) 3. Pinworm: Anal itching. vy) 3. Pinworm: Anal itching. voldy, fever; irritable. white egg sheaths (nits) in vy) 3. Pinworm: Anal itching. tor white egg sheaths (nits) in hair. 5. Scabies: Severely itchy red bumps on warm areas of body, especially between fingers or toes. 6. Allergic or irritant reaction: Raised, circular, mobile rash; reddening of the skin; blisters occur with local reactions (poison ivy, contact reaction. reaction: 7. Dry skin or eczema: Dry areas on body. More offen worse on cheeks, in front of elbows, and behind knees. In infants, may be dry areas on fronts of legs and anywhere else on body, but not usually in diaper area. If swollen, red, or oozing, think about infection. 8. Impetigo: Areas of sores. Offen around nouth or nasal			Signs a	Signs and Symptoms Chart	hart		
5. Scabies spots surrounded by red 6. Allergic or irritant body; fever; irritable. poison ivy) 3.Pinworm: Anal itching. 7. Dry skin or 4.Head lice: Small insects or matching 5.Finworm: Anal itching. 8. Impetigo 5.Scabies: Severely itchy cczema white egg sheaths (nits) in 8. Impetigo 5.Scabies: Severely itchy concerned hair. 5.Scabies: Severely itchy redening of init. 5.Scabies: Severely itchy reaction: Raised, circular, nair. 8. Impetigo 5.Scabies: Severely itchy reaction: Raised, circular, mobile rash; reddening of thair. 5.Scabies: Severely itchy reaction: Raised, circular, mobile rash; reddening of therea: fragers or toes. (A.Hlergic or irritant reaction: Raised, circular, not body, especially between fingers or toes. (A.Hlergic or irritant reaction: Raised, circular, interprise fragers or toes. (A.Hlergic or irritant reaction: Raised, circular, interprise fragon ivy, contact	Symptom	Common Causes		Notify Health Consultant	Notify Parent	Temporarily Exclude?	If Excluded, Readmit When
action (eg, poison ivy) 3. Prinworm: Anal itching, poison ivy) 7. Dry skin or eczema 3. Prinworm: Anal itching, a. Head lice: Snall insects or white egg sheaths (nits) in hair. 8. Impetigo 5. Scabies: Severely itchy red bumps on warm areas of body, especially between fingers or toes. 6. Allergic or irritant reaction: Raised, circular, mobile rash, reddening of the skin; blisters occur with local reactions (poison ivy, contact reaction). 7. Dry skin or eczema: Dry areas on body. More often worse on cheeks, in front of elbows, and behind knees. In infants, may be dry areas on fronts of legs and anywhere else on body, but not usually in diaper area. If swollen, read, or oozing think about infection. 8. Inpetigo: Areas of crusted yellow, oozing sores. Often around mouth or nasal openings. 1. Oral thrush (yeast 1. Oral thrush: White		 5. Scabies 6. Allervic or irritant 	spots surrounded by red halos on scalo, face, and	child in group has impetizo		For ringworm and head lice Yes, at the end of the day	health professional if indicated for the
poison ivy) 3. Pinworm: Anal itching. 7. Dry skin or 4. Head lice: Small insects or white egg sheaths (nits) in hair. 8. Impetigo 5. Scabies: Severely itchy red bumps on warm areas of body. especially between fingers or toes. 6. Allergic or irritant reaction: Raised, circular, mobile rash, reddening of the skin, blisters occur with local reactions (poison iry, contact reaction). 7. Dry skin or eczema: Dry areas on body, More offen worre on checks, in front of the skin, blisters occur with or eczema: Dry areas on body, but not usually in diaper area. If swollen, reaction. 8. Impetigo: Raise or or or irritant reactions. 9. I.Oral thrush (yeast I) 9. I.Oral thrush (yeast I) 9. I.Oral thrush (yeast I)		reaction (eg,	body; fever; irritable.	or ringworm;		 Individual should be 	condition and for the
7. Dry skin or 4.Head lice: Small insects or white egg sheaths (nits) in hair. 8. Impetigo 5.Scabies: Severely itchy red bumps on warm areas of body, especially between fingers or toes. 9. Impetigo 5.Scabies: Severely itchy red bumps on warm areas of body. especially between fingers or toes. 6.Allergic or irritant reaction: Raised, circular, mobile rash, reddening of the skin, blisters occur with local reactions (poison iny, contact reaction). 7.Dry skin or eczema: Dry areas on body. More often worse on checks, in front of elbows, and behind knees. In intants, may be dry areas on body, but not usually in diaper area. If swollen, red, or oozing, think about infection. 8.Impetigo: Areas of curved inger area of solow, but not usually in diaper area. If swollen, red, or nozing sores. Often around month or nasal openings. 1.Oral thrush (yeast 1.Oral thrush. White		poison ivy)	3. Pinworm: Anal itching.	for chickenpox		referred to a health	time required to be
eczema white egg sheaths (nits) in hair. 8. Impetigo 5.Scabies: Severely itchy red bumps on warm areas of body, especially between fingers or toes. 6. Allergic or irritant reaction: Raised, circular, mobile rash; reddening of the skin; blisters occur with local reactions (poison ivy, contact reaction). 7. Dry skin or eczema: Dry areas on body. More often worse on cheeks, in front of elbows, and behind knees. In infants, may be dry areas on fronts of legs and anywhere else on body, but not usually in diaper area. If swollen, read, or oozing, think about infection. 1. Oral thrush (yeast 1. Oral thrush: White		7. Dry skin or	4.Head lice: Small insects or			professional at the end of	readmitted. For
8. Impetigo hair. 5.Scabises: Severely itchy red bumps on warm areas of body, especially between fingers or toes. 6. Allergic or irritant reaction: Raised, circular, mobile rash, reddening of the skin, blisters occur with local reactions (poison ivy, contact reaction). 7.Dry skin or ezzema: Dry areas on body. More often worse on cheeks, in front of elbows, and behind knees. In infants, may be dry areas on body, but not usually in diaper area. If swollen, red, or oozing, think about infection. 8. Impetigo: Areas of cround for any formation of the start		eczema	white egg sheaths (nits) in			the day for treatment.	conditions that require
5.Scabises: Severely itchy red bumps on warm areas of body, especially between fingers or toes. 6.Allergic or irritant reaction: Raised, circular, mobile rash, reddening of the skin; blisters occur with local reactions (poison ivy, contact reaction). 7.Dry skin or eczema: Dry areas on body. More often worse on cheeks, in front of elbows, and behind knees. In infants, may be dry areas on fronts of legs and anywhere else on body, but not usually in diaper area. If swollen, red, or oozing, think about infection. 8.Impetigo: Areas of crusted yellow, oozing sores. Often around mouth or nasal openings. 1.Oral thrush (yeast 1.Oral thrush: White		8. Impetigo	hair.				application of antibiotics
red bumps on warm areas of body, especially between fingers or toes. 6.Allergic or irritant reaction: Raised, circular, mobile rashy reddening of the skiny blisters occur with local reactions (poison ivy, contact reaction). 7.Dry skin or eczema: Dry areas on body. More often worse on cheeks, in front of elbows, and behind knees. In infants, may be dry areas on fronts of legs and anywhere else on body, but not usually in diaper area. If swollen, red, or oozing, think about infection. 8.Impetigo: Areas of crusted yellow, oozing sores. Often around mouth or nasal openings. 1.Oral thrush (yeast 1.Oral thrush: White			5.Scabies: Severely itchy			For pinworm, allergic or irritant	to lesions or taking of
of body, especially between fingers or toes. 6.Allergic or irritant reaction: Raised, circular, mobile rash; reddening of the skin; blisters occur with local reactions (poison ivy, contact reaction). 7.Dry skin or eczema: Dry areas on body. More often worse on cheeks, in front of elbows, and behind knees. In infants, may be dry areas on fronts of legs and anywhere else on body, but not usually in diaper area. If swollen, red, or oozing, think about infection. 8.Impetigo: Areas of crusted yellow, oozing sores. Often around mouth or nasal opennings. 1.Oral thrush (yeast 1.Oral thrush: White			red bumps on warm areas			reactions, and eczema	antibiotics by mouth, the
between fingers or toes. 6.Allergic or irritant reaction: Raised, circular, mobile rash; reddening of the skin; blisters occur with local reactions (poison ivy, contact reaction). 7.Dry skin or eczema: Dry areas on body. More often worse on cheeks, in front of elbows, and behind knees. In infants, may be dry areas on fronts of legs and anywhere else on body, but not usually in diaper area. If swollen, red, or oozing, think about infection. 8.Impetigo: Areas of crusted yellow, oozing sores. Often around mouth or nasal openings. 1.Oral thrush (yeast 1.Oral thrush: White			of body, especially			No, unless:	period of treatment to
6.Allergic or irritant reaction: Raised, circular, mobile rash, reddeming of the skin, blisters occur with local reactions (poison ivy, contact reaction). 7.Dry skin or eczema: Dry areas on body. More often worse on cheeks, in front of elbows, and behind knees. In infants, may be dry areas on fronts of legs and anywhere else on body, but not usually in diaper area. If swollen, red, or oozing, think about infection. 8.Impetigo: Areas of crusted yellow, oozing sores. Often around mouth or nasal openings. 1.Oral thrush (yeast 1.Oral thrush. White			between fingers or toes.			 Appears infected as a 	reduce the risk of spread
reaction: Raised, circular, mobile rash; reddening of the skin; blisters occur with local reactions (poison ivy, contact reaction). 7.Dry skin or eczema: Dry areas on body. More often worse on cheeks, in front of elbows, and behind knees. In infants, may be dry areas on fronts of legs and anywhere else on body, but not usually in diaper area. If swollen, red, or oozing, think about infection. 8.Impetigo: Areas of crusted yellow, oozing sores. Often around mouth or nasal openings. 1.Oral thrush (yeast 1.Oral thrush: White			6.Allergic or irritant			weeping or crusty sore	to others is usually 24
mobile rash; reddening of the skin; blisters occur with local reactions (poison ivy, contact reaction). 7.Dry skin or eczema: Dry areas on body. More often worse on cheeks, in front of elbows, and behind knees. In infants, may be dry areas on fronts of legs and anywhere else on body, but not usually in diaper area. If swollen, red, or oozing, think about infection. 8.Impetigo: Areas of crusted yellow, oozing sores. Often around mouth or nasal openings. 1.Oral thrush (yeast 1.Oral thrush: White			reaction: Raised, circular,				hours. For most
the skin; blisters occur with local reactions (poison ivy, contact reaction). 7.Dry skin or eczema: Dry areas on body. More often worse on cheeks, in front of elbows, and behind knees. In infants, may be dry areas on fronts of legs and anywhere else on body, but not usually in diaper area. If swollen, red, or oozing, think about infection. 8.Impetigo: Areas of crusted yellow, oozing sores. Often around mouth or nasal openings. 1.Oral thrush (yeast 1.Oral thrush. White			mobile rash; reddening of			Note: Exclusion for hives is	individuals with insect
with local reactions (poison ivy, contact reaction). 7.Dry skin or eczema: Dry areas on body. More often worse on cheeks, in front of elbows, and behind knees. In infants, may be dry areas on fronts of legs and anywhere else on body, but not usually in diaper area. If swollen, red, or oozing, think about infection. 8.Impetigo: Areas of crusted yellow, oozing sores. Often around mouth or nasal openings. 1.Oral thrush (yeast 1.Oral thrush: White			the skin; blisters occur			only necessary to obtain	infestations or parasites,
(poison ivy, contact reaction). 7.Dry skin or eczema: Dry areas on body. More often worse on cheeks, in front of elbows, and behind knees. In infants, may be dry areas on fronts of legs and anywhere else on body, but not usually in diaper area. If swollen, red, or oozing, think about infection. 8.Impetigo: Areas of crusted yellow, oozing sores. Often around mouth or nasal openings. 1.Oral thrush (yeast 1.Oral thrush: White			with local reactions			medial advice for care, if	readmission as soon as
reaction). 7.Dry skin or eczema: Dry areas on body. More often worse on cheeks, in front of elbows, and behind knees. In infants, may be dry areas on fronts of legs and anywhere else on body, but not usually in diaper area. If swollen, red, or oozing, think about infection. 8.Impetigo: Areas of crusted yellow, oozing sores. Often around mouth or nasal openings. 1.Oral thrush (yeast 1.Oral thrush: White			(poison ivy, contact			there is no previously made	the treatment has been
7.Dry skin or eczema: Dry areas on body. More often worse on cheeks, in front of elbows, and behind knees. In infants, may be dry areas on fronts of legs and anywhere else on body, but not usually in diaper area. If swollen, red, or oozing, think about infection. 8.Impetigo: Areas of crusted yellow, oozing sores. Often around mouth or nasal openings. 1.Oral thrush (yeast 1.Oral thrush: White			reaction).			assessment and care plan for	given is acceptable.
areas on body. More often worse on cheeks, in front of elbows, and behind knees. In infants, may be dry areas on fronts of legs and anywhere else on body, but not usually in diaper area. If swollen, red, or oozing, think about infection. 8.Impetigo: Areas of crusted yellow, oozing sores. Often around mouth or nasal openings. 1.Oral thrush (yeast 1.Oral thrush: White			7.Dry skin or eczema: Dry			the hives.	
worse on cheeks, in frontof elbows, and behindheees. In infants, may bedry areas on fronts of legsand anywhere else onbody, but not usually indiaper area. If swollen,red, or oozing, thinkabout infection.8.Impetigo: Areas ofcrusted yellow, oozingsores. Often around1.Oral thrush (yeast1.Oral thrush (yeast1.Oral thrush (yeast			areas on body. More often				
of elbows, and behind knees. In infants, may be dry areas on fronts of legs and anywhere else on body, but not usually in diaper area. If swollen, red, or oozing, think about infection. 8.Impetigo: Areas of crusted yellow, oozing sores. Often around 1.Oral thrush (yeast 1.Oral thrush (yeast			worse on cheeks, in front				
knees. In infants, may be dry areas on fronts of legs and anywhere else on body, but not usually in diaper area. If swollen, red, or oozing, think about infection. 8.Impetigo: Areas of crusted yellow, oozing sores. Often around 1.Oral thrush (yeast 1.Oral thrush: White			of elbows, and behind				
dry areas on fronts of legs and anywhere else on body, but not usually in diaper area. If swollen, red, or oozing, think about infection. 8.Impetigo: Areas of crusted yellow, oozing sores. Often around mouth or nasal openings. 1.Oral thrush (yeast 1.Oral thrush: White			knees. In infants, may be				
and anywhere else on body, but not usually in diaper area. If swollen, red, or oozing, think about infection. 8.Impetigo: Areas of crusted yellow, oozing sores. Often around mouth or nasal openings. 1.Oral thrush (yeast 1.Oral thrush: White			dry areas on fronts of legs				
body, but not usually in diaper area. If swollen, red, or oozing, think about infection. 8.Impetigo: Areas of crusted yellow, oozing sores. Often around mouth or nasal openings. 1.Oral thrush (yeast 1.Oral thrush: White			and anywhere else on				
diaper area. If swollen, red, or oozing, think about infection. 8.Impetigo: Areas of crusted yellow, oozing sores. Often around mouth or nasal openings. 1.Oral thrush (yeast 1.Oral thrush: White			body, but not usually in				
red, or oozing, think about infection. 8.Impetigo: Areas of crusted yellow, oozing sores. Often around mouth or nasal openings. 1.Oral thrush (yeast 1.Oral thrush: White			diaper area. If swollen,				
about infection. 8.Impetigo: Areas of crusted yellow, oozing sores. Often around mouth or nasal openings. 1.Oral thrush (yeast 1.Oral thrush: White			red, or oozing, think				
8.Impetigo: Areas of crusted yellow, oozing sores. Often around mouth or nasal openings. 1.Oral thrush (yeast 1.Oral thrush: White			about infection.				
crusted yellow, oozing sores. Often around mouth or nasal openings. 1. Oral thrush (yeast 1. Oral thrush: White			8.Impetigo: Areas of				
sores. Often around mouth or nasal openings. 1.Oral thrush (yeast 1.Oral thrush: White			crusted yellow, oozing				
mouth or nasal openings.1.Oral thrush (yeast1.Oral thrush: White			sores. Often around				
1. Oral thrush (yeast 1. Oral thrush: White			mouth or nasal openings.				
	Mouth Sores	1.Oral thrush (yeast	1.Oral thrush: White	Not necessary	Yes	No, unless:	 Able to participate
infection) patches on tongue and		infection)	patches on tongue and			 Drooling steadily related 	 Exclusion criteria are

		Signs a	Signs and Symptoms Chart	hart		
Symptom	Common Causes	Complaints or What Might Be Seen	Notify Health Consultant	Notify Parent	Temporarily Exclude?	If Excluded, Readmit When
	2. Herpes or coxsackie virus infection3. Canker sores	along cheeks along cheeks infection: Pain on swallowing; fever; painful, yellowish spots in mouth; swollen neck glands; fever blister, cold sore; reddened, swollen, painful lips 3.Canker sores: Painful ulcers on cheeks or gums			 to mouth sores. Unable to participate. Care would compromise staff's ability to care for other children. 	resolved
Rash	Many causes 1. Viral: roseola infantum, fifth disease, chickenpox, herpes virus, molluscum contagiosum, warts, cold sores, shingles (herpes zoster), and others (herpes zoster), and others (herpes zoster), and others 2. Skin infections and infestations; ringworm (fungus), scabies (parasite), impetigo, abscesses, and cellulitis (bacteria) 3. Severe bacterial infections: meningococcus, pneumococcus, Staphylococcus MRSA)	Skin may show similar findings with many different causes. Determining cause of rash requires a competent health professional evaluation that takes into account information other than just how rash looks. 1. Viral: Usually signs of general illness such as runny nose, cough, and fever (except for warts or molluscum). Each viral rash may have a distinctive appearance. 2. Minor skin infections and infestations: See "Itching." More serious skin infections: redness, pain, fever, pus. 3. Severe bacterial infections: Rare. These children have fever with	For outbreaks	Yes	No, unless: • Rash with behavior change or fever • Has oozing/open wound • Has bruising not associated with injury • Has joint pain and rash • Unable to participate • Tender, red area of skin, especially if it is increasing in size or tenderness	 Able to participate in daily activities. On antibiotic medication at least 24 hours (if indicated). Exclusion criteria are resolved.

Symptom Common Causes Sore Throat 1. Viral - common (pharyngitis) cold viruses that respiratory infections 2. Strep throat		Countries on MLot Micht		Notifu	Tounovoidu Eveludo?	Terrind C.C. Manual M.C.
· · · · · · · · · · · · · · · · · · ·		computities or while wight	Notify Health	Ch.	T CHEP OF MALERY TWO PARTY OF THE	If Excluded, Keadmit When
-i ~i		Be Seen	Consultant	Parent		
		rash and may be very ill.				
~		1.Viral: Verbal children will	Not necessary	Yes	No, unless:	 Able to swallow.
	s that	complain of sore throat;			 Inability to swallow. 	 Able to participate.
	н	younger children may be			 Excessive drooling with 	 On medication at least 24
		irritable with decreased			breathing difficulty.	hours (if strep)
		appetite and increased			 Fever with behavior 	 Exclusion criteria are
	ıt	drooling (refusal to			change.	resolved.
		swallow). May see			 The individual meets other 	
		symptoms associated			exclusion criteria.	
		with upper respiratory				
		illness, such as runny				
		nose, cough, and				
		congestion.				
	. 1	2.Strep throat: Strep				
		infection usually does not				
		result in cough or runny				
		nose. Signs of the body's				
		fight against infection				
		include red tissue with				
		white patches on sides of				
		throat, at back of tongue				
		(tonsil area), and at back				
		wall of throat. Tonsils				
		may be large, even				
		touching each other.				
		Swollen lymph nodes				
		(sometimes incorrectly				
		called "swollen glands")				
		occur as body fights off				
		the infection.				
Stomachache 1. Viral		1.Viral gastroenteritis or	Not unless	Yes	No, unless:	 Pain resolves.
gastroenteritis or	ritis or	strep throat: Vomiting	multiple cases		 Severe pain causing child 	 Able to participate.
strep throat	t	and diarrhea and/or	in same group		to double over or scream	 Exclusion criteria are
2. Problems with	vith	cramping are signs of a	within 1 week.		 Abdominal pain after 	resolved.
internal organs of	gans of	viral infection of stomach			injury	