EMSL Analytical, Inc. 528 Mineola Avenue, Carle Place, NY, 11514 Telephone: 516.997.7251 Fax:856-786-5974 EMSL-CP-06

EMSL Order ID: 062455834 LIMS Reference ID: EC55834 EMSL Customer ID: ROCL63

Project Name: 2024 East Ramapo, Pomona Middle School

Rockland Boces (Health & Safety Dept.) [ROCL63]

65 Parrott Road Bldg. 4 West Nyack, NY 10994 (845) 627-4764 dizenman@rboces.org

Attention: Dawn Izenman

 Customer PO:
 24-01587

 EMSL Sales Rep:
 Jeromy Bish

 Received:
 08/28/2024 12:51

 Reported:
 08/29/2024 10:15

Analytical Results

Analyte		Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method			
Sample:	2024-ER-PMS-11/Fountain left hallway by boys room "bus entrance"	Lims Reference ID:			nce ID:	EC55834-01 Matrix: Drinking Water			Sampled: 08/23/24 00:00:00				
Metals Lead		< 1.0		1	1.0	μg/L	08/29/24 08:32	08/29/24 08:32	SEH	EPA 200.8 (DA)/EPA 200.8			
Sample:	2024-ER-PMS-12/Bottle filler hallway by boys room "bus entrance"	Lims Reference ID:			nce ID:	EC55834-02	Matrix: Drinkin	g Water	San	Sampled: 08/23/24 00:00:00			
Metals Lead		< 1.0		1	1.0	μg/L	08/29/24 08:36	08/29/24 08:36	SEH	EPA 200.8 (DA)/EPA 200.8			
Sample:	2024-ER-PMS-13/Bottle filler fountain in hallway by boys room "bus entrance"	Lims Reference ID:			nce ID:	EC55834-03	Matrix: Drinkin	g Water	Sampled: 08/23/24 00:00:00				
Metals Lead		< 1.0		1	1.0	μg/L	08/29/24 08:37	08/29/24 08:37	SEH	EPA 200.8 (DA)/EPA 200.8			
Sample:	2024-ER-PMS-14/Hallway fountain left outside room 232	Lims Reference ID:			nce ID:	EC55834-04	Matrix: Drinkin	g Water	Sampled: 08/23/24 00:00:00				
Metals Lead		3.9		1	1.0	μg/L	08/29/24 08:38	08/29/24 08:38	SEH	EPA 200.8 (DA)/EPA 200.8			
Sample:	2024-ER-PMS-15/Hallway bottle filler outside room 232		Lims Reference ID:		EC55834-05 Matrix: Drinking Water			Sampled: 08/23/24 00:00:00					
Metals Lead		< 1.0		1	1.0	μg/L	08/29/24 08:40	08/29/24 08:40	SEH	EPA 200.8 (DA)/EPA 200.8			
Sample:	2024-ER-PMS-16/Hallway bottle filler fountain outside room 232	Lims Reference ID:			nce ID:	EC55834-06 Matrix: Drinking Water			Sampled: 08/23/24 00:00:00				
Metals Lead		< 1.0		1	1.0	μg/L	08/29/24 08:41	08/29/24 08:41	SEH	EPA 200.8 (DA)/EPA 200.8			

EMSL Analytical, Inc. 528 Mineola Avenue, Carle Place, NY, 11514

Telephone: 516.997.7251 Fax:856-786-5974

EMSL-CP-06

Attention: Dawn Izenman

Project Name: 2024 East Ramapo, Pomona Middle School

EMSL Order ID: 062455834 LIMS Reference ID: EC55834

EMSL Customer ID: ROCL63

Rockland Boces (Health & Safety Dept.) [ROCL63]

65 Parrott Road Bldg. 4 West Nyack, NY 10994 (845) 627-4764 dizenman@rboces.org

 Customer PO:
 24-01587

 EMSL Sales Rep:
 Jeromy Bish

 Received:
 08/28/2024 12:51

 Reported:
 08/29/2024 10:15

Certified Analyses included in this Report

Analyte Certifications

EPA 200.8 in Drinking Water

Lead 06-NYSELAP

List of Certifications

Code	DescriptionNumberNY NYS ELAP11469New York State Department of Health11469Connecticut Department of Public HealthPH-0249	Expires			
06-NYSELAP	NY NYS ELAP	11469	04/01/2025		
06-NYSDOH	New York State Department of Health	11469	04/01/2025		
06-CTDPH	Connecticut Department of Public Health	PH-0249	03/31/2025		
06-California ELAP	California Water Boards	2339	04/01/2025		
06-AIHA LAP	EMSL Analytical, Inc. Carle Place, NY AIHA-LAP, LLC-ELLAP Accredited	102344	09/01/2024		

Please see the specific Field of Testing (FOT) on www.emsl.com for a complete listing of parameters for which EMSL is certified.



EMSL Order ID: 062455834 LIMS Reference ID: EC55834 EMSL Customer ID: ROCL63

Attention: Dawn Izenman

Rockland Boces (Health & Safety Dept.) [ROCL63]

65 Parrott Road Bldg. 4 West Nyack, NY 10994 (845) 627-4764 dizenman@rboces.org

EMSL-CP-06

Project Name:

2024 East Ramapo, Pomona Middle School

 Customer PO:
 24-01587

 EMSL Sales Rep:
 Jeromy Bish

 Received:
 08/28/2024 12:51

Reported: 08/29/2024 10:15

Notes and Definitions

<u>Item</u> **Definition** (Dig) For metals analysis, sample was digested. [2C] Reported from the second channel in dual column analysis. DF **Dilution Factor** Method Detection Limit. MDL ND Analyte was NOT DETECTED at or above the detection limit. NR Spike/Surrogate showed no recovery. Q Qualifier RL Reporting Limit Sample is not dry weight corrected. Wet

Measurement of uncertainty and any applicable definitions of method modifications are available upon request. Per EPA NLLAP policy, sample results are not blank corrected.

Jan Hz

James Han Laboratory Manager or other approved signatory

EMSL maintains liability limited to cost of analysis. Interpretation and use of test results are the responsibility of the client. This report relates only to the samples reported above, and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. The report reflects the samples as received. Results are generated from the field sampling data (sampling volumes and areas, locations, etc.) provided by the client on the Chain of Custody. Samples are within quality control criteria and met method specifications unless otherwise noted.



Lead Chain of Custody

EMSL Analytical. Inc. 200 Route 130 North Cinnaminson, NJ 08077

PHONE: (800) 220-3675

FMAII CinnaminsonLeadLab@emsl.com

Customer ID: POCI 63			Billing ID:	DOOL	^^	Pro IAIL AIT						
NOOLOS			ROCL									
Company Name: Pomona Middle School				Company Name: Rockland BOCES								
Dawii izeiiiia	ntact Name: Dawn Izenman					Billing Contact: Dawn Izenman Street Address: 65 Parrott Road						
Street Address: 101 Pomona I	treet Address: 101 Pomona Rd ity, State, Zip: Suffern NY 10901 Country: USA				Street Address: 65 Parrott Road Country: USA Street Address: 65 Parrott Road Country: USA							
Suffern NY 10					City, State, Zip: West Nyack NY 10994 Country Phone: 845-627-4764							
				040 027 4704								
Email(s) for Report dizenman(Email(s) for Invoice: dizenman@rboces.org										
Project 2024 Fact Dame			Project Infor	mation		Purchase	04507					
Name/No: 2024 East Rama	apo		lui	P. State whose			01587	inat lanctin				
EMSL LIMS Project ID: If applicable, EMSL will rovide)				S State where imples collected:		State of Connecticut (CT) mi Commercial (Taxal		1	ı: al (Non-Taxabl			
Sampled By Name: Chris Clifford		Sampled By Signature:			Δ.,			No. of Samples in Shipment 6				
				n-Around-Time (TAT)					— 1			
3 Hour 6 Hour	24 Hour	32 Hour	48 Hour		Hour	96 Hour	1 W	eek	2 Week			
MATRIX		METHOD	urs or Less. *32 Ho	INSTRUMENT	tests only; sam	REPORTING LIMIT		SELE	CTION			
CHIPS % by wt. ppm (mg/kg) n		V 846-7000B	Flar	me Atomic Absorpti	0.008% (80ppm)							
Reporting Limit based on a minimum 0.25g	3V	. 510 , 5305	l idi	, notino / nosoi pii	2.000 // (обрын)							
rample weight. *Not appropriate for Ceramic Tiles - XRF is ecommended	SW	846-6010D*		ICP-OES		0.0004% (4ppm)						
oonmended .	N	IOSH 7082	Flar	me Atomic Absorpti	4µg/filter							
MR	F 11-4	26H 7202M	127	ICD OFF	4 Oug/Elles							
		OSH 7303M OSH 7303M		ICP-OES ICP-MS	1.0µg/filter 0.05µg/filter		-	1				
VIPE ASTM NON-AST		V 846-7000B	Flar	ne Atomic Absorpti	10µg/wipe		r	1				
f no box is checked, non-ASTM Wipe						17434	1					
ssumed	SW	/ 846-6010D*		ICP-OES	1.0μg/wipe		L					
CLP		1 / 7000B / SM 3111B	Flar	me Atomic Absorpti	0.4 mg/L (ppm)		[
		311 / SW 846-6010D* 2 / 7000B / SM 3111B	Flar	ne Atomic Absorpti	0.1 mg/L (ppm) 0.4 mg/L (ppm)			-				
PLP		312 / SW 846-6010D*		ICP-OES	0.1 mg/L (ppm)		t					
TLC	22 CCR A	App. II, 7000B	Flar	me Atomic Absorpti	40mg/kg (ppm)	CEIVE						
		p. II, SW 846-6010D* App. II, 7000B	Flor	ne Atomic Absorpti	2mg/kg (ppm) 0.4 mg/L (ppm)	LYTIC	91 , 1					
TLC		p. II, SW 846-6010D*	T lai	ICP-OES	0.1 mg/L (ppm)	TIT	1.01	14.0				
Soil	SV	V 846-7000B	Flar	me Atomic Absorpti	40mg/kg (ppm)	T Laur	7 (1)					
		/ 846-6010D* B / SW 846-7000B	Flor	ne Atomic Absorpti	2mg/kg (ppm) 0.4 mg/L (ppm)	U24 P)]				
Vastewater Inpreserved	34 1 18994		Fidi	I de la companya della companya della companya de la companya della companya dell	and the same of the same		F	-				
Preserved with HNO3 PH<2		EPA 200.7		ICP-OES	0.020 mg/L (ppm)		L	0				
Orinking Water Inpreserved	132	EPA 200.5	-	ICP-OES	0.003 mg/L (ppm)			(4)				
reserved with HNO3 PH<2	E	EPA 200.8		ICP-MS	0.001 mg/L (ppm)			70				
SP/SPM Filter	40	CFR Part 50		ICP-OES	12 μg/filter							
ther:								[
Sample Number	ample Number Sample Location				lume / Area	Date / Time Sampled						
2024-ER-PMS-11	hallway by boys ro	oom "bus e	ntrance" 250	ml.		8/23/2	2024 5	5:51				
2024-ER-PMS-12 Bottle filler hallway by boys roo			om "bus e	m "bus entrance" 250 ml.				8/23/2024 5:51				
2024-ER-PMS-13 Bottle filler fountain in hallway by boys roo			s room "bus	pom "bus entrance" 250 ml.				8/23/2024 5:52				
024-ER-PMS-14	ountain left out	side roo	m 232 250		8/23/2024 5:40							
2024-ER-PMS-15	Hallway b	ottle filler outsi	ide room	232 250	ml.		8/23/2	024 5	:41			
lethod of Shipment:				Sample Condition	Upon Recei	ipt:						
elinquished by: Chris Cliffor	rd	Date/Time: 08/27/	/2024	Received by:	The	10	Date/Time (7-7	8-24			
Office Chillon			-	4	Data Time	5	-01/					
elinquished by:		Date/Time:		Received by:			Date/Time		0 (1 /			

EMSL Analytical, Inc.'s Laboratory Terms and Conditions are incorporated into this Chain of Custody by reference in their entirety. Submissio acceptance and acknowledgment of all terms and conditions by Customer. Pb200.884 > 8/29/24

Page 4 of 5



Lead Chain of Custody

EMSL Analytical, Inc. 200 Route 130 North Cinnaminson, NJ 08077

PHONE: (800) 220-3675

EMAIL: CinnaminsonLeadLab@emsl.com

d for additional sample information

Additional Pages of the Chain of Custody are only necessary if needed for additional sample information

Special Instructions and/or Regulatory Requirements (S Sample Number Sample Location Volume / Area Date / Time Sampled 2024-ER-PMS-16 Hallway bottle filler fountain outside room 232 250 ml. 8/23/2024 5:42 Method of Shipment Relinquished by: Chris Clifford 8/27/2024 Relinquished by: Date/Time: Controlled Document - COC-25 Lead R18 04/04/2024

AGREE TO ELECTRONIC SIGNATURE (By checking, I consent to signing this Chain of Custody document by electronic signature.)

EMSL Analytical, Inc.'s Laboratory Terms and Conditions are incorporated into this Chain of Custody by reference in their entirety. Submission of samples to EMSL Analytical, Inc. constitutes acceptance and acknowledgment of all terms and conditions by Customer.

Ph 200-8 8H 28/29/24