
LAKEWOOD CSD / WSCT CAREER TECHNICAL EXPANSION **FURNITURE BID PACKAGE - 08/29/24**

14100 FRANKLIN BLVD LAKEWOOD, OHIO 44107

SCOPE:
ADDITION TO BUILDING 'D' AND RENOVATION PROJECT FOR CAREER TECH EXPANSION PROJECTS AT LAKEWOOD HIGH SCHOOL. INTERIOR DEMOLITION WORK IN LAKEWOOD HIGH SCHOOL TURNING THREE ADJACENT CLASSROOMS INTO A CAREER TECH PROGRAM. WELDING PROGRAM ADDITION OF ~6,825 SF TO AN EXISTING ~14,000 SF CAREER TECH BUILDING ON THE LAKEWOOD HIGH SCHOOL SITE.

***THE SUCCESSFUL VENDOR WILL STORE FURNITURE UNTIL JUNE 2025



OFCC ROOM SCHEDULE									
CORE SPACE	OSFC Plate	ROOM NUMBER	ROOM NAME	ACTUAL AREA	TARGET AREA	DIFFERENCE			
MEMS									
MEMS	CT-PX-1	1	MEMS LAB	2033 SF	2000 SF	33 SF			
MEMS	CT-PX-5	2	CHANGING ROOM	289 SF	202 SF	87 SF			
MEMS	CT-PX-5	3	CHANGING ROOM	96 SF	68 SF	28 SF			
MEMS	CT-PX-2	204	EXISTING CLASSROOM	896 SF	900 SF	-4 SF			
WELDING WELDING	CT-P5-1 CT-P5-6	100 101	WELDING LAB TOOL CRIB	3251 SF 426 SF	3500 SF 550 SF	-249 SF -124 SF			
WELDING	CT-P5-8	105A	RR	57 SF	68 SF	-124 SF			
WELDING	CT-P5-8	106A	RR	58 SF	68 SF	-10 SF			
WELDING	CT-P5-3	104	OFFICE	133 SF	120 SF	13 SF			
WELDING	CT-P5-4	102	STORAGE	261 SF	200 SF	61 SF			
WELDING	CT-BS-3	103	ELECT/TECH	78 SF	50 SF	28 SF			
WELDING	CT-P5-5	107	CHANGING ROOM - MENS	171 SF	135 SF	36 SF			
WELDING	CT-P5-2	201	CLASSROOM	853 SF	900 SF	-47 SF			
WELDING	CT-P5-5	108	CHANGING ROOM - WOMENS	155 SF	135 SF	20 SF			
WELDING	CT-BS-5	110	CORRIDOR	215 SF					
WELDING	-	210	LANDING	102 SF					
WELDING	-	110A	LIFT	Not Placed					

GENERAL SHEET NOTE INSTRUCTIONS

GENERAL SHEET NOTES ARE USED TO COMMUNICATE SHEET SPECIFIC INFORMATION OR INSTRUCTIONS. THESE NOTES APPLY TO THE ENTIRE SHEET.


DIRECTLY REFERENCE THEM TO SPECIFICATIONS. A LEGEND ON THE RIGHT HAND SIDE OF THE PAGE LISTS THE

EXAMPLE: A. ALL FURNISHINGS SHALL BE REMOVED BY OWNER PRIOR TO DEMOLITION PROCEDURES.


REFERENCE KEYNOTES ON THE DRAWING AREA AND THE MATERIAL THEY REPRESENT. ROOT - SAME NUMBER AS THE SPECIFICATION BEING

SEPERATES ROOT FROM SUFFIX SUFFIX - REPRESENTATION OF THE MATERIAL BEING REFERENCED. THIS NUMBER DOES NOT CORRESPOND TO A PARTICULAR SECTION WITHIN THE

SHEET KEYNOTES ARE NOTED WITHIN THE GRAPHIC AREA OF THE DRAWING. THESE ARE REPRESENTED BY A NUMBER SURROUNDED BY A HEXAGON, WITH OR WITHOUT A LEADER. A LEGEND ON THE RIGHT SIDE OF THE PAGE LISTS THE NOTES IN NUMERICAL ORDER.



ALIGN NEW CONSTRUCTION WITH THE FACE OF EXISTING CONSTRUCTION.



SITE	MAP



INDEX OF DRAWINGS

DWG. DRAWING TITLE

I-101 FURNITURE PLAN

TS-100 TITLE SHEET
I-100 INTERIOR FURNITURE SCHEDULE

GPD GROUP Glaus, Pyle, Schomer, Burns & DeHaven, Inc Copyright; Glaus, Pyle, Schomer, Burns & DeHaven, Inc. 2024

ISSUED FOR: PERMIT CONSTRUCTION RECORD PROJECT MANAGER

JOB NO. 2024105.01

	FURNITURE SCHEDULE										
TYPE MARK	FAMILY AND TYPE	SPECIFICATION	MODEL NUMBER	BASIS OF DESIGN	FINISH	ALT 1	ALT 2	COUNT			
C100	_SEATING, STUDENT, KI, INTELLECT WAVE, 4 LEG: 18"H, 4 LEG CHAIR	RIBLESS POLYPROPYLENE SHELL WITH LIGHT GRAIN TEXTURE, WATERFALL EDGE, HANDLE GRIP. SHELL SEAT SHALL HAVE ADDED GAS POCKETS FOR COMFORT AND DURABILITY. SEAT TO BE ATTACHED TO FRAME WITH A MINIMUM OF SIX (6) STEEL RIVETS. 4 LEG, 14 GAUGE TUBULAR STEEL WITH CONTINUOUS WELD, STEEL GLIDES, POWDERCOAT FRAME.	IW418	KI / INTELLECT WAVE 4-LEG CHAIR	PLASTIC: TARRAGON, PTQ FRAME: FLANNEI FN.	ALUMNI / SMOOTH 4-LEG	PARAGON / A&D READY 4-LEG CHAIR	48			
C101	_SEATING, STUDENT, KI, INTELLECT WAVE, TASK CHAIR: ADJUSTABLE HEIGHT WITH CASTERS	RIBLESS POLYPROPYLENE SHELL WITH LIGHT GRAIN TEXTURE, WATERFALL EDGE, HANDLE GRIP. SHELL SEAT SHALL HAVE A BLOW MOLDED CAVITY (GAS ASSIST CONSTRUCTION) FOR COMFORT AND DURABILITY. SEAT SHALL ATTACH TO 12-GAUGE BASE PLATE, WHICH SHALL BE CONNECTED TO INJECTED MOLDED NYLON 5-BLADE DESIGN BASE WITH HARD SURFACE CASTERS. ARMLESS.	IWPD18	KI / INTELLECT WAVE TASK CHAIR W/ CASTERS ADJUSTABLE HEIGHT	S, PLASTIC: TARRAGON, PTQ FRAME: FLANNEI FN.	ALUMNI / SMOOTH GAS LIFT CHAIR	PARAGON / A&D READY ADJUSTABLE HEIGHT TASK STOOL	26			
C200	_SEATING, TASK, SITONIT, FOCUS 2.0, MID-BACK: MODEL# 1123 BK1 MB Y/E3 FC1 AR6 BT1 CS6	MID-BACK TASK CHAIR WITH MESH BACK AND UPHOLSTERED SEAT. INDEPENDENT BACK TILT, INDEPENDENT SEAT TILT, FORWARD TILT, TILT TENSION KNOB, ADJUSTABLE SEAT DEPTH, PNEUMATIC SEAT HEIGHT ADJUSTMENT. ARM OPTION, 2-WAY ADJUSTABLE WIDTH/HEIGHT. FORWARD SLANTING T-ARMS WITH SOFT ARM PADS AND NATURAL GRIP CONTROL, BLACK. ADJUSTABLE HEIGHT RANGE OF 4.25". ADJUSTABLE WIDTH RANGE OF 1.75" EACH SIDE. BLACK BASE WITH HARD SURFACE CASTERS.	1123 BK1 MB Y/E3 GC1 ST6 BT1 CS6 FG2 / VG2 KD	SITONIT SEATING / FOCUS 2.0	MESH: PATTERN UPTOWN, COLOF - CHARCOAL. SEAT: PATTERN ELEMENT, COLO CHARCOAL. FRAME: BLACK.		KI / OATH	5			
C601	_SEATING, SPECIALTY, ULINE, TRACTOR STOOL: ADJUSTABLE HEIGHT	STEEL SEAT, HIGH STRENGTH STEEL CONSTRUCTION, HEIGHT ADJUSTABLE, WITH CASTERS. 300LB CAPACITY.	H-11210BL	ULINE / TRACTOR STOOL	BLACK/STAINLES	S SUMNER / WELDER'S STOOL	PWP / WELDING STOOL	24			
D200	_DESK, ADMIN, NATIONAL, WAVEWORKS, RECTANGLE: 30 x60 (2) PED	RECTANGLE STEEL DESK WITH 1" – 1-1/4" THICK HIGH DENSITY PARTICLE BOARD WITH HIGH PRESSURE LAMNATE TOP SURFACE AND MELAMINE/PHENOLIC BACKING SHEET, EDGE SHALL BE POST FORMED CONTOUR EDGE. RECTANGLE DESK WITH ¾ MODESTY PANEL, (1) BOX/BOX/FILE PEDESTAL WITH FULL INTEGRAL PULL, (1) FILE/FILE PEDESTAL WITH FULL INTEGRAL PULL, (1) PLASTIC GROMMET WITH SNAP FIT COVERS IN TOP. LOCKS ON ALL DRAWERS. 22 GAUGE STEEL, REINFORCED, DOUBLE WALL END PANEL AND 20 GAUGE MODESTY PANEL. STEEL FINISH SHALL BE NON-CHIPPING ENAMEL OR EPOXY POWDER COAT, ELECTROSTATICALLY APPLIED AND THEN BAKED OVER A RUSTPROOFING PRIMER. DRAWERS SHALL BE 22 GAUGE STEEL WALL BOX CONSTRUCTION WITH 18 GAUGE STEEL BALL BEARING FULL EXTENSION GLIDES OR NYLON ROLLER SUSPENSION. FILE DRAWERS SHALL INCLUDE INTEGRAL HANGING FILE LIP AND FOLLOWER. LEVELING GLIDES. PLASTIC CENTER DRAWER.	WW3060DLFLM1 / WW3060DRFLM1	NATIONAL OFFICE / WAVEWORKS METAL	LAMINATE: DRIFTWOOD. CHASSIS METAL: CLOUD, 440.	KI - 700 SERIES	HERMAN MILLER / EQUAL TO MEET SPECIFICATION	3			
D201	_DESK, ADMIN, NATIONAL, WAVEWORKS, RECTANGLE: 24x48 (1) PED	RECTANGLE STEEL DESK WITH 1" – 1-1/4" THICK HIGH DENSITY PARTICLE BOARD WITH HIGH PRESSURE LAMNATE TOP SURFACE AND MELAMINE/PHENOLIC BACKING SHEET, EDGE SHALL BE POST FORMED CONTOUR EDGE. RECTANGLE DESK WITH ¾ MODESTY PANEL, (1) BOX/BOX/FILE PEDESTAL WITH FULL INTEGRAL PULL, (1) PLASTIC GROMMET WITH SNAP FIT COVERS IN TOP. LOCKS ON ALL DRAWERS. 22 GAUGE STEEL, REINFORCED, DOUBLE WALL END PANEL AND 20 GAUGE MODESTY PANEL. STEEL FINISH SHALL BE NON-CHIPPING ENAMEL OR EPOXY POWDER COAT, ELECTROSTATICALLY APPLIED AND THEN BAKED OVER A RUSTPROOFING PRIMER. DRAWERS SHALL BE 22 GAUGE STEEL WALL BOX CONSTRUCTION WITH 18 GAUGE STEEL BALL BEARING FULL EXTENSION GLIDES OR NYLON ROLLER SUSPENSION. FILE DRAWERS SHALL INCLUDE INTEGRAL HANGING FILE LIP AND FOLLOWER. LEVELING GLIDES.	WW2448DLFLM1 / WW2448DRFLM1	NATIONAL OFFICE / WAVEWORKS METAL	LAMINATE: DRIFTWOOD. CHASSIS METAL: CLOUD, 440.	KI - 700 SERIES	HERMAN MILLER / EQUAL TO MEET SPECIFICATION	1			
D202	_DESK, TEACHER, NATIONAL, WAVEWORKS, L-SHAPE: DESK 72W x 30D RETURN 48W x 24D 29-30H 2 Pedestal	L-SHAPED. RECTANGLULAR DESK TOP W/ FULL MODESTY PANEL, BOX/BOX/FILE PEDESTAL, CENTER DRAWER AND PLASTIC GROMMET. RETURN WITH ¾ MODESTY PANEL, FILE/FILE PEDESTAL AND PLASTIC GROMMET. STEEL DESK & RETURN WITH 1" – 1-1/4" THICK HIGH DENSITY PARTICLE BOARD WITH HIGH PRESSURE LAMINATE TOP SURFACE AND MELAMINE/PHENOLIC BACKING SHEET, EDGE SHALL BE POST FORMED CONTOUR EDGE OR 3MM PVC. PLASTIC GROMMETS WITH SNAP FIT COVERS IN TOP. LOCKS ON ALL DRAWERS. 22 GAUGE STEEL, REINFORCED, DOUBLE WALL END PANEL AND 20 GAUGE MODESTY PANEL. STEEL FINISH SHALL BE NON-CHIPPING ENAMEL OR EPOXY POWDER COAT, ELECTROSTATICALLY APPLIED AND THEN BAKED OVER A RUSTPROOFING PRIMER. DRAWERS SHALL BE 22 GAUGE STEEL WALL BOX CONSTRUCTION WITH 18 GAUGE STEEL BALL BEARING FULL EXTENSION GLIDES OR NYLON ROLLER SUSPENSION. FILE DRAWERS SHALL INCLUDE INTEGRAL HANGING FILE LIP AND FOLLOWER. STEEL LEVELING GLIDES.	DESK WW23072WSSDL / CENTER DRAWER 99K1922CD / UNDERMOUNT BBF WW2315PUBBFM / RETURN WW2448WSSDL / UNDERMOUNT FF WW2315PUFFM /	NATIONAL OFFICE / WAVEWORKS METAL	LAMINATE: DRIFTWOOD. CHASSIS METAL: CLOUD, 440.	KI - 700 SERIES	HERMAN MILLER / EQUAL TO MEET SPECIFICATION	1			
D700	_DESK, STORAGE, NATIONAL, WARDROBE: 24"W x 23-24"D x 66-79"H	STEEL CASE, WELDED CONSTRUCTION, 22 GAUGE COLD ROLLED FOR VERTICAL SURFACES, 20 GAUGE FOR TOP AND BOTTOM. WARDROBE SPACE WITH HANGER ROD, TWO FILE DRAWERS AND ADJUSTABLE SHELF STORAGE SPACE WITH MIN. OF TWO SHELVES WITH LOCKS. DRAWERS SHALL BE 22 GAUGE, COLD ROLLED STEEL WITH HIGH DRAWER SIDES TO FORM INTEGRAL LIP FOR HANGING FILES. DRAWER SHALL INCLUDE 22 GAUGE STEEL FOLLOWER BACK WITH POSITIVE LOCKING ACTION, FULL EXTENSION DRAWER SUSPENSION WITH TRIPLE TIER ASSEMBLY, MINIMUM OF 116 STEEL BALL BEARINGS. FULL INTEGRAL PULL HANDLE DRAWER FRONT. LOCK TO BE KEYED ALIKE TO MATCH DESK IN EACH OFFICE. HINGE PER PLAN. ADJUSTABLE GLIDES/LEVELERS. TO MATCH DESK SERIES.	WW2454VHHL2M / WW2454VHHR2M	NATIONAL OFFICE / WAVEWORKS METAL	METAL: CLOUD, 440	KI - 700 SERIES	HERMAN MILLER / EQUAL TO MEET SPECIFICATION	2			
ST900	_SPECIALTY, MISCELLANEOUS, GLOBAL INDUSTRIAL, STEEL AUDIO VISUAL & INSTRUMENT CART: BLACK 24W 18D 24-42H	22 GAUGE STEEL SHELVES, 14 GAUGE STEEL UPRIGHTS, HEIGHT ADJUSTABLE, BUILT-IN 4-OUTLET POWER STRIP, CORD WINDER, 4 BALL-BEARING RUBBER SWIVEL WHEELS WITH BRAKES. TOP SHELF LINED WITH RUBBER MAT. 250 POUND CAPACITY.	WB113116	GLOBAL INDUSTRIAL	BLACK	BRETFORD / MULTIMEDIA CART	LUXOR FURNITURE / ADJUSTABLE HEIGH STEEL AV CART	4			
T400	_TABLE, STUDENT, KI-PIROUETTE: 72W X 30"D X 29H-RECTANGULAR-TRAINING-SINGLE CIRCUIT	TRAINING TABLE WITH LAMINATE TOP, IN-SURFACE POWER MODULE, WIRE MANAGEMENT, GLIDES, FIXED T-BASE.	PIFR3072T	KI / PIROUETTE	LAMINATE: SATIN STAINLESS, LSS. EDGE COLOR: WARM GREY, EWG. FRAME: FLANNEL, FN.	NATIONAL / WAVEWORKS TABLE	TABLEX / FUNDAMENTAL	25			
T401	_TABLE, SPECIALTY, GLOBAL INDUSTRIAL, BENCH-IN-A-B0X: 60W x 30"E x 29H-Rectangular-POWERED WORK BENCH W/ SHELF	WORKBENCH WITH GROUNDING KIT, ADJUSTABLE LEGS, BIN HOLDER, 12" DEEP LAMINATE SHELF, OVERHEAD ADJUSTABLE HEIGHT LIGHT, 12-OUTLET POWER SUPPLY, 6" DRAWER WITH LOCK, FOOTREST, ESD LAMINATE WORK SURFACE.	WBB2334704	GLOBAL INDUSTRIAL / BENCH-IN-A-BOX STANDARD	BEIGE	PRO-LINE / TECHNICIAN'S ESD WORK BENCH	FORMASPACE /. ESD WORKBENCH	24			
T402	_TABLE, SPECIALTY, GLOBAL INDUSTRIAL, BENCH-IN-A-B0X: 60W x 30"E x 29H-Rectangular-POWERED TEACHING STATION TABLE	WORKBENCH WITH GROUNDING KIT, ADJUSTABLE LEGS,12-OUTLET POWER SUPPLY, 6" DRAWER WITH LOCK AND FOOTREST.	WB778484	GLOBAL INDUSTRIAL / BENCH-IN-A-BOX STANDARD	BEIGE	PRO-LINE / TECHNICIAN'S ESD WORK BENCH	FORMASPACE /. ESD WORKBENCH	2			
T600	_TABLE, SPECIALTY, ULINE, ECONOMY S/S WORKTABLE: 60 X 30	FIXED HEIGHT, STAINLESS STEEL WORKTABLE WITH BOTTOM SHELF.	H8964	ULINE / ECONOMY STAINLESS STEEL WORKTABLE	STAINLESS STEE	L ONEPOINTE SOLUTIONS / 304 STAINLESS STEEL	GLOBAL INDUSTRIAL / 430 STAINLESS STEEL W/ UNDERSHELF	7			
W100	_WASTE, DIRTY LINENS, ULINE, LAUNDRY HAMPER: H-11361 COLLAPSIBLE HAMPER 16 15 30	REMOVABLE / WASHABLE VINYL LINER - NO MILDEW OR TEAR.	H-11361	ULINE / LAUNDRY HAMPER	BLACK	RUBBERMAID / X-CART	ROYAL BASKET TRUCKS / ENVIRO HAMPE KIT	₹ 2			
W101	_WASTE, PRIVATE, ULINE, RUBBERMAID 23 GALLON: SLIM JIM 22 X 11 X 30 BLACK	VENTED SIDE CHANNELS, HANDLE DESIGN HOLDS LINERS SECURELY. 23 GALLON.	H-5148	RUBBERMAID / SLIM JIM	BLACK	GLOBAL INDUSTRIAL / SLIM TRASH CAN	GRAINGER / TRASH CAN	2			

***THE SUCCESSFUL VENDOR WILL STORE FURNITURE UNTIL JUNE 2025

GPD GROUP®
Glaus, Pyle, Schomer, Burns & DeHaven, Inc.

520 South Main Street, Suite 2531
Akron, OH 44311
330.572.2100 Fax 330.572.2101

Copyright; Glaus, Pyle, Schomer, Burns & DeHaven, Inc. 2024

REV. DATE DESCRIPTION

PRELIMINARY DRAFT NOT FOR CONSTRUCTION, BID, RELIANCE, RECORDING PURPOSES OR IMPLEMENTATION.


OOD CSD/WSCT CAREER TECH EXPANSION 14100 FRANKLIN BLVD LAKEWOOD, OHIO 44107

INTERIOR FURNITURE SCHEDULE

JOB NO. 2024105.01

2024103.01

I-100



GENERAL SHEET NOTES

- A. REFER TO SHEET I-601, FURNITURE SCHEDULE, FOR ADDITIONAL PRODUCT INFORMATION.
 B. BASIS OF DESIGN FURNITURE ITEMS ESTABLISH THE LEVEL OF QUALITY, ACCESSORIES, ETC. FOR EACH ITEM. FURNISHINGS FROM OTHER APPROVED MANUFACTURERS SHALL MEET OR EXCEED REQUIREMENTS OF BASIS OF DESIGN.
- C. BIDDER IS RESPONSIBLE TO VERIFY QUANTITIES AGAINST PLAN.
 D. REFER TO FURNITURE PLAN FOR RIGHT OR LEFT FURNITURE CONFIGURATIONS.
- H ITEM.

 OF

 GPDGROUP®

 Glaus, Pyle, Schomer, Burns & DeHaven, Inc.

520 South Main Street, Suite 2531 Akron, OH 44311 330.572.2100 Fax 330.572.2101

Copyright; Glaus, Pyle, Schomer, Burns & DeHaven, Inc. 2024


REFERENCED KEYNOTES

12 90 00 LOOSE FURNISHINGS

REV. DATE DESCRIP

CAREER TECH EXPANSION
SANKLIN BLVD
DD, OHIO 44107

KEY PLAN



PROJECT MANAGER DESIGNER

CB WL

JOB NO.
2024105.01

1 101

I-101