



**Technical Interim Amendment  
District Master Specification  
SECTION 08 71 00  
DOOR HARDWARE  
2023 Edition**

Building Code Services BCS issues the following Technical Interim Amendment TIA to the 2023 edition to District Master Specification 08 71 00, DOOR HARDWARE. This TIA was reviewed by BCS and approved for use in all SDPBC facilities and project specifications. This change to the DMS is scheduled for permanent adoption in the 2026 revision of the District Master Specification.

**TIA 087100-23-1**

**Issue Date: December, 2023**

**Effective Date: December 1, 2023**

*Note: The proposed changes are in legislative text format. New wording is underscored and strike-through indicates ~~deleted~~ text. Associated text and section numbers are included to provide context to the change location within the specification.*

**PART 2 PRODUCTS**

**2.3 LOCKSETS**

**A. Supply in the following locations and functions:**

<u>LOCATION</u>	<u>FUNCTION</u>
<u>1. Classrooms, Multi-user Offices, Mechanical Rooms, Storerooms</u>	<u>ND96TD x RHO x 626</u>
<u>2. Individual Offices, Restroom Vestibules</u>	<u>ND95TD X RHO x 626</u>
<u>3. Individual Staff &amp; Student Restrooms</u>	<u>L9496</u>
<u>4. Group Restrooms</u>	<u>B663P</u>
<u>5. Cafeteria Serving Line Doors</u>	<u>B660D</u>

**A. ~~Supply in the following functions:~~**

<del>LOCATION</del>	<del>FUNCTION</del>
<del>1. Passage</del>	<del>ND10S</del>
<del>2. Privacy</del>	<del>ND40S(44S in Grades K-2)</del>
<del>3. Offices/Classrooms (security lock)</del>	<del>ND95PD x RHO x 626</del>
<del>4. Storeroom/Mechanical Room</del>	<del>ND96PD x RHO x 626</del>
<del>5. Deadlocks (student areas)</del>	<del>B663P</del>
<del>6. Deadlocks (non-student areas)</del>	<del>B660P</del>
<del>7. Staff Restrooms</del>	<del>L9496 w/ Occupied Indicator, L9496-P-06A-626</del>