

Kit Number	Start Date	Start Time	End Date	End Time	Temperature	Facility	Building	Room	Project ID	Floor	Result	Variance	Analysis Notes	Analysis Date	%Moisture
7272486	2019-12-11	2:00 pm	2019-12-16	6:00 am	68			HS 201		1	1.6	0.3		2019-12-19	8.7
7272487	2019-12-11	10:00 am	2019-12-16	7:00 am	68			OMS CAFFETERIA		1	4	0.3		2019-12-19	10.2
7272488	2019-12-11	1:00 pm	2019-12-16	7:00 am	68			ES 113		1	< 0.3	0.3		2019-12-19	7.3
7272489	2019-12-11	1:00 pm	2019-12-16	7:00 am	68			ES GYM		1	1.4	0.3		2019-12-19	10.1
7272490	2019-12-11	2:00 pm	2019-12-16	7:00 am	68			MS A 2		1	< 0.3	0.3		2019-12-19	7.3
7272491	2019-12-11	1:00 pm	2019-12-16	7:00 am	68			ES 18		1	0.7	0.3		2019-12-19	8.1
7272492	2019-12-11	1:00 pm	2019-12-16	7:00 am	68			ES 2		1	1.7	0.3		2019-12-19	7.4
7272493	2019-12-11	1:00 pm	2019-12-16	7:00 am	68			ES 12		1	0.7	0.3		2019-12-19	5.9
7272494	2019-12-11	1:00 pm	2019-12-16	7:00 am	68			ES 10		1	< 0.3	0.3		2019-12-19	8
7272495	2019-12-11	2:00 pm	2019-12-16	7:00 am	68			MS B 2		1	< 0.3	0.3		2019-12-19	7.4
7272496	2019-12-11	2:00 pm	2019-12-16	6:00 am	68			HS LITTLE THEATER		1	1.1	0.3		2019-12-19	8
7272497	2019-12-11	2:00 pm	2019-12-16	6:00 am	68			HS 303		1	0.7	0.3		2019-12-19	9.5
7272498	2019-12-11	2:00 pm	2019-12-16	7:00 am	68			MS A 3		1	0.6	0.3		2019-12-19	7.3
7272499	2019-12-11	1:00 pm	2019-12-16	7:00 am	68			ES GYM		1	1.5	0.3		2019-12-19	9.5
7272500	2019-12-11	1:00 pm	2019-12-16	7:00 am	68			ES GYM		1	1.3	0.3		2019-12-19	9.5
7272501	2019-12-11	1:00 pm	2019-12-16	7:00 am	68			ES 11		1	0.7	0.3		2019-12-19	6
7272502	2019-12-11	1:00 pm	2019-12-16	7:00 am	68			ES 13		1	0.8	0.3		2019-12-19	6.7
7272503	2019-12-11	1:00 pm	2019-12-16	7:00 am	68			ES 19		1	1.2	0.3		2019-12-19	7.5
7272504	2019-12-11	2:00 pm	2019-12-16	7:00 am	68			ES 17		1	0.7	0.3		2019-12-19	6.8
7272505	2019-12-11	1:00 pm	2019-12-16	7:00 am	68			ES 112		1	1.2	0.3		2019-12-19	8.9
7272506	2019-12-11	2:00 pm	2019-12-16	6:00 am	68			HS FRESHMAN HALL		1	1.1	0.3		2019-12-19	8.2
7272507	2019-12-11	11:00 am	2019-12-16	6:00 am	68			HS GYM		1	2.7	0.3		2019-12-19	9.7
7272508	2019-12-11	12:00 pm	2019-12-16	7:00 am	68			ES LIBRARY		1	< 0.3	0.3		2019-12-19	8.9
7272509	2019-12-11	1:00 pm	2019-12-16	7:00 am	68			ES 109		1	< 0.3	0.3		2019-12-19	8.2
7272510	2019-12-11	2:00 pm	2019-12-16	7:00 am	68			ES OFFICE		1	0.7	0.3		2019-12-19	7.5
7272511	2019-12-11	2:00 pm	2019-12-16	6:00 am	68			HS BANDROOM		1	2.7	0.3		2019-12-19	8.2
7272512	2019-12-11	2:00 pm	2019-12-16	7:00 am	68			ES 16		1	0.7	0.3		2019-12-19	8.3
9296101	2019-12-11	2:00 pm	2019-12-16	6:00 am	68			HS AUTO SHOP		1	0.8	0.3		2019-12-19	8.2
9296102	2019-12-11	2:00 pm	2019-12-16	6:00 am	68			HS METAL SHOP		1	1.2	0.3		2019-12-19	7.6
9296103	2019-12-11	1:00 pm	2019-12-16	7:00 am	68			ES 26		1	26.4	1.6		2019-12-19	12.3
9296104	2019-12-11	2:00 pm	2019-12-16	7:00 am	68			MS B8		1	25.9	1.6		2019-12-19	11.7
9296105	2019-12-11	2:00 pm	2019-12-16	7:00 am	68			ES 25		1	26.3	1.6		2019-12-19	11.5
9296106	2019-12-11	12:00 pm	2019-12-16	6:00 am	68			HS 258		1	28.1	1.7		2019-12-19	13
9296107	2019-12-11	1:00 pm	2019-12-16	7:00 am	68			ES 107		1	0.8	0.3		2019-12-19	6.7
9296108	2019-12-11	1:00 pm	2019-12-16	7:00 am	68			ES 110		1	0.6	0.3		2019-12-19	7.5
9296109	2019-12-11	1:00 pm	2019-12-16	7:00 am	68			ES 110		1	0.5	0.3		2019-12-19	8.2
9296110	2019-12-11	2:00 pm	2019-12-16	7:00 am	68			MS OFFICE		1	< 0.3	0.3		2019-12-19	7.5
9296111	2019-12-11	11:00 am	2019-12-16	7:00 am	68			MS A9		1	25.2	1.5		2019-12-19	11.5
9296112	2019-12-11	12:00 pm	2019-12-16	7:00 am	68			ES GYM		1	1.2	0.3		2019-12-19	7.5
9296113	2019-12-11	2:00 pm	2019-12-16	6:00 am	68			HS 256		1	25.3	1.5		2019-12-19	11.5
9296114	2019-12-11	2:00 pm	2019-12-16	7:00 am	68			MS B 5		1	< 0.3	0.3		2019-12-19	6
9296115	2019-12-11	10:00 am	2019-12-16	7:00 am	68			OMS GYM		1	4.2	0.3		2019-12-19	8.2
9296116	2019-12-11	10:00 am	2019-12-16	7:00 am	68			OMS GYM		1	4.3	0.4		2019-12-19	7.4
9296117	2019-12-11	2:00 pm	2019-12-16	6:00 am	68			HS 302		1	0.7	0.3		2019-12-19	6.7
9296118										3	????	??	MI	2019-12-19	0
9296119	2019-12-11	2:00 pm	2019-12-16	7:00 am	68			MS C 1		1	< 0.3	0.3		2019-12-19	7.5
9296120	2019-12-11	2:00 pm	2019-12-16	7:00 am	68			MS C 3		1	< 0.3	0.3		2019-12-19	6.7

9296121									3	????	??	MI	2019-12-19	0
9296122	2019-12-11	12:00 pm	2019-12-16	6:00 am	68		HS LIBRARY		1	0.9	0.3		2019-12-19	7.5
9296123	2019-12-11	11:00 am	2019-12-16	6:00 am	68		HS GYM		1	2.4	0.3		2019-12-19	8.2
9296124	2019-12-11	12:00 pm	2019-12-16	6:00 am	68		HS LIBRARY		1	1	0.3		2019-12-19	7.5
9296125	2019-12-11	12:00 pm	2019-12-16	7:00 am	68		ES LIBRARY		1	< 0.3	0.3		2019-12-19	8.1
9296126	2019-12-11	12:00 pm	2019-12-16	6:00 am	68		HS LIBRARY		1	1.1	0.3		2019-12-19	7.5
9296127	2019-12-11	2:00 pm	2019-12-16	6:00 am	68		HS 213		1	0.7	0.3		2019-12-19	7.4
9296128	2019-12-11	2:00 pm	2019-12-16	6:00 am	68		HS 206		1	2.1	0.3		2019-12-19	6.8
9296129	2019-12-11	10:00 am	2019-12-16	7:00 am	68		DISTRICT OFFICE		1	1.9	0.3		2019-12-19	6.8
9296130	2019-12-11	2:00 pm	2019-12-16	6:00 am	68		HS FRESHMAN HALL		1	1.9	0.3		2019-12-19	8.2
9296131	2019-12-11	1:00 pm	2019-12-16	7:00 am	68		ES 3		1	1.6	0.3		2019-12-19	6.7
9296132	2019-12-11	1:00 pm	2019-12-16	7:00 am	68		ES 6		1	8.7	0.5		2019-12-19	10.2
9296133	2019-12-11	1:00 pm	2019-12-16	7:00 am	68		ES 4		1	2.1	0.3		2019-12-19	5.9
9296134	2019-12-11	2:00 pm	2019-12-16	6:00 am	68		HS ART ROOM		1	1	0.3		2019-12-19	5.9
9296135	2019-12-12	8:00 am	2019-12-16	7:00 am	68		MS GYM		1	2.8	0.3		2019-12-19	6.7
9296136	2019-12-12	8:00 am	2019-12-16	6:00 am	68		MS GYM		1	2.4	0.3		2019-12-19	6.7
9296137	2019-12-11	2:00 pm	2019-12-16	6:00 am	68		HS MAIN OFFICE		1	2.2	0.3		2019-12-19	6.7
9296138	2019-12-11	2:00 pm	2019-12-16	6:00 am	68		HS COMPUTER LAB		1	0.9	0.3		2019-12-19	5.9
9296139	2019-12-11	1:00 pm	2019-12-16	7:00 am	68		ES 5		1	2.5	0.3		2019-12-19	8.2
9296140	2019-12-11	1:00 pm	2019-12-16	7:00 am	68		ES 7		1	6.1	0.4		2019-12-19	7.5
9296141	2019-12-11	2:00 pm	2019-12-16	7:00 am	68		MS C 4		1	< 0.3	0.3		2019-12-19	7.4
9296142	2019-12-11	11:00 am	2019-12-16	7:00 am	68		MS LIBRARY		1	2	0.3		2019-12-19	6
9296143	2019-12-11	12:00 pm	2019-12-16	6:00 am	68		HS 427		1	< 0.3	0.3		2019-12-19	4.4
9296145	2019-12-11	2:00 pm	2019-12-16	6:00 am	68		HS 204		1	1.4	0.3		2019-12-19	6.6
9296146	2019-12-11	2:00 pm	2019-12-16	7:00 am	68		MS C 2		1	< 0.3	0.3		2019-12-19	5.9
9296147	2019-12-11	2:00 pm	2019-12-16	6:00 am	68		HS WOODSHOP		1	1.2	0.3		2019-12-19	6.7
9296148	2019-12-11	2:00 pm	2019-12-16	6:00 am	68		HS AG ROOM		1	1.2	0.3		2019-12-19	7.5
9296149									3	????	??	MI	2019-12-19	0
9296150	2019-12-11	11:00 am	2019-12-16	7:00 am	68		MS COMMONS		1	0.8	0.3		2019-12-19	6.7
9296151	2019-12-11	2:00 pm	2019-12-16	6:00 am	68		HS 209		1	1	0.3		2019-12-19	6.7
9296152	2019-12-11	2:00 pm	2019-12-16	6:00 am	68		HS 219		1	0.9	0.3		2019-12-19	6
9296153	2019-12-11	1:00 pm	2019-12-16	7:00 am	68		ES 8		1	6.1	0.4		2019-12-19	8.1
9296154	2019-12-11	1:00 pm	2019-12-16	7:00 am	68		ES 1		1	1.7	0.3		2019-12-19	7.5
9296155	2019-12-11	1:00 pm	2019-12-16	7:00 am	68		ES 9		1	9.1	0.5		2019-12-19	8.9
9296156	2019-12-11	1:00 pm	2019-12-16	7:00 am	68		ES 108		1	0.5	0.3		2019-12-19	7.5
9296157	2019-12-11	11:00 am	2019-12-16	7:00 am	68		MS LIBRARY		1	2.2	0.3		2019-12-19	6.8
9296158	2019-12-11	11:00 am	2019-12-16	7:00 am	68		MS COMMONS		1	0.9	0.3		2019-12-19	6.7
9296159	2019-12-11	2:00 pm	2019-12-16	6:00 am	68		HS 211		1	0.6	0.3		2019-12-19	6.7
9296160	2019-12-11	2:00 pm	2019-12-16	6:00 am	68		HS COUNSELOR'S RM		1	2.1	0.3		2019-12-19	5.9
9296161	2019-12-11	2:00 pm	2019-12-16	7:00 am	68		MS A 1		1	< 0.3	0.3		2019-12-19	6.7
9296162	2019-12-11	2:00 pm	2019-12-16	7:00 am	68		ES HOLE		0	5.4	0.4		2019-12-19	8.9
9296163	2019-12-11	1:00 pm	2019-12-16	7:00 am	68		ES 10		1	0.5	0.3		2019-12-19	6.7
9296164	2019-12-11	10:00 am	2019-12-16	7:00 am	68		OMS BASEMENT		0	5.4	0.4		2019-12-19	8.9
9296165	2019-12-11	11:00 am	2019-12-16	6:00 am	68		HS GYM		1	3.5	0.3		2019-12-19	8.9
9296166	2019-12-11	12:00 pm	2019-12-16	7:00 am	68		ES GYM		1	0.7	0.3		2019-12-19	6.8
9296169	2019-12-11	2:00 pm	2019-12-16	7:00 am	68		MS B 3		1	0.8	0.3		2019-12-19	6.7
9296170	2019-12-11	2:00 pm	2019-12-16	7:00 am	68		MS B 1		1	1.3	0.3		2019-12-19	6.7
9296171	2019-12-11	10:00 am	2019-12-16	7:00 am	68		OMS GYM		1	6	0.4		2019-12-19	10.9

9296172	2019-12-11	10:00 am	2019-12-16	7:00 am	68		DISTRICT OFFICE		1	2.4	0.3		2019-12-19	6
9296173	2019-12-11	12:00 pm	2019-12-16	6:00 am	68		HS LIBRARY		1	1	0.3		2019-12-19	7.5
9296175	2019-12-11	2:00 pm	2019-12-16	7:00 am	68		MS B 1		1	1.4	0.3		2019-12-19	6
9296176	2019-12-11	2:00 pm	2019-12-16	7:00 am	68		MS B 4		1	1	0.3		2019-12-19	6.8
9296177	2019-12-11	2:00 pm	2019-12-16	7:00 am	68		MS C 5		1	< 0.3	0.3		2019-12-19	7.5
9296178	2019-12-11	2:00 pm	2019-12-16	7:00 am	68		MS C 6		1	< 0.3	0.3		2019-12-19	6.7
9296181	2019-12-11	2:00 pm	2019-12-16	7:00 am	68		ES 31		1	< 0.3	0.3		2019-12-19	4.4
9296182	2019-12-11	2:00 pm	2019-12-16	6:00 am	68		HS 221		1	1	0.3		2019-12-19	8.2
9296183	2019-12-11	2:00 pm	2019-12-16	6:00 am	68		HS KITCHEN		1	2.1	0.3		2019-12-19	7.5
9296184	2019-12-11	10:00 am	2019-12-16	7:00 am	68		MS A8		1	< 0.3	0.3		2019-12-19	4.5
9296187	2019-12-11	2:00 pm	2019-12-16	7:00 am	68		MOD 1		1	< 0.3	0.3		2019-12-19	4.5
9296188	2019-12-11	2:00 pm	2019-12-16	6:00 am	68		HS 202		1	1.7	0.3		2019-12-19	7.5
9296191	2019-12-11	2:00 pm	2019-12-16	6:00 am	68		HS 203		1	1.8	0.3		2019-12-19	7.5
9296193	2019-12-11	2:00 pm	2019-12-16	6:00 am	68		HS 434		1	< 0.3	0.3		2019-12-19	3.6
9296196	2019-12-11	2:00 pm	2019-12-16	6:00 am	68		HS 205		1	1.2	0.3		2019-12-19	7.6
9296198	2019-12-11	1:00 pm	2019-12-16	7:00 am	68		OMS 8		1	< 0.3	0.3		2019-12-19	5.4