

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077
 Telephone: 856-858-4800 Fax:856-786-5974
 EMSL-CIN-01

EMSL Order ID: 012424144
LIMS Reference ID: AC24144
EMSL Customer ID: COAS80

Attention: Marylee Morinelli
 Coastal Environmental Compliance, LLC [COAS80]
 PO Box 167
 Hammonton, NJ 08037-0167
 (609) 685-9984
 coastalenvironmental@hotmail.com

Project Name: Swedesboro - Hill School

Customer PO:
EMSL Sales Rep: Josh Silverman
Received: 07/19/2024 14:20
Reported: 08/02/2024 18:08

Analytical Results

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
Sample: 1-WHS-POE-WC/GYM HALL									
				Lims Reference ID:	AC24144-01	Matrix: Drinking Water		Sampled: 07/19/24 08:00:00	
Metals									
Lead	ND		1	1.00	µg/L	07/23/24 17:10	07/30/24 16:43	LXK	EPA 200.8 (DA)/EPA 200.8
Sample: 1A-WHS-BF/GYM HALL									
				Lims Reference ID:	AC24144-02	Matrix: Drinking Water		Sampled: 07/19/24 08:02:00	
Metals									
Lead	ND		1	1.00	µg/L	07/23/24 17:10	07/30/24 16:49	LXK	EPA 200.8 (DA)/EPA 200.8
Sample: 2-WHS-SINK/ROOM 138									
				Lims Reference ID:	AC24144-03	Matrix: Drinking Water		Sampled: 07/19/24 08:04:00	
Metals									
Lead	ND		1	1.00	µg/L	07/23/24 17:10	07/30/24 16:51	LXK	EPA 200.8 (DA)/EPA 200.8
Sample: 3-WHS-FP-SINK/KITCHEN DISH ROOM									
				Lims Reference ID:	AC24144-04	Matrix: Drinking Water		Sampled: 07/19/24 08:02:00	
Metals									
Lead	14.3		1	1.00	µg/L	07/23/24 17:10	07/30/24 16:53	LXK	EPA 200.8 (DA)/EPA 200.8
Sample: 3A-WHS-PF/KITCHEN									
				Lims Reference ID:	AC24144-05	Matrix: Drinking Water		Sampled: 07/19/24 08:06:00	
Metals									
Lead	14.9		1	1.00	µg/L	07/23/24 17:10	07/30/24 16:55	LXK	EPA 200.8 (DA)/EPA 200.8
Sample: 3B-WHS-STEAMER/KITCHEN									
				Lims Reference ID:	AC24144-06	Matrix: Drinking Water		Sampled: 07/19/24 08:07:00	
Metals									
Lead	ND		1	1.00	µg/L	07/23/24 17:10	07/30/24 17:01	LXK	EPA 200.8 (DA)/EPA 200.8
Sample: 4-WHS-SINK/KITCHEN PREP AREA									
				Lims Reference ID:	AC24144-07	Matrix: Drinking Water		Sampled: 07/19/24 08:10:00	
Metals									
Lead	ND		1	1.00	µg/L	07/23/24 17:10	07/30/24 17:03	LXK	EPA 200.8 (DA)/EPA 200.8
Sample: 5-WHS-SINK/ROOM 132									
				Lims Reference ID:	AC24144-08	Matrix: Drinking Water		Sampled: 07/19/24 08:12:00	
Metals									
Lead	12.8		1	1.00	µg/L	07/23/24 17:10	07/30/24 17:04	LXK	EPA 200.8 (DA)/EPA 200.8
Sample: 6-WHS-SINK/ROOM 129									
				Lims Reference ID:	AC24144-09	Matrix: Drinking Water		Sampled: 07/19/24 08:14:00	
Metals									
Lead	3.36		1	1.00	µg/L	07/23/24 17:10	07/30/24 17:06	LXK	EPA 200.8 (DA)/EPA 200.8

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077
 Telephone: 856-858-4800 Fax:856-786-5974
 EMSL-CIN-01

EMSL Order ID: 012424144
LIMS Reference ID: AC24144
EMSL Customer ID: COAS80

Attention: Marylee Morinelli
 Coastal Environmental Compliance, LLC [COAS80]
 PO Box 167
 Hammonton, NJ 08037-0167
 (609) 685-9984
 coastalenvironmental@hotmail.com

Project Name: Swedesboro - Hill School

Customer PO:
EMSL Sales Rep: Josh Silverman
Received: 07/19/2024 14:20
Reported: 08/02/2024 18:08

Analytical Results (Continued)

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
Sample: 7-WHS-SINK/ROOM 134 Lims Reference ID: AC24144-10 Matrix: Drinking Water Sampled: 07/19/24 08:20:00									
Metals									
Lead	4.57		1	1.00	µg/L	07/23/24 17:10	07/30/24 17:08	LXK	EPA 200.8 (DA)/EPA 200.8
Sample: 8-WHS-WC/HALL BY 134 Lims Reference ID: AC24144-11 Matrix: Drinking Water Sampled: 07/19/24 08:22:00									
Metals									
Lead	ND		1	1.00	µg/L	07/23/24 17:10	07/30/24 17:10	LXK	EPA 200.8 (DA)/EPA 200.8
Sample: 9-WHS-WC/HALL BY 119 Lims Reference ID: AC24144-12 Matrix: Drinking Water Sampled: 07/19/24 08:25:00									
Metals									
Lead	1.21		1	1.00	µg/L	07/23/24 17:10	07/30/24 17:16	LXK	EPA 200.8 (DA)/EPA 200.8
Sample: 10-WHS-SINK/ROOM 121 Lims Reference ID: AC24144-13 Matrix: Drinking Water Sampled: 07/19/24 08:30:00									
Metals									
Lead	ND		1	1.00	µg/L	07/23/24 17:10	07/30/24 17:18	LXK	EPA 200.8 (DA)/EPA 200.8
Sample: 10A-WHS-ICE MACHINE/ROOM 121 Lims Reference ID: AC24144-14 Matrix: Drinking Water Sampled: 07/19/24 08:35:00									
Metals									
Lead	ND		1	1.00	µg/L	07/23/24 17:10	07/30/24 17:24	LXK	EPA 200.8 (DA)/EPA 200.8
Sample: 11-WHS-WC/2ND FLOOR HALL BY 215 Lims Reference ID: AC24144-15 Matrix: Drinking Water Sampled: 07/19/24 08:40:00									
Metals									
Lead	ND		1	1.00	µg/L	07/23/24 17:10	07/30/24 17:26	LXK	EPA 200.8 (DA)/EPA 200.8
Sample: 12-WH-WC/3RD FLOOR HALL BY 315 Lims Reference ID: AC24144-16 Matrix: Drinking Water Sampled: 07/19/24 08:45:00									
Metals									
Lead	1.14		1	1.00	µg/L	07/23/24 17:10	07/30/24 17:28	LXK	EPA 200.8 (DA)/EPA 200.8
Sample: 13-WHS-WC/1ST FLOOR HALL BY 111 Lims Reference ID: AC24144-17 Matrix: Drinking Water Sampled: 07/19/24 08:50:00									
Metals									
Lead	2.28		1	1.00	µg/L	07/23/24 17:10	07/30/24 17:29	LXK	EPA 200.8 (DA)/EPA 200.8
Sample: 14-WHS-WC/2ND FLOOR HALL BY 202 Lims Reference ID: AC24144-18 Matrix: Drinking Water Sampled: 07/19/24 08:55:00									
Metals									
Lead	2.85		1	1.00	µg/L	07/23/24 17:10	07/30/24 17:31	LXK	EPA 200.8 (DA)/EPA 200.8

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077
 Telephone: 856-858-4800 Fax:856-786-5974
 EMSL-CIN-01

EMSL Order ID: 012424144
LIMS Reference ID: AC24144
EMSL Customer ID: COAS80

Attention: Marylee Morinelli
 Coastal Environmental Compliance, LLC [COAS80]
 PO Box 167
 Hammonton, NJ 08037-0167
 (609) 685-9984
 coastalenvironmental@hotmail.com

Project Name: Swedesboro - Hill School

Customer PO:
EMSL Sales Rep: Josh Silverman
Received: 07/19/2024 14:20
Reported: 08/02/2024 18:08

Analytical Results (Continued)

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
Sample: 15-WHS-WC/3RD FLOOR HALL BY 302 Lims Reference ID: AC24144-19 Matrix: Drinking Water Sampled: 07/19/24 09:02:00									
Metals									
Lead	ND		1	1.00	µg/L	07/23/24 17:10	07/30/24 17:33	LXK	EPA 200.8 (DA)/EPA 200.8
Sample: 16-WHS-WC/2ND FLOOR HALL BY GANG BATHROOMS Lims Reference ID: AC24144-20 Matrix: Drinking Water Sampled: 07/19/24 09:05:00									
Metals									
Lead	ND		1	1.00	µg/L	07/23/24 17:10	07/30/24 17:35	LXK	EPA 200.8 (DA)/EPA 200.8
Sample: 17-WHS-SINK/ROOM 225 Lims Reference ID: AC24144-21 Matrix: Drinking Water Sampled: 07/19/24 09:10:00									
Metals									
Lead	41.9		1	1.00	µg/L	07/23/24 17:17	07/29/24 18:48	LXK	EPA 200.8 (DA)/EPA 200.8
Sample: 18-WHS-SINK/ROOM 229 Lims Reference ID: AC24144-22 Matrix: Drinking Water Sampled: 07/19/24 09:13:00									
Metals									
Lead	2.73		1	1.00	µg/L	07/23/24 17:17	07/29/24 18:54	LXK	EPA 200.8 (DA)/EPA 200.8
Sample: 19-WHS-SINK/ROOM 231 Lims Reference ID: AC24144-23 Matrix: Drinking Water Sampled: 07/19/24 09:17:00									
Metals									
Lead	2.20		1	1.00	µg/L	07/23/24 17:17	07/29/24 18:56	LXK	EPA 200.8 (DA)/EPA 200.8
Sample: 20-WHS-SINK/MURSE ROOM 213 Lims Reference ID: AC24144-24 Matrix: Drinking Water Sampled: 07/19/24 09:20:00									
Metals									
Lead	4.84		1	1.00	µg/L	07/23/24 17:17	07/29/24 18:58	LXK	EPA 200.8 (DA)/EPA 200.8
Sample: 22-WHS-WC/3RD FLOOR HALL BY GANG BATHROOMS Lims Reference ID: AC24144-26 Matrix: Drinking Water Sampled: 07/19/24 09:27:00									
Metals									
Lead	ND		1	1.00	µg/L	07/23/24 17:17	07/29/24 19:00	LXK	EPA 200.8 (DA)/EPA 200.8
Sample: 23-WHS-SINK/ROOM 324 Lims Reference ID: AC24144-27 Matrix: Drinking Water Sampled: 07/19/24 09:28:00									
Metals									
Lead	1.12		1	1.00	µg/L	07/23/24 17:17	07/29/24 19:02	LXK	EPA 200.8 (DA)/EPA 200.8
Sample: 24-WHS-SINK/ROOM 323 Lims Reference ID: AC24144-28 Matrix: Drinking Water Sampled: 07/19/24 09:30:00									
Metals									
Lead	2.43		1	1.00	µg/L	07/23/24 17:17	07/29/24 19:04	LXK	EPA 200.8 (DA)/EPA 200.8

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077
 Telephone: 856-858-4800 Fax:856-786-5974
 EMSL-CIN-01

EMSL Order ID: 012424144
LIMS Reference ID: AC24144
EMSL Customer ID: COAS80

Attention: Marylee Morinelli
 Coastal Environmental Compliance, LLC [COAS80]
 PO Box 167
 Hammonton, NJ 08037-0167
 (609) 685-9984
 coastalenvironmental@hotmail.com

Project Name: Swedesboro - Hill School

Customer PO:
EMSL Sales Rep: Josh Silverman

Received: 07/19/2024 14:20
Reported: 08/02/2024 18:08

Analytical Results (Continued)

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
---------	--------	---	----	----	-------	--------------------	--------------------	------------------	-------------------------

Sample: 24-WHS-SINK/ROOM 323 (Continued) Lims Reference ID: AC24144-28 Matrix: Drinking Water Sampled: 07/19/24 09:30:00

Metals (Continued)

Sample: 25-WHS-SINK/ROOM 325 Lims Reference ID: AC24144-29 Matrix: Drinking Water Sampled: 07/19/24 09:34:00

Metals

Lead	2.73		1	1.00	µg/L	07/23/24 17:17	07/29/24 19:06	LXK	EPA 200.8 (DA)/EPA 200.8
------	------	--	---	------	------	----------------	----------------	-----	--------------------------

Sample: 26-WHS-SINK/ROOM 326 Lims Reference ID: AC24144-30 Matrix: Drinking Water Sampled: 07/19/24 09:36:00

Metals

Lead	4.94		1	1.00	µg/L	07/23/24 17:17	07/29/24 19:11	LXK	EPA 200.8 (DA)/EPA 200.8
------	------	--	---	------	------	----------------	----------------	-----	--------------------------

Sample: 27-WHS-BLANK Lims Reference ID: AC24144-31 Matrix: Drinking Water Sampled: 07/19/24 00:00:00

Metals

Lead	ND		1	1.00	µg/L	07/23/24 17:17	07/29/24 19:13	LXK	EPA 200.8 (DA)/EPA 200.8
------	----	--	---	------	------	----------------	----------------	-----	--------------------------

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077
 Telephone: 856-858-4800 Fax:856-786-5974
 EMSL-CIN-01

EMSL Order ID: 012424144
LIMS Reference ID: AC24144
EMSL Customer ID: COAS80

Attention: Marylee Morinelli
 Coastal Environmental Compliance, LLC [COAS80]
 PO Box 167
 Hammonton, NJ 08037-0167
 (609) 685-9984
 coastalenvironmental@hotmail.com

Project Name: Swedesboro - Hill School
Customer PO:
EMSL Sales Rep: Josh Silverman
Received: 07/19/2024 14:20
Reported: 08/02/2024 18:08

Certified Analyses included in this Report

Analyte	Certifications
<i>EPA 200.8 in Drinking Water</i>	
Lead	NJDEP

List of Certifications

Code	Description	Number	Expires
MADEP	Massachusetts Department of Environmental Protection	M-NJ337	06/30/2024
California ELAP	California Water Boards	1877	06/30/2024
A2LA	A2LA Environmental Certificate	2845.01	07/31/2024
AIHA LAP	EMSL Analytical, Inc. Cinnaminson, NJ AIHA-LAP, LLC-ELLAP Accredited	100194	01/01/2025
NJDEP	New Jersey Department of Environmental Protection	03036	06/30/2024
PADEP	Pennsylvania Department of Environmental Protection	68-00367	11/30/2024
NYSDOH	New York State Department of Health	10872	04/01/2025
CTDPH	Connecticut Department of Public Health	PH-0270	06/23/2024

Please see the specific Field of Testing (FOT) on www.emsl.com <<http://www.emsl.com>> for a complete listing of parameters for which EMSL is certified.



EMSL Analytical, Inc.

200 Route 130, Cinnaminson, NJ, 08077
Telephone: 856-858-4800 Fax:856-786-5974
EMSL-CIN-01

EMSL Order ID: 012424144
LIMS Reference ID: AC24144
EMSL Customer ID: COAS80

Attention: Marylee Morinelli
Coastal Environmental Compliance, LLC [COAS80]
PO Box 167
Hammonton, NJ 08037-0167
(609) 685-9984
coastalenvironmental@hotmail.com

Project Name: Swedesboro - Hill School

Customer PO:
EMSL Sales Rep: Josh Silverman
Received: 07/19/2024 14:20
Reported: 08/02/2024 18:08

Notes and Definitions

Item	Definition
(Dig)	For metals analysis, sample was digested.
[2C]	Reported from the second channel in dual column analysis.
DF	Dilution Factor
MDL	Method Detection Limit.
ND	Analyte was NOT DETECTED at or above the detection limit.
Q	Qualifier
RL	Reporting Limit
Wet	Sample is not dry weight corrected.

Measurement of uncertainty and any applicable definitions of method modifications are available upon request. Per EPA NLLAP policy, sample results are not blank corrected.

Owen McKenna Laboratory Manager or other approved signatory

EMSL maintains liability limited to cost of analysis. Interpretation and use of test results are the responsibility of the client. This report relates only to the samples reported above, and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. The report reflects the samples as received. Results are generated from the field sampling data (sampling volumes and areas, locations, etc.) provided by the client on the Chain of Custody. Samples are within quality control criteria and met method specifications unless otherwise noted.



EMSL ANALYTICAL, INC. LABORATORY PRODUCTS TRAINING

Lead Chain of Custody

EMSL Order Number / Lab Use Only

EMSL Analytical, Inc.

AC24144

Cinnaminson, NJ 08077
PHONE: 1-800-220-3675
EMAIL: c@emsl.com

Customer Information	Customer ID:	Billing ID:
	Company Name: Coastal Environmental Compliance, LLC	Company Name: Coastal Environmental Compliance, LLC
	Contact Name: Marylee Morinelli	Billing Contact: Marylee Morinelli
	Street Address: PO Box 167 721 Flittertown Road	Street Address: PO Box 167, 721 Flittertown Road
	City, State, Zip: Hammonton NJ 08037 Country: US	City, State, Zip: Hammonton NJ 08037 Country: US
	Phone: 6096859984	Phone: 6096859984
Email(s) for Report: coastalenvironmental@hotmail.com	Email(s) for Invoice:	

Project Name/No: Swedesboro -Hill School		Purchase Order:
EMSL LIMS Project ID: (if applicable, EMSL will provide)	US State where samples collected: NJ	State of Connecticut (CT) must select project location: <input type="checkbox"/> Commercial (Taxable) <input type="checkbox"/> Residential (Non-Taxable)
Sampled By Name: M. Morinelli	Sampled By Signature:	No. of Samples in Shipment

Turn-Around-Time (TAT)

3 Hour 6 Hour 24 Hour 32 Hour 48 Hour 72 Hour 96 Hour 1 Week 2 Week

Please call ahead for large projects and/or turnaround times 6 Hours or Less. *32 Hour TAT available for select tests only; samples must be submitted by 11:30am.

MATRIX	METHOD	INSTRUMENT	REPORTING LIMIT	SELECTION
CHIPS <input type="checkbox"/> % by wt. <input type="checkbox"/> ppm (mg/kg) <input type="checkbox"/> mg/cm ²	SW 846-7000B	Flame Atomic Absorption	0.008% (80ppm)	<input type="checkbox"/>
Reporting Limit based on a minimum 0.25g sample weight	SW 846-6010D	ICP-OES	0.0004% (4ppm)	<input type="checkbox"/>
AIR	NIOSH 7082	Flame Atomic Absorption	4µg/filter	<input type="checkbox"/>
	NIOSH 7300M / NIOSH 7303M	ICP-OES	0.5µg/filter	<input type="checkbox"/>
	NIOSH 7300M / NIOSH 7303M	ICP-MS	0.05µg/filter	<input type="checkbox"/>
WIPE <input type="checkbox"/> ASTM <input type="checkbox"/> NON-ASTM	SW 846-7000B	Flame Atomic Absorption	10µg/wipe	<input type="checkbox"/>
If no box is checked, non-ASTM Wipe is assumed	SW 846-6010D	ICP-OES	1.0µg/wipe	<input type="checkbox"/>
TCLP	SW 846-1311 / 7000B / SM 3111B	Flame Atomic Absorption	0.4 mg/L (ppm)	<input type="checkbox"/>
	SW 846-1311 / SW 846-6010D*	ICP-OES	0.1 mg/L (ppm)	<input type="checkbox"/>
SPLP	SW 846-1312 / 7000B / SM 3111B	Flame Atomic Absorption	0.4 mg/L (ppm)	<input type="checkbox"/>
	SW 846-1312 / SW 846-6010D*	ICP-OES	0.1 mg/L (ppm)	<input type="checkbox"/>
TTLC	22 CCR App. II, 7000B	Flame Atomic Absorption	40mg/kg (ppm)	<input type="checkbox"/>
	22 CCR App. II, SW 846-6010D*	ICP-OES	2mg/kg (ppm)	<input type="checkbox"/>
STLC	22 CCR App. II, 7000B	Flame Atomic Absorption	0.4 mg/L (ppm)	<input type="checkbox"/>
	22 CCR App. II, SW 846-6010D*	ICP-OES	0.1 mg/L (ppm)	<input type="checkbox"/>
Soil	SW 846-7000B	Flame Atomic Absorption	40mg/kg (ppm)	<input type="checkbox"/>
	SW 846-6010D*	ICP-OES	2mg/kg (ppm)	<input type="checkbox"/>
	SM 3111B / SW 846-7000B	Flame Atomic Absorption	0.4 mg/L (ppm)	<input type="checkbox"/>
Wastewater Unpreserved <input type="checkbox"/> Preserved with HNO3 <input type="checkbox"/> PH<2	EPA 200.7	ICP-OES	0.020 mg/L (ppm)	<input type="checkbox"/>
Drinking Water Unpreserved <input checked="" type="checkbox"/> Preserved with HNO3 <input type="checkbox"/> PH<2	EPA 200.5	ICP-OES	0.003 mg/L (ppm)	<input type="checkbox"/>
	EPA 200.8	ICP-MS	0.001 mg/L (ppm)	<input checked="" type="checkbox"/>
TSP/SPM Filter	40 CFR Part 50	ICP-OES	12 µg/filter	<input type="checkbox"/>
Other:				<input type="checkbox"/>

Sample Number	Sample Location	Volume / Area	Date / Time Sampled
1-WHS-POE-WC-GYM HALL	GYM HALL		7/19/24 8:00am
1A-WHS-BF-GYM HALL	GYM HALL		7/19/24 8:02am
2-WHS-SINK-138	ROOM 138		7/19/24 8:04am
3-WHS-FP-SINK-KITCHEN DISH ROOM	KITCHEN DISH ROOM		7/19/24 8:02am
3A-WHS-PF-KITCHEN	KITCHEN		7/19/24 8:06am

Method of Shipment:	Sample Condition Upon Receipt:
Relinquished by: <i>[Signature]</i>	Received by: <i>[Signature]</i>
Date/Time: 7/19/24	Date/Time: 7/19/24 2:20pm



EMSL ANALYTICAL, INC.
LABORATORY PRODUCTS TRAINING

Lead Chain of Custody

EMSL Order Number / Lab Use Only

AC24144

EMSL Analytical, Inc.

Cinnaminson, NJ 08077
PHONE: 1-800-220-3675
EMAIL: c@emsl.com

Additional Pages of the Chain of Custody are only necessary if needed for additional sample information

Special Instructions and/or Regulatory Requirements (Sample Specifications, Processing Methods, Limits of Detection, etc.)

Sample Number	Sample Location	Volume / Area	Date / Time Sampled
3B-WHS-STEAMER-KITCHEN	KITCHEN		7/19/24 8:07am
4-WHS-SINK-KITCHEN PREP AREA	KITCHEN PREP AREA		7/19/24 8:10am
5-WHS-SINK-132	ROOM 132		7/19/24 8:12am
6-WHS-SINK-129	ROOM 129		7/19/24 8:14am
7-WHS-SINK-134	ROOM 134		7/19/24 8:20am
8-WHS-WC-HALL BY 134	HALL BY 134		7/19/24 8:22am
9-WHS-WC-HALL BY 119	HALL BY 119		7/19/24 8:25am
10-WHS-SINK-121	ROOM 121		7/19/24 8:30am
10A-WHS-ICE MACHINE-121	ROOM 121		7/19/24 8:35am
11-WHS-WC-2ND FLOOR HALL BY 215	2ND FLOOR HALL BY 215		7/19/24 8:40am
12-WHS-WC-3RD FLOOR HALL BY 315	3RD FLOOR HALL BY 315		7/19/24 8:45am
13-WHS-WC-1ST FLOOR HALL BY 111	1ST FLOOR HALL BY 111		7/19/24 8:50am
14-WHS-WC-2ND FLOOR HALL BY 202	2ND FLOOR HALL BY 202		7/19/24 8:55am
15-WHS-WC-3RD FLOOR HALL BY 302	3RD FLOOR HALL BY 302		7/19/24 9:02am
16-WHS-WC-2ND FLOOR HALL	2ND FLOOR HALL BY GANG BATHROOMS		7/19/24 9:05am
17-WHS-SINK-225	ROOM 225		7/19/24 9:10am
18-WHS-SINK-229	ROOM 229		7/19/24 9:13am
19-WHS-SINK-231	ROOM 231		7/19/24 9:17am
20-WHS-SINK-NURSE RM. 213	NURSE ROOM 213		7/19/24 9:20am
ROOM 202	21-WHS-SINK-202		7/19/24 9:25am
22-WHS-WC-HALL BY	3RD FLOOR HALL BY GANG BATHROOMS		7/19/24 9:27am
23-WHS-SINK-RM 324	ROOM 324		7/19/24 9:28am
24-WHS-SINK-RM 323	ROOM 323		7/19/24 9:30am
25-WHS-SINK-RM 325	ROOM 325		7/19/24 9:34am
26-WHS-SINK-RM 326	ROOM 326		7/19/24 9:36am

Method of Shipment: *WHS* Sample Condition Upon Receipt:

Relinquished by: *[Signature]* Date/Time: *7/18/24* Received by: *[Signature]* Date/Time: *7/19/24 2:20pm*

Relinquished by: *[Signature]* Date/Time: *7/19/24 2:20pm* Received by: *[Signature]* Date/Time: *7/19/24 2:20pm*

Controlled Document - COC-25 Lead R16 4/19/2021

AGREE TO ELECTRONIC SIGNATURE (By checking, I consent to signing this Chain of Custody document by electronic signature.)

EMSL Analytical, Inc.'s Laboratory Terms and Conditions are incorporated into this Chain of Custody by reference in their entirety. Submission of samples to EMSL Analytical, Inc. constitutes acceptance and acknowledgment of all terms and conditions by Customer.

27-WHS-BLANK

*HNO3 added
7/22/24 @ 14:00
VIA*

17C24144

17 51 54 55 58 19 (Double Play)

04/11/2022

05 07 24 31 34 04

Power Play :

2

Annuity Payout :

\$ 0

18 20 24 29 47 12 (Double Play)

04/09/2022

06 16 31 62 66 18

Power Play :

2

Annuity Payout :

\$ 0

03 05 35 48 67 05 (Double Play)

04/06/2022

06 42 45 47 64 18

Power Play :

3

Annuity Payout :

\$ 0

04 29 56 57 58 02 (Double Play)

04/04/2022

02 32 39 46 69 06

Power Play :

2

Annuity Payout :

\$ 0

06 49 55 58 59 15 (Double Play)

Handwritten scribbles and signatures at the bottom of the page.

ACC24144

04/23/2022 10 39 47 49 56 08
Power Play : 3
Annuity Payout : \$ 0

04/20/2022 02 30 39 54 63 17 (Double Play)
20 30 45 55 56 14
Power Play : 2
Annuity Payout : \$ 0

04/18/2022 04 15 16 21 52 20 (Double Play)
08 33 55 59 62 18
Power Play : 2
Annuity Payout : \$ 0

04/16/2022 12 17 29 65 66 07 (Double Play)
15 21 32 62 65 26
Power Play : 5
Annuity Payout : \$ 0

04/13/2022 33 40 47 55 64 05 (Double Play)
14 16 41 63 68 26
Power Play : 2
Annuity Payout : \$ 0