

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077
 Telephone: 856-858-4800 Fax:856-786-5974
 EMSL-CIN-01

EMSL Order ID: 012424095
LIMS Reference ID: AC24095
EMSL Customer ID: COAS80

Attention: Marylee Morinelli
 Coastal Environmental Compliance, LLC [COAS80]
 PO Box 167
 Hammonton, NJ 08037-0167
 (609) 685-9984
 coastalenvironmental@hotmail.com

Project Name: Swedesboro - Clifford School

Customer PO:
EMSL Sales Rep: Josh Silverman
Received: 07/19/2024 14:20
Reported: 08/02/2024 18:07

Analytical Results

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
Sample: 1-MCS-FP/KITCHEN BY KITCHEN OFFICE Lims Reference ID: AC24095-01 Matrix: Drinking Water Sampled: 07/19/24 14:00:00									
Metals									
Lead	2.35		1	1.00	µg/L	07/23/24 17:17	07/29/24 19:15	LXK	EPA 200.8 (DA)/EPA 200.8
Sample: 2-MCS-FP/KITCHEN ISLAND Lims Reference ID: AC24095-02 Matrix: Drinking Water Sampled: 07/19/24 14:01:00									
Metals									
Lead	11.6		1	1.00	µg/L	07/23/24 17:17	07/29/24 19:21	LXK	EPA 200.8 (DA)/EPA 200.8
Sample: 3-MCS/KITCHEN BY WALK-IN Lims Reference ID: AC24095-03 Matrix: Drinking Water Sampled: 07/19/24 14:02:00									
Metals									
Lead	7.05		1	1.00	µg/L	07/23/24 17:17	07/29/24 19:23	LXK	EPA 200.8 (DA)/EPA 200.8
Sample: 3A-MCS/KITCHEN POT FILLER Lims Reference ID: AC24095-04 Matrix: Drinking Water Sampled: 07/19/24 14:04:00									
Metals									
Lead	23.1		1	1.00	µg/L	07/23/24 17:17	07/29/24 19:25	LXK	EPA 200.8 (DA)/EPA 200.8
Sample: 3B-MCS/KITCHEN STEAMER Lims Reference ID: AC24095-05 Matrix: Drinking Water Sampled: 07/19/24 14:05:00									
Metals									
Lead	ND		1	1.00	µg/L	07/23/24 17:17	07/29/24 19:27	LXK	EPA 200.8 (DA)/EPA 200.8
Sample: 4-MCS-SINK/FACULTY LOUNGE ROOM 137 Lims Reference ID: AC24095-06 Matrix: Drinking Water Sampled: 07/19/24 14:06:00									
Metals									
Lead	ND		1	1.00	µg/L	07/23/24 17:17	07/29/24 19:29	LXK	EPA 200.8 (DA)/EPA 200.8
Sample: 5-MCS-SINK/ROOM 135 Lims Reference ID: AC24095-07 Matrix: Drinking Water Sampled: 07/19/24 14:07:00									
Metals									
Lead	ND		1	1.00	µg/L	07/23/24 17:17	07/29/24 19:35	LXK	EPA 200.8 (DA)/EPA 200.8
Sample: 6-MCS-SINK/ROOM 133 Lims Reference ID: AC24095-08 Matrix: Drinking Water Sampled: 07/19/24 14:10:00									
Metals									
Lead	ND		1	1.00	µg/L	07/23/24 17:17	07/29/24 19:37	LXK	EPA 200.8 (DA)/EPA 200.8
Sample: 7-MCS-SINK/ROOM 131 Lims Reference ID: AC24095-09 Matrix: Drinking Water Sampled: 07/19/24 14:12:00									
Metals									
Lead	ND		1	1.00	µg/L	07/23/24 17:17	07/29/24 19:39	LXK	EPA 200.8 (DA)/EPA 200.8

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077
 Telephone: 856-858-4800 Fax:856-786-5974
 EMSL-CIN-01

EMSL Order ID: 012424095
LIMS Reference ID: AC24095
EMSL Customer ID: COAS80

Attention: Marylee Morinelli
 Coastal Environmental Compliance, LLC [COAS80]
 PO Box 167
 Hammonton, NJ 08037-0167
 (609) 685-9984
 coastalenvironmental@hotmail.com

Project Name: Swedesboro - Clifford School

Customer PO:
EMSL Sales Rep: Josh Silverman
Received: 07/19/2024 14:20
Reported: 08/02/2024 18:07

Analytical Results (Continued)

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method	
Sample: 8-MC-BF/MAIN HALLWAY RIGHT										
			Lims Reference ID: AC24095-10				Matrix: Drinking Water		Sampled: 07/19/24 14:15:00	
Metals										
Lead	ND		1	1.00	µg/L	07/23/24 17:17	07/29/24 19:40	LXK	EPA 200.8 (DA)/EPA 200.8	
Sample: 9-MCS-WC/MAIN HALLWAY CENTER										
			Lims Reference ID: AC24095-11				Matrix: Drinking Water		Sampled: 07/19/24 14:17:00	
Metals										
Lead	ND		1	1.00	µg/L	07/24/24 10:49	07/29/24 20:00	LXK	EPA 200.8 (DA)/EPA 200.8	
Sample: 10-MCS-DF/MAIN HALLWAY LEFT										
			Lims Reference ID: AC24095-12				Matrix: Drinking Water		Sampled: 07/19/24 14:20:00	
Metals										
Lead	ND		1	1.00	µg/L	07/24/24 10:49	07/29/24 20:05	LXK	EPA 200.8 (DA)/EPA 200.8	
Sample: 11-MCS-NS/NURSE OFFICE BATH										
			Lims Reference ID: AC24095-13				Matrix: Drinking Water		Sampled: 07/19/24 14:22:00	
Metals										
Lead	ND		1	1.00	µg/L	07/24/24 10:49	07/29/24 20:07	LXK	EPA 200.8 (DA)/EPA 200.8	
Sample: 12-MCS/NURSE OFFICE SINK										
			Lims Reference ID: AC24095-14				Matrix: Drinking Water		Sampled: 07/19/24 14:24:00	
Metals										
Lead	1.07		1	1.00	µg/L	07/24/24 10:49	07/29/24 20:09	LXK	EPA 200.8 (DA)/EPA 200.8	
Sample: 13-MCS-SINK/ROOM 116										
			Lims Reference ID: AC24095-15				Matrix: Drinking Water		Sampled: 07/19/24 14:26:00	
Metals										
Lead	ND		1	1.00	µg/L	07/24/24 10:49	07/29/24 20:11	LXK	EPA 200.8 (DA)/EPA 200.8	
Sample: 14-MCS-SINK/ROOM 118										
			Lims Reference ID: AC24095-16				Matrix: Drinking Water		Sampled: 07/19/24 14:30:00	
Metals										
Lead	10.5		1	1.00	µg/L	07/24/24 10:49	07/29/24 20:13	LXK	EPA 200.8 (DA)/EPA 200.8	
Sample: 15-MCS-SINK/ROOM 119										
			Lims Reference ID: AC24095-17				Matrix: Drinking Water		Sampled: 07/19/24 14:32:00	
Metals										
Lead	ND		1	1.00	µg/L	07/24/24 10:49	07/29/24 20:15	LXK	EPA 200.8 (DA)/EPA 200.8	
Sample: 16-MCS-SINK/ROOM 123										
			Lims Reference ID: AC24095-18				Matrix: Drinking Water		Sampled: 07/19/24 14:33:00	
Metals										
Lead	ND		1	1.00	µg/L	07/24/24 10:49	07/29/24 20:21	LXK	EPA 200.8 (DA)/EPA 200.8	

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077
 Telephone: 856-858-4800 Fax:856-786-5974
 EMSL-CIN-01

EMSL Order ID: 012424095
LIMS Reference ID: AC24095
EMSL Customer ID: COAS80

Attention: Marylee Morinelli
 Coastal Environmental Compliance, LLC [COAS80]
 PO Box 167
 Hammonton, NJ 08037-0167
 (609) 685-9984
 coastalenvironmental@hotmail.com

Project Name: Swedesboro - Clifford School

Customer PO:
EMSL Sales Rep: Josh Silverman
Received: 07/19/2024 14:20
Reported: 08/02/2024 18:07

Analytical Results (Continued)

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
Sample: 17-MCS-SINK/ROOM 121 Lims Reference ID: AC24095-19 Matrix: Drinking Water Sampled: 07/19/24 14:35:00									
Metals									
Lead	ND		1	1.00	µg/L	07/24/24 10:49	07/29/24 20:23	LXK	EPA 200.8 (DA)/EPA 200.8
Sample: 18-MCS-SINK/ROOM 125 Lims Reference ID: AC24095-20 Matrix: Drinking Water Sampled: 07/19/24 14:37:00									
Metals									
Lead	ND		1	1.00	µg/L	07/24/24 10:49	07/29/24 20:25	LXK	EPA 200.8 (DA)/EPA 200.8
Sample: 19-MCS-SINK/ROOM 151 Lims Reference ID: AC24095-21 Matrix: Drinking Water Sampled: 07/19/24 14:40:00									
Metals									
Lead	ND		1	1.00	µg/L	07/24/24 10:49	07/29/24 20:27	LXK	EPA 200.8 (DA)/EPA 200.8
Sample: 20-MCS-SINK/ROOM 150 Lims Reference ID: AC24095-22 Matrix: Drinking Water Sampled: 07/19/24 14:42:00									
Metals									
Lead	1.43		1	1.00	µg/L	07/24/24 10:49	07/29/24 20:32	LXK	EPA 200.8 (DA)/EPA 200.8
Sample: 21-MCS-SINK/ROOM 152 Lims Reference ID: AC24095-23 Matrix: Drinking Water Sampled: 07/19/24 14:44:00									
Metals									
Lead	ND		1	1.00	µg/L	07/24/24 10:49	07/29/24 20:34	LXK	EPA 200.8 (DA)/EPA 200.8
Sample: 22-MCS-SINK/ROOM 153 Lims Reference ID: AC24095-24 Matrix: Drinking Water Sampled: 07/19/24 14:47:00									
Metals									
Lead	ND		1	1.00	µg/L	07/24/24 10:49	07/29/24 20:36	LXK	EPA 200.8 (DA)/EPA 200.8
Sample: 23-MCS-WC/BACK HALLWAY RIGHT Lims Reference ID: AC24095-25 Matrix: Drinking Water Sampled: 07/19/24 14:50:00									
Metals									
Lead	2.48		1	1.00	µg/L	07/24/24 10:49	07/29/24 20:38	LXK	EPA 200.8 (DA)/EPA 200.8
Sample: 24-MCS-WC/BACK HALLWAY LEFT Lims Reference ID: AC24095-26 Matrix: Drinking Water Sampled: 07/19/24 14:51:00									
Metals									
Lead	5.13		1	1.00	µg/L	07/24/24 10:49	07/29/24 20:44	LXK	EPA 200.8 (DA)/EPA 200.8
Sample: 25-MCS-SINK/ROOM 154 Lims Reference ID: AC24095-27 Matrix: Drinking Water Sampled: 07/19/24 14:53:00									
Metals									
Lead	ND		1	1.00	µg/L	07/24/24 10:49	07/29/24 20:46	LXK	EPA 200.8 (DA)/EPA 200.8

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077
 Telephone: 856-858-4800 Fax:856-786-5974
 EMSL-CIN-01

EMSL Order ID: 012424095
LIMS Reference ID: AC24095
EMSL Customer ID: COAS80

Attention: Marylee Morinelli
 Coastal Environmental Compliance, LLC [COAS80]
 PO Box 167
 Hammonton, NJ 08037-0167
 (609) 685-9984
 coastalenvironmental@hotmail.com

Project Name: Swedesboro - Clifford School

Customer PO:
EMSL Sales Rep: Josh Silverman
Received: 07/19/2024 14:20
Reported: 08/02/2024 18:07

Analytical Results (Continued)

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
Sample: 26-MCS-SINK/ROOM 155 Lims Reference ID: AC24095-28 Matrix: Drinking Water Sampled: 07/19/24 15:00:00									
Metals									
Lead	ND		1	1.00	µg/L	07/24/24 10:49	07/29/24 20:48	LXK	EPA 200.8 (DA)/EPA 200.8
Sample: 27-MCS-SINK/ROOM 156 Lims Reference ID: AC24095-29 Matrix: Drinking Water Sampled: 07/19/24 15:01:00									
Metals									
Lead	ND		1	1.00	µg/L	07/24/24 10:49	07/29/24 20:50	LXK	EPA 200.8 (DA)/EPA 200.8
Sample: 28-MCS-SINK/ROOM 158 Lims Reference ID: AC24095-30 Matrix: Drinking Water Sampled: 07/19/24 15:02:00									
Metals									
Lead	3.74		1	1.00	µg/L	07/24/24 10:49	07/29/24 20:52	LXK	EPA 200.8 (DA)/EPA 200.8
Sample: 29-MCS-SINK/ROOM 157 Lims Reference ID: AC24095-31 Matrix: Drinking Water Sampled: 07/19/24 15:05:00									
Metals									
Lead	ND		1	1.00	µg/L	07/24/24 12:45	07/25/24 14:51	LXK	EPA 200.8 (DA)/EPA 200.8
Sample: 30-MCS-SINK/ROOM 159 Lims Reference ID: AC24095-32 Matrix: Drinking Water Sampled: 07/19/24 05:09:00									
Metals									
Lead	ND		1	1.00	µg/L	07/24/24 12:45	07/25/24 14:53	LXK	EPA 200.8 (DA)/EPA 200.8
Sample: 31-MCS-BLANK Lims Reference ID: AC24095-33 Matrix: Drinking Water Sampled: 07/19/24 00:00:00									
Metals									
Lead	ND		1	1.00	µg/L	07/24/24 12:45	07/25/24 14:55	LXK	EPA 200.8 (DA)/EPA 200.8

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077
 Telephone: 856-858-4800 Fax:856-786-5974
 EMSL-CIN-01

EMSL Order ID: 012424095
LIMS Reference ID: AC24095
EMSL Customer ID: COAS80

Attention: Marylee Morinelli
 Coastal Environmental Compliance, LLC [COAS80]
 PO Box 167
 Hammonton, NJ 08037-0167
 (609) 685-9984
 coastalenvironmental@hotmail.com

Project Name: Swedesboro - Clifford School

Customer PO:
EMSL Sales Rep: Josh Silverman
Received: 07/19/2024 14:20
Reported: 08/02/2024 18:07

Certified Analyses included in this Report

Analyte	Certifications
<i>EPA 200.8 in Drinking Water</i>	
Lead	NJDEP

List of Certifications

Code	Description	Number	Expires
MADEP	Massachusetts Department of Environmental Protection	M-NJ337	06/30/2024
California ELAP	California Water Boards	1877	06/30/2024
A2LA	A2LA Environmental Certificate	2845.01	07/31/2024
AIHA LAP	EMSL Analytical, Inc. Cinnaminson, NJ AIHA-LAP, LLC-ELLAP Accredited	100194	01/01/2025
NJDEP	New Jersey Department of Environmental Protection	03036	06/30/2024
PADEP	Pennsylvania Department of Environmental Protection	68-00367	11/30/2024
NYSDOH	New York State Department of Health	10872	04/01/2025
CTDPH	Connecticut Department of Public Health	PH-0270	06/23/2024

Please see the specific Field of Testing (FOT) on www.emsl.com <<http://www.emsl.com>> for a complete listing of parameters for which EMSL is certified.



EMSL Analytical, Inc.

200 Route 130, Cinnaminson, NJ, 08077
Telephone: 856-858-4800 Fax:856-786-5974
EMSL-CIN-01

EMSL Order ID: 012424095
LIMS Reference ID: AC24095
EMSL Customer ID: COAS80

Attention: Marylee Morinelli
Coastal Environmental Compliance, LLC [COAS80]
PO Box 167
Hammonton, NJ 08037-0167
(609) 685-9984
coastalenvironmental@hotmail.com

Project Name: Swedesboro - Clifford School

Customer PO:
EMSL Sales Rep: Josh Silverman
Received: 07/19/2024 14:20
Reported: 08/02/2024 18:07

Notes and Definitions

Item	Definition
(Dig)	For metals analysis, sample was digested.
[2C]	Reported from the second channel in dual column analysis.
DF	Dilution Factor
MDL	Method Detection Limit.
ND	Analyte was NOT DETECTED at or above the detection limit.
Q	Qualifier
RL	Reporting Limit
Wet	Sample is not dry weight corrected.

Measurement of uncertainty and any applicable definitions of method modifications are available upon request. Per EPA NLLAP policy, sample results are not blank corrected.

Owen McKenna Laboratory Manager or other approved signatory

EMSL maintains liability limited to cost of analysis. Interpretation and use of test results are the responsibility of the client. This report relates only to the samples reported above, and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. The report reflects the samples as received. Results are generated from the field sampling data (sampling volumes and areas, locations, etc.) provided by the client on the Chain of Custody. Samples are within quality control criteria and met method specifications unless otherwise noted.



EMSL ANALYTICAL, INC. LABORATORY • PRODUCTS • TRAINING

Lead Chain of Custody

EMSL Order Number / Lab Use Only

EMSL Analytical, Inc.

AC24095

Cinnaminson, NJ 08077
PHONE: 1-800-220-3675
EMAIL: c@emsl.com

Customer Information	Customer ID:	Billing ID:
	Company Name: Coastal Environmental Compliance, LLC	Company Name: Coastal Environmental Compliance, LLC
	Contact Name: Marylee Morinelli	Billing Contact: Marylee Morinelli
	Street Address: PO Box 167 721 Flittertown Road	Street Address: PO Box 167, 721 Flittertown Road
	City, State, Zip: Hammonton NJ 08037 Country: US	City, State, Zip: Hammonton NJ 08037 Country: US
	Phone: 6096859984	Phone: 6096859984
Email(s) for Report: coastalenvironmental@hotmail.com	Email(s) for Invoice:	

Project Name/No. Swedesboro -Clifford School		Purchase Order:
EMSL LIMS Project ID:	US State where samples collected: NJ	State of Connecticut (CT) must select project location: <input type="checkbox"/> Commercial (Taxable) <input type="checkbox"/> Residential (Non-Taxable)
Sampled By Name:	Sampled By Signature:	No. of Samples in Shipment

Turn-Around-Time (TAT)

3 Hour 6 Hour 24 Hour 32 Hour 48 Hour 72 Hour 96 Hour 1 Week 2 Week

Please call ahead for large projects and/or turnaround times 6 Hours or Less. *32 Hour TAT available for select tests only; samples must be submitted by 11:30am.

MATRIX	METHOD	INSTRUMENT	REPORTING LIMIT	SELECTION
CHIPS <input type="checkbox"/> % by wt. <input type="checkbox"/> ppm (mg/kg) <input type="checkbox"/> mg/cm ²	SW 846-7000B	Flame Atomic Absorption	0.008% (80ppm)	<input type="checkbox"/>
Reporting Limit based on a minimum 0.25g sample weight	SW 846-6010D	ICP-OES	0.0004% (4ppm)	<input type="checkbox"/>
AIR	NIOSH 7082	Flame Atomic Absorption	4µg/filter	<input type="checkbox"/>
	NIOSH 7300M / NIOSH 7303M	ICP-OES	0.5µg/filter	<input type="checkbox"/>
	NIOSH 7300M / NIOSH 7303M	ICP-MS	0.05µg/filter	<input type="checkbox"/>
WIPE <input type="checkbox"/> ASTM <input type="checkbox"/> NON-ASTM	SW 846-7000B	Flame Atomic Absorption	10µg/wipe	<input type="checkbox"/>
If no box is checked, non-ASTM Wipe is assumed	SW 846-6010D	ICP-OES	1.0µg/wipe	<input type="checkbox"/>
TCLP	SW 846-1311 / 7000B / SM 3111B	Flame Atomic Absorption	0.4 mg/L (ppm)	<input type="checkbox"/>
	SW 846-1311 / SW 846-6010D*	ICP-OES	0.1 mg/L (ppm)	<input type="checkbox"/>
SPLP	SW 846-1312 / 7000B / SM 3111B	Flame Atomic Absorption	0.4 mg/L (ppm)	<input type="checkbox"/>
	SW 846-1312 / SW 846-6010D*	ICP-OES	0.1 mg/L (ppm)	<input type="checkbox"/>
TTLC	22 CCR App. II, 7000B	Flame Atomic Absorption	40mg/kg (ppm)	<input type="checkbox"/>
	22 CCR App. II, SW 846-6010D*	ICP-OES	2mg/kg (ppm)	<input type="checkbox"/>
STLC	22 CCR App. II, 7000B	Flame Atomic Absorption	0.4 mg/L (ppm)	<input type="checkbox"/>
	22 CCR App. II, SW 846-6010D*	ICP-OES	0.1 mg/L (ppm)	<input type="checkbox"/>
Soil	SW 846-7000B	Flame Atomic Absorption	40mg/kg (ppm)	<input type="checkbox"/>
	SW 846-6010D*	ICP-OES	2mg/kg (ppm)	<input type="checkbox"/>
	SM 3111B / SW 846-7000B	Flame Atomic Absorption	0.4 mg/L (ppm)	<input type="checkbox"/>
Wastewater Unpreserved <input type="checkbox"/> Preserved with HNO ₃ <input type="checkbox"/> PH<2	EPA 200.7	ICP-OES	0.020 mg/L (ppm)	<input type="checkbox"/>
Drinking Water Unpreserved <input checked="" type="checkbox"/> Preserved with HNO ₃ <input type="checkbox"/> PH<2	EPA 200.5	ICP-OES	0.003 mg/L (ppm)	<input type="checkbox"/>
	EPA 200.8	ICP-MS	0.001 mg/L (ppm)	<input checked="" type="checkbox"/>
TSP/SPM Filter	40 CFR Part 50	ICP-OES	12 µg/filter	<input type="checkbox"/>
Other:				<input type="checkbox"/>

Sample Number	Sample Location	Volume / Area	Date / Time Sampled
1-MCS-FP-KITCHEN- BY KITCHEN OFFICE	KITCHEN by Kitchen Office		7/19/24 2:00pm
2-MCS-FP-KITCHEN- ISLAND	KITCHEN ISLAND		7/19/24 2:01pm
3-MCS-KITCHEN-BY WALK-IN	KITCHEN By walk-in		7/19/24 2:02pm
3A-MCS-KITCHEN-POT FILLER	KITCHEN		7/19/24 2:04pm
3B-MCS-KITCHEN STEAMER	KITCHEN STEAMER		7/19/24 2:05pm

Method of Shipment: *Had written*

Sample Condition Upon Receipt:

Relinquished by: *[Signature]* Date/Time: *7/19/24*

Received by: *[Signature]* Date/Time: *7/19/24 2:40pm*

Controlled Document - COC-25 Lead R16 4/19/2021

*6010C Available Upon Request

AGREE TO ELECTRONIC SIGNATURE (By checking, I consent to signing this Chain of Custody document by electronic signature.)

EMSL Analytical, Inc.'s Laboratory Terms and Conditions are incorporated into this Chain of Custody by reference in their entirety. Submission of samples to EMSL Analytical, Inc. constitutes acceptance and acknowledgment of all terms and conditions by Customer.

*HNO₃ added
7/22/24 @ 14:15 KW*

33



EMSL ANALYTICAL, INC.
LABORATORY • PRODUCTS • TRAINING

Lead Chain of Custody

EMSL Order Number / Lab Use Only

AC24095

EMSL Analytical, Inc.

Cinnaminson, NJ 08077
PHONE: 1-800-220-3675
EMAIL: c@emsl.com

Additional Pages of the Chain of Custody are only necessary if needed for additional sample information

Special Instructions and/or Regulatory Requirements (Sample Specifications, Processing Methods, Limits of Detection, etc.)

Sample Number	Sample Location	Volume / Area	Date / Time Sampled
4-MCS-SINK-FACULTY LOUNGE RM 137	FACULTY LOUNGE RM. 137		7/19/24 2:06pm
5-MCS-SINK-RM. 135	ROOM 135		7/19/24 2:07pm
6-MCS-SINK-RM. 133	ROOM 133		7/19/24 2:10pm
7-MCS-SINK-RM. 131	ROOM 131		7/19/24 2:12pm
8-MC-BF-MAIN HALL-R	MAIN HALLWAY RIGHT		7/19/24 2:15pm
9-MCS-WC- MAIN HALL -C	MAIN HALLWAY CENTER		7/19/24 2:17pm
10-MCS-DF-MAIN HALL -L	MAIN HALLWAY LEFT		7/19/24 2:20pm
11-MCS-NS-NURSE BATH	NURSE OFFICE BATH		7/19/24 2:22pm
12-MCS-NURSE SINK	NURSE OFFICE SINK		7/19/24 2:24pm
13-MCS-SINK-116	ROOM 116		7/19/24 2:26pm
14-MCS-SINK-118	ROOM 118		7/19/24 2:30pm
15-MCS-SINK-119	ROOM 119		7/19/24 2:32pm
16-MCS-SINK-123	ROOM 123		7/19/24 2:33pm
17-MCS-SINK-121	ROOM 121		7/19/24 2:35pm
18-MCS-SINK-125	ROOM 125		7/19/24 2:37pm
19-MCS-SINK-151	ROOM 151		7/19/24 2:40pm
20-MCS-SINK-150	ROOM 150		7/19/24 2:42pm
21-MCS-SINK-152	ROOM 152		7/19/24 2:44pm
22-MCS-SINK-153	ROOM 153		7/19/24 2:47pm
23-MCS-WC-BACK HALLWAY-R	BACK HALLWAY RIGHT		7/19/24 2:50pm
24-MCS-WC-BACK HALLWAY-L	BACK HALLWAY LEFT		7/19/24 2:51pm
25-MCS-SINK-RM.154	ROOM 154		7/19/24 2:53pm
26-MCS-SINK-RM.155	ROOM 155		7/19/24 3:00pm
27-MCS-SINK-RM.156	ROOM 156		7/19/24 3:01pm
28-MCS-SINK-RM.158	ROOM 158		7/19/24 3:02pm
Method of Shipment:		Sample Condition Upon Receipt:	
Relinquished by:	Date/Time:	Received by: <i>J. Donnelly</i>	Date/Time: 7/19/24 2:40pm
Relinquished by:	Date/Time:	Received by:	Date/Time:

Controlled Document - COC-25 Lead R16 4/19/2021

AGREE TO ELECTRONIC SIGNATURE (By checking, I consent to signing this Chain of Custody document by electronic signature.)

EMSL Analytical, Inc.'s Laboratory Terms and Conditions are incorporated into this Chain of Custody by reference in their entirety. Submission of samples to EMSL Analytical, Inc. constitutes acceptance and acknowledgment of all terms and conditions by Customer.

*HNO3 added
7/22/24 @14:15 KCD* Page 2 of 2

AC 24095

07/16/2022 03 18 23 32 57 21
 Power Play : 2
 Annuity Payout : \$ 0
 02 19 32 36 56 05 (Double Play)

07/13/2022 22 23 36 47 63 02
 Power Play : 2
 Annuity Payout : \$ 0
 14 17 21 32 37 08 (Double Play)

07/11/2022 04 26 34 37 52 09
 Power Play : 2
 Annuity Payout : \$ 0
 16 25 38 62 67 05 (Double Play)

07/09/2022 14 22 42 46 52 24
 Power Play : 3
 Annuity Payout : \$ 0
 14 23 24 57 65 18 (Double Play)

07/06/2022 32 36 49 62 69 13
 Power Play : 2
 Annuity Payout : \$ 0

AC24095

08/27/2022 02 18 56 60 65 14
Power Play : 3
Annuity Payout : \$ 0

08/24/2022 16 18 43 49 51 06 (Double Play)
06 24 35 37 44 22
Power Play : 4
Annuity Payout : \$ 0

08/22/2022 14 30 38 52 62 24 (Double Play)
12 27 34 55 67 09
Power Play : 2
Annuity Payout : \$ 0

08/20/2022 42 50 59 61 64 21 (Double Play)
05 09 11 16 66 07
Power Play : 2
Annuity Payout : \$ 0

08/17/2022 14 19 36 39 65 25 (Double Play)
23 28 41 50 55 24
Power Play : 2
Annuity Payout : \$ 0

AC24095

04 26 28 29 42 10 (Double Play)

09/05/2022

04 07 32 55 64 25

Power Play :

2

Annuity Payout :

\$ 0

10 31 48 50 68 07 (Double Play)

09/03/2022

18 27 49 65 69 09

Power Play :

2

Annuity Payout :

\$ 0

04 09 15 33 46 21 (Double Play)

08/31/2022

07 08 19 24 28 01

Power Play :

2

Annuity Payout :

\$ 0

07 15 21 41 56 16 (Double Play)

08/29/2022

13 36 43 61 69 18

Power Play :

3

Annuity Payout :

\$ 0

25 27 51 52 58 01 (Double Play)