

Head Lice (Pediculosis)



Patient and Family Education

This teaching sheet contains general information only. Talk with your child's doctor or a member of your child's healthcare team about specific care of your child.

What are head lice?

Lice are small, wingless, gray insects about the size of a sesame seed. Lice lay tiny white eggs called nits that may also be seen in the hair. Head lice only live on humans. Anyone can get them, even with good health habits and hair washing. Head lice can be spread from one person to another by close contact or by sharing personal items. They do not cause serious illness.

What are the possible symptoms?

Your child may not have any symptoms or he may have one or more of these symptoms:

- Tiny gray bugs in the hair
- Nits attached to the hair
- Itchy scalp
- Scalp rash

What is the treatment?

Some general treatment guidelines to follow at home include:

- You do not need to shave your child's hair. **NEVER** use kerosene, matches or other harmful products to kill lice.
- For preschool age children, check with your child's doctor about what to use. Some lice treatments can be harmful to young children. Check the label for age limits.

Shampoo and rinse treatment

- Inspect your child's scalp and hair well for lice and nits. Check the hair in a room that has good light and use a magnifying glass if needed.
- Shampoo, rinse and towel dry your child's hair. Do not use cream rinse or oils.
- Then, shampoo or rinse your child's hair with a special anti-lice shampoo or hair rinse. A hair rinse that contains permethrin, called Nix, usually works well. Follow the directions on the label or your doctor's advice for using.
 - Wash your child's hair over a sink. This will help decrease the chance of pesticides (chemicals that kill insects) getting on the rest of your child's body.
 - Do not use regular shampoo, creams or oils on the hair for 2-3 days. They may interfere with the action of the anti-lice shampoo or rinse. Repeat the treatment with the shampoo or rinse in 6-10 days if needed.
 - Protect your child's eyes. **DO NOT** use the anti-lice shampoo or rinse near the eyes or on the eyelashes.
 - Inspect the hair and scalp of other people living in the same house as the child. If lice or nits are seen, they should also be treated.

In case of an urgent concern or emergency, call 911 or go to the nearest emergency department right away.

Head Lice, continued

Wet combing treatment

- Shampoo, rinse and towel dry your child's hair.
- Comb through your child's hair with a metal fine-tooth comb, such as the LiceMeister. Plastic nit combs do not work well.
- The comb works best with wet hair.
- Hair conditioner, olive oil or vinegar may help the comb go through the hair more easily.
- Repeat the combing every day for 3-4 days as needed until no live lice or nits are found.

How do I help prevent my child from getting head lice again?

Clean any lice or nits from your home and child's things:

- Vacuum carpets and upholstery in your home and car. Place the vacuum bag in a plastic bag and throw it away.
- Soak combs and brushes for one hour in the lice shampoo.
- Wash all of your child's bed linens and any clothes he has worn in hot water and dry on high heat.
- Dry clean items that cannot be washed such as coats, stuffed toys and sleeping bags. Or, you may place items in a sealed plastic bag for two weeks.
- Teach your child not to share items such as combs, brushes, coats, scarves, hats, towels, hair ribbons and barrettes.
- Check everyone who lives in your home for lice and nits -- both adults and children.

When can my child return to daycare and school?

1. Check with your child's school about their policy for lice.
2. In general, your child may return to school or daycare after:
 - One shampoo treatment if all live lice are gone.
 - All live lice are removed by wet combing.

When should I call the doctor?

Call your child's doctor if:

- Itching prevents sleep.
- The scalp rash clears, then returns.
- The scalp rash lasts more than one week.
- Living lice or eggs appear in the hair after adequate treatment is done as listed above.
- If sores or bleeding occur.
- You see signs of infection in the scalp or on the skin such as:
 - Increased swelling
 - Increased redness
 - Increased pain
 - Drainage
 - Bad smell from sores
 - Fever (temperature over 100.3°F).
- You have any questions or concerns about how your child looks or feels.

If lice return:

- Check other family members and items in your home for lice.
- Call the doctor.

In case of an urgent concern or emergency, call 911 or go to the nearest emergency department right away.

TIPS FOR HEAD LICE TREATMENT

KITS CAN BE PURCHASED AT WAL-MART / CVS / OTHER DRUG STORES

FOLLOW LABEL DIRECTIONS

WASH ALL BEDDING AND PILLOWS IN HOT WATER AND ALLOW TO DRY IN DRYER FOR 30 MINUTES

ALL DECORATIVE PILLOWS / STUFFED TOYS SHOULD BE PLACED IN A BLACK TRASH BAG AND LEFT SEALED FOR 10 DAYS BEFORE REMOVING

CLEAN BEDROOM – VACUUM

VACUUM COUCHES AND ALL OTHER AREAS OF THE HOUSE

CHECK ALL OTHER PERSONS WHO LIVE IN YOUR HOME OR THE HOME OF ANY OTHER PEOPLE WHO HAVE HAD CONTACT WITH THE STUDENT

STUDENT MUST BE LICE AND NIT FREE BEFORE RETURNING TO SCHOOL

PARENT MUST BRING STUDENT TO FRONT DESK FOR RE-EXAM WHEN RETURNING TO SCHOOL THE FIRST TIME AFTER TREATMENT

You can reuse your combs and brushes after a lice infestation. There is no need to buy new combs or brushes after a lice infestation as long as you treat them before reuse.

There are several ways to make them safe again for reuse. You can choose which way works best for you and your family.

- Dishwasher- Remove all hair from your combs and brushes and put them in the top rack of your dishwasher. A normal cycle with hot water will do the trick. Shy away from using a sanitary cycle-some brushes or combs could melt.
- Boiled water- Remove all hair from your brushes and combs. Using a very large pot bring water to a rapid boil. Do not place your combs or brushes into the pot while boiling the water as they can melt. Place your combs and brushes into a large casserole dish and then cover them with the hot water. Combs and brushes will be safe for reuse as soon as 5 minutes but you can leave them in the water overnight.
- Alcohol- Remove all hair from your brushes and combs. Submerge combs and brushes in rubbing alcohol overnight. Rinse them out and then they are good to go.

Thank you for your help treating this!

NHE Clinic

For more information, visit the Clinic Corner Site on the New Hope Elementary Web Page:

<http://schoolwires.henry.k12.ga.us/nhe>