



EMSL Analytical, Inc.

200 Route 130 North, Cinnaminson, NJ 08077

Phone: (856) 303-2500 Fax: (856) 858-4571 Email: EnvChemistry2@emsl.com

Attn:

**Mike Tomczak
Amherst CSD
55 Kings Hwy
Amherst, NY 14226**

12/13/2016

Phone: (716) 362-8355

Fax: (716) 836-4972

The following analytical report covers the analysis performed on samples submitted to EMSL Analytical, Inc. on 11/3/2016. The results are tabulated on the attached data pages for the following client designated project:

**Project ID: PO Box 17-00954 NY State Component School Dist.
AMHERST MIDDLE SCHOOL**

The reference number for these samples is EMSL Order #011607415. Please use this reference when calling about these samples. If you have any questions, please do not hesitate to contact me at (856) 303-2500.

Approved By:

Phillip Worby, Chemistry Laboratory Manager



The test results contained within this report meet the requirements of NELAP and/or the specific certification program that is applicable, unless otherwise noted.

NELAP Certifications: NJ 03036, NY 10872, PA 68-00367, CA ELAP 187

The samples associated with this report were received in good condition unless otherwise noted. This report relates only to those items tested as received by the laboratory. The QC data associated with the sample results meet the recovery and precision requirements established by the NELAP, unless specifically indicated. All results for soil samples are reported on a dry weight basis, unless otherwise noted. This report may not be reproduced except in full and without written approval by EMSL Analytical, Inc.

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077

Phone/Fax: (856) 303-2500 / (856) 858-4571

<http://www.EMSL.com>EnvChemistry2@emsl.com

EMSL Order: 011607415
 CustomerID: AMHE50
 CustomerPO: 17-00954
 ProjectID: PO Box 17-00954

Attn: **Mike Tomczak**
Amherst CSD
55 Kings Hwy
Amherst, NY 14226

Phone: (716) 362-8355
 Fax: (716) 836-4972
 Received: 11/03/16 9:30 AM

Project: **AMHERST MIDDLE SCHOOL****Analytical Results**

Client Sample Description 1-AMS-BOYS SOUTH GYM LOCKER ROOM **Collected:** 10/2/2016 **Lab ID:** 0001

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	4.66	1.00	µg/L	12/5/2016	CB	12/6/2016	EG

Client Sample Description 2-AMS-BOYS SOUTH GYM HALLWAY TO LOCKER ROOM **Collected:** 10/2/2016 **Lab ID:** 0002

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	5.31	1.00	µg/L	12/5/2016	CB	12/6/2016	EG

Client Sample Description 3-AMS-SOUTH GYM BOYS COACHES OFFICE **Collected:** 10/2/2016 **Lab ID:** 0003

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	16.7	1.00	µg/L	12/5/2016	CB	12/6/2016	EG

Client Sample Description 4-AMS-GIRLS SOUTH GYM LOCKER **Collected:** 10/2/2016 **Lab ID:** 0004

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	3.03	1.00	µg/L	12/5/2016	CB	12/6/2016	EG

Client Sample Description 5-AMS-GIRLS SOUTH GYM HALLWAY TO LOCKER ROOM **Collected:** 10/2/2016 **Lab ID:** 0005

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	11.1	1.00	µg/L	12/5/2016	CB	12/6/2016	EG

Client Sample Description 6-AMS-SOUTH GYM GIRLS COACHES OFFICE **Collected:** 10/2/2016 **Lab ID:** 0006

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	12.5	1.00	µg/L	12/5/2016	CB	12/6/2016	EG

Client Sample Description 7-AMS-126-128 TEACHERS OFFICE **Collected:** 10/2/2016 **Lab ID:** 0007

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	10.1	1.00	µg/L	12/5/2016	CB	12/6/2016	EG

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077

Phone/Fax: (856) 303-2500 / (856) 858-4571

<http://www.EMSL.com>EnvChemistry2@emsl.com

EMSL Order: 011607415
 CustomerID: AMHE50
 CustomerPO: 17-00954
 ProjectID: PO Box 17-00954

Attn: **Mike Tomczak**
Amherst CSD
55 Kings Hwy
Amherst, NY 14226

Phone: (716) 362-8355
 Fax: (716) 836-4972
 Received: 11/03/16 9:30 AM

Project: **AMHERST MIDDLE SCHOOL****Analytical Results**

Client Sample Description 8-AMS-TRANSGENDER LEFT MUSIC WING **Collected:** 10/2/2016 **Lab ID:** 0008

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	5.18	1.00	µg/L	12/5/2016	CB	12/6/2016	EG

Client Sample Description 9-AMS-TRANSGENDER LEFT MUSIC WING **Collected:** 10/2/2016 **Lab ID:** 0009

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	2.96	1.00	µg/L	12/5/2016	CB	12/6/2016	EG

Client Sample Description 10-AMS-MUSIC WING HALL **Collected:** 10/2/2016 **Lab ID:** 0010

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	2.68	1.00	µg/L	12/5/2016	CB	12/6/2016	EG

Client Sample Description 11-AMS-TRANSGENDER RIGHT MUSIC WING **Collected:** 10/2/2016 **Lab ID:** 0011

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	3.38	1.00	µg/L	12/5/2016	CB	12/6/2016	EG

Client Sample Description 12-AMS-ROOM 134 **Collected:** 10/2/2016 **Lab ID:** 0012

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	28.6	1.00	µg/L	12/5/2016	CB	12/6/2016	EG

Client Sample Description 13-AMS-ROOM 132 **Collected:** 10/2/2016 **Lab ID:** 0013

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	66.3	1.00	µg/L	12/5/2016	CB	12/6/2016	EG

Client Sample Description 14-AMS-ROOM 130 **Collected:** 10/2/2016 **Lab ID:** 0014

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	15.0	1.00	µg/L	12/5/2016	CB	12/6/2016	EG

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077

Phone/Fax: (856) 303-2500 / (856) 858-4571

<http://www.EMSL.com>EnvChemistry2@emsl.com

EMSL Order: 011607415
 CustomerID: AMHE50
 CustomerPO: 17-00954
 ProjectID: PO Box 17-00954

Attn: **Mike Tomczak**
Amherst CSD
55 Kings Hwy
Amherst, NY 14226

Phone: (716) 362-8355
 Fax: (716) 836-4972
 Received: 11/03/16 9:30 AM

Project: **AMHERST MIDDLE SCHOOL****Analytical Results**

Client Sample Description 15-AMS-ROOM 124 **Collected:** 10/2/2016 **Lab ID:** 0015

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	53.6	1.00	µg/L	12/5/2016	CB	12/6/2016	EG

Client Sample Description 16-AMS-RAMP BETWEEN N GYM HALL AND MUSIC WING **Collected:** 10/2/2016 **Lab ID:** 0016

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	1.16	1.00	µg/L	12/5/2016	CB	12/6/2016	EG

Client Sample Description 17-AMS-NORTH GYM BOYS LOCKER ROOM **Collected:** 10/2/2016 **Lab ID:** 0017

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	8.17	1.00	µg/L	12/5/2016	CB	12/6/2016	EG

Client Sample Description 18-AMS-BOYS NORTH GYM COACHES OFFICE **Collected:** 10/2/2016 **Lab ID:** 0018

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	21.6	1.00	µg/L	12/5/2016	CB	12/6/2016	EG

Client Sample Description 19-AMS-NORTH GYM GIRLS LOCKER ROOM **Collected:** 10/2/2016 **Lab ID:** 0019

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	9.45	1.00	µg/L	12/5/2016	CB	12/6/2016	EG

Client Sample Description 20-AMS-NORTH GYM GIRLS LOCKER ROOM **Collected:** 10/2/2016 **Lab ID:** 0020

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	7.48	1.00	µg/L	12/5/2016	CB	12/6/2016	EG

Client Sample Description 21-AMS-GIRLS NORTH GYM COACHES OFFICE **Collected:** 10/2/2016 **Lab ID:** 0021

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	17.2	1.00	µg/L	12/4/2016	JS	12/7/2016	JS

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077

Phone/Fax: (856) 303-2500 / (856) 858-4571

<http://www.EMSL.com>EnvChemistry2@emsl.com

EMSL Order:	011607415
CustomerID:	AMHE50
CustomerPO:	17-00954
ProjectID:	PO Box 17-00954

Attn: **Mike Tomczak**
Amherst CSD
55 Kings Hwy
Amherst, NY 14226

Phone: (716) 362-8355
 Fax: (716) 836-4972
 Received: 11/03/16 9:30 AM

Project: **AMHERST MIDDLE SCHOOL****Analytical Results**

Client Sample Description 22-AMS-BOYS POOL LOCKER ROOM **Collected:** 10/2/2016 **Lab ID:** 0022

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	14.5	1.00	µg/L	12/4/2016	JS	12/7/2016	JS

Client Sample Description 23-AMS-BOYS POOL LOCKER ROOM **Collected:** 10/2/2016 **Lab ID:** 0023

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	9.06	1.00	µg/L	12/4/2016	JS	12/7/2016	JS

Client Sample Description 24-AMS-BOYS POOL LOCKER ROOM **Collected:** 10/2/2016 **Lab ID:** 0024

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	3.21	1.00	µg/L	12/4/2016	JS	12/7/2016	JS

Client Sample Description 25-AMS-GIRLS POOL LOCKER ROOM **Collected:** 10/2/2016 **Lab ID:** 0025

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	3.96	1.00	µg/L	12/4/2016	JS	12/7/2016	JS

Client Sample Description 26-AMS-GIRLS POOL LOCKER ROOM **Collected:** 10/2/2016 **Lab ID:** 0026

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	11.4	1.00	µg/L	12/4/2016	JS	12/7/2016	JS

Client Sample Description 27-AMS-GIRLS POOL LOCKER ROOM **Collected:** 10/2/2016 **Lab ID:** 0027

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	1.02	1.00	µg/L	12/4/2016	JS	12/7/2016	JS

Client Sample Description 28-AMS-POOL COACHES OFFICE **Collected:** 10/2/2016 **Lab ID:** 0028

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	8.65	1.00	µg/L	12/4/2016	JS	12/7/2016	JS

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077

Phone/Fax: (856) 303-2500 / (856) 858-4571

<http://www.EMSL.com>EnvChemistry2@emsl.com

EMSL Order: 011607415
 CustomerID: AMHE50
 CustomerPO: 17-00954
 ProjectID: PO Box 17-00954

Attn: **Mike Tomczak**
Amherst CSD
55 Kings Hwy
Amherst, NY 14226

Phone: (716) 362-8355
 Fax: (716) 836-4972
 Received: 11/03/16 9:30 AM

Project: **AMHERST MIDDLE SCHOOL****Analytical Results****Client Sample Description** 29-AMS-ROOM 114**Collected:** 10/2/2016 **Lab ID:** 0029

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	10.3	1.00	µg/L	12/4/2016	JS	12/7/2016	JS

Client Sample Description 30-AMS-ROOM 112**Collected:** 10/2/2016 **Lab ID:** 0030

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	10.3	1.00	µg/L	12/4/2016	JS	12/7/2016	JS

Client Sample Description 31-AMS-HALLWAY NEXT TO 112**Collected:** 10/2/2016 **Lab ID:** 0031

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	5.06	1.00	µg/L	12/4/2016	JS	12/4/2016	JS

Client Sample Description 32-AMS-ROOM 110**Collected:** 10/2/2016 **Lab ID:** 0032

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	14.1	1.00	µg/L	12/4/2016	JS	12/4/2016	JS

Client Sample Description 33-AMS-GIRLS MAIN HALL BATHROOM
RIGHT SINK**Collected:** 10/2/2016 **Lab ID:** 0033

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	3.11	1.00	µg/L	12/4/2016	JS	12/4/2016	JS

Client Sample Description 34-AMS-GIRLS MAIN HALL BATHROOM
LEFT SINK**Collected:** 10/2/2016 **Lab ID:** 0034

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	3.86	1.00	µg/L	12/4/2016	JS	12/4/2016	JS

Client Sample Description 35-AMS-HALLWAY NEXT TO 109**Collected:** 10/2/2016 **Lab ID:** 0035

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	3.18	1.00	µg/L	12/4/2016	JS	12/4/2016	JS

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077

Phone/Fax: (856) 303-2500 / (856) 858-4571

<http://www.EMSL.com>EnvChemistry2@emsl.com

EMSL Order: 011607415
 CustomerID: AMHE50
 CustomerPO: 17-00954
 ProjectID: PO Box 17-00954

Attn: **Mike Tomczak**
Amherst CSD
55 Kings Hwy
Amherst, NY 14226

Phone: (716) 362-8355
 Fax: (716) 836-4972
 Received: 11/03/16 9:30 AM

Project: **AMHERST MIDDLE SCHOOL****Analytical Results**

Client Sample Description 36-AMS-BOYS MAIN HALL BATHROOM
 RIGHT SINK **Collected:** 10/2/2016 **Lab ID:** 0036

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	5.67	1.00	µg/L	12/4/2016	JS	12/4/2016	JS

Client Sample Description 37-AMS-BOYS MAIN HALL BATHROOM
 LEFT SINK **Collected:** 10/2/2016 **Lab ID:** 0037

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	4.36	1.00	µg/L	12/4/2016	JS	12/4/2016	JS

Client Sample Description 38-AMS-ROOM 102 EAST **Collected:** 10/2/2016 **Lab ID:** 0038

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	10.3	1.00	µg/L	12/4/2016	JS	12/4/2016	JS

Client Sample Description 39-AMS-ROOM 102 WEST **Collected:** 10/2/2016 **Lab ID:** 0039

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	6.58	1.00	µg/L	12/4/2016	JS	12/4/2016	JS

Client Sample Description 40-AMS-ROOM 102 BATHROOM **Collected:** 10/2/2016 **Lab ID:** 0040

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	1.34	1.00	µg/L	12/4/2016	JS	12/4/2016	JS

Client Sample Description 41-AMS-PRINCIPAL OFFICE **Collected:** 10/2/2016 **Lab ID:** 0041

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	3.71	3.00	µg/L	12/4/2016	JS	12/7/2016	JS

Client Sample Description 42-AMS-MAIN OFFICE **Collected:** 10/2/2016 **Lab ID:** 0042

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	9.21	1.00	µg/L	12/4/2016	JS	12/4/2016	JS

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077

Phone/Fax: (856) 303-2500 / (856) 858-4571

<http://www.EMSL.com>EnvChemistry2@emsl.com

EMSL Order: 011607415
 CustomerID: AMHE50
 CustomerPO: 17-00954
 ProjectID: PO Box 17-00954

Attn: **Mike Tomczak**
Amherst CSD
55 Kings Hwy
Amherst, NY 14226

Phone: (716) 362-8355
 Fax: (716) 836-4972
 Received: 11/03/16 9:30 AM

Project: **AMHERST MIDDLE SCHOOL****Analytical Results**

Client Sample Description 43-AMS-CUSTODIAL OFFICE **Collected:** 10/2/2016 **Lab ID:** 0043

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	1.08	1.00	µg/L	12/4/2016	JS	12/4/2016	JS

Client Sample Description 44-AMS-FACULTY DINING ROOM **Collected:** 10/2/2016 **Lab ID:** 0044

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	1.66	1.00	µg/L	12/4/2016	JS	12/4/2016	JS

Client Sample Description 45-AMS-FACULTY MEN'S ROOM **Collected:** 10/2/2016 **Lab ID:** 0045

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	2.81	1.00	µg/L	12/4/2016	JS	12/4/2016	JS

Client Sample Description 46-AMS-FACULTY LADIES ROOM **Collected:** 10/2/2016 **Lab ID:** 0046

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	2.25	1.00	µg/L	12/4/2016	JS	12/4/2016	JS

Client Sample Description 47-AMS-HALLWAY ACROSS FROM 119 **Collected:** 10/2/2016 **Lab ID:** 0047

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	8.16	1.00	µg/L	12/4/2016	JS	12/4/2016	JS

Client Sample Description 48-AMS-BOYS BATHROOM FROM LEFT A **Collected:** 10/2/2016 **Lab ID:** 0048

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	7.77	1.00	µg/L	12/4/2016	JS	12/4/2016	JS

Client Sample Description 49-AMS-BOYS BATHROOM FROM LEFT B **Collected:** 10/2/2016 **Lab ID:** 0049

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	8.68	1.00	µg/L	12/4/2016	JS	12/4/2016	JS

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077

Phone/Fax: (856) 303-2500 / (856) 858-4571

<http://www.EMSL.com>EnvChemistry2@emsl.com

EMSL Order: 011607415
 CustomerID: AMHE50
 CustomerPO: 17-00954
 ProjectID: PO Box 17-00954

Attn: **Mike Tomczak**
Amherst CSD
55 Kings Hwy
Amherst, NY 14226

Phone: (716) 362-8355
 Fax: (716) 836-4972
 Received: 11/03/16 9:30 AM

Project: **AMHERST MIDDLE SCHOOL****Analytical Results**

Client Sample Description 50-AMS-BOYS BATHROOM FROM LEFT C **Collected:** 10/2/2016 **Lab ID:** 0050

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	7.45	1.00	µg/L	12/4/2016	JS	12/4/2016	JS

Client Sample Description 51-AMS-BOYS BATHROOM FROM LEFT D **Collected:** 10/2/2016 **Lab ID:** 0051

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	7.24	1.00	µg/L	12/4/2016	JS	12/4/2016	JS

Client Sample Description 52-AMS-BOYS BATHROOM FROM LEFT E **Collected:** 10/2/2016 **Lab ID:** 0052

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	16.1	1.00	µg/L	12/4/2016	JS	12/4/2016	JS

Client Sample Description 53-AMS-GIRLS BATHROOM FROM LEFT A **Collected:** 10/2/2016 **Lab ID:** 0053

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	34.8	1.00	µg/L	12/4/2016	JS	12/4/2016	JS

Client Sample Description 54-AMS-GIRLS BATHROOM FROM LEFT B **Collected:** 10/2/2016 **Lab ID:** 0054

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	11.7	1.00	µg/L	12/4/2016	JS	12/4/2016	JS

Client Sample Description 55-AMS-GIRLS BATHROOM FROM LEFT C **Collected:** 10/2/2016 **Lab ID:** 0055

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	8.88	1.00	µg/L	12/4/2016	JS	12/4/2016	JS

Client Sample Description 56-AMS-GIRLS BATHROOM FROM LEFT D **Collected:** 10/2/2016 **Lab ID:** 0056

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	6.05	1.00	µg/L	12/4/2016	JS	12/4/2016	JS

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077

Phone/Fax: (856) 303-2500 / (856) 858-4571

<http://www.EMSL.com>EnvChemistry2@emsl.com

EMSL Order: 011607415
 CustomerID: AMHE50
 CustomerPO: 17-00954
 ProjectID: PO Box 17-00954

Attn: **Mike Tomczak**
Amherst CSD
55 Kings Hwy
Amherst, NY 14226

Phone: (716) 362-8355
 Fax: (716) 836-4972
 Received: 11/03/16 9:30 AM

Project: **AMHERST MIDDLE SCHOOL****Analytical Results**

Client Sample Description 57-AMS-GIRLS BATHROOM FROM LEFT E **Collected:** 10/2/2016 **Lab ID:** 0057

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	9.09	1.00	µg/L	12/4/2016	JS	12/4/2016	JS

Client Sample Description 58-AMS-ROOM 115 RIGHT **Collected:** 10/2/2016 **Lab ID:** 0058

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	22.3	1.00	µg/L	12/4/2016	JS	12/4/2016	JS

Client Sample Description 59-AMS-ROOM 115 LEFT **Collected:** 10/2/2016 **Lab ID:** 0059

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	12.4	1.00	µg/L	12/4/2016	JS	12/4/2016	JS

Client Sample Description 60-AMS-ROOM 111 RIGHT **Collected:** 10/2/2016 **Lab ID:** 0060

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	16.0	1.00	µg/L	12/4/2016	JS	12/4/2016	JS

Client Sample Description 61-AMS-ROOM 111 LEFT **Collected:** 10/2/2016 **Lab ID:** 0061

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	27.6	1.00	µg/L	12/5/2016	CB	12/9/2016	EG

Client Sample Description 62-AMS-113 HALLWAY **Collected:** 10/2/2016 **Lab ID:** 0062

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	6.28	1.00	µg/L	12/5/2016	CB	12/9/2016	EG

Client Sample Description 63-AMS-123 HALLWAY **Collected:** 10/2/2016 **Lab ID:** 0063

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	3.68	1.00	µg/L	12/5/2016	CB	12/9/2016	EG

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077

Phone/Fax: (856) 303-2500 / (856) 858-4571

<http://www.EMSL.com>EnvChemistry2@emsl.com

EMSL Order: 011607415
CustomerID: AMHE50
CustomerPO: 17-00954
ProjectID: PO Box 17-00954

Attn: **Mike Tomczak**
Amherst CSD
55 Kings Hwy
Amherst, NY 14226

Phone: (716) 362-8355
Fax: (716) 836-4972
Received: 11/03/16 9:30 AM

Project: **AMHERST MIDDLE SCHOOL****Analytical Results**

Client Sample Description 64-AMS-127 HALLWAY **Collected:** 10/2/2016 **Lab ID:** 0064

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	7.05	1.00	µg/L	12/5/2016	CB	12/9/2016	EG

Client Sample Description 65-AMS-137 HALLWAY **Collected:** 10/2/2016 **Lab ID:** 0065

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	4.39	1.00	µg/L	12/5/2016	CB	12/9/2016	EG

Client Sample Description 66-AMS-GIRLS BATHROOM FROM LEFT A **Collected:** 10/2/2016 **Lab ID:** 0066

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	3.86	1.00	µg/L	12/5/2016	CB	12/9/2016	EG

Client Sample Description 67-AMS-GIRLS BATHROOM FROM LEFT B **Collected:** 10/2/2016 **Lab ID:** 0067

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	4.07	1.00	µg/L	12/5/2016	CB	12/9/2016	EG

Client Sample Description 68-AMS-GIRLS BATHROOM FROM LEFT C **Collected:** 10/2/2016 **Lab ID:** 0068

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	2.03	1.00	µg/L	12/5/2016	CB	12/9/2016	EG

Client Sample Description 69-AMS-BOYS BATHROOM FROM LEFT A **Collected:** 10/2/2016 **Lab ID:** 0069

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	15.0	1.00	µg/L	12/5/2016	CB	12/9/2016	EG

Client Sample Description 70-AMS-BOYS BATHROOM FROM LEFT B **Collected:** 10/2/2016 **Lab ID:** 0070

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	6.17	1.00	µg/L	12/5/2016	CB	12/9/2016	EG

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077

Phone/Fax: (856) 303-2500 / (856) 858-4571

<http://www.EMSL.com>EnvChemistry2@emsl.com

EMSL Order: 011607415
 CustomerID: AMHE50
 CustomerPO: 17-00954
 ProjectID: PO Box 17-00954

Attn: **Mike Tomczak**
Amherst CSD
55 Kings Hwy
Amherst, NY 14226

Phone: (716) 362-8355
 Fax: (716) 836-4972
 Received: 11/03/16 9:30 AM

Project: **AMHERST MIDDLE SCHOOL****Analytical Results**

Client Sample Description 71-AMS-BOYS BATHROOM FROM LEFT C **Collected:** 10/2/2016 **Lab ID:** 0071

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	4.80	1.00	µg/L	12/5/2016	CB	12/6/2016	EG

Client Sample Description 72-AMS-143 HALLWAY **Collected:** 10/2/2016 **Lab ID:** 0072

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	2.09	1.00	µg/L	12/5/2016	CB	12/6/2016	EG

Client Sample Description 73-AMS-149 HALLWAY **Collected:** 10/2/2016 **Lab ID:** 0073

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	5.12	1.00	µg/L	12/5/2016	CB	12/6/2016	EG

Client Sample Description 74-AMS-151 HALLWAY **Collected:** 10/2/2016 **Lab ID:** 0074

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	5.66	1.00	µg/L	12/5/2016	CB	12/6/2016	EG

Client Sample Description 75-AMS-149 SOUTH **Collected:** 10/2/2016 **Lab ID:** 0075

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	75.6	1.00	µg/L	12/5/2016	CB	12/6/2016	EG

Client Sample Description 76-AMS-149 WEST LEFT **Collected:** 10/2/2016 **Lab ID:** 0076

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	ND	1.00	µg/L	12/5/2016	CB	12/6/2016	EG

Client Sample Description 77-AMS-149 WEST RIGHT **Collected:** 10/2/2016 **Lab ID:** 0077

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	ND	1.00	µg/L	12/5/2016	CB	12/6/2016	EG

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077

Phone/Fax: (856) 303-2500 / (856) 858-4571

<http://www.EMSL.com>EnvChemistry2@emsl.com

EMSL Order: 011607415
CustomerID: AMHE50
CustomerPO: 17-00954
ProjectID: PO Box 17-00954

Attn: **Mike Tomczak**
Amherst CSD
55 Kings Hwy
Amherst, NY 14226

Phone: (716) 362-8355
Fax: (716) 836-4972
Received: 11/03/16 9:30 AM

Project: **AMHERST MIDDLE SCHOOL****Analytical Results**

Client Sample Description 78-AMS-149 EAST LEFT **Collected:** 10/2/2016 **Lab ID:** 0078

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	ND	1.00	µg/L	12/5/2016	CB	12/6/2016	EG

Client Sample Description 79-AMS-149 EAST RIGHT **Collected:** 10/2/2016 **Lab ID:** 0079

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	62.3	1.00	µg/L	12/5/2016	CB	12/6/2016	EG

Client Sample Description 80-AMS-151 SOUTH **Collected:** 10/2/2016 **Lab ID:** 0080

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	2.25	1.00	µg/L	12/5/2016	CB	12/6/2016	EG

Client Sample Description 81-AMS-151 WEST RIGHT **Collected:** 10/2/2016 **Lab ID:** 0081

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	ND	1.00	µg/L	12/4/2016	JS	12/4/2016	JS

Client Sample Description 82-AMS-151 WEST LEFT **Collected:** 10/2/2016 **Lab ID:** 0082

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	ND	1.00	µg/L	12/4/2016	JS	12/4/2016	JS

Client Sample Description 83-AMS-151 EAST RIGHT **Collected:** 10/2/2016 **Lab ID:** 0083

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	1.18	1.00	µg/L	12/4/2016	JS	12/4/2016	JS

Client Sample Description 84-AMS-151 EAST LEFT **Collected:** 10/2/2016 **Lab ID:** 0084

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	ND	1.00	µg/L	12/4/2016	JS	12/4/2016	JS

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077

Phone/Fax: (856) 303-2500 / (856) 858-4571

<http://www.EMSL.com>EnvChemistry2@emsl.com

EMSL Order: 011607415
CustomerID: AMHE50
CustomerPO: 17-00954
ProjectID: PO Box 17-00954

Attn: **Mike Tomczak**
Amherst CSD
55 Kings Hwy
Amherst, NY 14226

Phone: (716) 362-8355
Fax: (716) 836-4972
Received: 11/03/16 9:30 AM

Project: **AMHERST MIDDLE SCHOOL****Analytical Results**

Client Sample Description 85-AMS-153 RIGHT **Collected:** 10/2/2016 **Lab ID:** 0085

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	5.50	1.00	µg/L	12/4/2016	JS	12/4/2016	JS

Client Sample Description 86-AMS-153 LEFT **Collected:** 10/2/2016 **Lab ID:** 0086

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	2.99	1.00	µg/L	12/4/2016	JS	12/4/2016	JS

Client Sample Description 87-AMS-153 BACKROOM **Collected:** 10/2/2016 **Lab ID:** 0087

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	8.89	1.00	µg/L	12/4/2016	JS	12/4/2016	JS

Client Sample Description 88-AMS-155 WEST RIGHT **Collected:** 10/2/2016 **Lab ID:** 0088

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	1.23	1.00	µg/L	12/4/2016	JS	12/4/2016	JS

Client Sample Description 89-AMS-155 WEST LEFT **Collected:** 10/2/2016 **Lab ID:** 0089

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	1.01	1.00	µg/L	12/4/2016	JS	12/4/2016	JS

Client Sample Description 90-AMS-155 EAST RIGHT **Collected:** 10/2/2016 **Lab ID:** 0090

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	1.38	1.00	µg/L	12/4/2016	JS	12/4/2016	JS

Client Sample Description 91-AMS-155 EAST LEFT **Collected:** 10/2/2016 **Lab ID:** 0091

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	2.17	1.00	µg/L	12/4/2016	JS	12/4/2016	JS

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077

Phone/Fax: (856) 303-2500 / (856) 858-4571

<http://www.EMSL.com>EnvChemistry2@emsl.com

EMSL Order: 011607415
 CustomerID: AMHE50
 CustomerPO: 17-00954
 ProjectID: PO Box 17-00954

Attn: **Mike Tomczak**
Amherst CSD
55 Kings Hwy
Amherst, NY 14226

Phone: (716) 362-8355
 Fax: (716) 836-4972
 Received: 11/03/16 9:30 AM

Project: **AMHERST MIDDLE SCHOOL****Analytical Results**

Client Sample Description 92-AMS-ROOM 157 **Collected:** 10/2/2016 **Lab ID:** 0092

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	8.42	1.00	µg/L	12/4/2016	JS	12/4/2016	JS

Client Sample Description 93-AMS-255 HALLWAY **Collected:** 10/2/2016 **Lab ID:** 0093

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	16.7	1.00	µg/L	12/4/2016	JS	12/4/2016	JS

Client Sample Description 94-AMS-ROOM251 **Collected:** 10/2/2016 **Lab ID:** 0094

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	6.72	1.00	µg/L	12/4/2016	JS	12/4/2016	JS

Client Sample Description 95-AMS-249 HALLWAY **Collected:** 10/2/2016 **Lab ID:** 0095

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	23.8	1.00	µg/L	12/4/2016	JS	12/4/2016	JS

Client Sample Description 96-AMS-243 HALLWAY **Collected:** 10/2/2016 **Lab ID:** 0096

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	ND	1.00	µg/L	12/4/2016	JS	12/4/2016	JS

Client Sample Description 97-AMS-D.O. KITCHEN **Collected:** 10/2/2016 **Lab ID:** 0097

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	ND	1.00	µg/L	12/4/2016	JS	12/4/2016	JS

Client Sample Description 98-AMS-D.O. MENS BATHROOM FROM LEFT **Collected:** 10/2/2016 **Lab ID:** 0098

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	11.3	1.00	µg/L	12/4/2016	JS	12/4/2016	JS

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077

Phone/Fax: (856) 303-2500 / (856) 858-4571

<http://www.EMSL.com>EnvChemistry2@emsl.com

EMSL Order: 011607415
 CustomerID: AMHE50
 CustomerPO: 17-00954
 ProjectID: PO Box 17-00954

Attn: **Mike Tomczak**
Amherst CSD
55 Kings Hwy
Amherst, NY 14226

Phone: (716) 362-8355
 Fax: (716) 836-4972
 Received: 11/03/16 9:30 AM

Project: **AMHERST MIDDLE SCHOOL****Analytical Results**

Client Sample Description 99-AMS-D.O. MENS B BATHROOM FROM LEFT **Collected:** 10/2/2016 **Lab ID:** 0099

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	9.36	1.00	µg/L	12/4/2016	JS	12/4/2016	JS

Client Sample Description 100-AMS-D.O. MENS C BATHROOM FROM LEFT **Collected:** 10/2/2016 **Lab ID:** 0100

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	6.16	1.00	µg/L	12/4/2016	JS	12/8/2016	JS

Client Sample Description 101-AMS-D.O. JANITORIAL CLOSET **Collected:** 10/2/2016 **Lab ID:** 0101

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	91.3	5.00	µg/L	12/4/2016	JS	12/8/2016	JS

Client Sample Description 102-AMS-D.O. WOMENS A BATHROOM FROM LEFT **Collected:** 10/2/2016 **Lab ID:** 0102

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	4.08	1.00	µg/L	12/4/2016	JS	12/7/2016	JS

Client Sample Description 103-AMS-D.O. WOMENS B BATHROOM FROM LEFT **Collected:** 10/2/2016 **Lab ID:** 0103

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	16.9	1.00	µg/L	12/4/2016	JS	12/7/2016	JS

Client Sample Description 104-AMS-D.O. WOMENS C BATHROOM FROM LEFT **Collected:** 10/2/2016 **Lab ID:** 0104

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	14.2	1.00	µg/L	12/4/2016	JS	12/7/2016	JS

Client Sample Description 105-AMS-237 HALLWAY **Collected:** 10/2/2016 **Lab ID:** 0105

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	3.54	1.00	µg/L	12/4/2016	JS	12/7/2016	JS

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077

Phone/Fax: (856) 303-2500 / (856) 858-4571

<http://www.EMSL.com>EnvChemistry2@emsl.com

EMSL Order: 011607415
 CustomerID: AMHE50
 CustomerPO: 17-00954
 ProjectID: PO Box 17-00954

Attn: **Mike Tomczak**
Amherst CSD
55 Kings Hwy
Amherst, NY 14226

Phone: (716) 362-8355
 Fax: (716) 836-4972
 Received: 11/03/16 9:30 AM

Project: **AMHERST MIDDLE SCHOOL****Analytical Results**

Client Sample Description 106-AMS-227 HALLWAY **Collected:** 10/2/2016 **Lab ID:** 0106

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	5.10	1.00	µg/L	12/4/2016	JS	12/7/2016	JS

Client Sample Description 107-AMS-221 HALLWAY **Collected:** 10/2/2016 **Lab ID:** 0107

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	9.81	1.00	µg/L	12/4/2016	JS	12/7/2016	JS

Client Sample Description 108-AMS-219 HALLWAY **Collected:** 10/2/2016 **Lab ID:** 0108

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	2.54	1.00	µg/L	12/4/2016	JS	12/7/2016	JS

Client Sample Description 109-AMS-BOYS BATHROOM FROM LEFT
A **Collected:** 10/2/2016 **Lab ID:** 0109

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	3.35	1.00	µg/L	12/4/2016	JS	12/7/2016	JS

Client Sample Description 110-AMS-BOYS BATHROOM FROM LEFT
B **Collected:** 10/2/2016 **Lab ID:** 0110

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	4.30	1.00	µg/L	12/4/2016	JS	12/8/2016	JS

Client Sample Description 111-AMS-BOYS BATHROOM FROM LEFT
C **Collected:** 10/2/2016 **Lab ID:** 0111

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	4.92	1.00	µg/L	12/4/2016	JS	12/7/2016	JS

Client Sample Description 112-AMS-BOYS BATHROOM FROM LEFT
D **Collected:** 10/2/2016 **Lab ID:** 0112

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	4.48	1.00	µg/L	12/4/2016	JS	12/7/2016	JS

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077

Phone/Fax: (856) 303-2500 / (856) 858-4571

<http://www.EMSL.com>EnvChemistry2@emsl.com

EMSL Order: 011607415
 CustomerID: AMHE50
 CustomerPO: 17-00954
 ProjectID: PO Box 17-00954

Attn: **Mike Tomczak**
Amherst CSD
55 Kings Hwy
Amherst, NY 14226

Phone: (716) 362-8355
 Fax: (716) 836-4972
 Received: 11/03/16 9:30 AM

Project: **AMHERST MIDDLE SCHOOL****Analytical Results**

Client Sample Description 113-AMS-BOYS BATHROOM FROM LEFT
E **Collected:** 10/2/2016 **Lab ID:** 0113

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	10.8	1.00	µg/L	12/4/2016	JS	12/7/2016	JS

Client Sample Description 114-AMS-GIRLS BATHROOM FROM LEFT
A **Collected:** 10/2/2016 **Lab ID:** 0114

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	39.3	1.00	µg/L	12/4/2016	JS	12/7/2016	JS

Client Sample Description 115-AMS-GIRLS BATHROOM FROM LEFT
B **Collected:** 10/2/2016 **Lab ID:** 0115

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	11.0	1.00	µg/L	12/4/2016	JS	12/7/2016	JS

Client Sample Description 116-AMS-GIRLS BATHROOM FROM LEFT
C **Collected:** 10/2/2016 **Lab ID:** 0116

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	12.9	1.00	µg/L	12/4/2016	JS	12/7/2016	JS

Client Sample Description 117-AMS-GIRLS BATHROOM FROM LEFT
D **Collected:** 10/2/2016 **Lab ID:** 0117

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	6.33	1.00	µg/L	12/4/2016	JS	12/7/2016	JS

Client Sample Description 118-AMS-GIRLS BATHROOM FROM LEFT
E **Collected:** 10/2/2016 **Lab ID:** 0118

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	4.87	1.00	µg/L	12/4/2016	JS	12/7/2016	JS

Client Sample Description 119-AMS-213 HALLWAY **Collected:** 10/2/2016 **Lab ID:** 0119

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	4.91	1.00	µg/L	12/4/2016	JS	12/7/2016	JS

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077

Phone/Fax: (856) 303-2500 / (856) 858-4571

<http://www.EMSL.com>EnvChemistry2@emsl.com

EMSL Order: 011607415
 CustomerID: AMHE50
 CustomerPO: 17-00954
 ProjectID: PO Box 17-00954

Attn: **Mike Tomczak**
Amherst CSD
55 Kings Hwy
Amherst, NY 14226

Phone: (716) 362-8355
 Fax: (716) 836-4972
 Received: 11/03/16 9:30 AM

Project: **AMHERST MIDDLE SCHOOL****Analytical Results**

Client Sample Description 120-AMS-2ND FLOOR FACULTY MENS **Collected:** 10/2/2016 **Lab ID:** 0120

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	5.66	1.00	µg/L	12/4/2016	JS	12/4/2016	JS

Client Sample Description 121-AMS-2ND FLOOR FACULTY WOMENS **Collected:** 10/2/2016 **Lab ID:** 0121

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	5.26	1.00	µg/L	12/4/2016	JS	12/4/2016	JS

Client Sample Description 122-AMS-LIBRARY **Collected:** 10/2/2016 **Lab ID:** 0122

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	2.33	1.00	µg/L	12/4/2016	JS	12/4/2016	JS

Client Sample Description 123-AMS-205 BACKROOM **Collected:** 10/2/2016 **Lab ID:** 0123

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	11.5	1.00	µg/L	12/4/2016	JS	12/4/2016	JS

Client Sample Description 124-AMS-203 BACKROOM **Collected:** 10/2/2016 **Lab ID:** 0124

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	43.4	1.00	µg/L	12/4/2016	JS	12/4/2016	JS

Client Sample Description 125-AMS-201 HALLWAY **Collected:** 10/2/2016 **Lab ID:** 0125

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	7.27	1.00	µg/L	12/4/2016	JS	12/4/2016	JS

Client Sample Description 126-AMS-201 BACKROOM **Collected:** 10/2/2016 **Lab ID:** 0126

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	90.9	1.00	µg/L	12/4/2016	JS	12/7/2016	JS

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077

Phone/Fax: (856) 303-2500 / (856) 858-4571

<http://www.EMSL.com>EnvChemistry2@emsl.com

EMSL Order:	011607415
CustomerID:	AMHE50
CustomerPO:	17-00954
ProjectID:	PO Box 17-00954

Attn: **Mike Tomczak**
Amherst CSD
55 Kings Hwy
Amherst, NY 14226

Phone: (716) 362-8355
 Fax: (716) 836-4972
 Received: 11/03/16 9:30 AM

Project: **AMHERST MIDDLE SCHOOL****Analytical Results**

Client Sample Description 127-AMS-202 BACKROOM **Collected:** 10/2/2016 **Lab ID:** 0127

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	32.3	1.00	µg/L	12/4/2016	JS	12/4/2016	JS

Client Sample Description 128-AMS-204 HALLWAY **Collected:** 10/2/2016 **Lab ID:** 0128

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	4.77	1.00	µg/L	12/4/2016	JS	12/4/2016	JS

Client Sample Description 129-AMS-204 BACKROOM **Collected:** 10/2/2016 **Lab ID:** 0129

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	31.1	1.00	µg/L	12/4/2016	JS	12/4/2016	JS

Client Sample Description 130-AMS-206 BACKROOM **Collected:** 10/2/2016 **Lab ID:** 0130

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	110	2.00	µg/L	12/4/2016	JS	12/7/2016	JS

Client Sample Description 131-AMS-BOYS BATHROOM FROM LEFT
A **Collected:** 10/2/2016 **Lab ID:** 0131

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	42.9	1.00	µg/L	12/4/2016	JS	12/4/2016	JS

Client Sample Description 132-AMS-BOYS BATHROOM FROM LEFT
B **Collected:** 10/2/2016 **Lab ID:** 0132

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	13.2	1.00	µg/L	12/4/2016	JS	12/4/2016	JS

Client Sample Description 133-AMS-BOYS BATHROOM FROM LEFT
C **Collected:** 10/2/2016 **Lab ID:** 0133

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	6.10	1.00	µg/L	12/4/2016	JS	12/4/2016	JS

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077

Phone/Fax: (856) 303-2500 / (856) 858-4571

<http://www.EMSL.com>EnvChemistry2@emsl.com

EMSL Order: 011607415
CustomerID: AMHE50
CustomerPO: 17-00954
ProjectID: PO Box 17-00954

Attn: **Mike Tomczak**
Amherst CSD
55 Kings Hwy
Amherst, NY 14226

Phone: (716) 362-8355
Fax: (716) 836-4972
Received: 11/03/16 9:30 AM

Project: **AMHERST MIDDLE SCHOOL****Analytical Results**

Client Sample Description 134-AMS-GIRLS BATHROOM FROM LEFT
A **Collected:** 10/2/2016 **Lab ID:** 0134

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	7.26	1.00	µg/L	12/4/2016	JS	12/4/2016	JS

Client Sample Description 135-AMS-GIRLS BATHROOM FROM LEFT
B **Collected:** 10/2/2016 **Lab ID:** 0135

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	16.1	1.00	µg/L	12/4/2016	JS	12/4/2016	JS

Client Sample Description 136-AMS-GIRLS BATHROOM FROM LEFT
C **Collected:** 10/2/2016 **Lab ID:** 0136

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	43.2	1.00	µg/L	12/4/2016	JS	12/4/2016	JS

Client Sample Description 137-AMS-218 FROM MAIN DOOR A **Collected:** 10/2/2016 **Lab ID:** 0137

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	4.81	1.00	µg/L	12/4/2016	JS	12/4/2016	JS

Client Sample Description 138-AMS-218 FROM MAIN DOOR B **Collected:** 10/2/2016 **Lab ID:** 0138

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	4.70	1.00	µg/L	12/4/2016	JS	12/4/2016	JS

Client Sample Description 139-AMS-218 FROM MAIN DOOR C **Collected:** 10/2/2016 **Lab ID:** 0139

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	18.2	1.00	µg/L	12/4/2016	JS	12/4/2016	JS

Client Sample Description 140-AMS-218 FROM MAIN DOOR D **Collected:** 10/2/2016 **Lab ID:** 0140

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	8.88	1.00	µg/L	12/4/2016	JS	12/5/2016	EG

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077

Phone/Fax: (856) 303-2500 / (856) 858-4571

<http://www.EMSL.com>EnvChemistry2@emsl.com

EMSL Order: 011607415
 CustomerID: AMHE50
 CustomerPO: 17-00954
 ProjectID: PO Box 17-00954

Attn: **Mike Tomczak**
Amherst CSD
55 Kings Hwy
Amherst, NY 14226

Phone: (716) 362-8355
 Fax: (716) 836-4972
 Received: 11/03/16 9:30 AM

Project: **AMHERST MIDDLE SCHOOL****Analytical Results**

Client Sample Description 141-AMS-214 NEAR DOOR **Collected:** 10/2/2016 **Lab ID:** 0141

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	2.94	1.00	µg/L	12/4/2016	JS	12/5/2016	EG

Client Sample Description 142-AMS-214 HEAR WINDOW **Collected:** 10/2/2016 **Lab ID:** 0142

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	97.7	2.00	µg/L	12/4/2016	JS	12/5/2016	EG

Client Sample Description 143-AMS-212 HALLWAY **Collected:** 10/2/2016 **Lab ID:** 0143

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	8.10	1.00	µg/L	12/4/2016	JS	12/5/2016	EG

Client Sample Description 144-AMS-212 FROM MAIN DOOR A **Collected:** 10/2/2016 **Lab ID:** 0144

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	14.8	1.00	µg/L	12/4/2016	JS	12/5/2016	EG

Client Sample Description 145-AMS-212 FROM MAIN DOOR B **Collected:** 10/2/2016 **Lab ID:** 0145

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	12.2	1.00	µg/L	12/4/2016	JS	12/5/2016	EG

Client Sample Description 146-AMS-212 FROM MAIN DOOR C **Collected:** 10/2/2016 **Lab ID:** 0146

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	11.4	1.00	µg/L	12/4/2016	JS	12/5/2016	EG

Client Sample Description 147-AMS-212 FROM MAIN DOOR D **Collected:** 10/2/2016 **Lab ID:** 0147

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	17.7	1.00	µg/L	12/4/2016	JS	12/5/2016	EG

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077

Phone/Fax: (856) 303-2500 / (856) 858-4571

<http://www.EMSL.com>EnvChemistry2@emsl.com

EMSL Order: 011607415
 CustomerID: AMHE50
 CustomerPO: 17-00954
 ProjectID: PO Box 17-00954

Attn: **Mike Tomczak**
Amherst CSD
55 Kings Hwy
Amherst, NY 14226

Phone: (716) 362-8355
 Fax: (716) 836-4972
 Received: 11/03/16 9:30 AM

Project: **AMHERST MIDDLE SCHOOL****Analytical Results**

Client Sample Description 148-AMS-210 FROM MAIN DOOR A **Collected:** 10/2/2016 **Lab ID:** 0148

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	7.40	1.00	µg/L	12/4/2016	JS	12/5/2016	EG

Client Sample Description 149-AMS-210 FROM MAIN DOOR B **Collected:** 10/2/2016 **Lab ID:** 0149

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	36.8	1.00	µg/L	12/4/2016	JS	12/5/2016	EG

Client Sample Description 150-AMS-210 FROM MAIN DOOR C **Collected:** 10/2/2016 **Lab ID:** 0150

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	162	5.00	µg/L	12/4/2016	JS	12/5/2016	EG

Client Sample Description 151-AMS-210 FROM MAIN DOOR D **Collected:** 10/2/2016 **Lab ID:** 0151

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	30.0	1.00	µg/L	12/4/2016	JS	12/5/2016	EG

Client Sample Description 152-AMS-CAFE **Collected:** 10/2/2016 **Lab ID:** 0152

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	1.91	1.00	µg/L	12/4/2016	JS	12/5/2016	EG

Client Sample Description 153-AMS-SALAD BAR AREA **Collected:** 10/2/2016 **Lab ID:** 0153

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	ND	1.00	µg/L	12/4/2016	JS	12/5/2016	EG

Client Sample Description 154-AMS-KITCHEN BATHROOM **Collected:** 10/2/2016 **Lab ID:** 0154

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	10.7	1.00	µg/L	12/4/2016	JS	12/5/2016	EG

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077

Phone/Fax: (856) 303-2500 / (856) 858-4571

<http://www.EMSL.com>EnvChemistry2@emsl.com

EMSL Order: 011607415
 CustomerID: AMHE50
 CustomerPO: 17-00954
 ProjectID: PO Box 17-00954

Attn: **Mike Tomczak**
Amherst CSD
55 Kings Hwy
Amherst, NY 14226

Phone: (716) 362-8355
 Fax: (716) 836-4972
 Received: 11/03/16 9:30 AM

Project: **AMHERST MIDDLE SCHOOL****Analytical Results**

Client Sample Description		155-AMS-KITCHEN STAIRWELL WALL			Collected:	10/2/2016	Lab ID:	0155	
Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst	
200.8	Lead	5.52	1.00	µg/L	12/4/2016	JS	12/5/2016	EG	
Client Sample Description		156-AMS-KITCHEN START AT STAIRWELL A			Collected:	10/2/2016	Lab ID:	0156	
Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst	
200.8	Lead	9.11	1.00	µg/L	12/4/2016	JS	12/5/2016	EG	
Client Sample Description		157-AMS-KITCHEN START AT STAIRWELL A			Collected:	10/2/2016	Lab ID:	0157	
Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst	
200.8	Lead	9.21	1.00	µg/L	12/4/2016	JS	12/5/2016	EG	
Client Sample Description		158-AMS-KITCHEN START AT STAIRWELL A			Collected:	10/2/2016	Lab ID:	0158	
Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst	
200.8	Lead	7.64	1.00	µg/L	12/4/2016	JS	12/5/2016	EG	
Client Sample Description		159-AMS-KITCHEN NEAR BREAKER PANEL			Collected:	10/2/2016	Lab ID:	0159	
Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst	
200.8	Lead	18.2	1.00	µg/L	12/4/2016	JS	12/5/2016	EG	
Client Sample Description		160-AMS-DISHWASHER ROOM			Collected:	10/2/2016	Lab ID:	0160	
Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst	
200.8	Lead	17.3	1.00	µg/L	12/2/2016	CB	12/2/2016	EG	
Client Sample Description		161-AMS-DISHWASHER ROOM			Collected:	10/2/2016	Lab ID:	0161	
Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst	
200.8	Lead	2.54	1.00	µg/L	12/2/2016	CB	12/2/2016	EG	

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077

Phone/Fax: (856) 303-2500 / (856) 858-4571

<http://www.EMSL.com>EnvChemistry2@emsl.com

EMSL Order: 011607415
 CustomerID: AMHE50
 CustomerPO: 17-00954
 ProjectID: PO Box 17-00954

Attn: **Mike Tomczak**
Amherst CSD
55 Kings Hwy
Amherst, NY 14226

Phone: (716) 362-8355
 Fax: (716) 836-4972
 Received: 11/03/16 9:30 AM

Project: **AMHERST MIDDLE SCHOOL****Analytical Results**

Client Sample Description 162-AMS-POOL PUMP ROOM **Collected:** 10/2/2016 **Lab ID:** 0162

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	1.96	1.00	µg/L	12/2/2016	CB	12/2/2016	EG

Client Sample Description 163-AMS-OLD GARAGE **Collected:** 10/2/2016 **Lab ID:** 0163

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	60.9	1.00	µg/L	12/2/2016	CB	12/2/2016	EG

Client Sample Description 164-AMS-BOILER ROOM **Collected:** 10/2/2016 **Lab ID:** 0164

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	1.51	1.00	µg/L	12/2/2016	CB	12/2/2016	EG

Client Sample Description 165-AMS-EXT. NEAR GARAGE DOOR #22 **Collected:** 10/2/2016 **Lab ID:** 0165

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	31.8	1.00	µg/L	12/2/2016	CB	12/2/2016	EG

Client Sample Description 167-AMS-EXT. NEAR ROOM 106 **Collected:** 10/2/2016 **Lab ID:** 0167

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	224	5.00	µg/L	12/2/2016	CB	12/2/2016	EG

Client Sample Description 168-AMS-EXT. NEAR PRINCIPAL'S OFFICE **Collected:** 10/2/2016 **Lab ID:** 0168

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	71.0	1.00	µg/L	12/2/2016	CB	12/2/2016	EG

Client Sample Description 169-AMS-EXT. BETWEEN ROOMS 127 & 131 **Collected:** 10/2/2016 **Lab ID:** 0169

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	91.8	5.00	µg/L	12/2/2016	CB	12/2/2016	EG

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077

Phone/Fax: (856) 303-2500 / (856) 858-4571

<http://www.EMSL.com>EnvChemistry2@emsl.com

EMSL Order: 011607415
 CustomerID: AMHE50
 CustomerPO: 17-00954
 ProjectID: PO Box 17-00954

Attn: **Mike Tomczak**
Amherst CSD
55 Kings Hwy
Amherst, NY 14226

Phone: (716) 362-8355
 Fax: (716) 836-4972
 Received: 11/03/16 9:30 AM

Project: **AMHERST MIDDLE SCHOOL****Analytical Results**

Client Sample Description 170-AMS-EXT. BETWEEN ROOMS 143 & 147
Collected: 10/2/2016 **Lab ID:** 0170

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	53.9	1.00	µg/L	12/2/2016	CB	12/2/2016	EG

Client Sample Description 171-AMS-201 ISLAND A COUNTER CLOCKWISE
Collected: 10/2/2016 **Lab ID:** 0171

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	3.27	1.00	µg/L	12/2/2016	CB	12/2/2016	EG

Client Sample Description 172-AMS-201 ISLAND B COUNTER CLOCKWISE
Collected: 10/2/2016 **Lab ID:** 0172

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	1.06	1.00	µg/L	12/2/2016	CB	12/2/2016	EG

Client Sample Description 173-AMS-201 ISLAND C COUNTER CLOCKWISE
Collected: 10/2/2016 **Lab ID:** 0173

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	ND	1.00	µg/L	12/2/2016	CB	12/2/2016	EG

Client Sample Description 174-AMS-201 ISLAND D COUNTER CLOCKWISE
Collected: 10/2/2016 **Lab ID:** 0174

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	ND	1.00	µg/L	12/2/2016	CB	12/2/2016	EG

Client Sample Description 175-AMS-201 ISLAND E COUNTER CLOCKWISE
Collected: 10/2/2016 **Lab ID:** 0175

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	1.40	1.00	µg/L	12/2/2016	CB	12/2/2016	EG

Client Sample Description 176-AMS-201 ISLAND F COUNTER CLOCKWISE
Collected: 10/2/2016 **Lab ID:** 0176

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	3.06	1.00	µg/L	12/2/2016	CB	12/2/2016	EG

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077

Phone/Fax: (856) 303-2500 / (856) 858-4571

<http://www.EMSL.com>EnvChemistry2@emsl.com

EMSL Order: 011607415
 CustomerID: AMHE50
 CustomerPO: 17-00954
 ProjectID: PO Box 17-00954

Attn: **Mike Tomczak**
Amherst CSD
55 Kings Hwy
Amherst, NY 14226

Phone: (716) 362-8355
 Fax: (716) 836-4972
 Received: 11/03/16 9:30 AM

Project: **AMHERST MIDDLE SCHOOL****Analytical Results**

Client Sample Description 177-AMS-201 ISLAND G COUNTER
CLOCKWISE **Collected:** 10/2/2016 **Lab ID:** 0177

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	ND	1.00	µg/L	12/2/2016	CB	12/2/2016	EG

Client Sample Description 178-AMS-203 ISLAND A COUNTER
CLOCKWISE **Collected:** 10/2/2016 **Lab ID:** 0178

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	4.27	1.00	µg/L	12/2/2016	CB	12/2/2016	EG

Client Sample Description 179-AMS-203 ISLAND B COUNTER
CLOCKWISE **Collected:** 10/2/2016 **Lab ID:** 0179

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	1.16	1.00	µg/L	12/2/2016	CB	12/2/2016	EG

Client Sample Description 180-AMS-203 ISLAND C COUNTER
CLOCKWISE **Collected:** 10/2/2016 **Lab ID:** 0180

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	1.06	1.00	µg/L	12/2/2016	CB	12/2/2016	EG

Client Sample Description 181-AMS-203 ISLAND D COUNTER
CLOCKWISE **Collected:** 10/2/2016 **Lab ID:** 0181

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	2.77	1.00	µg/L	12/2/2016	CB	12/2/2016	EG

Client Sample Description 182-AMS-203 ISLAND E COUNTER
CLOCKWISE **Collected:** 10/2/2016 **Lab ID:** 0182

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	1.92	1.00	µg/L	12/2/2016	CB	12/2/2016	EG

Client Sample Description 183-AMS-203 ISLAND F COUNTER
CLOCKWISE **Collected:** 10/2/2016 **Lab ID:** 0183

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	ND	1.00	µg/L	12/2/2016	CB	12/2/2016	EG

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077

Phone/Fax: (856) 303-2500 / (856) 858-4571

<http://www.EMSL.com>EnvChemistry2@emsl.com

EMSL Order: 011607415
 CustomerID: AMHE50
 CustomerPO: 17-00954
 ProjectID: PO Box 17-00954

Attn: **Mike Tomczak**
Amherst CSD
55 Kings Hwy
Amherst, NY 14226

Phone: (716) 362-8355
 Fax: (716) 836-4972
 Received: 11/03/16 9:30 AM

Project: **AMHERST MIDDLE SCHOOL****Analytical Results**

Client Sample Description 184-AMS-203 ISLAND G COUNTER
CLOCKWISE **Collected:** 10/2/2016 **Lab ID:** 0184

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	1.09	1.00	µg/L	12/2/2016	CB	12/2/2016	EG

Client Sample Description 185-AMS-205 ISLAND A COUNTER
CLOCKWISE **Collected:** 10/2/2016 **Lab ID:** 0185

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	4.66	1.00	µg/L	12/2/2016	CB	12/2/2016	EG

Client Sample Description 186-AMS-205 ISLAND B COUNTER
CLOCKWISE **Collected:** 10/2/2016 **Lab ID:** 0186

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	1.35	1.00	µg/L	12/2/2016	CB	12/2/2016	EG

Client Sample Description 187-AMS-205 ISLAND C COUNTER
CLOCKWISE **Collected:** 10/2/2016 **Lab ID:** 0187

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	1.73	1.00	µg/L	12/2/2016	CB	12/2/2016	EG

Client Sample Description 188-AMS-205 ISLAND D COUNTER
CLOCKWISE **Collected:** 10/2/2016 **Lab ID:** 0188

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	4.46	1.00	µg/L	12/2/2016	CB	12/2/2016	EG

Client Sample Description 189-AMS-205 ISLAND E COUNTER
CLOCKWISE **Collected:** 10/2/2016 **Lab ID:** 0189

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	1.91	1.00	µg/L	12/2/2016	CB	12/2/2016	EG

Client Sample Description 190-AMS-205 ISLAND F COUNTER
CLOCKWISE **Collected:** 10/2/2016 **Lab ID:** 0190

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	3.16	1.00	µg/L	12/2/2016	CB	12/2/2016	EG

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077

Phone/Fax: (856) 303-2500 / (856) 858-4571

<http://www.EMSL.com>EnvChemistry2@emsl.com

EMSL Order: 011607415
 CustomerID: AMHE50
 CustomerPO: 17-00954
 ProjectID: PO Box 17-00954

Attn: **Mike Tomczak**
Amherst CSD
55 Kings Hwy
Amherst, NY 14226

Phone: (716) 362-8355
 Fax: (716) 836-4972
 Received: 11/03/16 9:30 AM

Project: **AMHERST MIDDLE SCHOOL****Analytical Results**

Client Sample Description 191-AMS-205 ISLAND G COUNTER
CLOCKWISE **Collected:** 10/2/2016 **Lab ID:** 0191

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	1.41	1.00	µg/L	12/2/2016	CB	12/2/2016	EG

Client Sample Description 192-AMS-202 ISLAND A COUNTER
CLOCKWISE **Collected:** 10/2/2016 **Lab ID:** 0192

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	4.22	1.00	µg/L	12/2/2016	CB	12/2/2016	EG

Client Sample Description 193-AMS-202 ISLAND B COUNTER
CLOCKWISE **Collected:** 10/2/2016 **Lab ID:** 0193

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	ND	1.00	µg/L	12/2/2016	CB	12/2/2016	EG

Client Sample Description 194-AMS-202 ISLAND C COUNTER
CLOCKWISE **Collected:** 10/2/2016 **Lab ID:** 0194

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	1.62	1.00	µg/L	12/2/2016	CB	12/2/2016	EG

Client Sample Description 195-AMS-202 ISLAND D COUNTER
CLOCKWISE **Collected:** 10/2/2016 **Lab ID:** 0195

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	ND	1.00	µg/L	12/2/2016	CB	12/2/2016	EG

Client Sample Description 196-AMS-202 ISLAND E COUNTER
CLOCKWISE **Collected:** 10/2/2016 **Lab ID:** 0196

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	1.06	1.00	µg/L	12/2/2016	CB	12/2/2016	EG

Client Sample Description 197-AMS-202 ISLAND F COUNTER
CLOCKWISE **Collected:** 10/2/2016 **Lab ID:** 0197

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	1.27	1.00	µg/L	12/2/2016	CB	12/2/2016	EG

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077

Phone/Fax: (856) 303-2500 / (856) 858-4571

<http://www.EMSL.com>EnvChemistry2@emsl.com

EMSL Order: 011607415
 CustomerID: AMHE50
 CustomerPO: 17-00954
 ProjectID: PO Box 17-00954

Attn: **Mike Tomczak**
Amherst CSD
55 Kings Hwy
Amherst, NY 14226

Phone: (716) 362-8355
 Fax: (716) 836-4972
 Received: 11/03/16 9:30 AM

Project: **AMHERST MIDDLE SCHOOL****Analytical Results**

Client Sample Description 198-AMS-202 ISLAND G COUNTER
CLOCKWISE **Collected:** 10/2/2016 **Lab ID:** 0198

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	1.10	1.00	µg/L	12/2/2016	CB	12/2/2016	EG

Client Sample Description 199-AMS-204 ISLAND A COUNTER
CLOCKWISE **Collected:** 10/2/2016 **Lab ID:** 0199

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	5.69	1.00	µg/L	12/2/2016	CB	12/2/2016	EG

Client Sample Description 200-AMS-204 ISLAND B COUNTER
CLOCKWISE **Collected:** 10/2/2016 **Lab ID:** 0200

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	2.79	1.00	µg/L	12/2/2016	CB	12/2/2016	EG

Client Sample Description 201-AMS-204 ISLAND C COUNTER
CLOCKWISE **Collected:** 10/2/2016 **Lab ID:** 0201

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	ND	1.00	µg/L	12/5/2016	CB	12/5/2016	EG

Client Sample Description 202-AMS-204 ISLAND D COUNTER
CLOCKWISE **Collected:** 10/2/2016 **Lab ID:** 0202

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	1.05	1.00	µg/L	12/5/2016	CB	12/5/2016	EG

Client Sample Description 203-AMS-204 ISLAND E COUNTER
CLOCKWISE **Collected:** 10/2/2016 **Lab ID:** 0203

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	1.38	1.00	µg/L	12/5/2016	CB	12/5/2016	EG

Client Sample Description 204-AMS-204 ISLAND F COUNTER
CLOCKWISE **Collected:** 10/2/2016 **Lab ID:** 0204

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	1.53	1.00	µg/L	12/5/2016	CB	12/5/2016	EG

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077

Phone/Fax: (856) 303-2500 / (856) 858-4571

<http://www.EMSL.com>EnvChemistry2@emsl.com

EMSL Order: 011607415
 CustomerID: AMHE50
 CustomerPO: 17-00954
 ProjectID: PO Box 17-00954

Attn: **Mike Tomczak**
Amherst CSD
55 Kings Hwy
Amherst, NY 14226

Phone: (716) 362-8355
 Fax: (716) 836-4972
 Received: 11/03/16 9:30 AM

Project: **AMHERST MIDDLE SCHOOL****Analytical Results**

Client Sample Description 205-AMS-204 ISLAND G COUNTER
CLOCKWISE **Collected:** 10/2/2016 **Lab ID:** 0205

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	ND	1.00	µg/L	12/5/2016	CB	12/5/2016	EG

Client Sample Description 206-AMS-206 ISLAND A COUNTER
CLOCKWISE **Collected:** 10/2/2016 **Lab ID:** 0206

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	1.87	1.00	µg/L	12/5/2016	CB	12/5/2016	EG

Client Sample Description 207-AMS-206 ISLAND B COUNTER
CLOCKWISE **Collected:** 10/2/2016 **Lab ID:** 0207

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	11.5	1.00	µg/L	12/5/2016	CB	12/5/2016	EG

Client Sample Description 208-AMS-206 ISLAND C COUNTER
CLOCKWISE **Collected:** 10/2/2016 **Lab ID:** 0208

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	1.08	1.00	µg/L	12/5/2016	CB	12/5/2016	EG

Client Sample Description 209-AMS-206 ISLAND D COUNTER
CLOCKWISE **Collected:** 10/2/2016 **Lab ID:** 0209

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	ND	1.00	µg/L	12/5/2016	CB	12/5/2016	EG

Client Sample Description 210-AMS-206 ISLAND E COUNTER
CLOCKWISE **Collected:** 10/2/2016 **Lab ID:** 0210

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	1.63	1.00	µg/L	12/5/2016	CB	12/5/2016	EG

Client Sample Description 211-AMS-206 ISLAND F COUNTER
CLOCKWISE **Collected:** 10/2/2016 **Lab ID:** 0211

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	ND	1.00	µg/L	12/5/2016	CB	12/5/2016	EG

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077

Phone/Fax: (856) 303-2500 / (856) 858-4571

<http://www.EMSL.com>EnvChemistry2@emsl.com

EMSL Order: 011607415
 CustomerID: AMHE50
 CustomerPO: 17-00954
 ProjectID: PO Box 17-00954

Attn: **Mike Tomczak**
Amherst CSD
55 Kings Hwy
Amherst, NY 14226

Phone: (716) 362-8355
 Fax: (716) 836-4972
 Received: 11/03/16 9:30 AM

Project: **AMHERST MIDDLE SCHOOL****Analytical Results**

Client Sample Description 212-AMS-208 ISLAND A COUNTER
CLOCKWISE **Collected:** 10/2/2016 **Lab ID:** 0212

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	3.68	1.00	µg/L	12/5/2016	CB	12/5/2016	EG

Client Sample Description 213-AMS-208 ISLAND B COUNTER
CLOCKWISE **Collected:** 10/2/2016 **Lab ID:** 0213

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	1.27	1.00	µg/L	12/5/2016	CB	12/5/2016	EG

Client Sample Description 214-AMS-208 ISLAND B COUNTER
CLOCKWISE **Collected:** 10/2/2016 **Lab ID:** 0214

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	1.41	1.00	µg/L	12/5/2016	CB	12/5/2016	EG

Client Sample Description 215-AMS-208 ISLAND C COUNTER
CLOCKWISE **Collected:** 10/2/2016 **Lab ID:** 0215

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	6.21	1.00	µg/L	12/5/2016	CB	12/5/2016	EG

Client Sample Description 216-AMS-208 ISLAND D COUNTER
CLOCKWISE **Collected:** 10/2/2016 **Lab ID:** 0216

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	1.36	1.00	µg/L	12/5/2016	CB	12/5/2016	EG

Client Sample Description 217-AMS-208 ISLAND E COUNTER
CLOCKWISE **Collected:** 10/2/2016 **Lab ID:** 0217

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	1.28	1.00	µg/L	12/5/2016	CB	12/5/2016	EG

Client Sample Description 218-AMS-208 ISLAND F COUNTER
CLOCKWISE **Collected:** 10/2/2016 **Lab ID:** 0218

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	1.25	1.00	µg/L	12/5/2016	CB	12/5/2016	EG

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077

Phone/Fax: (856) 303-2500 / (856) 858-4571

<http://www.EMSL.com>EnvChemistry2@emsl.com

EMSL Order:	011607415
CustomerID:	AMHE50
CustomerPO:	17-00954
ProjectID:	PO Box 17-00954

Attn: **Mike Tomczak**
Amherst CSD
55 Kings Hwy
Amherst, NY 14226

Phone: (716) 362-8355
Fax: (716) 836-4972
Received: 11/03/16 9:30 AM

Project: **AMHERST MIDDLE SCHOOL****Analytical Results**

Client Sample Description	219-AMS-POOL PUMP ROOM	Collected:	10/2/2016	Lab ID:	0219
----------------------------------	------------------------	-------------------	-----------	----------------	------

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	ND	1.00	µg/L	12/4/2016	JS	12/4/2016	JS

Client Sample Description	220-AMS-KITCHEN	Collected:	10/2/2016	Lab ID:	0220
----------------------------------	-----------------	-------------------	-----------	----------------	------

Method	Parameter	Result	RL	Units	Prep Date	Analyst	Analysis Date	Analyst
200.8	Lead	4.88	1.00	µg/L	12/5/2016	CB	12/5/2016	EG

Definitions:

ND - indicates that the analyte was not detected at the reporting limit

RL - Reporting Limit (Analytical)