# **SAFETY DATA SHEET**

### 1. Identification

Product identifier Prepclean

Other means of identification

SDS number 578N65A Product code TKH460

Recommended use Neutral Cleaner
Recommended restrictions For Labeled Use Only
Manufacturer/Importer/Supplier/Distributor information

**Distributor** 

Company NameTKH Designs, IncAddress1060 N Batavia St.

Orange, CA 92867

Contact Regulatory Affairs

**Telephone number** (816) 233-1321 (ext. 8285)

**Fax** (816) 383-8485

Email regulatoryaffairs@hillyard.com

Emergency contact (800) 424-9300

(Only in the event of chemical emergency involving a spill, leak, fire, exposure or accident

involving chemicals)

# 2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Serious eye damage/eye irritation Category 2B

Environmental hazards Not classified.

OSHA defined hazards Not classified.

Label elements

Hazard symbol None.
Signal word Warning

Hazard statement Causes eye irritation.

**Precautionary statement** 

**Prevention** Wash thoroughly after handling. Observe good industrial hygiene practices.

**Response** If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

**Storage** Store away from incompatible materials.

**Disposal** Buyer assumes all risk and liability associated with disposal of this product (original concentration

or dilution) in violation of applicable law. Waste from normal use may be sewered to a

public-owned treatment works in compliance with applicable federal, state and local requirements. CONTAINER DISPOSAL: Triple rinse (or equivalent), then offer clean, dry container for recycling

or reconditioning.

Hazard(s) not otherwise

classified (HNOC)

None known.

**Supplemental information** Do not get in eyes, on skin, or on clothing. Avoid breathing spray mist. Use with adequate

ventilation. Wash thoroughly after handling. Do not take internally. Keep container closed when not in use. If prolonged or repeated contact is possible, wear rubber or other impervious gloves and splash goggles. Use only as directed: Improper dilution can lead to adverse health effects.

### 3. Composition/information on ingredients

#### **Mixtures**

Material name: Prepclean sps us

Chemical name	Common name and synonyms	CAS number	%
Fragrance		No Data	0.3
Camphor		76-22-2	0.003
Pin-2(3)-ene		80-56-8	0.0004
Other components below reportable levels			90 - 100

#### Additional components

Chemical name	Common name and synonyms	CAS number	%
Fatty Acids, Tall-oil, Triethanolamine Salts		67784-78-5	2 - < 3.05
Tall Oil. Potassium Salt		68647-71-2	0.5 - < 1

<sup>\*</sup>Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

### 4. First-aid measures

**Inhalation** Move to fresh air. Call a physician if symptoms develop or persist.

**Skin contact** Wash off with soap and water. Get medical attention if irritation develops and persists.

**Eye contact** Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses.

Continue rinsing.

**Ingestion** Rinse mouth. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and

symptoms/effects, acute and delayed

Indication of immediate medical attention and special

treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation.

Irritation of eyes. Exposed individuals may experience eye tearing, redness, and discomfort.

Symptoms may be delayed.

**General information** Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

# 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Specific hazards arising from

the chemical

Special protective equipment and precautions for firefighters

During fire, gases hazardous to health may be formed.

Move containers from fire area if you can do so without risk.

Fire fighting equipment/instructions

Specific methods

General fire hazards

Use standard firefighting procedures and consider the hazards of other involved materials.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

No unusual fire or explosion hazards noted.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

This product is miscible in water.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.

### **Environmental precautions**

7. Handling and storage

Precautions for safe handling

Avoid contact with eyes. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Material name: Prepclean SDS US

Store in tightly closed container. Store away from incompatible materials (see Section 10 of the

Value

s SDS).

### 8. Exposure controls/personal protection

### Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. OSHA Table Z-1 Limits for Ai	r Contaminants (29 CFR 1910.1000)
Commonanto	T

Components	туре	value	
Camphor (CAS 76-22-2)	PEL	2 mg/m3	
US. ACGIH Threshold Limit Value	s		
Components	Туре	Value	
Camphor (CAS 76-22-2)	STEL	3 ppm	
	TWA	2 ppm	
Pin-2(3)-ene (CAS 80-56-8)	TWA	20 ppm	
US. NIOSH: Pocket Guide to Chen	nical Hazards		
Components	Туре	Value	
Camphor (CAS 76-22-2)	TWA	2 mg/m3	

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering

controls

General ventilation normally adequate.

#### Individual protection measures, such as personal protective equipment

Eye/face protection Avoid contact with eyes. Where splashing of concentrate is a concern, use protective glasses with

side shield

Skin protection

**Hand protection** Wear appropriate chemical resistant gloves.

Other Wear suitable protective clothing. None normally required. If unable to avoid prolonged or

repeated contact with skin, wear impervious clothing.

**Respiratory protection** In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards None known.

**General hygiene** Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

### 9. Physical and chemical properties

Appearance Clear, light amber liquid (darkens with age)

Physical state Liquid. Form Liquid.

Color Light Amber, Will darken with age.

Odor Sassafras odor
Odor threshold Not available
pH 8 - 9 (diluted 1:42)
8 - 9 (diluted 1:128)
9 - 9.3 Concentrate

Melting point/freezing point Not available
Initial boiling point and boiling 205 °F (96.11 °C)

range

Flash point > 205.0 °F (> 96.1 °C) Tag Closed Cup

Evaporation rate < 1 Ethyl ether = 1
Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Material name: Prepclean

TKH460 Version #: 01 Issue date: 02-27-2019 3 / 7

Vapor pressure 17.63 mm Hg 0.6314 Air=1 Vapor density 1.008 at 77°F Relative density

Solubility(ies)

Solubility (water) 100 % Complete Not available **Partition coefficient** 

(n-octanol/water)

**Auto-ignition temperature** Not available **Decomposition temperature** Not available **Viscosity** Not available

Other information

8.39 lb/gal Density **Explosive properties** Not explosive. **Oxidizing properties** Not oxidizing. Percent volatile 87 - 88 % VOC 0.62 %

# 10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

**Chemical stability** Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Avoid Conditions to avoid

temperatures exceeding the flash point. Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

**Hazardous decomposition** 

products

No hazardous decomposition products are known.

# 11. Toxicological information

Information on likely routes of exposure

Prolonged inhalation may be harmful. Inhalation

No adverse effects due to skin contact are expected. Skin contact

Causes eye irritation. Eye contact

Expected to be a low ingestion hazard. Ingestion

Symptoms related to the physical, chemical and toxicological characteristics Irritation of eyes. Exposed individuals may experience eye tearing, redness, and discomfort.

Information on toxicological effects

Not known. **Acute toxicity** 

**Test Results** Components **Species** 

Pin-2(3)-ene (CAS 80-56-8)

Acute Oral

LD50 Rat 3700 mg/kg

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye

Causes eye irritation.

irritation

### Respiratory or skin sensitization

**ACGIH** sensitization

TURPENTINE AND SELECTED MONOTERPENES Dermal sensitization

(CAS 80-56-8)

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Material name: Prepclean

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity Not classifiable as to carcinogenicity to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

Not classified.

single exposure

**Chronic effects** 

Specific target organ toxicity -

Not classified.

repeated exposure **Aspiration hazard** 

Prolonged inhalation may be harmful. Prolonged inhalation may be harmful.

# 12. Ecological information

**Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment. **Species Test Results** 

**Product** Prepclean

**Aquatic** 

Crustacea EC50 Daphnia 94.6673 mg/l, 48 hours estimated Fish LC50 Fish 2204.5525 mg/l, 96 hours estimated

Persistence and degradability

No data is available on the degradability of this product.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

4.83 Pin-2(3)-ene

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

### 13. Disposal considerations

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not **Disposal instructions** 

contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations. Buyer assumes all risk and liability associated with disposal of this product (original concentration or

dilution) in violation of applicable law.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). Waste from normal product use may be sewered to a public owned treatment works (POTW) in compliance with applicable Federal, State, and local pretreatment

requirements.

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal. Triple rinse (or equivalent). Then offer clean, dry container for recycling or reconditioning.

## 14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

Material name: Prepclean SDS US

#### **IMDG**

Not regulated as dangerous goods.

Transport in bulk according to Not established.

Annex II of MARPOL 73/78 and

the IBC Code

# 15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Yes

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

chemical

Classified hazard

Serious eye damage or eye irritation

categories

SARA 313 (TRI reporting)

Not regulated.

### Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

#### **US** state regulations

### **California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov. California Safe Drinking Water and Toxic Enforcement Act of 2016 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

#### International Inventories

Country(s) or regionInventory nameOn inventory (yes/no)\*CanadaDomestic Substances List (DSL)NoCanadaNon-Domestic Substances List (NDSL)NoUnited States & Puerto RicoToxic Substances Control Act (TSCA) InventoryYes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

### 16. Other information, including date of preparation or last revision

**Issue date** 02-27-2019

Version # 0

Further information This product meets Green Seal™ Standard GS-37 based on effective performance, concentrated

volume, minimized/recycled packaging, and protective limits on VOCs and human & environmental

toxicity. GreenSeal.org.

Material name: Prepclean sps us

HMIS® ratings Health: 1

Flammability: 0 Physical hazard: 0

**Disclaimer** No representations or warranties, either express or implied, of merchantability, fitness for a

particular purpose, or of any nature are made with respect to the product(s) or information contained in this material safety data sheet. The information and recommendations contained in this Material Safety Data Sheet are supplied pursuant to 29 CFR 1910.1200 of the Occupational Safety and Health Standards Hazard Communication Rule. All information contained herein is presented in good faith and is believed to be appropriate and accurate. The buyer or user assumes all risks associated with the use, misuse or disposal of this product. The buyer or user is responsible to comply with all federal, state or local regulations concerning the use, misuse or

disposal of these products.

**Revision information** Product and Company Identification: Product and Company Identification

Physical & Chemical Properties: Multiple Properties Toxicological Information: Toxicological Data

GHS: Classification

Material name: Prepclean sps us

TKH460 Version #: 01 Issue date: 02-27-2019