

COOPERATIVE EDUCATIONAL SERVICES  
Standing Orders for 2024-2025 School Year

The School Nurse may administer Oxygen when indicated for respiratory distress/Cyanosis.

Under the specified conditions below, the School Nurse may administer the following:

Allergic Reactions: Attempt to contact primary physician and parent/guardian prior to administering the following:

- a) For mild reaction with hives, swelling, puffiness or signs and symptoms of initial allergic reaction administer Diphenhydramine HCL (Benadryl) according to the following dosage:

Weight:	22-32 lbs.	33-43 lbs.	44-54 lbs.	55-65 lbs.	66-76 lbs.	77-87 lbs.	88 lbs. & above
Dose:	12.5 mg.	18.75 mg.	25 mg.	31.25 mg.	37.5 mg.	43.75 mg.	50 mg.

- b) For severe allergic reaction or anaphylactic shock, administer EPI-PEN according to the following dosage:

Weight:	33 to 66 lbs.	66 lbs. or over
Dose:	EPI-PEN Jr./Epinephrine (Adrenaline 0.15mg.) (1:2000 solution)	EPI-PEN ADULT/Epinephrine (Adrenaline 0.3 mg.) (1:1000 solution)

Minor Cuts or Abrasions: After cleansing with soap and water apply Bacitracin or Neosporin-type ointment (topically) & dry clean dressing prn

Insect Bites, Poison Ivy or Other Contact Dermatitis Rash: Calamine, Calagel, or Caladryl lotion, hydrocortisone cream 1% prn

Chapped Lips or Dry Skin: Petroleum Jelly (topically) prn

Oral Care: Saltwater or saline solution prn

Minor Burns: Cold water or ice and/or 2<sup>nd</sup> Skin (Moist Gel pads) topically prn

Suspected Opioid Overdose: Administer Naloxone and call 911, dosage determined by student response until emergency services arrive

2<sup>nd</sup> Degree Burns: After cleansing apply dry clean dressing prn and refer for medical treatment

3<sup>rd</sup> Degree Burns: Cover with dry clean dressing and send to ER or call 911

\*Headache, Dysmenorrhea, Orthodontal pain, Generalized Pain or Fever of 100.0 or Above: Acetaminophen and Ibuprofen may only be administered with permission from the Parent or Guardian. A parent/guardian signature below signifies permission for the 24 - 25 school year.


ACETAMINOPHEN: (every 4 hrs.) prn

Weight:	24-35 lbs.	36-47 lbs.	48-59 lbs.	60-71 lbs.	72-95 lbs.	over 95 lbs.
Dose:	160 mg.	240 mg.	320 mg.	400 mg.	480 mg.	650 mg.

IBUPROFEN: (every 6-8 hrs.) prn

Weight:	24-35 lbs.	36-47 lbs.	48-59 lbs.	60-71 lbs.	72-95 lbs.	over 95 lbs.
Dose:	100 mg.	150 mg.	200 mg.	250 mg.	300 mg.	400 mg.

- Student weight determines dose of Acetaminophen and Ibuprofen

  
\_\_\_\_\_  
Mark Vincent, MD

7/19/24  
\_\_\_\_\_  
Date