

# J-512 Sanitizer

Preparation date: 2015-02-20 Version Number: 2

### THE DEVILE OF THE

Product name:

J-512 Sanitizer

**Product Code:** SDS #:

5756018, 5756026, 5756034, 5963480

MS0800569

Recommended use:

Industrial/Institutional

Sanitizer

Uses advised against:

· This product is intended to be diluted prior to use

Uses other than those identified are not recommended

Manufacturer, importer, supplier:

**US Headquarters** Diversey, Inc. 8310 16th St.

Sturtevant, Wisconsin 53177-1964

Phone: 1-888-352-2249

MSDS Internet Address: www.diversey.com

Canadian Headquarters Diversey, Inc. - Canada 3755 Laird Road

Mississauga, Ontario L5L 0B3 Phone: 1-800-668-3131

Emergency telephone number:

1-800-851-7145 (U.S.); 1-651-917-6133 (Int'I)

#### A HAVALIRAS DEN THE COLUMN

### Classification for the undiluted product

Skin corrosion/irritation Serious eye damage/eye irritation Category 1B Category 1



Signal Word:

Danger.

#### Precautionary Statements

# CAUSES SEVERE SKIN BURNS AND SERIOUS EYE DAMAGE.

Causes burns/ serious damage to mouth, throat and stomach. Avoid contact with eyes, skin and clothing. Keep container tightly closed. Do not breathe spray. Wash affected areas thoroughly after handling. Wear chemical-splash goggles, chemical-resistant gloves and protective footwear. IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water for at least 15 minutes. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Immediately call a Poison Center (1-800-851-7145) or physician. Wash contaminated clothing before reuse. SUPPLEMENTAL INFORMATION, Mix only with water. DO NOT MIX WITH BLEACH OR ANY OTHER PRODUCT OR CHEMICAL. Can react to release chlorine gas.

Health hazards not otherwise classified (HHNOC) - Not applicable Physical hazards not otherwise classified (PHNOC) - Not applicable







Classification for the diluted product @ 1:160

illisgodde ergrodddisseel a fellaegastroniserregadde eerddi er thalle ee al eterlae ee al eterlae ee al eterla Aman Carus Grandiad (1966 - Fellands Gran Pornulanus Selaminis

# G. COMPOSITION/INFORMATION ON INGREDIENTS

Classified Ingredients

Ingredient(s)	CAS#	Weight %
n-Alkyl (60% C14, 30% C16, 5% C12, 5% C18) dimethyl benzyl ammonium chloride	68391-01-5	5 - 10%
Alkyl dimethyl ethyl benzyl ammonium chloride	85409-23-0	5 - 10%
Ethyl alcohol	64-17-5	1% - < 3%

<sup>\*</sup>Exact percentages are being withheld as trade secret information

### SEIFTER ET MINITEREE !

#### **Undiluted Product:**

Eyes: If IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes.

Skin: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water for at least 15 minutes.

Inhalation: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Ingestion: IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water.

Most Important Symptoms/Effects: No information available.

Immediate medical attention and special treatment needed. Not applicable.

Aggravated Medical Conditions: Individuals with chronic respiratory disorders such as asthma, chronic bronchitis, emphysema, etc., may be more susceptible to irritating effects.

# **Diluted Product:**

Evere Corse des presentatives de la completa del la completa de la completa del la completa de la completa del la completa

# द्राविश्वदेव**(हे:ग**िएट् (हिस्टिमस्टि

Specific methods:

No special methods required

Suitable extinguishing media: Specific hazards:

The product is not flammable. Extinguish fire using agent suitable for surrounding fire.

Not applicable.

Special protective equipment for firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Extinguishing media which must not be used for safety reasons: No information available.

#### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Environmental precautions and clean-up methods: Attention! Corrosive material. Put on appropriate personal protective equipment (see Section 8.). Clean-up methods - large spillage. Material is toxic to fish. Do not discharge into lakes, streams, ponds, or public water unless in accordance with an NPDES permit. Water runoff can cause environmental damage. Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal. Use a water rinse for final clean-up.

#### 7 HANDLING AND STORAGE

Handling: Avoid contact with skin, eyes and clothing. Do not taste or swallow. Avoid breathing vapors or mists. Use only with adequate ventilation. Remove and wash contaminated clothing and footwear before re-use. Wash thoroughly after handling. Keep away from open flames, hot surfaces and sources of ignition. Mix only with water. DO NOT MIX WITH BLEACH OR ANY OTHER PRODUCT OR CHEMICAL. Can react to release chlorine gas. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.

Protect from freezing. Keep this product dry in original tightly closed container when not in use. Store in a cool, dry, well ventilated area away from heat or open flame. KEEP OUT OF REACH OF CHILDREN.

Aerosol Level (if applicable): Not applicable

# 8 EXPOSURE CONTROES PERSONATEROTECTION

#### **Exposure Guidelines:**

Ingredient(s)	CAS#	ACGIH	OSHA
n-Alkyl (60% C14, 30% C16, 5% C12, 5% C18)	68391-01-5	-	-
dimethyl benzyl ammonium chloride			
Alkyl dimethyl ethyl benzyl ammonium chloride	85409-23-0	-	-
Ethyl alcohol	64-17-5	1000 ppm (STEL)	1000 ppm (TWA)
			1900 mg/m³ (TWA)

#### Undiluted Product:

#### Engineering measures to reduce exposure:

Good general ventilation should be sufficient to control airborne levels Respiratory protection is not required if good ventilation is maintained.

Personal Protective Equipment

Eye protection:

Chemical-splash goggles.

Hand protection:

Chemical-resistant gloves.

Skin and body protection: Respiratory protection:

Protective footwear. If major exposure is possible, wear suitable protective clothing and footwear. In case of insufficient ventilation wear suitable respiratory equipment. A respiratory protection program

that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever

workplace conditions warrant a respirator's use.

Hygiene measures:

Handle in accordance with good industrial hygiene and safety practice.

#### **Diluted Product:**

and the contract of the contract of

Eringological con-

HENCHNOLEHING

Single of the companies

रिक्षानामाराज्यात्रमञ्जू

Fredrighte Buch

विक्रिकेने के कार्या के किसी के किसी के किसी के किसी किसी के किसी किसी है। किसी के किसी किसी के किसी के किसी क

Mannengerenterentigsphaare gereem regered as de land d Mangelsmannen de land d

tinnelsmale green tearing a commence of the co

#### 9 PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid

Profession State of the

Evaporation Rate: No information available Odor threshold: No information available.

Melting point/range: Not determined Autoignition temperature: No information available

Solubility in other solvents: No information available

Density: 8.28 lbs/gal 0.993 Kg/L Bulk density: No information available Flash point: > 200 °F > 93.3 °C

១<u>ពេក្រក្</u>មានដែលក្រទេ योग है के अधिकी

Elemental Phosphorus: 0.00 % by wt.

pH: 7.0 भिर्मादास्याक्षः व्यक्तिस्य । अस्त Color: Clear, Red Odor: Quaternary

Boiling point/range: Not determined

Decomposition temperature: Not determined

Solubility: Completely Soluble

Relative Density (relative to water): 0.993 Vapor density: No information available Vapor pressure: No information available.

Partition coefficient (n-octanol/water): No information available

Viscosity: No information available

VOC: 1.25 % \*

VOC % by wt. at use dilution 0.01 % \* Flammability (Solid or Gas): Not applicable

Metal Corrosion: Not determined

Explosion limits: - upper: Not determined - lower: Not determined

\* - Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

# THE STABILITY AND REACTIVITY

J-512 Sanitizer 3 of 5 Reactivity:

Not Applicable

Stability:

The product is stable

Hazardous decomposition products:

None reasonably foreseeable.

Materials to avoid: Conditions to avoid: Oxidizing agents. Anionic surfactant. Do not mix with chlorinated products (such as bleach).

No information available.

# 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure:

Eye contact, Skin contact, Inhalation, Ingestion

#### Delayed, immediate, or chronic effects and symptoms from short and long-term exposure

Skin contact: Corrosive. Causes severe burns. Symptoms may include burns, blisters, redness and pain (which may be delayed). Eye contact: Corrosive. Causes serious eye damage. Symptoms may include pain, burning sensation, redness, watering, blurred vision or loss of vision.

**Ingestion:** Causes burns/ serious damage to mouth, throat and stomach. Symptoms may include stomach pain and nausea. **Inhalation:** May cause irritation and corrosive effects to nose, throat and respiratory tract. Symptoms may include coughing and difficulty breathing.

Sensitization: No known effects.

Ingredient(s)	CAS#	NTP	IARC	OSHA
Ethyl alcohol	64-17-5		-	

#### Numerical measures of toxicity

ATE - Oral (mg/kg):

5000

ATE - Dermal (mg/kg):

>5000

# PLEGOLOGICAL NEORINATION

Ecotoxicity: No information available.

Persistence and Degradability: No information available.

Bioaccumulation: No information available.

#### 13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste reporesentative at the nearest EPA Regional Office for guidance. This product, as sold, if discarded or disposed, is not a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Dispose in compliance with all Federal, state, provincial, and local laws and regulations. This product, when diluted as stated on this SDS, is not a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the waste solution meets RCRA criteria for hazardous waste. Dispose in compliance with all Federal, state, provincial, and local laws and regulations. Contaminated Packaging: Do not re-use empty containers.

RCRA Hazard Class (undiluted product): Not Regulated

रिक्रिय स्टब्स्य व प्रेडाइड (तामाका कार्यका विकास

Harate Cherch

# A LANGE OF THE PROPERTY OF THE

**DOT/TDG/IMDG:** Please refer to the Diversey HazMat Library, only available through Internet Explorer, http://naextranet.diversey.com/dot/, for up to date shipping information.

DOT (Ground) Bill of Lading Description: UN3267, CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S., (quaternary ammonium compounds), 8, III

IMDG (Ocean) Bill of Lading Description: UN3267, CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S., (quaternary ammonium compounds), 8, III, MARINE POLLUTANT

# ### 15 REGULATORY INFORMATION

#### International Inventories at CAS# Level

All components of this product are listed on the following inventories: U.S.A. (TSCA).

U.S. Regulations

EPA Reg. No.: 70627-63

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

DANGER: CORROSIVE. Causes irreversible eye damage and skin burns. Harmful if swallowed or absorbed through the skin. Do not get into eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves and protective clothing when handling. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse. PHYSICAL OR CHEMICAL HAZARDS: Do not use or store near heat or open flame. Do not mix with oxidizers, anionic soaps and detergents. ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic invertebrates. For Institutional Use.

California Proposition 65: This product is not subject to the reporting requirements under California's Proposition 65.

RIGHT TO KNOW (RTK)

Ingredient(s)	CAS#	MARTK:	NJRTK:	PARTK:	RIRTK:
Water	7732-18-5	-		-	-
Alkyl dimethyl ethyl benzyl ammonium chloride	85409-23-0	-		-	-
n-Alkyl (60% C14, 30% C16, 5% C12, 5% C18) dimethyl benzyl ammonium chloride	68391-01-5	<u>-</u>	-	-	-
Ethyl alcohol	64-17-5	X	Х	X	-
Amines, C12-18-alkyldimethyl	68391-04-8	•	-	-	-

#### CERCLA/ SARA

SARA 311/312 Hazard Categories

Immediate: X
Delayed: Fire: -

Reactivity: Sudden Release of Pressure: -

Canadian Regulations

WHMIS hazard class: Not for sale in Canada.

# 16. OTHER INFORMATION

NFPA (National Fire Protection Association)
Rating Scale: (Low Hazard) 0 - 4 (Extreme Hazard)

Health 3 Flammability 0 Instability 0

Version Number: 2

Preparation date: 2015-02-20

Reason for revision:

Not applicable

Prepared by:

NAPRAC

Additional advice:

Does not contain an added fragrance

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.



# SAFETY DATA SHEET





### Section 1. Identification

American Oil Transportation Emergency (CHEMTREC) : 1-800-424-9300
22 Meridian Road Technical Information : 1 732 345-8213

Suite #6 SDS Information : 1 732 345-8213

Eatontown, NJ 07724

Product name : Jack of all Sprays (6x12 Oz spray cans) Multi-Purpose Lubricant SDS no. : 1266-869.785

Common name : Not available. Revision date : 01/15/2015

Chemical formula : Mixture

Chemical family : Biolube

Relevant identified uses of the substance or mixture and uses advised against

Lubricant.

#### Section 2. Hazards identification

OSHA/HCS status : This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Classification of the substance or

mixture

FLAMMABLE AEROSOLS - Category 1
GERM CELL MUTAGENICITY - Category 1B

CARCINOGENICITY - Category 1B

**GHS label elements** 

Hazard pictograms





Signal word : Danger

Hazard statements : Extremely flammable aerosol.

May cause genetic defects.

May cause cancer.

**Precautionary statements** 

General : Read label before use. Keep out of reach of children. If medical advice is needed, have product container or

label at hand.

Prevention : Obtain special instructions before use. Do not handle until all safety precautions have been read and

understood. Use personal protective equipment as required. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Pressurized container: Do not pierce or burn, even after use.

Do not spray on an open flame or other ignition source.

Response : IF exposed or concerned: Get medical attention.

Storage : Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

Disposal : Dispose of contents and container in accordance with all local, regional, national and international regulations.

Hazardous Material Information System (U.S.A.)

Health: 2 \* Flammability: 4 Physical hazards: 0

National Fire Protection Association (U.S.A.)

Health: 2 \* Flammability: 4 Instability: 0

#### Section 3. Composition/information on ingredients

Substance/mixture : Mixture
Other means of identification : Not available.

Ingredient name	%	CAS number
Canola oil* Petroleum gases, liquefied, sweetened Castor oil*	30 - 60 10 - 30 10 - 30	120962-03-0 68476-86-8 8001-79-4

(\*) This (These) above ingredient(s) is (are) non-hazardous and are not contributing to the hazard and classification of the final mixture. They are disclosed for information only.

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

# Section 4. First aid measures

#### Description of necessary first aid measures

Inhalation

: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and Eye contact

remove any contact lenses. Continue to rinse for at least 20 minutes. Get medical attention.

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48

hours.

Skin contact : Flush contaminated skin with plenty of water. Wash contaminated clothing thoroughly with water before

removing it, or wear gloves. Continue to rinse for at least 20 minutes. Get medical attention. Wash clothing

before reuse. Clean shoes thoroughly before reuse.

Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position Ingestion comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small

quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an

unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

#### Most important symptoms/effects, acute and delayed

#### Potential acute health effects

Eye contact : No known significant effects or critical hazards.

Inhalation Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following

exposure.

Skin contact No known significant effects or critical hazards. Ingestion No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact : Adverse symptoms may include the following:

irritation redness

Inhalation Adverse symptoms may include the following:

respiratory tract irritation

Skin contact : No known significant effects or critical hazards. : No known significant effects or critical hazards. Ingestion

#### Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may

need to be kept under medical surveillance for 48 hours.

Specific treatments No specific treatment.

Protection of first-aiders No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes

are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing

thoroughly with water before removing it, or wear gloves.

See toxicological information (Section 11)

#### Section 5. Fire-fighting measures

#### **Extinguishing media**

Suitable extinguishing media

Unsuitable extinguishing media

Specific hazards arising from the chemical

- : Use an extinguishing agent suitable for the surrounding fire.
- Extremely flammable aerosol. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion. Gas may accumulate in low or confined areas or travel a considerable distance to a source of ignition and flash back, causing fire or explosion. Bursting aerosol containers may be propelled from a fire at high speed. Runoff to sewer may create fire or explosion hazard. This material is toxic to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.

Hazardous thermal decomposition products

Decomposition products may include the following materials:

carbon dioxide carbon monoxide nitrogen oxides

Special protective actions for fire-fighters

Move containers from fire area if this can be done without risk. Use water spray to keep fireexposed containers cool.

Special protective equipment for fire-fighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

#### Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. In the case of aerosols being ruptured, care should be taken due to the rapid escape of the pressurized contents and propellant. If a large number of containers are ruptured, treat as a bulk material spillage according to the instructions in the clean-up section. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

#### Methods and materials for containment and cleaning up

#### Spill

: Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

### Section 7. Handling and storage

#### Precautions for safe handling

#### Protective measures

: Put on appropriate personal protective equipment (see Section 8). Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. Avoid exposure - obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Avoid breathing gas. Avoid release to the environment. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use only non-sparking tools. Empty containers retain product residue and can be hazardous.

# Advice on general occupational hygiene

: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. See also Section 8 for additional information on hygiene measures. Remove contaminated clothing and protective equipment before entering eating areas.

# Conditions for safe storage, including any incompatibilities

: Store in accordance with local regulations. Store away from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Eliminate all ignition sources. Use appropriate containment to avoid environmental contamination.

# Section 8. Exposure controls/personal protection

### Control parameters

#### Occupational exposure limits

None

#### Appropriate engineering controls

: Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.

# Environmental exposure controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.

#### Individual protection measures

#### Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Ensure that eyewash stations and safety showers are close to the workstation location.

#### Eye/face protection Skin protection

: Recommended: Splash goggles and a face shield, where splash hazard exists.

Hand protection

: 4 - 8 hours (breakthrough time): Nitrile gloves.

Body protection : Recommended: Long sleeved coveralls.

Other skin protection : Recommended: Impervious boots.

Respiratory protection

: If ventilation is inadequate, use a NIOSH-certified respirator with an organic vapor cartridge and P95 particulate filter

# Section 9. Physical and chemical properties

**Appearance** 

: Aerosol

Physical state

Yellow. [Light]

Color Odor

Mild

Not available. Odor threshold Not available.

**Melting point** Not available.

**Boiling point** 

: >200°C (>392°F)

: Not available.

Flash point

Liquid: (287.8°C (550°F)) Propellant: (-104.4°C (-156°F))

: Extremely flammable aerosol.

Flammability

Lower and upper explosive (flammable)

limits

Relative density

: 0.822

Insoluble

Not available.

Evaporation rate : <1 (Butyl acetate = 1)

VOC content

1.17 lbs/gal (139.8 g/l)

Solubility in water

Partition coefficient: n-

octanol/water

Not available.

Auto-ignition temperature

Decomposition

temperature

SADT

Not available.

Not available.

Viscosity Not available.

482.6 kPa (3620 mm Hg) [room temperature] Vapor pressure

Vapor density Not available.

# Section 10. Stability and reactivity

Reactivity No specific test data related to reactivity available for this product or its ingredients.

Chemical stability

The product is stable.

Possibility of hazardous reactions

Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid

: Avoid all possible sources of ignition (spark or flame).

Incompatible materials

Reactive or incompatible with the following materials: oxidizing materials.

Hazardous decomposition products : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# Section 11. Toxicological information

# Information on toxicological effects

#### **Acute toxicity**

There is no data available.

#### Irritation/Corrosion

Skin : There is no data available. Eyes There is no data available. Respiratory There is no data available.

**Sensitization** 

Skin : There is no data available. Respiratory There is no data available.

# Mutagenicity

There is no data available.

### Carcinogenicity

There is no data available.

#### Reproductive toxicity

There is no data available.

#### Teratogenicity

There is no data available.

#### Specific target organ toxicity (single exposure)

There is no data available.

#### Specific target organ toxicity (repeated exposure)

There is no data available

#### Aspiration hazard

There is no data available.

Information on the likely routes of

: Not available.

exposure

### Section 12. Ecological information

#### **Toxicity**

There is no data available.

#### Persistence and degradability

There is no data available.

#### Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Petroleum gases, liquefied, sweetened	1.09	-	low

#### Mobility in soil

Soil/water partition coefficient (Koc)

: Not available.

Other adverse effects

: No known significant effects or critical hazards.

#### Section 13. Disposal considerations

Disposal methods

Disposal of this product, solutions and any by-products should comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Not emptied containers are hazardous waste. It is however, the user's responsability to determine at the time of disposal whether product meets RCRA criteria for hazardous waste. Do not incinerate. Content under pressure.

### Section 14. Transport information

**DOT IDENTIFICATION NUMBER** UN1950

DOT proper shipping name AEROSC

DOT Hazard Class(es) 2.1

PG Not applicable DOT EMER. RESPONSE GUIDE NO. 126

# Section 15. Regulatory information

U.S. Federal regulations

: TSCA 4(a) final test rules: 2-Butenedioic acid (E)-, di-C8-18-alkyl esters

TSCA 8(a) PAIR: 2-Butenedioic acid (E)-, di-C8-18-alkyl esters TSCA 8(a) CDR Exempt/Partial exemption: Not determined

United States inventory (TSCA 8b): All components are listed or exempted.

Clean Water Act (CWA) 311: Vinyl acetate

Clean Air Act Section 602 Class I Substances Clean Air Act Section 602 Class II Substances : Not listed : Not listed

DEA List I Chemicals (Precursor Chemicals)
DEA List II Chemicals (Essential Chemicals)

: Not listed : Not listed

Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)

: Not listed

# SARA 302/304

#### Composition/information on ingredients

			SARA 302 TPQ		SARA 304 RQ	
Name	%	EHS	(lbs)	(gallons)	(lbs)	(gallons)
Vinyl acetate	0 - 0.1	Yes.	1000	129	5000	644.8

SARA 304 RQ : 992063492.1 lbs / 450396825.4 kg [144747267.1 gal / 547928011.4 L]

SARA 311/312

Classification : Fire hazard

Delayed (chronic) health hazard

Composition/information on ingredients

Name	%	Fire hazard	Sudden release of pressure	Reactive	Immediate (acute) health hazard	Delayed (chronic) health hazard
Petroleum gases, liquefied, sweetened	10 - 30	Yes.	Yes.	No.	No.	Yes.

**SARA 313** This product (does/not) contain toxic chemicals subject to the reporting requirements of SARA Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and of 40 CFR 372.

Product name	CAS number	%
Not applicable.		

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

#### State regulations

Massachusetts : None of the components are listed. **New York** None of the components are listed. **New Jersey** None of the components are listed. None of the components are listed. Pennsylvania

California Prop. 65 WARNING: This product contains less than 0.1% of a chemical known to the State of California to cause

cancer.

Ingredient name	Cancer	Reproductive	No significant risk level	Maximum acceptable dosage level
Vinyl acetate	Yes.	No.	No.	No.

#### Section 16. Other information

Revision date : 01/15/2015 Supersedes : Not applicable

Revised Section(s) : Not applicable. Prepared by : KMK Regulatory Services Inc.

#### Notice to reader

NOTICE TO FRAME
THE INFORMATION CONTAINED IN THIS SDS RELATES ONLY TO THE SPECIFIC MATERIAL IDENTIFIED. IT DOES NOT COVER USE OF THAT MATERIAL IN COMBINATION WITH ANY OTHER
MATERIAL OR IN ANY PARTICULAR PROCESS. IN COMPLIANCE WITH 29 C.F.R. 1910.1200(g), CHS HAS PREPARED THIS SDS IN SEGMENTS, WITH THE INTENT THAT THOSE SEGMENTS BE
READ TOGETHER AS A WHOLE WITHOUT TEXTUAL OMISSIONS OR ALTERATIONS. CHS BELIEVES THE INFORMATION CONTAINED HEREIN TO BE ACCURATE, BUT MAKES NO
REPRESENTATION, GUARANTEE, OR WARRANTY, EXPRESS OR IMPLIED, ABOUT THE ACCURACY, RELIABILITY, OR COMPLETENESS OF THE INFORMATION OR ABOUT THE FITNESS OF
CONTENTS HEREIN FOR EITHER GENERAL OR PARTICULAR PURPOSES. PERSONS REVIEWING THIS SDS SHOULD MAKE THEIR OWN DETERMINATION AS TO THE MATERIAL'S SUITABILITY AND COMPLETENESS FOR USE IN THEIR PARTICULAR APPLICATIONS.

Pior El of EZ

# Section 1 Chemical Product and Company Identification



5100 West Hennetta Rd PO Box 92912 Rochester, NY 14692-9012 Tel: (800) 962-2660 Boreal Science 399 Vansickle Road St. Catherines, Ontario Tel: (800) 387-9393

CHEMTREC 24 Hour Emergency Phone Number (800) 424-9300

For laboratory use only. Not for drug, food or household use.

JANUS GREEN B, 1% SOLUTION Product Synonyms Janus Green B, Water Solution

#### riszarda idemification Section 2

Signal word: WARNING Pictograms: None required. Target organs: None known.

**GHS Classification:** Acute toxicity, oral (Category 5)

GHS Label information: Hazard statement(s): H303: May be harmful if swallowed.

#### Precautionary statement(s):

P264: Wash hands thoroughly after handling.

P312: Call a POISON CENTER or doctor if you feel unwell.

P501: Dispose of contents/container to a licensed chemical disposal agency in

accordance with local/regional/national regulations.

Ca Prop 65 - This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

hemical Name	CAS#	%	EINECS	
Water Janus green 8 (C.I. No 11050)	7732-18-5 2869-83-2	99% 1%	231-791-2 220-695-6	
		t was a		

INGESTION: MAY BE HARMFUL BY INGESTION. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Latin to Part I and his See See

Suitable Extinguishing Media: Use any media suitable for extinguishing supporting fire

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

#### Section 7 Handling & Storage



**Precautions for Safe Handling:** Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, dry, well-ventilated area away from incompatible substances.

Section 8	// Expositive controls (#30) formal Pro	lection		The state of the s
Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
•	Janus green B	None established	None established	None established

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

Section 9 Physical & Chemical Properties

Appearance: Liquid, green. Odor: No odor.

Odor threshold: Data not available.

pH: Data not available.

Melting / Freezing point: Approximately 0°C (32°F) (water)

Boiling point: Approximately 100°C (212°F) (water)

Flash point: Data not available

Evaporation rate ( Water = 1): <1

Flammability (solid/gas): Data not available.

Explosion limits: Lower / Upper: Data not available

Vapor pressure (mm Hg): 14 (water) Vapor density (Air = 1): 0.7 (water)

Relative density (Specific gravity): Approximately 1.0 (water)

Solubility(ies): Complete in water.

Partition coefficient: Data not available
Auto-ignition temperature: Data not available
Decomposition temperature: Data not available.

Viscosity: Data not available.
Molecular formula: Mixture
Molecular weight: Mixture

Chemical stability: Stable

Hazardous polymerization: Will not occur.

Conditions to avoid: Excessive temperatures which cause evaporation.

Incompatible materials: Strong oxidizers.

Hazardous decomposition products: Oxides of carbon, nitrogen oxides, hydrogen chloride gas.

Acute toxicity: Data not available

Skin corrosion/irritation: Data not available Serious eye damage/irritation: Data not available Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: Data not available STOT-single exposure: Data not available STOT-repeated exposure: Data not available

Aspiration hazard: Data not available

Potential health effects:

Inhalation: Not expected to be a health hazard. Ingestion: May be harmful by ingestion. Skin: Contact may cause irritation. Eyes: Contact may cause irritation.

Signs and symptoms of exposure: To the best of our knowledge the chemical, physical and toxicological properties have not been thoroughly investigated. Specific data is

not available. Exercise appropriate procedures to minimize potential hazards.

Additional information: RTECS #: SG1633000 [Janus green B]

Toxicity to fish: No data available

Toxicity to daphnia and other aquatic invertebrates: No data available

Toxicity to algae: No data available

Persistence and degradability: No data available Mobility in soil: No data available Bioaccumulative potential: No data available PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

UN/NA number: Not applicable

ot applicable Shipping name: Not Regulated

Hazard class: Not applicable Packing group: Not applicable

Exceptions: Not applicable 2012 ERG Guide # Not applicable

Reportable Quantity: No Marine pollutant: No

The same of the sa	per sy war er er				The state of the state of the state of	and the second of the second o
A chemical is considered to be listed if the CAS number for the	e anhydrous form	is on the inventory list.				
Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	
Janus green B	Listed	Not listed	Not listed	Listed	Not listed	

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Form 06/2015

Revision Date: November 18, 2015 Supercedes: January 14, 2014



# Van Aken International

#### SAFETY DATA SHEET

SECTION 1 -- IDENTIFICATION OF THE SUBSTANCE Identification of the Substance or Preparation Revision date 07-May-15 Product Class: Polymer Emulsion Previous revision date Trade Name: Jazz Gloss Tempera 10-April-13 Product code: 50000 Series File designation Use of Substance / Preparation This product is washable paint for various art projects. Chemical name Chemical family CAS No. Not Applicable Not Applicable Not Applicable Manufacture's Name and issuing location **EMERGENCY PHONE NUMBER** VAN AKEN INTERNATIONAL. 1 - (843) - 767 - 8272 3265 FORTUNE DRIVE Issuer's phone number NORTH CHARLESTON, SC 29418 843 - 767 - 8272

Manufacturing site

# 3265 Fortune Dr., North Charleston, SC 29418

#### **SECTION 2 -- HAZARDS IDENTIFICATION EMERGENCY OVERVIEW: Caution!**

Product Description: This product is pigmented paint.

Health Hazards: Non-Hazardous - Not expected to have hazardous health effects.

Flammability Hazards: Non-Flammable

Reactivity Hazards: This product is not reactive.

Environmental Hazards: Release of the product is not expected to cause adverse effects to the aquatic

Emergency Recommendations: Emergency responders must have personal protective equipment and fire protection appropriate for the situation to which they are responding.

EU LABELING AND CLASSIFICATION: This product does not meet the definition of a hazardous substance or preparation according to EU Regulations (EC) No 1272/2008.

### INDEX NUMBER:

EC# 215-279-6 This substance is not listed in the Annex I of Regulation (EC) No 689/2008. EC# 232-315-6 This substance is not listed in the Annex I of Regulation (EC) No 689/2008.

#### GHS CLASSIFICATIONS:

None Known

SIGNAL WORD: Caution!

HAZARD STATEMENT:

None Known


PREVENTION STATEMENT:

None Known

RESPONSE STATEMENT:

None Known





Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe \* = Chronic hazard

SDS 05/04/15

page 1 of 6



# Van Aken International

SAFETY DATA SHEET

Material: JAZZ GLOSS TEMPERA, 50000

Version: 1

#### HEALTH EFFECTS OR RISKS FROM EXPOSURE:

#### **ACUTE HEALTH HAZARDS:**

EYES: Not expected to be a hazard, however contact may cause irritation with temporary redness.

SKIN: Not expected to cause irritation or other health effects.

INHALATION: Not expected to cause irritation to respiratory system.

INGESTION: Exposure is unlikely. This product can cause gastrointestinal irritation.

POTENTIAL CHRONIC HEALTH EFFECTS: None known.

AGGRAVATION OF PRE-EXISTING CONDITIONS: None known

CHRONIC: This product does not contain any ingredient designated by IARC, NTP, ACGIH or OSHA as

probable or suspected human carcinogens.

#### SECTION 3 – COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Ingredients:	WT%	CAS#	EINECS #	Hazard Classification	Risk Phrases
Proprietary Mixture	100%	Proprietary	Proprietary	Not Classified	None
Balance of other ingredients in concentration (or 0.1% for respiratory sensitizers).					None

NOTE: ALL WHMIS required information is included in appropriate sections based on the ANSI 7400.1-2004 format. This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all the information required by the CPR, EU Directives and the Japanese Industrial Standard JIS Z 7250: 2000.

SECTION 4 FIRST AID MEASURES		
EYES	If material contacts the eye, immediately flush eyes with plenty of water for at least 15 minutes, while holding eyelids open. GET MEDICAL ATTENTION IF IRRITATION CONTINUES.	
SKIN	Wash affected area with plenty of soap and water. GET MEDICAL ATTENTION IF IRRITATION OCCURRS OR PERSISTS	
INHALATION	If breathing becomes difficult remove victim to fresh air and provide oxygen if breathing is difficult. If not breathing, give artificial respiration, preferably mouth to mouth. GET MEDICAL ATTENTION.	
INGESTION	If ingested, get immediate medical attention. Do not induce vomiting unless	

instructed to do so by medical personnel. Never give anything by mouth to a victim

who is unconscious or is having convulsions. NOTES TO PHYSICIAN: Treat symptoms and eliminate overexposure.

#### **SECTION 5 -- FIRE FIGHTING MEASURES**

FLASH POINT: Non-Flammable

**AUTOIGNITION TEMPERATURE: Not Applicable** 

FLAMMABLE LIMITS (in air by volume, %): Lower NA Upper NA

FIRE EXTINGUISHING MATERIALS: Use fire extinguishing methods listed below: Carbon Dioxide: Yes

Water Spray: Yes Foam: Yes

Dry Chemical: Yes Other: Any "C" Class

UNUSUAL FIRE AND EXPLOSION HAZARDS: None known

Explosion Sensitivity to Mechanical Impact: No Explosion Sensitivity to Static Discharge: No

SPECIAL FIRE-FIGHTING PROCEDURES: Incipient fire responders should wear eye protection. Structural firefighters must wear Self-Contained Breathing Apparatus and full protective equipment.

SDS 05/07/15

Halon: Yes

page 2 of 6



# Van Aken International SAFETY DATA SHEET

Material: JAZZ GLOSS TEMPERA, 50000

Version: 1

Isolate materials not yet involved in the fire and protect personnel. Move containers from fire area if this can be done without risk; otherwise, cool with carefully applied water spray. If possible, prevent runoff water from entering storm drains, bodies of water, or other environmentally sensitive areas.

# **SECTION 6 -- ACCIDENTAL RELEASE MEASURES**

SPILLS OR **LEAKS** 

Contain spill and recover if possible. Wipe spill up place in proper container for disposal. Clean area with soap and water.

U.S. Regulations (CERCLA) requires reporting spills and releases to soil, water and air in excess of reportable quantities. The toll free number for the US Coast Guard National Response Center is (800) 424-8802. Dispose of in accordance with U.S. Federal, State, and local hazardous waste disposal regulations and those of Canada and its Provinces, those of Australia, Japan and EU Member States (see Section 13, Disposal Considerations).

# **SECTION 7 -- HANDLING AND STORAGE**

WORK PRACTICES AND HYGIENE PRACTICES: Wash hands thoroughly after handling. STORAGE AND HANDLING PRACTICES: Store in a cool, dry well-ventilated location. Avoid extreme heat. Protect from physical damage

#### **SECTION 8 -- EXPOSURE CONTROLS / PERSONAL PROTECTION**

Chemical Name	CAS#	ACGIH TLV	OSHA TWA
Proprietary Mixture	Proprietary	Not Listed	Not Listed

VENTILATION AND ENGINEERING CONTROLS: Use with adequate ventilation to ensure exposure levels are maintained below the limits provided above.

The following information on appropriate Personal Protective Equipment is provided to assist employers in complying with OSHA regulations found in 29 CFR Subpart I (beginning at 1910.132) or equivalent standard of Canada, or standards of EU member states (including EN 149 for respiratory PPE, and EN 166 for face/eye protection), and those of Japan. Please reference applicable regulations and standards for relevant details.

RESPIRATORY PROTECTION: Not required with this product. Wear approved dust-mist respirator when used in spray application. Maintain airborne contaminant concentrations below guidelines listed above, if applicable. If necessary, use only respiratory protection authorized in the U.S. Federal OSHA Respiratory Protection Standard (29 CFR 1910.134), equivalent U.S. State standards, Canadian CSA Standard Z94.4-93, the European Standard EN149, or EU member states.

EYE PROTECTION: Not normally required. If necessary, refer to U.S. OSHA 29 CFR 1910.133, Canadian Standards, and the European Standard EN166, Australian Standards, or relevant Japanese Standards

HAND PROTECTION: Not required when handling this product. If necessary, refer to U.S. OSHA 29 CFR 1910.138, the European Standard DIN EN 374, the appropriate Standards of Canada, Australian Standards, or relevant Japanese Standards.

BODY PROTECTION: Not normally required when using this product. Use body protection appropriate for task (e.g. lab coat, overalls). If necessary, refer to appropriate Standards of Canada, or appropriate Standards of the EU, Australian Standards, or relevant Japanese Standards.

# SECTION 9 -- PHYSICAL AND CHEMICAL PROPERTIES

**COLOR**: Various

**BOILING POINT: 212 °F** 

FORM: Bodied liquid ODOR: Faint ester odor **SOLUBILITY IN WATER: Soluble** MELTING POINT: Not Established

**SPECIFIC GRAVITY: 1.17** 

AUTO IGNITION TEMPERATURE: Not Applicable FLASH POINT: Non-Flammable pH: Not applicable (1% soln/water)

VAPOR DENSITY: Lighter than air

EVAPORATION RATE (BuAc=1): Slower than ether

WEIGHT PER GALLON: 9.45-10.10 lb/gal

SDS 05/07/15

page 3 of 6



# Van Aken International SAFETY DATA SHEET

Material: JAZZ GLOSS TEMPERA, 50000

Version: 1

· · · · · · · · · · · · · · · · · · ·	SECTION 10 STABILITY AND REACTIVITY
Chemical stability YES [X] NO [ ]	If no, which conditions?
Compatibility with other substances YES [X] NO [ ]	If NO, which ones?
Reactivity, and under what con STABLE; conditions to	
Hazardous decomposition prod NONE	ucts

#### **SECTION 11 -- TOXICOLOGICAL INFORMATION**

#### TOXICITY DATA:

**TOXICOLOGICAL DATA:** 

DUKE UNIVERSITY SCHOOL OF MEDICINE has completed a toxicological evaluation of this product(s) and have found no hazardous component or contaminant level or effect of the products themselves that would require acute or chronic hazard labeling to conform with ASTM D4236, the Labeling for Hazardous Art Materials Act, LHAMA regulations (16 CFR 1500.14(B)(8), or the Federal Hazardous Substances Act. These products are classified as NOT being toxic, corrosive, skin/eye irritants, or a strong sensitizer as defined in 16 CFR 1500.3(b)(5), and 1500.3(b)(7) - (9) of the Federal Hazardous Substances Act. These product(s) do not require labeling under the Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65). These products do not contain hazardous substances when evaluated under ASTM F963.8.2 of the Standard Consumer Safety Specification for Toy Safety. This evaluation is in accord with the 1984 CPSC Policy Statement on Animal Testing. Conducted by a board certified toxicologist as defined by 16 CFR 14(B)(8). A completed a review of this product(s) under Canada's Hazardous Products Act, including CCCR-2001, Hazardous Products (Toys) Regulations and Surface Coating Materials Regulations. No restrictions, labeling or special packaging are required. Specifically, this product is not considered a toxic hazard, sensitizer, irritant or corrosive substance as described in CHPA c.r.c., c.931 sections 10 and 11 and no materials described in section 14 are used in this product and does not contain a toxic substance, corrosive substance, irritant or sensitizer as defined in CHPA-2001 R.S. c. H-3 schedule I part II, item 13 (p) & (q).

#### CARCINOGENIC EFFECTS:

Mutagenic effects:

Not available. Not available.

Teratogenic effects: Cancer Lists

---NTP Carcinogen---

Ingredient
All Ingredients

Known No Anticipated No **IARC Category** 

None

# **SECTION 12 -- ECOLOGICAL INFORMATION**

ALL WORK PRACTICES MUST BE AIMED AT ELIMINATING ENVIRONMENTAL CONTAMINATION.

**ENVIRONMENTAL FATE:** No Data Available Oxygen Demand Data: No data available

ENVIRONMENTAL TOXICITY:

Acute Aquatic Effects Data: No data available

# **SECTION 13 -- DISPOSAL CONSIDERATIONS**

PREPARING WASTES FOR DISPOSAL: Waste disposal must be in accordance with appropriate U.S. Federal, State, and local regulations, those of Canada, Australia, EU Member States and Japan.

SDS 05/07/15

page 4 of 6



# Van Aken International SAFETY DATA SHEET

Material: JAZZ GLOSS TEMPERA, 50000

Version: 1

#### **SECTION 14 -- TRANSPORT INFORMATION**

US DOT, IATA, IMO, ADR:

U.S. DEPARTMENT OF TRANSPORTATION (DOT) SHIPPING REGULATIONS: This product is

classified (per 49 CFR 172.101) by the U.S. Department of Transportation, as follows.

PROPER SHIPPING NAME:

NON-REGULATED MATERIAL

HAZARD CLASS NUMBER and DESCRIPTION: UN IDENTIFICATION NUMBER:

NA NA

PACKING GROUP:

NA

DOT LABEL(S) REQUIRED:

NORTH AMERICAN EMERGENCY RESPONSE GUIDEBOOK NUMBER:

None

NA

NA

RQ QUANTITY:

MARINE POLLUTANT: The components of this product are not designated by the Department of Transportation to be Marine Pollutants (49 CFR 172.101, Appendix B).

INTERNATIONAL AIR TRANSPORT ASSOCIATION SHIPPING INFORMATION (IATA): This product is not considered as dangerous goods.

INTERNATIONAL MARITIME ORGANIZATION SHIPPING INFORMATION (IMO): This product is not considered as

dangerous goods.

EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY ROAD (ADR): This product is not considered by the United Nations Economic Commission for Europe to be dangerous goods.

#### **SECTION 15 -- REGULATORY INFORMATION**

#### **UNITED STATES REGULATIONS:**

U.S. SARA REPORTING REQUIREMENTS: The components of this product are Not subject to the reporting requirements of Sections 302, 304, and 313 of Title III of the Superfund Amendments and Reauthorization Act.

U.S. SARA THRESHOLD PLANNING QUANTITY: There are no specific Threshold Planning Quantities for the components of this product. The default Federal MSDS submission and inventory requirement filing threshold of 10,000 lbs (4,540 kg) therefore applies, per 40 CFR 370.20.

U.S. CERCLA REPORTABLE QUANTITY (RQ): None

U.S. TSCA INVENTORY STATUS: The components of this product are listed on the TSCA Inventory or are exempted form listing.

OTHER U.S. FEDERAL REGULATIONS: None

CALIFORNIA SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT (PROPOSITION 65):

Ingredients within this product are not on the Proposition 65 Lists.

**CANADIAN REGULATIONS:** 

CANADIAN DSL/NDSL INVENTORY STATUS: The components of this product are on the DSL Inventory, or are exempted from listing.

OTHER CANADIAN REGULATIONS: Not applicable.

CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA) PRIORITIES SUBSTANCES LISTS:

CANADIAN WHMIS CLASSIFICATION and SYMBOLS: Not Controlled

**EUROPEAN ECONOMIC COMMUNITY INFORMATION:** 

EU LABELING AND CLASSIFICATION: This product meets the definition of the following hazard class as defined by the European Economic Community Guidelines.

**EU CLASSIFICATION:** 

EU RISK PHRASES: None known EU SAFETY PHRASES: None known

AUSTRALIAN INFORMATION FOR PRODUCT: The components of this product are listed on the International Chemical Inventory list.

JAPANESE INFORMATION FOR PRODUCT:

JAPANESE MINISTER OF INTERNATIONAL TRADE AND INDUSTRY (MITI) STATUS: The components of this product are not listed as Class I Specified Chemical Substances, Class II Specified Chemical Substances, or Designated Chemical Substances by the Japanese MITI.

SDS 05/07/15

page 5 of 6



# Van Aken International SAFETY DATA SHEET

Material: JAZZ GLOSS TEMPERA, 50000

Version: 1

JAPANESE ENCS INVENTORY: The components of this product are on the ENCS Inventory as indicated in the section on International Chemical Inventories, below

POISONOUS AND DELETERIOUS SUBSTANCES CONTROL LAW: No component of this product is a listed Specified Poisonous Substance under the Poisonous and Deleterious Substances Control Law.

INTERNATIONAL CHEMICAL INVENTORIES:

Listing of the components on individual country Chemical Inventories is as follows:

Asia-Pac: Listed

Australian Inventory of Chemical Substances (AICS): Listed

Korean Existing Chemicals List (ECL): Listed Japanese Existing National Inventory of Chemical Substances (ENCS): Listed

Philippines Inventory if Chemicals and Chemical Substances (PICCS): Listed Swiss Giftliste List of Toxic Substances: Listed

#### **SECTION 16 -- OTHER**

Recommended uses and restrictions

Store in cool, dry place. Avoid extreme heat. Practice reasonable care and caution.

Please consult the product label for specific product information. Website: www.vanaken.com

Source used

Duke Toxicology, Supplier Information.

Prepared by S. Knick

Signature

S. Knick

#### Disclaimer

This material safety data sheet is offered for your information only. We believe the statements, technical information and recommendations contained herein are reliable, but are given without warranty or guarantee of any kind, expressed or implied. VAN AKEN INTERNATIONAL assumes no responsibility for any loss, damage or expense, direct or consequential, arising from the use of our material. It is the responsibility of the user to determine the suitability and completeness of such information for the required use or application. We do not assume any legal responsibility for nor do we give permission, inducement or recommendation to practice any patented invention without a license. Further, it is the user's obligation to utilize this material in full compliance with all health, safety and environmental regulations

SDS 05/07/15

page 6 of 6



# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations SDS ID: SDS-06082021-1

Issue date: 8/6/2021 Version: 1.0

# **SECTION 1: Identification**

# 1.1. Identification

Product form : Mixture
Product name : HYPER WIPES

#### 1.2. Recommended use and restrictions on use

Use of the substance/mixture : Wipes

Hand and surface cleaning

# 1.3. Supplier

NEVA GLOBAL GRUP SANAYİ İÇ ve DIŞ TİC. A.Ş. Akçaburgaz Mahallesi 592 Sokak D. Blok No: 10-12

Esenyurt P.O. Box 34522

İstanbul

Türkiye

T +90 212 856 06 16

info@nevagrupglobal.com - nevagrupglobal.com

# 1.4. Emergency telephone number

Emergency number : +90 212 856 06 16

#### SECTION 2: Hazard(s) identification

### 2.1. Classification of the substance or mixture

#### **GHS US classification**

Skin sensitization, Category 1
Flammable Liquid, Category 3

Flammable Liquid, Category 3 H317 May cause an allergic skin reaction

Full text of H statements : see section 16

#### 2.2. GHS Label elements, including precautionary statements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazards stataments (GHS US): Flammable Liquid and vapor

Hazard pictograms (CLP)

Signal word (GHS US)

Precautionary statements (GHS US)

GHS07 GHS02

: Warning

H317 - May cause an allergic skin reaction

: P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

P103 - Read label before use.

P261 - Avoid breathing vapors, spray.

P272 - Contaminated work clothing must not be allowed out of the workplace.

P280 - Wear protective gloves, protective clothing, eye protection, face protection.

P302+P352 - If on skin: Wash with plenty of water.

P321 - Specific treatment (see supplemental first aid instruction on this label). P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P363 - Wash contaminated clothing before reuse.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention.

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

# 2.3. Other hazards which do not result in classification

No additional information available.

# 2.4. Unknown acute toxicity (GHS US)

Not applicable

# SECTION 3: Composition/Information on ingredients

# 3.1. Substances

Not applicable

# 3.2. Mixtures

Name	Product identifier	%	GHS US classification
ethanol, ethyl alcohol (Solvent)	CAS-No.: 64-17-5	5	Flam. Liq. 2, H225
(R)-p-mentha-1,8-diene, d-limonene	CAS-No.: 5989-27-5	5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Sodium Lauryl Ether Sulphate (Surfactant)	CAS-No.: 9004-82-4	4	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319
Glycerol (Humectant)	CAS-No.: 56-81-5	3	Not classified
ALOE BARBADENSIS LEAF JUICE	CAS-No.: 85507-69-3	1	Not classified
Decamethylcyclopentasiloxane (Humectant)	CAS-No.: 541-02-6	0.979	Not classified
Isododecane (Solvent)	CAS-No.: 31807-55-3	0.7	Asp. Tox. 1, H304
TOCOPHERYL ACETATE (Antioxidant)	CAS-No.: 7695-91-2	0.5	Not classified
LANOLIN (Humectant)	CAS-No.: 8006-54-0	0.5	Not classified
Butyl glycollate (Solvent)	CAS-No.: 7397-62-8	0.5	Eye Dam. 1, H318
disodium dihydrogen ethylenediaminetetraacetate (UV filter)	CAS-No.: 139-33-3	0.01	Acute Tox. 4 (Inhalation), H332 STOT RE 2, H373
Sodium chloride (Viscosity controlling)	CAS-No.: 7647-14-5	0.01	Not classified
Diiron trioxide (colorants)	CAS-No.: 1309-37-1	0.001	Not classified

Full text of hazard classes and H-statements : see section 16

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### **SECTION 4: First-aid measures**

### 4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs:

Get medical advice/attention.

First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Call a poison center/doctor/physician if you feel unwell.

#### 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after skin contact : May cause an allergic skin reaction.

Symptoms/effects after eye contact : May cause slight temporary irritation to ocular mucous membranes.

#### 4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

#### **SECTION 5: Fire-fighting measures**

# 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam.

#### 5.2. Specific hazards arising from the chemical

Hazardous decomposition products in case of fire : Toxic fumes may be released.

#### 5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering

environment. Use a water spray to cool exposed surfaces and to protect fire-fighters.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

# **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Evacuate area. Stop leak if safe to do so. Eliminate ignition sources.

6.1.1. For non-emergency personnel

Protective equipment : For further information refer to section 8: "Exposure controls/personal protection".

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing

dust/fume/gas/mist/vapors/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer

to section 8: "Exposure controls/personal protection".

#### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Mechanically recover the product.

Other information : Dispose of materials or solid residues at an authorized site.

8/6/2021 (Issue date) EN (English US) 3/17

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 6.4. Reference to other sections

For further information refer to section 13.

# SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling

: Ensure good ventilation of the work station. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray. Wear personal protective equipment.

Hygiene measures

: Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

# SECTION 8: Exposure controls/personal protection

# 8.1. Control parameters

JUNIPER CLEAN HYPER WIPE WET WIPES	
No additional information available.	
ethanol, ethyl alcohol (64-17-5)	
USA - ACGIH - Occupational Exposure Limits	
Local name	Ethanol
ACGIH OEL STEL [ppm]	1000 ppm
Remark (ACGIH)	TLV® Basis: URT irr. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans)
Regulatory reference	ACGIH 2021
USA - OSHA - Occupational Exposure Limits	
Local name	Ethyl alcohol (Ethanol)
OSHA PEL TWA [1]	1900 mg/m³
OSHA PEL TWA [2]	1000 ppm
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1

#### disodium dihydrogen ethylenediaminetetraacetate (139-33-3)

No additional information available.

# Butyl glycollate (7397-62-8)

No additional information available.

#### Sodium chloride (7647-14-5)

No additional information available.

8/6/2021 (Issue date) EN (English US) 4/17

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### Decamethylcyclopentasiloxane (541-02-6)

No additional information available.

#### LANOLIN (8006-54-0)

No additional information available.

# TOCOPHERYL ACETATE (7695-91-2)

No additional information available.

#### Isododecane (31807-55-3)

No additional information available.

#### Glycerol (56-81-5)

No additional information available.

# Sodium Lauryl Ether Sulphate (9004-82-4)

No additional information available.

#### Diiron trioxide (1309-37-1)

No additional information available.

#### (R)-p-mentha-1,8-diene, d-limonene (5989-27-5)

No additional information available.

#### **ALOE BARBADENSIS LEAF JUICE (85507-69-3)**

No additional information available.

#### 8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

# 8.3. Individual protection measures/Personal protective equipment

# Hand protection:

Does not require any particular or specific measures. Respect the general rules for occupational hygiene

# Eye protection:

Not required for normal conditions of use

#### Skin and body protection:

No special clothing/skin protection equipment is recommended under normal conditions of use

#### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state : Solid Appearance : Wipes.

Color : According to product specification

8/6/2021 (Issue date) EN (English US) 5/17

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Odor : characteristic Odor threshold : No data available Hq : 5.80 -7.0 Melting point : No data available Freezing point : Not applicable Boiling point No data available Flash point : 43 °C(Fahrenayt 109.4) Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) : Non flammable. Vapor pressure : No data available Relative vapor density at 20 °C : No data available Relative density : 1.012 at 25°C Density : 0.8 g/cm<sup>3</sup>

Solubility : No data available Partition coefficient n-octanol/water (Log Pow) : No data available Auto-ignition temperature : Not applicable Decomposition temperature : No data available Viscosity, kinematic Not applicable Viscosity, dynamic : 700 mPa·s at 20°C **Explosion limits** : Not applicable Explosive properties : No data available Oxidizing properties : No data available

# 9.2. Other information

No additional information available.

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Stable under normal conditions.

# 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

# 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

#### 10.5. Incompatible materials

No additional information available.

# 10.6. Hazardous decomposition products

Carbon oxides (CO, CO2).

# **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal) : Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation) : Not classified (Based on available data, the classification criteria are not met)

8/6/2021 (Issue date) EN (English US) 6/17

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ethanol, ethyl alcohol (64-17-5)	
LD50 oral rat	15010 mg/kg body weight Animal: rat, Animal sex: female, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 14450 - 15560
ATE US (oral)	8300 mg/kg body weight
disodium dihydrogen ethylenediamin	netetraacetate (139-33-3)
LD50 oral rat	2800 mg/kg body weight Animal: rat
ATE US (oral)	2800 mg/kg body weight
ATE US (gases)	4500 ppmV/4h
ATE US (vapors)	11 mg/l/4h
ATE US (dust, mist)	1.5 mg/l/4h
Butyl glycollate (7397-62-8)	
LD50 oral rat	4595 mg/kg body weight Animal: rat, Animal sex: female, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
ATE US (oral)	4595 mg/kg body weight
Coding oblavida (7047 44 5)	
Sodium chloride (7647-14-5) LD50 dermal rabbit	> 10000 mg/kg body weight Animal: rabbit
Decamethylcyclopentasiloxane (541-	
LD50 oral rat	> 5000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal rabbit	> 2000 mg/kg body weight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LC50 Inhalation - Rat	8.67 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), Guideline EPA OTS 798.1150 (Acute inhalation toxicity), 95% CL: 7,3 - 10,32
TOCOPHERYL ACETATE (7695-91-2)	
LD50 oral rat	> 10000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal rat	> 3000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity
Glycerol (56-81-5)	
LD50 oral rat	27 mg/kg body weight Animal: rat, Animal sex: female
Sodium Lauryl Ether Sulphate (9004-	82-4)
ATE US (oral)	500 mg/kg body weight
Skin corrosion/irritation	: Not classified (Based on available data, the classification criteria are not met)
Serious eye damage/irritation	<ul><li>pH: 5,80-7,0</li><li>Not classified (Based on available data, the classification criteria are not met)</li><li>pH: 5,80-7,0</li></ul>
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

IADO masura	2. Net described
IARC group	3 - Not classifiable
(R)-p-mentha-1,8-diene, d-limonene (5989-2	7-5)
IARC group	3 - Not classifiable
3 × 5 × 5 × 5 × 5 × 5 × 5 × 5 × 5 × 5 ×	: Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met)
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)
ethanol, ethyl alcohol (64-17-5)	
NOAEL (subchronic,oral,animal/male,90 days)	< 9700 mg/kg body weight Animal: mouse, Animal sex: male, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents)
NOAEL (subchronic,oral,animal/female,90 days)	> 9400 mg/kg body weight Animal: mouse, Animal sex: female, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents)
disodium dihydrogen ethylenediaminetetra:	acetate (139-33-3)
LOAEC (inhalation,rat,dust/mist/fume,90 days)	0.015 mg/l air Animal: rat, Animal sex: female, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study)
NOAEL (oral,rat,90 days)	≥ 500 mg/kg body weight Animal: rat, Animal sex: male
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
Butyl glycollate (7397-62-8)	
NOAEL (oral,rat,90 days)	100 mg/kg body weight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)
Decamethylcyclopentasiloxane (541-02-6)	
NOAEL (oral,rat,90 days)	≥ 1000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity Study in Rodents)
NOAEL (dermal,rat/rabbit,90 days)	≥ 1600 mg/kg body weight Animal: rat, Guideline: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study)
TOCOPHERYL ACETATE (7695-91-2)	
NOAEL (oral,rat,90 days)	2000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity in Rodents)
Diiron trioxide (1309-37-1)	
LOAEC (inhalation,rat,dust/mist/fume,90 days)	0.2102 mg/l air Animal: rat, Animal sex: male, Guideline: OECD Guideline 412 (Subacute Inhalation Toxicity: 28-Day Study)
NOAEC (inhalation,rat,dust/mist/fume,90 days)	≥ 0.03 mg/l air Animal: rat, Animal sex: male
Aspiration hazard	: Not classified
/iscosity, kinematic	(Based on available data, the classification criteria are not met)  : Not applicable
Symptoms/effects after skin contact	: May cause an allergic skin reaction.
-,p	: May cause slight temporary irritation to ocular mucous membranes.

# **SECTION 12: Ecological information**

# 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ethanol, ethyl alcohol (64-17-5)		
LC50 - Fish [1]	14.2 g/l Test organisms (species): Pimephales promelas	
NOEC (chronic)	9.6 mg/l Test organisms (species): Daphnia magna Duration: '9 d'	
disodium dihydrogen ethylenediaminetetraacetate (139-33-3)		
EC50 - Crustacea [1]	140 mg/l Test organisms (species): Daphnia magna	
LOEC (chronic)	50 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	
NOEC (chronic)	25 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	
NOEC chronic fish	≥ 25.7 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) Duration: '35 d'	
Butyl glycollate (7397-62-8)		
LC50 - Fish [1]	23.1 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)	
EC50 - Crustacea [1]	> 89.2 mg/l Test organisms (species): Daphnia magna	
Sodium chloride (7647-14-5)		
LC50 - Fish [1]	5840 mg/l Test organisms (species): Lepomis macrochirus	
LOEC (chronic)	441 mg/l Test organisms (species): Daphnia pulex Duration: '21 d'	
NOEC (chronic)	314 mg/l Test organisms (species): Daphnia pulex Duration: '21 d'	
Decamethylcyclopentasiloxane (541-02-6)		
LC50 - Fish [1]	> 16 μg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)	
EC50 - Crustacea [1]	> 2.9 μg/l Test organisms (species): Daphnia magna	
TOCOPHERYL ACETATE (7695-91-2)		
LC50 - Fish [1]	> 11 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)	
EC50 - Crustacea [1]	> 20.6 mg/l Test organisms (species): Daphnia magna	
NOEC chronic fish	> 100 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) Duration: '28 d'	
Glycerol (56-81-5)		
LC50 - Fish [1]	54000 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)	
Diiron trioxide (1309-37-1)		
EC50 - Crustacea [1]	> 100 mg/l Test organisms (species): Daphnia magna	
EC50 - Other aquatic organisms [1]	> 100 mg/l Test organisms (species):	
	•	

# 12.2. Persistence and degradability

No additional information available.

# 12.3. Bioaccumulative potential

(R)-p-mentha-1,8-diene, d-limonene (5989-27-5)	
Partition coefficient n-octanol/water (Log Pow)	4.83

# 12.4. Mobility in soil

No additional information available.

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 12.5. Other adverse effects

No additional information available.

# **SECTION 13: Disposal considerations**

#### 13.1. Disposal methods

Regional legislation (waste) : Disposal must be done according to official regulations.

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

# SECTION 14: Transport information

In accordance with DOT / TDG / IMDG / IATA

# 14.1. UN number

DOT NA No : UN3175 UN-No. (TDG) : UN3175 UN-No. (IMDG) : 3175 UN-No. (IATA) : 3175

# 14.2. UN proper shipping name

Proper Shipping Name (DOT) : Solids containing flammable liquid, n.o.s.

Proper Shipping Name (TDG) : SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.
Proper Shipping Name (IMDG) : SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.

Proper Shipping Name (IATA) : Solids containing flammable liquid, n.o.s.

#### 14.3. Transport hazard class(es)

#### DOT

Transport hazard class(es) (DOT) : 4.1 Hazard labels (DOT) : 4.1



# TDG

Transport hazard class(es) (TDG) : 4.1 Hazard labels (TDG) : 4.1



### IMDG

Transport hazard class(es) (IMDG) : 4.1 Hazard labels (IMDG) : 4.1



# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

# IATA

Transport hazard class(es) (IATA) : 4.1 Hazard labels (IATA) : 4.1



# 14.4. Packing group

Packing group (DOT) : II
Packing group (TDG) : II
Packing group (IMDG) : II
Packing group (IATA) : II

# 14.5. Environmental hazards

Other information : No supplementary information available.

# 14.6. Special precautions for user

#### DOT

UN-No.(DOT) : UN3175

DOT Packaging Non Bulk (49 CFR 173.xxx) : 212

DOT Packaging Bulk (49 CFR 173.xxx) : 240

DOT Quantity Limitations Passenger aircraft/rail (49 : 15 kg

CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 50 kg

CFR 175.75)

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

**DOT Vessel Stowage Location** 

: B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.

#### TDG

UN-No. (TDG) **TDG Special Provisions**  : UN3175

- : 16 (1) The technical name of at least one of the most dangerous substances that predominantly contributes to the hazard or hazards posed by the dangerous goods must be shown, in parentheses, on the shipping document following the shipping name in accordance with clause 3.5(1)(c)(ii)(A) of Part 3 (Documentation). The technical name must also be shown, in parentheses, on a small means of containment or on a tag following the shipping name in accordance with subsections 4.11(2) and (3) of Part 4 (Dangerous Goods Safety Marks).
  - (2) Despite subsection (1), the technical name for the following dangerous goods is not required to be shown on a shipping document or on a small means of containment when Canadian law for domestic transport or an international convention for international transport prohibits the disclosure of the technical name:
  - (a) UN1544, ALKALOID SALTS, SOLID, N.O.S. or ALKALOIDS, SOLID, N.O.S;
- (b) UN1851, MEDICINE, LIQUID, TOXIC, N.O.S;
- (c) UN3140, ALKALOID SALTS, LIQUID, N.O.S. or ALKALOIDS, LIQUID, N.O.S;
- (d) UN3248, MEDICINE, LIQUID, FLAMMABLE, TOXIC, N.O.S; or
- (e) UN3249, MEDICINE, SOLID, TOXIC, N.O.S.
- (3) Despite subsection (1), the technical name for the following dangerous goods is not required to be shown on a small means of containment:
- (a) UN2814, INFECTIOUS SUBSTANCE, AFFECTING HUMANS; or
- (b) UN2900, INFECTIOUS SUBSTANCE, AFFECTING ANIMALS,56 (1) When solids that are not dangerous goods, and liquids included in Class 3, Flammable Liquids, are in a mixture, the mixture may be handled, offered for transport or transported under this shipping name without the tests and criteria for including substances in Class 4.1, Flammable Solids, first being applied to them, if
- (a) there is no visible liquid at the time the mixture is loaded into a means of containment or at the time the means of containment is closed; and
- (b) each means of containment is leakproof.
- (2) These Regulations, except for Part 1 (Coming into Force, Repeal, Interpretation, General Provisions and Special Cases) and Part 2 (Classification), do not apply to a sealed packet or article containing less than 10 mL of dangerous goods included in Class 3, Flammable Liquids, packing group II or III, if there is no free liquid in the packet or article.

Explosive Limit and Limited Quantity Index

Excepted quantities (TDG) Passenger Carrying Road Vehicle or Passenger

Carrying Railway Vehicle Index

: 1 kg : E2 : 15 kg

Emergency Response Guide (ERG) Number

: 133

#### IMDG

Special provision (IMDG) : 216, 274 Limited quantities (IMDG) : 1 kg Excepted quantities (IMDG) E2 Packing instructions (IMDG) P002 : PP9 Packing provisions (IMDG) : IBC06 IBC packing instructions (IMDG) IBC special provisions (IMDG) : B21 Tank instructions (IMDG) : T3. BK2 : TP33 Tank special provisions (IMDG)

: F-A - FIRE SCHEDULE Alfa - GENERAL FIRE SCHEDULE EmS-No. (Fire)

: S-I - SPILLAGE SCHEDULE India - FLAMMABLE SOLIDS (REPACKING POSSIBLE) EmS-No. (Spillage)

Stowage category (IMDG) : B

8/6/2021 (Issue date) EN (English US) 12/17

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Properties and observations (IMDG) : Mixtures of non-dangerous solids (such as soil, sand, production materials etc.) and flammable

liquids.

IATA

PCA Excepted quantities (IATA) : E2 PCA Limited quantities (IATA) : Y441 PCA limited quantity max net quantity (IATA) : 5kg PCA packing instructions (IATA) : 445 PCA max net quantity (IATA) : 15kg CAO packing instructions (IATA) : 448 CAO max net quantity (IATA) : 50kg Special provision (IATA) : A46 ERG code (IATA) : 3L

#### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

# **SECTION 15: Regulatory information**

#### 15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

ALOE BARBADENSIS LEAF JUICE

CAS-No. 85507-69-3

1%

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

#### 15.2. International regulations

#### CANADA

#### ethanol, ethyl alcohol (64-17-5)

Listed on the Canadian DSL (Domestic Substances List)

#### disodium dihydrogen ethylenediaminetetraacetate (139-33-3)

Listed on the Canadian DSL (Domestic Substances List)

# Butyl glycollate (7397-62-8)

Listed on the Canadian DSL (Domestic Substances List)

#### Sorbitan monooleate, ethoxylated (9005-65-6)

Listed on the Canadian DSL (Domestic Substances List)

# Sodium chloride (7647-14-5)

Listed on the Canadian DSL (Domestic Substances List)

#### Decamethylcyclopentasiloxane (541-02-6)

Listed on the Canadian DSL (Domestic Substances List)

8/6/2021 (Issue date) EN (English US) 13/17

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### LANOLIN (8006-54-0)

Listed on the Canadian DSL (Domestic Substances List)

#### TOCOPHERYL ACETATE (7695-91-2)

Listed on the Canadian DSL (Domestic Substances List)

#### Isododecane (31807-55-3)

Listed on the Canadian DSL (Domestic Substances List)

# Glycerol (56-81-5)

Listed on the Canadian DSL (Domestic Substances List)

# Sodium Lauryl Ether Sulphate (9004-82-4)

Listed on the Canadian DSL (Domestic Substances List)

#### Diiron trioxide (1309-37-1)

Listed on the Canadian DSL (Domestic Substances List)

#### (R)-p-mentha-1,8-diene, d-limonene (5989-27-5)

Listed on the Canadian DSL (Domestic Substances List)

#### **ALOE BARBADENSIS LEAF JUICE (85507-69-3)**

Listed on the Canadian DSL (Domestic Substances List)

#### **EU-Regulations**

No additional information available.

#### **National regulations**

### ethanol, ethyl alcohol (64-17-5)

Listed on IARC (International Agency for Research on Cancer)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

#### disodium dihydrogen ethylenediaminetetraacetate (139-33-3)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

### Butyl glycollate (7397-62-8)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

#### Sodium chloride (7647-14-5)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### Decamethylcyclopentasiloxane (541-02-6)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

#### LANOLIN (8006-54-0)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

#### **TOCOPHERYL ACETATE (7695-91-2)**

Listed on INSQ (Mexican National Inventory of Chemical Substances)

# Isododecane (31807-55-3)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

# Glycerol (56-81-5)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

#### Diiron trioxide (1309-37-1)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

#### (R)-p-mentha-1,8-diene, d-limonene (5989-27-5)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

#### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

Component	State or local regulations
ethanol, ethyl alcohol(64-17-5)	U.S Idaho - Non-Carcinogenic Toxic Air Pollutants - Acceptable Ambient Concentrations; U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S New York City - Right to Know Hazardous Substances List; U.S Pennsylvania - RTK (Right to Know) List
Diiron trioxide(1309-37-1)	U.S Idaho - Non-Carcinogenic Toxic Air Pollutants - Acceptable Ambient Concentrations; U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S New York City - Right to Know Hazardous Substances List; U.S Pennsylvania - RTK (Right to Know) List
Isododecane(31807-55-3)	U.S. – New York City – Right to Know Hazardous Substances List
Glycerol(56-81-5)	U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List
LANOLIN(8006-54-0)	U.S Pennsylvania - RTK (Right to Know) List

# **SECTION 16: Other information**

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Data sources

: ECHA (European Chemicals Agency). Supplier's safety documents.

Full text of H-phrases		
H225	Highly flammable liquid and vapor	
H226	Flammable liquid and vapor	
H302	Harmful if swallowed	
H304	May be fatal if swallowed and enters airways	
H315	Causes skin irritation	
H317	May cause an allergic skin reaction	
H318	Causes serious eye damage	
H319	Causes serious eye irritation	
H332	Harmful if inhaled	
H373	May cause damage to organs through prolonged or repeated exposure	
H400	Very toxic to aquatic life	
H410	Very toxic to aquatic life with long lasting effects	

Abbreviations and acronyms		
CAS-No.	Chemical Abstract Service number	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
N.O.S.	Not Otherwise Specified	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
CAS	Chemical Abstracts Service (division of the American Chemical Society)	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
IOELV	Indicative Occupational Exposure Limit Value	
COD	Chemical oxygen demand (COD)	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Abbreviations and acronyms		
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
PBT	Persistent Bioaccumulative Toxic	
Pow (log)	n-octanol/water partition coefficient	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
TLM	Median Tolerance Limit	
ThOD	Theoretical oxygen demand (ThOD)	
voc	Volatile Organic Compounds	
vPvB	Very Persistent and Very Bioaccumulative	

Safety Data Sheet (SDS), USA

DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable