

**HAMILTON UNIFIED SCHOOL DISTRICT**

**BOARD MEETING**

**AGENDA**

**Hamilton High School Library**

**Tuesday, January 20, 2015**

---

6:00 p.m. Public session for purposes of opening the meeting only.  
6:00 p.m. Closed session to discuss closed session items listed below.  
6:30 p.m. Reconvene to open session no earlier than 6:30 p.m.

---

**1.0 OPENING BUSINESS:**

1.1 Call to order and roll call

\_\_\_\_\_ Tomas Loera, President      \_\_\_\_\_ Rosalinda Sanchez      \_\_\_\_\_ Gabriel Leal  
\_\_\_\_\_ Judy Twede, Clerk      \_\_\_\_\_ Hubert "Wendall" Lower

**2.0 IDENTIFY CLOSED SESSION ITEMS:**

**3.0 PUBLIC COMMENT ON CLOSED SESSION ITEMS.** Public comment will be heard on any closed session item. The board may limit comments to no more than three minutes per speaker and 15 minutes per item.

**4.0 ADJOURN TO CLOSED SESSION:** To consider qualified matters.

4.1 Government Code Section 54957.6, Labor Negotiations. To confer with the District's Labor Negotiator, Superintendent Charles Tracy, regarding HTA and CSEA negotiations.

4.2 Government Code Section 54957, Personnel Issue. To consider the employment, evaluation, reassignment, resignation, dismissal, or discipline of a classified and certificated employees.

**5.0 RECONVENE TO PUBLIC SESSION/FLAG SALUTE:** Report action taken in closed session (no earlier than 6:30 p.m.).

**6.0 ADOPT THE AGENDA: (M)**

**7.0 PUBLIC COMMENT:** Public comment on any item of interest to the public that is within the Board's jurisdiction will be heard (agenda and non-agenda items.) The Board may limit comments to no more than three minutes per speaker and 15 minutes per topic. Public comment will also be allowed on each specific action item prior to board action thereon.

**8.0 COMMUNICATIONS/REPORTS:**

8.1 Board Members Comments/Reports.

8.2 ASB President and Elementary Student Council President.

1. Hamilton High School, Ivan Urena-Valdes -
2. Hamilton Elementary School, Ofelia Flores

- 8.3 District Reports.
1. Food Service - Director LeAnn Radtke
  2. Operations - Director Marc Eddy
  3. Technology - Manager Frank James

- 8.4 Principal and Dean of Students Reports.
1. Cris Oseguera, Hamilton High School Principal
  2. Darcy Pollak, Hamilton Elementary School Principal
  3. Maria Reyes, District Dean of Students
  - A. School Presentation - Hamilton High School

- 8.5 Superintendent's Report, Superintendent Charles Tracy.
1. Governor's Budget.

*2. LETTER*      *3. NEXT MONTH.*      *4. PLC MARCH - 3-6.*  
*5. LCAP*      *6. FEB 17.*

9.0 **COMMUNICATIONS:**

- 9.1 Department of Pesticide Regulation (9.1.1-9.1.3)

10.0 **DISCUSSION ITEMS:**

- 10.1 Proposal for Traffic and Engineering Study. (10.1.1-10.1.8)
- 10.2 Audit Report, June 30, 2014. Diane Lyon (EC and hard copy available) (10.2.1-10.2.82)
- 10.3 Common Core Spending Plan – Revised. Diane Lyon (10.3.1)
- 10.4 Request for Allowance of Attendance because of Emergency Conditions, Form J-13A, and Affidavit of Governing Board Members (Electronic copy and hard copy available) (10.4.1-10.4.44)
- 10.5 Initial Proposal from HTA to HUSD, 2015-16. (Second Reading) (10.5.1)
- 10.6 E-rate Form 470. Frank James (10.6.1-10.6.8)

11.0 **ACTION ITEMS:**

- 11.1 Proposal for Traffic and Engineering Study. ✓
- 11.2 Seniority Lists, Certificated. (Annual approval) (11.2.1)
- 11.3 Audit Report, June 30, 2014.
- 11.4 Common Core Spending Plan – Revised.
- 11.5 Request for Allowance of Attendance because of Emergency Conditions, Form J-13A, and Affidavit of Governing Board Members.
- 11.6 Initial Proposal from HTA to HUSD, 2015-16.
- 11.7 E-rate Form 470.

*W-OG*  
*W-OG*  
*W-OG*  
*W-OG*  
*W-OG*  
*W-OG*  
*W-OG*  
*W-OG*

12.0 **CONSENT AGENDA:** (M) Items in the consent agenda are considered routine and are acted upon by the Board in one motion. There is no discussion of these items prior to the Board vote and unless a member of the Board, staff, or public request specific items be discussed and/or removed from the consent agenda. Each item on the consent agenda approved by the Board shall be deemed to have been considered in full and adopted as recommended.

*G-W*

- 12.1 Warrants and Expenditures (12.1.1-12.1.16)
- 12.2 Minutes of the Regular Board Meeting of December 15, 2014 (12.2.1-12.2.3)
- 12.3 HES SSC Meeting Minutes from November and December (available at Feb. meeting)
- 12.4 HES SSC Meeting Agenda for December 15, 2014 (12.4.1-12.4.2)

12.5 Williams Quarterly Report, January 2015. (12.5.1)

12.6 New Volunteers:

Matt Jarvis-volunteer track coach

Martha Jaeger-volunteer track coach

Pedro Uriostegue-volunteer track coach

12.7 AP US History field trip to Chico for movie (12.7.1)

13.0 **ADJOURNMENT:**



# Mesa Verde High School

*San Juan Unified School District*

7501 Carriage Drive, Citrus Heights, California 95621

Telephone (916) 971-5288; FAX (916) 971-5215

---

*Colin Bross, Principal*

To Whom It May Concern:

I am sending you this letter to take a quick moment to mention what a fine job your Varsity Boys Basketball team did representing all that is right about high school sports when they were competing at our Small School Challenge Dec 22-23 2014. The characteristics they displayed- the teamwork, the sportsmanship and the type of attitude that all teams should possess.

Kudos to your coaching staff and its players for a job well-done while competing at the Mesa Verde Challenge.

Sincerely,

Patrick Pavelchik

[Ppavelchik@sanjuan.edu](mailto:Ppavelchik@sanjuan.edu)

Mesa Verde Boys Basketball Head Coach

# Cafeteria Report

December 2014



*LeAnn Radtke*

*Director of Nutrition and Student Welfare*

**Combined district totals**

**Lunches 9635**

**Breakfasts 6177**

**After school snack 834**

*Happy New Year*

# HAMILTON ELEMENTARY SCHOOL PTO

## 2ND ANNUAL

# GOLF TOURNAMENT

Sevillano Links at Rolling Hills Casino

**Saturday, February 21, 2015**

9:30am – Check-In

11:00am – Shotgun Start



Help Support  
PTO

Technology  
Athletics  
Library  
BAND  
Field Trips  
Classrooms

Cost- \$500 per foursome (\$125 per player)

Cost includes: Green Fees, Cart, Driving Range, Lunch, and  
After Golf Awards Ceremony hors d'oeuvres

Prizes for: 1<sup>st</sup>, 2<sup>nd</sup>, 3<sup>rd</sup> place, closest to the Pin, Longest Drive  
Raffle

Name: \_\_\_\_\_ Names of Persons in foursome: \_\_\_\_\_  
Address: \_\_\_\_\_  
Phone Number: \_\_\_\_\_  
Email address: \_\_\_\_\_

\*Mail registration form, entry fee, and hole sponsorships and check to:

Hamilton Elementary PTO  
PO Box 277  
Hamilton City, CA 95951

- \$125 per player
- \$500 – I'm paying for a Foursome
- \$200 – I am interested in a Hole Sponsorship (Your name will be displayed at a T-box, listed in the tournament program, and displayed on our school website!
- I'd like to donate the amount of \_\_\_\_\_ .

Questions?

Cain Medina – PTO President 321-2246/ Darcy Pollak – Principal 826-3474

## Monthly Report January

### Transportation

1803 Miles Driven

578 miles extra in 8 trips

Replaced Clutch in Bus #2

Service Buses 1, 2, 4, 5

Bus Training 5 Hours (Marc, Tony, Austin, Alan)

### Maintenance

#### Game Prep

1 Home soccer Game

Winter Concert

HES Winter Program

Fall Sports Banquet

#### HHS

Replace clutch in tractor

Sprayed roundup

---

Campus cleanup (Leaves, Gutters)

Repair Tile in Ella Barkley Girls Bathroom

#### HES

Waxed Cafeteria floor

Campus Cleanup (Leaves, Gutters)

Sprayed Roundup



Brian R. Leahy  
Director

Edmund G. Brown Jr.  
Governor

December 23, 2014

TO: School Superintendents  
SUBJECT: AMENDMENTS TO THE HEALTHY SCHOOLS ACT

**Introduction**

On January 1, 2015, three new requirements will be added to the Healthy Schools Act<sup>1</sup> (HSA) that affect schools. Schoolsites (licensed child care centers and public K-12 schools) applying pesticides that are not exempt<sup>2</sup> must develop and publish an integrated pest management (IPM) plan and submit pesticide use reports. In addition, starting July 1, 2016, the schoolsite IPM Coordinator and anyone who is going to apply pesticides (including exempt products) must receive IPM training. This letter provides guidance on how to comply with the new requirements.

**Develop an IPM Plan**

By the start of the 2015/2016 school year, you should have an IPM plan in place for your school district. The IPM plan must be posted to the school district's Web site or, if no Web site exists, must be mailed out with the annual pesticide notification.

The Department of Pesticide Regulation (DPR) is developing an IPM plan template for your use. This template will include: the name of the school designee or IPM coordinator; pest management objectives; the pesticides expected to be applied at the schoolsite by both school employees and hired applicators; an outline of an IPM strategy; and the date when the plan will be reviewed and updated. The template will be available on our School IPM Web site at <<http://apps.cdpr.ca.gov/schoolipm/>> in early 2015.

*Continued on next page.*

<sup>1</sup>Business and Professions Code Section 8593.2, Education Code Section 17609-12, 17614, Food and Agriculture Code Section 12996, 12999, 13181-13183, 13186-13187.

<sup>2</sup>Pesticides exempt from some HSA requirements are: 1) pesticides in self-contained baits or traps, 2) gels or pastes used in crack and crevice treatments, 3) antimicrobials, and 4) pesticides that contain active and inert ingredients exempt from US EPA registration. <[http://apps.cdpr.ca.gov/schoolipm/school\\_ipm\\_law/exempt\\_products.pdf](http://apps.cdpr.ca.gov/schoolipm/school_ipm_law/exempt_products.pdf)>.

9.1.1

# What School District and Child Care Staff Need To Know About the Latest Healthy Schools Act Amendments December 2014

On September 29, 2014, Governor Brown signed into law Senate Bill 1405 (DeSaulnier). This bill makes amendments to the Healthy Schools Act (HSA) which go into effect on January 1, 2015. These amendments<sup>1</sup> are in addition to the current requirements. Under the new law, **schoolsites (licensed child care centers and public K-12 schools)** must meet three new requirements, briefly described below. DPR will be sending more details about the three requirements in the coming months.

Starting January 1, 2015, if you plan to apply pesticides that are not exempt<sup>2</sup>, you must do the following:

## 1. Develop an Integrated Pest Management Plan

Use the integrated pest management (IPM) plan template<sup>3</sup> provided by the Department of Pesticide Regulation (DPR) to develop an IPM plan for your schoolsite or school district. The IPM plan must be posted on the district's or schoolsite's Web site, or, if no Web site exists, sent out to all parents, guardians, and staff with the annual pesticide notice. The template will be available on the DPR School IPM Web site in January 2015.

## 2. Report Pesticide Use

Send pesticide use reports not less than annually to DPR for pesticides that are not exempt<sup>2</sup> that are applied by school employees. DO NOT report pesticide applications performed by hired applicators; DPR already receives these reports directly from the pest control business. Reports are due no later than January 30 for the previous calendar year's data and must be submitted on a form provided by DPR. The first reports are due January 30, 2016; and will include use from January 1, 2015, to December 31, 2015. The form will be available on the DPR School IPM Web site in January 2015.

After July 1, 2016, you must do the following if you apply **any** pesticide:

## 3. Receive IPM Training

Complete DPR-approved training in school IPM and in the safe use of pesticides in relation to the unique nature of schools and children's health **before** applying a pesticide. Each schoolsite's IPM coordinator and all school or child care center employees or any other unlicensed person who will be applying pesticides must receive this HSA training annually. The approved courses that meet this HSA requirement will be listed on the DPR School IPM Web site when available but no later than spring of 2016.

**Note:** Professional applicators must also receive this DPR-approved training **before** applying a pesticide at a schoolsite.

**Sign up for the School or Child Care IPM electronic mailing list for updates about these requirements.**  
<<http://www.cdpr.ca.gov/docs/dept/listserv/listdesc.htm>>

<sup>1</sup>Business and Professions Code Section 8593.2, Education Code Sections 17609-12, 17614, Food and Agriculture Code Sections 12996, 12999, 13181-13183, 13186-13187.

<sup>2</sup>Pesticides exempt from some Healthy Schools Act requirements are: 1) pesticides used in self-contained baits or traps, 2) gels or pastes used in crack and crevice treatments, 3) antimicrobials, and 4) pesticides that contain active and inert ingredients exempt from U.S. EPA registration  
<[http://apps.cdpr.ca.gov/schoolipm/school\\_ipm\\_law/exempt\\_products.pdf](http://apps.cdpr.ca.gov/schoolipm/school_ipm_law/exempt_products.pdf)>

<sup>3</sup>Alternatively, a school or district may submit their own IPM plan to DPR for approval. Note that at a minimum it must include all the information required by DPR's template.

9.1.2

---

**Receive IPM  
Training  
(continued)**

The required training needs to be renewed annually. A list of approved courses will be available on the DPR School IPM Web site by spring 2016. This training is in addition to the required annual pesticide safety training for employees using pesticides. For more information about the annual pesticide safety training visit:  
<[http://www.cdpr.ca.gov/docs/enforce/cmpliaist/handling\\_pesticides.pdf](http://www.cdpr.ca.gov/docs/enforce/cmpliaist/handling_pesticides.pdf)>.

---

**Updates**

DPR's School IPM program will be sending out updates about the IPM plan template, the pesticide use report form, and the required IPM training by e-mail. To receive information, we highly encourage you to sign up for the School IPM list serve:  
<<http://www.cdpr.ca.gov/docs/dept/listserv/listdesc.htm>>.

A HSA amendment fact sheet that summarizes the new requirements for schoolsite employees and any unlicensed person applying pesticides at a schoolsite can be found on our School IPM Web site and is included with this letter.

---

**Contact**

If you have any questions, please contact Lisa Estridge of my staff at 916-445-2489 or <[Lisa.Estridge@cdpr.ca.gov](mailto:Lisa.Estridge@cdpr.ca.gov)>.

---

Sincerely,



Nan Gorder, Ph.D., Chief  
Pest Management and Licensing Branch  
916-445-4038

Attachment: Healthy Schools Act Amendments Fact Sheet

9.1.3

# Hamilton Unified School District

620 Canal Street  
P.O. Box 488  
Hamilton City, CA 95951

Charles Tracy, Superintendent

(530) 826-3261  
(530) 826-0440 (Fax)  
[www.hamiltonusd.org](http://www.hamiltonusd.org)

December 26, 2014

Mr. Matthew Gomes  
Deputy Director  
Glenn County Planning and Public Works Agency  
PO Box 1070/777 N. Colusa Street  
Willows, CA 95988

Dear Mr. Gomes,

The District is in receipt of your letter and proposal for the traffic and engineering study. This expenditure is in the process of being placed on the agenda for Hamilton Unified School District Governing Board, January 20, 2015, for authorization of the expenditure. I would recommend that you or your representative appear and explain the scope of work that will be conducted in the survey.


As outlined in the study conducted by the District, the proposal set forth by Willdan Engineering does not address the after-hour activities of major sporting events or community gatherings that occur almost weekly at Hamilton High School. I am concerned that the proposal as written will leave out strategic information for the safety of our students, staff and community members.

Also, it will be my recommendation that Willdan Engineering attend a regular scheduled meeting of the Hamilton Unified School District and present their recommendations and findings at the Regular Meeting of the Board February 17, 2015. The Board meets at the High School Library at 620 Canal Street, Hamilton City CA 95951. Our open session begins at 6:30 PM. I believe the contract with Willdan Engineering allows for four on-site meetings. I believe that one of those meetings should be reserved for this presentation.

It will be my recommendation that the Hamilton Unified School District Board approve the requested expenditure of 50% the cost, estimated to be \$4,350.

Should you have any questions, please do not hesitate to contact me.

Sincerely,



Charles Tracy,  
District Superintendent

Cc: Willdan Engineering, 2400 Washington Avenue, Suite 101, Redding CA 96001-2839

10.1.1

**GLENN COUNTY**  
**Planning & Public Works Agency**

P.O. Box 1070 / 777 N. Colusa Street  
Willows, CA 95988  
530.934.6530 Fax 530.934.6533  
[www.gcppwa.net](http://www.gcppwa.net)



Mr. Charles Tracy  
Superintendent  
Hamilton Unified School District  
PO Box 488  
Hamilton City, CA 95951

December 19, 2014

RE: Traffic and Engineering Study of Canal Street from State Route 32 to 1,000 feet north

Dear Mr. Tracy:

In your letter dated November 4, 2014 you requested under Vehicle Code Sections 21372 / 21373 and 22358.4 that the Glenn County Board of Supervisors initiate traffic and engineering study of Canal Street from State Route 32 to 1,000 feet north. I conveyed your request to the Board of Supervisors at their regular meeting held Tuesday, November 18, 2014. At that meeting I also reported that an estimate for the requested traffic and engineering study had been made to the County Engineer.

Attached for your consideration and approval is that estimate. In accordance with Vehicle Code Section 21373 the County is requesting the school district pay an amount not to exceed 50 percent of the cost of the survey. If it is determined that such requested protection is warranted, it shall be installed by the county or state agency involved.

Upon receipt of your \$4,350 deposit for the requested work the County will proceed with the study as indicated in the attached proposal including the optional work.

Sincerely,

Matthew J. Gomes  
Deputy Director

CC: Glenn County Board of Supervisors  
Mort August, County Engineer / Road Commissioner

10.1.2

# Hamilton Unified School District

620 Canal Street  
P.O. Box 488  
Hamilton City, CA 95951

Charles Tracy, Superintendent

(530) 826-3261  
(530) 826-0440 (Fax)  
[www.hamiltonusd.org](http://www.hamiltonusd.org)

2014 NOV - 6 11:10:02  
CLERK OF SUPERVISORS

November 4, 2014

Glenn County Board of Supervisors  
525 W. Sycamore Street, Suite B-1  
Willows, CA 95988

Dear Members,

On Monday, August 18, 2014, at the regular meeting of the Governing Board of Hamilton Unified School District, The Governing Board voted to direct the Superintendent to write a letter informing you of the intention of the Board to exercise its rights under Vehicle Code Section 22358.4, imposition of a reduced speed zone for Canal Street in Hamilton City and Vehicle Code Section 21372, establishment of the need for a pedestrian crosswalk. Further, the Governing Board directed the Superintendent to prepare this letter and, if needed, a Board Resolution compelling the Glenn County Board of Supervisors to initiate a traffic and engineering study for Canal Street, between State Route 32 and the end of the school sphere of influence to its north boundaries (1000 feet) granted the district by Senate Bill 187, The safe School Act.

As demonstrated in the staffing report dated, August 14, 2014, and presented in a public meeting of the Governing Board, the district has made numerous requests to meet with county staff to resolve a dangerous situation for our students and parents who attend school at Hamilton High School or who participate in school sponsored events. This roadway is a highly traveled thoroughfare that has the potential of a high degree of incident for injury to pedestrian traffic and can no longer be ignored.

Under the authority granted to it under Vehicle Code 22358.4 and 21372, the Governing Board through it actions compels the Board of Supervisors for the County of Glenn under its authority to commission a traffic and engineering study of Canal Street, from State Route 32 to 1000 feet north of the northern border of the northeast property line of the school property within the 90 day requirement set forth in law. On Monday, October 20, 2014, the Governing Board considered and passed Resolution 15-103, compelling actions on the aforementioned safety issue By the Board of Supervisors of the County of Glenn forthwith (resolution, attached)

The district request reasonable notice prior to the date, time and place that this matter will be heard before the Board of Supervisors so that the district may make a presentation regarding this matter.


# Hamilton Unified School District

620 Canal Street  
P.O. Box 488  
Hamilton City, CA 95951

Charles Tracy, Superintendent

(530) 826-3261  
(530) 826-0440 (Fax)  
[www.hamiltonusd.org](http://www.hamiltonusd.org)

Sincerely,



Charles Tracy  
Superintendent

CC: California Highway Patrol, Attention Area Commander.  
Golden State Risk Management Authority, Attention Scott Schimke



*The Hamilton Unified School District will provide a safe, rigorous, and engaging educational experience that promotes student academic success, respect, and citizenship in a caring environment.*

10.1.4

**RESOLUTION NO. 15-103**  
(October 20, 2014 Regular Meeting)

A RESOLUTION OF THE GOVERNING BOARD OF THE HAMILTON  
UNIFIED SCHOOL DISTRICT  
HIGH SCHOOL CROSSWALK

WHEREAS, at its regular meeting of August 18, 2014, the Governing School Board of Hamilton Unified School District, County of Glenn, directed the Superintendent to prepare a resolution compelling action under the authority granted to the Governing Board from Vehicle Codes 22358.4 and 21372; and,

WHEREAS, The provisions provided to the Governing Board to compel the Board of Supervisors of the County of Glenn to direct county staff to complete a traffic and engineering study for the portion of Canal Street, Hamilton City from the north prolongation of the intersection with State Route 32 to 1000 feet north of the northern school boundaries of the aforementioned street; and,

WHEREAS, The Governing Board Of Hamilton Unified School District has recognized the need to establish a safe crossing and a reduced speed zone on Canal Street from the north prolongation of the intersection of State Route 32 and to the north of the school property on Canal Street for 1000 feet. The crosswalk and speed reduction zone is recognized as a safety issue not addressed at this time for students and parents who would attend school or school sponsored events.

NOW, THEREFORE, BE IT RESOLVED that the Governing Board of Hamilton Unified School District under the authority granted to it through SB-187 Safe Schools Act, which includes safe passages to school, the California Vehicle Code, Sections 22358.4, Reduced Speed Zones below the 25 MPH State Established Speed Zones for School Zones and California Vehicle Code Section 21372, the Board Authority to compel the City, County, State or other entity, having jurisdiction of roadways in a given School District to undertake a traffic and engineering study to establish the prima fascia speed and reduce the incidence of speed to prevent injury or death to a member of the school district. Further, the traffic and engineering study would be required by the aforementioned vehicle code to compel the entity with roadway safety to establish a safe crosswalk for pedestrian traffic that would greatly reduce the incident of injury or death to members of the school district. Further, the entity responsible for roadway safety would be required to sign and place on the roadway proper markings and warnings of the reduced speed zones and pedestrian cross walks, directs the Board of Supervisors of the County Of Glenn to conduct a traffic and engineering study within 90 Days of the action taken by the Governing School Board and with proper service upon the Members of the Board of Supervisors of the County of Glenn.

AND BE IT FURTHER RESOLVED that the Governing Board of The Hamilton Unified School District does hereby declare that the County of Glenn is placed on notice of the Actions taken under authority given this Board to act and compel the Board of Supervisors to conduct the traffic and Engineering Study by January 19, 2015 and report in-person at the regularly scheduled public board meeting regarding the findings of the study and projected construction of the reduced speed zone and crosswalks.

APPROVED, PASSED and ADOPTED by the Governing Board of the Hamilton Unified School District this 20th day of October 2014 by the following vote:

AYES TWEDE, ANDERSON, LOWER, LEAL NOES NONE

ABSENT LOERA ABSTAIN NONE

Attest:

Judy Tweede  
Thomas Loera, President  
Governing Board of Hamilton Unified School District

10.20.14  
Date Signed

Charles Tracy  
Charles Tracy, Secretary  
Governing Board of Hamilton Unified School District

10/22/14  
Date Signed

10.1.5

December 4, 2014

Mr. Matthew Gomes  
Deputy Director  
County of Glenn Planning and Public Works Agency  
777 N. Colusa St.  
Willows, CA 95988

Subject: Proposal to Provide Professional Traffic Engineering Services for the Preparation of a Pedestrian Analysis Study for Hamilton High School

Dear Mr. Gomes:

Willdan Engineering is pleased to submit this proposal to provide professional traffic engineering services to the County of Glenn. We understand there is concern regarding pedestrians crossing at Canal Street between Hamilton High School and the student parking lot. This pedestrian study will analyze what, if any, additional traffic controls may be implemented to improve pedestrian access at this location.

### **SCOPE OF WORK**

1. Collection of Available Data – Willdan will collect existing data from the County including:
  - Most recent 3-year reported collision history of the subject intersection
  - 24-hour counts
  - 85<sup>th</sup> percentile speed surveys
  - Any signing, striping or street plans of the subject intersection
2. Data Collection – Pedestrian counts will be collected for no more than a total of 4 hours. We anticipate the pedestrian counts will be collected during the AM and PM peaks for the school.
3. Field Observation – Field trips will be made to the location to observe various details of the subject location. Observations will include, but are not limited to; existing traffic flow/operation, pedestrians and crossing guard, general signing and striping conditions, curb parking restrictions and driver and pedestrian behavior.

4. Willdan will determine what, if any, additional traffic controls would be appropriate to address the pedestrian concerns. This will include, but are not limited to, the possible use of the following traffic control devices:
  - a. Additional traffic signing (i.e., stop signs), striping or other street improvements
  - b. Flashing Beacons
  - c. Rectangular Rapid Flashing Beacons
5. Willdan will prepare a construction cost estimate for the design and construction of the proposed traffic control device and improvements if any is recommended.
6. Draft Report – Three copies of the Draft Report will document the data, analyses, results, and recommendations of this Pedestrian Analysis Study.
7. Final Report – Upon receipt of County comments on the Draft Report, Willdan will submit the final report within 2 additional weeks. Willdan will proceed with due diligence to complete all work in a timely and efficient manner.
8. Willdan will attend up to four (4) meetings with County staff (kick off and draft report of findings), School officials and with CHP/Sheriff. Additional meetings beyond this can be attended on an hourly basis based on Willdan Engineering's standard hourly rates.
9. **Optional Work:** Willdan if so desired by the County, may attend a Board of Supervisors meeting to present findings and recommendations.

#### **PROPOSED SCHEDULE**

The winter break for the schools will begin on December 22, 2014. This will greatly affect our data collection and analysis. We recommend collecting the data once school is back in session on January 12, 2015. A draft report would be completed within 4 weeks of being issued a Notice-to-Proceed.

#### **PROPOSED FEE**

Willdan proposes to provide the professional traffic engineering services outlined in this proposal for a time-and-materials not-to-exceed fee of **\$7,500.00**. The Optional work can be provided to the County for an additional fee of **\$1,200.00**.

Two originals of this proposal are being submitted. Please indicate the County's approval and authorization to proceed by signing both originals and returning one to our office.

December 4, 2014  
Page 3 of 3

Thank you for the opportunity to be of continuing service to the County of Glenn. We recognize the importance of this project to the County and are committed to realizing its timely and successful completion. Should you have any questions regarding this proposal, please contact Ms. Vanessa Muñoz at (562) 908-6225 or Mr. Lew Gluesing at (562) 908-6291.

Respectfully submitted,

WILLDAN ENGINEERING



Lew Gluesing, PE, TE, PTOE  
Director of Engineering

Approval and Authorization to Proceed By:

COUNTY OF GLENN

\_\_\_\_\_  
Signature

\_\_\_\_\_  
Date

91005/06-160/P14-216\_10409

10.1.8

# Hamilton Unified School District's

## REVISED

### 2013-14 Common Core State Standards Spending Plan

#### Background:

This apportionment is made from funds provided in AB 86, Section 85, which is in support of the integration of academic content standards in instruction for kindergarten and grades 1 to 12, inclusive, for purposes of establishing high-quality instructional programs for all pupils.

#### Implementation:

As a condition of receiving these funds, Hamilton Unified School District must develop and adopt a plan delineating how funds shall be spent. The plan shall be explained in a public meeting of the governing board before its adoption in a subsequent public meeting. Detailed expenditure information is due to the California Department of Education at the end of fiscal year 2014-15. The method and format for this report has yet to be determined.

#### Additional Information:

- CDE is allotting an equal per-pupil amount using prior-year enrollment data. The award amounts are estimated at \$200 per pupil using CaLPADS fall enrollment as of October 2012.
- These funds may be encumbered any time during the 2013-14 or 2014-15 fiscal year.
- CCSS funds shall be expended for any of the following purposes:
  - Professional development - for teachers, administrators, and paraprofessional educators or other classified employees involved in the direct instruction of pupils that is aligned to the academic content standards.
  - Instructional materials - aligned to the academic content standards.
  - Technology - Integration of these academic content standards through technology-based instruction for purposes of improving the academic performance of pupils, including, but not limited to, expenditures necessary to support the administration of computer-based assessments and provide high-speed, high-bandwidth Internet connectivity for the purpose of administration of computer-based assessments.
- The CCSS entitlement and expenditures will be recorded in Resource Code 7405.
- Hamilton Unified School District's entitlement is \$142,000. The district has received 50% of the entitlement as of September with the other 50% expected by the end of October 2013.

District Spending Plan: Revised as of December 2014.

As specified by AB 86, it is the district's intent to spend the CCSS funds on professional development, instructional materials and technology, as deemed necessary and fitting to the district's needs.

Professional Development	\$55,000
Instructional Materials	\$85,000
Technology	\$ 2,683
Total	\$142,683

10.3.1

# Hamilton Unified School District

DATE: December 15, 2014

TO: Members of the Governing School Board

FROM: Charles Tracy, Superintendent

SUBJECT: Waiver Request and Affidavit-Request for Allowance of Attendance Due to Emergency Conditions at Hamilton High School, Hamilton Elementary School, Ella Barkley High School, Hamilton Community Day.

## Background:

In accordance with Education Code Section 41422, districts that are prevented from maintaining school for the required number of days because of extraordinary conditions, "Which fact shall be shown to the satisfaction of the Superintendent of Public Instruction by the affidavits of the members of the Governing Board of the School District and the County Superintendent of Schools, shall receive the same apportionment from the State Schools Fund as it would have received had it not been so prevented from maintaining schools".

On December 10, 2014, all Glenn County Superintendents began receiving communications from the County Superintendent Tracey Quarne regarding the pending storm and related weather and safety bulletins from the Glenn County Office of Emergency Services officials. These reports stated they felt that due to the weather conditions, it was advisable for all county schools to close on Thursday, December 11, 2014, due to reports of high winds, in excess of 75 mph, heavy rainfall and potential for flooded roads which would prevent school busses and other vehicular traffic from traveling to and from schools. Mr. Quarne warned that due to the inclement weather, possible power outages would also be a factor. For the safety of students school was cancelled in all districts in Glenn County including Hamilton Unified School District.

On the Morning of December 11, 2014, I met with my two principals and our Director of Transportation and Maintenance regarding the prudence of opening school on Friday, December 12, 2014. I contacted acting OES Officer, Lt. Shawn Arlin, by telephone and sought his counsel regarding our pending opening. He advised against reopening school on Friday, December 12, 2014, due to the steady and fast rising Sacramento River at the Hamilton City Bridge. I had been monitoring the river rise on website: [www.cnrfc.noaa.gov](http://www.cnrfc.noaa.gov). The river rise was as follows:

10.4.1

The Sacramento River at Hamilton City Bridge Monitoring Station

Date/time:	Cubic Feet per Second:	Flood Stage: 148.1
December 11, 2014 at 9:00 Am	106.000 CFS	146.5
December 11, 2014 at 3:00 PM	119.000 CFS	148.0
December 11, 2014 at 9:00 PM	122.000 CFS	148.4
December 12, 2014 at 9:00 AM	121.000 CFS	148.2
December 12, 2014 at 3:00 PM	120.000 CFS	148.1

See attached reports from [www.cnrfc.noaa.gov](http://www.cnrfc.noaa.gov) and emails from Superintendent Quarne.

Due to the fact that the Sacramento River at Hamilton City has no improved level system in place to protect the town/schools and roadways in all directions had already been flooded, I felt we should not open school. Out of an abundance of caution for student safety our school board president concurred with this decision.

Recommendations:

I would recommend that the Governing Board approve this Affidavit and application.

# HAMILTON UNIFIED SCHOOL DISTRICT

620 Canal Street  
P.O. Box 488  
Hamilton City, CA 95951

Charles Tracy, Superintendent

(530) 826-3261  
(530) 826-0440 (Fax)  
[www.hamiltonusd.org](http://www.hamiltonusd.org)

December 10, 2014

## NOTICE TO ALL PARENTS, STUDENTS AND STAFF

Due to inclement weather, and at the recommendation of Glenn County Sheriff Jones and the California Highway Patrol, Hamilton Unified School District, out of an abundance of caution, will close school for all students and staff on Thursday, December 11<sup>th</sup>.

We will confer with local authorities to assess and advise about reopening school on Friday, December 12<sup>th</sup> and notify all once a decision is made.

Please monitor your phones for updated information from our schools auto dialer informing you of any new information.

Sincerely,

Mr. Charles Tracy, Superintendent

10.4.3

**REQUEST FOR ALLOWANCE OF ATTENDANCE  
BECAUSE OF EMERGENCY CONDITIONS  
Form J-13A (Rev. 01-05)**

School District (or Charter School) Name:

School District (or Charter School) Address:

County-District Code:

County Name:

This form replaces the Form J-13A (Rev. 4-90) and should be used to obtain approval of attendance and instructional time credit under one or more of the following conditions:

- When one or more schools were closed because of conditions described in *Education Code* Section 41422
- When one or more schools were kept open but experienced a material decrease in attendance because of conditions described in *Education Code* Section 46392
- When attendance records have been lost or destroyed as described in *Education Code* Section 46391

Approved credit for instructional time may be used in conjunction with regular instructional days to satisfy the requirements of *Education Code* Section 37202 (equal length of instructional time among schools within a district).

A separate form should be submitted for each emergency event, but credit may be requested for more than one school and under one or more of the foregoing conditions on the same form. Each separate form must include the affidavit of the governing board members and the county superintendent before it can be approved by the State Superintendent of Public Instruction.

The original form (with the board members' affidavit) and two copies should be filed with the county superintendent of schools. If the county superintendent approves the request, he or she should execute the affidavit certifying that approval and forward all pages of the original and one copy of the form to:

Office of Principal Apportionment and Special Education  
School Fiscal Services Division  
California Department of Education  
1430 N Street, Suite 3800  
Sacramento, CA 95814

This form consists of five preprinted pages. Pages 1 and 5 (5C for charter schools) must accompany all submissions. Page 4 (Lost or Destroyed Attendance Records) will not need to be submitted by most districts. Multiple copies of Pages 2 and/or 3 may have to be submitted when claims are made on a school-by-school basis.

**SCHOOL CLOSURE**

Nature of Emergency (describe):

Refer to Memo

Name of School(s):  
(if request covers all schools, write "all schools")

all schools

School Code(s):  
6007447, 1133701, 1130111

We request that apportionments be maintained and instructional time credited for the above named school(s) without regard to the fact that the school(s) were closed on (dates):

Dec. 10th and 11th, 2014

because of the described emergency. Approval of this request authorizes the local educational agency to disregard these days in the computation of average daily attendance (ADA) (per Section 41422) and obtain credit for instructional time for the days and the instructional minutes that would have been regularly offered on those days pursuant to *Education Code* Section 46200, et seq.

If the school closure resulted from a power outage or impassable roads caused by inclement weather, state the number of school closure days for the same conditions in each of the last five years:

**MATERIAL DECREASE**

Nature of Emergency (describe):

Refer to Memo

Name of School:

(if request covers all schools, write "all schools")

all schools

School Code(s):

6007447, 1133701, 1130111

We request the substitution of estimated days of attendance for actual days of attendance in accordance with the provisions of Section 46392. Approval of this request will authorize use of the estimated days of attendance in the computation of apportionments for the foregoing school(s) for (dates) Dec. 10th + 11th, 2014 during which school attendance was materially decreased because of the described emergency.

Estimated attendance for each day (October or May ADA): 697.75 students per day. Estimated daily attendance multiplied by number of days of material decrease, yields \_\_\_\_\_ days of attendance requested.

State method of determining estimated daily attendance (October or May ADA):

ADA for school month beginning on Sept. 29, 2014 and ending on Oct. 24, 2014.

Actual apportionable attendance for days of material decrease:

Site	Date	Actual Attendance

**LOST OR DESTROYED ATTENDANCE RECORDS**

We request the use of estimated attendance in lieu of attendance that cannot be verified because of the loss or destruction of attendance records. This request is made in accordance with Section 46391. The entire period covered by the lost or destroyed records commences with \_\_\_\_\_, 2\_\_\_\_, up to and including, \_\_\_\_\_, 2\_\_\_\_.

Describe circumstances and extent of records loss or destruction:

Describe how it is proposed to reconstruct attendance records or estimate attendance in the absence of records:

**AFFIDAVIT OF GOVERNING BOARD MEMBERS**

We, members constituting a majority of the governing board of the \_\_\_\_\_ school district, hereby swear (or affirm) that the foregoing statements are true and are based on official district records.

Judy P Twede  
Tomas Loera  
Gabriel Leal  
Rosalinda Sanchez  
HUBERT W LOWER

Judy P Twede  
Tomas Loera  
Gabriel Leal  
Rosalinda Sanchez  
HUBERT W LOWER

Printed Names

Signatures

**At least a majority of the members of the governing board shall execute this affidavit.**

Subscribed and sworn (or affirmed) before me, this \_\_\_\_ day of \_\_\_\_\_, 2\_\_.

Signature, Title \_\_\_\_\_

of \_\_\_\_\_ County, California

Contact/Individual responsible for preparing this form:

Name: C Tracy Title: SUPERINTENDENT  
Phone: (530) 826 8261 Fax : 530 826 0440 E-mail: CTracy@HUSDschools.org

**AFFIDAVIT OF COUNTY SUPERINTENDENT OF SCHOOLS**

The information and statements contained in the foregoing request are true and correct to the best of my knowledge and belief.

Signature, County Superintendent of Schools \_\_\_\_\_

Date: \_\_\_\_\_

Subscribed and sworn (or affirmed) before me, this \_\_\_\_ day of \_\_\_\_\_, 2\_\_.

Signature, Title \_\_\_\_\_

of \_\_\_\_\_ County, California

Contact/Individual responsible for preparing this form:

Name: \_\_\_\_\_ Title: \_\_\_\_\_

Phone: \_\_\_\_\_ Fax : \_\_\_\_\_ E-mail: \_\_\_\_\_

**AFFIDAVIT OF GOVERNING BOARD MEMBERS**

We, members constituting a majority of the governing board of the \_\_\_\_\_ school district, hereby swear (or affirm) that the foregoing statements are true and are based on official district records.

_____	_____
_____	_____
_____	_____
_____	_____
_____	_____
_____	_____
_____	_____
_____	_____

Printed Names

Signatures

**At least a majority of the members of the governing board shall execute this affidavit.**

Subscribed and sworn (or affirmed) before me, this \_\_\_ day of \_\_\_\_\_, 2\_\_\_.  
Signature, Title \_\_\_\_\_  
of \_\_\_\_\_ County, California

Contact/Individual responsible for preparing this form:

Name: \_\_\_\_\_ Title: \_\_\_\_\_  
Phone: \_\_\_\_\_ Fax : \_\_\_\_\_ E-mail: \_\_\_\_\_

**AFFIDAVIT OF COUNTY SUPERINTENDENT OF SCHOOLS**

The information and statements contained in the foregoing request are true and correct to the best of my knowledge and belief.

Signature, County Superintendent of Schools \_\_\_\_\_  
Date: \_\_\_\_\_

Subscribed and sworn (or affirmed) before me, this \_\_\_ day of \_\_\_\_\_, 2\_\_\_.  
Signature, Title \_\_\_\_\_  
of \_\_\_\_\_ County, California

Contact/Individual responsible for preparing this form:

Name: \_\_\_\_\_ Title: \_\_\_\_\_  
Phone: \_\_\_\_\_ Fax : \_\_\_\_\_ E-mail: \_\_\_\_\_

(coseguera@husdschools.org); bdouglas@orlandusd.net; Jeff Scheele; Cody Walker; 'nvcssuper@gmail.com'; 'nvcsoffice@gmail.com'; Suzanne Tefs (stefs@waldenacademy.org); Lisa Morgan; GCOE Leadership Team; Patrick Conklin; Laurel Hill-Ward

**Cc:** GCOE Board; Imelda Diaz; Roberto Herniman; Angela Flanagan; Philip James; ljones@countyofglenn.net

**Subject:** RE: Weather

Forgot to include Finch and Success One!

And, the closure letter from Orland – FYI – possible sample, as an attachment.

Tracey

---

**From:** Tracey Quarne

**Sent:** Wednesday, December 10, 2014 12:02 PM

**To:** Superintendents; 'MORTON GEIVETT'; kschmies@willowsunified.org; ctracy@husdschools.org; Cris Oseguera (coseguera@husdschools.org); bdouglas@orlandusd.net; Jeff Scheele; Cody Walker; 'nvcssuper@gmail.com'; 'nvcsoffice@gmail.com'; Suzanne Tefs (stefs@waldenacademy.org); Lisa Morgan; GCOE Leadership Team; Patrick Conklin; Laurel Hill-Ward

**Cc:** GCOE Board; Imelda Diaz; Roberto Herniman; Angela Flanagan; Philip James; ljones@countyofglenn.net

**Subject:** RE: Weather

Greetings! I wish to verify the info I have so far:

All Glenn County Districts/Schools will be closed Thursday, and will further evaluate conditions regarding Friday:

Capay  
Hamilton City

Lake  
Orland

Plaza  
Princeton  
Providence Christian Schools  
Stony Creek  
Success One!  
Walden Academy  
Willows  
Wm Finch Charter School

All CAFS (Child and Family Services – Pre-school, Head-Start, etc.) programs

All GCOE business offices

Please respond ASAP if this is inaccurate.

Thanks!

Tracey

---

**From:** Tracey Quarne  
**Sent:** Tuesday, December 09, 2014 10:32 PM  
**To:** Superintendents; 'MORTON GEIVETT'; [kschmies@willowsunified.org](mailto:kschmies@willowsunified.org); [ctracy@husdschools.org](mailto:ctracy@husdschools.org); Cris Oseguera ([coseguera@husdschools.org](mailto:coseguera@husdschools.org)); [bdouglas@orlandusd.net](mailto:bdouglas@orlandusd.net); Jeff Scheele; Cody Walker; 'nvcssuper@gmail.com'; 'nvcsoffice@gmail.com'; Suzanne Tefs ([stefs@waldenacademy.org](mailto:stefs@waldenacademy.org)); Lisa Morgan; GCOE Leadership Team; Patrick Conklin; Laurel Hill-Ward  
**Cc:** GCOE Board; Imelda Diaz; Roberto Herniman; Angela Flanagan; Philip James; [ljones@countyofglenn.net](mailto:ljones@countyofglenn.net)  
**Subject:** RE: Weather

The Chico Enterprise Record storm story:

<http://www.chicoer.com/general-news/20141209/storm-coming-in-wednesday-evening-expected-to-be-a-whopper>

---

**From:** Tracey Quarne  
**Sent:** Tuesday, December 09, 2014 3:45 PM  
**To:** Superintendents; 'MORTON GEIVETT'; [kschmies@willowsunified.org](mailto:kschmies@willowsunified.org); [ctracy@husdschools.org](mailto:ctracy@husdschools.org); Cris Oseguera ([coseguera@husdschools.org](mailto:coseguera@husdschools.org)); [bdouglas@orlandusd.net](mailto:bdouglas@orlandusd.net); Jeff Scheele; Cody Walker; 'nvcssuper@gmail.com'; 'nvcsoffice@gmail.com'; Suzanne Tefs ([stefs@waldenacademy.org](mailto:stefs@waldenacademy.org)); Lisa Morgan; GCOE Leadership Team; Patrick Conklin; Laurel Hill-Ward  
**Cc:** GCOE Board; Imelda Diaz; Roberto Herniman; Angela Flanagan; Philip James; [ljones@countyofglenn.net](mailto:ljones@countyofglenn.net)  
**Subject:** RE: Weather

And, Greetings yet again!

I spoke with Sheriff Jones minutes ago, who provided an update to my recent email. Sheriff Jones reports the gusts have been revised upward to a prediction of 70 mph, and that the winds will sustain for 12 to 18 hours. This is again predicted to begin midnight Wednesday night, with the strongest winds to occur beginning at sunrise.

Rainfall is somewhat increased up to 5" on the valley floor from a previous high prediction of 4.78" in Chico. Additionally, mountain conditions are now predicted to reach blizzard levels, a prediction not issued since 2008.

**Sheriff Jones shared that**, based on the best information we have available at this point, **it would be wise to cancel school Thursday**. Further, it would also be wise to carefully watch conditions through Thursday to determine if it will be possible to conduct school in your district/school site on Friday given predicted power outages, tree limbs remaining in roadways, flooding, etc.

**I share in Sheriff Jones' recommendation**. I would suggest, should you also share in this recommendation, that you make this declaration prior to dismissal on Wednesday allowing the opportunity to send notes home with the students. Should the notice be delayed until early Thursday morning, it is possible parents may not receive the information and inadvertently send their child(ren) to school.

Lastly, I ask districts to inform us at GCOE – **preferably by return email to me** – whether you are closing Thursday or remaining open. We have several staff members at each of your sites, who also require notice.

Thanks and stay dry!

Tracey

---

**From:** Tracey Quarne

**Sent:** Tuesday, December 09, 2014 1:31 PM

**To:** Superintendents; 'MORTON GEIVETT'; [kschmies@willowsunified.org](mailto:kschmies@willowsunified.org); [ctracy@husdschools.org](mailto:ctracy@husdschools.org); Cris Oseguera ([coseguera@husdschools.org](mailto:coseguera@husdschools.org)); [bdouglas@orlandusd.net](mailto:bdouglas@orlandusd.net); Jeff Scheele; Cody Walker; '[nvcssuper@gmail.com](mailto:nvcssuper@gmail.com)'; '[nvcsoffice@gmail.com](mailto:nvcsoffice@gmail.com)'; Suzanne Tefs ([stefs@waldenacademy.org](mailto:stefs@waldenacademy.org)); Lisa Morgan; GCOE Leadership Team; Patrick Conklin; Laurel Hill-Ward

**Cc:** GCOE Board; Imelda Diaz; Roberto Herniman

**Subject:** RE: Weather

Greetings again! This is the latest from the NWS:

Predicted rainfall in our immediate area is now 2.6" for Willows to 2.90" for Corning. Chico is predicted to receive 4.78", Stirling City over 8", Redding is 4.05", Red Bluff is 3.14", and Oroville is at 4.49".

Peak wind speeds, from Wed. midnight to early Th. afternoon, are predicted to be (in mph) 70 in Red Bluff, 66 in Corning, 67 in Chico, and 64 in Willows.

I will forward info from the Sheriff and county road department as soon as possible.

Tracey

**From:** NWS Sacramento [[nws.sacramento@noaa.gov](mailto:nws.sacramento@noaa.gov)]

**Sent:** Tuesday, December 09, 2014 12:57 PM

**Subject:** NWS Sacramento: Major Winter Storm Still Expected (Wed Night - Friday AM)

**Major Winter Storm to Impact the Area Wednesday Night - Friday AM**

**Updates are Highlighted**

### **Impacts**

- Downed trees and power outages, possibly widespread
- Areal and urban flooding resulting in heavy PM commute impacts
- Upper Sacramento River level may rise above flood stage (see impacts on image)
- Debris flows over burn scars
- Hazardous travel with blizzard conditions above 6000 feet

## Forecast Confidence

- High for wind and blizzard conditions
- High for Urban and small stream flooding
- Medium for main stem river impacts

## Timing and Strength

- Period of most damaging winds midnight Wednesday through early afternoon Thursday.
- Heaviest rain Thursday AM north Sac Valley pushing to Sac Metro by Thursday afternoon and evening.
- Snow levels starting at pass level Thursday morning lowering to 5500 by evening.


## Weather Summary

Confidence continues to increase in a severe winter storm bringing significant impacts to the area. Downed trees and power lines are expected from widespread wind gusts of 50 to 65 mph in the valley and higher values in foothills and mountains. Heavy rain will then move across the area starting late Wednesday night in the northern Sacramento valley pushing southward through the day and evening. A wide area will likely receive from 2 to 4 inches in the valley with higher amounts in the foothills. Urban, small stream and flash flooding will be possible. In the higher terrain, heavy snow and strong winds will create blizzard conditions creating very hazardous travel Thursday and Thursday night.

NWS will continue to provide updates as the situation develops.  
Be sure to monitor our [social media pages](#), and [weather headlines](#).

**Please do not reply to this email,** rather contact NWS Sacramento at [\(916\) 979-3045](tel:9169793045) for 24x7 forecaster assistance (please keep non-public)

Monitor NWS Sacramento [Facebook](#), [Twitter](#) and [Weather.gov](#) for further updates.



---

Spam  
Not spam  
Forget previous vote

---

**From:** Tracey Quarne  
**Sent:** Tuesday, December 09, 2014 11:54 AM  
**To:** Superintendents; 'MORTON GEIVETT'; [kschmies@willowsunified.org](mailto:kschmies@willowsunified.org); [ctracy@husdschools.org](mailto:ctracy@husdschools.org); Cris Oseguera ([coseguera@husdschools.org](mailto:coseguera@husdschools.org)); [bdouglas@orlandusd.net](mailto:bdouglas@orlandusd.net); Jeff Scheele; Cody Walker; 'nvcssuper@gmail.com'; 'nvcsoffice@gmail.com'; Suzanne Tefs ([stefs@waldenacademy.org](mailto:stefs@waldenacademy.org)); Lisa Morgan; GCOE Leadership Team; Patrick Conklin; Laurel Hill-Ward  
**Cc:** GCOE Board; Imelda Diaz; Roberto Herniman  
**Subject:** Weather

Greetings! I'm sure you've heard a storm coming in Wed. night/early Th. morning is expected to be quite severe. Specific predictions call for 2 to 5 inches of rain on the valley floor in a 12 +/- hour period, and a steady wind of 45 +/- mph with gusts of 60+ mph. As you may recall, the storm last Wednesday dropped 3 inches of rain with wind of 30 +/- mph, which caused significant disruptions throughout the county.

The Sheriff will participate in a school-wide OES (Office of Emergency Services) meeting this afternoon, and the Glenn County Planning and Public Works Department (roads) will also meet this afternoon. These meetings should provide up-to-date information possibly enabling you to make pre-emptive decisions that will minimize confusion and disruptions. I will relay information to you as soon as it's available.

Please include GCOE contacts on your distribution list should you decide to dismiss early or cancel a day of school for weather related issues as we will need to notify out staff who work at your school sites. And, we will post your closure notices on our website

Additionally, the superintendent's special meeting we had scheduled this Thursday is postponed.

Stay dry!

Tracey

---

Spam

Not spam

Forget previous vote

--  
Dr. Mort Geivett  
Superintendent  
Willows Unified School District  
823 W. Laurel Street  
Willows, CA 95988  
530-934-6600 ext 2  
530-934-6609 fax  
[mgeivett@willowsunified.org](mailto:mgeivett@willowsunified.org)

---

Spam

Not spam

Forget previous vote

- [Weekly Ads](#)
- [Tools](#)
  - [Archives](#)
  - [Contact Us](#)
  - [Digital Subscription](#)
  - [Electronic Newspaper](#)
  - [Help](#)
  - [Mobile Alerts](#)
  - [Photo Reprints](#)
  - [Privacy Policy](#)
  - [RSS](#)
  - [Subscriber Services](#)
  - [Work for Us](#)

- [Home](#) â†’
- [Sports](#) â†’
- [Local Sports](#)

• #

## Storm coming in Wednesday evening expected to be a whopper



A car drives past a gutter covered with leaves Tuesday along Park Avenue in Chico. With lots of rain in the forecast, gutters and drains will likely get heavy use in the next couple of days, and clogged ones are likely to flood. Bill Husa — Enterprise-Record

By Staff Reports

Posted: 12/09/14, 6:46 PM PST | Updated: 4 days ago

0 Comments



10.4.16

## Prepare for the storm

Among the things you can do to prepare for the storm are:

- Stock up on food that doesn't require cooking or refrigeration.
- Keep a cooler with ice.
- Drive safely and slowly.
- Fill vehicle's gas tank.
- Have an emergency heat source.
- Have medication handy, as well as first aid kit.
- Create an emergency kit.
- Clean debris from gutters, down spouts and storm drains.
- Keep clear of downed power lines.
- Monitor local weather forecasts.
- Tie down outdoor cans, equipment and decorations.
- Do not remove manhole covers.
- Check on pets.

The storm bearing down on California is expected to drop in excess of four inches of rain on the valley floor in Butte County, and in excess of eight inches at Stirling City and similar elevations.

The National Weather Service says the storm will also bring high winds when it hits Wednesday evening, with sustained blows of 30-45 mph, with gusts of 60-70 mph. A high wind warning has been issued. The storm is expected to last through Thursday afternoon.

Butte County is warning residents to prepare for possible power outages and flooded roadways. Primary concerns are loss of heat, power and telephone service, and a shortage of supplies if storm conditions continue for more than a day.

Tuesday morning Paul Hahn, Butte County's chief administrative officer told the Board of Supervisors, "Our folks will be in complete readiness. We are going to be all over this keeping an eye on this," said the CAO.

He went on to say this could be the biggest storm since 2008, when hundred of trees were knocked down and in some areas power was down for days.

PG&E issued a press release that its mobilizing resources and "will work around the clock to restore service to customers," according to Geisha Williams, executive vice president of Electric Operations. The utility says it has crews prepared to respond to power outages as soon as weather conditions permit. The utility is also pre-positioning contract power restoration and vegetation management crews.

PG&E said residents should unplug or turn off all electrical appliances in the case of a power failure to "avoid overloading circuits and to prevent fire hazards when power is restored."

"Simply leave a single lamp on to alert you when power returns," the utility company said in a press release. "Turn your appliances back on one at a time when conditions return to normal."

The California Highway Patrol is discouraging people from being on the roads, unless absolutely necessary.

For those who will be driving, authorities are asking them to pay attention to all warning signs and not attempt to pass through blocked or flooded roads. If a vehicle stalls, people should abandoned it immediately and not attempt to move it.

Up-to-date road information on state highways is available from Caltrans at <http://tinyurl.com/be3o> or by calling 1-800-427-7623.

Updates on Butte County roads can be found at <http://tinyurl.com/pbx6het>. For Glenn County, go to <http://tinyurl.com/l924rqd>.

Officials will be monitoring the Sacramento River and the levees system closely, Glenn County Sheriff Larry Jones said. Hamilton City is not expected to be a problem, but Ord Bend and Tehama County have potential to rise to a flood stage or above.

In Chico, the city announced that crews are gearing up and additional staff is prepared.

People are being asked to scoop up leaves and debris and pull trash containers and other obstacles away from gutters and storm drains.

Potential Bidwell Park visitors are being advised the storm may cause damage and close trails and roads through the park, according to the release. Downed trees, broken and hanging tree limbs and downed power lines pose hazards to park visitors.

Sand is available at the city's corporation yard, 901 Fir St., but people must provide their own bags.

10.4.17

Parts of Paradise were without power for a week after the 2008 storm, and the town sent an active weather statement out on Monday warning residents. Public Works Department head Paul Derr said the town could activate its Emergency Operations Center.

A limited supply of sandbags and sand will be available at 5657 Sierra Park Drive, at the corner of Pearson Road. Sandbags are also available at Town Hall during normal working hours. Up to 12 bags and sand will be offered free to town residents. If residents need more than 12 bags, the town encourages them to contact local suppliers of sandbags such as Thomas Ace Hardware, Paradise Pines True Value, Swiss Link, Northern Star Mills, Lowe's or Home Depot.

In Glenn County, emergency responders are taking all the regular storm preparedness steps, Sheriff Jones said.

Jones spent Tuesday meeting with various agencies, including planning and public works, the school superintendent and other emergency officials.

Generators were inspected and are prepared if needed, and Jones said he has a fuel truck on standby in case there's a need to manually fuel vehicles.

Glenn County residents can pick up sand and sand bags at three locations in the county: the Orland Fire Department, 810 Fifth St.; the Orland Corporation Yard, 431 East South St.; and the Glenn County Corporation Yard, 777 North Colusa St. in Willows.

Orland experienced some flooding last week when an hour-long downpour overwhelmed the city's storm drainage and the sewer systems.

• #

People need to understand the potential strength of this storm and prepare for long-term outages, Jones said.

Some inmates at the Glenn County Jail were allowed out in order to help the road department fill sand bags, Jones said.

Tehama County Sheriff Dave Hencratt proclaimed a state of emergency Tuesday in Tehama County ahead of the storm.

• Twitter

Los Molinos High School, Los Molinos School, Vina School, Lassen View School, Gerber School and Richfield School will be closed Thursday, an official with the Tehama County Department of Education said. No other school closures were announced by Tuesday evening.

Sand and sandbags are available outside the Tehama County Library in Red Bluff on 645 Madison St., the Department of Forestry and Fire Protection station in Red Bluff on 604 Antelope Blvd., west of the Tehama County Probation Department's Day Reporting Center in Red Bluff on 774 Antelope Blvd., outside the Tehama County Public Works Department in Gerber on 9380 San Benito Ave., in Los Molinos at 8715 Fox St. and at the Corning Fire Station on Fifth Street.

- [Reddit](#)
- [Pinterest](#)
- [0 Comments](#)

Residents are asked to bring their own shovels.

Sandbags have been pre-filled at the Cal Fire station and the Day Reporting Center on Antelope Boulevard.

• [Email](#)

This week's storm follows heavy rain that fell Dec. 5, flooding about 100 homes and businesses in the county. Residents on and near Highway 99 between Los Molinos and Red Bluff were hit especially hard, and officials and residents said matters were compounded by berm failures on private property in the area.

- [Print](#)
- [Tumblr](#)
- [LinkedIn](#)
- [StumbleUpon](#)

### Top Stories



#### Chico bank robbed Monday afternoon



( )

#### Join the Conversation

[View comments](#)



#### Steady, record-breaking rain continues to cause havoc



10.4.18

FGUS56 KRSA 111053  
RVFUSA

UPPER SACRAMENTO RIVER SYSTEM FORECAST  
NATIONAL WEATHER SERVICE / CALIFORNIA-NEVADA RFC / SACRAMENTO CA  
CALIFORNIA DEPARTMENT OF WATER RESOURCES / SACRAMENTO CA  
243 AM PLT THU DEC 11 2014

NEXT ISSUANCE: THURSDAY, DECEMBER 11, 2014 AT 9AM PLT

FORECASTS THROUGH: MONDAY, DECEMBER 15, 2014 AT 4AM PLT

ATTENTION... THE FOLLOWING STAGES OF PARTICULAR SIGNIFICANCE  
HAVE OCCURRED OR ARE FORECAST TO OCCUR:

FLOOD STAGE

- SACRAMENTO RIVER - BEND BRIDGE (BDBC1) IN 15 HRS\*
- SACRAMENTO RIVER - RED BLUFF (RDBC1) IN 15 HRS\*
- SACRAMENTO RIVER - TEHAMA BRIDGE (TEHC1) IN 12 HRS\*
- SACRAMENTO RIVER - VINA WOODSON BR (VWBC1) IN 19 HRS\*
- SACRAMENTO RIVER - ORD FERRY (ORFC1) IN 30 HRS

MONITOR STAGE

- SACRAMENTO RIVER - HAMILTON CITY (HAMC1) IN 20 HRS \*
- SACRAMENTO RIVER - BUTTE CITY (BTCC1) IN 46 HRS
- SACRAMENTO RIVER - MOULTON WEIR (CLSC1) IN 40 HRS
- SACRAMENTO RIVER - COLUSA WEIR (CLAC1) IN 28 HRS \*
- SACRAMENTO RIVER - COLUSA BRIDGE (CLUC1) IN 33 HRS \*
- SACRAMENTO RIVER - TISDALE WEIR (TISC1) IN 32 HRS \*

\*\*\*\*\*  
SPECIAL NOTES- OBSERVED AND FORECAST HEAVY RAINFALL FOR THIS STORM  
EVENT COMBINED WITH ALREADY MOIST SOIL CONDITIONS IS EXPECTED TO  
PRODUCE SIGNIFICANT RISES ON THE UPPER SACRAMENTO RIVER AND ITS  
TRIBUTARIES.  
\*\*\*\*\*

RIVER

LOCATION (NWSLI)	STAGE (FT)	FLOW (CFS)	TIME (PT)	DATE (MM/DD/YY)	LEAD TIME
PIT RIVER	OBS 2.8	58 AT	2AM	12/11/14	(24)
CANBY	>MS 7.5	NOT	EXPECTED		
(CNBC1)	>FS 8.5	NOT	EXPECTED		
	MAX 4.0	438 AT	5AM	12/14/14 IN	74 HRS
SACRAMENTO RIVER	OBS 5.8	13,200 AT	2AM	12/11/14	(24)
BEND BRIDGE	>MS 22.0	BY	2PM	12/11/14 IN	11 HRS*
(BDBC1)	>FS 27.0	BY	6PM	12/11/14 IN	15 HRS*
	MAX 27.7	105,000 AT	7PM	12/11/14 IN	16 HRS*
SACRAMENTO RIVER	OBS 239.8	11,400 AT	2AM	12/11/14	(24)
RED BLUFF	>MS 250.0	BY	1PM	12/11/14 IN	10 HRS*
(RDBC1)	>FS 253.0	BY	6PM	12/11/14 IN	15 HRS*
	MAX 255.6	109,000 AT	11PM	12/11/14 IN	20 HRS*
SACRAMENTO RIVER	OBS 202.1	9,640 AT	2AM	12/11/14	(24)
TEHAMA BRIDGE	>MS 210.0	BY	11AM	12/11/14 IN	8 HRS*
(TEHC1)	>FS 213.0	BY	3PM	12/11/14 IN	12 HRS*
	MAX 217.9	110,000 AT	3AM	12/12/14 IN	24 HRS*

10.4.19

SACRAMENTO RIVER OBS 167.5 7,910 AT 2AM 12/11/14 (24)  
 VINA WOODSON BR >MS 180.0 BY 4PM 12/11/14 IN 13 HRS\*  
 (VWBC1) >FS 183.0 BY 10PM 12/11/14 IN 19 HRS\*  
 MAX 185.6 121,000 AT 6AM 12/12/14 IN 27 HRS

SACRAMENTO RIVER OBS 129.8 7,060 AT 2AM 12/11/14 (24)  
 HAMILTON CITY >MS 143.0 BY 11PM 12/11/14 IN 20 HRS\*  
 (HAMC1) >FS 148.0 NOT EXPECTED  
 MAX 146.5 106,000 AT 10AM 12/12/14 IN 31 HRS

SACRAMENTO RIVER OBS 97.5 6,680 AT 2AM 12/11/14 (24)  
 ORD FERRY >MS 110.0 BY 12AM 12/12/14 IN 21 HRS\*  
 (ORFC1) >FS 114.0 BY 9AM 12/12/14 IN 30 HRS  
 >DS 122.6 NOT EXPECTED  
 MAX 115.4 95,000 AT 7PM 12/12/14 IN 40 HRS

SACRAMENTO RIVER OBS 69.9 7,210 AT 2AM 12/11/14 (24)  
 BUTTE CITY >MS 89.0 BY 1AM 12/13/14 IN 46 HRS  
 (BTCC1) >FS 97.2 NOT EXPECTED  
 >DS 98.2 NOT EXPECTED  
 MAX 89.2 82,200 AT 4AM 12/13/14 IN 49 HRS

SACRAMENTO RIVER OBS 76.4 0 AT 2AM 12/11/14 (24)  
 MOULTON WEIR >MS 76.8 BY 7PM 12/12/14 IN 40 HRS  
 (CLSC1) >FS 84.4 NOT EXPECTED  
 >DS 85.4 NOT EXPECTED  
 MAX 78.6 3,740 AT 9AM 12/13/14 IN 54 HRS

WEIR: OBS NO OVERFLOW AT 2AM 12/11/14  
 BEGINS OVERFLOW BY 7PM 12/12/14 IN 40 HRS  
 ENDS OVERFLOW BY 8PM 12/13/14 IN 65 HRS  
 MAX 1.8 OVERFLOW AT 9AM 12/13/14 IN 54 HRS

SACRAMENTO RIVER OBS 61.4 0 AT 2AM 12/11/14 (48)  
 COLUSA WEIR >MS 61.8 BY 7AM 12/12/14 IN 28 HRS\*  
 (CLAC1) >FS 71.0 NOT EXPECTED  
 >DS 72.0 NOT EXPECTED  
 MAX 66.9 34,700 AT 11AM 12/13/14 IN 56 HRS

WEIR: OBS NO OVERFLOW AT 2AM 12/11/14  
 BEGINS OVERFLOW BY 7AM 12/12/14 IN 28 HRS\*  
 ENDS OVERFLOW BY 6PM 12/14/14 IN 87 HRS  
 MAX 5.1 OVERFLOW AT 11AM 12/13/14 IN 56 HRS

SACRAMENTO RIVER OBS 44.0 8,270 AT 2AM 12/11/14 (48)  
 COLUSA BRIDGE >MS 63.0 BY 12PM 12/12/14 IN 33 HRS\*  
 (CLU1) >FS 70.0 NOT EXPECTED  
 >DS 71.0 NOT EXPECTED  
 MAX 66.1 44,400 AT 12PM 12/13/14 IN 57 HRS

SACRAMENTO RIVER OBS 45.1 0 AT 2AM 12/11/14 (48)  
 TISDALE WEIR >MS 45.5 BY 11AM 12/12/14 IN 32 HRS\*  
 (TISC1) >FS 53.0 NOT EXPECTED  
 >DS 54.0 NOT EXPECTED  
 MAX 49.3 14,700 AT 5PM 12/13/14 IN 62 HRS

WEIR: OBS NO OVERFLOW AT 2AM 12/11/14

10.4.20

BEGINS OVERFLOW BY 11AM 12/12/14 IN 32 HRS\*  
MAX 3.8 OVERFLOW AT 5PM 12/13/14 IN 62 HRS

DEFINITIONS:

OBS MOST RECENT OBSERVATION (MAY BE ESTIMATED)  
MS MONITOR STAGE  
FS FLOOD STAGE  
DS DANGER STAGE (LEVEED LOCATIONS ONLY)  
MAX MAXIMUM FORECAST WITHIN PERIOD  
WEIR OVERFLOW DEPTHS IN FEET  
LEAD TIME FORECASTS WITHIN THIS PERIOD (HOURS) ARE CONSIDERED  
RELIABLE ENOUGH TO INITIATE PHYSICAL MITIGATION EFFORTS.  
\* EVENT EXCEEDS MS/FS/DS WITHIN LEAD TIME PERIOD

SIM 12/11/2014 @ 0241P (C)

NOTE: ALL TIMES IN SHEF ENCODED MESSAGES BELOW ARE UTC

.A CNBC1 20141211 Z DH10/HG 2.8  
.ER CNBC1 20141211 Z DH11/DC201412111041/DUE/HGIFE/DIH01  
.ER1 2.8/ 2.8/ 2.8/ 2.8/ 2.8/ 2.8/ 2.8/ 2.8/ 2.8/ 2.8/ 2.8/  
.ER2 2.8/ 2.8/ 2.8/ 2.8/ 2.8/ 2.9/ 2.9/ 2.9/ 2.9/ 2.9/ 2.9/  
.ER3 2.9/ 2.9/ 3.0/ 3.0/ 3.0/ 3.0/ 3.1/ 3.1/ 3.1/ 3.1/ 3.1/  
.ER4 3.2/ 3.2/ 3.2/ 3.2/ 3.2/ 3.3/ 3.3/ 3.3/ 3.4/ 3.4/ 3.4/  
.ER5 3.4/ 3.4/ 3.5/ 3.5/ 3.5/ 3.5/ 3.6/ 3.6/ 3.6/ 3.6/ 3.6/  
.ER6 3.7/ 3.7/ 3.7/ 3.7/ 3.8/ 3.8/ 3.8/ 3.8/ 3.8/ 3.8/ 3.8/  
.ER7 3.9/ 3.9/ 3.9/ 3.9/ 3.9/ 3.9/ 3.9/ 3.9/ 3.9/ 3.9/ 3.9/  
.ER8 4.0/ 4.0/ 4.0/ 4.0/ 4.0/ 4.0/ 4.0/ 4.0/ 4.0/ 4.0/ 4.0/  
.ER9 4.0/ 3.9/ 3.9/ 3.9/ 3.9/ 3.9/ 3.9/ 3.9/ 3.9/ 3.9/ 3.9/  
.ER10 3.9/ 3.9/ 3.9/ 3.9/ 3.9/ 3.9/ 3.9/ 3.9/ 3.8/

.A CNBC1 20141212 Z DH11/HIIFE 1

.A BDBC1 20141211 Z DH10/HG 5.8  
.ER BDBC1 20141211 Z DH11/DC201412111041/DUE/HGIFE/DIH01  
.ER1 7.7/ 9.2/ 10.3/ 11.7/ 13.0/ 14.2/ 15.4/ 16.7/ 17.8/ 19.2/  
.ER2 20.8/ 22.5/ 24.1/ 25.5/ 26.6/ 27.4/ 27.7/ 27.6/ 27.3/ 26.6/  
.ER3 25.7/ 24.7/ 23.6/ 22.5/ 21.5/ 20.6/ 19.8/ 19.0/ 18.3/ 17.6/  
.ER4 17.0/ 16.4/ 15.3/ 14.2/ 13.6/ 13.1/ 12.6/ 12.2/ 11.7/ 11.3/  
.ER5 10.9/ 10.6/ 10.3/ 10.0/ 9.8/ 9.5/ 9.3/ 9.0/ 8.8/ 8.6/  
.ER6 8.4/ 8.1/ 7.9/ 7.6/ 7.4/ 7.2/ 7.0/ 6.9/ 6.7/ 6.6/  
.ER7 6.4/ 6.3/ 6.2/ 6.1/ 6.1/ 6.0/ 5.9/ 5.8/ 5.8/ 5.7/  
.ER8 5.6/ 5.6/ 5.5/ 5.4/ 5.4/ 5.3/ 5.3/ 5.2/ 5.2/ 5.1/  
.ER9 5.1/ 5.1/ 5.0/ 5.0/ 4.9/ 4.9/ 4.8/ 4.8/ 4.7/ 4.7/  
.ER10 4.6/ 4.6/ 4.5/ 4.5/ 4.5/ 4.4/ 4.4/ 4.4/

.A RDBC1 20141211 Z DH10/HG 239.8  
.ER RDBC1 20141211 Z DH11/DC201412111041/DUE/HGIFE/DIH01  
.ER1 240.2/ 240.7/ 241.6/ 242.7/ 243.6/ 244.6/ 245.9/ 247.1/ 248.2/ 249.2/  
.ER2 250.0/ 250.6/ 251.1/ 251.8/ 252.7/ 253.6/ 254.3/ 254.8/ 255.2/ 255.5/  
.ER3 255.6/ 255.5/ 255.1/ 254.6/ 253.9/ 252.7/ 251.5/ 250.6/ 249.8/ 249.2/  
.ER4 248.6/ 248.0/ 247.5/ 247.1/ 246.5/ 245.8/ 245.2/ 244.7/ 244.4/ 244.1/  
.ER5 243.9/ 243.6/ 243.3/ 243.1/ 242.9/ 242.7/ 242.6/ 242.5/ 242.4/ 242.3/  
.ER6 242.2/ 242.1/ 241.9/ 241.8/ 241.7/ 241.6/ 241.5/ 241.4/ 241.3/ 241.2/  
.ER7 241.1/ 241.0/ 240.9/ 240.8/ 240.8/ 240.7/ 240.6/ 240.6/ 240.6/ 240.5/  
.ER8 240.5/ 240.4/ 240.4/ 240.3/ 240.3/ 240.3/ 240.2/ 240.2/ 240.2/ 240.1/  
.ER9 240.1/ 240.1/ 240.1/ 240.0/ 240.0/ 240.0/ 240.0/ 240.0/ 239.9/ 239.9/  
.ER10 239.9/ 239.9/ 239.8/ 239.8/ 239.8/ 239.8/ 239.8/ 239.8/

.A TEHC1 20141211 Z DH10/HG 202.1

10.4.21

.ER TEHC1 20141211 Z DH11/DC201412111041/DUE/HGIFE/DIH01  
.ER1 202.5/ 203.0/ 204.0/ 204.7/ 205.7/ 206.9/ 208.1/ 209.1/ 210.2/ 211.1/  
.ER2 212.0/ 212.6/ 213.4/ 214.1/ 214.9/ 215.6/ 216.1/ 216.5/ 216.9/ 217.2/  
.ER3 217.5/ 217.7/ 217.8/ 217.9/ 217.9/ 217.8/ 217.6/ 217.4/ 217.0/ 216.5/  
.ER4 215.8/ 215.0/ 214.0/ 212.8/ 211.7/ 211.0/ 210.3/ 209.7/ 209.1/ 208.6/  
.ER5 208.1/ 207.7/ 207.4/ 207.0/ 206.7/ 206.4/ 206.2/ 205.9/ 205.7/ 205.5/  
.ER6 205.4/ 205.2/ 205.0/ 204.9/ 204.8/ 204.6/ 204.5/ 204.4/ 204.3/ 204.2/  
.ER7 204.1/ 204.0/ 203.9/ 203.8/ 203.8/ 203.7/ 203.6/ 203.6/ 203.5/ 203.5/  
.ER8 203.4/ 203.4/ 203.3/ 203.3/ 203.3/ 203.2/ 203.2/ 203.1/ 203.1/ 203.1/  
.ER9 203.0/ 203.0/ 203.0/ 203.0/ 202.9/ 202.9/ 202.9/ 202.9/ 202.9/ 202.9/  
.ER10 202.8/ 202.8/ 202.8/ 202.8/ 202.8/ 202.8/ 202.7/ 202.7/

.A VWBC1 20141211 Z DH10/HG 167.5  
.ER VWBC1 20141211 Z DH11/DC201412111041/DUE/HGIFE/DIH01  
.ER1 167.8/ 168.3/ 168.9/ 169.7/ 170.4/ 171.1/ 172.4/ 173.8/ 175.2/ 176.6/  
.ER2 177.7/ 178.7/ 179.4/ 180.0/ 180.6/ 181.2/ 181.8/ 182.4/ 182.9/ 183.4/  
.ER3 183.9/ 184.4/ 184.8/ 185.2/ 185.4/ 185.6/ 185.6/ 185.6/ 185.6/ 185.5/  
.ER4 185.3/ 184.9/ 184.4/ 183.7/ 182.8/ 181.7/ 180.7/ 179.8/ 178.8/ 177.9/  
.ER5 177.1/ 176.4/ 175.7/ 175.2/ 174.7/ 174.4/ 174.0/ 173.7/ 173.4/ 173.1/  
.ER6 172.8/ 172.6/ 172.3/ 172.1/ 171.8/ 171.6/ 171.4/ 171.2/ 171.1/ 170.9/  
.ER7 170.8/ 170.7/ 170.6/ 170.5/ 170.4/ 170.4/ 170.3/ 170.3/ 170.2/ 170.2/  
.ER8 170.1/ 170.1/ 170.0/ 170.0/ 169.9/ 169.9/ 169.8/ 169.8/ 169.8/ 169.7/  
.ER9 169.7/ 169.7/ 169.6/ 169.6/ 169.6/ 169.5/ 169.5/ 169.5/ 169.4/ 169.4/  
.ER10 169.4/ 169.4/ 169.3/ 169.3/ 169.3/ 169.3/ 169.2/ 169.2/

.A HAMC1 20141211 Z DH10/HG 129.8  
.ER HAMC1 20141211 Z DH11/DC201412111041/DUE/HGIFE/DIH01  
.ER1 129.8/ 129.9/ 130.1/ 130.4/ 130.7/ 131.2/ 131.8/ 132.5/ 133.3/ 134.3/  
.ER2 135.5/ 136.7/ 138.0/ 139.2/ 140.1/ 140.9/ 141.5/ 142.0/ 142.5/ 142.9/  
.ER3 143.4/ 143.9/ 144.5/ 144.9/ 145.3/ 145.6/ 145.8/ 146.0/ 146.2/ 146.4/  
.ER4 146.5/ 146.5/ 146.5/ 146.4/ 146.3/ 146.1/ 145.9/ 145.7/ 145.3/ 144.8/  
.ER5 144.1/ 143.4/ 142.6/ 141.7/ 140.7/ 139.7/ 138.9/ 138.2/ 137.7/ 137.2/  
.ER6 136.8/ 136.4/ 136.1/ 135.8/ 135.5/ 135.2/ 135.0/ 134.7/ 134.5/ 134.3/  
.ER7 134.1/ 133.9/ 133.7/ 133.6/ 133.4/ 133.3/ 133.2/ 133.1/ 133.0/ 133.0/  
.ER8 132.9/ 132.9/ 132.8/ 132.8/ 132.7/ 132.7/ 132.6/ 132.6/ 132.5/ 132.5/  
.ER9 132.5/ 132.4/ 132.4/ 132.3/ 132.3/ 132.3/ 132.2/ 132.2/ 132.2/ 132.1/  
.ER10 132.1/ 132.1/ 132.1/ 132.0/ 132.0/ 132.0/ 132.0/ 131.9/

.A ORFC1 20141211 Z DH10/HG 97.5  
.ER ORFC1 20141211 Z DH11/DC201412111041/DUE/HGIFE/DIH01  
.ER1 97.5/ 97.5/ 97.5/ 97.6/ 97.7/ 97.8/ 97.9/ 98.1/ 98.4/ 98.8/  
.ER2 99.4/ 100.3/ 101.4/ 102.8/ 104.3/ 105.8/ 107.1/ 107.9/ 108.6/ 109.3/  
.ER3 110.0/ 110.6/ 111.1/ 111.6/ 112.1/ 112.5/ 112.9/ 113.2/ 113.6/ 113.9/  
.ER4 114.1/ 114.4/ 114.6/ 114.9/ 115.0/ 115.1/ 115.2/ 115.3/ 115.4/ 115.4/  
.ER5 115.4/ 115.4/ 115.3/ 115.3/ 115.1/ 115.0/ 114.8/ 114.5/ 114.2/ 113.7/  
.ER6 113.2/ 112.6/ 111.8/ 110.8/ 109.5/ 106.4/ 105.8/ 105.3/ 104.9/ 104.5/  
.ER7 104.1/ 103.8/ 103.6/ 103.3/ 103.1/ 102.9/ 102.6/ 102.5/ 102.3/ 102.1/  
.ER8 101.9/ 101.8/ 101.7/ 101.5/ 101.4/ 101.3/ 101.2/ 101.1/ 101.0/ 100.9/  
.ER9 100.8/ 100.7/ 100.6/ 100.6/ 100.5/ 100.4/ 100.4/ 100.3/ 100.3/ 100.2/  
.ER10 100.2/ 100.1/ 100.1/ 100.0/ 100.0/ 99.9/ 99.9/ 99.9/

.A ORFC1 20141212 Z DH11/HIIFE 1

.A BTCC1 20141211 Z DH10/HG 69.9  
.ER BTCC1 20141211 Z DH11/DC201412111041/DUE/HGIFE/DIH01  
.ER1 69.9/ 69.9/ 69.9/ 69.9/ 69.9/ 69.9/ 69.9/ 70.0/ 70.1/  
.ER2 70.3/ 70.6/ 71.1/ 71.8/ 72.7/ 73.8/ 75.0/ 76.3/ 77.3/ 78.3/  
.ER3 79.2/ 80.1/ 80.9/ 81.5/ 82.1/ 82.7/ 83.2/ 83.8/ 84.3/ 84.7/  
.ER4 85.2/ 85.6/ 86.0/ 86.3/ 86.7/ 87.0/ 87.2/ 87.5/ 87.7/ 88.0/  
.ER5 88.2/ 88.4/ 88.6/ 88.7/ 88.9/ 89.0/ 89.1/ 89.2/ 89.2/ 89.2/  
.ER6 89.2/ 89.2/ 89.1/ 89.0/ 88.8/ 88.5/ 88.1/ 87.6/ 87.0/ 86.4/

10.4.22

.ER7 85.7/ 85.0/ 84.2/ 83.5/ 82.7/ 82.0/ 81.3/ 80.7/ 80.0/ 79.3/  
.ER8 78.7/ 78.1/ 77.5/ 77.1/ 76.7/ 76.3/ 75.9/ 75.6/ 75.3/ 75.0/  
.ER9 74.8/ 74.6/ 74.5/ 74.3/ 74.2/ 74.1/ 73.9/ 73.8/ 73.7/ 73.7/  
.ER10 73.6/ 73.5/ 73.4/ 73.3/ 73.3/ 73.2/ 73.2/ 73.1/  
.A BTCC1 20141212 Z DH11/HIIFE 1

.A CLSC1 20141211 Z DH10/HG 76.4  
.ER CLSC1 20141211 Z DH11/DC201412111041/DUE/HGIFE/DIH01  
.ER1 76.4/ 76.4/ 76.4/ 76.4/ 76.4/ 76.4/ 76.4/ 76.4/ 76.4/ 76.4/  
.ER2 76.4/ 76.4/ 76.4/ 76.4/ 76.4/ 76.4/ 76.4/ 76.4/ 76.4/ 76.4/  
.ER3 76.4/ 76.4/ 76.4/ 76.4/ 76.4/ 76.4/ 76.4/ 76.4/ 76.4/ 76.4/  
.ER4 76.4/ 76.4/ 76.4/ 76.4/ 76.4/ 76.4/ 76.4/ 76.4/ 76.4/ 76.5/  
.ER5 76.8/ 77.1/ 77.3/ 77.5/ 77.7/ 77.8/ 78.0/ 78.1/ 78.2/ 78.3/  
.ER6 78.4/ 78.5/ 78.5/ 78.6/ 78.6/ 78.6/ 78.5/ 78.5/ 78.3/ 78.2/  
.ER7 78.0/ 77.7/ 77.5/ 77.3/ 76.9/ 76.6/ 76.4/ 76.4/ 76.4/ 76.4/  
.ER8 76.4/ 76.4/ 76.4/ 76.4/ 76.4/ 76.4/ 76.4/ 76.4/ 76.4/ 76.4/  
.ER9 76.4/ 76.4/ 76.4/ 76.4/ 76.4/ 76.4/ 76.4/ 76.4/ 76.4/ 76.4/  
.ER10 76.4/ 76.4/ 76.4/ 76.4/ 76.4/ 76.4/ 76.4/ 76.4/ 76.4/ 76.4/

.A CLAC1 20141211 Z DH10/HG 61.4  
.ER CLAC1 20141211 Z DH11/DC201412111041/DUE/HGIFE/DIH01  
.ER1 61.4/ 61.4/ 61.4/ 61.4/ 61.4/ 61.4/ 61.4/ 61.4/ 61.4/ 61.4/  
.ER2 61.4/ 61.4/ 61.4/ 61.4/ 61.4/ 61.4/ 61.4/ 61.4/ 61.4/ 61.4/  
.ER3 61.4/ 61.4/ 61.4/ 61.4/ 61.4/ 61.4/ 61.4/ 61.6/ 62.3/ 63.0/  
.ER4 63.9/ 64.5/ 65.0/ 65.3/ 65.4/ 65.6/ 65.8/ 65.9/ 66.0/ 66.1/  
.ER5 66.1/ 66.2/ 66.3/ 66.4/ 66.4/ 66.5/ 66.6/ 66.7/ 66.7/ 66.8/  
.ER6 66.8/ 66.8/ 66.9/ 66.9/ 66.9/ 66.9/ 66.9/ 66.9/ 66.9/ 66.9/  
.ER7 66.7/ 66.6/ 66.5/ 66.3/ 66.2/ 66.1/ 66.0/ 65.9/ 65.7/ 65.6/  
.ER8 65.4/ 65.3/ 65.1/ 64.8/ 64.6/ 64.4/ 64.3/ 64.1/ 63.9/ 63.7/  
.ER9 63.4/ 63.2/ 63.0/ 62.8/ 62.5/ 62.3/ 62.0/ 61.8/ 61.5/ 61.5/  
.ER10 61.4/ 61.4/ 61.4/ 61.4/ 61.4/ 61.4/ 61.4/ 61.4/ 61.4/ 61.4/

.A CLUC1 20141211 Z DH10/HG 44.0  
.ER CLUC1 20141211 Z DH11/DC201412111041/DUE/HGIFE/DIH01  
.ER1 44.0/ 44.0/ 44.0/ 43.9/ 43.9/ 43.9/ 43.9/ 43.9/ 43.9/ 43.9/  
.ER2 43.9/ 43.9/ 44.0/ 44.0/ 44.1/ 44.3/ 44.6/ 45.0/ 45.6/ 46.4/  
.ER3 47.6/ 48.9/ 50.2/ 51.4/ 52.8/ 54.2/ 55.6/ 57.0/ 58.4/ 60.1/  
.ER4 61.2/ 62.3/ 62.9/ 63.4/ 63.8/ 64.1/ 64.2/ 64.4/ 64.6/ 64.7/  
.ER5 64.8/ 64.9/ 65.0/ 65.1/ 65.2/ 65.3/ 65.4/ 65.5/ 65.6/ 65.7/  
.ER6 65.8/ 65.9/ 65.9/ 66.0/ 66.0/ 66.1/ 66.1/ 66.1/ 66.1/ 66.1/  
.ER7 66.0/ 65.9/ 65.8/ 65.6/ 65.4/ 65.3/ 65.1/ 64.9/ 64.8/ 64.6/  
.ER8 64.4/ 64.2/ 63.9/ 63.7/ 63.4/ 63.1/ 62.9/ 62.7/ 62.5/ 62.3/  
.ER9 62.0/ 61.7/ 61.5/ 61.2/ 61.0/ 60.8/ 60.6/ 60.3/ 60.1/ 59.7/  
.ER10 59.3/ 58.8/ 58.3/ 57.9/ 57.4/ 56.9/ 56.5/ 56.1/ 56.1/ 56.1/

.A TISC1 20141211 Z DH10/HG 45.1  
.ER TISC1 20141211 Z DH11/DC201412111041/DUE/HGIFE/DIH01  
.ER1 45.1/ 45.1/ 45.1/ 45.1/ 45.1/ 45.1/ 45.1/ 45.1/ 45.1/ 45.1/  
.ER2 45.1/ 45.1/ 45.1/ 45.1/ 45.1/ 45.1/ 45.1/ 45.1/ 45.1/ 45.1/  
.ER3 45.1/ 45.1/ 45.1/ 45.1/ 45.1/ 45.1/ 45.1/ 45.1/ 45.1/ 45.1/  
.ER4 45.1/ 45.1/ 45.6/ 46.1/ 46.5/ 46.8/ 47.1/ 47.3/ 47.5/ 47.7/  
.ER5 47.8/ 47.9/ 48.1/ 48.2/ 48.3/ 48.4/ 48.5/ 48.5/ 48.6/ 48.7/  
.ER6 48.8/ 48.9/ 48.9/ 49.0/ 49.0/ 49.1/ 49.1/ 49.2/ 49.2/ 49.2/  
.ER7 49.3/ 49.3/ 49.3/ 49.3/ 49.3/ 49.2/ 49.2/ 49.2/ 49.1/ 49.1/  
.ER8 49.1/ 49.0/ 48.9/ 48.9/ 48.8/ 48.7/ 48.6/ 48.6/ 48.5/ 48.4/  
.ER9 48.3/ 48.3/ 48.2/ 48.1/ 48.0/ 48.0/ 47.9/ 47.8/ 47.7/ 47.7/  
.ER10 47.6/ 47.5/ 47.4/ 47.3/ 47.2/ 47.0/ 46.9/ 46.8/ 46.8/ 46.8/  
.A TISC1 20141213 Z DH11/HIIFE 1

END

10.4.23

FGUS56 KRSA 111636  
RVFUSA

UPPER SACRAMENTO RIVER SYSTEM FORECAST  
NATIONAL WEATHER SERVICE / CALIFORNIA-NEVADA RFC / SACRAMENTO CA  
CALIFORNIA DEPARTMENT OF WATER RESOURCES / SACRAMENTO CA  
830 AM PLT THU DEC 11 2014

NEXT ISSUANCE: THURSDAY, DECEMBER 11, 2014 AT 3PM PLT

FORECASTS THROUGH: TUESDAY, DECEMBER 16, 2014 AT 4AM PLT

ATTENTION... THE FOLLOWING STAGES OF PARTICULAR SIGNIFICANCE  
HAVE OCCURRED OR ARE FORECAST TO OCCUR:

FLOOD STAGE

SACRAMENTO RIVER - BEND BRIDGE (BDBC1) IN 7 HRS\*  
SACRAMENTO RIVER - RED BLUFF (RDBC1) IN 6 HRS\*  
SACRAMENTO RIVER - TEHAMA BRIDGE (TEHC1) IN 3 HRS\*  
SACRAMENTO RIVER - VINA WOODSON BR (VWBC1) IN 8 HRS\*  
SACRAMENTO RIVER - HAMILTON CITY (HAMC1) IN 28 HRS  
SACRAMENTO RIVER - ORD FERRY (ORFC1) IN 20 HRS\*

MONITOR STAGE

SACRAMENTO RIVER - BUTTE CITY (BTCC1) IN 34 HRS  
SACRAMENTO RIVER - MOULTON WEIR (CLSC1) IN 32 HRS  
SACRAMENTO RIVER - COLUSA WEIR (CLAC1) IN 20 HRS \*  
SACRAMENTO RIVER - COLUSA BRIDGE (CLUCL) IN 24 HRS \*  
SACRAMENTO RIVER - TISDALE WEIR (TISC1) IN 25 HRS \*

SPECIAL NOTES--

HEAVY RAINFALL OVER THE PAST 24 HOURS IS PRODUCING A MAJOR RISE ON THE UPPER SACRAMENTO RIVER. RAINFALL FORECAST FOR TODAY IS EXPECTED TO P  
ABOVE FLOOD STAGE FROM BEND BRIDGE TO HAMILTON CITY.  
OVERFLOW INTO THE BUTTE BASIN AT ORD FERRY AND MOULTON WEIR IS EXPECTED.  
OVERFLOW INTO THE SUTTER BYPASS IS EXPECTED FROM COLUSA WEIR AND TISDALE  
WEIR.

RIVER

LOCATION (NWSLI)	STAGE (FT)	FLOW (CFS)	TIME (PT)	DATE (MM/DD/YY)	LEAD TIME
PIT RIVER	OBS 2.9	65 AT	8AM	12/11/14	(24)
CANBY (CNBC1)	>MS 7.5	NOT EXPECTED			
	>FS 8.5	NOT EXPECTED			
	MAX 4.1	524 AT	11PM	12/13/14	IN 62 HRS
SACRAMENTO RIVER	OBS 16.4	44,100 AT	8AM	12/11/14	(24)
BEND BRIDGE (BDBC1)	>MS 22.0	BY 1PM	12/11/14	IN 4 HRS*	
	>FS 27.0	BY 4PM	12/11/14	IN 7 HRS*	
	MAX 31.2	125,000 AT	7PM	12/11/14	IN 10 HRS*
SACRAMENTO RIVER	OBS 246.1	45,700 AT	8AM	12/11/14	(24)
RED BLUFF (RDBC1)	>MS 250.0	BY 11AM	12/11/14	IN 2 HRS*	
	>FS 253.0	BY 3PM	12/11/14	IN 6 HRS*	
	MAX 257.5	123,000 AT	11PM	12/11/14	IN 14 HRS*
SACRAMENTO RIVER	OBS 208.6	40,900 AT	8AM	12/11/14	(24)
TEHAMA BRIDGE (TEHC1)	>MS 210.0	AT	CURRENT TIME		*
	>FS 213.0	BY 12PM	12/11/14	IN 3 HRS*	
	MAX 219.4	127,000 AT	3AM	12/12/14	IN 18 HRS*
SACRAMENTO RIVER	OBS 172.6	29,600 AT	8AM	12/11/14	(24)
VINA WOODSON BR (VWBC1)	>MS 180.0	BY 2PM	12/11/14	IN 5 HRS*	
	>FS 183.0	BY 5PM	12/11/14	IN 8 HRS*	
	MAX 187.1	136,000 AT	7AM	12/12/14	IN 22 HRS*
SACRAMENTO RIVER	OBS 131.7	13,200 AT	8AM	12/11/14	(24)
HAMILTON CITY (HAMC1)	>MS 143.0	BY 7PM	12/11/14	IN 10 HRS*	
	>FS 148.0	BY 1PM	12/12/14	IN 28 HRS	
	MAX 148.0	119,000 AT	1PM	12/12/14	IN 28 HRS
SACRAMENTO RIVER	OBS 97.7	7,560 AT	8AM	12/11/14	(24)
ORD FERRY (ORFC1)	>MS 110.0	BY 9PM	12/11/14	IN 12 HRS*	
	>FS 114.0	BY 5AM	12/12/14	IN 20 HRS*	
	>DS 122.6	NOT EXPECTED			
	MAX 116.4	101,000 AT	8PM	12/12/14	IN 35 HRS
SACRAMENTO RIVER	OBS 70.0	7,330 AT	8AM	12/11/14	(24)
BUTTE CITY (BTCC1)	>MS 89.0	BY 7PM	12/12/14	IN 34 HRS	
	>FS 97.2	NOT EXPECTED			
	>DS 98.2	NOT EXPECTED			
	MAX 90.4	88,900 AT	6AM	12/13/14	IN 45 HRS
SACRAMENTO RIVER	OBS 76.4	0 AT	8AM	12/11/14	(24)
MOULTON WEIR (CLSC1)	>MS 76.8	BY 5PM	12/12/14	IN 32 HRS	
	>FS 84.4	NOT EXPECTED			
	>DS 85.4	NOT EXPECTED			
	MAX 79.3	6,520 AT	11AM	12/13/14	IN 50 HRS
WEIR:	OBS	NO OVERFLOW AT	8AM	12/11/14	
	BEGINS	OVERFLOW BY	5PM	12/12/14	IN 32 HRS
	ENDS	OVERFLOW BY	1AM	12/14/14	IN 64 HRS
	MAX	2.5 OVERFLOW AT	11AM	12/13/14	IN 50 HRS
SACRAMENTO RIVER	OBS 61.4	0 AT	8AM	12/11/14	(48)
COLUSA WEIR (CLAC1)	>MS 61.8	BY 5AM	12/12/14	IN 20 HRS*	
	>FS 71.0	NOT EXPECTED			

10.4.24

>DS 72.0 NOT EXPECTED  
 MAX 67.3 40,300 AT 2PM 12/13/14 IN 53 HRS

---

WEIR: OBS NO OVERFLOW AT 8AM 12/11/14  
 BEGINS OVERFLOW BY 5AM 12/12/14 IN 20 HRS\*  
 ENDS OVERFLOW BY 12AM 12/15/14 IN 87 HRS  
 MAX 5.5 OVERFLOW AT 2PM 12/13/14 IN 53 HRS

---

SACRAMENTO RIVER OBS 44.0 8,280 AT 8AM 12/11/14 (48)  
 COLUSA BRIDGE >MS 63.0 BY 9AM 12/12/14 IN 24 HRS\*  
 (CLUC1) >FS 70.0 NOT EXPECTED  
 >DS 71.0 NOT EXPECTED  
 MAX 66.6 46,000 AT 3PM 12/13/14 IN 54 HRS

SACRAMENTO RIVER OBS 45.1 0 AT 8AM 12/11/14 (48)  
 TISDALE WEIR >MS 45.5 BY 10AM 12/12/14 IN 25 HRS\*  
 (TISCL) >FS 53.0 NOT EXPECTED  
 >DS 54.0 NOT EXPECTED  
 MAX 49.7 15,400 AT 7PM 12/13/14 IN 58 HRS

WEIR: OBS NO OVERFLOW AT 8AM 12/11/14  
 BEGINS OVERFLOW BY 10AM 12/12/14 IN 25 HRS\*  
 ENDS OVERFLOW BY 9PM 12/15/14 IN 108 HRS  
 MAX 4.2 OVERFLOW AT 7PM 12/13/14 IN 58 HRS

---

DEFINITIONS:

OBS MOST RECENT OBSERVATION (MAY BE ESTIMATED)  
 MS MONITOR STAGE  
 FS FLOOD STAGE  
 DS DANGER STAGE (LEVEED LOCATIONS ONLY)  
 MAX MAXIMUM FORECAST WITHIN PERIOD  
 WEIR OVERFLOW DEPTHS IN FEET  
 LEAD TIME FORECASTS WITHIN THIS PERIOD (HOURS) ARE CONSIDERED  
 RELIABLE ENOUGH TO INITIATE PHYSICAL MITIGATION EFFORTS.  
 \* EVENT EXCEEDS MS/FS/DS WITHIN LEAD TIME PERIOD

SIM 12/11/2014 @ 0823P (C)

NOTE: ALL TIMES IN SHEF ENCODED MESSAGES BELOW ARE UTC

.A CNBC1 20141211 Z DH16/HG 2.9  
 .ER CNBC1 20141211 Z DH17/DC201412111623/DUE/HGIFE/DIH01  
 .ER1 2.9/ 2.9/ 2.9/ 2.9/ 2.9/ 2.9/ 2.9/ 2.9/ 2.9/ 2.9/  
 .ER2 2.9/ 2.9/ 2.9/ 3.0/ 3.0/ 3.0/ 3.0/ 3.0/ 3.1/ 3.1/  
 .ER3 3.1/ 3.1/ 3.2/ 3.2/ 3.2/ 3.2/ 3.2/ 3.3/ 3.3/ 3.4/  
 .ER4 3.4/ 3.4/ 3.5/ 3.5/ 3.5/ 3.6/ 3.6/ 3.7/ 3.7/ 3.7/  
 .ER5 3.8/ 3.8/ 3.8/ 3.9/ 3.9/ 3.9/ 3.9/ 4.0/ 4.0/ 4.0/  
 .ER6 4.0/ 4.0/ 4.1/ 4.1/ 4.1/ 4.1/ 4.1/ 4.1/ 4.1/ 4.1/  
 .ER7 4.1/ 4.1/ 4.1/ 4.1/ 4.1/ 4.1/ 4.1/ 4.1/ 4.1/ 4.1/  
 .ER8 4.1/ 4.1/ 4.1/ 4.1/ 4.1/ 4.1/ 4.1/ 4.1/ 4.1/ 4.1/  
 .ER9 4.1/ 4.1/ 4.1/ 4.0/ 4.0/ 4.0/ 4.0/ 4.0/ 4.0/ 4.0/  
 .ER10 4.0/ 4.0/ 4.0/ 4.0/ 3.9/ 3.9/ 3.9/ 3.9/ 3.9/ 3.9/  
 .ER11 3.9/ 3.9/ 3.9/ 3.8/ 3.8/ 3.8/ 3.8/ 3.8/ 3.8/ 3.8/  
 .ER12 3.8/ 3.8/ 3.8/ 3.7/ 3.7/ 3.7/ 3.7/ 3.7/ 3.7/ 3.7/  
 .A CNBC1 20141212 Z DH17/HITFE 1

.A BDBC1 20141211 Z DH16/HG 16.4  
 .ER BDBC1 20141211 Z DH17/DC201412111623/DUE/HGIFE/DIH01  
 .ER1 17.4/ 18.6/ 20.1/ 21.6/ 23.1/ 24.9/ 26.8/ 28.4/ 30.0/ 30.9/  
 .ER2 31.2/ 31.0/ 30.4/ 29.5/ 28.2/ 27.1/ 25.7/ 24.3/ 23.1/ 22.0/  
 .ER3 21.1/ 20.2/ 19.4/ 18.6/ 17.9/ 17.3/ 16.6/ 15.7/ 14.5/ 13.9/  
 .ER4 13.4/ 12.9/ 12.5/ 12.1/ 11.7/ 11.3/ 11.0/ 10.8/ 10.5/ 10.3/  
 .ER5 10.0/ 9.8/ 9.5/ 9.3/ 9.1/ 9.0/ 8.8/ 8.6/ 8.4/ 8.2/  
 .ER6 8.0/ 7.8/ 7.6/ 7.5/ 7.3/ 7.2/ 7.1/ 7.0/ 6.9/ 6.8/  
 .ER7 6.7/ 6.6/ 6.5/ 6.5/ 6.4/ 6.3/ 6.3/ 6.2/ 6.2/ 6.1/  
 .ER8 6.1/ 6.0/ 6.0/ 5.9/ 5.9/ 5.8/ 5.8/ 5.8/ 5.7/ 5.7/  
 .ER9 5.6/ 5.6/ 5.6/ 5.5/ 5.5/ 5.5/ 5.4/ 5.4/ 5.4/ 5.3/  
 .ER10 5.3/ 5.3/ 5.3/ 5.2/ 5.2/ 5.2/ 5.2/ 5.1/ 5.1/ 5.1/  
 .ER11 5.1/ 5.1/ 5.2/ 5.2/ 5.3/ 5.4/ 5.5/ 5.7/ 5.8/ 6.0/  
 .ER12 6.1/ 6.3/ 6.4/ 6.5/ 6.6/ 6.7/ 6.7/ 6.7/ 6.7/ 6.7/

.A RDBC1 20141211 Z DH16/HG 246.1  
 .ER RDBC1 20141211 Z DH17/DC201412111623/DUE/HGIFE/DIH01  
 .ER1 247.5/ 248.8/ 250.0/ 251.0/ 251.9/ 252.7/ 253.2/ 253.8/ 254.5/ 255.2/  
 .ER2 256.1/ 256.7/ 257.1/ 257.4/ 257.5/ 257.5/ 257.2/ 256.8/ 256.2/ 255.3/  
 .ER3 254.3/ 252.8/ 251.2/ 250.2/ 249.4/ 248.8/ 248.3/ 247.7/ 247.2/ 246.7/  
 .ER4 246.0/ 245.4/ 244.9/ 244.5/ 244.2/ 244.0/ 243.8/ 243.5/ 243.2/ 243.1/  
 .ER5 242.9/ 242.8/ 242.7/ 242.6/ 242.4/ 242.3/ 242.3/ 242.2/ 242.1/ 242.0/  
 .ER6 241.9/ 241.8/ 241.7/ 241.6/ 241.5/ 241.4/ 241.3/ 241.3/ 241.2/ 241.1/  
 .ER7 241.1/ 241.0/ 241.0/ 240.9/ 240.9/ 240.8/ 240.8/ 240.7/ 240.7/ 240.7/  
 .ER8 240.6/ 240.6/ 240.6/ 240.6/ 240.5/ 240.5/ 240.5/ 240.4/ 240.4/ 240.4/  
 .ER9 240.4/ 240.3/ 240.3/ 240.3/ 240.3/ 240.2/ 240.2/ 240.2/ 240.2/ 240.2/  
 .ER10 240.2/ 240.1/ 240.1/ 240.1/ 240.1/ 240.1/ 240.1/ 240.1/ 240.1/ 240.1/  
 .ER11 240.1/ 240.1/ 240.1/ 240.1/ 240.1/ 240.2/ 240.2/ 240.3/ 240.3/ 240.4/  
 .ER12 240.4/ 240.5/ 240.5/ 240.6/ 240.7/ 240.7/ 240.7/ 240.7/ 240.7/ 240.7/

.A TEHC1 20141211 Z DH16/HG 208.6  
 .ER TEHC1 20141211 Z DH17/DC201412111623/DUE/HGIFE/DIH01  
 .ER1 210.1/ 211.4/ 212.5/ 213.5/ 214.5/ 215.4/ 216.1/ 216.7/ 217.3/ 217.7/  
 .ER2 218.1/ 218.4/ 218.7/ 218.9/ 219.0/ 219.1/ 219.3/ 219.3/ 219.4/ 219.3/  
 .ER3 219.3/ 219.1/ 218.9/ 218.6/ 218.1/ 217.5/ 216.7/ 215.7/ 214.5/ 213.0/  
 .ER4 211.6/ 210.8/ 210.1/ 209.5/ 209.0/ 208.5/ 208.1/ 207.7/ 207.4/ 207.0/  
 .ER5 206.8/ 206.5/ 206.3/ 206.1/ 205.9/ 205.7/ 205.5/ 205.4/ 205.2/ 205.1/  
 .ER6 205.0/ 204.8/ 204.7/ 204.6/ 204.5/ 204.4/ 204.3/ 204.3/ 204.2/ 204.1/  
 .ER7 204.0/ 204.0/ 203.9/ 203.9/ 203.8/ 203.8/ 203.7/ 203.7/ 203.6/ 203.6/  
 .ER8 203.6/ 203.6/ 203.5/ 203.5/ 203.5/ 203.4/ 203.4/ 203.4/ 203.3/ 203.3/  
 .ER9 203.3/ 203.3/ 203.3/ 203.2/ 203.2/ 203.2/ 203.2/ 203.1/ 203.1/ 203.1/  
 .ER10 203.1/ 203.1/ 203.1/ 203.0/ 203.0/ 203.0/ 203.0/ 203.0/ 203.0/ 203.0/

10.4.25

.ER11 203.0/ 203.0/ 203.0/ 203.0/ 203.0/ 203.0/ 203.1/ 203.2/ 203.3/ 203.4/  
.ER12 203.4/ 203.5/ 203.6/ 203.7/ 203.7/ 203.8/

.A VWBC1 20141211 Z DH16/HG 172.6  
.ER VWBC1 20141211 Z DH17/DC201412111623/DUE/HGIFE/DIH01  
.ER1 174.1/ 175.8/ 177.5/ 178.8/ 179.7/ 180.5/ 181.4/ 182.4/ 183.3/ 184.0/  
.ER2 184.5/ 185.0/ 185.4/ 185.7/ 186.0/ 186.3/ 186.5/ 186.6/ 186.8/ 186.9/  
.ER3 187.0/ 187.0/ 187.1/ 187.0/ 187.0/ 186.8/ 186.6/ 186.3/ 185.9/ 185.1/  
.ER4 184.0/ 182.8/ 181.4/ 180.2/ 179.0/ 177.9/ 177.0/ 176.3/ 175.7/ 175.2/  
.ER5 174.7/ 174.4/ 174.1/ 173.8/ 173.5/ 173.3/ 173.0/ 172.8/ 172.6/ 172.3/  
.ER6 172.1/ 171.9/ 171.7/ 171.5/ 171.4/ 171.2/ 171.1/ 171.0/ 170.9/ 170.8/  
.ER7 170.7/ 170.6/ 170.5/ 170.5/ 170.4/ 170.4/ 170.3/ 170.3/ 170.3/ 170.2/  
.ER8 170.2/ 170.2/ 170.1/ 170.1/ 170.1/ 170.1/ 170.0/ 170.0/ 170.0/ 170.0/  
.ER9 169.9/ 169.9/ 169.9/ 169.8/ 169.8/ 169.8/ 169.8/ 169.8/ 169.7/ 169.7/  
.ER10 169.7/ 169.6/ 169.6/ 169.6/ 169.6/ 169.6/ 169.6/ 169.5/ 169.5/ 169.5/  
.ER11 169.5/ 169.5/ 169.5/ 169.5/ 169.5/ 169.5/ 169.5/ 169.5/ 169.6/ 169.7/  
.ER12 169.8/ 169.9/ 170.0/ 170.0/ 170.1/ 170.2/

.A HAMC1 20141211 Z DH16/HG 131.7  
.ER HAMC1 20141211 Z DH17/DC201412111623/DUE/HGIFE/DIH01  
.ER1 132.5/ 133.3/ 134.4/ 135.7/ 137.1/ 138.6/ 139.9/ 140.9/ 141.6/ 142.3/  
.ER2 143.1/ 143.9/ 144.5/ 145.0/ 145.4/ 145.8/ 146.1/ 146.4/ 146.6/ 146.8/  
.ER3 147.1/ 147.2/ 147.4/ 147.5/ 147.7/ 147.8/ 147.9/ 148.0/ 148.0/ 147.9/  
.ER4 147.8/ 147.6/ 147.3/ 146.9/ 146.5/ 146.0/ 145.3/ 144.5/ 143.5/ 142.5/  
.ER5 141.4/ 140.3/ 139.2/ 138.4/ 137.8/ 137.3/ 136.8/ 136.5/ 136.1/ 135.9/  
.ER6 135.6/ 135.4/ 135.1/ 134.9/ 134.7/ 134.4/ 134.2/ 134.0/ 133.9/ 133.7/  
.ER7 133.6/ 133.4/ 133.3/ 133.2/ 133.1/ 133.1/ 133.0/ 132.9/ 132.9/ 132.8/  
.ER8 132.8/ 132.8/ 132.7/ 132.7/ 132.7/ 132.6/ 132.6/ 132.6/ 132.5/ 132.5/  
.ER9 132.5/ 132.5/ 132.4/ 132.4/ 132.4/ 132.3/ 132.3/ 132.3/ 132.3/ 132.2/  
.ER10 132.2/ 132.2/ 132.2/ 132.1/ 132.1/ 132.1/ 132.1/ 132.1/ 132.0/ 132.0/  
.ER11 132.0/ 132.0/ 132.0/ 132.0/ 131.9/ 131.9/ 131.9/ 131.9/ 131.9/ 131.9/  
.ER12 132.0/ 132.0/ 132.1/ 132.2/ 132.2/ 132.3/

.A ORFC1 20141211 Z DH16/HG 97.7  
.ER ORFC1 20141211 Z DH17/DC201412111623/DUE/HGIFE/DIH01  
.ER1 98.0/ 98.3/ 98.8/ 99.5/ 100.5/ 101.7/ 103.2/ 104.8/ 106.5/ 107.7/  
.ER2 108.6/ 109.4/ 110.2/ 110.9/ 111.6/ 112.1/ 112.6/ 113.1/ 113.5/ 113.9/  
.ER3 114.2/ 114.5/ 114.8/ 115.0/ 115.2/ 115.4/ 115.6/ 115.7/ 115.9/ 116.0/  
.ER4 116.1/ 116.2/ 116.3/ 116.3/ 116.4/ 116.4/ 116.4/ 116.3/ 116.3/ 116.2/  
.ER5 116.0/ 115.9/ 115.7/ 115.5/ 115.2/ 114.9/ 114.4/ 113.9/ 113.3/ 112.5/  
.ER6 111.5/ 110.2/ 108.4/ 105.8/ 105.3/ 104.8/ 104.5/ 104.1/ 103.8/ 103.6/  
.ER7 103.3/ 103.1/ 102.9/ 102.8/ 102.6/ 102.4/ 102.3/ 102.1/ 102.0/ 101.9/  
.ER8 101.8/ 101.7/ 101.6/ 101.5/ 101.4/ 101.3/ 101.2/ 101.1/ 101.1/ 101.0/  
.ER9 100.9/ 100.9/ 100.8/ 100.8/ 100.7/ 100.7/ 100.6/ 100.6/ 100.5/ 100.5/  
.ER10 100.4/ 100.4/ 100.4/ 100.3/ 100.3/ 100.3/ 100.2/ 100.2/ 100.2/ 100.1/  
.ER11 100.1/ 100.1/ 100.0/ 100.0/ 100.0/ 100.0/ 99.9/ 99.9/ 99.9/ 99.9/  
.ER12 99.9/ 99.9/ 99.9/ 99.9/ 99.9/ 99.9/ 100.0/

.A BTCC1 20141211 Z DH16/HG 70.0  
.ER BTCC1 20141211 Z DH17/DC201412111623/DUE/HGIFE/DIH01  
.ER1 70.0/ 70.0/ 70.2/ 70.4/ 70.7/ 71.2/ 72.0/ 72.9/ 74.2/ 75.4/  
.ER2 76.6/ 77.6/ 78.8/ 79.8/ 80.7/ 81.5/ 82.1/ 82.8/ 83.4/ 84.0/  
.ER3 84.6/ 85.1/ 85.6/ 86.0/ 86.4/ 86.7/ 87.1/ 87.4/ 87.7/ 87.9/  
.ER4 88.2/ 88.4/ 88.7/ 88.9/ 89.1/ 89.3/ 89.5/ 89.6/ 89.8/ 89.9/  
.ER5 90.1/ 90.2/ 90.2/ 90.3/ 90.4/ 90.4/ 90.4/ 90.4/ 90.3/ 90.2/  
.ER6 90.0/ 89.8/ 89.5/ 89.2/ 88.7/ 88.1/ 87.5/ 86.8/ 86.1/ 85.4/  
.ER7 84.6/ 83.8/ 83.0/ 82.2/ 81.5/ 80.9/ 80.2/ 79.5/ 78.8/ 78.2/  
.ER8 77.7/ 77.2/ 76.8/ 76.4/ 76.1/ 75.8/ 75.5/ 75.3/ 75.1/ 74.9/  
.ER9 74.7/ 74.6/ 74.5/ 74.3/ 74.3/ 74.2/ 74.1/ 74.0/ 73.9/ 73.9/  
.ER10 73.8/ 73.7/ 73.7/ 73.6/ 73.6/ 73.5/ 73.5/ 73.4/ 73.4/ 73.3/  
.ER11 73.3/ 73.3/ 73.2/ 73.2/ 73.2/ 73.2/ 73.1/ 73.1/ 73.0/ 73.0/  
.ER12 73.0/ 72.9/ 72.9/ 72.9/ 72.9/ 72.9/

.A BTCC1 20141212 Z DH17/HIIFE 1  
.A CLSC1 20141211 Z DH16/HG 76.4  
.ER CLSC1 20141211 Z DH17/DC201412111623/DUE/HGIFE/DIH01  
.ER1 76.4/ 76.4/ 76.4/ 76.4/ 76.4/ 76.4/ 76.4/ 76.4/ 76.4/ 76.4/  
.ER2 76.4/ 76.4/ 76.4/ 76.4/ 76.4/ 76.4/ 76.4/ 76.4/ 76.4/ 76.4/  
.ER3 76.4/ 76.4/ 76.4/ 76.4/ 76.4/ 76.4/ 76.4/ 76.4/ 76.4/ 76.4/  
.ER4 76.4/ 76.8/ 77.1/ 77.3/ 77.5/ 77.7/ 77.9/ 78.1/ 78.3/ 78.5/  
.ER5 78.6/ 78.7/ 78.9/ 79.0/ 79.1/ 79.2/ 79.2/ 79.3/ 79.3/ 79.3/  
.ER6 79.3/ 79.3/ 79.3/ 79.2/ 79.2/ 79.0/ 78.8/ 78.6/ 78.4/ 78.1/  
.ER7 77.8/ 77.5/ 77.2/ 76.9/ 76.4/ 76.4/ 76.4/ 76.4/ 76.4/ 76.4/  
.ER8 76.4/ 76.4/ 76.4/ 76.4/ 76.4/ 76.4/ 76.4/ 76.4/ 76.4/ 76.4/  
.ER9 76.4/ 76.4/ 76.4/ 76.4/ 76.4/ 76.4/ 76.4/ 76.4/ 76.4/ 76.4/  
.ER10 76.4/ 76.4/ 76.4/ 76.4/ 76.4/ 76.4/ 76.4/ 76.4/ 76.4/ 76.4/  
.ER11 76.4/ 76.4/ 76.4/ 76.4/ 76.4/ 76.4/ 76.4/ 76.4/ 76.4/ 76.4/  
.ER12 76.4/ 76.4/ 76.4/ 76.4/ 76.4/ 76.4/

.A CLAC1 20141211 Z DH16/HG 61.4  
.ER CLAC1 20141211 Z DH17/DC201412111623/DUE/HGIFE/DIH01  
.ER1 61.4/ 61.4/ 61.4/ 61.4/ 61.4/ 61.4/ 61.4/ 61.4/ 61.4/ 61.4/  
.ER2 61.4/ 61.4/ 61.4/ 61.4/ 61.4/ 61.4/ 61.4/ 61.4/ 61.4/ 61.5/  
.ER3 62.1/ 62.9/ 63.8/ 64.6/ 65.1/ 65.3/ 65.5/ 65.7/ 65.8/ 65.9/  
.ER4 66.0/ 66.1/ 66.2/ 66.3/ 66.4/ 66.5/ 66.5/ 66.6/ 66.7/ 66.8/  
.ER5 66.8/ 66.9/ 66.9/ 67.0/ 67.0/ 67.0/ 67.1/ 67.1/ 67.2/ 67.2/  
.ER6 67.2/ 67.3/ 67.3/ 67.3/ 67.3/ 67.3/ 67.2/ 67.1/ 67.0/ 66.9/  
.ER7 66.7/ 66.5/ 66.4/ 66.2/ 66.1/ 66.0/ 65.9/ 65.7/ 65.6/ 65.4/  
.ER8 65.3/ 65.1/ 64.8/ 64.6/ 64.4/ 64.3/ 64.1/ 63.9/ 63.7/ 63.5/  
.ER9 63.3/ 63.1/ 62.8/ 62.6/ 62.4/ 62.2/ 61.9/ 61.6/ 61.5/ 61.5/  
.ER10 61.4/ 61.4/ 61.4/ 61.4/ 61.4/ 61.4/ 61.4/ 61.4/ 61.4/ 61.4/  
.ER11 61.4/ 61.4/ 61.4/ 61.4/ 61.4/ 61.4/ 61.4/ 61.4/ 61.4/ 61.4/  
.ER12 61.4/ 61.4/ 61.4/ 61.4/ 61.4/ 61.4/

.A CLUC1 20141211 Z DH16/HG 44.0  
.ER CLUC1 20141211 Z DH17/DC201412111623/DUE/HGIFE/DIH01  
.ER1 44.0/ 44.0/ 44.0/ 44.0/ 44.0/ 44.0/ 44.1/ 44.2/ 44.4/ 44.7/  
.ER2 45.1/ 45.7/ 46.7/ 48.0/ 49.3/ 50.6/ 51.9/ 53.4/ 54.8/ 56.3/  
.ER3 57.9/ 59.6/ 61.1/ 62.3/ 63.0/ 63.6/ 64.0/ 64.2/ 64.4/ 64.6/  
.ER4 64.7/ 64.8/ 64.9/ 65.0/ 65.1/ 65.2/ 65.3/ 65.5/ 65.6/ 65.7/

10.4.26

.ER5	65.8/	65.9/	66.0/	66.0/	66.1/	66.2/	66.2/	66.3/	66.4/	66.4/
.ER6	66.5/	66.5/	66.6/	66.6/	66.6/	66.6/	66.6/	66.5/	66.4/	66.2/
.ER7	66.1/	65.9/	65.8/	65.6/	65.4/	65.2/	65.0/	64.8/	64.6/	64.4/
.ER8	64.2/	63.9/	63.7/	63.4/	63.2/	62.9/	62.7/	62.5/	62.3/	62.0/
.ER9	61.8/	61.5/	61.3/	61.1/	60.8/	60.6/	60.4/	60.2/	59.9/	59.5/
.ER10	59.1/	58.7/	58.2/	57.8/	57.4/	56.9/	56.5/	56.2/	55.8/	55.4/
.ER11	55.1/	54.8/	54.5/	54.2/	53.9/	53.6/	53.4/	53.1/	52.9/	52.7/
.ER12	52.4/	52.2/	52.0/	51.8/	51.7/	51.5/				

LA TISC1 20141211 Z DH16/HG 45.1										
ER TISC1 20141211 Z DH17/DC201412111623/DUE/HGIFE/DIH01										
.ER1	45.1/	45.1/	45.1/	45.1/	45.1/	45.1/	45.1/	45.1/	45.1/	45.1/
.ER2	45.1/	45.1/	45.1/	45.1/	45.1/	45.1/	45.1/	45.1/	45.1/	45.1/
.ER3	45.1/	45.1/	45.1/	45.1/	45.5/	46.0/	46.4/	46.7/	47.0/	47.3/
.ER4	47.5/	47.7/	47.8/	47.9/	48.1/	48.2/	48.3/	48.4/	48.5/	48.6/
.ER5	48.7/	48.8/	48.8/	48.9/	49.0/	49.1/	49.1/	49.2/	49.2/	49.3/
.ER6	49.3/	49.4/	49.4/	49.5/	49.6/	49.6/	49.7/	49.7/	49.7/	49.7/
.ER7	49.7/	49.7/	49.6/	49.5/	49.5/	49.4/	49.3/	49.3/	49.2/	49.2/
.ER8	49.1/	49.0/	48.9/	48.9/	48.8/	48.7/	48.6/	48.5/	48.4/	48.4/
.ER9	48.3/	48.2/	48.1/	48.1/	48.0/	47.9/	47.8/	47.8/	47.7/	47.6/
.ER10	47.5/	47.4/	47.3/	47.2/	47.1/	47.0/	46.9/	46.8/	46.7/	46.5/
.ER11	46.4/	46.3/	46.1/	46.0/	45.9/	45.8/	45.6/	45.5/	45.3/	45.2/
.ER12	45.1/	45.1/	45.1/	45.1/	45.1/	45.1/				

END

10.4.27

FGUS56 KRSA 112216  
RVFUSA

UPPER SACRAMENTO RIVER SYSTEM FORECAST  
NATIONAL WEATHER SERVICE / CALIFORNIA-NEVADA RFC / SACRAMENTO CA  
CALIFORNIA DEPARTMENT OF WATER RESOURCES / SACRAMENTO CA  
215 PM PLT THU DEC 11 2014

NEXT ISSUANCE: THURSDAY, DECEMBER 11, 2014 AT 9PM PLT

FORECASTS THROUGH: TUESDAY, DECEMBER 16, 2014 AT 4AM PLT

ATTENTION... THE FOLLOWING STAGES OF PARTICULAR SIGNIFICANCE  
HAVE OCCURRED OR ARE FORECAST TO OCCUR:

FLOOD STAGE

- SACRAMENTO RIVER - BEND BRIDGE (BDBC1) IN 2 HRS\*
- SACRAMENTO RIVER - RED BLUFF (RDBC1) \*
- SACRAMENTO RIVER - TEHAMA BRIDGE (TEHC1) \*
- SACRAMENTO RIVER - VINA WOODSON BR (VWBC1) IN 1 HRS\*
- SACRAMENTO RIVER - HAMILTON CITY (HAMC1) IN 17 HRS\*
- SACRAMENTO RIVER - ORD FERRY (ORFC1) IN 12 HRS\*

MONITOR STAGE

- SACRAMENTO RIVER - BUTTE CITY (BTCC1) IN 26 HRS
- SACRAMENTO RIVER - MOULTON WEIR (CLSC1) IN 25 HRS
- SACRAMENTO RIVER - COLUSA WEIR (CLAC1) IN 14 HRS \*
- SACRAMENTO RIVER - COLUSA BRIDGE (CLUC1) IN 18 HRS \*
- SACRAMENTO RIVER - TISDALE WEIR (TISC1) IN 19 HRS \*

\*\*\*\*\*  
SPECIAL NOTES-  
\*\*\*\*\*

RIVER	LOCATION (NWSLI)	STAGE (FT)	FLOW (CFS)	TIME (PT)	DATE (MM/DD/YY)	LEAD TIME
PIT RIVER	CANBY (CNBC1)	OBS	3.0	79 AT	2PM	12/11/14 (24)
		>MS	7.5	NOT	EXPECTED	
		>FS	8.5	NOT	EXPECTED	
		MAX	4.0	437 AT	4AM	12/14/14 IN 62 HRS
SACRAMENTO RIVER	BEND BRIDGE (BDBC1)	OBS	23.9	84,700 AT	2PM	12/11/14 (24)
		>MS	22.0	AT	CURRENT TIME	*
		>FS	27.0	BY	4PM	12/11/14 IN 2 HRS*
		MAX	29.8	117,000 AT	7PM	12/11/14 IN 5 HRS*
SACRAMENTO RIVER	RED BLUFF (RDBC1)	OBS	253.5	94,100 AT	2PM	12/11/14 (24)
		>MS	250.0	AT	CURRENT TIME	*
		>FS	253.0	AT	CURRENT TIME	*
		MAX	256.8	117,000 AT	11PM	12/11/14 IN 9 HRS*
SACRAMENTO RIVER	TEHAMA BRIDGE (TEHC1)	OBS	216.8	99,400 AT	2PM	12/11/14 (24)
		>MS	210.0	AT	CURRENT TIME	*
		>FS	213.0	AT	CURRENT TIME	*
		MAX	219.4	128,000 AT	2AM	12/12/14 IN 12 HRS*
SACRAMENTO RIVER	VINA WOODSON BR	OBS	181.9	87,500 AT	2PM	12/11/14 (24)
		>MS	180.0	AT	CURRENT TIME	*

10.4.28

(VWBC1)	>FS	183.0		BY	3PM	12/11/14	IN	1 HRS*
	MAX	187.6	143,000	AT	6AM	12/12/14	IN	16 HRS*
SACRAMENTO RIVER	OBS	139.5	53,600	AT	2PM	12/11/14		(24)
HAMILTON CITY	>MS	143.0		BY	6PM	12/11/14	IN	4 HRS*
(HAMC1)	>FS	148.0		BY	7AM	12/12/14	IN	17 HRS*
	MAX	148.4	122,000	AT	12PM	12/12/14	IN	22 HRS*
SACRAMENTO RIVER	OBS	102.8	26,100	AT	2PM	12/11/14		(24)
ORD FERRY	>MS	110.0		BY	8PM	12/11/14	IN	6 HRS*
(ORFC1)	>FS	114.0		BY	2AM	12/12/14	IN	12 HRS*
	>DS	122.6		NOT	EXPECTED			
	MAX	116.9	105,000	AT	7PM	12/12/14	IN	29 HRS
SACRAMENTO RIVER	OBS	71.7	12,000	AT	2PM	12/11/14		(24)
BUTTE CITY	>MS	89.0		BY	4PM	12/12/14	IN	26 HRS
(BTCC1)	>FS	97.2		NOT	EXPECTED			
	>DS	98.2		NOT	EXPECTED			
	MAX	91.0	93,700	AT	6AM	12/13/14	IN	40 HRS
SACRAMENTO RIVER	OBS	76.4	0	AT	2PM	12/11/14		(24)
MOULTON WEIR	>MS	76.8		BY	3PM	12/12/14	IN	25 HRS
(CLSC1)	>FS	84.4		NOT	EXPECTED			
	>DS	85.4		NOT	EXPECTED			
	MAX	79.7	8,200	AT	11AM	12/13/14	IN	45 HRS
WEIR:	OBS	NO OVERFLOW		AT	2PM	12/11/14		
	BEGINS	OVERFLOW		BY	3PM	12/12/14	IN	25 HRS
	ENDS	OVERFLOW		BY	3AM	12/14/14	IN	61 HRS
	MAX	2.9 OVERFLOW		AT	11AM	12/13/14	IN	45 HRS
SACRAMENTO RIVER	OBS	61.4	0	AT	2PM	12/11/14		(48)
COLUSA WEIR	>MS	61.8		BY	4AM	12/12/14	IN	14 HRS*
(CLAC1)	>FS	71.0		NOT	EXPECTED			
	>DS	72.0		NOT	EXPECTED			
	MAX	67.5	43,600	AT	3PM	12/13/14	IN	49 HRS
WEIR:	OBS	NO OVERFLOW		AT	2PM	12/11/14		
	BEGINS	OVERFLOW		BY	4AM	12/12/14	IN	14 HRS*
	ENDS	OVERFLOW		BY	9AM	12/15/14	IN	91 HRS
	MAX	5.7 OVERFLOW		AT	3PM	12/13/14	IN	49 HRS
SACRAMENTO RIVER	OBS	44.3	8,530	AT	2PM	12/11/14		(48)
COLUSA BRIDGE	>MS	63.0		BY	8AM	12/12/14	IN	18 HRS*
(CLUCL)	>FS	70.0		NOT	EXPECTED			
	>DS	71.0		NOT	EXPECTED			
	MAX	66.9	47,000	AT	4PM	12/13/14	IN	50 HRS
SACRAMENTO RIVER	OBS	45.1	0	AT	2PM	12/11/14		(48)
TISDALE WEIR	>MS	45.5		BY	9AM	12/12/14	IN	19 HRS*
(TISC1)	>FS	53.0		NOT	EXPECTED			
	>DS	54.0		NOT	EXPECTED			
	MAX	50.0	15,900	AT	8PM	12/13/14	IN	54 HRS
WEIR:	OBS	NO OVERFLOW		AT	2PM	12/11/14		
	BEGINS	OVERFLOW		BY	9AM	12/12/14	IN	19 HRS*
	MAX	4.5 OVERFLOW		AT	8PM	12/13/14	IN	54 HRS

10.4.29

## DEFINITIONS:

OBS MOST RECENT OBSERVATION (MAY BE ESTIMATED)  
 MS MONITOR STAGE  
 FS FLOOD STAGE  
 DS DANGER STAGE (LEVEED LOCATIONS ONLY)  
 MAX MAXIMUM FORECAST WITHIN PERIOD  
 WEIR OVERFLOW DEPTHS IN FEET  
 LEAD TIME FORECASTS WITHIN THIS PERIOD (HOURS) ARE CONSIDERED  
 RELIABLE ENOUGH TO INITIATE PHYSICAL MITIGATION EFFORTS.  
 \* EVENT EXCEEDS MS/FS/DS WITHIN LEAD TIME PERIOD

SIM 12/11/2014 @ 1413P (C)

NOTE: ALL TIMES IN SHEF ENCODED MESSAGES BELOW ARE UTC

.A CNBC1 20141211 Z DH22/HG 3.0  
 .ER CNBC1 20141211 Z DH23/DC201412112213/DUE/HGIFE/DIH01  
 .ER1 3.0/ 3.0/ 3.0/ 3.0/ 3.0/ 3.0/ 3.0/ 3.0/ 3.0/ 3.0/ 3.0/  
 .ER2 3.1/ 3.1/ 3.1/ 3.1/ 3.1/ 3.1/ 3.1/ 3.2/ 3.2/ 3.2/ 3.2/  
 .ER3 3.2/ 3.3/ 3.3/ 3.3/ 3.3/ 3.3/ 3.4/ 3.4/ 3.4/ 3.4/ 3.5/  
 .ER4 3.5/ 3.5/ 3.5/ 3.6/ 3.6/ 3.6/ 3.6/ 3.6/ 3.7/ 3.7/ 3.7/  
 .ER5 3.7/ 3.7/ 3.8/ 3.8/ 3.8/ 3.8/ 3.8/ 3.8/ 3.8/ 3.9/ 3.9/  
 .ER6 3.9/ 3.9/ 3.9/ 3.9/ 3.9/ 3.9/ 3.9/ 3.9/ 3.9/ 3.9/ 4.0/  
 .ER7 4.0/ 4.0/ 4.0/ 4.0/ 4.0/ 4.0/ 4.0/ 4.0/ 4.0/ 3.9/ 3.9/  
 .ER8 3.9/ 3.9/ 3.9/ 3.9/ 3.9/ 3.9/ 3.9/ 3.9/ 3.9/ 3.9/ 3.9/  
 .ER9 3.9/ 3.9/ 3.9/ 3.9/ 3.9/ 3.8/ 3.8/ 3.8/ 3.8/ 3.8/ 3.8/  
 .ER10 3.8/ 3.8/ 3.8/ 3.8/ 3.8/ 3.8/ 3.7/ 3.7/ 3.7/ 3.7/ 3.7/  
 .ER11 3.7/ 3.7/ 3.7/ 3.7/ 3.7/ 3.7/ 3.7/ 3.6/ 3.6/ 3.6/ 3.6/  
 .A CNBC1 20141212 Z DH23/HIIFE 1

.A BDBC1 20141211 Z DH22/HG 23.9  
 .ER BDBC1 20141211 Z DH23/DC201412112213/DUE/HGIFE/DIH01  
 .ER1 25.4/ 27.1/ 28.4/ 29.5/ 29.8/ 29.6/ 28.9/ 27.9/ 26.9/ 25.7/  
 .ER2 24.5/ 23.3/ 22.2/ 21.3/ 20.5/ 19.7/ 18.9/ 18.3/ 17.6/ 17.1/  
 .ER3 16.5/ 15.8/ 14.8/ 14.1/ 13.7/ 13.2/ 12.9/ 12.5/ 12.3/ 11.9/  
 .ER4 11.6/ 11.3/ 11.0/ 10.8/ 10.5/ 10.3/ 10.1/ 9.9/ 9.7/ 9.5/  
 .ER5 9.3/ 9.1/ 9.0/ 8.8/ 8.7/ 8.5/ 8.3/ 8.2/ 8.1/ 7.9/  
 .ER6 7.8/ 7.7/ 7.6/ 7.5/ 7.4/ 7.4/ 7.3/ 7.2/ 7.1/ 7.1/  
 .ER7 7.0/ 6.9/ 6.9/ 6.8/ 6.8/ 6.7/ 6.7/ 6.6/ 6.6/ 6.5/  
 .ER8 6.5/ 6.5/ 6.4/ 6.4/ 6.4/ 6.3/ 6.3/ 6.3/ 6.2/ 6.2/  
 .ER9 6.2/ 6.1/ 6.1/ 6.1/ 6.1/ 6.0/ 6.0/ 6.0/ 6.0/ 5.9/  
 .ER10 5.9/ 5.9/ 5.9/ 5.9/ 5.9/ 5.9/ 5.9/ 6.0/ 6.1/ 6.2/  
 .ER11 6.2/ 6.4/ 6.5/ 6.6/ 6.7/ 6.9/ 7.1/ 7.2/ 7.3/ 7.4/

.A RDBC1 20141211 Z DH22/HG 253.5  
 .ER RDBC1 20141211 Z DH23/DC201412112213/DUE/HGIFE/DIH01  
 .ER1 253.8/ 253.9/ 254.2/ 254.7/ 255.4/ 256.1/ 256.5/ 256.7/ 256.8/ 256.7/  
 .ER2 256.4/ 255.8/ 255.0/ 254.1/ 252.7/ 251.4/ 250.4/ 249.7/ 249.0/ 248.5/  
 .ER3 248.0/ 247.5/ 247.1/ 246.7/ 246.1/ 245.5/ 245.0/ 244.7/ 244.4/ 244.2/  
 .ER4 244.0/ 243.8/ 243.6/ 243.4/ 243.2/ 243.1/ 242.9/ 242.8/ 242.7/ 242.6/  
 .ER5 242.5/ 242.4/ 242.3/ 242.2/ 242.1/ 242.1/ 242.0/ 241.9/ 241.8/ 241.7/  
 .ER6 241.6/ 241.6/ 241.5/ 241.4/ 241.4/ 241.3/ 241.3/ 241.3/ 241.2/ 241.2/  
 .ER7 241.1/ 241.1/ 241.1/ 241.0/ 241.0/ 241.0/ 240.9/ 240.9/ 240.9/ 240.8/  
 .ER8 240.8/ 240.8/ 240.8/ 240.7/ 240.7/ 240.7/ 240.7/ 240.6/ 240.6/ 240.6/  
 .ER9 240.6/ 240.6/ 240.6/ 240.5/ 240.5/ 240.5/ 240.5/ 240.5/ 240.5/ 240.5/  
 .ER10 240.5/ 240.4/ 240.4/ 240.4/ 240.5/ 240.5/ 240.5/ 240.5/ 240.5/ 240.6/  
 .ER11 240.6/ 240.6/ 240.7/ 240.7/ 240.8/ 240.8/ 240.9/ 240.9/ 241.0/ 241.1/

.A TEHC1 20141211 Z DH22/HG 216.8

10.4.30

.ER TEHC1 20141211 Z DH23/DC201412112213/DUE/HGIFE/DIH01  
.ER1 217.4/ 217.9/ 218.3/ 218.7/ 218.9/ 219.1/ 219.2/ 219.3/ 219.3/ 219.4/  
.ER2 219.4/ 219.4/ 219.4/ 219.3/ 219.2/ 219.0/ 218.7/ 218.2/ 217.7/ 217.0/  
.ER3 216.0/ 214.9/ 213.6/ 212.4/ 211.4/ 210.8/ 210.3/ 209.7/ 209.3/ 208.9/  
.ER4 208.5/ 208.1/ 207.8/ 207.5/ 207.2/ 207.0/ 206.7/ 206.5/ 206.3/ 206.1/  
.ER5 205.9/ 205.8/ 205.6/ 205.5/ 205.4/ 205.2/ 205.1/ 205.0/ 204.9/ 204.8/  
.ER6 204.7/ 204.6/ 204.5/ 204.5/ 204.4/ 204.3/ 204.3/ 204.2/ 204.2/ 204.1/  
.ER7 204.1/ 204.0/ 204.0/ 204.0/ 203.9/ 203.9/ 203.9/ 203.8/ 203.8/ 203.8/  
.ER8 203.8/ 203.7/ 203.7/ 203.7/ 203.7/ 203.7/ 203.6/ 203.6/ 203.6/ 203.6/  
.ER9 203.5/ 203.5/ 203.5/ 203.5/ 203.5/ 203.5/ 203.5/ 203.4/ 203.4/ 203.4/  
.ER10 203.4/ 203.4/ 203.4/ 203.4/ 203.4/ 203.4/ 203.4/ 203.4/ 203.4/ 203.5/  
.ER11 203.6/ 203.7/ 203.7/ 203.8/ 203.9/ 204.0/ 204.0/ 204.1/ 204.2/ 204.2/

.A VWBC1 20141211 Z DH22/HG 181.9  
.ER VWBC1 20141211 Z DH23/DC201412112213/DUE/HGIFE/DIH01  
.ER1 183.0/ 184.1/ 184.9/ 185.6/ 186.1/ 186.4/ 186.6/ 186.9/ 187.0/ 187.2/  
.ER2 187.3/ 187.5/ 187.5/ 187.6/ 187.6/ 187.6/ 187.6/ 187.5/ 187.4/ 187.2/  
.ER3 186.9/ 186.5/ 186.0/ 185.1/ 184.0/ 182.7/ 181.4/ 180.2/ 179.1/ 178.1/  
.ER4 177.3/ 176.7/ 176.1/ 175.7/ 175.2/ 174.8/ 174.5/ 174.2/ 174.0/ 173.7/  
.ER5 173.5/ 173.3/ 173.0/ 172.8/ 172.6/ 172.4/ 172.3/ 172.1/ 171.9/ 171.7/  
.ER6 171.6/ 171.4/ 171.3/ 171.2/ 171.0/ 171.0/ 170.9/ 170.8/ 170.8/ 170.7/  
.ER7 170.6/ 170.6/ 170.5/ 170.5/ 170.5/ 170.4/ 170.4/ 170.4/ 170.4/ 170.3/  
.ER8 170.3/ 170.3/ 170.3/ 170.3/ 170.2/ 170.2/ 170.2/ 170.2/ 170.2/ 170.1/  
.ER9 170.1/ 170.1/ 170.1/ 170.1/ 170.1/ 170.0/ 170.0/ 170.0/ 170.0/ 170.0/  
.ER10 170.0/ 170.0/ 169.9/ 169.9/ 169.9/ 169.9/ 169.9/ 169.9/ 169.9/ 169.9/  
.ER11 169.9/ 170.0/ 170.0/ 170.1/ 170.2/ 170.3/ 170.3/ 170.4/ 170.5/ 170.5/

.A HAMC1 20141211 Z DH22/HG 139.5  
.ER HAMC1 20141211 Z DH23/DC201412112213/DUE/HGIFE/DIH01  
.ER1 140.8/ 141.9/ 142.9/ 143.9/ 144.7/ 145.2/ 145.7/ 146.0/ 146.4/ 146.6/  
.ER2 146.9/ 147.1/ 147.4/ 147.6/ 147.7/ 147.9/ 148.0/ 148.1/ 148.2/ 148.3/  
.ER3 148.4/ 148.4/ 148.4/ 148.3/ 148.1/ 147.9/ 147.6/ 147.3/ 146.9/ 146.3/  
.ER4 145.7/ 144.9/ 143.9/ 142.9/ 141.9/ 140.8/ 139.8/ 138.9/ 138.2/ 137.7/  
.ER5 137.3/ 136.9/ 136.6/ 136.3/ 136.0/ 135.8/ 135.6/ 135.4/ 135.2/ 135.0/  
.ER6 134.8/ 134.6/ 134.4/ 134.2/ 134.0/ 133.9/ 133.7/ 133.6/ 133.5/ 133.4/  
.ER7 133.3/ 133.3/ 133.2/ 133.1/ 133.1/ 133.0/ 133.0/ 132.9/ 132.9/ 132.9/  
.ER8 132.8/ 132.8/ 132.8/ 132.8/ 132.7/ 132.7/ 132.7/ 132.7/ 132.7/ 132.6/  
.ER9 132.6/ 132.6/ 132.6/ 132.6/ 132.5/ 132.5/ 132.5/ 132.5/ 132.5/ 132.5/  
.ER10 132.4/ 132.4/ 132.4/ 132.4/ 132.4/ 132.4/ 132.4/ 132.3/ 132.3/ 132.3/  
.ER11 132.3/ 132.3/ 132.3/ 132.3/ 132.4/ 132.4/ 132.5/ 132.5/ 132.6/ 132.7/

.A ORFC1 20141211 Z DH22/HG 102.8  
.ER ORFC1 20141211 Z DH23/DC201412112213/DUE/HGIFE/DIH01  
.ER1 104.1/ 105.7/ 107.4/ 108.6/ 109.6/ 110.4/ 111.2/ 112.0/ 112.7/ 113.2/  
.ER2 113.7/ 114.2/ 114.6/ 114.9/ 115.2/ 115.4/ 115.6/ 115.8/ 116.0/ 116.1/  
.ER3 116.3/ 116.4/ 116.5/ 116.6/ 116.7/ 116.8/ 116.9/ 116.9/ 116.9/ 116.9/  
.ER4 116.9/ 116.9/ 116.8/ 116.7/ 116.5/ 116.4/ 116.2/ 115.9/ 115.7/ 115.4/  
.ER5 115.1/ 114.7/ 114.2/ 113.5/ 112.7/ 111.8/ 110.5/ 108.4/ 106.5/ 106.1/  
.ER6 105.7/ 105.4/ 105.1/ 104.8/ 104.6/ 104.4/ 104.2/ 104.0/ 103.8/ 103.7/  
.ER7 103.5/ 103.4/ 103.3/ 103.2/ 103.1/ 103.0/ 102.9/ 102.8/ 102.7/ 102.6/  
.ER8 102.5/ 102.5/ 102.4/ 102.3/ 102.3/ 102.2/ 102.2/ 102.1/ 102.1/ 102.0/  
.ER9 102.0/ 101.9/ 101.9/ 101.9/ 101.8/ 101.8/ 101.8/ 101.7/ 101.7/ 101.6/  
.ER10 101.6/ 101.6/ 101.6/ 101.5/ 101.5/ 101.5/ 101.4/ 101.4/ 101.4/ 101.4/  
.ER11 101.4/ 101.3/ 101.3/ 101.3/ 101.3/ 101.3/ 101.3/ 101.3/ 101.4/ 101.4/

.A BTCC1 20141211 Z DH22/HG 71.7  
.ER BTCC1 20141211 Z DH23/DC201412112213/DUE/HGIFE/DIH01  
.ER1 72.6/ 73.6/ 74.8/ 76.0/ 77.1/ 78.4/ 79.6/ 80.6/ 81.4/ 82.2/  
.ER2 83.0/ 83.7/ 84.3/ 84.9/ 85.5/ 86.0/ 86.4/ 86.8/ 87.2/ 87.5/  
.ER3 87.8/ 88.1/ 88.4/ 88.6/ 88.9/ 89.1/ 89.3/ 89.6/ 89.8/ 90.0/

10.4.31

.ER4	90.1/	90.3/	90.5/	90.6/	90.7/	90.8/	90.9/	90.9/	91.0/	91.0/
.ER5	91.0/	91.0/	90.9/	90.8/	90.7/	90.6/	90.3/	90.0/	89.7/	89.2/
.ER6	88.7/	88.1/	87.5/	86.9/	86.3/	85.6/	84.9/	84.1/	83.4/	82.7/
.ER7	82.1/	81.5/	80.9/	80.4/	79.8/	79.2/	78.8/	78.3/	77.9/	77.6/
.ER8	77.3/	77.0/	76.8/	76.6/	76.5/	76.3/	76.2/	76.0/	75.9/	75.8/
.ER9	75.7/	75.6/	75.5/	75.5/	75.4/	75.3/	75.3/	75.2/	75.2/	75.1/
.ER10	75.1/	75.0/	75.0/	74.9/	74.9/	74.9/	74.8/	74.8/	74.7/	74.7/
.ER11	74.7/	74.7/	74.6/	74.6/	74.6/	74.6/	74.5/	74.5/	74.5/	74.5/

.A BTCC1 20141212 Z DH23/HIIFE 1

.A CLSC1 20141211 Z DH22/HG 76.4

.ER CLSC1 20141211 Z DH23/DC201412112213/DUE/HGIFE/DIH01										
.ER1	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/
.ER2	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/
.ER3	76.4/	76.4/	76.4/	76.7/	77.0/	77.3/	77.5/	77.8/	78.0/	78.2/
.ER4	78.4/	78.6/	78.8/	78.9/	79.1/	79.2/	79.3/	79.4/	79.5/	79.6/
.ER5	79.6/	79.7/	79.7/	79.7/	79.7/	79.7/	79.7/	79.6/	79.6/	79.5/
.ER6	79.4/	79.2/	79.0/	78.8/	78.5/	78.2/	77.9/	77.6/	77.3/	77.0/
.ER7	76.6/	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/
.ER8	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/
.ER9	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/
.ER10	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/
.ER11	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/

.A CLSC1 20141212 Z DH23/HIIFE 1

.A CLAC1 20141211 Z DH22/HG 61.4

.ER CLAC1 20141211 Z DH23/DC201412112213/DUE/HGIFE/DIH01										
.ER1	61.4/	61.4/	61.4/	61.4/	61.4/	61.4/	61.4/	61.4/	61.4/	61.4/
.ER2	61.4/	61.4/	61.5/	62.1/	62.9/	63.9/	64.8/	65.2/	65.4/	65.6/
.ER3	65.8/	65.9/	66.0/	66.1/	66.2/	66.3/	66.4/	66.5/	66.6/	66.7/
.ER4	66.7/	66.8/	66.8/	66.9/	67.0/	67.0/	67.1/	67.1/	67.2/	67.2/
.ER5	67.3/	67.3/	67.4/	67.4/	67.4/	67.5/	67.5/	67.5/	67.5/	67.5/
.ER6	67.5/	67.4/	67.4/	67.2/	67.1/	66.9/	66.8/	66.6/	66.5/	66.4/
.ER7	66.2/	66.1/	66.0/	65.9/	65.8/	65.6/	65.5/	65.4/	65.2/	65.0/
.ER8	64.8/	64.6/	64.5/	64.3/	64.2/	64.0/	63.9/	63.7/	63.5/	63.4/
.ER9	63.2/	63.0/	62.9/	62.7/	62.6/	62.4/	62.3/	62.1/	62.0/	61.8/
.ER10	61.6/	61.5/	61.5/	61.5/	61.5/	61.4/	61.4/	61.4/	61.4/	61.4/
.ER11	61.4/	61.4/	61.4/	61.4/	61.4/	61.4/	61.4/	61.4/	61.4/	61.4/

.A CLUC1 20141211 Z DH22/HG 44.3

.ER CLUC1 20141211 Z DH23/DC201412112213/DUE/HGIFE/DIH01										
.ER1	44.4/	44.6/	44.9/	45.4/	46.0/	47.0/	48.2/	49.3/	50.6/	51.8/
.ER2	53.2/	54.6/	56.1/	57.7/	59.5/	61.2/	62.5/	63.2/	63.8/	64.2/
.ER3	64.4/	64.6/	64.7/	64.9/	65.0/	65.1/	65.2/	65.3/	65.4/	65.5/
.ER4	65.6/	65.8/	65.9/	66.0/	66.0/	66.1/	66.2/	66.2/	66.3/	66.4/
.ER5	66.5/	66.6/	66.7/	66.7/	66.8/	66.9/	66.9/	66.9/	66.9/	66.9/
.ER6	66.9/	66.9/	66.8/	66.7/	66.5/	66.3/	66.2/	66.0/	65.9/	65.7/
.ER7	65.5/	65.3/	65.1/	65.0/	64.8/	64.6/	64.4/	64.2/	64.0/	63.8/
.ER8	63.6/	63.4/	63.2/	63.0/	62.8/	62.6/	62.5/	62.3/	62.0/	61.8/
.ER9	61.6/	61.5/	61.3/	61.1/	61.0/	60.8/	60.7/	60.5/	60.4/	60.2/
.ER10	60.0/	59.8/	59.6/	59.3/	59.0/	58.8/	58.5/	58.3/	58.0/	57.8/
.ER11	57.6/	57.3/	57.1/	56.9/	56.7/	56.5/	56.3/	56.1/	55.9/	55.8/

.A TISC1 20141211 Z DH22/HG 45.1

.ER TISC1 20141211 Z DH23/DC201412112213/DUE/HGIFE/DIH01										
.ER1	45.1/	45.1/	45.1/	45.1/	45.1/	45.1/	45.1/	45.1/	45.1/	45.1/
.ER2	45.1/	45.1/	45.1/	45.1/	45.1/	45.1/	45.1/	45.5/	46.0/	46.5/
.ER3	46.8/	47.1/	47.3/	47.5/	47.7/	47.9/	48.0/	48.1/	48.2/	48.4/
.ER4	48.5/	48.6/	48.7/	48.8/	48.8/	48.9/	49.0/	49.1/	49.1/	49.2/
.ER5	49.3/	49.3/	49.4/	49.5/	49.6/	49.6/	49.7/	49.8/	49.9/	49.9/

10.4.32

.ER6	50.0/	50.0/	50.0/	50.0/	50.0/	50.0/	49.9/	49.9/	49.8/	49.7/
.ER7	49.6/	49.6/	49.4/	49.4/	49.3/	49.2/	49.2/	49.1/	49.0/	49.0/
.ER8	48.9/	48.8/	48.7/	48.6/	48.6/	48.5/	48.4/	48.4/	48.3/	48.2/
.ER9	48.2/	48.1/	48.0/	48.0/	47.9/	47.9/	47.8/	47.7/	47.7/	47.6/
.ER10	47.6/	47.5/	47.5/	47.4/	47.3/	47.3/	47.2/	47.1/	47.0/	47.0/
.ER11	46.9/	46.8/	46.7/	46.7/	46.6/	46.5/	46.5/	46.4/	46.3/	46.2/

END

10.4.33

FGUS56 KRSA 121003  
RVFUSA

UPPER SACRAMENTO RIVER SYSTEM FORECAST  
NATIONAL WEATHER SERVICE / CALIFORNIA-NEVADA RFC / SACRAMENTO CA  
CALIFORNIA DEPARTMENT OF WATER RESOURCES / SACRAMENTO CA  
151 AM PLT FRI DEC 12 2014

NEXT ISSUANCE: FRIDAY, DECEMBER 12, 2014 AT 9AM PLT

FORECASTS THROUGH: TUESDAY, DECEMBER 16, 2014 AT 4AM PLT

ATTENTION... THE FOLLOWING STAGES OF PARTICULAR SIGNIFICANCE  
HAVE OCCURRED OR ARE FORECAST TO OCCUR:

FLOOD STAGE

- SACRAMENTO RIVER - RED BLUFF (RDBC1) \*
- SACRAMENTO RIVER - TEHAMA BRIDGE (TEHC1) \*
- SACRAMENTO RIVER - VINA WOODSON BR (VWBC1) \*
- SACRAMENTO RIVER - HAMILTON CITY (HAMC1) IN 5 HRS\*
- SACRAMENTO RIVER - ORD FERRY (ORFC1) IN 5 HRS\*

MONITOR STAGE

- SACRAMENTO RIVER - BEND BRIDGE (BDBC1) \*
- SACRAMENTO RIVER - BUTTE CITY (BTCC1) IN 18 HRS \*
- SACRAMENTO RIVER - MOULTON WEIR (CLSC1) IN 16 HRS \*
- SACRAMENTO RIVER - COLUSA WEIR (CLAC1) IN 3 HRS \*
- SACRAMENTO RIVER - COLUSA BRIDGE (CLUC1) IN 7 HRS \*
- SACRAMENTO RIVER - TISDALE WEIR (TISC1) IN 7 HRS \*

\*\*\*\*\*  
SPECIAL NOTES-RUNOFF FROM THE RECENT HEAVY PRECIPITATION EVENT IS  
WORKING ITS WAY DOWNSTREAM ON THE UPPER SACRAMENTO RIVER.  
THE CREST OF THIS RISE IS CURRENTLY NEAR TEHAMA BRIDGE. SEVERAL  
RIVER FORECAST POINTS ON THE UPPER RIVER ARE AT FLOOD  
STAGE AT THE CURRENT TIME...OR ARE EXPECTED TO EXCEED FLOOD STAGE  
WITHIN THE NEXT SEVERAL HOURS.  
\*\*\*\*\*

RIVER

LOCATION (NWSLI)	STAGE (FT)	FLOW (CFS)	TIME (PT)	DATE (MM/DD/YY)	LEAD TIME
PIT RIVER	OBS 3.1	117 AT	1AM	12/12/14	(24)
CANBY (CNBC1)	>MS 7.5	NOT	EXPECTED		
	>FS 8.5	NOT	EXPECTED		
	MAX 3.2	148 AT	7AM	12/13/14 IN	29 HRS
SACRAMENTO RIVER	OBS 23.0	79,700 AT	1AM	12/12/14	(24)
BEND BRIDGE (BDBC1)	>MS 22.0	AT	CURRENT TIME		*
	>FS 27.0	NOT	EXPECTED		
	MAX 23.0	79,700 AT	CURRENT TIME		*
SACRAMENTO RIVER	OBS 255.3	107,000 AT	1AM	12/12/14	(24)
RED BLUFF	>MS 250.0	AT	CURRENT TIME		*
(RDBC1)	>FS 253.0	AT	CURRENT TIME		*
	MAX 255.3	107,000 AT	CURRENT TIME		*
SACRAMENTO RIVER	OBS 218.8	120,000 AT	1AM	12/12/14	(24)
TEHAMA BRIDGE	>MS 210.0	AT	CURRENT TIME		*

10.4.34

(TEHC1)	>FS	213.0		AT	CURRENT TIME			*
	MAX	218.8	120,000	AT	CURRENT TIME			*
SACRAMENTO RIVER	OBS	187.4	140,000	AT	1AM	12/12/14	(24)	
VINA WOODSON BR	>MS	180.0		AT	CURRENT TIME			*
(VWBC1)	>FS	183.0		AT	CURRENT TIME			*
	MAX	187.4	140,000	AT	CURRENT TIME			*
SACRAMENTO RIVER	OBS	147.1	111,000	AT	1AM	12/12/14	(24)	
HAMILTON CITY	>MS	143.0		AT	CURRENT TIME			*
(HAMC1)	>FS	148.0		BY	7AM	12/12/14 IN	5 HRS*	
	MAX	148.2	121,000	AT	11AM	12/12/14 IN	9 HRS*	
SACRAMENTO RIVER	OBS	111.8	72,300	AT	1AM	12/12/14	(24)	
ORD FERRY	>MS	110.0		AT	CURRENT TIME			*
(ORFC1)	>FS	114.0		BY	7AM	12/12/14 IN	5 HRS*	
	>DS	122.6		NOT	EXPECTED			
	MAX	116.6	103,000	AT	9PM	12/12/14 IN	19 HRS*	
SACRAMENTO RIVER	OBS	81.2	45,100	AT	1AM	12/12/14	(24)	
BUTTE CITY	>MS	89.0		BY	8PM	12/12/14 IN	18 HRS*	
(BTCC1)	>FS	97.2		NOT	EXPECTED			
	>DS	98.2		NOT	EXPECTED			
	MAX	90.5	89,700	AT	7AM	12/13/14 IN	29 HRS	
SACRAMENTO RIVER	OBS	76.4	0	AT	1AM	12/12/14	(24)	
MOULTON WEIR	>MS	76.8		BY	6PM	12/12/14 IN	16 HRS*	
(CLSC1)	>FS	84.4		NOT	EXPECTED			
	>DS	85.4		NOT	EXPECTED			
	MAX	79.4	6,740	AT	11AM	12/13/14 IN	33 HRS	
WEIR:	OBS	NO	OVERFLOW	AT	1AM	12/12/14		
	BEGINS	OVERFLOW	BY	6PM	12/12/14 IN	16 HRS*		
	ENDS	OVERFLOW	BY	1AM	12/14/14 IN	47 HRS		
	MAX	2.6	OVERFLOW	AT	11AM	12/13/14 IN	33 HRS	
SACRAMENTO RIVER	OBS	61.4	0	AT	1AM	12/12/14	(48)	
COLUSA WEIR	>MS	61.8		BY	5AM	12/12/14 IN	3 HRS*	
(CLAC1)	>FS	71.0		NOT	EXPECTED			
	>DS	72.0		NOT	EXPECTED			
	MAX	67.3	40,600	AT	3PM	12/13/14 IN	37 HRS*	
WEIR:	OBS	NO	OVERFLOW	AT	1AM	12/12/14		
	BEGINS	OVERFLOW	BY	5AM	12/12/14 IN	3 HRS*		
	ENDS	OVERFLOW	BY	6AM	12/15/14 IN	76 HRS		
	MAX	5.5	OVERFLOW	AT	3PM	12/13/14 IN	37 HRS*	
SACRAMENTO RIVER	OBS	53.7	20,400	AT	1AM	12/12/14	(48)	
COLUSA BRIDGE	>MS	63.0		BY	9AM	12/12/14 IN	7 HRS*	
(CLUC1)	>FS	70.0		NOT	EXPECTED			
	>DS	71.0		NOT	EXPECTED			
	MAX	66.7	46,200	AT	3PM	12/13/14 IN	37 HRS*	
SACRAMENTO RIVER	OBS	45.1	0	AT	1AM	12/12/14	(48)	
TISDALE WEIR	>MS	45.5		BY	9AM	12/12/14 IN	7 HRS*	
(TISC1)	>FS	53.0		NOT	EXPECTED			
	>DS	54.0		NOT	EXPECTED			
	MAX	49.8	15,500	AT	7PM	12/13/14 IN	41 HRS*	

10.4.35

```

-----
WEIR:  OBS      NO OVERFLOW AT   1AM   12/12/14
      BEGINS      OVERFLOW BY   9AM   12/12/14 IN   7 HRS*
      MAX      4.3 OVERFLOW AT   7PM   12/13/14 IN  41 HRS*
-----

```

DEFINITIONS:

OBS MOST RECENT OBSERVATION (MAY BE ESTIMATED)  
 MS MONITOR STAGE  
 FS FLOOD STAGE  
 DS DANGER STAGE (LEVEED LOCATIONS ONLY)  
 MAX MAXIMUM FORECAST WITHIN PERIOD  
 WEIR OVERFLOW DEPTHS IN FEET  
 LEAD TIME FORECASTS WITHIN THIS PERIOD (HOURS) ARE CONSIDERED  
 RELIABLE ENOUGH TO INITIATE PHYSICAL MITIGATION EFFORTS.  
 \* EVENT EXCEEDS MS/FS/DS WITHIN LEAD TIME PERIOD

SIM 12/12/2014 @ 0150P (C)

NOTE: ALL TIMES IN SHEF ENCODED MESSAGES BELOW ARE UTC

```

.A CNBC1 20141212 Z DH09/HG 3.1
.ER CNBC1 20141212 Z DH10/DC201412120950/DUE/HGIFE/DIH01
.ER1 3.1/ 3.1/ 3.1/ 3.1/ 3.1/ 3.1/ 3.1/ 3.1/ 3.1/ 3.1/ 3.2/
.ER2 3.2/ 3.2/ 3.2/ 3.2/ 3.2/ 3.2/ 3.2/ 3.2/ 3.2/ 3.2/ 3.2/
.ER3 3.2/ 3.2/ 3.2/ 3.2/ 3.2/ 3.2/ 3.2/ 3.2/ 3.2/ 3.2/ 3.2/
.ER4 3.2/ 3.2/ 3.2/ 3.2/ 3.2/ 3.2/ 3.2/ 3.2/ 3.2/ 3.2/ 3.2/
.ER5 3.2/ 3.2/ 3.2/ 3.2/ 3.2/ 3.2/ 3.2/ 3.2/ 3.2/ 3.2/ 3.2/
.ER6 3.2/ 3.2/ 3.2/ 3.2/ 3.2/ 3.2/ 3.2/ 3.2/ 3.2/ 3.2/ 3.2/
.ER7 3.2/ 3.2/ 3.2/ 3.2/ 3.2/ 3.1/ 3.1/ 3.1/ 3.1/ 3.1/ 3.1/
.ER8 3.1/ 3.1/ 3.1/ 3.1/ 3.1/ 3.1/ 3.1/ 3.1/ 3.1/ 3.1/ 3.1/
.ER9 3.1/ 3.1/ 3.1/ 3.1/ 3.1/ 3.1/ 3.1/ 3.1/ 3.1/ 3.1/ 3.1/
.ER10 3.1/ 3.1/ 3.1/ 3.0/ 3.0/ 3.0/ 3.0/ 3.0/ 3.0/ 3.0/

```

```

.A BDBC1 20141212 Z DH09/HG 23.0
.ER BDBC1 20141212 Z DH10/DC201412120950/DUE/HGIFE/DIH01
.ER1 22.0/ 21.0/ 20.1/ 19.2/ 18.5/ 17.8/ 17.3/ 16.8/ 16.2/ 15.2/
.ER2 14.5/ 13.9/ 13.4/ 12.9/ 12.5/ 12.0/ 11.6/ 11.1/ 10.6/ 10.3/
.ER3 10.0/ 9.7/ 9.4/ 9.1/ 8.8/ 8.5/ 8.1/ 7.8/ 7.6/ 7.4/
.ER4 7.2/ 7.0/ 6.9/ 6.7/ 6.5/ 6.4/ 6.3/ 6.2/ 6.1/ 6.0/
.ER5 5.9/ 5.8/ 5.7/ 5.7/ 5.6/ 5.5/ 5.5/ 5.4/ 5.3/ 5.3/
.ER6 5.2/ 5.2/ 5.2/ 5.1/ 5.1/ 5.0/ 5.0/ 4.9/ 4.9/ 4.8/
.ER7 4.8/ 4.7/ 4.7/ 4.7/ 4.6/ 4.6/ 4.5/ 4.5/ 4.5/ 4.4/
.ER8 4.4/ 4.3/ 4.3/ 4.3/ 4.2/ 4.2/ 4.2/ 4.2/ 4.1/ 4.1/
.ER9 4.0/ 4.0/ 4.0/ 4.1/ 4.1/ 4.2/ 4.3/ 4.4/ 4.5/ 4.7/
.ER10 4.8/ 5.0/ 5.2/ 5.3/ 5.5/ 5.6/ 5.7/ 5.9/ 6.0/

```

```

.A RDBC1 20141212 Z DH09/HG 255.3
.ER RDBC1 20141212 Z DH10/DC201412120950/DUE/HGIFE/DIH01
.ER1 254.7/ 253.8/ 252.4/ 251.1/ 250.1/ 249.4/ 248.8/ 248.2/ 247.7/ 247.3/
.ER2 246.9/ 246.4/ 245.8/ 245.3/ 244.9/ 244.5/ 244.2/ 244.0/ 243.7/ 243.4/
.ER3 243.1/ 242.9/ 242.8/ 242.6/ 242.4/ 242.3/ 242.1/ 242.1/ 241.9/ 241.8/
.ER4 241.6/ 241.5/ 241.4/ 241.3/ 241.2/ 241.1/ 241.0/ 240.9/ 240.8/ 240.8/
.ER5 240.7/ 240.7/ 240.6/ 240.6/ 240.5/ 240.4/ 240.4/ 240.3/ 240.3/ 240.3/
.ER6 240.2/ 240.2/ 240.2/ 240.1/ 240.1/ 240.1/ 240.1/ 240.0/ 240.0/ 240.0/
.ER7 240.0/ 240.0/ 239.9/ 239.9/ 239.9/ 239.9/ 239.8/ 239.8/ 239.8/ 239.8/
.ER8 239.8/ 239.8/ 239.7/ 239.7/ 239.7/ 239.7/ 239.7/ 239.6/ 239.6/ 239.6/
.ER9 239.6/ 239.6/ 239.6/ 239.6/ 239.6/ 239.7/ 239.7/ 239.8/ 239.8/ 239.8/
.ER10 239.9/ 239.9/ 240.0/ 240.0/ 240.1/ 240.1/ 240.2/ 240.3/ 240.4/

```

10.4.36

.A TEHC1 20141212 Z DH09/HG 218.8  
.ER TEHC1 20141212 Z DH10/DC201412120950/DUE/HGIFE/DIH01  
.ER1 218.8/ 218.8/ 218.7/ 218.6/ 218.3/ 217.9/ 217.3/ 216.4/ 215.4/ 214.2/  
.ER2 212.9/ 211.7/ 211.1/ 210.5/ 210.0/ 209.6/ 209.1/ 208.6/ 208.2/ 207.8/  
.ER3 207.5/ 207.1/ 206.8/ 206.5/ 206.2/ 206.0/ 205.7/ 205.5/ 205.3/ 205.1/  
.ER4 204.9/ 204.7/ 204.6/ 204.5/ 204.4/ 204.2/ 204.1/ 204.0/ 203.9/ 203.9/  
.ER5 203.8/ 203.7/ 203.7/ 203.6/ 203.5/ 203.5/ 203.4/ 203.4/ 203.3/ 203.3/  
.ER6 203.2/ 203.2/ 203.2/ 203.1/ 203.1/ 203.1/ 203.0/ 203.0/ 203.0/ 203.0/  
.ER7 202.9/ 202.9/ 202.9/ 202.9/ 202.9/ 202.9/ 202.8/ 202.8/ 202.8/ 202.8/  
.ER8 202.8/ 202.8/ 202.8/ 202.7/ 202.7/ 202.7/ 202.7/ 202.7/ 202.7/ 202.7/  
.ER9 202.7/ 202.7/ 202.7/ 202.7/ 202.7/ 202.6/ 202.7/ 202.7/ 202.8/ 202.9/  
.ER10 203.0/ 203.0/ 203.1/ 203.2/ 203.3/ 203.4/ 203.4/ 203.5/ 203.6/

.A VWBC1 20141212 Z DH09/HG 187.4  
.ER VWBC1 20141212 Z DH10/DC201412120950/DUE/HGIFE/DIH01  
.ER1 187.4/ 187.4/ 187.4/ 187.4/ 187.3/ 187.2/ 187.1/ 186.9/ 186.6/ 186.1/  
.ER2 185.5/ 184.4/ 183.3/ 182.0/ 180.8/ 179.7/ 178.6/ 177.7/ 177.0/ 176.4/  
.ER3 175.9/ 175.3/ 174.9/ 174.5/ 174.2/ 173.8/ 173.5/ 173.2/ 172.9/ 172.7/  
.ER4 172.4/ 172.1/ 171.9/ 171.6/ 171.4/ 171.2/ 171.0/ 170.9/ 170.8/ 170.6/  
.ER5 170.5/ 170.5/ 170.4/ 170.3/ 170.3/ 170.2/ 170.2/ 170.1/ 170.1/ 170.1/  
.ER6 170.0/ 170.0/ 169.9/ 169.9/ 169.8/ 169.8/ 169.8/ 169.7/ 169.7/ 169.6/  
.ER7 169.6/ 169.6/ 169.5/ 169.5/ 169.5/ 169.5/ 169.4/ 169.4/ 169.4/ 169.4/  
.ER8 169.4/ 169.3/ 169.3/ 169.3/ 169.3/ 169.3/ 169.2/ 169.2/ 169.2/ 169.2/  
.ER9 169.2/ 169.2/ 169.1/ 169.1/ 169.1/ 169.1/ 169.1/ 169.1/ 169.1/ 169.2/  
.ER10 169.2/ 169.3/ 169.4/ 169.6/ 169.7/ 169.8/ 169.9/ 170.0/ 170.0/

.A HAMC1 20141212 Z DH09/HG 147.1  
.ER HAMC1 20141212 Z DH10/DC201412120950/DUE/HGIFE/DIH01  
.ER1 147.3/ 147.5/ 147.7/ 147.8/ 147.9/ 148.0/ 148.1/ 148.2/ 148.2/ 148.2/  
.ER2 148.2/ 148.0/ 147.8/ 147.6/ 147.3/ 146.9/ 146.4/ 145.8/ 145.1/ 144.3/  
.ER3 143.3/ 142.3/ 141.3/ 140.2/ 139.2/ 138.4/ 137.8/ 137.3/ 136.9/ 136.5/  
.ER4 136.1/ 135.8/ 135.5/ 135.2/ 134.9/ 134.7/ 134.4/ 134.1/ 133.9/ 133.7/  
.ER5 133.5/ 133.3/ 133.2/ 133.1/ 133.0/ 132.9/ 132.8/ 132.8/ 132.7/ 132.7/  
.ER6 132.6/ 132.6/ 132.5/ 132.5/ 132.4/ 132.4/ 132.3/ 132.3/ 132.3/ 132.2/  
.ER7 132.2/ 132.1/ 132.1/ 132.1/ 132.0/ 132.0/ 132.0/ 131.9/ 131.9/ 131.9/  
.ER8 131.9/ 131.8/ 131.8/ 131.8/ 131.8/ 131.7/ 131.7/ 131.7/ 131.7/ 131.7/  
.ER9 131.7/ 131.6/ 131.6/ 131.6/ 131.6/ 131.6/ 131.6/ 131.6/ 131.5/ 131.5/  
.ER10 131.5/ 131.6/ 131.6/ 131.6/ 131.7/ 131.8/ 131.9/ 132.0/ 132.1/

.A ORFC1 20141212 Z DH09/HG 111.8  
.ER ORFC1 20141212 Z DH10/DC201412120950/DUE/HGIFE/DIH01  
.ER1 112.4/ 112.9/ 113.3/ 113.7/ 114.0/ 114.3/ 114.6/ 114.9/ 115.1/ 115.3/  
.ER2 115.5/ 115.7/ 115.9/ 116.1/ 116.2/ 116.4/ 116.5/ 116.6/ 116.6/ 116.6/  
.ER3 116.6/ 116.6/ 116.6/ 116.4/ 116.2/ 116.0/ 115.7/ 115.4/ 115.1/ 114.7/  
.ER4 114.1/ 113.4/ 112.6/ 111.4/ 109.6/ 107.0/ 106.5/ 106.1/ 105.7/ 105.4/  
.ER5 105.1/ 104.8/ 104.6/ 104.4/ 104.2/ 104.0/ 103.8/ 103.6/ 103.5/ 103.3/  
.ER6 103.2/ 103.1/ 103.0/ 102.9/ 102.8/ 102.7/ 102.6/ 102.5/ 102.4/ 102.4/  
.ER7 102.3/ 102.2/ 102.2/ 102.1/ 102.1/ 102.0/ 102.0/ 101.9/ 101.9/ 101.9/  
.ER8 101.8/ 101.8/ 101.7/ 101.7/ 101.7/ 101.6/ 101.6/ 101.6/ 101.5/ 101.5/  
.ER9 101.5/ 101.5/ 101.4/ 101.4/ 101.4/ 101.4/ 101.4/ 101.3/ 101.3/ 101.3/  
.ER10 101.3/ 101.3/ 101.3/ 101.3/ 101.3/ 101.3/ 101.3/ 101.3/ 101.4/

.A BTCC1 20141212 Z DH09/HG 81.2  
.ER BTCC1 20141212 Z DH10/DC201412120950/DUE/HGIFE/DIH01  
.ER1 81.9/ 82.5/ 83.1/ 83.7/ 84.3/ 84.8/ 85.3/ 85.8/ 86.2/ 86.6/  
.ER2 87.0/ 87.3/ 87.6/ 87.9/ 88.2/ 88.4/ 88.7/ 88.9/ 89.1/ 89.3/  
.ER3 89.5/ 89.7/ 89.9/ 90.0/ 90.2/ 90.3/ 90.4/ 90.4/ 90.5/ 90.5/  
.ER4 90.5/ 90.4/ 90.3/ 90.2/ 89.9/ 89.6/ 89.2/ 88.7/ 88.2/ 87.6/  
.ER5 87.0/ 86.5/ 85.8/ 85.1/ 84.4/ 83.7/ 83.0/ 82.3/ 81.7/ 81.2/  
.ER6 80.6/ 80.0/ 79.5/ 79.0/ 78.5/ 78.1/ 77.7/ 77.4/ 77.1/ 76.9/

10.4.39

.ER7	76.7/	76.5/	76.3/	76.2/	76.0/	75.9/	75.8/	75.7/	75.6/	75.5/
.ER8	75.4/	75.3/	75.3/	75.2/	75.2/	75.1/	75.1/	75.0/	75.0/	74.9/
.ER9	74.9/	74.8/	74.8/	74.8/	74.7/	74.7/	74.7/	74.6/	74.6/	74.6/
.ER10	74.6/	74.5/	74.5/	74.5/	74.5/	74.5/	74.5/	74.5/	74.5/	

.A CLSC1 20141212 Z DH09/HG 76.4

.ER CLSC1 20141212 Z DH10/DC201412120950/DUE/HGIFE/DIH01

.ER1	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/
.ER2	76.4/	76.4/	76.4/	76.4/	76.4/	76.7/	77.1/	77.3/	77.5/	77.7/
.ER3	77.9/	78.1/	78.3/	78.5/	78.7/	78.8/	78.9/	79.1/	79.2/	79.2/
.ER4	79.3/	79.3/	79.4/	79.4/	79.4/	79.3/	79.3/	79.2/	79.1/	78.9/
.ER5	78.7/	78.5/	78.2/	77.9/	77.6/	77.3/	77.1/	76.7/	76.4/	76.4/
.ER6	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/
.ER7	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/
.ER8	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/
.ER9	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/
.ER10	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/	

.A CLAC1 20141212 Z DH09/HG 61.4

.ER CLAC1 20141212 Z DH10/DC201412120950/DUE/HGIFE/DIH01

.ER1	61.4/	61.4/	61.6/	62.3/	63.0/	63.7/	64.5/	64.9/	65.2/	65.4/
.ER2	65.6/	65.8/	65.9/	66.0/	66.1/	66.1/	66.2/	66.3/	66.4/	66.5/
.ER3	66.6/	66.6/	66.7/	66.8/	66.8/	66.9/	66.9/	67.0/	67.0/	67.1/
.ER4	67.1/	67.2/	67.2/	67.2/	67.3/	67.3/	67.3/	67.3/	67.3/	67.3/
.ER5	67.2/	67.0/	66.9/	66.8/	66.6/	66.5/	66.4/	66.2/	66.1/	66.0/
.ER6	65.9/	65.8/	65.6/	65.5/	65.4/	65.2/	65.0/	64.8/	64.6/	64.5/
.ER7	64.3/	64.2/	64.1/	63.9/	63.7/	63.5/	63.4/	63.2/	63.0/	62.9/
.ER8	62.7/	62.6/	62.4/	62.3/	62.1/	61.9/	61.8/	61.6/	61.5/	61.5/
.ER9	61.5/	61.5/	61.4/	61.4/	61.4/	61.4/	61.4/	61.4/	61.4/	61.4/
.ER10	61.4/	61.4/	61.4/	61.4/	61.4/	61.4/	61.4/	61.4/	61.4/	

.A CLUC1 20141212 Z DH09/HG 53.7

.ER CLUC1 20141212 Z DH10/DC201412120950/DUE/HGIFE/DIH01

.ER1	55.0/	56.3/	57.7/	59.0/	60.6/	61.6/	62.6/	63.3/	63.8/	64.2/
.ER2	64.4/	64.6/	64.8/	65.0/	65.1/	65.2/	65.2/	65.3/	65.4/	65.5/
.ER3	65.6/	65.7/	65.8/	65.9/	66.0/	66.1/	66.1/	66.2/	66.2/	66.3/
.ER4	66.4/	66.4/	66.5/	66.6/	66.6/	66.6/	66.7/	66.7/	66.7/	66.6/
.ER5	66.5/	66.4/	66.2/	66.1/	66.0/	65.8/	65.7/	65.5/	65.3/	65.1/
.ER6	65.0/	64.8/	64.7/	64.5/	64.3/	64.1/	63.9/	63.6/	63.4/	63.2/
.ER7	63.0/	62.8/	62.6/	62.5/	62.3/	62.1/	61.8/	61.7/	61.5/	61.3/
.ER8	61.1/	60.9/	60.8/	60.6/	60.5/	60.3/	60.2/	60.0/	59.8/	59.5/
.ER9	59.2/	59.0/	58.7/	58.5/	58.2/	58.0/	57.7/	57.5/	57.3/	57.0/
.ER10	56.8/	56.6/	56.4/	56.2/	56.0/	55.8/	55.7/	55.5/	55.3/	

.A TISC1 20141212 Z DH09/HG 45.1

.ER TISC1 20141212 Z DH10/DC201412120950/DUE/HGIFE/DIH01

.ER1	45.1/	45.1/	45.1/	45.1/	45.1/	45.1/	45.4/	45.9/	46.3/	46.7/
.ER2	47.0/	47.2/	47.5/	47.6/	47.8/	47.9/	48.1/	48.2/	48.3/	48.4/
.ER3	48.5/	48.6/	48.7/	48.8/	48.9/	48.9/	49.0/	49.1/	49.1/	49.2/
.ER4	49.2/	49.3/	49.3/	49.4/	49.5/	49.5/	49.6/	49.7/	49.7/	49.7/
.ER5	49.8/	49.8/	49.8/	49.7/	49.7/	49.7/	49.6/	49.5/	49.4/	49.4/
.ER6	49.3/	49.3/	49.2/	49.2/	49.1/	49.0/	49.0/	48.9/	48.8/	48.7/
.ER7	48.6/	48.6/	48.5/	48.4/	48.4/	48.3/	48.2/	48.2/	48.1/	48.0/
.ER8	48.0/	47.9/	47.9/	47.8/	47.7/	47.7/	47.6/	47.6/	47.5/	47.5/
.ER9	47.4/	47.3/	47.3/	47.2/	47.1/	47.0/	47.0/	46.9/	46.8/	46.7/
.ER10	46.7/	46.6/	46.5/	46.4/	46.3/	46.3/	46.2/	46.1/	46.0/	

END

10.4.38

FGUS56 KRSA 121636  
RVFUSA

UPPER SACRAMENTO RIVER SYSTEM FORECAST  
NATIONAL WEATHER SERVICE / CALIFORNIA-NEVADA RFC / SACRAMENTO CA  
CALIFORNIA DEPARTMENT OF WATER RESOURCES / SACRAMENTO CA  
831 AM PLT FRI DEC 12 2014

NEXT ISSUANCE: FRIDAY, DECEMBER 12, 2014 AT 3PM PLT

FORECASTS THROUGH: WEDNESDAY, DECEMBER 17, 2014 AT 4AM PLT

ATTENTION... THE FOLLOWING STAGES OF PARTICULAR SIGNIFICANCE  
HAVE OCCURRED OR ARE FORECAST TO OCCUR:

FLOOD STAGE

- SACRAMENTO RIVER - TEHAMA BRIDGE (TEHC1) \*
- SACRAMENTO RIVER - VINA WOODSON BR (VWBC1) \*
- SACRAMENTO RIVER - HAMILTON CITY (HAMC1) \*
- SACRAMENTO RIVER - ORD FERRY (ORFC1) \*

MONITOR STAGE

- SACRAMENTO RIVER - BUTTE CITY (BTCC1) IN 16 HRS \*
- SACRAMENTO RIVER - MOULTON WEIR (CLSC1) IN 10 HRS \*
- SACRAMENTO RIVER - COLUSA WEIR (CLAC1) \*
- SACRAMENTO RIVER - COLUSA BRIDGE (CLUCL) IN 3 HRS \*
- SACRAMENTO RIVER - TISDALE WEIR (TISC1) \*

\*\*\*\*\*

SPECIAL NOTES-

THE CREST OF THE UPPER SACRAMENTO RIVER IS CURRENTLY NEAR HAMILTON CITY.

OVERFLOW INTO THE BUTTE BASIN FROM MOULTON WEIR IS EXPECTED LATER TODAY.  
OVERFLOW INTO THE SUTTER BYPASS AT COLUSA WEIR BEGAN THIS MORNING. OVERFLOW  
FROM TISDALE WEIR IS EXPECTED TO BEGIN BEFORE NOON.

\*\*\*\*\*

RIVER

LOCATION (NWSLI)	STAGE (FT)	FLOW (CFS)	TIME (PT)	DATE (MM/DD/YY)	LEAD TIME
PIT RIVER	OBS 3.1	126 AT	8AM	12/12/14	(24)
CANBY (CNBC1)	>MS 7.5	NOT EXPECTED			
	>FS 8.5	NOT EXPECTED			
	MAX 3.6	289 AT	12PM	12/14/14	IN 51 HRS
SACRAMENTO RIVER	OBS 14.3	36,700 AT	8AM	12/12/14	(24)
BEND BRIDGE (BDBC1)	>MS 22.0	NOT EXPECTED			
	>FS 27.0	NOT EXPECTED			
	MAX 14.3	36,700 AT	CURRENT TIME		
SACRAMENTO RIVER	OBS 247.1	51,400 AT	8AM	12/12/14	(24)
RED BLUFF (RDBC1)	>MS 250.0	NOT EXPECTED			
	>FS 253.0	NOT EXPECTED			
	MAX 247.1	51,400 AT	CURRENT TIME		
SACRAMENTO RIVER	OBS 216.4	95,900 AT	8AM	12/12/14	(24)
TEHAMA BRIDGE (TEHC1)	>MS 210.0	AT	CURRENT TIME		*
	>FS 213.0	AT	CURRENT TIME		*
	MAX 216.4	95,900 AT	CURRENT TIME		*

10.4.39

SACRAMENTO RIVER OBS 186.7 128,000 AT 8AM 12/12/14 (24)  
 VINA WOODSON BR >MS 180.0 AT CURRENT TIME \*  
 (VWBC1) >FS 183.0 AT CURRENT TIME \*  
 MAX 186.7 128,000 AT CURRENT TIME \*

SACRAMENTO RIVER OBS 148.1 119,000 AT 8AM 12/12/14 (24)  
 HAMILTON CITY >MS 143.0 AT CURRENT TIME \*  
 (HAMC1) >FS 148.0 AT CURRENT TIME \*  
 MAX 148.1 120,000 AT CURRENT TIME \*

SACRAMENTO RIVER OBS 113.8 84,600 AT 8AM 12/12/14 (24)  
 ORD FERRY >MS 110.0 AT CURRENT TIME \*  
 (ORFC1) >FS 114.0 AT CURRENT TIME \*  
 >DS 122.6 NOT EXPECTED  
 MAX 115.3 94,300 AT 7PM 12/12/14 IN 10 HRS\*

SACRAMENTO RIVER OBS 85.0 61,500 AT 8AM 12/12/14 (24)  
 BUTTE CITY >MS 89.0 BY 1AM 12/13/14 IN 16 HRS\*  
 (BTCC1) >FS 97.2 NOT EXPECTED  
 >DS 98.2 NOT EXPECTED  
 MAX 89.3 82,300 AT 5AM 12/13/14 IN 20 HRS\*

SACRAMENTO RIVER OBS 76.4 0 AT 8AM 12/12/14 (24)  
 MOULTON WEIR >MS 76.8 BY 7PM 12/12/14 IN 10 HRS\*  
 (CLSC1) >FS 84.4 NOT EXPECTED  
 >DS 85.4 NOT EXPECTED  
 MAX 78.6 3,820 AT 9AM 12/13/14 IN 24 HRS\*

WEIR: OBS NO OVERFLOW AT 8AM 12/12/14  
 BEGINS OVERFLOW BY 7PM 12/12/14 IN 10 HRS\*  
 ENDS OVERFLOW BY 10PM 12/13/14 IN 37 HRS  
 MAX 1.8 OVERFLOW AT 9AM 12/13/14 IN 24 HRS\*

SACRAMENTO RIVER OBS 63.9 4,640 AT 8AM 12/12/14 (48)  
 COLUSA WEIR >MS 61.8 AT CURRENT TIME \*  
 (CLAC1) >FS 71.0 NOT EXPECTED  
 >DS 72.0 NOT EXPECTED  
 MAX 66.9 34,900 AT 11AM 12/13/14 IN 26 HRS\*

WEIR: OBS 2.1 OVERFLOW AT 8AM 12/12/14 \*  
 ENDS OVERFLOW BY 5AM 12/15/14 IN 68 HRS  
 MAX 5.1 OVERFLOW AT 11AM 12/13/14 IN 26 HRS\*

SACRAMENTO RIVER OBS 61.2 33,300 AT 8AM 12/12/14 (48)  
 COLUSA BRIDGE >MS 63.0 BY 12PM 12/12/14 IN 3 HRS\*  
 (CLUC1) >FS 70.0 NOT EXPECTED  
 >DS 71.0 NOT EXPECTED  
 MAX 65.9 43,900 AT 1PM 12/13/14 IN 28 HRS\*

SACRAMENTO RIVER OBS 45.1 0 AT 8AM 12/12/14 (48)  
 TISDALE WEIR >MS 45.5 AT CURRENT TIME \*  
 (TISC1) >FS 53.0 NOT EXPECTED  
 >DS 54.0 NOT EXPECTED  
 MAX 49.2 14,600 AT 7PM 12/13/14 IN 34 HRS\*

WEIR: OBS -0.4 OVERFLOW AT 8AM 12/12/14 \*  
 ENDS OVERFLOW BY 3PM 12/16/14 IN 102 HRS

10.4.40

BEGINS OVERFLOW BY 1AM 12/17/14 IN 112 HRS  
MAX 3.7 OVERFLOW AT 7PM 12/13/14 IN 34 HRS\*

DEFINITIONS:

OBS MOST RECENT OBSERVATION (MAY BE ESTIMATED)  
MS MONITOR STAGE  
FS FLOOD STAGE  
DS DANGER STAGE (LEVEED LOCATIONS ONLY)  
MAX MAXIMUM FORECAST WITHIN PERIOD  
WEIR OVERFLOW DEPTHS IN FEET  
LEAD TIME FORECASTS WITHIN THIS PERIOD (HOURS) ARE CONSIDERED  
RELIABLE ENOUGH TO INITIATE PHYSICAL MITIGATION EFFORTS.  
\* EVENT EXCEEDS MS/FS/DS WITHIN LEAD TIME PERIOD

SIM 12/12/2014 @ 0822P (C)

NOTE: ALL TIMES IN SHEF ENCODED MESSAGES BELOW ARE UTC

.A CNBC1 20141212 Z DH16/HG 3.1  
.ER CNBC1 20141212 Z DH17/DC201412121622/DUE/HGIFE/DIH01  
.ER1 3.2/ 3.2/ 3.2/ 3.2/ 3.2/ 3.2/ 3.2/ 3.2/ 3.2/ 3.2/  
.ER2 3.2/ 3.3/ 3.3/ 3.3/ 3.3/ 3.3/ 3.3/ 3.3/ 3.3/ 3.4/  
.ER3 3.4/ 3.4/ 3.4/ 3.4/ 3.4/ 3.4/ 3.4/ 3.4/ 3.5/ 3.5/  
.ER4 3.5/ 3.5/ 3.5/ 3.5/ 3.5/ 3.5/ 3.5/ 3.5/ 3.6/ 3.6/  
.ER5 3.6/ 3.6/ 3.6/ 3.6/ 3.6/ 3.6/ 3.6/ 3.6/ 3.6/ 3.6/  
.ER6 3.6/ 3.6/ 3.6/ 3.6/ 3.6/ 3.6/ 3.6/ 3.6/ 3.6/ 3.6/  
.ER7 3.6/ 3.6/ 3.6/ 3.6/ 3.6/ 3.6/ 3.6/ 3.6/ 3.6/ 3.6/  
.ER8 3.6/ 3.6/ 3.6/ 3.6/ 3.6/ 3.6/ 3.5/ 3.5/ 3.5/ 3.5/  
.ER9 3.5/ 3.5/ 3.5/ 3.5/ 3.5/ 3.5/ 3.5/ 3.5/ 3.5/ 3.5/  
.ER10 3.5/ 3.5/ 3.5/ 3.5/ 3.5/ 3.5/ 3.5/ 3.4/ 3.4/ 3.4/  
.ER11 3.4/ 3.4/ 3.4/ 3.4/ 3.4/ 3.4/ 3.4/ 3.4/ 3.4/ 3.4/  
.ER12 3.4/ 3.4/ 3.4/ 3.4/ 3.4/ 3.4/ 3.4/ 3.4/ 3.4/ 3.4/  
.A CNBC1 20141213 Z DH17/HIIFE 1

.A BDBC1 20141212 Z DH16/HG 14.3  
.ER BDBC1 20141212 Z DH17/DC201412121622/DUE/HGIFE/DIH01  
.ER1 13.5/ 13.0/ 12.5/ 12.0/ 11.4/ 10.8/ 10.4/ 10.1/ 9.7/ 9.4/  
.ER2 9.1/ 8.8/ 8.6/ 8.4/ 8.2/ 8.1/ 8.0/ 7.8/ 7.7/ 7.6/  
.ER3 7.5/ 7.5/ 7.4/ 7.2/ 7.1/ 7.0/ 6.8/ 6.7/ 6.6/ 6.5/  
.ER4 6.5/ 6.4/ 6.4/ 6.4/ 6.3/ 6.2/ 6.1/ 6.0/ 6.0/ 5.9/  
.ER5 5.8/ 5.8/ 5.7/ 5.6/ 5.6/ 5.5/ 5.5/ 5.4/ 5.4/ 5.3/  
.ER6 5.3/ 5.2/ 5.2/ 5.2/ 5.1/ 5.1/ 5.1/ 5.0/ 5.0/ 5.0/  
.ER7 4.9/ 4.9/ 4.8/ 4.8/ 4.8/ 4.7/ 4.7/ 4.6/ 4.6/ 4.6/  
.ER8 4.6/ 4.5/ 4.5/ 4.5/ 4.5/ 4.5/ 4.5/ 4.5/ 4.6/ 4.6/  
.ER9 4.7/ 4.9/ 5.0/ 5.2/ 5.3/ 5.5/ 5.8/ 6.0/ 6.2/ 6.4/  
.ER10 6.5/ 6.7/ 6.7/ 6.7/ 6.6/ 6.5/ 6.4/ 6.3/ 6.1/ 6.0/  
.ER11 5.8/ 5.7/ 5.6/ 5.5/ 5.4/ 5.4/ 5.4/ 5.3/ 5.3/ 5.3/  
.ER12 5.3/ 5.4/ 5.5/ 5.6/ 5.7/ 5.8/

.A RDBC1 20141212 Z DH16/HG 247.1  
.ER RDBC1 20141212 Z DH17/DC201412121622/DUE/HGIFE/DIH01  
.ER1 246.4/ 245.8/ 245.2/ 244.8/ 244.4/ 244.1/ 243.8/ 243.4/ 243.1/ 242.9/  
.ER2 242.7/ 242.6/ 242.4/ 242.3/ 242.2/ 242.1/ 242.0/ 241.8/ 241.7/ 241.7/  
.ER3 241.6/ 241.5/ 241.5/ 241.4/ 241.4/ 241.3/ 241.3/ 241.2/ 241.1/ 241.1/  
.ER4 241.0/ 240.9/ 240.9/ 240.8/ 240.8/ 240.8/ 240.7/ 240.7/ 240.7/ 240.6/  
.ER5 240.6/ 240.5/ 240.5/ 240.5/ 240.4/ 240.4/ 240.3/ 240.3/ 240.3/ 240.2/  
.ER6 240.2/ 240.2/ 240.2/ 240.1/ 240.1/ 240.1/ 240.1/ 240.1/ 240.0/ 240.0/  
.ER7 240.0/ 240.0/ 240.0/ 240.0/ 239.9/ 239.9/ 239.9/ 239.9/ 239.9/ 239.8/  
.ER8 239.8/ 239.8/ 239.8/ 239.8/ 239.8/ 239.8/ 239.8/ 239.8/ 239.8/ 239.9/

10.4.41

.ER9 239.9/ 239.9/ 240.0/ 240.0/ 240.1/ 240.1/ 240.2/ 240.3/ 240.4/ 240.5/  
.ER10 240.6/ 240.7/ 240.7/ 240.8/ 240.8/ 240.9/ 240.9/ 240.9/ 240.8/ 240.8/  
.ER11 240.7/ 240.6/ 240.5/ 240.5/ 240.4/ 240.3/ 240.3/ 240.2/ 240.2/ 240.2/  
.ER12 240.2/ 240.2/ 240.2/ 240.2/ 240.2/ 240.2/

.A TEHC1 20141212 Z DH16/HG 216.4

.ER TEHC1 20141212 Z DH17/DC201412121622/DUE/HGIFE/DIH01

.ER1 215.0/ 213.0/ 211.2/ 210.5/ 209.8/ 209.3/ 208.8/ 208.3/ 207.9/ 207.5/  
.ER2 207.1/ 206.7/ 206.4/ 206.2/ 205.9/ 205.7/ 205.5/ 205.4/ 205.2/ 205.1/  
.ER3 205.0/ 204.9/ 204.8/ 204.7/ 204.6/ 204.5/ 204.4/ 204.3/ 204.2/ 204.2/  
.ER4 204.1/ 204.0/ 203.9/ 203.9/ 203.8/ 203.8/ 203.8/ 203.7/ 203.7/ 203.6/  
.ER5 203.6/ 203.6/ 203.5/ 203.5/ 203.4/ 203.4/ 203.3/ 203.3/ 203.3/ 203.2/  
.ER6 203.2/ 203.2/ 203.1/ 203.1/ 203.1/ 203.1/ 203.0/ 203.0/ 203.0/ 203.0/  
.ER7 203.0/ 202.9/ 202.9/ 202.9/ 202.9/ 202.9/ 202.9/ 202.9/ 202.8/ 202.8/  
.ER8 202.8/ 202.8/ 202.8/ 202.8/ 202.8/ 202.8/ 202.8/ 202.8/ 202.8/ 202.8/  
.ER9 202.8/ 202.8/ 202.9/ 203.0/ 203.1/ 203.2/ 203.3/ 203.5/ 203.6/ 203.7/  
.ER10 203.8/ 203.9/ 204.0/ 204.0/ 204.0/ 204.0/ 204.0/ 204.0/ 204.0/ 203.9/  
.ER11 203.9/ 203.8/ 203.7/ 203.6/ 203.5/ 203.5/ 203.4/ 203.3/ 203.3/ 203.3/  
.ER12 203.3/ 203.3/ 203.4/ 203.4/ 203.5/ 203.5/

.A VWBC1 20141212 Z DH16/HG 186.7

.ER VWBC1 20141212 Z DH17/DC201412121622/DUE/HGIFE/DIH01

.ER1 186.5/ 186.0/ 185.4/ 184.2/ 182.8/ 181.2/ 179.7/ 178.3/ 177.2/ 176.4/  
.ER2 175.7/ 175.1/ 174.6/ 174.3/ 173.9/ 173.6/ 173.3/ 173.0/ 172.8/ 172.5/  
.ER3 172.3/ 172.1/ 172.0/ 171.8/ 171.7/ 171.5/ 171.4/ 171.2/ 171.1/ 171.0/  
.ER4 170.9/ 170.8/ 170.7/ 170.6/ 170.6/ 170.5/ 170.4/ 170.4/ 170.4/ 170.3/  
.ER5 170.3/ 170.3/ 170.2/ 170.2/ 170.1/ 170.1/ 170.1/ 170.0/ 170.0/ 170.0/  
.ER6 169.9/ 169.9/ 169.9/ 169.8/ 169.8/ 169.8/ 169.7/ 169.7/ 169.7/ 169.6/  
.ER7 169.6/ 169.6/ 169.6/ 169.5/ 169.5/ 169.5/ 169.5/ 169.4/ 169.4/ 169.4/  
.ER8 169.4/ 169.4/ 169.4/ 169.4/ 169.3/ 169.3/ 169.3/ 169.3/ 169.3/ 169.3/  
.ER9 169.3/ 169.3/ 169.3/ 169.4/ 169.4/ 169.5/ 169.6/ 169.8/ 169.9/ 170.0/  
.ER10 170.1/ 170.2/ 170.3/ 170.4/ 170.5/ 170.5/ 170.6/ 170.6/ 170.6/ 170.6/  
.ER11 170.5/ 170.5/ 170.4/ 170.4/ 170.3/ 170.3/ 170.2/ 170.1/ 170.1/ 170.0/  
.ER12 169.9/ 169.9/ 169.9/ 169.9/ 169.9/ 170.0/

.A HAMC1 20141212 Z DH16/HG 148.1

.ER HAMC1 20141212 Z DH17/DC201412121622/DUE/HGIFE/DIH01

.ER1 148.1/ 148.1/ 148.0/ 147.9/ 147.7/ 147.4/ 147.1/ 146.7/ 146.1/ 145.3/  
.ER2 144.4/ 143.3/ 142.1/ 140.9/ 139.6/ 138.6/ 137.8/ 137.2/ 136.7/ 136.3/  
.ER3 135.9/ 135.6/ 135.3/ 135.1/ 134.9/ 134.7/ 134.5/ 134.3/ 134.1/ 134.0/  
.ER4 133.8/ 133.7/ 133.6/ 133.4/ 133.3/ 133.2/ 133.2/ 133.1/ 133.0/ 132.9/  
.ER5 132.9/ 132.8/ 132.8/ 132.7/ 132.7/ 132.7/ 132.6/ 132.6/ 132.6/ 132.5/  
.ER6 132.5/ 132.5/ 132.4/ 132.4/ 132.3/ 132.3/ 132.3/ 132.2/ 132.2/ 132.2/  
.ER7 132.1/ 132.1/ 132.1/ 132.1/ 132.0/ 132.0/ 132.0/ 131.9/ 131.9/ 131.9/  
.ER8 131.9/ 131.9/ 131.8/ 131.8/ 131.8/ 131.8/ 131.8/ 131.8/ 131.8/ 131.7/  
.ER9 131.7/ 131.7/ 131.7/ 131.7/ 131.7/ 131.7/ 131.8/ 131.8/ 131.9/ 132.0/  
.ER10 132.1/ 132.2/ 132.3/ 132.4/ 132.6/ 132.7/ 132.7/ 132.8/ 132.9/ 132.9/  
.ER11 133.0/ 133.0/ 133.0/ 133.0/ 132.9/ 132.9/ 132.8/ 132.8/ 132.7/ 132.7/  
.ER12 132.6/ 132.5/ 132.5/ 132.4/ 132.4/ 132.3/

.A ORFC1 20141212 Z DH16/HG 113.8

.ER ORFC1 20141212 Z DH17/DC201412121622/DUE/HGIFE/DIH01

.ER1 114.0/ 114.3/ 114.5/ 114.6/ 114.8/ 114.9/ 115.1/ 115.2/ 115.3/ 115.3/  
.ER2 115.3/ 115.3/ 115.3/ 115.2/ 115.1/ 115.0/ 114.8/ 114.6/ 114.3/ 114.0/  
.ER3 113.6/ 112.9/ 112.2/ 111.2/ 109.7/ 108.5/ 107.7/ 107.3/ 106.8/ 106.5/  
.ER4 106.2/ 105.8/ 105.3/ 105.0/ 104.8/ 104.6/ 104.3/ 104.2/ 104.0/ 103.9/  
.ER5 103.7/ 103.6/ 103.4/ 103.3/ 103.1/ 103.1/ 103.0/ 102.9/ 102.8/ 102.8/  
.ER6 102.7/ 102.6/ 102.6/ 102.5/ 102.5/ 102.4/ 102.3/ 102.3/ 102.2/ 102.2/  
.ER7 102.1/ 102.1/ 102.1/ 102.0/ 102.0/ 101.9/ 101.9/ 101.9/ 101.8/ 101.8/  
.ER8 101.8/ 101.7/ 101.7/ 101.7/ 101.6/ 101.6/ 101.6/ 101.6/ 101.5/ 101.5/

10.4.42

.ER9	101.5/	101.5/	101.5/	101.4/	101.4/	101.4/	101.4/	101.4/	101.4/	101.4/
.ER10	101.4/	101.5/	101.5/	101.6/	101.7/	101.9/	102.0/	102.1/	102.3/	102.4/
.ER11	102.6/	102.7/	102.8/	102.9/	103.0/	103.0/	103.0/	103.0/	103.0/	102.9/
.ER12	102.9/	102.8/	102.7/	102.6/	102.5/	102.4/				

.A BTCC1 20141212 Z DH16/HG 85.0

.ER BTCC1 20141212 Z DH17/DC201412121622/DUE/HGIFE/DIH01

.ER1	85.4/	85.7/	86.1/	86.4/	86.7/	87.0/	87.3/	87.5/	87.8/	88.0/
.ER2	88.2/	88.4/	88.6/	88.7/	88.9/	89.0/	89.1/	89.2/	89.2/	89.2/
.ER3	89.3/	89.2/	89.2/	89.1/	88.9/	88.6/	88.3/	87.9/	87.5/	87.1/
.ER4	86.6/	86.1/	85.6/	85.0/	84.3/	83.7/	83.1/	82.5/	81.9/	81.4/
.ER5	80.9/	80.4/	79.9/	79.4/	79.0/	78.6/	78.2/	77.9/	77.6/	77.3/
.ER6	77.1/	76.9/	76.8/	76.6/	76.5/	76.4/	76.3/	76.1/	76.0/	76.0/
.ER7	75.9/	75.8/	75.7/	75.6/	75.6/	75.5/	75.4/	75.4/	75.3/	75.3/
.ER8	75.2/	75.2/	75.1/	75.1/	75.1/	75.0/	75.0/	75.0/	74.9/	74.9/
.ER9	74.9/	74.8/	74.8/	74.8/	74.7/	74.7/	74.7/	74.7/	74.7/	74.6/
.ER10	74.6/	74.6/	74.6/	74.7/	74.7/	74.7/	74.8/	74.9/	75.0/	75.1/
.ER11	75.2/	75.4/	75.5/	75.7/	75.8/	75.9/	76.0/	76.1/	76.2/	76.2/
.ER12	76.3/	76.3/	76.3/	76.3/	76.2/	76.2/				

.A CLSC1 20141212 Z DH16/HG 76.4

.ER CLSC1 20141212 Z DH17/DC201412121622/DUE/HGIFE/DIH01

.ER1	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/	76.7/
.ER2	77.0/	77.2/	77.4/	77.5/	77.7/	77.9/	78.0/	78.2/	78.3/	78.4/
.ER3	78.4/	78.5/	78.6/	78.6/	78.6/	78.6/	78.6/	78.5/	78.4/	78.3/
.ER4	78.1/	78.0/	77.8/	77.6/	77.3/	77.2/	76.9/	76.5/	76.4/	76.4/
.ER5	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/
.ER6	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/
.ER7	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/
.ER8	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/
.ER9	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/
.ER10	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/
.ER11	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/
.ER12	76.4/	76.4/	76.4/	76.4/	76.4/	76.4/				

.A CLAC1 20141212 Z DH16/HG 63.9

.ER CLAC1 20141212 Z DH17/DC201412121622/DUE/HGIFE/DIH01

.ER1	64.5/	64.9/	65.1/	65.3/	65.4/	65.6/	65.7/	65.8/	65.9/	66.0/
.ER2	66.1/	66.2/	66.3/	66.4/	66.4/	66.5/	66.6/	66.7/	66.7/	66.8/
.ER3	66.8/	66.8/	66.9/	66.9/	66.9/	66.9/	66.9/	66.9/	66.9/	66.9/
.ER4	66.8/	66.7/	66.6/	66.5/	66.4/	66.3/	66.2/	66.1/	66.0/	65.9/
.ER5	65.8/	65.7/	65.6/	65.5/	65.3/	65.2/	65.0/	64.8/	64.6/	64.5/
.ER6	64.3/	64.2/	64.1/	63.9/	63.8/	63.6/	63.4/	63.3/	63.2/	63.0/
.ER7	62.9/	62.7/	62.6/	62.4/	62.3/	62.2/	62.0/	61.9/	61.7/	61.6/
.ER8	61.6/	61.5/	61.5/	61.5/	61.5/	61.4/	61.4/	61.4/	61.4/	61.4/
.ER9	61.4/	61.4/	61.4/	61.4/	61.4/	61.4/	61.4/	61.4/	61.4/	61.4/
.ER10	61.4/	61.4/	61.4/	61.4/	61.4/	61.4/	61.4/	61.4/	61.4/	61.4/
.ER11	61.4/	61.4/	61.4/	61.4/	61.4/	61.4/	61.4/	61.4/	61.4/	61.4/
.ER12	61.4/	61.4/	61.4/	61.4/	61.4/	61.4/				

.A CLUC1 20141212 Z DH16/HG 61.2

.ER CLUC1 20141212 Z DH17/DC201412121622/DUE/HGIFE/DIH01

.ER1	61.9/	62.4/	62.9/	63.2/	63.4/	63.6/	63.8/	64.0/	64.1/	64.3/
.ER2	64.4/	64.5/	64.6/	64.7/	64.8/	65.0/	65.1/	65.2/	65.3/	65.4/
.ER3	65.5/	65.6/	65.6/	65.7/	65.8/	65.8/	65.9/	65.9/	65.9/	65.9/
.ER4	65.9/	65.8/	65.8/	65.7/	65.6/	65.5/	65.3/	65.2/	65.1/	65.0/
.ER5	64.8/	64.7/	64.6/	64.4/	64.2/	64.0/	63.8/	63.6/	63.3/	63.2/
.ER6	63.0/	62.8/	62.6/	62.5/	62.3/	62.1/	61.9/	61.7/	61.6/	61.4/
.ER7	61.2/	61.1/	60.9/	60.8/	60.6/	60.5/	60.4/	60.2/	60.1/	59.9/
.ER8	59.7/	59.5/	59.2/	59.0/	58.8/	58.5/	58.3/	58.1/	57.9/	57.7/

10.4.43

.ER9	57.5/	57.3/	57.1/	56.9/	56.8/	56.6/	56.4/	56.3/	56.1/	56.0/
.ER10	55.8/	55.7/	55.6/	55.5/	55.3/	55.2/	55.2/	55.1/	55.0/	55.0/
.ER11	55.0/	55.0/	55.0/	55.0/	55.1/	55.2/	55.3/	55.4/	55.6/	55.7/
.ER12	55.9/	56.0/	56.1/	56.3/	56.4/	56.5/				

.A TISC1 20141212 Z DH16/HG 45.1

.ER TISC1 20141212 Z DH17/DC201412121622/DUE/HGIFE/DIH01

.ER1	45.6/	46.0/	46.4/	46.7/	46.9/	47.1/	47.3/	47.5/	47.6/	47.7/
.ER2	47.8/	48.0/	48.1/	48.1/	48.2/	48.3/	48.4/	48.5/	48.5/	48.6/
.ER3	48.7/	48.8/	48.8/	48.9/	48.9/	49.0/	49.0/	49.1/	49.1/	49.2/
.ER4	49.2/	49.2/	49.2/	49.2/	49.2/	49.2/	49.2/	49.2/	49.2/	49.1/
.ER5	49.1/	49.1/	49.0/	49.0/	48.9/	48.9/	48.8/	48.8/	48.7/	48.6/
.ER6	48.6/	48.5/	48.4/	48.4/	48.3/	48.3/	48.2/	48.2/	48.1/	48.0/
.ER7	48.0/	47.9/	47.9/	47.8/	47.8/	47.7/	47.7/	47.6/	47.6/	47.5/
.ER8	47.5/	47.4/	47.3/	47.3/	47.2/	47.2/	47.1/	47.0/	47.0/	46.9/
.ER9	46.8/	46.8/	46.7/	46.6/	46.6/	46.5/	46.4/	46.3/	46.3/	46.2/
.ER10	46.1/	46.1/	46.0/	45.9/	45.9/	45.8/	45.8/	45.7/	45.7/	45.6/
.ER11	45.6/	45.5/	45.5/	45.5/	45.4/	45.4/	45.4/	45.4/	45.4/	45.4/
.ER12	45.5/	45.5/	45.5/	45.6/	45.6/	45.6/				

END

10.7.44

**INITIAL PROPOSAL**  
**of the**  
**HAMILTON TEACHERS ASSOCIATION (HTA)**  
**to the**  
**HAMILTON UNIFIED SCHOOL DISTRICT (HUSD)**  
**For the 2015-2016 School Year**


The Hamilton Teachers Association (HTA) and the Hamilton Unified School District (District) are parties to a Collective Bargaining Agreement (CBA) which remains in full effect until a new contract is reached. Pursuant to the Educational Employment Relations Act (EERA), the HTA wishes to negotiate changes to the existing Agreement. Specific proposals for all articles to be negotiated will be exchanged after a thorough good faith dialogue at the bargaining table.

Articles and Sections may include but not limited to:


Article XII	Work Hours/Work Year
Article XIV	Class Size
Article XXI	Salary
Article XXII	Employee Benefits

The HTA may propose concepts and specific contract language upon receipt of proposals by the Hamilton Unified School District.

Furthermore, the HTA may propose other specific contract language regarding wages, hours and other terms and conditions of employment pursuant to this notice and the negotiations process.

  
\_\_\_\_\_  
Leslie Anderson-Mills,  
HTA Bargaining Chair

12/10/14  
\_\_\_\_\_  
Date

  
\_\_\_\_\_  
Alexandra Charlon,  
HTA President

12/10/14  
\_\_\_\_\_  
Date

## Schools and Libraries Universal Service Description of Services Requested and Certification Form 470

Estimated Average Burden Hours per Response: 3 hours

This form is designed to help you describe the eligible services you seek so that this data can be posted on the Fund Administrator Internet Site and interested service providers can identify you as a potential customer and compete to serve you.

**Please read Instructions before beginning this form.**

Form 470 Application Number: 889530001290601	Applicant's Form Identifier: HamiltonUSD470Y18C2
Application Status: COMPLETE	Posting Date: 01/12/2015
Allowable Contract Date: 02/09/2015	Certification Received Date:

### Block 1: Applicant Address and Information

**1** Name of Applicant:  
HAMILTON UNIFIED SCHOOL DISTRICT

**2** Funding Year: 2015 (Funding years run from July 1 through the following June 30)

**3** Entity Number: 16055109

**4a** Street Address, P.O.Box, or Route Number:  
620 CANAL STREET, PO BOX 488

City: HAMILTON CITY State: CA Zip Code: 95951-0000

**4b** Telephone Number: (530) 826-3261

**4c** Fax Number:

**5a** Eligible Entities That Will Receive Services:

Check the ONE choice in 5a that best describes the eligible entities that will receive the services described in this form. You will then list in Item 15 the entity/entities that will pay the bills for these services.

Individual School (individual public or non-public school)

School District (LEA; public or non-public [e.g., diocesan] local district representing multiple schools)

Library (including library system, library outlet/branch or library consortium as defined under LSTA)

Consortium (intermediate service agencies, states, state networks, consortia of schools and/or libraries)

Statewide application for (enter 2-letter state code)

representing (check all that apply)

All public schools/districts in the state

All non-public schools in the state

All libraries in the state

**5b** Recipient(s) of Services - Check all that apply:

Private  Public  Charter

Tribal  Head Start  State Agency

**5c** Number of eligible entities for which services are sought: 6

### Block 1: Applicant Address and Information (continued)

**6a** Contact Person's Name:  
Frank James

If the Contact Person's Street Address is the same as Item 4a above, check here.  If not, complete Item 6b.

**6b** Street Address, P.O.Box, or Route Number:  
NOTE: USAC will use this address to mail correspondence  
620 CANAL STREET, PO BOX 488

City: HAMILTON CITY State: CA Zip Code: 95951-0000

Check the box next to your preferred mode of contact and provide your contact information. One box MUST be checked and an entry provided.

**6c** Telephone Number: (530) 826-3261

**6d** Fax Number: (530) 826-0440

**6e** E-Mail Address: fjames@husdschools.org  
Re-enter E-mail Address: fjames@husdschools.org

**If a consultant is assisting you with your application process, please complete Item 7 below:**

**7** Consultant Name: Bev Argon  
Name of Consultant's Employer: CSM CENTRAL  
Consultant's Street Address: 324 E. 11th St., Suite E-3

City: Tracy State: CA Zip Code: 95376  
Consultant's Telephone Number: (888) 944-7798 Ext.  
Consultant's Fax Number: (909) 481-7410  
Consultant's E-mail Address: bagron@csmcntral.com  
Re-enter E-mail Address: bagron@csmcntral.com  
Consultant Registration Number: 16043564

Entity Number: 16055109	Applicant's Form Identifier: HamiltonUSD470Y18C2
Contact Person: Frank James	Phone Number: (530) 826-3261
<b>Block 2: Summary Description of Needs or Services Requested</b>	
8 Category One: Internet Access and/or Telecommunications	
<i>If you check YES to indicate you have a Request for Proposals (RFP) that specifies the services you are seeking, your RFP must be available to all interested bidders for at least 28 days. If your RFP is not available to all interested bidders, or if you check NO and you have or intend to have an RFP, you risk denial of your funding requests.</i>	
<p>a <input type="checkbox"/> YES, I have released or intend to release an RFP for one or more of these services. It is available or will become available on the Internet at:  or via (check one)      <input type="checkbox"/> the contact person in Item 6 or      <input type="checkbox"/> the contact person listed in Item 12</p> <p>Your RFP Identifier:</p>	
<p>b <input type="checkbox"/> NO, I have not released and do not intend to release an RFP for any of these services.</p> <p>Whether you check YES or NO, you must list below the Internet access and/or telecommunications you seek. Specify each service or function (e.g., voice service, monthly Internet access service, etc) and quantity and/or capacity (e.g., for voice service, 20 existing lines plus 10 new ones, or for monthly Internet access service, for 500 users).</p>	
9 [Reserved]	

Entity Number: 16055109		Applicant's Form Identifier: HamiltonUSD470Y18C2					
Contact Person: Frank James		Phone Number: (530) 826-3261					
<b>10 Category Two: Internal Connections and Managed Internal Broadband Services</b>							
<i>If you check YES to indicate you have a Request for Proposals (RFP) that specifies the services you are seeking, your RFP must be available to all interested bidders for at least 28 days. If your RFP is not available to all interested bidders, or if you check NO and you have or intend to have an RFP, you risk denial of your funding requests.</i>							
<p>a <input checked="" type="checkbox"/> YES, I have released or intend to release an RFP for one or more of these services. It is available or will become available on the Internet at:</p> <p>at: <a href="http://www.husd.schools.org/pages/Hamilton_Unified_SD/District_Departments/District_Technology/E-Rate/Wireless_Controller_System">http://www.husd.schools.org/pages/Hamilton_Unified_SD/District_Departments/District_Technology/E-Rate/Wireless_Controller_System</a></p> <p>or via (check one)      <input type="checkbox"/> the contact person in Item 6 or      <input type="checkbox"/> the contact person listed in Item 12</p> <p>Your RFP Identifier:</p>							
<p>b <input type="checkbox"/> NO, I have not released and do not intend to release an RFP for any of these services.</p> <p>Whether you check YES or NO, you must list below the Internal Connections and Managed Internal Broadband Services you seek. Specify each service (e.g., a router, hub and cabling) and quantity and/or capacity (e.g., connecting 1 classroom of 30 students).</p>							
<table border="1"> <thead> <tr> <th>Service</th> <th>Quantity and/or Capacity</th> </tr> </thead> <tbody> <tr> <td>Internal Connections</td> <td>See E-Rate Wireless Controller Project RFP for details</td> </tr> </tbody> </table>		Service	Quantity and/or Capacity	Internal Connections	See E-Rate Wireless Controller Project RFP for details		
Service	Quantity and/or Capacity						
Internal Connections	See E-Rate Wireless Controller Project RFP for details						
<b>11 Category Two: Basic Maintenance of Internal Connections</b>							
<i>If you check YES to indicate you have a Request for Proposals (RFP) that specifies the services you are seeking, your RFP must be available to all interested bidders for at least 28 days. If your RFP is not available to all interested bidders, or if you check NO and you have or intend to have an RFP, you risk denial of your funding requests.</i>							
<p>a <input type="checkbox"/> YES, I have released or intend to release an RFP for these services. It is available or will become available on the Internet at:</p> <p>or via (check one)      <input type="checkbox"/> the contact person in Item 6 or      <input type="checkbox"/> the contact person listed in Item 12</p> <p>Your RFP Identifier:</p>							
<p>b <input type="checkbox"/> NO, I have not released and do not intend to release an RFP for these services.</p> <p>Whether you check YES or NO, you must list below the Basic Maintenance services you seek. Specify each service (e.g., basic maintenance of routers) and quantity and/or capacity (e.g., for 10 routers).</p>							

<b>Entity Number:</b> 16055109	<b>Applicant's Form Identifier:</b> HamiltonUSD470Y18C2
<b>Contact Person:</b> Frank James	<b>Phone Number:</b> (530) 826-3261

**12** (Optional) Please name the person on your staff or project who can provide additional technical details or answer specific questions from service providers about the services you are seeking. This person does not need to be the contact person(s) listed in Item 6 nor the Authorized Person who signs this form.

Name:

Title:

Telephone Number:

Fax Number:

Email Address:

Re-enter E-mail Address:

**13**  Check this box if there are any restrictions imposed by state or local laws or regulations on how or when service providers may contact you or on other bidding procedures. Please describe below any such restrictions or procedures and/or provide an Internet address where they are posted and a contact name and telephone number.

Check this box if no state and local procurement/competitive bidding requirements apply to the procurement of services sought on this FCC Form 470. If you are requesting services for a funding year for which an FCC Form 470 cannot yet be filed online, include that information here.

Applicant may consider multi-year and/or contracts with voluntary extensions. Any voluntary contract extensions must be identified within the awarded contract and must be of specified number and duration. Contract with automatic or evergreen contract extension terms will not be considered. Applicant may consider contracts with flexible terms to allow for growth/reduction in services to accommodate an increase/decrease in the number of sites, users, and/or bandwidth. Service Providers submitting proposals in response to this FCC Form 470 must be in compliance with the rules and orders governed by the Federal Communications Commission. Failure to be in compliance and remain in compliance may result in the denial of discount funding, and/or cancellation of funding commitments, and/or could result in civil or criminal prosecution by law enforcement authorities. Service Providers submitting proposals must do so in good faith of compliance with the Lowest Corresponding Price (LCP) Rule (see 47 CFR Part 54 Section 54.500(f)). Service Providers submitting proposals must be in full compliance with USAC's Free Services Advisory <http://www.usac.org/sl/applicants/step02/free-services-advisory.aspx>. Any offering of free services must be clearly identified in service providers' bids. Service Provider invoicing to USAC must be completed within 120 days from the last day of service. Should the Service Provider fail to invoice USAC timely, Applicant will only be responsible for paying its non-discounted share. The Service Provider acknowledges that all pricing and technology infrastructure information in its contract shall be considered as public and non-confidential pursuant to CFR Part 54 Section 504 (2) (i)(ii).

**Block 3:**

**14. [Reserved]**

10.6.4

<b>Entity Number: 16055109</b>	<b>Applicant's Form Identifier: HamiltonUSD470Y18C2</b>
<b>Contact Person: Frank James</b>	<b>Contact Phone Number: (530) 826-3261</b>
<b>Block 4: Recipients of Service</b>	
<b>15 Billed Entities</b>	
List the entity/entities that will be paying the bills directly to the provider for the services requested in this form. These are known as Billed Entities. At least one line of this item must be completed. If a Billed Entity cited on your FCC Form 471 is not listed below, funding may be denied for the funding requests associated with this FCC Form 470. Attach additional pages if needed.	
<b>Entity Number</b>	<b>Entity Name</b>
16055109	HAMILTON UNIFIED SCHOOL DISTRICT

10.6.5

<b>Entity Number:</b> 16055109	<b>Applicant's Form Identifier:</b> HamiltonUSD470Y18C2
<b>Contact Person:</b> Frank James	<b>Contact Phone Number:</b> (530) 826-3261
<b>Block 5: Certifications and Signature</b>	
<p>16 I certify that the applicant includes: (Check one or both.)</p> <p>a <input checked="" type="checkbox"/> schools under the statutory definitions of elementary and secondary schools found in the <b>No Child Left Behind Act of 2001, 20 U.S.C. §§ 7801 (18) and (38)</b>, that do not operate as for-profit businesses, and do not have endowments exceeding \$50 million; and/or</p> <p>b <input type="checkbox"/> libraries or library consortia eligible for assistance from a State library administrative agency under the Library Services and Technology Act of 1996 that do not operate as for-profit businesses and whose budgets are completely separate from any schools (including, but not limited to elementary and secondary schools, colleges, and universities).</p>	
17 [Reserved]	
<p>18 <input checked="" type="checkbox"/> I certify that I will post any applicable FCC Form 470 and (if applicable) make any applicable RFP available for at least 28 days before considering all bids received and selecting a service provider. I certify that all bids submitted will be carefully considered and the bid selected will be for the most cost-effective service or equipment offering, with price being the primary factor, and will be the most cost-effective means of meeting educational needs and technology goals.</p>	
<p>19 <input checked="" type="checkbox"/> I certify that I will retain required documents for a period of at least 10 years after the last day of service delivered (or whatever retention period is required by the rules in effect at the time of this certification). I certify that I will retain all documents necessary to demonstrate compliance with the statute and Commission rules regarding the form for, receipt of, and delivery of services receiving schools and libraries discounts. I acknowledge that I may be audited pursuant to participation in the schools and libraries program.</p>	
<p>20 <input checked="" type="checkbox"/> I certify that the services the applicant purchases at discounts provided by 47 U.S.C. § 254 will be used primarily for educational purposes, see 47 C.F.R. § 54.500, and will not be sold, resold or transferred in consideration for money or any other thing of value, except as permitted by the Commission's rules at 47 C.F.R. § 54.513. Additionally, I certify that the entity or entities listed on this form have not received anything of value or a promise of anything of value, other than services and equipment sought by means of this form, from the service provider, or any representative or agent thereof or any consultant in connection with this request for services.</p>	
<p>21 <input checked="" type="checkbox"/> I acknowledge that support under this support mechanism is conditional upon the school(s) and/or library(ies) I represent securing access, separately or through this program, to all of the resources, including computers, training, software, internal connections, maintenance, and electrical capacity necessary to use the services purchased effectively. I recognize that some of the aforementioned resources are not eligible for support. I certify that I have considered what financial resources should be available to cover these costs.</p>	
<p>22 <input checked="" type="checkbox"/> I certify that I am authorized to procure eligible services for the eligible entity(ies). I certify that I am authorized to submit this request on behalf of the eligible entity(ies) listed on this form, that I have examined this request, and to the best of my knowledge, information, and belief, all statements of fact contained herein are true.</p>	
<p>23 <input checked="" type="checkbox"/> I certify that I have reviewed all applicable FCC, state, and local procurement/competitive bidding requirements and that I have complied with them. I acknowledge that persons willfully making false statements on this form may be punished by fine or forfeiture, under the Communications Act, 47 U.S.C. §§ 502, 503(b), or fine or imprisonment under Title 18 of the United States Code, 18 U.S.C. § 1001.</p>	
<p>24 <input checked="" type="checkbox"/> I acknowledge that FCC rules provide that persons who have been convicted of criminal violations or held civilly liable for certain acts arising from their participation in the schools and libraries support mechanism are subject to suspension and debarment from the program.</p>	
<b>Entity Number:</b> 16055109	
<b>Applicant's Form Identifier:</b> HamiltonUSD470Y18C2	
<b>Contact Person:</b> Frank James	
<b>Contact Phone Number:</b> (530) 826-3261	
<p>25 Signature of authorized person: <input type="checkbox"/></p>	<p>26 Date:</p>
<p>27a Printed name of authorized person: Charles Tracy</p> <p>27b Title or position of authorized person: Superintendent</p> <p><input type="checkbox"/> Check here if the consultant in Item 7 is the Authorized Person.</p> <p>27c Street Address, P.O. Box, Route Number, City, State, Zip Code: 620 CANAL STREET, PO BOX 488  City: HAMILTON CITY State: CA Zip Code: 95951</p> <p>27d Telephone Number of Authorized Person: (530) 826-3261</p> <p>27e Fax Number of Authorized Person: (530) 826-0440</p> <p>27f E-mail Address of Authorized Person: ctracy@hudschools.org  Re-enter E-mail Address: ctracy@hudschools.org</p> <p>27g Name of Authorized Person's Employer: Hamilton Unified School District</p>	

Service provider involvement with preparation or certification of an FCC Form 470 can taint the competitive bidding process and result in the denial of funding requests.

10.6.6

1/12/2015

USAC 470 Application

For more information, refer to the Schools and Libraries area of the USAC web site at [www.usac.org/sl](http://www.usac.org/sl) or call the SLD Client Service Bureau at 1-888-203-8100.

10.6.7

<b>Entity Number:</b> 16055109	<b>Applicant's Form Identifier:</b> HamiltonUSD470Y18C2
<b>Contact Person:</b> Frank James	<b>Phone Number:</b> (530) 826-3261

**NOTICE:** In accordance with Section 54.504 of the Federal Communications Commission's rules, certain schools and libraries ordering services that are eligible for and seeking universal service discounts must file this Description of Services Requested and Certification Form (FCC Form 470) with the Universal Service Administrator, 47 C.F.R. § 54.503(c). The collection of information stems from the Commission's authority under Section 254 of the Communications Act of 1934, as amended, 47 U.S.C. § 254. The data in the report will be used to ensure that schools and libraries comply with the competitive bidding requirement contained in 47 C.F.R. § 54.503. Schools and libraries must file this form themselves or as part of a consortium.

An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number.

The FCC is authorized under the Communications Act of 1934, as amended, to collect the information we request in this form. We will use the information you provide to determine whether approving this application is in the public interest. If we believe there may be a violation or a potential violation of any applicable statute, regulation, rule or order, your application may be referred to the Federal, state, or local agency responsible for investigating, prosecuting, enforcing, or implementing the statute, rule, regulation or order. In certain cases, the information in your application may be disclosed to the Department of Justice or a court or adjudicative body when (a) the FCC; or (b) any employee of the FCC; or (c) the United States Government is a party of a proceeding before the body or has an interest in the proceeding. In addition, information provided in or submitted with this form or in response to subsequent inquiries may also be subject to disclosure consistent with the Communications Act of 1934, FCC regulations, the Freedom of Information Act, 5 U.S.C. § 552, or other applicable law.

If you owe a past due debt to the federal government, the information you provide may also be disclosed to the Department of the Treasury Financial Management Service, other Federal agencies and/or your employer to offset your salary, IRS tax refund or other payments to collect that debt. The FCC may also provide the information to these agencies through the matching of computer records when authorized.

If you do not provide the information we request on the form, the FCC may delay processing of your application or may return your form without action.

The foregoing Notice is required by the Paperwork Reduction Act of 1995, Pub. L. No. 104-13, 44 U.S.C. § 3501, *et seq.*

Public reporting burden for this collection of information is estimated to average 3 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, completing, and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the reporting burden to the Federal Communications Commission, Performance Evaluation and Records Management, Washington, DC 20554.

FCC Form 470  
October 2014

[New Search](#)

[Return To Search Results](#)

10.6.8



Vendor/Addr Remit name Description Tax ID num Deposit type Fd Res Y Goal Func Obj Sit Bdr DD T9MPS Liq Amt Net Amount  
 Reg Reference Date

000008/00 CALIFORNIA'S VALUED TRUSTR H/W  
 PO-000444 12/18/2014 JANUARY 2015 1 01-0000-0-0000-0000-9571-000-000-00000 NN P 0.00 20,630.39  
 PO-000444 12/18/2014 JANUARY 2015 2 01-0000-0-0000-0000-9572-000-000-00000 NN P 0.00 56,229.33  
 PO-000444 12/18/2014 JANUARY 2015 3 01-0000-0-0000-0000-9573-000-000-00000 NN P 0.00 7,657.11  
 TOTAL PAYMENT AMOUNT 84,516.83 \*

000584/00 STANDARD  
 PO-000408 11/19/2014 DEC CT503202 DIV3000 1 01-0000-0-0000-0000-9573-000-000-00000 NN P 0.00 305.20  
 TOTAL PAYMENT AMOUNT 305.20 \*

TOTAL Fund PAYMENT 84,822.03 \*\* 84,822.03  
 TOTAL BATCH PAYMENT 84,822.03 \*\*\* 84,822.03  
 TOTAL DISTRICT PAYMENT 84,822.03 \*\*\*\*\* 84,822.03  
 TOTAL FOR ALL DISTRICTS: 84,822.03 \*\*\*\*\* 84,822.03

Number of warrants to be printed: 2, not counting voids due to stub overflows.

Prepared by	<i>Winton Hammer</i>	Date	<i>12/19/14</i>
Authorized by		Date	

12.1.1

Vendor/Addr	Remit name	Description	Tax ID num	Deposit type	Fd Res	Y Goal	Func	Obj	Sit	Bdr	DD	TRMPS	Liq Amt	Net Amount
-------------	------------	-------------	------------	--------------	--------	--------	------	-----	-----	-----	----	-------	---------	------------

001397/00	ALL AMERICAN SPORTS CORP.													
PO-015101	11/25/2014	60260097		1	01-0000-0-1110-1000-4300-000-006-00000	NN	F						454.00	223.47
TOTAL PAYMENT AMOUNT													223.47	

001498/00	CHRISTY WHITE ACCOUNTANCY		272956198											
PO-000446	11/30/2014	11972 -2ND PROG BILL 50%013-14		1	01-0000-0-0000-7191-5810-000-000-00000	NN	P						6,228.00	6,228.00
TOTAL PAYMENT AMOUNT													6,228.00	

001519/00	COASTAL BUSINESS SYSTEMS INC													
PO-000447	12/02/2014	JAN HS		1	01-0000-0-1110-1000-5620-100-000-00000	NN	P						0.00	688.69
PO-000447	12/02/2014	JAN ELLA B		3	01-0000-0-3200-1000-5620-000-000-00000	NN	P						0.00	121.18
TOTAL PAYMENT AMOUNT													809.87	

001470/00	CRIS OSEGUERA													
PV-000098	12/08/2014	C OSEGUERA MILEAGE			01-0000-0-0000-2700-5200-000-000-00000	NN							660.74	660.74
PV-000098	12/08/2014	C OSEGUERA MILEAGE			01-0000-0-1110-1000-5200-000-006-00000	NN							581.42	581.42
PV-000098	12/08/2014	C OSEGUERA MILEAGE			01-0000-0-1110-1000-5200-100-000-00000	NN							68.69	68.69
TOTAL PAYMENT AMOUNT													1,310.85	

000320/00	GERLINGER STEEL & SUPPLY CO													
PO-015309	12/02/2014	159258		1	01-0350-0-6000-1000-4300-000-053-00000	NN	P						0.00	333.47
TOTAL PAYMENT AMOUNT													333.47	

000162/00	GRAINGER													
PO-000409	12/04/2014	9610728249		1	01-8150-0-0000-8100-4300-000-000-00000	NN	P						0.00	20.43
PO-000409	12/03/2014	9609522314		1	01-8150-0-0000-8100-4300-000-000-00000	NN	P						0.00	75.18
TOTAL PAYMENT AMOUNT													95.61	

000801/00	HUNT & SONS INC													
CM-000035	12/04/2014	CREDIT/TAX INFO CORRECTIONS			01-0000-0-0000-3600-4392-000-000-00000	NN							0.00	2,951.88
PO-000400	11/19/2014	398659		2	01-0000-0-0000-3600-4392-000-000-00000	NN	P						0.00	2,951.88
PO-000400	12/01/2014	404616		2	01-0000-0-0000-3600-4392-000-000-00000	NN	P						0.00	2,653.79
TOTAL PAYMENT AMOUNT													2,653.79	

1212

Vendor/Addr Remit name Description Tax ID num Deposit type Fd Res Y Goal Func Obj Sit Bdr DD Account num T9MPS Liq Amt Net Amount  
 Reg Reference Date

000445/00 IT SAVVY  
 PO-015408 10/31/2014 753389 1 01-9150-0-0000-2420-5890-000-000-00000 NN F 2,914.45 2,914.45  
 PO-015426 11/13/2014 755224 1 01-9150-0-0000-2420-5890-000-000-00000 NN F 6,310.27 6,310.27  
 PO-015445 12/03/2014 758500 1 01-9150-0-0000-2420-4300-000-000-00000 NN F 254.35 254.35  
 PO-015445 12/04/2014 758808 1 01-9150-0-0000-2420-4300-000-000-00000 NN F 80.43 80.43  
 TOTAL PAYMENT AMOUNT 9,559.50 \* 9,559.50

000217/00 KELLY LANGAN  
 PV-000099 12/10/2014 K LANGAN MILEAGE 01-0000-0-1110-1000-5200-100-000-00000 NN 67.80 67.80  
 PV-000099 12/10/2014 K LANGAN MILEAGE 01-0000-0-1110-1000-5200-100-000-00000 NN 149.16 149.16  
 TOTAL PAYMENT AMOUNT 216.96 \* 216.96

001388/00 LARRY'S PEST & WEED CONTROL 141953612  
 PO-000440 11/24/2014 NOV ELEM & HS & COMDAY 1 01-0000-0-0000-8100-5590-000-000-00000 NY P 0.00 408.00  
 PO-000440 11/24/2014 NOV ELEM SPEC ED 1 01-0000-0-0000-8100-5590-000-000-00000 NY P 0.00 30.00  
 PO-000440 11/24/2014 NOV ELEM PRESH 1 01-0000-0-0000-8100-5590-000-000-00000 NY P 0.00 30.00  
 PO-000440 11/24/2014 NOV HS SPEC ED 1 01-0000-0-0000-8100-5590-000-000-00000 NY P 0.00 30.00  
 TOTAL PAYMENT AMOUNT 498.00 \* 498.00

001382/00 U S BANK CORPORATE  
 CM-000033 11/24/2014 RETURN OF CLARINET 01-0000-0-1110-1000-4300-000-013-00000 NN 93.12 93.12  
 CM-000034 11/24/2014 ORDER NEVER DELIVERED/CREDIT 01-0156-0-1110-1000-4300-000-000-00000 NN 160.00 160.00  
 PO-015248 11/24/2014 JAVA DETOUR/ATTENDANCE INCENT 1 01-0801-0-1110-1000-4300-000-532-00000 NN P 100.00 100.00  
 PO-015316 11/24/2014 COSEGUERA HOTEL FOR CONF 1 01-0000-0-0000-2700-5200-000-000-00000 NN P 188.49 188.49  
 PO-015319 11/24/2014 VB PIZZA PARTY MJ 1 01-0801-0-0000-2700-4300-800-584-00000 NN F 120.00 147.71  
 PO-015325 11/24/2014 TI-83 CALCULATORS 2 01-0156-0-1110-1000-4300-000-000-00000 NN F 1,325.00 675.00  
 PO-015345 11/24/2014 CM#34 (160.00) SEE ALSO 1 01-0000-0-1110-1000-5200-000-000-00000 NN F 200.00 200.00  
 PO-015391 11/24/2014 LFUNDRBRURK AIRFARE 1 01-4035-0-1110-1000-5200-000-000-00000 NN F 134.20 134.20  
 PO-015397 11/24/2014 RENTAL CARS FOR AIG TRIP KY 1 01-0000-0-3800-1000-5200-000-045-00000 NN F 2,000.00 2,134.59  
 PO-015403 11/24/2014 TRUMPETS & SAX 1 01-0000-0-1110-1000-4300-000-013-00000 NN F 600.00 608.14  
 PO-015404 11/24/2014 W/ CM#33 OF 93.12 15-404 1 01-0801-0-1110-1000-4300-000-013-00000 NN F 110.28 110.28  
 PO-015405 11/24/2014 ZAMERANO ART BOOKS 1 01-0801-0-1110-1000-4300-000-521-00000 NN F 68.60 72.57  
 PO-015409 11/24/2014 VERIDESK DIXON 1 01-0801-0-0000-7300-4300-000-531-00000 NN F 461.84 401.60  
 PO-015419 11/24/2014 TEX & INTO THE WILD DVD/BOOKS 1 01-0000-0-3200-1000-4300-000-000-00000 NN F 432.28 432.28  
 PO-015430 11/24/2014 DPOLIAK MS OFFICE SOFTWARE 1 01-0000-0-1110-1000-4300-000-000-00000 NN F 75.24 75.24  
 PO-015433 11/24/2014 ELEM ALGEBRA GR 1-7 1 01-7405-0-1110-1000-4200-000-000-00000 NN P 100.00 111.23  
 PV-000096 12/08/2014 4246044555628555 01-0000-0-0000-2700-5200-000-000-00000 NN 28.33 28.33  
 PV-000096 12/08/2014 4246044555628555 01-0000-0-0000-2700-5990-000-000-00000 NN 6.49 6.49  
 PV-000096 12/08/2014 4246044555628555 01-0000-0-0000-7150-5200-000-000-00000 NN 25.94 25.94  
 PV-000096 12/08/2014 4246044555628555 01-0000-0-0000-7300-5200-000-000-00000 NN 450.14 450.14

12.1.3

Vendor/Addr Remit name Description Tax ID num Deposit type ABA num Account num  
 Reg Reference Date Pd Res Y Goal Func Obj Slt BDR DD T9MPS Liq Amt Net Amount  
 001382 (CONTINUED)

PV-000096 12/08/2014 4246044555628555 01-0000-0-0000-8100-4392-000-000-00000 NN 251.48  
 PV-000096 12/08/2014 4246044555628555 01-0000-0-1110-1000-4300-000-000-00000 NN 82.63  
 PV-000096 12/08/2014 4246044555628555 01-0000-0-3800-1000-5200-000-045-00000 NN 349.90  
 PV-000096 12/08/2014 4246044555628555 01-0801-0-1110-1000-4300-800-582-00000 NN 17.46  
 PV-000096 12/08/2014 4246044555628555 01-8150-0-0000-8100-4300-000-000-00000 NN 91.64  
 TOTAL PAYMENT AMOUNT 6,444.19 \*  
 TOTAL USE TAX AMOUNT 175.54

000715/00 US BANK EQUIPMENT FINANCE 310841368  
 PO-000437 12/28/2014 DEC 267218030  
 TOTAL PAYMENT AMOUNT 1 01-0000-0-1110-1000-5620-100-000-00000 NY P 0.00  
 TOTAL PAYMENT AMOUNT 562.45 \*  
 TOTAL USE TAX AMOUNT 562.45

000543/00 US SPECIALTY COATINGS  
 PV-000100 12/02/2014 134167  
 TOTAL PAYMENT AMOUNT 01-8150-0-0000-8100-4300-000-000-00000 YN 402.60  
 TOTAL USE TAX AMOUNT 30.20  
 TOTAL Fund PAYMENT 29,338.76 \*\*  
 TOTAL USE TAX AMOUNT 205.74  
 29,338.76

12.1.5

Vendor/Addr	Remit name	Description	Tax ID num	Deposit type	ABA num	Account num	Liq Amt	Net Amount
Req Reference	Date			Fd Res	Y Goal	Func Obj	Sit Bdr	DD TRMPS
001519/00	COASTAL BUSINESS SYSTEMS INC							

PO-000447 12/02/2014 JAN ADULT ED 4 11-0000-0-4110-1000-5620-000-00000 NN P 0.00

TOTAL PAYMENT AMOUNT 121.17 \*  
 TOTAL Fund PAYMENT 121.17 \*\*

121.17

Vendor/Addr Remit name Description Tax ID num Deposit type ABA num Account num  
 Reg Reference Date Description Pd Res Y Goal Func Obj Sit Bdr DD T9MPS Lig Amt Net Amount  
 -----

001519/00 COASTAL BUSINESS SYSTEMS INC  
 PO-000447 12/02/2014 JAN PRESCH 5 12-6105-0-1110-1000-5620-000-000000 NN P 0.00 121.17  
 TOTAL PAYMENT AMOUNT 121.17 \*

000506/00 CVS PHARMACY INC

PO-015224 11/19/2014 6005432059000825 1 12-6105-0-1110-1000-4300-000-000000 NN P 22.96 22.96  
 TOTAL PAYMENT AMOUNT 22.96 \*

TOTAL Fund PAYMENT 144.13 \*\* 144.13

12.1.17

12 HAMILTON UNIFIED SCHOOL DIST. J6222  
 BATCH 32: JANUARY 2014

ACCOUNTS PAYABLE PRELIST  
 BATCH: 0032 BATCH 32: DECEMBER 15 2014  
 Fund : 13 CAFETERIA

APY500 H.02.12 12/10/14 14:00 PAGE 6  
 << Open >>

Vendor/Addr	Remit name	Description	Tax ID num	Deposit type	Pd Res	Y Goal	Func Obj	ABA num	Account num	TRMPS	Liq Amt	Net Amount
000764/00	DANIELSON CO											

PO-000425	12/08/2014	60920		1	13-5310-0-0000-3700-4300-000-000-00000	NN	P				0.00	138.31
PO-000425	12/08/2014	60978		1	13-5310-0-0000-3700-4300-000-000-00000	NN	P				0.00	43.98
PO-000425	12/08/2014	60978		2	13-5310-0-0000-3700-4700-000-000-00000	NN	P				0.00	1,539.52
PO-000425	12/08/2014	60920		2	13-5310-0-0000-3700-4700-000-000-00000	NN	P				0.00	630.84
PO-000425	12/05/2014	60887		2	13-5310-0-0000-3700-4700-000-000-00000	NN	P				0.00	44.98
PO-000425	12/08/2014	60978		3	13-5310-0-0000-3700-5890-000-000-00000	NN	P				0.00	5.00
TOTAL PAYMENT AMOUNT											2,402.63	2,402.63

000592/00	MISSION UNIFORM & LINEN											
PO-000405	12/04/2014	250158945		1	13-5310-0-0000-3700-4300-000-000-00000	NN	P				0.00	36.14
TOTAL PAYMENT AMOUNT											36.14	36.14

001059/00	NORGAL FOOD EQUIPMENT INC											
PO-000419	12/05/2014	RA69647		2	13-5310-0-0000-3700-4300-000-000-00000	NN	P				1.00	17.19
TOTAL PAYMENT AMOUNT											17.19	17.19

000763/00	PROPACIFIC FRESH											
PO-000407	12/08/2014	6093690		1	13-5310-0-0000-3700-4700-000-000-00000	NN	P				0.00	469.81
PO-000407	12/08/2014	6093331		1	13-5310-0-0000-3700-4700-000-000-00000	NN	P				0.00	498.09
PO-000407	12/08/2014	6093331		2	13-5310-0-0000-3700-5890-000-000-00000	NN	P				0.00	1.82
TOTAL PAYMENT AMOUNT											969.72	969.72

002012/00	UNITED GROCERS											
PO-000438	11/18/2014	131645		1	13-5310-0-0000-3700-4300-000-000-00000	NN	P				0.00	195.34
PO-000438	11/18/2014	131645		2	13-5310-0-0000-3700-4700-000-000-00000	NN	P				0.00	74.07
TOTAL PAYMENT AMOUNT											269.41	269.41

TOTAL Fund	PAYMENT	3,695.09	**									3,695.09
TOTAL BATCH PAYMENT		33,299.15	***									33,299.15
TOTAL USE TAX AMOUNT		205.74										0.00
TOTAL DISTRICT PAYMENT		33,299.15	****									33,299.15
TOTAL USE TAX AMOUNT		205.74										0.00

TOTAL FOR ALL DISTRICTS: 33,299.15 \*\*\*\*\*  
 TOTAL USE TAX AMOUNT 205.74

Number of warrants to be printed: 21, not counting voids due to stub overflows.  
 \*\*\*\*\* E N D O F R E P O R T \*\*\*\*\*

Prepared by	<i>[Signature]</i>	Date	12/10/14
Authorized by		Date	

12.1.7

Vendor/Addr	Remit name	Description	Tax ID num	Deposit type	Fd Res	Y Goal	Func Obj	ABA num	Account num	TRMPS	Liq Amt	Net Amount
-------------	------------	-------------	------------	--------------	--------	--------	----------	---------	-------------	-------	---------	------------

001391/00	ABSOLUTE HEATING & AIR INC		510664349									
PO-000435	09/19/2014	1777091914		1 01-8150-0-0000-8100-5630-000-000-00000	NN	P					0.00	374.00
PO-000435	11/19/2014	2066111914		1 01-8150-0-0000-8100-5630-000-000-00000	NN	P					0.00	85.00
TOTAL PAYMENT AMOUNT											459.00 *	459.00

000253/00	APPEAL-DEMOCRAT		462220622									
PO-000441	11/30/2014	174575 ELEM BOYSBALL COACH		1 01-0000-0-0000-2700-5990-000-000-00000	NY	P					0.00	129.27
TOTAL PAYMENT AMOUNT											129.27 *	129.27

001075/00	AT&T											
PO-000403	12/12/2014	DEC 6033037		1 01-0000-0-0000-2700-5990-000-000-00000	NN	P					0.00	104.69
TOTAL PAYMENT AMOUNT											104.69 *	104.69

001495/00	BLACKBOARD INC		522081178									
PO-015182	07/31/2014	1165548		1 01-0000-0-1110-1000-5890-000-000-00000	NY	F					2,211.00	2,211.00
TOTAL PAYMENT AMOUNT											2,211.00 *	2,211.00

000016/00	BOOKS ARE FUN											
PO-015433	12/16/2014	587303-2		1 01-0801-0-0000-2700-4300-800-583-00000	NN	P					0.00	65.58
TOTAL PAYMENT AMOUNT											65.58 *	65.58

000153/00	CALIFORNIA ASSN FPA											
PO-015308	12/05/2014	14150662LDR		1 01-0000-0-3800-1000-4300-000-045-00000	NN	F					1,726.00	1,649.00
PO-015399	12/02/2014	14150584A/M		1 01-0000-0-3800-1000-5200-000-045-00000	NN	F					1,100.00	1,100.00
TOTAL PAYMENT AMOUNT											2,749.00 *	2,749.00

001519/00	COASTAL BUSINESS SYSTEMS INC											
PO-000447	12/11/2014	JAN ELEM 16254459		2 01-0000-0-1110-1000-5620-800-000-00000	NN	P					0.00	1,956.35
TOTAL PAYMENT AMOUNT											1,956.35 *	1,956.35

12.1.1

Vendor/Addr Req Reference	Remit name Date	Description	Tax ID num	Deposit type Fd Res	ABA num Y Goal	Account num Func Obj	Sit Bdr DD	Liq Amt	Net Amount
------------------------------	--------------------	-------------	------------	------------------------	-------------------	-------------------------	------------	---------	------------

001442/00	COLLEGE BOARD								
PO-015334	12/17/2014	CLOSE/CONF CANCELED BY VENDOR	1	01-0000-0-1110-1000-5200-100-000-00000	NN	C		645.00	0.00
									TOTAL PAYMENT AMOUNT
									0.00

001237/00	COMER'S PRINT SHOP								
PO-015444	12/09/2014	93583	1	01-0000-0-1110-1000-4300-000-000-00000	NN	F		388.60	387.00
									TOTAL PAYMENT AMOUNT
									387.00

001470/00	CRIS OSBQUERA								
PV-000101	12/16/2014	MILEAGE PERSONNEL ACADEMY	01-0000-0-0000-2700-5200-000-000-00000	NN				102.00	102.00
									TOTAL PAYMENT AMOUNT
									102.00

001534/00	CSU CHICO								
PO-015475	12/23/2014	3/14/15 FIELD DAY REGIST	1	01-0000-0-3800-1000-5200-000-045-00000	NN	F		110.00	110.00
									TOTAL PAYMENT AMOUNT
									110.00

000884/00	EAGLE SOFTWARE								
PO-015367	12/18/2014	CSTON-014	1	01-0000-0-1110-1000-5890-000-000-00000	NN	F		1,600.00	1,600.00
									TOTAL PAYMENT AMOUNT
									1,600.00

000320/00	GERLINGER STEEL & SUPPLY CO								
PO-015309	12/09/2014	0159772	1	01-0350-0-6000-1000-4300-000-053-00000	NN	P		548.47	107.50
PO-015309	12/11/2014	0159992	1	01-0350-0-6000-1000-4300-000-053-00000	NN	P		0.00	107.50
									TOTAL PAYMENT AMOUNT
									215.00

000753/00	GLENN COUNTY ROAD SHOP								
PO-000436	11/18/2014	415	1	01-8150-0-0000-8100-5630-000-000-00000	NN	P		0.00	355.98
									TOTAL PAYMENT AMOUNT
									355.98

12.15

12 HAMILTON UNIFIED SCHOOL DIST. J7206  
 BATCH 33: JANUARY 21 2015

ACCOUNTS PAYABLE PRELIST  
 BATCH: 0033 BATCH 33, JANUARY 19 2015  
 Fund : 01 GENERAL FUND

APY500 H.02.12 01/05/15 15:55 PAGE 3  
 << Open >>

Vendor/Addr Req Reference Date	Remit name Date	Description	Tax ID num	Deposit type Fd Res	ABA num Y Goal Func Obj	Account num Sit Bdr DD	Account num T9MPS	Liq Amt	Net Amount
--------------------------------------	--------------------	-------------	------------	------------------------	----------------------------	---------------------------	----------------------	---------	------------

000162/00	GRAINGER								
PO-000409	12/08/2014	9612678418		1	01-8150-0-0000-8100-4300-000-0000-0000	NN P		0.00	18.84
TOTAL PAYMENT AMOUNT									18.84

000036/00	GREATAMERICA LEASING CORP								
PO-000424	12/22/2014	FEB 16294605		1	01-0000-0-1110-1000-5620-100-000-00000	NN P		0.00	117.18
TOTAL PAYMENT AMOUNT									117.18

000072/00	HILLYARD								
PO-000412	12/12/2014	601420094		1	01-8150-0-0000-8100-4300-000-000-00000	NN P		0.00	21.50
PO-000412	12/18/2014	601428034		1	01-8150-0-0000-8100-4300-000-000-00000	NN P		0.00	874.16
TOTAL PAYMENT AMOUNT									895.66

000801/00	HUNT & SONS INC								
PO-000400	12/12/2014	408697		2	01-0000-0-0000-3600-4392-000-000-00000	NN P		0.00	1,558.79
TOTAL PAYMENT AMOUNT									1,558.79

000445/00	IT SAVVY								
PO-015402	12/10/2014	760406		1	01-9150-0-0000-2420-4300-000-000-00000	NN F		30.00	30.00
TOTAL PAYMENT AMOUNT									30.00

001046/00	IXL MATR								
PO-015447	12/08/2014	S266151		1	01-0001-0-1110-1000-4300-000-000-00000	NN F		2,500.00	2,500.00
TOTAL PAYMENT AMOUNT									2,500.00

000723/00	JIMMY'S CUSTOM TROPHIES								
PO-015143	12/05/2014	24252		1	01-0000-0-1110-1000-4300-000-000-00000	NN P		0.00	9.68
TOTAL PAYMENT AMOUNT									9.68

12.110

Vendor/Addr Reg Reference	Remit name Date	Description	Tax ID num	Deposit type Fd Res	ABA num Y Goal	Account num Func Obj	Sit Bdr DD	TRMPS	Liq Amt	Net Amount
------------------------------	--------------------	-------------	------------	------------------------	-------------------	-------------------------	------------	-------	---------	------------

001259/00	JOHANNA M CLAY		557451211							
PO-015466	12/17/2014	023 NOV-DEC		1 01-0000-0-1110-1000-5890-000-0000					960.00	960.00
TOTAL PAYMENT AMOUNT										960.00

000217/00 KELLY LANGAN

PV-000102	12/19/2014	MILEAGE 12-2 TO 12-16 2014		01-0000-0-1110-1000-5200-100-0000					45.20	45.20
TOTAL PAYMENT AMOUNT										45.20

000524/00 MJB WELDING SUPPLY

PO-015131	12/09/2014	1059300		1 01-0350-0-6000-1000-4300-000-053-0000					239.23	107.65
PO-015131	12/17/2014	1060077		1 01-0350-0-6000-1000-4300-000-053-0000					0.00	20.18
TOTAL PAYMENT AMOUNT										127.83

000719/00 NORTH WOODWINDS

PO-015462	10/27/2014	694268		2 01-0000-0-1110-1000-5630-000-013-0000					185.00	185.00
PO-015462	10/27/2014	694268		1 01-0801-0-1110-1000-4300-000-521-0000					100.00	100.00
TOTAL PAYMENT AMOUNT										285.00

000309/00 OFFICE DEPOT

PO-015100	12/08/2014	744449382001		1 01-0000-0-1110-1000-4300-000-000-0000					0.00	413.24
PO-015100	12/06/2014	744449249001		1 01-0000-0-1110-1000-4300-000-000-0000					5,000.00	3.87
PO-015100	12/08/2014	744449383001		1 01-0000-0-1110-1000-4300-000-000-0000					0.00	10.64
PO-015100	12/08/2014	744449384001		1 01-0000-0-1110-1000-4300-000-000-0000					0.00	16.09
PO-015448	12/11/2014	745152867001		1 01-0801-0-1110-1000-4300-800-571-0000					192.85	192.85
PO-015473	12/24/2014	747198258001		1 01-0000-0-1110-1000-4300-100-000-0000					14.72	14.72
TOTAL PAYMENT AMOUNT										651.41

000027/00 ORLAND HARDWARE

PO-000417	12/05/2014	238217		2 01-0000-0-3800-1000-4300-000-045-0000					0.00	107.10
PO-000417	12/03/2014	237999		1 01-8150-0-0000-8100-4300-000-000-0000					0.00	16.03
PO-000417	12/17/2014	239381		1 01-8150-0-0000-8100-4300-000-000-0000					0.00	54.63
TOTAL PAYMENT AMOUNT										177.76

12.1.11

Vendor/Addr Reg Reference Date	Remit name Date	Description	Tax ID num	Deposit type Fd Res	ABA num Y Goal	Account num Func Obj	Sit Bdr DD	TRMPS	Liq Amt	Net Amount
--------------------------------------	--------------------	-------------	------------	------------------------	-------------------	-------------------------	------------	-------	---------	------------

000817/00	PATTERN PRESS									
PO-015469	12/24/2014	1414		1	01-7405-0-1110-1000-4300-000-0000	NN F			65.58	66.58
TOTAL PAYMENT AMOUNT										66.58

000084/00	PG&E									
PO-000416	12/15/2014	DEC HS 9921774729-6		1	01-0000-0-0000-8100-5590-000-000-0000	NN P			0.00	5,978.37
PO-000416	12/26/2014	DEC ELEM 3699672995-4		1	01-0000-0-0000-8100-5590-000-000-0000	NN P			0.00	3,798.83
TOTAL PAYMENT AMOUNT										9,777.20

000436/00	PIERCE HIGH SCHOOL									
PO-015476	12/23/2014	1/31/15 FIELD DAY REGIST		1	01-0000-0-3800-1000-5200-000-045-0000	NN F			170.00	170.00
TOTAL PAYMENT AMOUNT										170.00

000418/00	PITNEY BOWES GLOBAL FINANCIAL									
PO-000443	12/23/2014	JAN-APR 10 2015 1083576-DC14		1	01-0000-0-1110-1000-5620-800-000-0000	NY P			0.00	154.80
TOTAL PAYMENT AMOUNT										154.80

000512/00	PLATT ELECTRIC SUPPLY INC									
PO-000432	12/04/2014	F703000		1	01-8150-0-0000-8100-4300-000-000-0000	NN P			0.00	5.63
PO-000432	12/05/2014	F7140932		1	01-8150-0-0000-8100-4300-000-000-0000	NN P			0.00	35.77
TOTAL PAYMENT AMOUNT										41.40

000137/00	SCHOOL SERVICES OF CALIF INC									
PO-000426	11/30/2014	NOV 2014 0099344-IN		1	01-0000-0-1110-1000-5890-000-000-0000	NN P			0.00	215.00
TOTAL PAYMENT AMOUNT										215.00

000297/00	SHOPLET ONLINE									
PO-015189	08/04/2014	1406237175		1	01-9151-0-1110-1000-4300-000-000-0000	YN P			499.96	499.96
TOTAL PAYMENT AMOUNT										499.96
TOTAL USE TAX AMOUNT										37.50

12.1.12



Vendor/Addr Remit name Description Tax ID num Deposit type ABA num Account num Liq Amt Net Amount  
 Req Reference Date

000762/00 CRYSTAL CREAMERY

PO-000445	12/15/2014	201888	1	13-5310-0-0000-3700-4700-000-000-0000	NN	P	0.00	268.33	
PO-000445	12/04/2014	201869	1	13-5310-0-0000-3700-4700-000-000-0000	NN	P	0.00	25.59	
PO-000445	12/04/2014	201868	1	13-5310-0-0000-3700-4700-000-000-0000	NN	P	0.00	51.18	
PO-000445	12/04/2014	201877	1	13-5310-0-0000-3700-4700-000-000-0000	NN	P	0.00	255.70	
PO-000445	12/08/2014	201878	1	13-5310-0-0000-3700-4700-000-000-0000	NN	P	0.00	409.64	
PO-000445	12/08/2014	201883	1	13-5310-0-0000-3700-4700-000-000-0000	NN	P	0.00	51.18	
PO-000445	12/15/2014	201891	1	13-5310-0-0000-3700-4700-000-000-0000	NN	P	0.00	63.87	
TOTAL PAYMENT AMOUNT								1,125.49	

000764/00 DANIELSON CO

CM-000036	12/10/2014	61258	1	13-5310-0-0000-3700-4700-000-000-0000	NN		0.00	60.60	
PO-000425	12/16/2014	61677	1	13-5310-0-0000-3700-4300-000-000-0000	NN	P	0.00	96.84	
PO-000425	12/16/2014	61674	1	13-5310-0-0000-3700-4300-000-000-0000	NN	P	0.00	43.98	
PO-000425	12/16/2014	61677	2	13-5310-0-0000-3700-4700-000-000-0000	NN	P	0.00	95.14	
PO-000425	12/10/2014	61303	2	13-5310-0-0000-3700-4700-000-000-0000	NN	P	0.00	231.56	
PO-000425	12/10/2014	61304	2	13-5310-0-0000-3700-4700-000-000-0000	NN	P	0.00	39.70	
PO-000425	12/16/2014	61674	2	13-5310-0-0000-3700-4700-000-000-0000	NN	P	0.00	427.07	
PO-000425	12/16/2014	61677	3	13-5310-0-0000-3700-5890-000-000-0000	NN	P	0.00	5.00	
TOTAL PAYMENT AMOUNT								878.69	

000209/00 GOLD STAR FOODS

PO-000415	12/15/2014	1213888	2	13-5310-0-0000-3700-4700-000-000-0000	NN	P	0.00	1,780.18	
TOTAL PAYMENT AMOUNT								1,780.18	

000592/00 MISSION UNIFORM & LINEN

PO-000405	12/11/2014	250160254	1	13-5310-0-0000-3700-4300-000-000-0000	NN	P	0.00	19.85	
PO-000405	12/11/2014	250160255	1	13-5310-0-0000-3700-4300-000-000-0000	NN	P	0.00	37.29	
PO-000405	12/18/2014	250161595	1	13-5310-0-0000-3700-4300-000-000-0000	NN	P	0.00	32.69	
TOTAL PAYMENT AMOUNT								89.83	

000763/00 PROPACIFIC FRESH

CM-000038	12/23/2014	P6078648	13	13-5310-0-0000-3700-4700-000-000-0000	NN		0.00	51.25	
PO-000407	12/16/2014	6077524	1	13-5310-0-0000-3700-4700-000-000-0000	NN	P	0.00	148.69	
PO-000407	12/16/2014	6077909	1	13-5310-0-0000-3700-4700-000-000-0000	NN	P	0.00	17.22	
TOTAL PAYMENT AMOUNT								114.66	

12.1.14

12 HAMILTON UNIFIED SCHOOL DIST. J7206  
 BATCH 33: JANUARY 21 2015

ACCOUNTS PAYABLE PRELIST  
 BATCH: 0033 BATCH 33; JANUARY 19 2015  
 Fund : 13 CAFETERIA

APY500 H.02.12 01/05/15 15:55 PAGE 8  
 << Open >>

Vendor/Addr Remit name Description Tax ID num Deposit type ABA num Account num  
 Reg Reference Date Description Fund : 13 CAFETERIA  
 002012/00 UNITED GROCERS

PO-000438 12/02/2014 135408  
 PO-000438 12/03/2014 135720  
 PO-000438 12/09/2014 137808

2 13-5310-0-0000-3700-4700-000-0000 NN P 0.00 43.52  
 2 13-5310-0-0000-3700-4700-000-0000 NN P 0.00 73.06  
 2 13-5310-0-0000-3700-4700-000-0000 NN P 0.00 31.43  
 TOTAL PAYMENT AMOUNT 148.01 \* 148.01

TOTAL Fund PAYMENT 4,136.86 \*\* 4,136.86

TOTAL BATCH PAYMENT 33,509.22 \*\*\* 33,509.22  
 TOTAL USE TAX AMOUNT 52.22 0.00

TOTAL DISTRICT PAYMENT 33,509.22 \*\*\*\*\* 33,509.22  
 TOTAL USE TAX AMOUNT 52.22 0.00

TOTAL FOR ALL DISTRICTS: 33,509.22 \*\*\*\*\* 33,509.22  
 TOTAL USE TAX AMOUNT 52.22 0.00

Number of warrants to be printed: 44, not counting voids due to stub overflows.

\*\*\*\*\* END OF REPORT \*\*\*\*\*

Prepared by Christa Verbits 1/5/15 Date  
 Authorized by \_\_\_\_\_ Date

12.1.15

12 HAMILTON UNIFIED SCHOOL DIST. J6893  
 BATCH 34; JANUARY 2015

ACCOUNTS PAYABLE PRELIST  
 BATCH: 0034 BATCH 34; JANUARY 2015  
 Fund : 01 GENERAL FUND

APY500 H.02.12 12/29/14 10:25 PAGE 1  
 << Open >>

Vendor/Addr	Remit name	Description	Tax ID num	Deposit type	Fd Res	Y	Goal	Func	Obj	Sit	Bdr	DD	T9MPS	Liq Amt	Net Amount
002047/00	DANNIS WOLIVER KELLEY		943172834												

PO-015237 11/25/2014 NOVEMBER LEGAL FEES  
 1 01-0000-0-0000-7110-5815-000-000-00000 NY P 0.00 16,633.09  
 TOTAL PAYMENT AMOUNT 16,633.09 \*

TOTAL Fund	PAYMENT	16,633.09 **													16,633.09
TOTAL BATCH PAYMENT		16,633.09 ***													16,633.09
TOTAL DISTRICT PAYMENT		16,633.09 *****													16,633.09
TOTAL FOR ALL DISTRICTS:		16,633.09 *****												0.00	16,633.09

Number of warrants to be printed: 1, not counting voids due to stub overflows.

Prepared by	<i>Lutea Hammer</i>	Date	<i>12/29/14</i>
Authorized by		Date	

12.1.16

**HAMILTON UNIFIED SCHOOL DISTRICT**

**BOARD MEETING**

**MINUTES**

**Hamilton High School Library**

**Monday, December 15, 2014**

---

6:00 p.m.	Public session for purposes of opening the meeting only.
6:00 p.m.	Closed session to discuss closed session items listed below.
6:30 p.m.	Reconvene to open session no earlier than 6:30 p.m.

---

**1.0 OPENING BUSINESS:**

1.1 Call to order and roll call

Tomas Loera, President       Rosalinda Sanchez       Gabriel Leal  
 Judy Twede, Clerk       Hubert "Wendall" Lower

**2.0 IDENTIFY CLOSED SESSION ITEMS:**

3.0 **PUBLIC COMMENT ON CLOSED SESSION ITEMS.** Public comment will be heard on any closed session item. The board may limit comments to no more than three minutes per speaker and 15 minutes per item.

4.0 **ADJOURN TO CLOSED SESSION:** To consider qualified matters.

4.1 Government Code, section 54956.9, Conference with Legal Counsel - Anticipated Litigation. Significant exposure to litigation pursuant to subdivision (d)(2) of section 54956.9.

4.2 Government Code Section 54957.6, Labor Negotiations. To confer with the District's Labor Negotiator, Superintendent Charles Tracy, regarding HTA and CSEA negotiations.

4.3 Government Code Section 54957, Personnel Issue. To consider the employment, evaluation, reassignment, resignation, dismissal, or discipline of a classified and certificated employees.

5.0 **RECONVENE TO PUBLIC SESSION/FLAG SALUTE:** Reconvened to open session at 6:40 p.m. Direction was given to Superintendent regarding closed session items.

6.0 **ADOPT THE AGENDA:** Agenda was adopted.

**7.0 Adjourn to Organizational Meeting.**

7.1 **Board President.** Tomas Loera nominated for Board President for the 2015 Year by Judy Twede. Unanimous vote.

7.2 **Board Clerk.** Judy Twede nominated for Board Clerk for the 2015 year by Wendall Lower. Unanimous vote.

7.3 **Meeting Dates.** Approval of regular monthly meetings for the 2015 year.

8.0 **PUBLIC COMMENT:** Public comment on any item of interest to the public that is within the Board's jurisdiction will be heard (agenda and non-agenda items.) The Board may limit comments to no more than three minutes per speaker and 15 minutes per topic. Public comment will also be allowed on each specific

12.2.1

action item prior to board action thereon. Two parents of high school students commented on the great FFA program. Thanked the Board and staff for providing wonderful opportunities for their students.

**9.0 COMMUNICATIONS/REPORTS:**

9.1 Board Members Comments/Reports. No reports.

9.2 ASB President and Elementary Student Council President.

1. Hamilton High School, Ivan Urena-Valdes
2. Hamilton Elementary School, Ofelia Flores

Both ASB Presidents reported on their respective schools regarding activities, fundraisers and sporting events.

9.3 District Reports (handouts).

1. Food Service - Director LeAnn Radtke
2. Operations - Director Marc Eddy
3. Technology - Manager Frank James

9.4 Principal and Dean of Students Reports.

1. Cris Oseguera, Hamilton High School Principal
2. Darcy Pollak, Hamilton Elementary School Principal
3. Maria Reyes, District Dean of Students

Principals and Dean of Students reported on their many activities, academic progress, staff development opportunities and attendance.

4. School Presentation-Hamilton Elementary School – forfeited to allow more time for the Math Adoption discussion items.

9.5 Superintendent's Report, Superintendent Charles Tracy.

1. LCAP Update, December 1, 2014 – light attendance. Info is or will be posted on website.
2. Biennial Brown Act Training, December 8, 2014 - attended by Princeton staff and Board.
3. Launching the ELD Frameworks Conference, December 9th and 10<sup>th</sup> – attended, but also dealing with school closure due to possible flood issues.
4. Elementary Christmas Program December 16<sup>th</sup> – reminder.
5. District office is dark the week of December 22nd-26th – reminder.

**10.0 COMMUNICATIONS:**

10.1 Early Admittance for Kindergarten and/or Transitional Kindergarten – reminder regarding district policy of admitting TK/K students.

**11.0 DISCUSSION ITEMS:**

11.1 First Interim report 2014-2015, Presentation by CBO Diane Lyon – presentation included detailed financial information for the district through October 31<sup>st</sup>. The district reported a Positive Certification based on the Multiyear projection report and level of reserves.

11.2 Math Adoption CPM Math Grades 6-10-Opening Public Review Period – presentation by Leslie Anderson, TOSA, regarding math materials for adoption. Materials will be on display for 30 days prior to Board approval/adoption.

- 11.3 Math Adoption Every Day Math Grades K-2- Opening Public Review Period – see above.
- 11.4 Proposed Resolution, Retirement incentive CAL-STRS – presented by Superintendent Tracy presented the retirement incentive and commented how rehiring at lower end of salary schedule would help the district's bottom line financially. The incentives would provide a cost savings to the district.
- 11.5 Proposed Resolution, Retirement Incentive CAL-PERS – see above.
- 11.6 Initial Proposal from HTA to HUSD (First Reading) – Second reading will be in January.
- 11.7 Subaward Agreement with Butte-Glenn Community College District on behalf of sponsored program California Career Pathways Trust – Welding/fabrication and medical assistance programs will be taught. Requires in-kind match over five years. Approx. \$140k over five years.

12.0 **ACTION ITEMS:**

- 12.1 First Interim report 2014-2015 – Motion by Mrs. Twede, seconded by Mr. Lower, motion carried.
- 12.2 Proposed Resolution, Retirement incentive CAL-STRS – Motion by Mr. Lower, seconded by Mrs. Twede, motion carried.
- 12.3 Proposed Resolution, Retirement incentive CAL-STRS – Correction to CAL-PERS, motion by Mr. Lower, seconded by Mrs. Twede, motion carried.
- 12.4 Subaward Agreement with Butte-Glenn Community College District – Motion by Mrs. Twede, seconded by Mr. Lower, motion carried.

13.0 **CONSENT AGENDA:** (M) Items in the consent agenda are considered routine and are acted upon by the Board in one motion. There is no discussion of these items prior to the Board vote and unless a member of the Board, staff, or public request specific items be discussed and/or removed from the consent agenda. Each item on the consent agenda approved by the Board shall be deemed to have been considered in full and adopted as recommended.

- 13.1 Warrants and Expenditures (12.1.1-12.1.22)
- 13.2 Minutes of the Regular Board Meeting of November 17, 2014 (13.2.1-13.2.4)
- 13.3 Minutes of Special Board Meeting of November 12, 2014 (preparing for next meeting)
- 13.4 DLAC Minutes November 10, 2014 (13.4.1-13.4.5)
- 13.5 DAC Minutes/ Notice Letter to Hamilton Elementary School (12.5.1-12.5.2)
- 13.6 HES SSC Meeting Minutes from September and October (12.6.1-12.6.7)
- 13.7 HES SSC Meeting Agenda for November 17, 2014 (12.7.1-12.7.2)
- 13.8 Classified Substitute - Marisol Alvarez (12.8.1-12.8.3)
- 13.9 Job Descriptions – Administrative Assistants, HS and HES (13.9.1-13.9.6)
- 13.10 Volunteer Wrestling Coach- John "Jay" Zuppan

Motion by Mr. Lower to adopt Consent Agenda with no removals, seconded by Mrs. Twede, motion carried.


14.0 **ADJOURNMENT: 8:15 p.m.**

Board reviewed and accepted on January 20, 2015

By \_\_\_\_\_  
Judy Twede, Clerk

12.2.3

# Hamilton Elementary School



277 Capay Avenue • P.O. Box 277  
Hamilton City, CA 95951-0277  
School Office (530) 826-3474 • Fax (530) 826-0419  
District Office (530) 826-3261

**District Governing Board**  
Tomas Loera, President  
Judy Tweede, Clerk  
Wendell Lower  
Gabriel Leal  
Tim Anderson

**District Superintendent**  
Charles Tracy

**Principal**  
Darcy Pollak

## Hamilton Elementary School

### School Site Council Meeting

Monday December 15, 2014

5:00 pm

Hamilton Elementary School – Conference Room  
PO Box 277 Capay Avenue – Hamilton City, CA 95951

### *Agenda*

#### ORDER OF BUSINESS

**Item 1** Call to Order

**Item 2** Establish Quorum (3 HES Staff, 3 Parents/Community Members)

*Staff Present:*

*Parents Present:*

**Item 3** Verification of Posting of the Agenda- 72 Hours in advanced

*Anticipated posting by Dec. 12, 2014.*

**Item 4** Public Comment

*This is the time for members of the audience to present items not on the Agenda. Comments should be limited to a maximum of three minutes duration. The SSC is prohibited by State Law from taking action on any item presented if it is not listed on the Agenda.*

**Item 5** Approval of Minutes –

**November 17, 2014 (Attachment #1)**

12.4.1

**ADMINISTRATION**

**Item 6            Updates**

- PLC and intervention plan 2014-15
- Assessment update
- ELA Framework update
- Parent Outreach

**ENGLISH LEARNER (ELAC)**

**Item 7            Updates**

- ELAC membership

**BUSINESS REPORT DISCUSSION**

**Item 8            Title 1 budget. Expenditures to date. Attachment #2**

**OLD BUSINESS**

**None**

**DISCUSSION ITEMS**

**Item 11           Review/Plan for revisions of the Single Plan for Student Achievement**

**NEW BUSINESS ACTION ITEMS**

**Item 12           Approve changes to the Hamilton Elementary School Site Council By-Laws. Attachment #3**

**ADJOURNMENT**

12.4.2

Hamilton Unified School District

**Quarterly Report on Williams Uniform Complaints**  
(Education Code § 35186)

Person completing this form: Charles Tracy

Title: Superintendent

Quarterly Report Submission Date:  
*(check one)*

January 2015  
April 2015  
July 2015  
October 2015

Date for information to be reported publicly at governing board meeting:

January 20, 2015

Please check the box that applies:

No complaints were filed with any school in the district during the quarter indicated above.

Complaints were filed with schools in the district during the quarter indicated above. The following chart summarizes the nature and resolution of these complaints.

	Total No. of Complaints	No. Resolved	No. Unresolved
Textbooks and Instructional Materials			
Teacher Vacancy or Misassignment			
Facilities Conditions			
TOTALS			

\_\_\_\_\_  
Charles Tracy, Superintendent

\_\_\_\_\_  
Date Signed

12.5.1


**Hamilton High School  
AP US History  
Field Trip to Chico for movie**

**Item:** Field Trip to watch historical movie "Selma"  
**Date:** January 21 or January 23, 2015  
**Itinerary:** Depart HHS at approximately 1:30pm for matinee movie in Chico; after Movie, we will enjoy a Jamba Juice together before arriving back in Hamilton City at approximately 5:30pm.

**Expected cost to students:** none- except for own snacks  
**Expected cost to HHS or HUSD:** none- potential use of school vans, but likely will use parent drivers

**Number of students:** 15 students  
**Number of Chaperones:** 3 or 4 (Hogan Brown/Robert Cabral/Julie Koehnen/Christine Engel)

**Rationale:** This movie will showcase the impact of the Civil Rights movement on the USA. This ties into the CA History Social Science Standards and will visually illustrate for our students the struggle for equal rights in the US.



HOGAN BROWN