

A P P E N D I X A

AIR QUALITY AND GREENHOUSE
GAS TECHNICAL REPORT



Air Quality and Greenhouse Gas Background and Modeling Data

AIR QUALITY

Sacramento Valley Air Basin

The project site lies in the Sacramento Valley Air Basin (SVAB) which includes comprised of Butte, Colusa, Glenn, Placer, Sacramento, Shasta, Solano, Sutter, Tehama, and Yolo counties. The basin lies along the northern central valley of California and covers an area of nearly 15,000 square miles. The topography of the region is typically flat, with relief from just below sea level in the river delta to 2,150 feet above sea level on the Sutter Buttes.¹ The Sacramento River and its tributaries flow through the entire air basin. The north sector of the basin is dominated by the Klamath and Cascade Ranges, while the west is bordered by the Coastal Mountain Range. The eastern sector is bound by the southern portion of Cascade Mountain Range and the northern portion of the Sierra Nevada Mountains while the San Joaquin Valley borders the valley to the south.

The characteristic climate of the SVAB is influenced by its topography and geography. The Mediterranean climate of the region is represented by its hot, dry summers and mild, wet winters with temperatures generally ranging from 20°F to 115°F annually.² The climatological station nearest to the project site with temperature data is the Orland Monitoring Station (ID No. 046506). The lowest average temperature is reported at 36.7°F in January, and the highest average temperature is 96.7°F in August.³

In contrast to a very steady temperature pattern, rainfall is seasonally and annually highly variable. The region receives about 20 inches of rain annually, with about 75 percent occurring between November through March. In Glenn County, almost all rain falls from October through April with scattered showers throughout the summer. Rainfall historically averages 19.95 inches per year in the project area.⁴

¹ Sacramento Area Council of Governments (SACOG). 2016, February. 2016 Metropolitan Transportation Plan/Sustainable Communities Strategy, Chapter 7: Environmental Sustainability. https://www.sacog.org/sites/main/files/file-attachments/7_-_environmental_sustainability.pdf.

² Sacramento Area Council of Governments (SACOG). 2016, February. 2016 Metropolitan Transportation Plan/Sustainable Communities Strategy, Chapter 7: Environmental Sustainability. https://www.sacog.org/sites/main/files/file-attachments/7_-_environmental_sustainability.pdf

³ Western Regional Climate Center (WRCC). 2019, September 9 (accessed). Orland, California ([Station ID] 046506): Period of Record Monthly Climate Summary, 03/01/1903 to 06/10/2016. Western U.S. Climate Summaries. <https://wrcc.dri.edu/cgi-bin/cliMAIN.pl?ca6506>.

⁴ Western Regional Climate Center (WRCC). 2019, September 9 (accessed). Orland, California ([Station ID] 046506): Period of Record Monthly Climate Summary, 03/01/1903 to 06/10/2016. Western U.S. Climate Summaries. <https://wrcc.dri.edu/cgi-bin/cliMAIN.pl?ca6506>.

The Sacramento Valley is shielded from the ocean and, thus, is generally less affected by maritime conditions. However, due to its topography, the relative humidity of the SVAB can vary drastically. The warm seasons are characterized by low humidities that can occasionally decrease further under the influence of the northerly winds. Strong marine intrusion during the summer creates a transitional zone between the high coastal humidity and low continental humidity in the delta area surrounding the Sacramento and San Joaquin Rivers. Winter humidity is typically moderate to high. Between late fall through early spring, thick radiation fog forms overnight as the air close to the ground cools rapidly and reaches its saturation point. The resulting fog forms near the surface and extends upward as the air above it cools. In the Sacramento Valley, a special type of radiation fog, tule fog, forms as the cool, moist air from the Pacific travels over the valley during clear nights with little wind and can last up to two or three weeks.⁵

Due to the north-south orientation of the valley, the prevailing wind travels south year-round. In addition, the mountains surrounding the valley helps to direct onshore air currents through the valley. Spring wind patterns are dominated by marine intrusion through the Carquinez Strait that travels north through the valley, as well as katabatic, or downslope, winds from the Cascade and Klamath ranges.⁶

During the summer, the Sacramento Valley's diurnal wind flow pattern is characterized by marine intrusions and anabatic, or upslope, wind toward the mountains. These wind flow patterns are much stronger than the contesting downslope flows and land breezes. The summer air flow patterns are thus generally dominated by these daytime conditions although there are a significant number of instances in which strong northerly winds travel through the valley.

Autumn winds are characterized by competing marine intrusion winds travelling north and katabatic flows travelling south through the valley. During the winter, the SVAB's wind flow pattern is characterized by downslope flows from its bordering mountain ranges into the valley, in addition to strong south winds.

Air stagnation often occurs from autumn until early winter due to large high-pressure cells and reduced surface heating in the region that diminish surface winds and vertical air flow.⁷ The mountains surrounding the valley further obstruct air flow, trapping and concentrating air pollutants in the region under high pressure systems. Furthermore, because of the onshore winds, the air quality of the Sacramento Valley is impacted by pollutants generated in the San Francisco Bay Area and the San Joaquin Valley, in addition to those generated in the region.

The surface concentrations of pollutants are highest when these conditions coincide with temperature inversion that trap cool air and pollutants near the ground. During an inversion, the typical state of the

⁵ Harold Gilliam. 2002. *Weather of the San Francisco Bay Region*, 2nd Ed.

⁶ California Air Resources Board (CARB). 1994, February. *California Surface Wind Climatology*. <https://ww3.arb.ca.gov/research/apr/reports/l013.pdf>

⁷ Sacramento Area Council of Governments (SACOG). 2016, February. *2016 Metropolitan Transportation Plan/Sustainable Communities Strategy, Chapter 7: Environmental Sustainability*. https://www.sacog.org/sites/main/files/file-attachments/7_-_environmental_sustainability.pdf

atmosphere is reversed and, consequently, air temperature increases with height. The warmer air above the inversion base is less dense than the underlying cooler layer, and thus acts like a lid to prevent vertical air mixing.⁸

The Glenn County Air Pollution Control District (GCAPCD) serves all of Glenn County, an agricultural community on the west side of the Northern Sacramento Valley Air Basin (NSVAB) about 80 miles north of Sacramento. The physical geography of the county provides a challenge to its air quality management. As it lies in a basin, Glenn County is subject to the effects of pollutants trapped between the surrounding mountain ranges. This condition can be further aggravated by frequent temperature inversions in the area and prevailing winds sweeping in from San Francisco Bay Area that further concentrate the air pollution in the region. In addition, growth and urbanization throughout the county have contributed to an increase in vehicle emissions and its consequent air quality conditions.⁹

Air Quality Regulations

The proposed project has the potential to release gaseous emissions of criteria pollutants and dust into the ambient air; therefore, it falls under the ambient air quality standards promulgated at the local, state, and federal levels. The project is subject to the rules and regulations imposed by the GCAPCD. However, GCAPCD reports to California Air Resources board (CARB), and all criteria emissions are also governed by the California and national Ambient Air Quality Standards (AAQS). Federal, state, regional, and local laws, regulations, plans, or guidelines that are potentially applicable to the proposed project are summarized below.

AMBIENT AIR QUALITY STANDARDS

The Federal Clean Air Act was passed in 1963 by the United States Congress and has been amended several times. The 1990 amendments represent the latest in a series of federal efforts to regulate the protection of air quality in the United States. The Clean Air Act allows states to adopt more stringent standards or to include other pollutants. The California Clean Air Act (CCAA), signed into law in 1988, requires all areas of the state to achieve and maintain the California AAQS by the earliest practical date. The California AAQS tend to be more restrictive than the National AAQS.

The National and California AAQS are the levels of air quality considered to provide a margin of safety in the protection of the public health and welfare. They are designed to protect “sensitive receptors” most susceptible to further respiratory distress, such as asthmatics, the elderly, very young children, people already weakened by other disease or illness, and persons engaged in strenuous work or exercise. Healthy

⁸ Sacramento Area Council of Governments (SACOG). 2016, February. 2016 Metropolitan Transportation Plan/Sustainable Communities Strategy, Chapter 7: Environmental Sustainability. https://www.sacog.org/sites/main/files/file-attachments/7_-_environmental_sustainability.pdf

⁹ Orland, City of. 2010, October. City of Orland General Plan. http://cityoforland.com/_documents/DraftGeneralPlanOct2010.pdf.

adults can tolerate occasional exposure to air pollutant concentrations considerably above these minimum standards before adverse effects are observed.

Both California and the federal government have established health-based AAQS for seven air pollutants, which are shown in Table 1, *Ambient Air Quality Standards for Criteria Pollutants*. These pollutants are ozone (O₃), nitrogen dioxide (NO₂), carbon monoxide (CO), sulfur dioxide (SO₂), coarse inhalable particulate matter (PM₁₀), fine inhalable particulate matter (PM_{2.5}), and lead (Pb). In addition, the State has set standards for sulfates, hydrogen sulfide, vinyl chloride, and visibility-reducing particles.

Table 1 Ambient Air Quality Standards for Criteria Pollutants

Pollutant	Averaging Time	California Standard ^a	Federal Primary Standard ^b	Major Pollutant Sources
Ozone (O ₃) ^c	1 hour	0.09 ppm	*	Motor vehicles, paints, coatings, and solvents.
	8 hours	0.070 ppm	0.070 ppm	
Carbon Monoxide (CO)	1 hour	20 ppm	35 ppm	Internal combustion engines, primarily gasoline-powered motor vehicles.
	8 hours	9.0 ppm	9 ppm	
Nitrogen Dioxide (NO ₂)	Annual Arithmetic Mean	0.030 ppm	0.053 ppm	Motor vehicles, petroleum-refining operations, industrial sources, aircraft, ships, and railroads.
	1 hour	0.18 ppm	0.100 ppm	
Sulfur Dioxide (SO ₂)	Annual Arithmetic Mean	*	0.030 ppm	Fuel combustion, chemical plants, sulfur recovery plants, and metal processing.
	1 hour	0.25 ppm	0.075 ppm	
	24 hours	0.04 ppm	0.14 ppm	
Respirable Coarse Particulate Matter (PM ₁₀)	Annual Arithmetic Mean	20 µg/m ³	*	Dust and fume-producing construction, industrial, and agricultural operations, combustion, atmospheric photochemical reactions, and natural activities (e.g., wind-raised dust and ocean sprays).
	24 hours	50 µg/m ³	150 µg/m ³	
Respirable Fine Particulate Matter (PM _{2.5}) ^d	Annual Arithmetic Mean	12 µg/m ³	12 µg/m ³	Dust and fume-producing construction, industrial, and agricultural operations, combustion, atmospheric photochemical reactions, and natural activities (e.g., wind-raised dust and ocean sprays).
	24 hours	*	35 µg/m ³	
Lead (Pb)	30-Day Average	1.5 µg/m ³	*	Present source: lead smelters, battery manufacturing & recycling facilities. Past source: combustion of leaded gasoline.
	Calendar Quarter	*	1.5 µg/m ³	

Table 1 Ambient Air Quality Standards for Criteria Pollutants

Pollutant	Averaging Time	California Standard ^a	Federal Primary Standard ^b	Major Pollutant Sources
	Rolling 3-Month Average	*	0.15 µg/m ³	
Sulfates (SO ₄) ^e	24 hours	25 µg/m ³	*	Industrial processes.
Visibility Reducing Particles	8 hours	ExCo =0.23/km visibility of 10≥ miles	No Federal Standard	Visibility-reducing particles consist of suspended particulate matter, which is a complex mixture of tiny particles that consists of dry solid fragments, solid cores with liquid coatings, and small droplets of liquid. These particles vary greatly in shape, size and chemical composition, and can be made up of many different materials such as metals, soot, soil, dust, and salt.
Hydrogen Sulfide	1 hour	0.03 ppm	No Federal Standard	Hydrogen sulfide (H ₂ S) is a colorless gas with the odor of rotten eggs. It is formed during bacterial decomposition of sulfur-containing organic substances. Also, it can be present in sewer gas and some natural gas, and can be emitted as the result of geothermal energy exploitation.
Vinyl Chloride	24 hours	0.01 ppm	No Federal Standard	Vinyl chloride (chloroethene), a chlorinated hydrocarbon, is a colorless gas with a mild, sweet odor. Most vinyl chloride is used to make polyvinyl chloride (PVC) plastic and vinyl products. Vinyl chloride has been detected near landfills, sewage plants, and hazardous waste sites, due to microbial breakdown of chlorinated solvents.

Table 1 Ambient Air Quality Standards for Criteria Pollutants

Pollutant	Averaging Time	California Standard ^a	Federal Primary Standard ^b	Major Pollutant Sources
<p>Notes: ppm: parts per million; µg/m³; micrograms per cubic meter; *Standard has not been established for this pollutant/duration by this entity.</p> <p>a. California standards for O₃, CO (except 8-hour Lake Tahoe), SO₂ (1 and 24 hour), NO₂, and particulate matter (PM₁₀, PM_{2.5}, and visibility reducing particles), are values that are not to be exceeded. All others are not to be equaled or exceeded. California ambient air quality standards are listed in the Table of Standards in Section 70200 of Title 17 of the California Code of Regulations.</p> <p>b. National standards (other than O₃, PM, and those based on annual arithmetic mean) are not to be exceeded more than once a year. The O₃ standard is attained when the fourth highest 8-hour concentration measured at each site in a year, averaged over three years, is equal to or less than the standard. For PM₁₀, the 24-hour standard is attained when the expected number of days per calendar year with a 24-hour average concentration above 150 µg/m³ is equal to or less than one. For PM_{2.5}, the 24-hour standard is attained when 98 percent of the daily concentrations, averaged over three years, are equal to or less than the standard.</p> <p>c. On October 1, 2015, the national 8-hour ozone primary and secondary standards were lowered from 0.075 to 0.070 ppm.</p> <p>d. On December 14, 2012, the national annual PM_{2.5} primary standard was lowered from 15 µg/m³ to 12.0 µg/m³. The existing national 24-hour PM_{2.5} standards (primary and secondary) were retained at 35 µg/m³, as was the annual secondary standard of 15 µg/m³. The existing 24-hour PM₁₀ standards (primary and secondary) of 150 µg/m³ also were retained. The form of the annual primary and secondary standards is the annual mean, averaged over 3 years.</p> <p>e. On June 2, 2010, a new 1-hour SO₂ standard was established and the existing 24-hour and annual primary standards were revoked. The 1-hour national standard is in units of parts per billion (ppb). California standards are in units of parts per million (ppm). To directly compare the 1-hour national standard to the California standard the units can be converted to ppm. In this case, the national standard of 75 ppb is identical to 0.075 ppm. Source: California Air Resources Board, 2017, March, Short-Lived Climate Pollutant Reduction Strategy, https://www.arb.ca.gov/cc/shortlived/meetings/03142017/final_slcp_report.pdf, accessed December 5, 2018.</p>				

California has also adopted a host of other regulations that reduce criteria pollutant emissions, including:

- Assembly Bill (AB) 1493: Pavley Fuel Efficiency Standards
- Title 20 California Code of Regulations (CCR): Appliance Energy Efficiency Standards
- Title 24, Part 6, CCR: Building Energy Efficiency Standards
- Title 24, Part 11, CCR: Green Building Standards Code

CRITERIA AIR POLLUTANTS

Pollutants emitted into the ambient air by stationary and mobile sources are regulated by federal and State law under the federal Clean Air Act (“National”) and CCAA, respectively. The pollutants emitted into the ambient air by stationary and mobile sources are categorized as primary and/or secondary pollutants. Primary air pollutants are emitted directly from sources. Carbon monoxide (CO), reactive organic gases (ROG), nitrogen oxides (NO_x), sulfur dioxide (SO₂), coarse inhalable particulate matter (PM₁₀), fine inhalable particulate matter (PM_{2.5}), and lead (Pb) are primary air pollutants. Of these, CO, SO₂, NO₂, PM₁₀, and PM_{2.5} are “criteria air pollutants,” which means that ambient air quality standards have been established for them. ROG and NO_x are criteria pollutant precursors that form secondary criteria air pollutants through chemical and photochemical reactions in the atmosphere. Ozone (O₃) and nitrogen dioxide (NO₂) are the principal secondary pollutants. Along with other Air Pollution Control and Air Quality Management Districts in the NSVAB, Glenn County belongs to the Northern Sacramento Valley Planning Area (NSVPA). Together, the Districts prepare a triennial update of the Air Quality Attainment Plan (AQAP), with the most recent update

in 2018 primarily reviewing ozone and its precursors.¹⁰ Each of the primary and secondary criteria air pollutants and its known health effects is described here.

- **Carbon Monoxide (CO)** Carbon monoxide is formed by the incomplete combustion of carbon-containing material. Because it is directly emitted from combustion engines, carbon monoxide can have adverse localized impacts, primarily in areas of heavy traffic congestion. Because it is emitted directly and has limited dispersion characteristics, CO is considered a localized pollutant. When carbon monoxide combines with hemoglobin in the blood, the oxygen-carrying capacity of the blood is reduced, and the release of oxygen is inhibited or slowed. This condition puts the following at risk: patients with angina, persons with other cardiovascular diseases, chronic obstructive lung disease, or asthma; persons with anemia, and fetuses. At higher levels, CO also affects the central nervous system. Symptoms of exposure may include headaches, dizziness, sleepiness, nausea, vomiting, confusion, and disorientation.¹¹ The SVAB is designated unclassified under the California AAQS and attainment/unclassified designation under the National AAQS.¹²
- **Reactive Organic Gases (ROGs)/ Volatile Organic Compounds (VOCs)** are compounds composed primarily of hydrogen and carbon atoms. Internal combustion associated with motor vehicle usage is the major source of ROGs. Other sources of ROGs include evaporative emissions from paints and solvents, the application of asphalt paving, and the use of household consumer products such as aerosols. Adverse effects on human health are not caused directly by ROGs, but rather by reactions of ROGs to form secondary pollutants such as O₃. As a reactant in ozone formation, ROGs are often referred to as an ozone precursor.¹³ There are no AAQS established for ROGs. Furthermore, per correspondence with GCAPCD staff, Glenn County has not yet established their own significance thresholds for criteria air pollutants. Currently, the District uses thresholds determined by Shasta County Air Quality Management District (Shasta County AQMD). As VOCs contribute to the formation of O₃, Shasta County AQMD has established a significance threshold for this pollutant.¹⁴
- **Nitrogen Oxides (NO_x)** are a by-product of fuel combustion and contribute to the formation of several air pollutants, including ozone. As a reactant in ozone formation, it is often referred to as an ozone precursor.¹⁵ The two major components of NO_x are nitric oxide (NO) and NO₂. The principal component of NO_x produced by combustion is NO, but NO reacts with oxygen to form NO₂, creating the mixture of

¹⁰ Northern Sacramento Valley Planning Area (NSVAB). 2018, December. 2018 Triennial Air Quality Attainment Plan. <http://www.airquality.org/SVBAPCC/Documents/2018%20Triennial%20Report.pdf>.

¹¹ US Environmental Protection Agency (USEPA). 2019, June 13 (updated). Basic Information about Carbon Monoxide (CO) Outdoor Air Pollution. <https://www.epa.gov/co-pollution/basic-information-about-carbon-monoxide-co-outdoor-air-pollution#Effects>.

¹² California Air Resources Board (CARB), 2019, February 20. Appendix C: Maps and Tables of Area Designations for State and National Ambient Air Quality Standards. https://ww3.arb.ca.gov/regact/2019/stateareadesignations/appc.pdf?_ga=2.188358312.107941873.1568053973-1060917271.1557163835

¹³ Northern Sacramento Valley Planning Area (NSVAB). 2018, December. 2018 Triennial Air Quality Attainment Plan. <http://www.airquality.org/SVBAPCC/Documents/2018%20Triennial%20Report.pdf>.

¹⁴ Shasta County Air Quality Management District. 1997, June 24 (amended). Rule 2:1 – New Source Review. https://ww3.arb.ca.gov/nsr/sb288/rules/scaqmd2_1.pdf

¹⁵ Northern Sacramento Valley Planning Area (NSVAB). 2018, December. 2018 Triennial Air Quality Attainment Plan.

NO and NO₂ commonly called NO_x. NO₂ absorbs blue light; the result is a brownish-red cast to the atmosphere and reduced visibility. NO is a colorless, odorless gas formed from atmospheric nitrogen and oxygen when combustion takes place under high temperature and/or high pressure. NO₂ acts as an acute irritant and in equal concentrations is more detrimental than NO. At atmospheric concentrations, however, NO₂ is only potentially irritating.¹⁶ The SVAB is designated as being in attainment under the California AAQS and attainment/unclassified designation under the National AAQS.¹⁷

- **Sulfur Dioxide (SO₂)** is a colorless, pungent, irritating gas formed by the combustion of sulfurous fossil fuels. It enters the atmosphere as a result of burning high-sulfur-content fuel oils and coal and from chemical processes at chemical plants and refineries. Gasoline and natural gas have very low sulfur content and do not release significant quantities of SO₂. When SO₂ forms sulfates (SO₄) in the atmosphere, together these pollutants are referred to as sulfur oxides (SO_x). Thus, SO₂ is both a primary and secondary criteria air pollutant. At sufficiently high concentrations, SO₂ may irritate the upper respiratory tract. At lower concentrations and when combined with particulates, SO₂ may do greater harm by injuring lung tissue.¹⁸ The SVAB is designated as attainment/unclassified designation under the California and National AAQS.¹⁹
- **Suspended Particulate Matter (PM₁₀ and PM_{2.5})** Inhalable particulates refer to particulate matter less than 10 microns in diameter (PM₁₀). Particulates are classified as primary or secondary, depending on their origin. Primary particles are unchanged after being directly emitted (e.g., road dust) and are the most commonly analyzed and modeled form of PM₁₀. Because it is emitted directly and has limited dispersion characteristics, this type of PM₁₀ is considered a localized pollutant. In addition, secondary PM₁₀ can be formed in the atmosphere through chemical reactions involving gases. In 1997, USEPA adopted a fine particulate matter standard of 2.5 microns or less in diameter (PM_{2.5}). Recent studies undertaken by USEPA identify key health effects categories associated with PM include: premature mortality; aggravation of respiratory and cardiovascular disease as indicated by increased hospital admissions, emergency room visits, school absences, work loss day, and restricted activity; changes in lung function and increased respiratory symptoms; changes to lung tissues and structure and; altered respiratory defense mechanisms. According to USEPA, recent epidemiological information indicates that several subpopulations are apparently more sensitive to effects of air pollution containing PM. Observed effects include decreases in pulmonary function reported in children and increased mortality

¹⁶ US Environmental Protection Agency (USEPA). 2016, September 6 (updated). Basic Information about NO₂. <https://www.epa.gov/no2-pollution/basic-information-about-no2#Effects>.

¹⁷ California Air Resources Board (CARB), 2019, February 20. Appendix C: Maps and Tables of Area Designations for State and National Ambient Air Quality Standards. https://ww3.arb.ca.gov/regact/2019/stateareadesignations/appc.pdf?_ga=2.188358312.107941873.1568053973-1060917271.1557163835.

¹⁸ US Environmental Protection Agency (USEPA). 2019, April 2 (updated). Sulfur Dioxide Basics. <https://www.epa.gov/so2-pollution/sulfur-dioxide-basics#effects>.

¹⁹ California Air Resources Board (CARB), 2019, February 20. Appendix C: Maps and Tables of Area Designations for State and National Ambient Air Quality Standards. https://ww3.arb.ca.gov/regact/2019/stateareadesignations/appc.pdf?_ga=2.188358312.107941873.1568053973-1060917271.1557163835

reported in the elderly and individual with cardiopulmonary disease.²⁰ The SVAB is designated as nonattainment under the California AAQS and unclassified designation under the National AAQS for PM₁₀.²¹ For PM_{2.5}, the SVAB is designated as being in attainment under the California AAQS and attainment/unclassified designation under the National AAQS.²²

- **Ozone (O₃)** Ozone in the lower atmosphere is one of the main components of smog. It is not directly emitted but is formed in the atmosphere over several hours from combinations of various precursors in the presence of sunlight. NO_x and VOCs are considered to be the primary compounds, or precursors, contributing to the formation of ozone. Ozone is viewed as both a secondary pollutant and a regional pollutants. Short-term exposure to ozone results in injury and damage to the lung, decreases in pulmonary function, and impairment of immune mechanisms. These changes have been implicated in the development of chronic lung disease as the result of long-term exposure. Symptoms of ozone irritation include shortness of breath, chest pain when inhaling deeply, wheezing, and coughing. Children and persons with pre-existing respiratory disease (e.g., asthma, chronic bronchitis, emphysema) are at greater risk. In addition, effects on vegetation have been documented at concentrations below the standards.²³ Within the Northern Sacramento Valley, ozone tends to be a seasonal challenge between the months of May through October.²⁴ Due to the length of time it takes for NO_x and ROG_s to react, ozone can be transported long distances downwind from the original source. In this way, ozone can be considered a regional pollutant that can have a widespread impact. The SVAB is designated as being in attainment under the California AAQS and attainment/unclassified designation under the National AAQS.²⁵
- **Lead (Pb)** is a metal found naturally in the environment as well as in manufactured products. The major sources of lead emissions have historically been mobile and industrial sources. As a result of the phasing out of leaded gasoline, metal processing is currently the primary source of lead emissions. The highest levels of lead in air are generally found near lead smelters. Other stationary sources are waste incinerators, utilities, and lead-acid battery manufacturers.²⁶ The SVAB is designated as being in

²⁰ US Environmental Protection Agency (USEPA). 2018, November 14 (updated). Particulate Matter (PM) Basics. <https://www.epa.gov/pm-pollution/particulate-matter-pm-basics#effects>.

²¹ California Air Resources Board (CARB), 2019, February 20. Appendix C: Maps and Tables of Area Designations for State and National Ambient Air Quality Standards. https://ww3.arb.ca.gov/regact/2019/stateareadesignations/appc.pdf?_ga=2.188358312.107941873.1568053973-1060917271.1557163835

²² California Air Resources Board (CARB), 2019, February 20. Appendix C: Maps and Tables of Area Designations for State and National Ambient Air Quality Standards. https://ww3.arb.ca.gov/regact/2019/stateareadesignations/appc.pdf?_ga=2.188358312.107941873.1568053973-1060917271.1557163835.

²³ US Environmental Protection Agency (USEPA). 2018, 31 October (updated). Ground-level Ozone Basics. <https://www.epa.gov/ground-level-ozone-pollution/ground-level-ozone-basics#effects>.

²⁴ Northern Sacramento Valley Planning Area (NSVAB). 2018, December. 2018 Triennial Air Quality Attainment Plan. <http://www.airquality.org/SVBAPCC/Documents/2018%20Triennial%20Report.pdf>.

²⁵ California Air Resources Board (CARB), 2019, February 20. Appendix C: Maps and Tables of Area Designations for State and National Ambient Air Quality Standards. https://ww3.arb.ca.gov/regact/2019/stateareadesignations/appc.pdf?_ga=2.188358312.107941873.1568053973-1060917271.1557163835.

²⁶ US Environmental Protection Agency (USEPA). 2017, November 29 (updated). Basic Information about Lead Air Pollution. <https://www.epa.gov/lead-air-pollution/basic-information-about-lead-air-pollution#health>.

attainment under the California AAQS and attainment/unclassified designation under the National AAQS.²⁷

TOXIC AIR CONTAMINANTS

Public exposure to TACs is a significant environmental health issue in California. In 1983, the California Legislature enacted a program to identify the health effects of TACs and to reduce exposure to these contaminants to protect the public health. The California Health and Safety Code defines a TAC as “an air pollutant which may cause or contribute to an increase in mortality or in serious illness, or which may pose a present or potential hazard to human health.” A substance that is listed as a hazardous air pollutant pursuant to Section 112(b) of the federal Clean Air Act (42 US Code Section 7412[b]) is a TAC. Under State law, the California Environmental Protection Agency, acting through CARB, is authorized to identify a substance as a TAC if it is an air pollutant that may cause or contribute to an increase in mortality or serious illness, or may pose a present or potential hazard to human health.

At the time of the last update to the toxic air contaminants (TAC) list in December 1999, the California Air Resources Board (CARB) had designated 244 compounds as TACs.²⁸ Additionally, CARB has implemented control measures for a number of compounds that pose high risks and show potential for effective control measures. The majority of the estimated health risks from TACs can be attributed to relatively few compounds; the most important compounds being particulate matter from diesel-fueled engines.

- **AB 1807 and AB 2588.** California regulates TACs primarily through AB 1807 (Tanner Air Toxics Act) and AB 2588 (Air Toxics “Hot Spot” Information and Assessment Act of 1987). The Tanner Air Toxics Act sets up a formal procedure for CARB to designate substances as TACs. Once a TAC is identified, CARB adopts an “airborne toxics control measure” for sources that emit designated TACs. If there is a safe threshold for a substance (i.e., a point below which there is no toxic effect), the control measure must reduce exposure to below that threshold. If there is no safe threshold, the measure must incorporate toxics best available control technology to minimize emissions. To date, CARB has established formal control measures for 11 TACs that are identified as having no safe threshold.
- **AB 2588.** Under AB 2588, TAC emissions from individual facilities are quantified and prioritized by the air quality management district or air pollution control district. High priority facilities are required to perform an HRA, and if specific thresholds are exceeded, are required to communicate the results to the public through notices and public meetings.

CARB has promulgated the following specific rules to limit TAC emissions:

²⁷ California Air Resources Board (CARB), 2019, February 20. Appendix C: Maps and Tables of Area Designations for State and National Ambient Air Quality Standards. (<https://ww2.arb.ca.gov/rulemaking/2019/areadesignations18>)

²⁸ California Air Resources Board. 1999, December. Final Staff Report: Update to the Toxic Air Contaminant List. <https://ww3.arb.ca.gov/toxics/finalreport.pdf>.

- 13 CCR Chapter 10, Section 2485, Airborne Toxic Control Measure to Limit Diesel-Fueled Commercial Motor Vehicle Idling.
- 13 CCR Chapter 10, Section 2480, Airborne Toxic Control Measure to Limit School Bus Idling and Idling at Schools.
- 13 CCR Section 2477 and Article 8, Airborne Toxic Control Measure for In-Use Diesel-Fueled Transport Refrigeration Units (TRU) and TRU Generator Sets and Facilities Where TRUs Operate.

Diesel Particulate Matter

In 1998, CARB identified DPM as a TAC. Previously, the individual chemical compounds in diesel exhaust were considered TACs. Almost all diesel exhaust particles are 10 microns or less in diameter. Because of their extremely small size, these particles can be inhaled and eventually trapped in the bronchial and alveolar regions of the lungs.

ODORS

Odors represent emissions of one or more pollutants that are a nuisance to healthy persons and may trigger asthma episodes in people with sensitive airways. Pollutants associated with objectionable odors include sulfur compounds and methane. Typical sources of odors include landfills, rendering plants, chemical plants, agricultural uses, wastewater treatment plants, and refineries. Odors are a complex problem that can be caused by minute quantities of substances. Because people have mixed reactions to odors, the nuisance level of an odor varies.

Glenn County Air Pollution Control District

In 1971, State Legislature established the Glenn County Air Pollution Control District to manage non-vehicular sources of air pollution for Glenn County.²⁹ The GCAPCD shares responsibility with the California Air Resources Board (CARB) to ensure that state and national AAQS are achieved and maintained within the county.

AIR QUALITY MANAGEMENT PLANNING

According to the California Infrastructure SIP, the Federal Clean Air Act requires a state to submit a SIP for those areas that exceed National Ambient Air Quality Standards.³⁰ In addition, the CCAA authorizes CARB to require preparation of Air Quality Management Plans for air pollution control districts that house non-attainment areas exceeding California AAQS for one or more of the following pollutants: ozone, carbon

²⁹ County of Glenn. 2019, August 9 (accessed). Air Pollution Control District. <https://www.countyofglenn.net/dept/agriculture/air-pollution-control-district/welcome>.

³⁰ California Air Resources Board. 2018, August 24. California Infrastructure SIP. https://ww3.arb.ca.gov/planning/sip/infrasip/docs/2018_transport_staff_report.pdf.

monoxide, sulfur dioxide, or nitrogen dioxide. Currently, Glenn County is in attainment of, or is unclassified for, all federal and state standards, apart from the state PM₁₀ standards.

Northern Sacramento Valley Planning Area 2018 Triennial Air Quality Attainment Plan³¹

The CCAA requires that air districts for must prepare and submit an Air Quality Attainment Plan (AQAP) if they are designated as a nonattainment area for the CAAQS. This document is intended to address their nonattainment status for the state standards for ozone, carbon monoxide, sulfur dioxide, and nitrogen dioxide and their plans for attaining and maintaining the standards. In addition, the CCAA requires that every three years, the districts review their progress toward attaining the CAAQS. Measures in the Attainment Plan for Stationary Source Controls include:

- **All Feasible Measures:** Under CCAA, air districts are required to develop plans to attain CAAQS for ozone by the earliest practical date. The CCA requires those districts unable to achieve 5% annual emission reductions to demonstrate that it has included “every feasible measure” to the CARB’s satisfaction and an expeditious adoption schedule. The CARB defines “feasible” based on its use in CEQA guidelines—regulations that have been successfully implemented elsewhere.

The CARB has also developed the “Identification of Performance Standards for Existing Stationary Sources – A Resource Document.” This document examines control measures and ranks them into a three-tiered list of feasible measures based on their emissions and emission reduction potential. Members of the NSVPA review the control measures and current emission inventories to assess potential reductions and to prioritize rule development efforts.

- **Feasible Measures Considered for Basin-wide Model Rules:** Control measures are to be considered for model rule development by the air districts under the NSVPA. Based on these considerations, the Sacramento Valley Air Quality Engineering and Enforcement Professionals (SVAQEPP) committee will develop model rules based on the developments. For the 2018 Triennial AQAP, due to the regional nature of ozone non-attainment status, the adoption of new regulations for ozone is anticipated to benefit all air districts within the NSVPA, including those where ozone sources may not exist. Other control measures that may be considered by the NSVPA include those for the reduction of VOC’s from compositing facilities, fugitive VOC emissions from oil and gas production, and NOx from small boilers.
- **Rules Adopted Since 2015 Triennial AQAP:** Per the 2015 Triennial AQAP, the NSVPA districts committed to adopting specific control measures. Of these commitments, the GCAPCD intended to adopt control measures for Architectural Coatings in 2014 but has not as of current. The Suggested Control Measures (SCM) for architectural coatings is to be considered for future adoption.

³¹ Northern Sacramento Valley Planning Area (NSVPA). 2018, December. 2018 Triennial Air Quality Attainment Plan. <http://www.airquality.org/SVBAPCC/Documents/2018%20Triennial%20Report.pdf>.

Measures in the Attainment Plan for Non-Stationary Source Controls include:

- **Incentive Programs:** Districts under the NSVPA administer several grant programs that are aimed at achieving stationary source and area-wide control measures in addition to emission reductions. The programs are voluntary and target mobile sources of pollutants. Of these incentives, the Carl Moyer and Vehicle Fee Programs are mentioned in detail in the document.

The Carl Moyer Memorial Air Quality Standards Attainment Program provides grants administered by local air districts for engines and equipment that are cleaner than required. CARB works in conjunction with these air districts and stakeholders to establish guidelines to make sure the program improves air quality and reduce emissions to meet clean air commitments, mainly for NOx and ROG.

Vehicle Fee Program, as based on sections 44220 through 44247 of the Health and Safety Code (AB 2766), allows APCDs to impose a \$2 to \$4 motor vehicle registration fee to help air districts meet new responsibilities as directed by the CCAA. Since 2004, the limit for these fees have increased to \$6 per vehicle (AB 923). This portion of the fee may be used for projects such as school bus replacements or retrofits according to the Lower Emission School Bus Program Guidelines and Carl Moyer Program.

- **Public Education Program:** These programs are important parts of efforts to reduce air pollution. According to Section 40918(a)(6) of the California Health and Safety Code, each district should include resources for public education to encourage the reduction of emissions from transportation and area-wide sources. Many of these programs have been funded using the Vehicle Registration Surcharge Fees (AB 2766) with each district conducting its own program. For Glenn County, these resources include public services announcements; presentations regarding air pollution for schools, Agriculture and Business groups, and government groups; response to public inquiries, and maintenance of the District website and Twitter accounts.
- **Reductions from Land Use Programs:** Under CEQA, an air district has three primary roles. As a Lead Agency, they are responsible for adoption of air quality plans, rules, and regulations. As a Responsible Agency, they will issue permits for a project when another agency is considered the lead agency. As a Commenting Agencies, the district will comment on a project's air quality impacts but has no discretionary authority when another agency is considered a lead agency.

The district staff works with land use jurisdictions to evaluate the impact a proposed land use project will have on air quality and works to provide mitigation measures for projects under CEQA. Furthermore, they may suggest design features to help reduce emissions and total VMT.

- **Air Quality Forecasting:** Although not required, several NSVPA districts offer their residents ozone forecasting and alert systems in partnership with the local air district, CARB, USEPA, and Sonoma Technologies. The Air Now system provides the public with easy access to national air quality information.
- **District Rules Applicable to New Development:** Air districts under NSVPA have adopted control measures and programs intended to reduce emissions from new developments through the planning process or through control of specific emission sources. As of June 1993, Glenn County has adopted these rules.

GLENN COUNTY AIR POLLUTION CONTROL DISTRICT RULES³²

The USEPA has approved of and has included the following GCAPCD rules into the State Implementation Plan (SIP). These rules limit emissions of air pollutants from construction and operation from development projects.

- **District Rules, Section 50 – Authorization to Construct.** An “authorization to construct” shall be obtained from the Air Pollution Control Officer (APCO) prior to any person building, erecting, altering, or replacing any article, machine, equipment, etc. that may result in the issuance of air contaminants or may eliminate, reduce, or control the issuance of such contaminants. The APCO may not approve of construction unless the applicant demonstrates that the source will be able to comply with all applicable state and district regulations. The Authority to Construct will expire upon issuance of a Permit to Operate or two years from the original date of issuance unless construction has begun physically onsite and completion of the project is diligently pursued.
- **District Rules, Section 51 – New Source Review.** This rule is intended to establish pre-construction review requirements for new or modified sources of air pollution for the employment of Best Available Control Technology (BACT), analysis of air quality impacts, and insurance that the operation of such sources will not hinder attainment efforts or maintenance of ambient air quality standards.
- **District Rules, Section 76 – Visible Emissions.** Discharge of visible air pollutant emissions into the atmosphere from any emission source for a period or periods aggregating more than three minutes in any one hour, as observed using an appropriate test method, is prohibited.
- **District Rules, Section 78 – Nuisance.** No person shall discharge from any source whatsoever such quantities of air contaminants or other materials which cause injury, detriment, nuisance, or annoyance to any considerable number of persons or to the public; or which endanger the comfort, repose, health,

³² Glenn County Air Pollution Control District. 2010, October (amended). Regulations of the Air Pollution Control District of Glenn County. <https://www.countyofglenn.net/sites/default/files/Agriculture/AP%20Regs%20Book%201%202010update.pdf>.

or safety of any such persons or the public; or which cause, or have a natural tendency to cause, injury or damage to business or property.

- **District Rules, Section 85 — Particulate Matter Concentration.** No person shall discharge, from any source, particulate matter in excess of 0.3 grains per cubic feet of gas at standard conditions. If the source involves a combustion process, the concentration must be calculated to 12 percent carbon dioxide (CO₂). When measuring combustion contaminants from incinerators used to dispose of combustible refuse by burning, exclude the amount CO₂ produced by liquid or gaseous fuel combustion of any kind from the calculation to 12 percent CO₂.
- **District Rules, Section 86 — Dust and Fumes Total Emissions.** No person shall discharge, from any source, dust or fumes in any one hour in total quantities in excess of the amounts specified in Section 86, except for emissions associated with agricultural operations.
- **District Rules, Section 89 — Sulfur Oxides.** No person shall discharge, from any single source of emissions whatsoever, any sulfur oxides in excess of 0.2 percent by volume (2000 ppm), which is collectively calculated as sulfur dioxide (SO₂).
- **District Rules, Section 90 — Reduced Sulfur Emissions Standards.** No person shall cause or allow air contaminant emissions from any premises which will result in ground-level concentrations of TRS, expressed as hydrogen sulfide (H₂S), that exceed 0.03 ppm over a period of one hour.

AREA DESIGNATIONS

The AQMP provides the framework for air quality basins to achieve attainment of the state and federal ambient air quality standards through the State Implementation Plan (SIP). Areas are classified as attainment or nonattainment areas for particular pollutants, depending on whether they meet ambient air quality standards. Severity classifications for ozone nonattainment range in magnitude from marginal, moderate, and serious to severe and extreme.

- **Unclassified:** a pollutant is designated unclassified if the data are incomplete and do not support a designation of attainment or nonattainment.
- **Attainment:** a pollutant is in attainment if the CAAQS for that pollutant was not violated at any site in the area during a three-year period.
- **Nonattainment:** a pollutant is in nonattainment if there was at least one violation of a state AAQS for that pollutant in the area.
- **Nonattainment/Transitional:** a subcategory of the nonattainment designation. An area is designated nonattainment/transitional to signify that the area is close to attaining the AAQS for that pollutant.

The attainment status for the SVAB is shown in Table 2, *Attainment Status of Criteria Pollutants in the Sacramento Valley Air Basin*.

Table 2 Attainment Status of Criteria Pollutants in the Sacramento Valley Air Basin

Pollutant	Federal	State
Ozone	Attainment/Unclassified	Attainment
PM ₁₀	Unclassified	Nonattainment
PM _{2.5}	Attainment/Unclassified	Attainment
CO	Attainment/Unclassified	Unclassified
NO ₂	Attainment/Unclassified	Attainment
SO ₂	Attainment/Unclassified	Attainment/Unclassified
Lead	Attainment/Unclassified	Attainment

Source: California Air Resources Board (CARB), 2019, February 20. Appendix C: Maps and Tables of Area Designations for State and National Ambient Air Quality Standards. <http://www.arb.ca.gov/desig/adm/adm.htm>.

Existing Ambient Air Quality

Existing levels of ambient air quality and historical trends and projections in the vicinity of the project site are best documented by measurements taken by the GCAPCD. The air quality monitoring station closest to the project site is the Willows – 720 N Colusa Street Monitoring Station. This station monitors O₃ and PM_{2.5} and PM₁₀. Data for PM_{2.5} and NO_x is supplemented by the Chico—East Avenue Monitoring Station for PM_{2.5}. The most current five years of data monitored at these monitoring stations are included in Table 3, *Ambient Air Quality Monitoring Summary*. The data show recurring violations of federal PM_{2.5} standards and both the state and federal and PM₁₀ standards.

Table 3 Ambient Air Quality Monitoring Summary

Pollutant/Standard	Number of Days Threshold Were Exceeded and Maximum Levels During Such Violations				
	2014	2015	2016	2017	2018
Ozone (O₃)^a					
State 1-Hour ≥ 0.09 ppm	0	0	0	0	0
State 8-hour ≥ 0.07 ppm	1	0	0	0	0
Federal 8-Hour > 0.075 ppm ^b	0	0	0	0	0
Maximum 1-Hour Conc. (ppm)	0.081	0.078	0.079	0.076	0.079
Maximum 8-Hour Conc. (ppm)	0.072	0.068	0.063	0.067	0.063
Nitrogen Dioxide (NO₂)^b					
State 1-Hour ≥ 0.18 ppm (days exceeded)	0	0	0	0	0
Federal 1-Hour ≥ 0.100 pp, (days exceeded)	0	0	0	0	0
Maximum 1-Hour Conc. (ppb)	0.0427	0.0412	0.0324	0.0375	0.0519
Coarse Particulates (PM₁₀)^a					
State 24-Hour > 50 µg/m ³	13	38	16	38	58
Federal 24-Hour > 150 µg/m ³	0	0	0	1	1
Maximum 24-Hour Conc. (µg/ m ³)	76.4	118.0	79.6	181.7	230.2
Fine Particulates (PM_{2.5})^b					
Federal 24-Hour > 35 µg/m ³	1	2	1	2	18
Maximum 24-Hour Conc. (µg/m ³)	58.6	39.0	37.2	45.2	411.7

Notes: ppm = parts per million; ppb = parts per billion; µg/m³ = micrograms per cubic meter; * = insufficient data/not available

a. Data obtained from the Willows—720 N Colusa St Station.

b. Data obtained from Chico-East Avenue Station

Source: California Air Resources Board, 2019, Air Pollution Data Monitoring Cards (2014, 2015, 2016, 2017, and 2018), Accessed 2019, September 6. <http://www.arb.ca.gov/adam/index.html>. Data from Cupertino Monitoring Station for years 2010–2013. Data from the San Jose Jackson Street Monitoring Station for years 2014-2015.

Sensitive Receptors

Some land uses are considered more sensitive to air pollution than others due to the types of population groups or activities involved. Sensitive population groups include children, the elderly, the acutely ill, and the chronically ill, especially those with cardio-respiratory diseases.

For CEQA purposes, a sensitive receptor is generically defined as any residence including private homes, condominiums, apartments, and living quarters; education resources such as preschools and kindergarten through grade twelve (K-12) schools; daycare centers; and health care facilities such as hospitals or retirement and nursing homes. A sensitive receptor includes long term care hospitals, hospices, prisons, and dormitories or similar live-in housing.³³ Residential areas are considered to be sensitive receptors to air

³³ US Environmental Protection Agency. 2017, April 10 (updated). What are Sensitive Receptors? <https://www3.epa.gov/region1/eco/uep/sensitivereceptors.html>.

pollution because residents (including children and the elderly) tend to be at home for extended periods of time, resulting in sustained exposure to any pollutants present. Schools are also considered sensitive receptors, as children are present for extended durations and engage in regular outdoor activities. Recreational land uses are considered moderately sensitive to air pollution. Although exposure periods are generally short, exercise places a high demand on respiratory functions, which can be impaired by air pollution. In addition, noticeable air pollution can detract from the enjoyment of recreation. Industrial and commercial areas are considered the least sensitive to air pollution. Exposure periods are relatively short and intermittent, as the majority of the workers tend to stay indoors most of the time. In addition, the working population is generally the healthiest segment of the public. The nearest sensitive receptors are the students and employees of Ella Barkley High School northeast of the site and the single-family residences to the south of the site, along 5th Street.

Methodology

Projected construction-related air pollutant emissions are calculated using the California Emissions Estimator Model (CalEEMod), Version 2016.3.2. CalEEMod compiles an emissions inventory of construction (fugitive dust, off-gas emissions, on-road emissions, and off-road emissions), area sources, indirect emissions from energy use, mobile sources, indirect emissions from waste disposal (annual only), and indirect emissions from water/wastewater (annual only) use. As mentioned, the GCAPCD has not yet established its own set of CEQA air quality significance thresholds. Therefore, the calculated emissions of the project are compared to thresholds of significance for individual projects using the Shasta County District New Source Review Rules.³⁴

Shasta County Thresholds of Significance

The analysis of the proposed project's air quality impacts follows the guidance in the Shasta County District New Source Review Rule and the Air Pollution Control Officer (APCO), which were adopted by Glenn County to assist lead agencies in their preparation of air quality analyses for development projects. CEQA allows the use of significance criteria established by the applicable air quality management or air pollution control district in assessing impacts of a project on air quality. The recommended assessment methodologies are based on the more stringent emission unit according to the Best Available Control Technology (BACT) and the methodologies and criteria specified by the APCO (Rule 2:1, Part 205). The Shasta County AQMD has also established thresholds of significance for regional air quality emissions during construction activities and project operation (Rule 2:1, Part 301). These significance threshold values are contained in Table 4. Shasta County has two levels of emission thresholds for NO_x, VOC, and PM₁₀, categorized as Levels A and B thresholds,³⁵ that are used to determine the appropriate mitigation measures to be implemented. The

³⁴ California Air Resources Board. 2018, December 28 (reviewed). Shasta County AQMD List of Current Rules. <https://www.arb.ca.gov/drdb/sha/cur.htm>.

³⁵ Shasta County Air Quality Management District (SCAQMD). 2003, November. Protocol for Review. <https://www.co.shasta.ca.us/docs/libraries/resource-management-docs/aq-docs/scaqmd-ceqa-land-use-protocol.pdf>.

District recommends that the defined Standard Mitigation Measures (SMM) for energy conservation, PM₁₀ controls, and transit options be applied to all projects.³⁶ For projects that exceed Level A thresholds, the District recommends application of Best Available Mitigation Measures (BAMM) in addition to the SMMs. Further mitigation using special BMMs may apply to projects that exceed Level B thresholds.

Table 4 Shasta County Air Quality Management District Thresholds of Significance

Level	VOC (lbs/day)	NO _x (lbs/day)	PM ₁₀ (lbs/day)
A	25	25	80
B	137	137	137

Source: Shasta County Air Quality Management District (SCAQMD). 2003, November. Protocol for Review.

CO Hotspots

Areas of vehicle congestion have the potential to create pockets of CO called hot spots. These pockets have the potential to exceed the state one-hour standard of 20 ppm or the eight-hour standard of 9 ppm. Because CO is produced in greatest quantities from vehicle combustion and does not readily disperse into the atmosphere, adherence to ambient air quality standards is typically demonstrated through an analysis of localized CO concentrations. Hot spots are typically produced at intersections, where traffic congestion is highest because vehicles queue for longer periods and are subject to reduced speeds. With the turnover of older vehicles, introduction of cleaner fuels, and implementation of control technology on industrial facilities, CO concentrations in the SVAB and in the state have steadily declined. Under existing and future vehicle emission rates, a project would have to increase traffic volumes at a single intersection by more than 44,000 vehicles per hour—or 24,000 vehicles per hour where vertical and/or horizontal air does not mix—in order to generate a significant CO impact.³⁷

TOXIC AIR CONTAMINANTS

Whenever a project would require use of chemical compounds that have been identified by GCAPCD under Section 98³⁸, placed on CARB's air toxics list pursuant to AB 1807, or placed on the USEPA's National Emissions Standards for Hazardous Air Pollutants, a health risk assessment is required by the District. Table 5, *Toxic Air Contaminants Incremental Risk Thresholds*, lists the TAC incremental risk thresholds for operation of a project. The purpose of this environmental evaluation is to identify the significant effects of the proposed project on the environment, not the significant effects of the environment on the proposed project. (*California Building Industry Association v. Bay Area Air Quality Management District (2015)* 62

³⁶ Shasta County Air Quality Management District (SCAQMD). 2003, November. Protocol for Review. <https://www.co.shasta.ca.us/docs/libraries/resource-management-docs/air-quality-docs/scaqmd-ceqa-land-use-protocol.pdf>.

³⁷ Bay Area Air Quality Management District. 2017, May. California Environmental Quality Act Air Quality Guidelines. http://www.baaqmd.gov/~media/files/planning-and-research/ceqa/ceqa_guidelines_may2017-pdf.pdf?la=en

³⁸ Glenn County Air Pollution Control District. 2010, October (amended). Regulations of the Air Pollution Control District of Glenn County. <https://www.countyofglenn.net/sites/default/files/Agriculture/AP%20Regs%20Book%201%202010update.pdf>.

Cal.4th 369 (Case No. S213478)). CEQA does not require an analysis of the environmental effects of attracting development and people to an area. However, the environmental document must analyze the impacts of environmental hazards on future users, when a proposed project exacerbates an existing environmental hazard or condition. Residential, commercial, and office uses do not use substantial quantities of TACs and typically do not exacerbate existing hazards, so these thresholds are typically applied to new industrial projects.

Table 5 GCAPCD Toxic Air Contaminants Incremental Risk Thresholds

Cancer Risk	≥ 10 in 1 million
Hazard Index	≥ 1.0

Source: Glenn County Air Pollution Control District (GCAPCD). 2010, October. Regulations of the Air Pollution Control District of Glenn County.

GREENHOUSE GAS EMISSIONS

Scientists have concluded that human activities are contributing to global climate change by adding large amounts of heat-trapping gases, known as greenhouse gases (GHGs), to the atmosphere. The primary source of these GHGs is fossil fuel use. The Intergovernmental Panel on Climate Change (IPCC) has identified four major GHG—water vapor, carbon dioxide (CO₂), methane (CH₄), and ozone (O₃)—that are likely cause of an increase in global average temperatures observed in the 20th and 21st centuries. Other GHGs identified by the IPCC that contribute to global warming to a lesser extent are nitrous oxide (N₂O), sulfur hexafluoride (SF₆), hydrofluorocarbons, perfluorocarbons, and chlorofluorocarbons.^{39,40,41}

The major GHGs are briefly described as follows:

- **Carbon dioxide (CO₂)** enters the atmosphere through the burning of fossil fuels (oil, natural gas, and coal), solid waste, trees and wood products, and respiration, and also as a result of other chemical reactions (e.g., manufacture of cement). Carbon dioxide is removed from the atmosphere (sequestered) when it is absorbed by plants as part of the biological carbon cycle.

³⁹ Intergovernmental Panel on Climate Change, 2001. Third Assessment Report: Climate Change 2001, New York: Cambridge University Press.

⁴⁰ Water vapor (H₂O) is the strongest GHG and the most variable in its phases (vapor, cloud droplets, ice crystals). However, water vapor is not considered a pollutant because it is considered part of the feedback loop of changing radiative forcing rather than a primary cause of change.

⁴¹ Black carbon contributes to climate change both directly, by absorbing sunlight, and indirectly, by depositing on snow (making it melt faster) and by interacting with clouds and affecting cloud formation. Black carbon is the most strongly light-absorbing component of particulate matter (PM) emitted from burning fuels such as coal, diesel, and biomass. California has been an international leader in reducing emissions of black carbon, with close to 95 percent control expected by 2020 due to existing programs that target reducing PM from diesel engines and burning activities (California Air Resources Board, 2017, March 14. Short-Lived Climate Pollutant Reduction Strategy, <https://www.arb.ca.gov/cc/shortlived/shortlived.htm>). However, State and national GHG inventories do not include black carbon due to ongoing work resolving the precise global warming potential of black carbon. Guidance for CEQA documents does not yet include black carbon.

- **Methane (CH₄)** is emitted during the production and transport of coal, natural gas, and oil. Methane emissions also result from livestock and other agricultural practices and from the decay of organic waste in municipal landfills and water treatment facilities.
- **Nitrous oxide (N₂O)** is emitted during agricultural and industrial activities as well as during combustion of fossil fuels and solid waste.

GHGs are dependent on the lifetime, or persistence, of the gas molecule in the atmosphere. Some GHGs have a stronger greenhouse effect than others. These are referred to as high GWP gases. The GWP of applicable GHG emissions are shown in Table 6, *GHG Emissions and Their Relative Global Warming Potential Compared to CO₂*. The GWP is used to convert GHGs to CO₂-equivalence (CO₂e) to show the relative potential that different GHGs have to retain infrared radiation in the atmosphere and contribute to the greenhouse effect. For example, under IPCC’s Fourth Assessment Report (AR4) GWP values for methane (CH₄), a project that generates 10 metric tons (MT) of CH₄ would be equivalent to 250 MT of CO₂.⁴²

Table 6 GHG Emissions and Their Relative Global Warming Potential Compared to CO₂

GHGs	Second Assessment Report (SAR) Global Warming Potential Relative to CO ₂ ^a	Fourth Assessment Report (AR4) Global Warming Potential Relative to CO ₂ ^a	Fifth Assessment Report (AR5) Global Warming Potential Relative to CO ₂ ^a
Carbon Dioxide (CO ₂)	1	1	1
Methane (CH ₄) ^b	21	25	28
Nitrous Oxide (N ₂ O)	310	298	265

Source: Intergovernmental Panel on Climate Change (IPCC). Second Assessment Report: Climate Change 1995 and Fourth Assessment Report: Climate Change 2007

Notes: The GWP values in the IPCC’s Fifth Assessment Report (2013) reflect new information on atmospheric lifetimes of GHGs and an improved calculation of the radiative forcing of CO₂. However, SCAQMD uses the AR4 GWP values to maintain consistency in statewide GHG emissions modeling. In addition, the 2017 Scoping Plan Update was based on the AR4 GWP values.

^a Based on 100-year time horizon of the GWP of the air pollutant relative to CO₂.

^b The methane GWP includes direct effects and indirect effects due to the production of tropospheric ozone and stratospheric water vapor. The indirect effect due to the production of CO₂ is not included.

California’s Greenhouse Gas Sources and Relative Contribution

In 2019, the statewide GHG emissions inventory was updated for 2000 to 2017 emissions using the GWPs in IPCC’s AR4.⁴³ Based on these GWPs, California produced 424.10 MMTCO₂e GHG emissions in 2017. California’s transportation sector was the single largest generator of GHG emissions, producing 40.1 percent of the state’s total emissions. Industrial sector emissions made up 21.1 percent, and electric power

⁴² CO₂-equivalence is used to show the relative potential that different GHGs have to retain infrared radiation in the atmosphere and contribute to the greenhouse effect. The global warming potential of a GHG is also dependent on the lifetime, or persistence, of the gas molecule in the atmosphere.

⁴³ Methodology for determining the statewide GHG inventory is not the same as the methodology used to determine statewide GHG emissions under Assembly Bill 32 (2006).

generation made up 14.7 percent of the state's emissions inventory. Other major sectors of GHG emissions include commercial and residential (9.7 percent), agriculture and forestry (7.6 percent) high GWP (4.7 percent), and recycling and waste (2.1 percent).⁴⁴

California's GHG emissions have followed a declining trend since 2007. In 2017, emissions from routine GHG emitting activities statewide were 424 MMTCO_{2e}, 5 MMTCO_{2e} lower than 2016 levels. This represents an overall decrease of 14 percent since peak levels in 2004 and 7 MMTCO_{2e} below the 1990 level and the state's 2020 GHG target. During the 2000 to 2017 period, per capita GHG emissions in California have continued to drop from a peak in 2001 of 14.0 MTCO_{2e} per capita to 10.7 MTCO_{2e} per capita in 2017, a 24 percent decrease. Overall trends in the inventory also demonstrate that the carbon intensity of California's economy (the amount of carbon pollution per million dollars of gross domestic product (GDP)) is declining, representing a 41 percent decline since the 2001 peak, while the state's GDP has grown 52 percent during this period. For the first time since California started to track GHG emissions, California uses more electricity from zero-GHG sources (hydro, solar, wind, and nuclear energy).⁴⁵

Regulatory Settings

FEDERAL REGULATIONS

The United States Environmental Protection Agency (USEPA) announced on December 7, 2009 that GHG emissions threaten the public health and welfare of the American people and that GHG emissions from on-road vehicles contribute to that threat. The USEPA's final findings respond to the 2007 U.S. Supreme Court decision that GHG emissions fit within the Clean Air Act definition of air pollutants. The findings did not themselves impose any emission reduction requirements, but allowed the USEPA to finalize the GHG standards proposed in 2009 for new light-duty vehicles as part of the joint rulemaking with the Department of Transportation.⁴⁶

To regulate GHGs from passenger vehicles, the USEPA was required to issue an endangerment finding.⁴⁷ The finding identifies emissions of six key GHGs—CO₂, CH₄, N₂O, HCFCs, PFCs, and SF₆— that have been the subject of scrutiny and intense analysis for decades by scientists in the United States and around the world. The first three are applicable to the proposed project's GHG emissions inventory because they constitute the majority of GHG emissions and should be evaluated as part of a project's GHG emissions inventory.

⁴⁴ California Air Resources Board (CARB). 2019, August 26. 2019 Edition California Greenhouse Gas Inventory for 2000-2017: By Category as Defined in the 2008 Scoping Plan. <https://www.arb.ca.gov/cc/inventory/data/data.htm>.

⁴⁵ 2019, August 26. California Greenhouse Emissions for 2000 to 2017: Trends of Emissions and Other Indicators. <https://www.arb.ca.gov/cc/inventory/data/data.htm>.

⁴⁶ US Environmental Protection Agency. 2009, December 7. Greenhouse Gases Threaten Public Health and the Environment. https://archive.epa.gov/epapages/newsroom_archive/newsreleases/08d11a451131bca585257685005bf252.html.

⁴⁷ US Environmental Protection Agency, 2017, July 11 (updated). Endangerment and Cause or Contribute Findings for Greenhouse Gases Under Section 202(a) of the Clean Air Act. <https://www.epa.gov/ghgemissions/endangerment-and-cause-or-contribute-findings-greenhouse-gases-under-section-202a-clean>.

US Mandatory Report Rule for Greenhouse Gases (2009)

In response to the endangerment finding, the USEPA issued the Mandatory Reporting of GHG Rule that requires substantial emitters of GHG emissions (large stationary sources, etc.) to report GHG emissions data. Facilities that emit 25,000 MTCO₂e per year are required to submit an annual report.

Update to Corporate Average Fuel Economy Standards (2010 to 2012)

The current Corporate Average Fuel Economy (CAFE) standards (for model years 2011 to 2016) incorporate stricter fuel economy requirements promulgated by the federal government and California into one uniform standard. Additionally, automakers are required to cut GHG emissions in new vehicles by roughly 25 percent by 2016 (resulting in a fleet average of 35.5 miles per gallon [mpg] by 2016). Rulemaking to adopt these new standards was completed in 2010. California agreed to allow automakers who show compliance with the national program to also be considered to be in compliance with State requirements. The federal government issued new standards in 2012 for model years 2017–2025, which will require a fleet average of 54.5 mpg in 2025.

While the EPA is reexamining the 2017–2025 emissions and CAFE standards, a consortium of automakers and California have agreed on a voluntary framework to reduce emissions that can serve as an alternative path forward for clean vehicle standards nationwide. Automakers who agreed to the framework are Ford, Honda, BMW of North America and Volkswagen Group of America. The framework supports continued annual reductions of vehicle greenhouse gas emissions through the 2026 model year, encourages innovation to accelerate the transition to electric vehicles, and provides industry the certainty needed to make investments and create jobs. This commitment means that the auto companies party to the voluntary agreement will only sell cars in the United States that meet these standards.⁴⁸

USEPA Regulation of Stationary Sources under the Clean Air Act (Ongoing)

Pursuant to its authority under the Clean Air Act (CAA), the EPA has been developing regulations for new stationary sources such as power plants, refineries, and other large sources of emissions. Pursuant to President Obama's 2013 Climate Action Plan, the EPA was directed to also develop regulations for existing stationary sources. However, the EPA is reviewing the Clean Power Plan under President Trump's Energy Independence Executive Order.

STATE REGULATIONS

Current State of California guidance and goals for reductions in GHG emissions are generally embodied in Executive Order S-03-05, AB 32, SB 32, Executive Order B-30-15, and SB 375. These are summarized as follows:

⁴⁸ California Air Resources Board. 2019, September 5 (accessed). California and major automakers reach groundbreaking framework agreement on clean emission standards. <https://ww2.arb.ca.gov/news/california-and-major-automakers-reach-groundbreaking-framework-agreement-clean-emission>.

Executive Order S-03-05

Executive Order S-03-05, signed June 1, 2005, set the following GHG reduction targets for the state:

- 2000 levels by 2010.
- 1990 levels by 2020.
- 80 percent below 1990 levels by 2050.

Assembly Bill 32, the Global Warming Solutions Act (2006)

Also known as the Global Warming Solutions Act (2006), AB 32 was signed August 31, 2006, in order to reduce California's contribution of GHG emissions. AB 32 follows the 2020 tier of emissions reduction targets established in Executive Order S-03-05. Under AB 32, California Air Resources Board (CARB) prepared the *2008 Climate Change Scoping Plan*, the *2014 Climate Change Scoping Plan*, and the *2017 Climate Change Scoping Plan*, which is discussed below.

CARB 2008 Scoping Plan

The 2008 Scoping Plan, adopted by CARB on December 11, 2008, identified that GHG emissions in California are anticipated to be 596 MMTCO₂e in 2020. In December 2007, CARB approved a 2020 emissions limit of 427 MMTCO₂e (471 million tons) for the state. To effectively implement the emissions cap, AB 32 directed CARB to establish a mandatory reporting system to track and monitor GHG emissions levels for large stationary sources that generate more than 25,000 MTCO₂e per year, prepare a plan demonstrating how the 2020 deadline can be met, and develop appropriate regulations and programs to implement the plan by 2012.

First Update to the Scoping Plan

CARB completed a five-year update to the 2008 Scoping Plan, as required by AB 32. The First Update to the Scoping Plan, adopted May 22, 2014, highlights California's progress toward meeting the near-term 2020 GHG emission reduction goal defined in the 2008 Scoping Plan. As part of the update, CARB recalculated the 1990 GHG emission levels with the updated AR4 GWPs, and the 427 MMTCO₂e 1990 emissions level and 2020 GHG emissions limit, established in response to AB 32, are slightly higher at 431 MMTCO₂e.⁴⁹ As identified in the Update to the Scoping Plan, California is on track to meet the goals of AB 32. The update also addresses the state's longer-term GHG goals in a post-2020 element. The post-2020 element provides a high-level view of a long-term strategy for meeting the 2050 GHG goals, including a recommendation for the State to adopt a midterm target. According to the Update to the Scoping Plan, local government reduction targets should chart a reduction trajectory that is consistent with or exceeds the trajectory

⁴⁹ California Air Resources Board, 2014, May 15. First Update to the Climate Change Scoping Plan: Building on the Framework, Pursuant to AB 32, The California Global Warming Solutions Act of 2006. https://ww3.arb.ca.gov/cc/scopingplan/2013_update/first_update_climate_change_scoping_plan.pdf.

created by statewide goals.⁵⁰ CARB identified that reducing emissions to 80 percent below 1990 levels will require a fundamental shift to efficient, clean energy in every sector of the economy. Progressing toward California's 2050 climate targets will require significant acceleration of GHG reduction rates. Emissions from 2020 to 2050 will have to decline several times faster than the rate needed to reach the 2020 emissions limit.⁵¹

Executive Order B-30-15

Executive Order B-30-15, signed April 29, 2015, sets a goal of reducing GHG emissions within the state to 40 percent of 1990 levels by year 2030. Executive Order B-30-15 also directs CARB to update the Scoping Plan to quantify the 2030 GHG reduction goal for the state and requires state agencies to implement measures to meet the interim 2030 goal as well as the long-term goal for 2050 in Executive Order S-03-05. It also requires the Natural Resources Agency to conduct triennial updates of the California adaption strategy, Safeguarding California, in order to ensure climate change is accounted for in state planning and investment decisions.

Senate Bill 32 and Assembly Bill 197

In September 2016, SB 32 and AB 197 were signed into law, making the Executive Order goal for year 2030 into a statewide mandated legislative target. AB 197 established a joint legislative committee on climate change policies and requires the CARB to prioritize direct emissions reductions rather than the market-based cap-and-trade program for large stationary, mobile, and other sources.

2017 Climate Change Scoping Plan Update

Executive Order B-30-15 and SB 32 required CARB to prepare another update to the Scoping Plan to address the 2030 target for the state. On December 14, 2017, CARB adopted the 2017 Climate Change Scoping Plan Update (2017 Scoping Plan) to address the 2030 target for the State. The 2017 Scoping Plan establishes a new emissions limit of 260 MMTCO₂e for the year 2030, which corresponds to a 40 percent decrease in 1990 levels by 2030.⁵²

California's climate strategy will require contributions from all sectors of the economy, including enhanced focus on zero- and near-zero emission (ZE/NZE) vehicle technologies; continued investment in renewables, such as solar roofs, wind, and other types of distributed generation; greater use of low carbon fuels; integrated land conservation and development strategies; coordinated efforts to reduce emissions of short-

⁵⁰ California Air Resources Board, 2014, May 15. First Update to the Climate Change Scoping Plan: Building on the Framework, Pursuant to AB 32, The California Global Warming Solutions Act of 2006. https://ww3.arb.ca.gov/cc/scopingplan/2013_update/first_update_climate_change_scoping_plan.pdf.

⁵¹ California Air Resources Board, 2014, May 15. First Update to the Climate Change Scoping Plan: Building on the Framework, Pursuant to AB 32, The California Global Warming Solutions Act of 2006. https://ww3.arb.ca.gov/cc/scopingplan/2013_update/first_update_climate_change_scoping_plan.pdf.

⁵² California Air Resources Board. 2017, January. The 2017 Climate Change Scoping Plan: Update the Proposed Strategy for Achieving California's 2030 Greenhouse Gas Target. https://www.arb.ca.gov/cc/scopingplan/2030sp_pp_final.pdf.

lived climate pollutants (i.e., methane, black carbon, and fluorinated gases); and an increased focus on integrated land use planning to support livable, transit-connected communities and conserve agricultural and other lands. Requirements for GHG reductions at stationary sources complement local air pollution control efforts by the local air districts to tighten criteria air pollutants and toxic air contaminants (TACs) emissions limits on a broad spectrum of industrial sources. Major elements of the 2017 Scoping Plan framework include:

- Implementing and/or increasing the standards of the Mobile Source Strategy, which include increasing ZE vehicle buses and trucks.
- Low Carbon Fuel Standard (LCFS), with an increased stringency (18 percent by 2030).
- Implementation of SB 350, which expands the Renewables Portfolios Standard (RPS) to 50 percent RPS and doubles energy efficiency savings by 2030.
- California Sustainable Freight Action Plan, which improves freight system efficiency, and utilizes near-zero emissions technology, and deployment of ZE vehicle trucks.
- Implementing the proposed Short-Lived Climate Pollutant Strategy, which focuses on reducing methane and hydrofluorocarbon emissions by 40 percent and anthropogenic black carbon emissions by 50 percent by year 2030.
- Continued implementation of SB 375.
- Post-2020 Cap-and-Trade Program that includes declining caps.
- Development of a Natural and Working Lands Action Plan to secure California's land base as a net carbon sink.

In addition to the statewide strategies listed above, the 2017 Climate Change Scoping Plan also identified local governments as essential partners in achieving the State's long-term GHG reduction goals and recommended local actions to reduce GHG emissions; for example, statewide targets of no more than 6 MTCO₂e or less per capita by 2030 and 2 MTCO₂e or less per capita by 2050. CARB recommends that local governments evaluate and adopt robust and quantitative locally-appropriate goals that align with the statewide per capita targets and the State's sustainable development objectives and develop plans to achieve the local goals. The statewide per capita goals were developed by applying the percent reductions necessary to reach the 2030 and 2050 climate goals (i.e., 40 percent and 80 percent, respectively) to the State's 1990 emissions limit established under AB 32. For CEQA projects, CARB states that lead agencies have the discretion to develop evidenced-based numeric thresholds (mass emissions, per capita, or per service population)—consistent with the Scoping Plan and the State's long-term GHG goals. To the degree a project relies on GHG mitigation measures, CARB recommends that lead agencies prioritize on-site design

features that reduce emissions, especially from vehicle miles traveled (VMT), and direct investments in GHG reductions within the project’s region that contribute potential air quality, health, and economic co-benefits. Where further project design or regional investments are infeasible or not proven to be effective, CARB recommends mitigating potential GHG impacts through purchasing and retiring carbon credits.

The Scoping Plan scenario is set against what is called the business-as-usual (BAU) yardstick—that is, what would the GHG emissions look like if the State did nothing at all beyond the policies that are already required and in place to achieve the 2020 limit, as shown in Table 7, *2017 Climate Change Scoping Plan Emissions Reductions Gap to Achieve the 2030 GHG Target*. It includes the existing renewables requirements, advanced clean cars, the “10 percent” LCFS, and the SB 375 program for more vibrant communities, among others. However, it does not include a range of new policies or measures that have been developed or put into statute over the past two years. Also shown in the table, the known commitments are expected to result in emissions that are 60 MMTCO₂e above the target in 2030. If the estimated GHG reductions from the known commitments are not realized due to delays in implementation or technology deployment, the post-2020 Cap-and-Trade Program would deliver the additional GHG reductions in the sectors it covers to ensure the 2030 target is achieved.

TABLE 7 2017 CLIMATE CHANGE SCOPING PLAN EMISSIONS REDUCTIONS GAP TO ACHIEVE THE 2030 GHG TARGET

Modeling Scenario	2030 GHG Emissions MMTCO ₂ e
Reference Scenario (Business-as-Usual)	389
With Known Commitments	310
2030 GHG Target	260
Gap to 2030 Target with Known Commitments	60

Source: California Air Resources Board, 2017. California’s 2017 Climate Change Scoping Plan: The Strategy for Achieving California’s 2030 Greenhouse Gas Target, https://www.arb.ca.gov/cc/scopingplan/2030sp_pp_final.pdf, accessed on August 28, 2018.

Table 8, *2017 Climate Change Scoping Plan Emissions by Sector to Achieve the 2030 GHG Target*, provides GHG emissions by sector, for 1990, and the range of GHG emissions for each sector estimated for 2030, and the percent change compared to 1990 levels.

TABLE 8 2017 CLIMATE CHANGE SCOPING PLAN EMISSIONS BY SECTOR TO ACHIEVE THE 2030 GHG TARGET

Scoping Plan Sector	1990 MMTCO ₂ e	2030 Proposed Plan Ranges MMTCO ₂ e	% Change from 1990
Agricultural	26	24-25	-8% to -4%
Residential and Commercial	44	38-40	-14% to -9%

TABLE 8 2017 CLIMATE CHANGE SCOPING PLAN EMISSIONS BY SECTOR TO ACHIEVE THE 2030 GHG TARGET

Scoping Plan Sector	1990 MMTCO ₂ e	2030 Proposed Plan Ranges MMTCO ₂ e	% Change from 1990
Electric Power	108	30-53	-72% to -51%
High GWP	3	8-11	267% to 367%
Industrial	98	83-90	-15% to -8%
Recycling and Waste	7	8-9	14% to 29%
Transportation (including TCU)	152	103-111	-32% to -27%
Net Sink ^a	-7	TBD	TBD
Sub Total	431	294-339	-32% to -21%
Cap-and-Trade Program	NA	24-79	NA
Total	431	260	-40%

Source: CARB 2017. California's 2017 Climate Change Scoping Plan: The Strategy for Achieving California's 2030 Greenhouse Gas Target.
Notes: TCU = Transportation, Communications, and Utilities; TBD = To Be Determined.

^a Work is underway through 2017 to estimate the range of potential sequestration benefits from the natural and working lands sector.

Senate Bill 1383

On September 19, 2016, the Governor signed SB 1383 to supplement the GHG reduction strategies in the Scoping Plan to consider short-lived climate pollutants, including black carbon and CH₄. Black carbon is the light-absorbing component of fine particulate matter produced during incomplete combustion of fuels. SB 1383 requires the State board, no later than January 1, 2018, to approve and begin implementing that comprehensive strategy to reduce emissions of short-lived climate pollutants to achieve a reduction in methane by 40 percent, hydrofluorocarbon gases by 40 percent, and anthropogenic black carbon by 50 percent below 2013 levels by 2030. The bill also establishes targets for reducing organic waste in landfills. On March 14, 2017, CARB adopted the "Final Proposed Short-Lived Climate Pollutant Strategy," which identifies the State's approach to reducing anthropogenic and biogenic sources of short-lived climate pollutants. Anthropogenic sources of black carbon include on- and off-road transportation, residential wood burning, fuel combustion (charbroiling), and industrial processes. According to CARB, ambient levels of black carbon in California are 90 percent lower than in the early 1960s, despite the tripling of diesel fuel use.⁵³ In-use on-road rules are expected to reduce black carbon emissions from on-road sources by 80 percent between 2000 and 2020.

⁵³ California Air Resources Board. 2017, March. Short-Lived Climate Pollutant Reduction Strategy. https://www.arb.ca.gov/cc/shortlived/meetings/03142017/final_slcp_report.pdf.

Senate Bill 375

In 2008, SB 375, the Sustainable Communities and Climate Protection Act, was adopted to connect the GHG emissions reductions targets established in the 2008 Scoping Plan for the transportation sector to local land use decisions that affect travel behavior. Its intent is to reduce GHG emissions from light-duty trucks and automobiles (excludes emissions associated with goods movement) by aligning regional long-range transportation plans, investments, and housing allocations to local land use planning to reduce VMT and vehicle trips. Specifically, SB 375 required CARB to establish GHG emissions reduction targets for each of the 18 metropolitan planning organizations (MPOs). The Glenn County Transportation Commission (GCTC) is the designated regional transportation planning agency for Glenn County. As Glenn County does not belong to any of the identified MPOs, SB 375 does not include established targets for the GCTC.

2018 Update to the SB 375 Targets

CARB is required to update the targets for the MPOs every eight years. CARB adopted revised SB 375 targets for the MPOs in March 2018.⁵⁴ The updated targets become effective on October 1, 2018. The targets consider the need to further reduce VMT, as identified in the 2017 Scoping Plan Update (for SB 32), while balancing the need for additional and more flexible revenue sources to incentivize positive planning and action toward sustainable communities. Like the 2010 targets, the updated SB 375 targets are in units of percent per capita reduction in GHG emissions from automobiles and light trucks relative to 2005; this excludes reductions anticipated from implementation of state technology and fuels strategies, and any potential future state strategies, such as statewide road user pricing. The proposed targets call for greater per-capita GHG emission reductions from SB 375 than are currently in place, which for 2035 translate into proposed targets that either match or exceed the emission reduction levels in the MPOs' currently adopted SCS to achieve the SB 375 targets. CARB foresees that the additional GHG emissions reductions in 2035 may be achieved from land use changes, transportation investment, and technology strategies.⁵⁵

Assembly Bill 1493

Also known as Pavley I, AB 1493 is a clean-car standard that reduces GHG emissions from new passenger vehicles (light-duty auto to medium-duty vehicles) from 2009 through 2016 and is anticipated to reduce GHG emissions from new passenger vehicles by 30 percent in 2016. California implements the Pavley I standards through a waiver granted to California by the USEPA. In 2012, the USEPA issued a Final Rulemaking that sets even more stringent fuel economy and GHG emissions standards for model years 2017 through 2025 light-duty vehicles (see also the discussion on the update to the CAFE standards under the heading for Federal Regulations, above). In January 2012, CARB approved the Advanced Clean Cars program (formerly known as Pavley II) for model years 2017 through 2025. The program combines the control of smog, soot, and GHGs with requirements for greater numbers of ZE vehicles into a single package of

⁵⁴ California Air Resources Board. 2018, February. Updated Final Staff Report: Proposed Update to the SB 375 Greenhouse Gas Emissions Reduction Targets. https://ww3.arb.ca.gov/cc/sb375/sb375_target_update_final_staff_report_feb2018.pdf.

⁵⁵ California Air Resources Board. 2018, February. Updated Final Staff Report: Proposed Update to the SB 375 Greenhouse Gas Emissions Reduction Targets. https://ww3.arb.ca.gov/cc/sb375/sb375_target_update_final_staff_report_feb2018.pdf.

standards. Under California’s Advanced Clean Car program, by 2025, new automobiles will emit 34 percent less global warming gases and 75 percent less smog-forming emissions.⁵⁶

Executive Order S-01-07

On January 18, 2007, the state set a new LCFS for transportation fuels sold in California. Executive Order S-01-07 sets a declining standard for GHG emissions measured in CO₂e gram per unit of fuel energy sold in California. The LCFS requires a reduction of 2.5 percent in the carbon intensity of California’s transportation fuels by 2015 and a reduction of at least 10 percent by 2020. The LCFS applies to refiners, blenders, producers, and importers of transportation fuels and would use market-based mechanisms to allow these providers to choose how they reduce emissions during the “fuel cycle,” using the most economically feasible methods.

Senate Bills 1078, 107, X1-2, and Executive Order S-14-08

A major component of California’s Renewable Energy Program is the renewable portfolios standard (RPS) established under Senate Bills 1078 (Sher) and 107 (Simitian). Under the RPS, certain retail sellers of electricity were required to increase the amount of renewable energy each year by at least 1 percent in order to reach at least 20 percent by December 30, 2010. Executive Order S-14-08, signed in November 2008, expanded the RPS to 33 percent renewable power by 2020. This standard was adopted by the legislature in 2011 (SB X1-2). Renewable sources of electricity include wind, small hydropower, solar, geothermal, biomass, and biogas. The increase in renewable sources for electricity production will decrease indirect GHG emissions from development projects because electricity production from renewable sources is generally considered carbon neutral.

Senate Bill 350

Signed in September 2015, SB 350 establishes tiered increases the RPS to 40 percent by 2024, 45 percent by 2027, and 50 percent by 2030. SB 350 also set a new goal to double the energy efficiency savings in electricity and natural gas through energy efficiency and conservation measures.

Senate Bill 100

On September 10, 2018, Governor Brown signed SB 100, which raises California’s RPS requirements to 60 percent by 2030, with interim targets, and 100 percent by 2045. The bill also establishes a state policy that eligible renewable energy resources and zero-carbon resources supply 100 percent of all retail sales of electricity to California end-use customers and 100 percent of electricity procured to serve all state agencies

⁵⁶ See also the discussion on the update to the CAFE standards under Federal Laws, above. In January 2012, CARB approved the Advanced Clean Cars program (formerly known as Pavley II) for model years 2017 through 2025. The program combines the control of smog, soot and global warming gases and requirements for greater numbers of zero-emission vehicles into a single package of standards. Under California’s Advanced Clean Car program, by 2025, new automobiles will emit 34 percent fewer global warming gases and 75 percent fewer smog-forming emissions.

by December 31, 2045. Under the bill, the state cannot increase carbon emissions elsewhere in the western grid or allow resource shuffling to achieve the 100 percent carbon-free electricity target.

Executive Order B-55-18

Executive Order B-55-18, signed September 10, 2018, sets a goal “to achieve carbon neutrality as soon as possible, and no later than 2045, and achieve and maintain net negative emissions thereafter.” Executive Order B-55-18 directs CARB to work with relevant state agencies to ensure future Scoping Plans identify and recommend measures to achieve the carbon neutrality goal. The goal of carbon neutrality by 2045 is in addition to other statewide goals, meaning not only should emissions be reduced to 80 percent below 1990 levels by 2050, but that, by no later than 2045, the remaining emissions should be offset by equivalent net removals of CO₂e from the atmosphere, including through sequestration in forests, soils, and other natural landscapes.

Executive Order B-16-2012

Signed on March 23, 2012, the State required CARB, the California Energy Commission (CEC), the Public Utilities Commission, and other relevant agencies to work with the Plug-in Electric Vehicle Collaborative and the California Fuel Cell Partnership to establish benchmarks to accommodate ZE vehicles in major metropolitan areas, including infrastructure to support them (e.g., electric vehicle charging stations). The executive order also directed the number of ZE vehicles in California’s state vehicle fleet to increase through the normal course of fleet replacement so that at least 10 percent of fleet purchases of light-duty vehicles are zero-emission by 2015 and at least 25 percent by 2020. The executive order also stabled a target for the transportation sector of reducing GHG emissions 80 percent below 1990 levels.

California Building Code: Building Energy Efficiency Standards

Energy conservation standards for new residential and non-residential buildings were adopted by the California Energy Resources Conservation and Development Commission (now the CEC) in June 1977 and most recently revised in 2016 (Title 24, Part 6, of the California Code of Regulations). Title 24 requires the design of building shells and building components to conserve energy. The standards are updated periodically to allow for consideration and possible incorporation of new energy efficiency technologies and methods. The 2019 Building Energy Efficiency Standards, which were adopted on May 9, 2018, go into effect starting January 1, 2020.⁵⁷ The 2019 standards move toward cutting energy use in new homes by more than 50 percent and will require installation of solar photovoltaic systems for single-family homes and multifamily buildings of three stories and less. The 2019 standards focus on four key areas 1) smart residential photovoltaic systems; 2) updated thermal envelope standards (preventing heat transfer from the interior to exterior and vice versa); 3) residential and nonresidential ventilation requirements; and 4) nonresidential

⁵⁷ California Energy Commission. 2019, September 9(accessed), 2016 Building Energy and Efficiency Standards Frequently Asked Questions, https://ww2.energy.ca.gov/title24/2016standards/rulemaking/documents/2016_Building_Energy_Efficiency_Standards_FAQ.pdf.

lighting requirements.⁵⁸ Under the 2019 standards, nonresidential buildings will be 30 percent more energy efficient compared to the 2016 standards, and single-family homes will be 7 percent more energy efficient. When accounting for the electricity generated by the solar photovoltaic system, single-family homes would use 53 percent less energy compared to homes built to the 2016 standards.⁵⁹

California Building Code: CALGreen

On July 17, 2008, the California Building Standards Commission adopted the nation’s first green building standards. The California Green Building Standards Code (24 California Code of Regulations, Part 11, known as “CALGreen”) was adopted as part of the California Building Standards Code. CALGreen established planning and design standards for sustainable site development, energy efficiency (in excess of the California Energy Code requirements), water conservation, material conservation, and internal air contaminants.⁶⁰ The mandatory provisions of the 2016 CalGreen building standards became effective on January 1, 2017. The CEC adopted the 2019 CALGreen on May 9, 2018, and it becomes effective January 1, 2020.

2006 Appliance Efficiency Regulations

Adopted by the California Energy Commission on October 11, 2006, the 2006 Appliance Efficiency Regulations (Title 20, California Code of Regulations, Sections 1601 through 1608) were approved by the California Office of Administrative Law on December 14, 2006. The regulations include standards for both federally regulated appliances and non–federally regulated appliances. Though these regulations are now often viewed as “business-as-usual,” they exceed the standards imposed by all other states and they reduce GHG emissions by reducing energy demand.

Solid Waste Regulations

California’s Integrated Waste Management Act of 1989 (AB 939, Public Resources Code 40050 *et seq.*) set a requirement for cities and counties throughout the state to divert 50 percent of all solid waste from landfills by January 1, 2000, through source reduction, recycling, and composting. In 2008, the requirements were modified to reflect a per capita requirement rather than tonnage. To help achieve this, the act requires that each city and county prepare and submit a source reduction and recycling element. AB 939 also established the goal for all California counties to provide at least 15 years of ongoing landfill capacity.

Assembly Bill 341

AB 341 (Chapter 476, Statutes of 2011) increased the statewide goal for waste diversion to 75 percent by 2020 and requires recycling of waste from commercial and multifamily residential land uses. Section 5.408

⁵⁸ California Energy Commission. 2018, May. Energy Commission Adopts Standards Requiring Solar Systems for New Homes, First in Nation. <https://www.energy.ca.gov/news/2018-05/energy-commission-adopts-standards-requiring-solar-systems-new-homes-first>.

⁵⁹ California Energy Commission, 2018, March. 2019 Building Energy and Efficiency Standards Frequently Asked Questions. http://www.energy.ca.gov/title24/2019standards/documents/2018_Title_24_2019_Building_Standards_FAQ.pdf.

⁶⁰ The green building standards became mandatory in the 2010 edition of the code.

of CALGreen also requires that at least 65 percent of the nonhazardous construction and demolition waste from nonresidential construction operations be recycled and/or salvaged for reuse.

Assembly Bill 1327

The California Solid Waste Reuse and Recycling Access Act (AB 1327, Public Resources Code Sections 42900 *et seq.*) requires areas to be set aside for collecting and loading recyclable materials in development projects. The act required the California Integrated Waste Management Board to develop a model ordinance for adoption by any local agency requiring adequate areas for collection and loading of recyclable materials as part of development projects. Local agencies are required to adopt the model or an ordinance of their own.

Assembly Bill 1826

AB 1826, signed on October of 2014, requires businesses to recycle their organic waste on and after April 1, 2016, depending on the amount of waste they generate per week. This law also requires that on and after January 1, 2016, local jurisdictions across the state implement an organic waste recycling program to divert organic waste generated by businesses, including multifamily residential dwellings with five or more units. Organic waste means food waste, green waste, landscape and pruning waste, nonhazardous wood waste, and food-soiled paper waste that is mixed in with food waste.

Water Efficiency Regulations

The 20x2020 Water Conservation Plan was issued by the Department of Water Resources (DWR) in 2010 pursuant to Senate Bill 7, which was adopted during the 7th Extraordinary Session of 2009 to 2010 and therefore dubbed “SBX7-7.” SBX7-7 mandated urban water conservation and authorized the DWR to prepare a plan implementing urban water conservation requirements (20x2020 Water Conservation Plan). In addition, it required agricultural water providers to prepare agricultural water management plans, measure water deliveries to customers, and implement other efficiency measures. SBX7-7 requires urban water providers to adopt a water conservation target of 20 percent reduction in urban per capita water use by 2020 compared to 2005 baseline use.

The Water Conservation in Landscaping Act of 2006 (AB 1881) requires local agencies to adopt the updated DWR model ordinance or equivalent. AB 1881 also requires the Energy Commission, in consultation with the department, to adopt, by regulation, performance standards and labeling requirements for landscape irrigation equipment, including irrigation controllers, moisture sensors, emission devices, and valves to reduce the wasteful, uneconomic, inefficient, or unnecessary consumption of energy or water.

Thresholds of Significance

The CEQA Guidelines recommend that a lead agency consider the following when assessing the significance of impacts from GHG emissions on the environment:

1. The extent to which the project may increase (or reduce) GHG emissions as compared to the existing environmental setting;
2. Whether the project emissions exceed a threshold of significance that the lead agency determines applies to the project;
3. The extent to which the project complies with regulations or requirements adopted to implement an adopted statewide, regional, or local plan for the reduction or mitigation of GHG emissions.⁶¹

LOCAL REGULATIONS

Neither GCAPCD nor the City of Hamilton have adopted GHG significance thresholds. In absence of significance thresholds from the District, emissions from the project will be compared to the 900 MTCO₂e/yr bright-line threshold identified in the 2008 California Air Pollution Control Officers Association (CAPCOA) white paper.⁶² This threshold is based on the market capture approach and reflects the amount of emissions that 90 percent of development projects surveyed in four cities within California would generate.

The 900 MTCO₂e/yr is a conservative bright-line threshold. As a comparison, the Bay Area Air Quality Management District (BAAQMD) and South Coast Air Quality Management District (SCAQMD) have also established bright-line screening thresholds of 1,100 MTCO₂e and 3,000 MTCO₂e per year, respectively, for development projects based on similar market capture methodologies utilized by CAPCOA. The SCAQMD based their bright-line screening threshold on review of 711 CEQA projects and determined that 90 percent of the projects reviewed would not exceed 3,000 MTCO₂e per year.⁶³ Similarly, the bright-line screening threshold established by BAAQMD captures approximately 59 percent of all development projects.⁶⁴

For the purpose of CEQA analyses, projects that are not exempt from CEQA are required to quantify project-level GHG emissions and compared to the bright-line threshold of 900 MTCO₂e/yr. A GHG inventory for a development project should include GHG emissions for the following GHG sectors where applicable: electricity, transportation, waste generation, wastewater treatment, and commercial and residential (e.g., natural gas use, area sources).⁶⁵ In addition, construction-related emissions are amortized over the lifetime of a project, which is conservatively estimated at 30 years unless a longer project lifetime can be

⁶¹ The Governor's Office of Planning and Research recommendations include a requirement that such a plan must be adopted through a public review process and include specific requirements that reduce or mitigate the project's incremental contribution of GHG emissions. If there is substantial evidence that the possible effects of a particular project are still cumulatively considerable, notwithstanding compliance with the adopted regulations or requirements, an EIR must be prepared for the project.

⁶² California Air Pollution Control Officers Association (CAPCOA). 2008. January. CEQA & Climate Change. <http://www.capcoa.org/wp-content/uploads/downloads/2010/05/CAPCOA-White-Paper.pdf>

⁶³ South Coast Air Quality Management District (SCAQMD). 2008, October. Draft Guidance Document – Interim CEQA Greenhouse Gas (GHG) Significance Threshold. [http://www.aqmd.gov/docs/default-source/ceqa/handbook/greenhouse-gases-\(ghg\)-ceqa-significance-thresholds/ghgattachmente.pdf](http://www.aqmd.gov/docs/default-source/ceqa/handbook/greenhouse-gases-(ghg)-ceqa-significance-thresholds/ghgattachmente.pdf)

⁶⁴ Bay Area Air Quality Management District (BAAQMD). 2017, May. California Environmental Quality Act Air Quality Guidelines. http://www.baaqmd.gov/~media/files/planning-and-research/ceqa/ceqa_guidelines_may2017-pdf.pdf?la=en.

⁶⁵ Permitted sources are evaluated separately under the stationary source threshold of 10,000 MTCO₂e.

substantiated. Projects that do not exceed the bright-line threshold of significance are considered to have a less than cumulatively considerable impact to climate change. Projects that do exceed the applicable GHG bright-line significance threshold would be considered potentially significant and would require inclusion of all feasible mitigation measures to reduce GHG emissions.

Regional Construction Emissions Worksheet:

PHASE 1

Rough Grading		ROG	NOx	CO	SO2	PM10 Total	PM2.5 Total
Onsite		2025 Summer					
	Fugitive Dust					8.67	3.60
	Off-Road	2.90	27.94	26.33	0.06	1.13	1.04
	Total	2.90	27.94	26.33	0.06	9.80	4.64
Offsite							
	Hauling	0.00	0.00	0.00	0.00	0.00	0.00
	Vendor	0.01	0.16	0.04	0.00	0.01	0.00
	Worker	0.10	0.05	0.73	0.00	0.26	0.07
	Total	0.10	0.21	0.77	0.00	0.27	0.07
TOTAL		3.00	28.15	27.10	0.06	10.07	4.71
Onsite		2025 Winter					
	Fugitive Dust					8.67	3.60
	Off-Road	2.90	27.94	26.33	0.06	1.13	1.04
	Total	2.90	27.94	26.33	0.06	9.80	4.64
Offsite							
	Hauling	0.00	0.00	0.00	0.00	0.00	0.00
	Vendor	0.01	0.16	0.04	0.00	0.01	0.00
	Worker	0.09	0.07	0.60	0.00	0.26	0.07
	Total	0.10	0.23	0.64	0.00	0.27	0.07
TOTAL		3.00	28.17	26.97	0.06	10.07	4.71
Onsite		2025					
	Fugitive Dust	0.00	0.00	0.00	0.00	8.67	3.60
	Off-Road	2.90	27.94	26.33	0.06	1.13	1.04
	Total	2.90	27.94	26.33	0.06	9.80	4.64
Offsite							
	Hauling	0.00	0.00	0.00	0.00	0.00	0.00
	Vendor	0.01	0.16	0.04	0.00	0.01	0.00
	Worker	0.10	0.07	0.73	0.00	0.26	0.07
	Total	0.10	0.23	0.77	0.00	0.27	0.07
TOTAL		3.00	28.17	27.10	0.06	10.07	4.71
Trenching		ROG	NOx	CO	SO2	PM10 Total	PM2.5 Total
Onsite		2025 Summer					
	Off-Road	0.17	1.22	3.26	0.01	0.06	0.06
	Total	0.17	1.22	3.26	0.01	0.06	0.06
Offsite							
	Hauling	0.00	0.00	0.00	0.00	0.00	0.00
	Vendor	0.00	0.00	0.00	0.00	0.00	0.00
	Worker	0.01	0.01	0.11	0.00	0.04	0.01
	Total	0.01	0.01	0.11	0.00	0.04	0.01
TOTAL		0.18	1.23	3.37	0.01	0.10	0.07
Onsite		2025 Winter					
	Off-Road	0.17	1.22	3.26	0.01	0.06	0.06
	Total	0.17	1.22	3.26	0.01	0.06	0.06
Offsite							
	Hauling	0.00	0.00	0.00	0.00	0.00	0.00
	Vendor	0.00	0.00	0.00	0.00	0.00	0.00
	Worker	0.01	0.01	0.09	0.00	0.04	0.01
	Total	0.01	0.01	0.09	0.00	0.04	0.01
TOTAL		0.18	1.23	3.35	0.01	0.10	0.07
Onsite		2025					
	Off-Road	0.17	1.22	3.26	0.01	0.06	0.06
	Total	0.17	1.22	3.26	0.01	0.06	0.06
Offsite							
	Hauling	0.00	0.00	0.00	0.00	0.00	0.00
	Vendor	0.00	0.00	0.00	0.00	0.00	0.00
	Worker	0.01	0.01	0.11	0.00	0.04	0.01
	Total	0.01	0.01	0.11	0.00	0.04	0.01
TOTAL		0.18	1.23	3.37	0.01	0.10	0.07

Fine Grading							
		ROG	NOx	CO	SO2	PM10 Total	PM2.5 Total
Onsite		2025 Summer					
	Fugitive Dust					8.67	3.60
	Off-Road	2.90	27.94	26.33	0.06	1.13	1.04
	Total	2.90	27.94	26.33	0.06	9.80	4.64
Offsite							
	Hauling	0.00	0.00	0.00	0.00	0.00	0.00
	Vendor	0.01	0.16	0.04	0.00	0.01	0.00
	Worker	0.10	0.05	0.73	0.00	0.26	0.07
	Total	0.10	0.21	0.77	0.00	0.27	0.07
TOTAL		3.00	28.15	27.10	0.06	10.07	4.71
Onsite		2025 Winter					
	Fugitive Dust					8.67	3.60
	Off-Road	2.90	27.94	26.33	0.06	1.13	1.04
	Total	2.90	27.94	26.33	0.06	9.80	4.64
Offsite							
	Hauling	0.00	0.00	0.00	0.00	0.00	0.00
	Vendor	0.01	0.16	0.04	0.00	0.01	0.00
	Worker	0.09	0.07	0.60	0.00	0.26	0.07
	Total	0.10	0.23	0.64	0.00	0.27	0.07
TOTAL		3.00	28.17	26.97	0.06	10.07	4.71
Onsite		2025					
	Fugitive Dust	0.00	0.00	0.00	0.00	8.67	3.60
	Off-Road	2.90	27.94	26.33	0.06	1.13	1.04
	Total	2.90	27.94	26.33	0.06	9.80	4.64
Offsite							
	Hauling	0.00	0.00	0.00	0.00	0.00	0.00
	Vendor	0.01	0.16	0.04	0.00	0.01	0.00
	Worker	0.10	0.07	0.73	0.00	0.26	0.07
	Total	0.10	0.23	0.77	0.00	0.27	0.07
TOTAL		3.00	28.17	27.10	0.06	10.07	4.71

Building Construction 2025							
		ROG	NOx	CO	SO2	PM10 Total	PM2.5 Total
Onsite		2025 Summer					
	Off-Road	1.37	12.47	16.08	0.03	0.53	0.50
	Total	1.37	12.47	16.08	0.03	0.53	0.50
Offsite							
	Hauling	0.00	0.00	0.00	0.00	0.00	0.00
	Vendor	0.22	6.75	1.53	0.02	0.54	0.16
	Worker	1.05	0.59	8.03	0.02	2.83	0.76
	Total	1.27	7.35	9.56	0.05	3.36	0.92
TOTAL		2.64	19.82	25.65	0.07	3.89	1.42
Onsite		2025 Winter					
	Off-Road	1.37	12.47	16.08	0.03	0.53	0.50
	Total	1.37	12.47	16.08	0.03	0.53	0.50
Offsite							
	Hauling	0.00	0.00	0.00	0.00	0.00	0.00
	Vendor	0.24	6.81	1.83	0.02	0.54	0.16
	Worker	1.04	0.74	6.56	0.02	2.83	0.76
	Total	1.28	7.54	8.39	0.04	3.36	0.92
TOTAL		2.65	20.01	24.47	0.07	3.89	1.42
Onsite		2025					
	Off-Road	1.37	12.47	16.08	0.03	0.53	0.50
	Total	1.37	12.47	16.08	0.03	0.53	0.50
Offsite							
	Hauling	0.00	0.00	0.00	0.00	0.00	0.00
	Vendor	0.24	6.81	1.83	0.02	0.54	0.16
	Worker	1.05	0.74	8.03	0.02	2.83	0.76
	Total	1.28	7.54	9.56	0.05	3.36	0.92
TOTAL		2.65	20.01	25.65	0.07	3.89	1.42

Building Construction 2026								
			ROG	NOx	CO	SO2	PM10 Total	PM2.5 Total
Onsite		2026 Summer						
	Off-Road		1.37	12.47	16.08	0.03	0.53	0.50
	Total		1.37	12.47	16.08	0.03	0.53	0.50
Offsite								
	Hauling		0.00	0.00	0.00	0.00	0.00	0.00
	Vendor		0.21	6.63	1.43	0.02	0.54	0.16
	Worker		0.99	0.54	7.45	0.02	2.83	0.76
	Total		1.21	7.17	8.88	0.05	3.36	0.92
TOTAL			2.57	19.64	24.97	0.07	3.89	1.42
Onsite		2026 Winter						
	Off-Road		1.37	12.47	16.08	0.03	0.53	0.50
	Total		1.37	12.47	16.08	0.03	0.53	0.50
Offsite								
	Hauling		0.00	0.00	0.00	0.00	0.00	0.00
	Vendor		0.23	6.67	1.71	0.02	0.54	0.16
	Worker		0.99	0.67	6.07	0.02	2.83	0.76
	Total		1.21	7.34	7.78	0.04	3.36	0.92
TOTAL			2.58	19.81	23.87	0.07	3.89	1.42
Onsite		2026						
	Off-Road		1.37	12.47	16.08	0.03	0.53	0.50
	Total		1.37	12.47	16.08	0.03	0.53	0.50
Offsite								
	Hauling		0.00	0.00	0.00	0.00	0.00	0.00
	Vendor		0.23	6.67	1.71	0.02	0.54	0.16
	Worker		0.99	0.67	7.45	0.02	2.83	0.76
	Total		1.21	7.34	8.88	0.05	3.36	0.92
TOTAL			2.58	19.81	24.97	0.07	3.89	1.42

Building Construction 2027								
			ROG	NOx	CO	SO2	PM10 Total	PM2.5 Total
Onsite		2027 Summer						
	Off-Road		1.37	12.47	16.08	0.03	0.53	0.50
	Total		1.37	12.47	16.08	0.03	0.53	0.50
Offsite								
	Hauling		0.00	0.00	0.00	0.00	0.00	0.00
	Vendor		0.20	6.52	1.34	0.02	0.54	0.16
	Worker		0.94	0.49	6.93	0.02	2.83	0.76
	Total		1.14	7.01	8.27	0.05	3.36	0.92
TOTAL			2.51	19.48	24.36	0.07	3.89	1.42
Onsite		2027 Winter						
	Off-Road		1.37	12.47	16.08	0.03	0.53	0.50
	Total		1.37	12.47	16.08	0.03	0.53	0.50
Offsite								
	Hauling		0.00	0.00	0.00	0.00	0.00	0.00
	Vendor		0.22	6.56	1.61	0.02	0.54	0.16
	Worker		0.94	0.61	5.63	0.02	2.83	0.76
	Total		1.15	7.17	7.24	0.04	3.36	0.92
TOTAL			2.52	19.64	23.32	0.07	3.89	1.42
Onsite		2027						
	Off-Road		1.37	12.47	16.08	0.03	0.53	0.50
	Total		1.37	12.47	16.08	0.03	0.53	0.50
Offsite								
	Hauling		0.00	0.00	0.00	0.00	0.00	0.00
	Vendor		0.22	6.56	1.61	0.02	0.54	0.16
	Worker		0.94	0.61	6.93	0.02	2.83	0.76
	Total		1.15	7.17	8.27	0.05	3.36	0.92
TOTAL			2.52	19.64	24.36	0.07	3.89	1.42

Woodshop Modernization								
			ROG	NOx	CO	SO2	PM10 Total	PM2.5 Total
Onsite		2027 Summer						
	Off-Road		0.00	0.00	0.00	0.00	0.00	0.00
	Total		0.00	0.00	0.00	0.00	0.00	0.00
Offsite								
	Hauling		0.00	0.00	0.00	0.00	0.00	0.00
	Vendor		0.00	0.08	0.02	0.00	0.01	0.00
	Worker		0.01	0.01	0.09	0.00	0.04	0.01
	Total		0.02	0.08	0.11	0.00	0.04	0.01
TOTAL			0.02	0.08	0.11	0.00	0.04	0.01
Onsite		2027 Winter						
	Off-Road		0.00	0.00	0.00	0.00	0.00	0.00
	Total		0.00	0.00	0.00	0.00	0.00	0.00
Offsite								
	Hauling		0.00	0.00	0.00	0.00	0.00	0.00
	Vendor		0.00	0.08	0.02	0.00	0.01	0.00
	Worker		0.01	0.01	0.08	0.00	0.04	0.01
	Total		0.02	0.08	0.10	0.00	0.04	0.01
TOTAL			0.02	0.08	0.10	0.00	0.04	0.01
Onsite		2027						
	Off-Road		0.00	0.00	0.00	0.00	0.00	0.00
	Total		0.00	0.00	0.00	0.00	0.00	0.00
Offsite								
	Hauling		0.00	0.00	0.00	0.00	0.00	0.00
	Vendor		0.00	0.08	0.02	0.00	0.01	0.00
	Worker		0.01	0.01	0.09	0.00	0.04	0.01
	Total		0.02	0.08	0.11	0.00	0.04	0.01
TOTAL			0.02	0.08	0.11	0.00	0.04	0.01
Paving								
			ROG	NOx	CO	SO2	PM10 Total	PM2.5 Total
Onsite		2027 Summer						
	Off-Road		0.92	8.58	14.58	0.02	0.42	0.39
	Paving		0.12				0.00	0.00
	Total		1.03	8.58	14.58	0.02	0.42	0.39
Offsite								
	Hauling		0.00	0.00	0.00	0.00	0.00	0.00
	Vendor		0.00	0.00	0.00	0.00	0.00	0.00
	Worker		0.06	0.03	0.47	0.00	0.19	0.05
	Total		0.06	0.03	0.47	0.00	0.19	0.05
TOTAL			1.10	8.62	15.05	0.02	0.61	0.44
Onsite		2027 Winter						
	Off-Road		0.92	8.58	14.58	0.02	0.42	0.39
	Paving		0.12				0.00	0.00
	Total		1.03	8.58	14.58	0.02	0.42	0.39
Offsite								
	Hauling		0.00	0.00	0.00	0.00	0.00	0.00
	Vendor		0.00	0.00	0.00	0.00	0.00	0.00
	Worker		0.06	0.04	0.38	0.00	0.19	0.05
	Total		0.06	0.04	0.38	0.00	0.19	0.05
TOTAL			1.10	8.62	14.96	0.02	0.61	0.44
Onsite		2027						
	Off-Road		0.92	8.58	14.58	0.02	0.42	0.39
	Paving		0.12	0.00	0.00	0.00	0.00	0.00
	Total		1.03	8.58	14.58	0.02	0.42	0.39
Offsite								
	Hauling		0.00	0.00	0.00	0.00	0.00	0.00
	Vendor		0.00	0.00	0.00	0.00	0.00	0.00
	Worker		0.06	0.04	0.47	0.00	0.19	0.05
	Total		0.06	0.04	0.47	0.00	0.19	0.05
TOTAL			1.10	8.62	15.05	0.02	0.61	0.44

Architectural Coating							
		ROG	NOx	CO	SO2	PM10 Total	PM2.5 Total
Onsite		2027 Summer					
	Archit. Coating	33.09				0.00	0.00
	Off-Road	0.17	1.15	1.81	0.00	0.05	0.05
	Total	33.26	1.15	1.81	0.00	0.05	0.05
Offsite							
	Hauling	0.00	0.00	0.00	0.00	0.00	0.00
	Vendor	0.00	0.00	0.00	0.00	0.00	0.00
	Worker	0.19	0.10	1.42	0.00	0.58	0.16
	Total	0.19	0.10	1.42	0.00	0.58	0.16
TOTAL		33.45	1.25	3.23	0.01	0.63	0.21
Onsite		2027 Winter					
	Archit. Coating	33.09				0.00	0.00
	Off-Road	0.17	1.15	1.81	0.00	0.05	0.05
	Total	33.26	1.15	1.81	0.00	0.05	0.05
Offsite							
	Hauling	0.00	0.00	0.00	0.00	0.00	0.00
	Vendor	0.00	0.00	0.00	0.00	0.00	0.00
	Worker	0.19	0.12	1.15	0.00	0.58	0.16
	Total	0.19	0.12	1.15	0.00	0.58	0.16
TOTAL		33.45	1.27	2.96	0.01	0.63	0.21
Onsite		2027					
	Archit. Coating	33.09	0.00	0.00	0.00	0.00	0.00
	Off-Road	0.17	1.15	1.81	0.00	0.05	0.05
	Total	33.26	1.15	1.81	0.00	0.05	0.05
Offsite							
	Hauling	0.00	0.00	0.00	0.00	0.00	0.00
	Vendor	0.00	0.00	0.00	0.00	0.00	0.00
	Worker	0.19	0.12	1.42	0.00	0.58	0.16
	Total	0.19	0.12	1.42	0.00	0.58	0.16
TOTAL		33.45	1.27	3.23	0.01	0.63	0.21
Finishing and Landscaping							
		ROG	NOx	CO	SO2	PM10 Total	PM2.5 Total
Onsite		2021 Summer					
	Off-Road	0.17	1.22	3.26	0.01	0.06	0.06
	Total	0.17	1.22	3.26	0.01	0.06	0.06
Offsite							
	Hauling	0.00	0.00	0.00	0.00	0.00	0.00
	Vendor	0.00	0.00	0.00	0.00	0.00	0.00
	Worker	0.01	0.01	0.09	0.00	0.04	0.01
	Total	0.01	0.01	0.09	0.00	0.04	0.01
TOTAL		0.18	1.23	3.35	0.01	0.10	0.07
Onsite		2021 Winter					
	Off-Road	0.17	1.22	3.26	0.01	0.06	0.06
	Total	0.17	1.22	3.26	0.01	0.06	0.06
Offsite							
	Hauling	0.00	0.00	0.00	0.00	0.00	0.00
	Vendor	0.00	0.00	0.00	0.00	0.00	0.00
	Worker	0.01	0.01	0.08	0.00	0.04	0.01
	Total	0.01	0.01	0.08	0.00	0.04	0.01
TOTAL		0.18	1.23	3.34	0.01	0.10	0.07
Onsite		2021					
	Off-Road	0.17	1.22	3.26	0.01	0.06	0.06
	Total	0.17	1.22	3.26	0.01	0.06	0.06
Offsite							
	Hauling	0.00	0.00	0.00	0.00	0.00	0.00
	Vendor	0.00	0.00	0.00	0.00	0.00	0.00
	Worker	0.01	0.01	0.09	0.00	0.04	0.01
	Total	0.01	0.01	0.09	0.00	0.04	0.01
TOTAL		0.18	1.23	3.35	0.01	0.10	0.07

PHASE 2

Site Preparation

		ROG	NOx	CO	SO2	PM10 Total	PM2.5 Total
Onsite	2030 Summer						
	Fugitive Dust					18.07	9.93
	Off-Road	2.44	13.67	16.29	0.05	0.44	0.44
	Total	2.44	13.67	16.29	0.05	18.50	10.37
Offsite	Hauling	0.00	0.00	0.00	0.00	0.00	0.00
	Vendor	0.00	0.15	0.03	0.00	0.01	0.00
	Worker	0.06	0.03	0.46	0.00	0.23	0.06
	Total	0.07	0.18	0.49	0.00	0.24	0.07
TOTAL		2.51	13.84	16.78	0.05	18.75	10.43
Onsite	2030 Winter						
	Fugitive Dust					18.07	9.93
	Off-Road	2.44	13.67	16.29	0.05	0.44	0.44
	Total	2.44	13.67	16.29	0.05	18.50	10.37
Offsite	Hauling	0.00	0.00	0.00	0.00	0.00	0.00
	Vendor	0.00	0.15	0.03	0.00	0.01	0.00
	Worker	0.06	0.04	0.37	0.00	0.23	0.06
	Total	0.07	0.18	0.41	0.00	0.24	0.07
TOTAL		2.51	13.85	16.70	0.05	18.75	10.43
Onsite	2030						
	Fugitive Dust	0.00	0.00	0.00	0.00	18.07	9.93
	Off-Road	2.44	13.67	16.29	0.05	0.44	0.44
	Total	2.44	13.67	16.29	0.05	18.50	10.37
Offsite	Hauling	0.00	0.00	0.00	0.00	0.00	0.00
	Vendor	0.00	0.15	0.03	0.00	0.01	0.00
	Worker	0.06	0.04	0.46	0.00	0.23	0.06
	Total	0.07	0.18	0.49	0.00	0.24	0.07
TOTAL		2.51	13.85	16.78	0.05	18.75	10.43

Fine Grading

		ROG	NOx	CO	SO2	PM10 Total	PM2.5 Total
Onsite	2030 Summer						
	Fugitive Dust					8.67	3.60
	Off-Road	3.28	13.85	23.02	0.07	0.49	0.49
	Total	3.28	13.85	23.02	0.07	9.16	4.08
Offsite	Hauling	0.00	0.00	0.00	0.00	0.00	0.00
	Vendor	0.00	0.15	0.03	0.00	0.01	0.00
	Worker	0.07	0.03	0.51	0.00	0.26	0.07
	Total	0.07	0.18	0.54	0.00	0.27	0.07
TOTAL		3.35	14.03	23.57	0.07	9.43	4.16
Onsite	2030 Winter						
	Fugitive Dust					8.67	3.60
	Off-Road	3.28	13.85	23.02	0.07	0.49	0.49
	Total	3.28	13.85	23.02	0.07	9.16	4.08
Offsite	Hauling	0.00	0.00	0.00	0.00	0.00	0.00
	Vendor	0.00	0.15	0.03	0.00	0.01	0.00
	Worker	0.07	0.04	0.41	0.00	0.26	0.07
	Total	0.07	0.19	0.45	0.00	0.27	0.07
TOTAL		3.35	14.03	23.47	0.07	9.43	4.16
Onsite	2030						
	Fugitive Dust	0.00	0.00	0.00	0.00	8.67	3.60
	Off-Road	3.28	13.85	23.02	0.07	0.49	0.49
	Total	3.28	13.85	23.02	0.07	9.16	4.08
Offsite	Hauling	0.00	0.00	0.00	0.00	0.00	0.00
	Vendor	0.00	0.15	0.03	0.00	0.01	0.00
	Worker	0.07	0.04	0.51	0.00	0.26	0.07
	Total	0.07	0.19	0.54	0.00	0.27	0.07
TOTAL		3.35	14.03	23.57	0.07	9.43	4.16

Trenching								
			ROG	NOx	CO	SO2	PM10 Total	PM2.5 Total
Onsite		2030 Summer						
	Off-Road		0.23	0.56	3.56	0.01	0.02	0.02
	Total		0.23	0.56	3.56	0.01	0.02	0.02
Offsite								
	Hauling		0.00	0.00	0.00	0.00	0.00	0.00
	Vendor		0.00	0.00	0.00	0.00	0.00	0.00
	Worker		0.01	0.01	0.08	0.00	0.04	0.01
	Total		0.01	0.01	0.08	0.00	0.04	0.01
TOTAL			0.24	0.56	3.64	0.01	0.06	0.03
Onsite		2030 Winter						
	Off-Road		0.23	0.56	3.56	0.01	0.02	0.02
	Total		0.23	0.56	3.56	0.01	0.02	0.02
Offsite								
	Hauling		0.00	0.00	0.00	0.00	0.00	0.00
	Vendor		0.00	0.00	0.00	0.00	0.00	0.00
	Worker		0.01	0.01	0.06	0.00	0.04	0.01
	Total		0.01	0.01	0.06	0.00	0.04	0.01
TOTAL			0.24	0.56	3.62	0.01	0.06	0.03
Onsite		2030						
	Off-Road		0.23	0.56	3.56	0.01	0.02	0.02
	Total		0.23	0.56	3.56	0.01	0.02	0.02
Offsite								
	Hauling		0.00	0.00	0.00	0.00	0.00	0.00
	Vendor		0.00	0.00	0.00	0.00	0.00	0.00
	Worker		0.01	0.01	0.08	0.00	0.04	0.01
	Total		0.01	0.01	0.08	0.00	0.04	0.01
TOTAL			0.24	0.56	3.64	0.01	0.06	0.03

Building Construction 2030								
			ROG	NOx	CO	SO2	PM10 Total	PM2.5 Total
Onsite		2030 Summer						
	Off-Road		1.31	7.93	16.16	0.03	0.15	0.15
	Total		1.31	7.93	16.16	0.03	0.15	0.15
Offsite								
	Hauling		0.00	0.00	0.00	0.00	0.00	0.00
	Vendor		0.48	16.64	3.13	0.06	1.42	0.42
	Worker		2.01	0.99	15.06	0.06	7.51	2.01
	Total		2.49	17.63	18.18	0.11	8.92	2.43
TOTAL			3.80	25.56	34.34	0.15	9.07	2.58
Onsite		2030 Winter						
	Off-Road		1.31	7.93	16.16	0.03	0.15	0.15
	Total		1.31	7.93	16.16	0.03	0.15	0.15
Offsite								
	Hauling		0.00	0.00	0.00	0.00	0.00	0.00
	Vendor		0.52	16.71	3.78	0.06	1.42	0.42
	Worker		2.02	1.23	12.11	0.05	7.51	2.01
	Total		2.53	17.94	15.88	0.11	8.92	2.43
TOTAL			3.84	25.87	32.04	0.14	9.07	2.58
Onsite		2030						
	Off-Road		1.31	7.93	16.16	0.03	0.15	0.15
	Total		1.31	7.93	16.16	0.03	0.15	0.15
Offsite								
	Hauling		0.00	0.00	0.00	0.00	0.00	0.00
	Vendor		0.52	16.71	3.78	0.06	1.42	0.42
	Worker		2.02	1.23	15.06	0.06	7.51	2.01
	Total		2.53	17.94	18.18	0.11	8.92	2.43
TOTAL			3.84	25.87	34.34	0.15	9.07	2.58

Building Construction 2031			ROG	NOx	CO	SO2	PM10 Total	PM2.5 Total
Onsite		2031 Summer						
	Off-Road		1.31	7.93	16.16	0.03	0.15	0.15
	Total		1.31	7.93	16.16	0.03	0.15	0.15
Offsite								
	Hauling		0.00	0.00	0.00	0.00	0.00	0.00
	Vendor		0.47	16.48	3.03	0.06	1.42	0.42
	Worker		1.83	0.90	14.06	0.05	7.50	2.01
	Total		2.30	17.38	17.09	0.11	8.92	2.43
TOTAL			3.61	25.31	33.24	0.14	9.07	2.58
Onsite		2031 Winter						
	Off-Road		1.31	7.93	16.16	0.03	0.15	0.15
	Total		1.31	7.93	16.16	0.03	0.15	0.15
Offsite								
	Hauling		0.00	0.00	0.00	0.00	0.00	0.00
	Vendor		0.50	16.54	3.66	0.06	1.42	0.42
	Worker		1.84	1.11	11.25	0.05	7.50	2.01
	Total		2.34	17.65	14.92	0.10	8.92	2.43
TOTAL			3.65	25.59	31.07	0.14	9.07	2.58
Onsite		2031						
	Off-Road		1.31	7.93	16.16	0.03	0.15	0.15
	Total		1.31	7.93	16.16	0.03	0.15	0.15
Offsite								
	Hauling		0.00	0.00	0.00	0.00	0.00	0.00
	Vendor		0.50	16.54	3.66	0.06	1.42	0.42
	Worker		1.84	1.11	14.06	0.05	7.50	2.01
	Total		2.34	17.65	17.09	0.11	8.92	2.43
TOTAL			3.65	25.59	33.24	0.14	9.07	2.58

Building Construction 2032			ROG	NOx	CO	SO2	PM10 Total	PM2.5 Total
Onsite		2032 Summer						
	Off-Road		1.31	7.93	16.16	0.03	0.15	0.15
	Total		1.31	7.93	16.16	0.03	0.15	0.15
Offsite								
	Hauling		0.00	0.00	0.00	0.00	0.00	0.00
	Vendor		0.46	16.34	2.96	0.06	1.42	0.42
	Worker		1.67	0.82	13.20	0.05	7.50	2.01
	Total		2.13	17.16	16.16	0.11	8.92	2.43
TOTAL			3.44	25.10	32.31	0.14	9.06	2.58
Onsite		2032 Winter						
	Off-Road		1.31	7.93	16.16	0.03	0.15	0.15
	Total		1.31	7.93	16.16	0.03	0.15	0.15
Offsite								
	Hauling		0.00	0.00	0.00	0.00	0.00	0.00
	Vendor		0.49	16.40	3.59	0.06	1.42	0.42
	Worker		1.68	1.01	10.52	0.05	7.50	2.01
	Total		2.18	17.41	14.10	0.10	8.92	2.43
TOTAL			3.49	25.34	30.26	0.13	9.07	2.58
Onsite		2032						
	Off-Road		1.31	7.93	16.16	0.03	0.15	0.15
	Total		1.31	7.93	16.16	0.03	0.15	0.15
Offsite								
	Hauling		0.00	0.00	0.00	0.00	0.00	0.00
	Vendor		0.49	16.40	3.59	0.06	1.42	0.42
	Worker		1.68	1.01	13.20	0.05	7.50	2.01
	Total		2.18	17.41	16.16	0.11	8.92	2.43
TOTAL			3.49	25.34	32.31	0.14	9.07	2.58

Paving								
			ROG	NOx	CO	SO2	PM10 Total	PM2.5 Total
Onsite		2032 Summer						
	Off-Road		1.38	7.12	15.85	0.03	0.33	0.33
	Paving		0.03				0.00	0.00
	Total		1.42	7.12	15.85	0.03	0.33	0.33
Offsite								
	Hauling		0.00	0.00	0.00	0.00	0.00	0.00
	Vendor		0.00	0.00	0.00	0.00	0.00	0.00
	Worker		0.04	0.02	0.34	0.00	0.19	0.05
	Total		0.04	0.02	0.34	0.00	0.19	0.05
TOTAL			1.46	7.14	16.19	0.03	0.52	0.38
Onsite		2032 Winter						
	Off-Road		1.38	7.12	15.85	0.03	0.33	0.33
	Paving		0.03				0.00	0.00
	Total		1.42	7.12	15.85	0.03	0.33	0.33
Offsite								
	Hauling		0.00	0.00	0.00	0.00	0.00	0.00
	Vendor		0.00	0.00	0.00	0.00	0.00	0.00
	Worker		0.04	0.03	0.27	0.00	0.19	0.05
	Total		0.04	0.03	0.27	0.00	0.19	0.05
TOTAL			1.46	7.15	16.12	0.03	0.52	0.38
Onsite		2032						
	Off-Road		1.38	7.12	15.85	0.03	0.33	0.33
	Paving		0.03	0.00	0.00	0.00	0.00	0.00
	Total		1.42	7.12	15.85	0.03	0.33	0.33
Offsite								
	Hauling		0.00	0.00	0.00	0.00	0.00	0.00
	Vendor		0.00	0.00	0.00	0.00	0.00	0.00
	Worker		0.04	0.03	0.34	0.00	0.19	0.05
	Total		0.04	0.03	0.34	0.00	0.19	0.05
TOTAL			1.46	7.15	16.19	0.03	0.52	0.38

Architectural Coating								
			ROG	NOx	CO	SO2	PM10 Total	PM2.5 Total
Onsite		2032 Summer						
	Archit. Coating		55.17				0.00	0.00
	Off-Road		0.13	0.86	1.80	0.00	0.02	0.02
	Total		55.30	0.86	1.80	0.00	0.02	0.02
Offsite								
	Hauling		0.00	0.00	0.00	0.00	0.00	0.00
	Vendor		0.00	0.00	0.00	0.00	0.00	0.00
	Worker		0.33	0.16	2.64	0.01	1.50	0.40
	Total		0.33	0.16	2.64	0.01	1.50	0.40
TOTAL			55.64	1.02	4.44	0.01	1.52	0.42
Onsite		2032 Winter						
	Archit. Coating		55.17				0.00	0.00
	Off-Road		0.13	0.86	1.80	0.00	0.02	0.02
	Total		55.30	0.86	1.80	0.00	0.02	0.02
Offsite								
	Hauling		0.00	0.00	0.00	0.00	0.00	0.00
	Vendor		0.00	0.00	0.00	0.00	0.00	0.00
	Worker		0.34	0.20	2.10	0.01	1.50	0.40
	Total		0.34	0.20	2.10	0.01	1.50	0.40
TOTAL			55.64	1.06	3.90	0.01	1.52	0.42
Onsite		2032						
	Archit. Coating		55.17	0.00	0.00	0.00	0.00	0.00
	Off-Road		0.13	0.86	1.80	0.00	0.02	0.02
	Total		55.30	0.86	1.80	0.00	0.02	0.02
Offsite								
	Hauling		0.00	0.00	0.00	0.00	0.00	0.00
	Vendor		0.00	0.00	0.00	0.00	0.00	0.00
	Worker		0.34	0.20	2.64	0.01	1.50	0.40
	Total		0.34	0.20	2.64	0.01	1.50	0.40
TOTAL			55.64	1.06	4.44	0.01	1.52	0.42

Finishing and Landscaping								
			ROG	NOx	CO	SO2	PM10 Total	PM2.5 Total
Onsite		2032 Summer						
	Off-Road		0.23	0.56	3.58	0.01	0.02	0.02
	Total		0.23	0.56	3.58	0.01	0.02	0.02
Offsite								
	Hauling		0.00	0.00	0.00	0.00	0.00	0.00
	Vendor		0.00	0.00	0.00	0.00	0.00	0.00
	Worker		0.01	0.00	0.07	0.00	0.04	0.01
	Total		0.01	0.00	0.07	0.00	0.04	0.01
TOTAL			0.24	0.56	3.65	0.01	0.06	0.03
Onsite		2032 Winter						
	Off-Road		0.23	0.56	3.58	0.01	0.02	0.02
	Total		0.23	0.56	3.58	0.01	0.02	0.02
Offsite								
	Hauling		0.00	0.00	0.00	0.00	0.00	0.00
	Vendor		0.00	0.00	0.00	0.00	0.00	0.00
	Worker		0.01	0.01	0.05	0.00	0.04	0.01
	Total		0.01	0.01	0.05	0.00	0.04	0.01
TOTAL			0.24	0.56	3.63	0.01	0.06	0.03
Onsite		2032						
	Off-Road		0.23	0.56	3.58	0.01	0.02	0.02
	Total		0.23	0.56	3.58	0.01	0.02	0.02
Offsite								
	Hauling		0.00	0.00	0.00	0.00	0.00	0.00
	Vendor		0.00	0.00	0.00	0.00	0.00	0.00
	Worker		0.01	0.01	0.07	0.00	0.04	0.01
	Total		0.01	0.01	0.07	0.00	0.04	0.01
TOTAL			0.24	0.56	3.65	0.01	0.06	0.03
Phase 1			ROG	NOx	CO	SO2	PM10 Total	PM2.5 Total
Rough Grading			3.00	28.17	27.10	0.06	10.07	4.71
Utility Trenching			0.18	1.23	3.37	0.01	0.10	0.07
Fine Grading			3.00	28.17	27.10	0.06	10.07	4.71
Building Construction 2025			2.65	20.01	25.65	0.07	3.89	1.42
Building Construction 2026			2.58	19.81	24.97	0.07	3.89	1.42
Building Construction 2027			2.52	19.64	24.36	0.07	3.89	1.42
Building Construction 2027 and Woodshop Modernization			2.53	19.72	24.47	0.07	3.93	1.43
Paving			1.10	8.62	15.05	0.02	0.61	0.44
Architectural Coating			33.45	1.27	3.23	0.01	0.63	0.21
Finishing and Landscaping			0.18	1.23	3.35	0.01	0.10	0.07

Phase 2

<i>Site Preparation</i>	2.51	13.85	16.78	0.05	18.75	10.43
<i>Fine Grading</i>	3.35	14.03	23.57	0.07	9.43	4.16
<i>Utility Trenching</i>	0.24	0.56	3.64	0.01	0.06	0.03
<i>Building Construction 2030</i>	3.84	25.87	34.34	0.15	9.07	2.58
<i>Building Construction 2031</i>	3.65	25.59	33.24	0.14	9.07	2.58
<i>Building Construction 2032</i>	3.49	25.34	32.31	0.14	9.07	2.58
<i>Paving</i>	1.46	7.15	16.19	0.03	0.52	0.38
<i>Architectural Coating</i>	55.64	1.06	4.44	0.01	1.52	0.42
<i>Finishing and Landscaping</i>	0.24	0.56	3.65	0.01	0.06	0.03
MAX DAILY	55.64	28.17	34.34	0.15	18.75	10.43
Shasta County Level A Thresholds	25	25	NA	NA	80	NA
Exceeds Thresholds?	Yes	Yes	NA	NA	No	NA
Shasta County Level B Thresholds	137	137	NA	NA	137	NA
Exceeds Thresholds?	No	No	NA	NA	No	NA

Regional Mitigated Construction Emissions Worksheet:

PHASE 1

Rough Grading		ROG	NOx	CO	SO2	PM10 Total	PM2.5 Total
Onsite		2025 Summer					
	Fugitive Dust					8.67	3.60
	Off-Road	1.01	19.27	36.72	0.06	0.10	0.10
	Total	1.01	19.27	36.72	0.06	8.77	3.70
Offsite							
	Hauling	0.00	0.00	0.00	0.00	0.00	0.00
	Vendor	0.01	0.16	0.04	0.00	0.01	0.00
	Worker	0.10	0.05	0.73	0.00	0.26	0.07
	Total	0.10	0.21	0.77	0.00	0.27	0.07
TOTAL		1.11	19.48	37.49	0.06	9.04	3.77
Onsite		2025 Winter					
	Fugitive Dust					8.67	3.60
	Off-Road	1.01	19.27	36.72	0.06	0.10	0.10
	Total	1.01	19.27	36.72	0.06	8.77	3.70
Offsite							
	Hauling	0.00	0.00	0.00	0.00	0.00	0.00
	Vendor	0.01	0.16	0.04	0.00	0.01	0.00
	Worker	0.09	0.07	0.60	0.00	0.26	0.07
	Total	0.10	0.23	0.64	0.00	0.27	0.07
TOTAL		1.11	19.50	37.36	0.06	9.04	3.77
Onsite		2025					
	Fugitive Dust	0.00	0.00	0.00	0.00	8.67	3.60
	Off-Road	1.01	19.27	36.72	0.06	0.10	0.10
	Total	1.01	19.27	36.72	0.06	8.77	3.70
Offsite							
	Hauling	0.00	0.00	0.00	0.00	0.00	0.00
	Vendor	0.01	0.16	0.04	0.00	0.01	0.00
	Worker	0.10	0.07	0.73	0.00	0.26	0.07
	Total	0.10	0.23	0.77	0.00	0.27	0.07
TOTAL		1.11	19.50	37.49	0.06	9.04	3.77

Trenching		ROG	NOx	CO	SO2	PM10 Total	PM2.5 Total
Onsite		2025 Summer					
	Off-Road	0.17	1.22	3.26	0.01	0.06	0.06
	Total	0.17	1.22	3.26	0.01	0.06	0.06
Offsite							
	Hauling	0.00	0.00	0.00	0.00	0.00	0.00
	Vendor	0.00	0.00	0.00	0.00	0.00	0.00
	Worker	0.01	0.01	0.11	0.00	0.04	0.01
	Total	0.01	0.01	0.11	0.00	0.04	0.01
TOTAL		0.18	1.23	3.37	0.01	0.10	0.07
Onsite		2025 Winter					
	Off-Road	0.17	1.22	3.26	0.01	0.06	0.06
	Total	0.17	1.22	3.26	0.01	0.06	0.06
Offsite							
	Hauling	0.00	0.00	0.00	0.00	0.00	0.00
	Vendor	0.00	0.00	0.00	0.00	0.00	0.00
	Worker	0.01	0.01	0.09	0.00	0.04	0.01
	Total	0.01	0.01	0.09	0.00	0.04	0.01
TOTAL		0.18	1.23	3.35	0.01	0.10	0.07
Onsite		2025					
	Off-Road	0.17	1.22	3.26	0.01	0.06	0.06
	Total	0.17	1.22	3.26	0.01	0.06	0.06
Offsite							
	Hauling	0.00	0.00	0.00	0.00	0.00	0.00
	Vendor	0.00	0.00	0.00	0.00	0.00	0.00
	Worker	0.01	0.01	0.11	0.00	0.04	0.01
	Total	0.01	0.01	0.11	0.00	0.04	0.01
TOTAL		0.18	1.23	3.37	0.01	0.10	0.07

Fine Grading							
		ROG	NOx	CO	SO2	PM10 Total	PM2.5 Total
Onsite		2025 Summer					
	Fugitive Dust					8.67	3.60
	Off-Road	1.01	19.27	36.72	0.06	0.10	0.10
	Total	1.01	19.27	36.72	0.06	8.77	3.70
Offsite							
	Hauling	0.00	0.00	0.00	0.00	0.00	0.00
	Vendor	0.01	0.16	0.04	0.00	0.01	0.00
	Worker	0.10	0.05	0.73	0.00	0.26	0.07
	Total	0.10	0.21	0.77	0.00	0.27	0.07
TOTAL		1.11	19.48	37.49	0.06	9.04	3.77
Onsite		2025 Winter					
	Fugitive Dust					8.67	3.60
	Off-Road	1.01	19.27	36.72	0.06	0.10	0.10
	Total	1.01	19.27	36.72	0.06	8.77	3.70
Offsite							
	Hauling	0.00	0.00	0.00	0.00	0.00	0.00
	Vendor	0.01	0.16	0.04	0.00	0.01	0.00
	Worker	0.09	0.07	0.60	0.00	0.26	0.07
	Total	0.10	0.23	0.64	0.00	0.27	0.07
TOTAL		1.11	19.50	37.36	0.06	9.04	3.77
Onsite		2025					
	Fugitive Dust	0.00	0.00	0.00	0.00	8.67	3.60
	Off-Road	1.01	19.27	36.72	0.06	0.10	0.10
	Total	1.01	19.27	36.72	0.06	8.77	3.70
Offsite							
	Hauling	0.00	0.00	0.00	0.00	0.00	0.00
	Vendor	0.01	0.16	0.04	0.00	0.01	0.00
	Worker	0.10	0.07	0.73	0.00	0.26	0.07
	Total	0.10	0.23	0.77	0.00	0.27	0.07
TOTAL		1.11	19.50	37.49	0.06	9.04	3.77

Building Construction 2025							
		ROG	NOx	CO	SO2	PM10 Total	PM2.5 Total
Onsite		2025 Summer					
	Off-Road	1.37	12.47	16.08	0.03	0.53	0.50
	Total	1.37	12.47	16.08	0.03	0.53	0.50
Offsite							
	Hauling	0.00	0.00	0.00	0.00	0.00	0.00
	Vendor	0.22	6.75	1.53	0.02	0.54	0.16
	Worker	1.05	0.59	8.03	0.02	2.83	0.76
	Total	1.27	7.35	9.56	0.05	3.36	0.92
TOTAL		2.64	19.82	25.65	0.07	3.89	1.42
Onsite		2025 Winter					
	Off-Road	1.37	12.47	16.08	0.03	0.53	0.50
	Total	1.37	12.47	16.08	0.03	0.53	0.50
Offsite							
	Hauling	0.00	0.00	0.00	0.00	0.00	0.00
	Vendor	0.24	6.81	1.83	0.02	0.54	0.16
	Worker	1.04	0.74	6.56	0.02	2.83	0.76
	Total	1.28	7.54	8.39	0.04	3.36	0.92
TOTAL		2.65	20.01	24.47	0.07	3.89	1.42
Onsite		2025					
	Off-Road	1.37	12.47	16.08	0.03	0.53	0.50
	Total	1.37	12.47	16.08	0.03	0.53	0.50
Offsite							
	Hauling	0.00	0.00	0.00	0.00	0.00	0.00
	Vendor	0.24	6.81	1.83	0.02	0.54	0.16
	Worker	1.05	0.74	8.03	0.02	2.83	0.76
	Total	1.28	7.54	9.56	0.05	3.36	0.92
TOTAL		2.65	20.01	25.65	0.07	3.89	1.42

Building Construction 2026

		ROG	NOx	CO	SO2	PM10 Total	PM2.5 Total
Onsite		2026 Summer					
	Off-Road	1.37	12.47	16.08	0.03	0.53	0.50
	Total	1.37	12.47	16.08	0.03	0.53	0.50
Offsite							
	Hauling	0.00	0.00	0.00	0.00	0.00	0.00
	Vendor	0.21	6.63	1.43	0.02	0.54	0.16
	Worker	0.99	0.54	7.45	0.02	2.83	0.76
	Total	1.21	7.17	8.88	0.05	3.36	0.92
TOTAL		2.57	19.64	24.97	0.07	3.89	1.42
Onsite		2026 Winter					
	Off-Road	1.37	12.47	16.08	0.03	0.53	0.50
	Total	1.37	12.47	16.08	0.03	0.53	0.50
Offsite							
	Hauling	0.00	0.00	0.00	0.00	0.00	0.00
	Vendor	0.23	6.67	1.71	0.02	0.54	0.16
	Worker	0.99	0.67	6.07	0.02	2.83	0.76
	Total	1.21	7.34	7.78	0.04	3.36	0.92
TOTAL		2.58	19.81	23.87	0.07	3.89	1.42
Onsite		2026					
	Off-Road	1.37	12.47	16.08	0.03	0.53	0.50
	Total	1.37	12.47	16.08	0.03	0.53	0.50
Offsite							
	Hauling	0.00	0.00	0.00	0.00	0.00	0.00
	Vendor	0.23	6.67	1.71	0.02	0.54	0.16
	Worker	0.99	0.67	7.45	0.02	2.83	0.76
	Total	1.21	7.34	8.88	0.05	3.36	0.92
TOTAL		2.58	19.81	24.97	0.07	3.89	1.42

Building Construction 2027

		ROG	NOx	CO	SO2	PM10 Total	PM2.5 Total
Onsite		2027 Summer					
	Off-Road	1.37	12.47	16.08	0.03	0.53	0.50
	Total	1.37	12.47	16.08	0.03	0.53	0.50
Offsite							
	Hauling	0.00	0.00	0.00	0.00	0.00	0.00
	Vendor	0.20	6.52	1.34	0.02	0.54	0.16
	Worker	0.94	0.49	6.93	0.02	2.83	0.76
	Total	1.14	7.01	8.27	0.05	3.36	0.92
TOTAL		2.51	19.48	24.36	0.07	3.89	1.42
Onsite		2027 Winter					
	Off-Road	1.37	12.47	16.08	0.03	0.53	0.50
	Total	1.37	12.47	16.08	0.03	0.53	0.50
Offsite							
	Hauling	0.00	0.00	0.00	0.00	0.00	0.00
	Vendor	0.22	6.56	1.61	0.02	0.54	0.16
	Worker	0.94	0.61	5.63	0.02	2.83	0.76
	Total	1.15	7.17	7.24	0.04	3.36	0.92
TOTAL		2.52	19.64	23.32	0.07	3.89	1.42
Onsite		2027					
	Off-Road	1.37	12.47	16.08	0.03	0.53	0.50
	Total	1.37	12.47	16.08	0.03	0.53	0.50
Offsite							
	Hauling	0.00	0.00	0.00	0.00	0.00	0.00
	Vendor	0.22	6.56	1.61	0.02	0.54	0.16
	Worker	0.94	0.61	6.93	0.02	2.83	0.76
	Total	1.15	7.17	8.27	0.05	3.36	0.92
TOTAL		2.52	19.64	24.36	0.07	3.89	1.42

Woodshop Modernization							
		ROG	NOx	CO	SO2	PM10 Total	PM2.5 Total
Onsite		2027 Summer					
	Off-Road	0.00	0.00	0.00	0.00	0.00	0.00
	Total	0.00	0.00	0.00	0.00	0.00	0.00
Offsite							
	Hauling	0.00	0.00	0.00	0.00	0.00	0.00
	Vendor	0.00	0.08	0.02	0.00	0.01	0.00
	Worker	0.01	0.01	0.09	0.00	0.04	0.01
	Total	0.02	0.08	0.11	0.00	0.04	0.01
TOTAL		0.02	0.08	0.11	0.00	0.04	0.01
Onsite		2027 Winter					
	Off-Road	0.00	0.00	0.00	0.00	0.00	0.00
	Total	0.00	0.00	0.00	0.00	0.00	0.00
Offsite							
	Hauling	0.00	0.00	0.00	0.00	0.00	0.00
	Vendor	0.00	0.08	0.02	0.00	0.01	0.00
	Worker	0.01	0.01	0.08	0.00	0.04	0.01
	Total	0.02	0.08	0.10	0.00	0.04	0.01
TOTAL		0.02	0.08	0.10	0.00	0.04	0.01
Onsite		2027					
	Off-Road	0.00	0.00	0.00	0.00	0.00	0.00
	Total	0.00	0.00	0.00	0.00	0.00	0.00
Offsite							
	Hauling	0.00	0.00	0.00	0.00	0.00	0.00
	Vendor	0.00	0.08	0.02	0.00	0.01	0.00
	Worker	0.01	0.01	0.09	0.00	0.04	0.01
	Total	0.02	0.08	0.11	0.00	0.04	0.01
TOTAL		0.02	0.08	0.11	0.00	0.04	0.01

Paving							
		ROG	NOx	CO	SO2	PM10 Total	PM2.5 Total
Onsite		2027 Summer					
	Off-Road	0.92	8.58	14.58	0.02	0.42	0.39
	Paving	0.12				0.00	0.00
	Total	1.03	8.58	14.58	0.02	0.42	0.39
Offsite							
	Hauling	0.00	0.00	0.00	0.00	0.00	0.00
	Vendor	0.00	0.00	0.00	0.00	0.00	0.00
	Worker	0.06	0.03	0.47	0.00	0.19	0.05
	Total	0.06	0.03	0.47	0.00	0.19	0.05
TOTAL		1.10	8.62	15.05	0.02	0.61	0.44
Onsite		2027 Winter					
	Off-Road	0.92	8.58	14.58	0.02	0.42	0.39
	Paving	0.12				0.00	0.00
	Total	1.03	8.58	14.58	0.02	0.42	0.39
Offsite							
	Hauling	0.00	0.00	0.00	0.00	0.00	0.00
	Vendor	0.00	0.00	0.00	0.00	0.00	0.00
	Worker	0.06	0.04	0.38	0.00	0.19	0.05
	Total	0.06	0.04	0.38	0.00	0.19	0.05
TOTAL		1.10	8.62	14.96	0.02	0.61	0.44
Onsite		2027					
	Off-Road	0.92	8.58	14.58	0.02	0.42	0.39
	Paving	0.12	0.00	0.00	0.00	0.00	0.00
	Total	1.03	8.58	14.58	0.02	0.42	0.39
Offsite							
	Hauling	0.00	0.00	0.00	0.00	0.00	0.00
	Vendor	0.00	0.00	0.00	0.00	0.00	0.00
	Worker	0.06	0.04	0.47	0.00	0.19	0.05
	Total	0.06	0.04	0.47	0.00	0.19	0.05
TOTAL		1.10	8.62	15.05	0.02	0.61	0.44

Architectural Coating							
		ROG	NOx	CO	SO2	PM10 Total	PM2.5 Total
Onsite		2027 Summer					
	Archit. Coating	11.47				0.00	0.00
	Off-Road	0.17	1.15	1.81	0.00	0.05	0.05
	Total	11.64	1.15	1.81	0.00	0.05	0.05
Offsite							
	Hauling	0.00	0.00	0.00	0.00	0.00	0.00
	Vendor	0.00	0.00	0.00	0.00	0.00	0.00
	Worker	0.19	0.10	1.42	0.00	0.58	0.16
	Total	0.19	0.10	1.42	0.00	0.58	0.16
TOTAL		11.83	1.25	3.23	0.01	0.63	0.21
Onsite		2027 Winter					
	Archit. Coating	11.47				0.00	0.00
	Off-Road	0.17	1.15	1.81	0.00	0.05	0.05
	Total	11.64	1.15	1.81	0.00	0.05	0.05
Offsite							
	Hauling	0.00	0.00	0.00	0.00	0.00	0.00
	Vendor	0.00	0.00	0.00	0.00	0.00	0.00
	Worker	0.19	0.12	1.15	0.00	0.58	0.16
	Total	0.19	0.12	1.15	0.00	0.58	0.16
TOTAL		11.83	1.27	2.96	0.01	0.63	0.21
Onsite		2027					
	Archit. Coating	11.47	0.00	0.00	0.00	0.00	0.00
	Off-Road	0.17	1.15	1.81	0.00	0.05	0.05
	Total	11.64	1.15	1.81	0.00	0.05	0.05
Offsite							
	Hauling	0.00	0.00	0.00	0.00	0.00	0.00
	Vendor	0.00	0.00	0.00	0.00	0.00	0.00
	Worker	0.19	0.12	1.42	0.00	0.58	0.16
	Total	0.19	0.12	1.42	0.00	0.58	0.16
TOTAL		11.83	1.27	3.23	0.01	0.63	0.21

Finishing and Landscaping							
		ROG	NOx	CO	SO2	PM10 Total	PM2.5 Total
Onsite		2021 Summer					
	Off-Road	0.17	1.22	3.26	0.01	0.06	0.06
	Total	0.17	1.22	3.26	0.01	0.06	0.06
Offsite							
	Hauling	0.00	0.00	0.00	0.00	0.00	0.00
	Vendor	0.00	0.00	0.00	0.00	0.00	0.00
	Worker	0.01	0.01	0.09	0.00	0.04	0.01
	Total	0.01	0.01	0.09	0.00	0.04	0.01
TOTAL		0.18	1.23	3.35	0.01	0.10	0.07
Onsite		2021 Winter					
	Off-Road	0.17	1.22	3.26	0.01	0.06	0.06
	Total	0.17	1.22	3.26	0.01	0.06	0.06
Offsite							
	Hauling	0.00	0.00	0.00	0.00	0.00	0.00
	Vendor	0.00	0.00	0.00	0.00	0.00	0.00
	Worker	0.01	0.01	0.08	0.00	0.04	0.01
	Total	0.01	0.01	0.08	0.00	0.04	0.01
TOTAL		0.18	1.23	3.34	0.01	0.10	0.07
Onsite		2021					
	Off-Road	0.17	1.22	3.26	0.01	0.06	0.06
	Total	0.17	1.22	3.26	0.01	0.06	0.06
Offsite							
	Hauling	0.00	0.00	0.00	0.00	0.00	0.00
	Vendor	0.00	0.00	0.00	0.00	0.00	0.00
	Worker	0.01	0.01	0.09	0.00	0.04	0.01
	Total	0.01	0.01	0.09	0.00	0.04	0.01
TOTAL		0.18	1.23	3.35	0.01	0.10	0.07

PHASE 2

Site Preparation

		ROG	NOx	CO	SO2	PM10 Total	PM2.5 Total
Onsite		2030 Summer					
	Fugitive Dust					18.07	9.93
	Off-Road	2.44	13.67	16.29	0.05	0.44	0.44
	Total	2.44	13.67	16.29	0.05	18.50	10.37
Offsite							
	Hauling	0.00	0.00	0.00	0.00	0.00	0.00
	Vendor	0.00	0.15	0.03	0.00	0.01	0.00
	Worker	0.06	0.03	0.46	0.00	0.23	0.06
	Total	0.07	0.18	0.49	0.00	0.24	0.07
TOTAL		2.51	13.84	16.78	0.05	18.75	10.43
Onsite		2030 Winter					
	Fugitive Dust					18.07	9.93
	Off-Road	2.44	13.67	16.29	0.05	0.44	0.44
	Total	2.44	13.67	16.29	0.05	18.50	10.37
Offsite							
	Hauling	0.00	0.00	0.00	0.00	0.00	0.00
	Vendor	0.00	0.15	0.03	0.00	0.01	0.00
	Worker	0.06	0.04	0.37	0.00	0.23	0.06
	Total	0.07	0.18	0.41	0.00	0.24	0.07
TOTAL		2.51	13.85	16.70	0.05	18.75	10.43
Onsite		2030					
	Fugitive Dust	0.00	0.00	0.00	0.00	18.07	9.93
	Off-Road	2.44	13.67	16.29	0.05	0.44	0.44
	Total	2.44	13.67	16.29	0.05	18.50	10.37
Offsite							
	Hauling	0.00	0.00	0.00	0.00	0.00	0.00
	Vendor	0.00	0.15	0.03	0.00	0.01	0.00
	Worker	0.06	0.04	0.46	0.00	0.23	0.06
	Total	0.07	0.18	0.49	0.00	0.24	0.07
TOTAL		2.51	13.85	16.78	0.05	18.75	10.43

Fine Grading

		ROG	NOx	CO	SO2	PM10 Total	PM2.5 Total
Onsite		2030 Summer					
	Fugitive Dust					8.67	3.60
	Off-Road	3.28	13.85	23.02	0.07	0.49	0.49
	Total	3.28	13.85	23.02	0.07	9.16	4.08
Offsite							
	Hauling	0.00	0.00	0.00	0.00	0.00	0.00
	Vendor	0.00	0.15	0.03	0.00	0.01	0.00
	Worker	0.07	0.03	0.51	0.00	0.26	0.07
	Total	0.07	0.18	0.54	0.00	0.27	0.07
TOTAL		3.35	14.03	23.57	0.07	9.43	4.16
Onsite		2030 Winter					
	Fugitive Dust					8.67	3.60
	Off-Road	3.28	13.85	23.02	0.07	0.49	0.49
	Total	3.28	13.85	23.02	0.07	9.16	4.08
Offsite							
	Hauling	0.00	0.00	0.00	0.00	0.00	0.00
	Vendor	0.00	0.15	0.03	0.00	0.01	0.00
	Worker	0.07	0.04	0.41	0.00	0.26	0.07
	Total	0.07	0.19	0.45	0.00	0.27	0.07
TOTAL		3.35	14.03	23.47	0.07	9.43	4.16
Onsite		2030					
	Fugitive Dust	0.00	0.00	0.00	0.00	8.67	3.60
	Off-Road	3.28	13.85	23.02	0.07	0.49	0.49
	Total	3.28	13.85	23.02	0.07	9.16	4.08
Offsite							
	Hauling	0.00	0.00	0.00	0.00	0.00	0.00
	Vendor	0.00	0.15	0.03	0.00	0.01	0.00
	Worker	0.07	0.04	0.51	0.00	0.26	0.07
	Total	0.07	0.19	0.54	0.00	0.27	0.07
TOTAL		3.35	14.03	23.57	0.07	9.43	4.16

Trenching							
		ROG	NOx	CO	SO2	PM10 Total	PM2.5 Total
Onsite		2030 Summer					
	Off-Road	0.23	0.56	3.56	0.01	0.02	0.02
	Total	0.23	0.56	3.56	0.01	0.02	0.02
Offsite							
	Hauling	0.00	0.00	0.00	0.00	0.00	0.00
	Vendor	0.00	0.00	0.00	0.00	0.00	0.00
	Worker	0.01	0.01	0.08	0.00	0.04	0.01
	Total	0.01	0.01	0.08	0.00	0.04	0.01
TOTAL		0.24	0.56	3.64	0.01	0.06	0.03
Onsite		2030 Winter					
	Off-Road	0.23	0.56	3.56	0.01	0.02	0.02
	Total	0.23	0.56	3.56	0.01	0.02	0.02
Offsite							
	Hauling	0.00	0.00	0.00	0.00	0.00	0.00
	Vendor	0.00	0.00	0.00	0.00	0.00	0.00
	Worker	0.01	0.01	0.06	0.00	0.04	0.01
	Total	0.01	0.01	0.06	0.00	0.04	0.01
TOTAL		0.24	0.56	3.62	0.01	0.06	0.03
Onsite		2030					
	Off-Road	0.23	0.56	3.56	0.01	0.02	0.02
	Total	0.23	0.56	3.56	0.01	0.02	0.02
Offsite							
	Hauling	0.00	0.00	0.00	0.00	0.00	0.00
	Vendor	0.00	0.00	0.00	0.00	0.00	0.00
	Worker	0.01	0.01	0.08	0.00	0.04	0.01
	Total	0.01	0.01	0.08	0.00	0.04	0.01
TOTAL		0.24	0.56	3.64	0.01	0.06	0.03

Building Construction 2030							
		ROG	NOx	CO	SO2	PM10 Total	PM2.5 Total
Onsite		2030 Summer					
	Off-Road	0.33	2.23	17.46	0.03	0.04	0.04
	Total	0.33	2.23	17.46	0.03	0.04	0.04
Offsite							
	Hauling	0.00	0.00	0.00	0.00	0.00	0.00
	Vendor	0.48	16.64	3.13	0.06	1.42	0.42
	Worker	2.01	0.99	15.06	0.06	7.51	2.01
	Total	2.49	17.63	18.18	0.11	8.92	2.43
TOTAL		2.82	19.86	35.65	0.15	8.96	2.47
Onsite		2030 Winter					
	Off-Road	0.33	2.23	17.46	0.03	0.04	0.04
	Total	0.33	2.23	17.46	0.03	0.04	0.04
Offsite							
	Hauling	0.00	0.00	0.00	0.00	0.00	0.00
	Vendor	0.52	16.71	3.78	0.06	1.42	0.42
	Worker	2.02	1.23	12.11	0.05	7.51	2.01
	Total	2.53	17.94	15.88	0.11	8.92	2.43
TOTAL		2.86	20.17	33.34	0.14	8.96	2.47
Onsite		2030					
	Off-Road	0.33	2.23	17.46	0.03	0.04	0.04
	Total	0.33	2.23	17.46	0.03	0.04	0.04
Offsite							
	Hauling	0.00	0.00	0.00	0.00	0.00	0.00
	Vendor	0.52	16.71	3.78	0.06	1.42	0.42
	Worker	2.02	1.23	15.06	0.06	7.51	2.01
	Total	2.53	17.94	18.18	0.11	8.92	2.43
TOTAL		2.86	20.17	35.65	0.15	8.96	2.47

Building Construction 2031

		ROG	NOx	CO	SO2	PM10 Total	PM2.5 Total
Onsite		2031 Summer					
	Off-Road	0.33	2.23	17.46	0.03	0.04	0.04
	Total	0.33	2.23	17.46	0.03	0.04	0.04
Offsite							
	Hauling	0.00	0.00	0.00	0.00	0.00	0.00
	Vendor	0.47	16.48	3.03	0.06	1.42	0.42
	Worker	1.83	0.90	14.06	0.05	7.50	2.01
	Total	2.30	17.38	17.09	0.11	8.92	2.43
TOTAL		2.63	19.61	34.55	0.14	8.96	2.47
Onsite		2031 Winter					
	Off-Road	0.33	2.23	17.46	0.03	0.04	0.04
	Total	0.33	2.23	17.46	0.03	0.04	0.04
Offsite							
	Hauling	0.00	0.00	0.00	0.00	0.00	0.00
	Vendor	0.50	16.54	3.66	0.06	1.42	0.42
	Worker	1.84	1.11	11.25	0.05	7.50	2.01
	Total	2.34	17.65	14.92	0.10	8.92	2.43
TOTAL		2.67	19.89	32.38	0.14	8.96	2.47
Onsite		2031					
	Off-Road	0.33	2.23	17.46	0.03	0.04	0.04
	Total	0.33	2.23	17.46	0.03	0.04	0.04
Offsite							
	Hauling	0.00	0.00	0.00	0.00	0.00	0.00
	Vendor	0.50	16.54	3.66	0.06	1.42	0.42
	Worker	1.84	1.11	14.06	0.05	7.50	2.01
	Total	2.34	17.65	17.09	0.11	8.92	2.43
TOTAL		2.67	19.89	34.55	0.14	8.96	2.47

Building Construction 2032

		ROG	NOx	CO	SO2	PM10 Total	PM2.5 Total
Onsite		2032 Summer					
	Off-Road	0.33	2.23	17.46	0.03	0.04	0.04
	Total	0.33	2.23	17.46	0.03	0.04	0.04
Offsite							
	Hauling	0.00	0.00	0.00	0.00	0.00	0.00
	Vendor	0.46	16.34	2.96	0.06	1.42	0.42
	Worker	1.67	0.82	13.20	0.05	7.50	2.01
	Total	2.13	17.16	16.16	0.11	8.92	2.43
TOTAL		2.46	19.40	33.62	0.14	8.96	2.47
Onsite		2032 Winter					
	Off-Road	0.33	2.23	17.46	0.03	0.04	0.04
	Total	0.33	2.23	17.46	0.03	0.04	0.04
Offsite							
	Hauling	0.00	0.00	0.00	0.00	0.00	0.00
	Vendor	0.49	16.40	3.59	0.06	1.42	0.42
	Worker	1.68	1.01	10.52	0.05	7.50	2.01
	Total	2.18	17.41	14.10	0.10	8.92	2.43
TOTAL		2.50	19.64	31.56	0.13	8.96	2.47
Onsite		2032					
	Off-Road	0.33	2.23	17.46	0.03	0.04	0.04
	Total	0.33	2.23	17.46	0.03	0.04	0.04
Offsite							
	Hauling	0.00	0.00	0.00	0.00	0.00	0.00
	Vendor	0.49	16.40	3.59	0.06	1.42	0.42
	Worker	1.68	1.01	13.20	0.05	7.50	2.01
	Total	2.18	17.41	16.16	0.11	8.92	2.43
TOTAL		2.50	19.64	33.62	0.14	8.96	2.47

Paving							
		ROG	NOx	CO	SO2	PM10 Total	PM2.5 Total
Onsite		2032 Summer					
	Off-Road	1.38	7.12	15.85	0.03	0.33	0.33
	Paving	0.03				0.00	0.00
	Total	1.42	7.12	15.85	0.03	0.33	0.33
Offsite							
	Hauling	0.00	0.00	0.00	0.00	0.00	0.00
	Vendor	0.00	0.00	0.00	0.00	0.00	0.00
	Worker	0.04	0.02	0.34	0.00	0.19	0.05
	Total	0.04	0.02	0.34	0.00	0.19	0.05
TOTAL		1.46	7.14	16.19	0.03	0.52	0.38
Onsite		2032 Winter					
	Off-Road	1.38	7.12	15.85	0.03	0.33	0.33
	Paving	0.03				0.00	0.00
	Total	1.42	7.12	15.85	0.03	0.33	0.33
Offsite							
	Hauling	0.00	0.00	0.00	0.00	0.00	0.00
	Vendor	0.00	0.00	0.00	0.00	0.00	0.00
	Worker	0.04	0.03	0.27	0.00	0.19	0.05
	Total	0.04	0.03	0.27	0.00	0.19	0.05
TOTAL		1.46	7.15	16.12	0.03	0.52	0.38
Onsite		2032					
	Off-Road	1.38	7.12	15.85	0.03	0.33	0.33
	Paving	0.03	0.00	0.00	0.00	0.00	0.00
	Total	1.42	7.12	15.85	0.03	0.33	0.33
Offsite							
	Hauling	0.00	0.00	0.00	0.00	0.00	0.00
	Vendor	0.00	0.00	0.00	0.00	0.00	0.00
	Worker	0.04	0.03	0.34	0.00	0.19	0.05
	Total	0.04	0.03	0.34	0.00	0.19	0.05
TOTAL		1.46	7.15	16.19	0.03	0.52	0.38

Architectural Coating							
		ROG	NOx	CO	SO2	PM10 Total	PM2.5 Total
Onsite		2032 Summer					
	Archit. Coating	17.93				0.00	0.00
	Off-Road	0.13	0.86	1.80	0.00	0.02	0.02
	Total	18.06	0.86	1.80	0.00	0.02	0.02
Offsite							
	Hauling	0.00	0.00	0.00	0.00	0.00	0.00
	Vendor	0.00	0.00	0.00	0.00	0.00	0.00
	Worker	0.33	0.16	2.64	0.01	1.50	0.40
	Total	0.33	0.16	2.64	0.01	1.50	0.40
TOTAL		18.40	1.02	4.44	0.01	1.52	0.42
Onsite		2032 Winter					
	Archit. Coating	17.93				0.00	0.00
	Off-Road	0.13	0.86	1.80	0.00	0.02	0.02
	Total	18.06	0.86	1.80	0.00	0.02	0.02
Offsite							
	Hauling	0.00	0.00	0.00	0.00	0.00	0.00
	Vendor	0.00	0.00	0.00	0.00	0.00	0.00
	Worker	0.34	0.20	2.10	0.01	1.50	0.40
	Total	0.34	0.20	2.10	0.01	1.50	0.40
TOTAL		18.40	1.06	3.90	0.01	1.52	0.42
Onsite		2032					
	Archit. Coating	17.93	0.00	0.00	0.00	0.00	0.00
	Off-Road	0.13	0.86	1.80	0.00	0.02	0.02
	Total	18.06	0.86	1.80	0.00	0.02	0.02
Offsite							
	Hauling	0.00	0.00	0.00	0.00	0.00	0.00
	Vendor	0.00	0.00	0.00	0.00	0.00	0.00
	Worker	0.34	0.20	2.64	0.01	1.50	0.40
	Total	0.34	0.20	2.64	0.01	1.50	0.40
TOTAL		18.40	1.06	4.44	0.01	1.52	0.42

Finishing and Landscaping		ROG	NOx	CO	SO2	PM10 Total	PM2.5 Total
Onsite		2032 Summer					
	Off-Road	0.23	0.56	3.58	0.01	0.02	0.02
	Total	0.23	0.56	3.58	0.01	0.02	0.02
Offsite							
	Hauling	0.00	0.00	0.00	0.00	0.00	0.00
	Vendor	0.00	0.00	0.00	0.00	0.00	0.00
	Worker	0.01	0.00	0.07	0.00	0.04	0.01
	Total	0.01	0.00	0.07	0.00	0.04	0.01
TOTAL		0.24	0.56	3.65	0.01	0.06	0.03
Onsite		2032 Winter					
	Off-Road	0.23	0.56	3.58	0.01	0.02	0.02
	Total	0.23	0.56	3.58	0.01	0.02	0.02
Offsite							
	Hauling	0.00	0.00	0.00	0.00	0.00	0.00
	Vendor	0.00	0.00	0.00	0.00	0.00	0.00
	Worker	0.01	0.01	0.05	0.00	0.04	0.01
	Total	0.01	0.01	0.05	0.00	0.04	0.01
TOTAL		0.24	0.56	3.63	0.01	0.06	0.03
Onsite		2032					
	Off-Road	0.23	0.56	3.58	0.01	0.02	0.02
	Total	0.23	0.56	3.58	0.01	0.02	0.02
Offsite							
	Hauling	0.00	0.00	0.00	0.00	0.00	0.00
	Vendor	0.00	0.00	0.00	0.00	0.00	0.00
	Worker	0.01	0.01	0.07	0.00	0.04	0.01
	Total	0.01	0.01	0.07	0.00	0.04	0.01
TOTAL		0.24	0.56	3.65	0.01	0.06	0.03
Phase 1		ROG	NOx	CO	SO2	PM10 Total	PM2.5 Total
Rough Grading		1	19	37	0	9	4
Utility Trenching		0	1	3	0	0	0
Fine Grading		0	19	37	0	9	4
Building Construction 2025		3	20	26	0	4	1
Building Construction 2026		3	20	25	0	4	1
Building Construction 2027		3	20	24	0	4	1
Building Construction 2027 and Woodshop Modernization		3	20	24	0	4	1
Paving		1	9	15	0	1	0
Architectural Coating		12	1	3	0	1	0
Finishing and Landscaping		0	1	3	0	0	0

Phase 2

<i>Site Preparation</i>	3	14	17	0	19	10
<i>Fine Grading</i>	3	14	24	0	9	4
<i>Utility Trenching</i>	0	1	4	0	0	0
<i>Building Construction 2030</i>	3	20	36	0	9	2
<i>Building Construction 2031</i>	3	20	35	0	9	2
<i>Building Construction 2032</i>	3	20	34	0	9	2
<i>Paving</i>	1	7	16	0	1	0
<i>Architectural Coating</i>	18	1	4	0	2	0
<i>Finishing and Landscaping</i>	0	1	4	0	0	0
MAX DAILY	18	20	37	0	19	10
Shasta County Level A Thresholds	25	25	NA	NA	80	NA
Exceeds Thresholds?	No	No	NA	NA	No	NA
Shasta County Level B Thresholds	137	137	NA	NA	137	NA
Exceeds Thresholds?	No	No	NA	NA	No	NA

Regional Operation Emissions Worksheet: Combined Buildout Year 2032¹

¹ CalEEMod, Version 2016.3.2

Proposed Operations

Summer

	ROG	NOx	CO	SO2	PM10 Total	PM2.5 Total
Area	3.95	0.00	0.23	0.00	0.00	0.00
Energy	0.04	0.39	0.33	0.00	0.03	0.03
Mobile	0.60	0.55	7.67	0.03	4.00	1.07
Total	4.59	0.94	8.22	0.03	4.03	1.10

Winter

	ROG	NOx	CO	SO2	PM10 Total	PM2.5 Total
Area	3.95	0.00	0.23	0.00	0.00	0.00
Energy	0.04	0.39	0.33	0.00	0.03	0.03
Mobile	0.44	0.67	6.62	0.02	4.00	1.07
Total	4.42	1.06	7.17	0.03	4.03	1.10

Max Daily

	ROG	NOx	CO	SO2	PM10 Total	PM2.5 Total
Area	3.95	0.00	0.23	0.00	0.00	0.00
Energy	0.04	0.39	0.33	0.00	0.03	0.03
Mobile	0.60	0.67	7.67	0.03	4.00	1.07
Total	4.59	1.06	8.22	0.03	4.03	1.10

Thresholds

Shasta County Level A Thresholds	25	25	NA	NA	80	NA
Exceeds Thresholds?	No	No	NA	NA	No	NA
Shasta County Level B Thresholds	137	137	NA	NA	137	NA
Exceeds Thresholds?	No	No	NA	NA	No	NA

GHG Emissions Inventory

Proposed Project Buildout

Construction

	<u>MTCO₂e Total Project¹</u>
2025	490
2026	833
2027	302
2030	856
2031	1,643
2032	559
Total Construction	4,684

*CalEEMod, Version 2016.3.2.

Operation*

Proposed Combined		
Area	0	MTCO ₂ e/Year ²
Energy	180	MTCO ₂ e/Year
Mobile	316	MTCO ₂ e/Year
Solid Waste	23	MTCO ₂ e/Year
Water	10	MTCO ₂ e/Year
Amortized Construction Emissions ³	156	MTCO ₂ e/Year
Total	684	MTCO₂e/Year
CAPCOA GHG Threshold ⁴	900	MTCO ₂ e/Year
Exceed Threshold?	No	

¹CalEEMod, Version 2016.3.2.

² MTCO₂e=metric tons of carbon dioxide equivalent.

³ Total construction emissions are amortized over 30 years per SCAQMD methodology; SCAQMD. 2009, November 19. Greenhouse Gases (GHG) CEQA Significance Thresholds Working Group Meeting 14. [http://www.aqmd.gov/docs/default-source/ceqa/handbook/greenhouse-gases-\(ghg\)-ceqa-significance-thresholds/year-2008-2009/ghg-meeting-14/ghg-meeting-14-main-presentation.pdf?sfvrsn=2](http://www.aqmd.gov/docs/default-source/ceqa/handbook/greenhouse-gases-(ghg)-ceqa-significance-thresholds/year-2008-2009/ghg-meeting-14/ghg-meeting-14-main-presentation.pdf?sfvrsn=2).

⁴ California Air Pollution Control Officer's Association (CAPCOA). 2008, January. CEQA and Climate Change. <http://www.capcoa.org/wp-content/uploads/downloads/2010/05/CAPCOA-White-Paper.pdf>.

CalEEMod Inputs - Hamilton High School Expansion

Name: Hamilton High School Expansion
Project Number: HASD-02
Project Location: 620 Canal St, Hamilton City, CA 95951
County: Glenn County
Climate Zone: 3
Land Use Setting: Rural
Operational Year: 2027
Utility Company: PG&E
Air Basin: Sacramento Valley Air Basin
Air District: Glenn County Air Pollution Control District (GCAPCD)

Project Site Acreage 12
Disturbed Site Acreage 12.00

Project Components	SQFT	Acres
New Construction		
Gymnasium	35,000.00	
Total Building Construction	35,000.00	0.80
Parking	42,500.00	0.98
Total Other Asphalt Surfaces	12,500.00	0.29
Hardscape	4,000.00	0.09
Additional Area	428,720.00	9.84
Site Upgrades		
Wood Shop Building Modernization	8,000.00	0.18

CalEEMod Land Use Inputs

Land Use Type	Land Use Subtype	Unit Amount	Size Metric	Lot Acreage	Land Use Square Feet
Educational	High School	35.00	1000 sqft	0.80	35,000
Parking	Surface Parking	42.50	1000 sqft	0.98	42,500
Parking	Other Asphalt Surfaces	12.50	1000 sqft	0.29	12,500
Parking	Other Non-asphalt Surfaces	4.00	1000 sqft	0.09	4,000
Additional Area	Other Non-asphalt Surfaces	428.72	1000 sqft	9.84	428,720
				12.00	

Architectural Coating

Percentage of Proposed Buildings' Interior

Painted: 90%

Percentage of Proposed Buildings' Exterior

Painted: 90%

CalEEMod Defaults

Interior Paint VOC content: 250 grams per liter

Exterior Paing VOC content: 250 grams per liter

Nonresidential Structures	Land Use Square Feet	CalEEMod Factor ²	Total Paintable Surface		
			Area	Paintable Interior Area ¹	Paintable Exterior Area ¹
High School Structures	35,000	2.0	70,000	47,250	15,750
Woodshop Modernization	8,000	2.0	16,000	10,800	3,600
Parking Lot	42,500	6%	86,000	58,050	19,350
			2,550	-	2,550
			2,550		2,550

¹CalEEMod methodology calculates the paintable interior and exterior areas by multiplying the total paintable surface area by 75 and 25 percent, respectively.

²The program assumes the total surface for painting equals 2.7 times the floor square footage for residential and 2 times that for nonresidential square footage defined by the user. Architectural coatings for the parking lot is based on CalEEMod methodology applied to a surface parking lot (i.e., striping), in which 6% of surface area is painted.

³100% of the interior and exterior of buildings to be modernized will be painted

CalEEMod Inputs - Hamilton High School Expansion

Name: Hamilton High School Expansion
Project Number: HASD-02
Project Location: 620 Canal St, Hamilton City, CA 95951
County: Glenn County
Climate Zone: 3
Land Use Setting: Rural
Operational Year: 2032
Utility Company: PG&E
Air Basin: Sacramento Valley Air Basin
Air District: Glenn County Air Pollution Control District (GCAPCD)

Project Site Acreage	32
Disturbed Site Acreage	32.00

Project Components	SQFT	Acres
New Construction		
Teaching Stations	37,000.00	0.85
Multipurpose Building	11,000.00	0.25
Learning Laboratories	10,000.00	0.23
Administration Building	11,000.00	0.25
Restrooms	7,000.00	0.16
Storage	6,000.00	0.14
Total Building Construction	82,000.00	1.88
Total Other Asphalt Surfaces	18,000.00	0.41
Hardscape	40,000.00	0.92
Landscape	914,760.00	21.00
Total	954,760.00	21.92
Additional Area	339,160.00	7.79
Site Upgrades		
Wood Shop Building Modernization	8,000.00	0.18

CalEEMod Land Use Inputs

Land Use Type	Land Use Subtype	Unit Amount	Size Metric	Lot Acreage	Land Use Square Feet
Educational	High School	82.000	1000 sqft	1.88	82,000
Parking	Other Asphalt Surfaces	18.000	1000 sqft	0.41	18,000
Parking	Other Non-asphalt Surfaces	954.760	1000 sqft	21.92	954,760
Additional Area	Other Non-asphalt Surfaces	339.160	1000 sqft	7.79	339,160
				32.00	

Architectural Coating

Percentage of Proposed Buildings'

Interior Painted:

90%

Percentage of Proposed Buildings'

Exterior Painted:

90%

CalEEMod Defaults

Interior Paint VOC content: 250 grams per liter

Exterior Paing VOC content: 250 grams per liter

Nonresidential Structures	Land Use Square Feet	CalEEMod Factor ²	Total Paintable Surface		
			Area	Paintable Interior Area ¹	Paintable Exterior Area ¹
High School Structures	82,000	2.0	164,000	110,700	36,900
			164,000	110,700	36,900

¹CalEEMod methodology calculates the paintable interior and exterior areas by multiplying the total paintable surface area by 75 and 25 percent, respectively.

²The program assumes the total surface for painting equals 2.7 times the floor square footage for residential and 2 times that for nonresidential square footage defined by the user. Architectural coatings for the parking lot is based on CalEEMod methodology applied to a surface parking lot (i.e., striping), in which 6% of surface area is painted.

³100% of the interior and exterior of buildings to be modernized will be painted

Construction Activities and Schedule Assumptions: Hamilton High School Project

* Normalized CalEEMod Defaults based on phase durations provided by applicant

CalEEMod Defaults

Construction Activities	Phase Type	Construction Schedule		
		Start Date	End Date	CalEEMod Duration (Workday)
Phase 1 Development				
Rough Grading	Grading	5/1/2025	6/11/2025	30
Utility Trenching	Trenching	6/11/2025	6/25/2025	11
Fine Grading	Grading	6/26/2025	8/6/2025	30
Building Construction	Building Construction	8/7/2025	9/30/2026	300
Wood Shop Building Modernization	Building Construction	8/20/2026	9/30/2026	30
Paving	Paving	10/1/2026	10/28/2026	20
Architectural Coating	Architectural Coating	10/29/2026	11/25/2026	20
Finishing/Landscaping	Trenching	11/26/2026	12/9/2026	10
Phase 2 Development				
Site Preparation	Site Preparation	5/1/2030	5/28/2030	20
Fine Grading	Grading	5/29/2030	7/30/2030	45
Utility Trenching	Trenching	7/31/2030	8/13/2030	10
Building Construction	Building Construction	8/14/2030	7/13/2032	500
Paving	Paving	7/14/2032	8/31/2032	35
Architectural Coating	Architectural Coating	9/1/2032	10/19/2032	35
Finishing/Landscaping	Trenching	10/20/2032	11/2/2032	10

Normalized Schedules

Construction Activities	Phase Type	Construction Schedule		
		Start Date	End Date	CalEEMod Duration (Workday)
Phase 1 Development				
		5/1/2025	7/30/2027	
Rough Grading	Grading	5/1/2025	6/28/2025	42
Utility Trenching	Trenching	6/29/2025	7/18/2025	15
Fine Grading	Grading	7/19/2025	9/16/2025	42
Building Construction	Building Construction	9/17/2025	4/26/2027	419
Wood Shop Building Modernization	Building Construction	2/26/2027	4/26/2027	42
Paving	Paving	4/27/2027	6/3/2027	28
Architectural Coating	Architectural Coating	6/4/2027	7/13/2027	28
Finishing/Landscaping	Trenching	7/14/2027	7/31/2027	13
Phase 2 Development				
		5/1/2030	7/30/2032	
Site Preparation	Site Preparation	5/1/2030	5/25/2030	18
Fine Grading	Grading	5/26/2030	7/20/2030	40
Utility Trenching	Trenching	7/21/2030	8/2/2030	10
Building Construction	Building Construction	8/3/2030	4/21/2032	448
Paving	Paving	4/22/2032	6/3/2032	31
Architectural Coating	Architectural Coating	6/4/2032	7/16/2032	31
Finishing/Landscaping	Trenching	7/17/2032	7/31/2032	10

CalEEMod Construction Off-Road Equipment Inputs

*Based on CalEEMod defaults

General Construction Hours: 8 hours btwn 7:00 AM to 4:00 PM (with 1 hr break), Mon-Fri

Construction Equipment Details						
Equipment	model	# of Equipment	hr/day	hp	load factor*	total trips
PHASE 1 DEVELOPMENT						
Rough Grading						
Excavators		2	8	158	0.38	
Graders		1	8	187	0.41	
Rubber Tired Dozers		1	8	247	0.4	
Scrapers		2	8	367	0.48	
Tractors/Loaders/Backhoes		2	8	97	0.37	
Worker Trips						20
Vendor Trips						
Hauling Trips						
Water Trucks						2
Utility Trenching						
Excavators		1	8	158	0.3819	
Worker Trips						3
Vendor Trips						
Hauling Trips						
Fine Grading						
Excavators		2	8	158	0.38	
Graders		1	8	187	0.41	
Rubber Tired Dozers		1	8	247	0.4	
Scrapers		2	8	367	0.48	
Tractors/Loaders/Backhoes		2	8	97	0.37	
Worker Trips						20
Vendor Trips						
Hauling Trips						
Water Trucks						2
Building Construction						
Cranes		1	7	231	0.29	
Forklifts		3	8	89	0.2	
Generator Sets		1	8	84	0.74	
Tractors/Loaders/Backhoes		3	7	97	0.37	
Welders		1	8	46	0.45	
Worker Trips						220
Vendor Trips						86
Hauling Trips						
Wood Shop Building Modernization						
Sharing equipment with Building Construction Phase						
Worker Trips						3
Vendor Trips						1
Hauling Trips						
Paving						
Pavers		2	8	130	0.42	
Paving Equipment		2	8	132	0.36	
Rollers		2	8	80	0.38	
Worker Trips						15
Vendor Trips						
Hauling Trips						
Architectural Coating						
Air Compressors		1	6	78	0.48	
Worker Trips						45
Vendor Trips						
Hauling Trips						
Finishing/Landscaping						
Excavators		1	8	158	0.3819	
Worker Trips						3
Vendor Trips						
Hauling Trips						

PHASE 2 DEVELOPMENT

Site Preparation

Rubber Tired Dozers		3	8	247	0.4	
Tractors/Loaders/Backhoes		4	8	97	0.37	
Worker Trips						18
Vendor Trips						
Hauling Trips						
Water Trucks						2

Fine Grading

Excavators		2	8	158	0.38	
Graders		1	8	187	0.41	
Rubber Tired Dozers		1	8	247	0.4	
Scrapers		2	8	367	0.48	
Tractors/Loaders/Backhoes		2	8	97	0.37	
Worker Trips						20
Vendor Trips						
Hauling Trips						
Water Trucks						2

Utility Trenching

Excavators		1	8	158	0.3819	
Worker Trips						3
Vendor Trips						
Hauling Trips						
Water Trucks						

Building Construction

Cranes		1	7	231	0.29	
Forklifts		3	8	89	0.2	
Generator Sets		1	8	84	0.74	
Tractors/Loaders/Backhoes		3	7	97	0.37	
Welders		1	8	46	0.45	
Worker Trips						585
Vendor Trips						228
Water Trucks						
Hauling Trips						

Paving

Pavers		2	8	130	0.42	
Paving Equipment		2	8	132	0.36	
Rollers		2	8	80	0.38	
Worker Trips						15
Vendor Trips						
Water Trucks						
Hauling Trips						

Architectural Coating

Air Compressors		1	6	78	0.48	
Worker Trips						117
Vendor Trips						
Hauling Trips						

Finishing/Landscaping

Excavators		1	8	158	0.3819	
Worker Trips						3
Vendor Trips						
Hauling Trips						

Construction Trips Worksheet

Phase Name	Worker Trip Ends Per	Vendor Trip Ends Per	Haul Truck Trip Ends	Total Haul Truck Trip	Start Date	End Date	Workdays
	Day	Day	Per Day	Ends			
Phase 1 Development							
Rough Grading	20	2	0	0	5/1/2025	6/28/2025	42
Utility Trenching	3	0	0	0	6/29/2025	7/18/2025	15
Fine Grading	20	2	0	0	7/19/2025	9/16/2025	42
Building Construction	220	86	0	0	9/17/2025	4/26/2027	419
Wood Shop Building Modernization	3	1	0	0	2/26/2027	4/26/2027	42
Paving	15	0	0	0	4/27/2027	6/3/2027	28
Architectural Coating	45	0	0	0	6/4/2027	7/13/2027	28
Finishing/Landscaping	3	0	0	0	7/14/2027	7/31/2027	13
Phase 2 Development							
Site Preparation	18	2	0	0	5/1/2030	5/25/2030	18
Fine Grading	20	2	0	0	5/26/2030	7/20/2030	40
Utility Trenching	3	0	0	0	7/21/2030	8/2/2030	10
Building Construction	585	228	0	0	8/3/2030	4/21/2032	448
Paving	15	0	0	0	4/22/2032	6/3/2032	31
Architectural Coating	117	0	0	0	6/4/2032	7/16/2032	31
Finishing/Landscaping	3	0	0	0	7/17/2032	7/31/2032	10

Construction Activity (Overlapping)	Worker Trip Ends Per	Vendor Trip Ends Per	Haul Truck Trip Ends	Total Trip Ends Per	Start Date	End Date	Workdays
	Day	Day	Per Day	Day			
Phase 1 Development							
Rough Grading	20	2	0	22	5/1/2025	6/28/2025	42
Utility Trenching	3	0	0	3	6/29/2025	7/18/2025	15
Fine Grading	20	2	0	22	7/19/2025	9/16/2025	42
Building Construction	220	86	0	306	9/17/2025	4/26/2027	419
Building Construction and Wood Shop Building Modernization	223	87	0	310	2/26/2027	4/26/2027	42
Paving	15	0	0	15	4/27/2027	6/3/2027	28
Architectural Coating	45	0	0	45	6/4/2027	7/13/2027	28
Finishing/Landscaping	3	0	0	3	7/14/2027	7/31/2027	13
Phase 2 Development							
Site Preparation	18	2	0	20	5/1/2030	5/25/2030	18
Fine Grading	20	2	0	22	5/26/2030	7/20/2030	40
Utility Trenching	3	0	0	3	7/21/2030	8/2/2030	10
Building Construction	585	228	0	813	8/3/2030	4/21/2032	448
Paving	15	0	0	15	4/22/2032	6/3/2032	31
Architectural Coating	117	0	0	117	6/4/2032	7/16/2032	31
Finishing/Landscaping	3	0	0	3	7/17/2032	7/31/2032	10
Maximum Daily Trips	585	228	0	813			

CalEEMod Inputs - Hamilton High School Expansion

Name: Hamilton High School Expansion
Project Number: HASD-02
Project Location: 620 Canal St, Hamilton City, CA 95951
County: Glenn County
Climate Zone: 3
Land Use Setting: Urban
Operational Year: 2032
Utility Company: PG&E
Air Basin: Sacramento Valley Air Basin
Air District: Glenn County Air Pollution Control District (GCAPCD)

Project Acreage	48.00
Disturbed Acreage	48.00

2032 Buildout

CalEEMod Land Use Inputs

Land Use Type	Land Use Subtype	Unit Amount	Size Metric	Lot Acreage	Land Use Square Feet
Educational	High School	250	students	2.686	117,000
Parking	Surface Parking	42.500	1000 sqft	0.976	42,500.00
Parking	Other Asphalt Surfaces	30.500	1000 sqft	0.700	30,500
Parking	Other Non-asphalt Surfaces	1,726.640	1000 sqft	39.638	1,726,640
Additional Area	Other Non-asphalt Surfaces	174.240	1000 sqft	4.000	174,240
				48.00	

Land Use Type	Average Daily Trips ¹	CalEEMod Trip Rate	Saturday Trips ²	CalEEMod Trip Rate	Sunday Trips ²	CalEEMod Trip Rate
High School	508	2.03	145	0.58	63	0.25

Source: ¹PlaceWorks. 2019. Hamilton High School Site Expansion – Traffic Analysis
²ITE. 2017, September. Trip Generation Manual, 10th Edition.

Water Use

CalEEMod Defaults

Land Use	Indoor (gal/year)	Outdoor (gal/year)	Total
High School (students)	3,933,000.00	1,101,250	3,933,000.00

*Assumes 100% aerobic treatment.

Solid Waste CalEEMod Defaults*

Land Use	Generation Rate (tons/year)
High School	45.63

Architectural Coating

Percentage of Proposed Buildings¹

Interior Painted: 90%

Percentage of Proposed Buildings¹

Exterior Painted: 90%

CalEEMod Defaults

Interior Paint VOC content: 250 grams per liter
 Exterior Paint VOC content: 250 grams per liter

Nonresidential Structures	Land Use Square Feet	CalEEMod Factor ²	Total Paintable Surface Area	Paintable Interior Area ¹	Paintable Exterior Area ¹
High School Structures	117,000	2.0	234,000	157,950	52,650
Woodshop Modernization	8,000	2.0	16,000	10,800	3,600
			250,000	168,750	56,250
Parking Lot	42,500	6%	2,550	-	2,550
			2,550		2,550

¹CalEEMod methodology calculates the paintable interior and exterior areas by multiplying the total paintable surface area by 75 and 25 percent, respectively.

²The program assumes the total surface for painting equals 2.7 times the floor square footage for residential and 2 times that for nonresidential square footage defined by the user. Architectural coatings for the parking lot is based on CalEEMod methodology applied to a surface parking lot (i.e., striping), in which 6% of surface area is painted.

³100% of the interior and exterior of buildings to be modernized will be painted

Efficiency Standards

Phase 1	LEED Gold
Phase 2	LEED Gold

Electricity (Buildings)

Buildings constructed after January 1, 2020 are required to meet the 2019 Building and Energy Efficiency Standards. The 2019 Standards are 30% more energy efficient for non-residential buildings and 7% more energy efficient for single family residential buildings than the 2016 Building and Energy Efficiency Standards. ¹ Additional 35% efficiency over 2019 Building Energy Efficiency standards based on data provided by applicant.

Modeling is conservative because the carbon intensity of electricity does not account for additional reductions from the 33% RPS and 50% RPS under SB 350.

Non-Residential Exceed Title 24	55%	Improvement over 2016
---------------------------------	-----	-----------------------

Sources:

¹ California Energy Commission (CEC). 2018. 2019 Building Energy and Efficiency Standards Frequently Asked Questions. Accessed on April 3, 2019. http://www.energy.ca.gov/title24/2019standards/documents/2018_Title_24_2019_Building_Standards_FAQ.pdf

Photovoltaic System

* as provided by applicant

Total Energy Demand Provided (Phase 1)	30%
Total Energy Demand Provided (Phase 2)	50%

Changes to the CalEEMod Defaults - Fleet Mix 2032

Average Daily Trips: 508

Default	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH	
FleetMix	0.605055	0.028915	0.167095	0.089243	0.012792	0.004149	0.008514	0.076768	0.001065	0.001134	0.00407	0.000686	0.000514	100%
Trips	307	15	85	45	6	2	4	39	1	1	2	0	0	508
Percent	0.81			0.09		0.11								
Proportion	0.751495	0.035913	0.207537	1.000000	0.121111	0.039282	0.080608	0.726818	0.010083	0.010736	0.005055	0.006495	0.004866	
Assumed Mix adjusted with	0.97			0.02		0.01						100%		
Assumed	0.728950	0.034836	0.201311	0.020000	0.001211	0.000393	0.000806	0.007268	0.000101	0.000107	0.004903	0.000065	0.000049	100%
Trips	370	18	102	10	1	0	0	4	0	0	2	0	0	508
Calibrated for zero heavy-duty trucks	0.728950	0.034836	0.201311	0.020000	0.001211	0.000393	0.000806	0	0	0	0.004903	0.001400	0	99.4%
Modified	0.733491	0.035053	0.202564	0.020125	0.001219	0.000395	0.000811	0	0	0	0.004934	0.001409	0	100.0%
Trips	373	18	103	10	1	0	0	0	0	0	3	1	0	508
Assumed Mix	97%			2%		1%								100%

Fleet mix for the project is modified to reflect a higher proportion of passenger vehicles that the regional VMT. Assumes a mix of approximately 97% passenger vehicles, 2% medium duty trucks, and 1% heavy duty trucks and buses.

Hamilton High School Expansion Phase 1 Construction - Glenn County, Summer

**Hamilton High School Expansion Phase 1 Construction
Glenn County, Summer**

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
High School	35.00	1000sqft	0.80	35,000.00	0
Other Asphalt Surfaces	42.50	1000sqft	0.98	42,500.00	0
Other Non-Asphalt Surfaces	432.72	1000sqft	9.93	432,720.00	0
Parking Lot	12.50	1000sqft	0.29	12,500.00	0

1.2 Other Project Characteristics

Urbanization	Rural	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	61
Climate Zone	3			Operational Year	2027
Utility Company	Pacific Gas & Electric Company				
CO2 Intensity (lb/MWhr)	641.35	CH4 Intensity (lb/MWhr)	0.029	N2O Intensity (lb/MWhr)	0.006

1.3 User Entered Comments & Non-Default Data

- Project Characteristics -
- Land Use - BSF is conservative based on data provided by applicant
- Construction Phase - schedule normalized based on CalEEMod defaults and data provided by applicant
- Off-road Equipment -
- Off-road Equipment -
- Off-road Equipment -
- Off-road Equipment - assuming one excavator for finishing/landscaping phase

Off-road Equipment -

Off-road Equipment - assuming 1 excavator/day

Off-road Equipment - sharing equipment with building construction phase.

Trips and VMT - Assuming 2 vendor trips/water truck/day. Assuming 3 worker and 1 vendor trip for woodshop building modernization, and 1 additional worker trip under architectural coating for woodshop

Grading -

Architectural Coating - Assuming 90% of interior and exterior would be painted, assuming woodshop would also be painted, accounts for area of parking lot etc.

Table Name	Column Name	Default Value	New Value
tblArchitecturalCoating	ConstArea_Nonresidential_Exterior	17,500.00	19,350.00
tblArchitecturalCoating	ConstArea_Nonresidential_Interior	52,500.00	58,050.00
tblArchitecturalCoating	ConstArea_Parking	29,263.00	2,550.00
tblConstructionPhase	NumDays	20.00	28.00
tblConstructionPhase	NumDays	300.00	419.00
tblConstructionPhase	NumDays	300.00	42.00
tblConstructionPhase	NumDays	30.00	42.00
tblConstructionPhase	NumDays	30.00	42.00
tblConstructionPhase	NumDays	20.00	28.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	3.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	3.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	0.00
tblProjectCharacteristics	UrbanizationLevel	Urban	Rural
tblTripsAndVMT	VendorTripNumber	0.00	2.00
tblTripsAndVMT	VendorTripNumber	0.00	2.00
tblTripsAndVMT	VendorTripNumber	86.00	1.00
tblTripsAndVMT	WorkerTripNumber	220.00	3.00
tblTripsAndVMT	WorkerTripNumber	44.00	45.00

3.0 Construction Detail

Construction Phase

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Rough Grading	Grading	5/1/2025	6/28/2025	5	42	
2	Utility Trenching	Trenching	6/29/2025	7/18/2025	5	15	
3	Fine Grading	Grading	7/19/2025	9/16/2025	5	42	
4	Building Construction	Building Construction	9/17/2025	4/26/2027	5	419	
5	Wood Shop Building Modernization	Building Construction	2/26/2027	4/26/2027	5	42	
6	Paving	Paving	4/27/2027	6/3/2027	5	28	
7	Architectural Coating	Architectural Coating	6/4/2027	7/13/2027	5	28	
8	Finishing/Landscaping	Trenching	7/14/2027	7/30/2027	5	13	

Acres of Grading (Site Preparation Phase): 0

Acres of Grading (Grading Phase): 0

Acres of Paving: 11.2

Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 58,050; Non-Residential Outdoor: 19,350; Striped Parking Area:

OffRoad Equipment

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Rough Grading	Excavators	2	8.00	158	0.38
Rough Grading	Graders	1	8.00	187	0.41
Rough Grading	Rubber Tired Dozers	1	8.00	247	0.40
Rough Grading	Scrapers	2	8.00	367	0.48
Rough Grading	Tractors/Loaders/Backhoes	2	8.00	97	0.37
Utility Trenching	Excavators	1	8.00	158	0.38
Fine Grading	Excavators	2	8.00	158	0.38
Fine Grading	Graders	1	8.00	187	0.41
Fine Grading	Rubber Tired Dozers	1	8.00	247	0.40
Fine Grading	Scrapers	2	8.00	367	0.48
Fine Grading	Tractors/Loaders/Backhoes	2	8.00	97	0.37

Building Construction	Cranes	1	7.00	231	0.29
Building Construction	Forklifts	3	8.00	89	0.20
Building Construction	Generator Sets	1	8.00	84	0.74
Building Construction	Tractors/Loaders/Backhoes	3	7.00	97	0.37
Building Construction	Welders	1	8.00	46	0.45
Wood Shop Building Modernization	Cranes	0	7.00	231	0.29
Wood Shop Building Modernization	Forklifts	0	8.00	89	0.20
Wood Shop Building Modernization	Generator Sets	0	8.00	84	0.74
Wood Shop Building Modernization	Tractors/Loaders/Backhoes	0	7.00	97	0.37
Wood Shop Building Modernization	Welders	0	8.00	46	0.45
Paving	Pavers	2	8.00	130	0.42
Paving	Paving Equipment	2	8.00	132	0.36
Paving	Rollers	2	8.00	80	0.38
Architectural Coating	Air Compressors	1	6.00	78	0.48
Finishing/Landscaping	Excavators	1	8.00	158	0.38

Trips and VMT

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Rough Grading	8	20.00	2.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT
Utility Trenching	1	3.00	0.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT
Fine Grading	8	20.00	2.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	9	220.00	86.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT
Wood Shop Building Modernization	0	3.00	1.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT
Paving	6	15.00	0.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating	1	45.00	0.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT
Finishing/Landscaping	1	3.00	0.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

3.2 Rough Grading - 2025

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					8.6733	0.0000	8.6733	3.5965	0.0000	3.5965			0.0000			0.0000
Off-Road	2.9012	27.9429	26.3311	0.0621		1.1309	1.1309		1.0404	1.0404		6,008.2814	6,008.2814	1.9432		6,056.8614
Total	2.9012	27.9429	26.3311	0.0621	8.6733	1.1309	9.8042	3.5965	1.0404	4.6369		6,008.2814	6,008.2814	1.9432		6,056.8614

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	5.1700e-003	0.1570	0.0356	5.3000e-004	0.0123	2.1000e-004	0.0125	3.5300e-003	2.0000e-004	3.7300e-003		55.3357	55.3357	2.7600e-003		55.4047
Worker	0.0957	0.0540	0.7303	2.2300e-003	0.2555	1.5500e-003	0.2570	0.0678	1.4300e-003	0.0692		222.6895	222.6895	5.5800e-003		222.8290
Total	0.1008	0.2110	0.7659	2.7600e-003	0.2677	1.7600e-003	0.2695	0.0713	1.6300e-003	0.0729		278.0252	278.0252	8.3400e-003		278.2337

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					8.6733	0.0000	8.6733	3.5965	0.0000	3.5965			0.0000			0.0000
Off-Road	2.9012	27.9429	26.3311	0.0621		1.1309	1.1309		1.0404	1.0404	0.0000	6,008.2814	6,008.2814	1.9432		6,056.8614
Total	2.9012	27.9429	26.3311	0.0621	8.6733	1.1309	9.8042	3.5965	1.0404	4.6369	0.0000	6,008.2814	6,008.2814	1.9432		6,056.8614

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	5.1700e-003	0.1570	0.0356	5.3000e-004	0.0123	2.1000e-004	0.0125	3.5300e-003	2.0000e-004	3.7300e-003		55.3357	55.3357	2.7600e-003		55.4047
Worker	0.0957	0.0540	0.7303	2.2300e-003	0.2555	1.5500e-003	0.2570	0.0678	1.4300e-003	0.0692		222.6895	222.6895	5.5800e-003		222.8290
Total	0.1008	0.2110	0.7659	2.7600e-003	0.2677	1.7600e-003	0.2695	0.0713	1.6300e-003	0.0729		278.0252	278.0252	8.3400e-003		278.2337

3.3 Utility Trenching - 2025

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.1671	1.2217	3.2594	5.1700e-003		0.0599	0.0599		0.0551	0.0551		500.3379	500.3379	0.1618		504.3834
Total	0.1671	1.2217	3.2594	5.1700e-003		0.0599	0.0599		0.0551	0.0551		500.3379	500.3379	0.1618		504.3834

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0144	8.1000e-003	0.1096	3.4000e-004	0.0383	2.3000e-004	0.0386	0.0102	2.1000e-004	0.0104		33.4034	33.4034	8.4000e-004		33.4244
Total	0.0144	8.1000e-003	0.1096	3.4000e-004	0.0383	2.3000e-004	0.0386	0.0102	2.1000e-004	0.0104		33.4034	33.4034	8.4000e-004		33.4244

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.1671	1.2217	3.2594	5.1700e-003		0.0599	0.0599		0.0551	0.0551	0.0000	500.3379	500.3379	0.1618		504.3834
Total	0.1671	1.2217	3.2594	5.1700e-003		0.0599	0.0599		0.0551	0.0551	0.0000	500.3379	500.3379	0.1618		504.3834

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0144	8.1000e-003	0.1096	3.4000e-004	0.0383	2.3000e-004	0.0386	0.0102	2.1000e-004	0.0104		33.4034	33.4034	8.4000e-004		33.4244
Total	0.0144	8.1000e-003	0.1096	3.4000e-004	0.0383	2.3000e-004	0.0386	0.0102	2.1000e-004	0.0104		33.4034	33.4034	8.4000e-004		33.4244

3.4 Fine Grading - 2025

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					8.6733	0.0000	8.6733	3.5965	0.0000	3.5965			0.0000			0.0000
Off-Road	2.9012	27.9429	26.3311	0.0621		1.1309	1.1309		1.0404	1.0404		6,008.2814	6,008.2814	1.9432		6,056.8614
Total	2.9012	27.9429	26.3311	0.0621	8.6733	1.1309	9.8042	3.5965	1.0404	4.6369		6,008.2814	6,008.2814	1.9432		6,056.8614

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	5.1700e-003	0.1570	0.0356	5.3000e-004	0.0123	2.1000e-004	0.0125	3.5300e-003	2.0000e-004	3.7300e-003		55.3357	55.3357	2.7600e-003		55.4047
Worker	0.0957	0.0540	0.7303	2.2300e-003	0.2555	1.5500e-003	0.2570	0.0678	1.4300e-003	0.0692		222.6895	222.6895	5.5800e-003		222.8290
Total	0.1008	0.2110	0.7659	2.7600e-003	0.2677	1.7600e-003	0.2695	0.0713	1.6300e-003	0.0729		278.0252	278.0252	8.3400e-003		278.2337

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					8.6733	0.0000	8.6733	3.5965	0.0000	3.5965			0.0000			0.0000
Off-Road	2.9012	27.9429	26.3311	0.0621		1.1309	1.1309		1.0404	1.0404	0.0000	6,008.2814	6,008.2814	1.9432		6,056.8614
Total	2.9012	27.9429	26.3311	0.0621	8.6733	1.1309	9.8042	3.5965	1.0404	4.6369	0.0000	6,008.2814	6,008.2814	1.9432		6,056.8614

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	5.1700e-003	0.1570	0.0356	5.3000e-004	0.0123	2.1000e-004	0.0125	3.5300e-003	2.0000e-004	3.7300e-003		55.3357	55.3357	2.7600e-003		55.4047
Worker	0.0957	0.0540	0.7303	2.2300e-003	0.2555	1.5500e-003	0.2570	0.0678	1.4300e-003	0.0692		222.6895	222.6895	5.5800e-003		222.8290
Total	0.1008	0.2110	0.7659	2.7600e-003	0.2677	1.7600e-003	0.2695	0.0713	1.6300e-003	0.0729		278.0252	278.0252	8.3400e-003		278.2337

3.5 Building Construction - 2025

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.3674	12.4697	16.0847	0.0270		0.5276	0.5276		0.4963	0.4963		2,556.4744	2,556.4744	0.6010		2,571.4981
Total	1.3674	12.4697	16.0847	0.0270		0.5276	0.5276		0.4963	0.4963		2,556.4744	2,556.4744	0.6010		2,571.4981

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.2222	6.7526	1.5308	0.0228	0.5275	8.8800e-003	0.5363	0.1519	8.4800e-003	0.1604		2,379.4364	2,379.4364	0.1186		2,382.4024
Worker	1.0522	0.5938	8.0337	0.0246	2.8101	0.0171	2.8272	0.7452	0.0157	0.7609		2,449.5844	2,449.5844	0.0614		2,451.1188
Total	1.2744	7.3464	9.5645	0.0474	3.3375	0.0260	3.3635	0.8971	0.0242	0.9213		4,829.0208	4,829.0208	0.1800		4,833.5211

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.3674	12.4697	16.0847	0.0270		0.5276	0.5276		0.4963	0.4963	0.0000	2,556.4744	2,556.4744	0.6010		2,571.4981
Total	1.3674	12.4697	16.0847	0.0270		0.5276	0.5276		0.4963	0.4963	0.0000	2,556.4744	2,556.4744	0.6010		2,571.4981

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.2222	6.7526	1.5308	0.0228	0.5275	8.8800e-003	0.5363	0.1519	8.4800e-003	0.1604		2,379.4364	2,379.4364	0.1186		2,382.4024
Worker	1.0522	0.5938	8.0337	0.0246	2.8101	0.0171	2.8272	0.7452	0.0157	0.7609		2,449.5844	2,449.5844	0.0614		2,451.1188
Total	1.2744	7.3464	9.5645	0.0474	3.3375	0.0260	3.3635	0.8971	0.0242	0.9213		4,829.0208	4,829.0208	0.1800		4,833.5211

3.5 Building Construction - 2026

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.3674	12.4697	16.0847	0.0270		0.5276	0.5276		0.4963	0.4963		2,556.4744	2,556.4744	0.6010		2,571.4981
Total	1.3674	12.4697	16.0847	0.0270		0.5276	0.5276		0.4963	0.4963		2,556.4744	2,556.4744	0.6010		2,571.4981

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.2117	6.6266	1.4332	0.0226	0.5275	8.3100e-003	0.5358	0.1519	7.9400e-003	0.1599		2,363.4126	2,363.4126	0.1162		2,366.3178
Worker	0.9941	0.5400	7.4490	0.0237	2.8101	0.0165	2.8266	0.7452	0.0152	0.7604		2,360.4854	2,360.4854	0.0554		2,361.8698
Total	1.2058	7.1666	8.8822	0.0463	3.3375	0.0248	3.3624	0.8971	0.0232	0.9203		4,723.8981	4,723.8981	0.1716		4,728.1876

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.3674	12.4697	16.0847	0.0270		0.5276	0.5276		0.4963	0.4963	0.0000	2,556.4744	2,556.4744	0.6010		2,571.4981
Total	1.3674	12.4697	16.0847	0.0270		0.5276	0.5276		0.4963	0.4963	0.0000	2,556.4744	2,556.4744	0.6010		2,571.4981

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.2117	6.6266	1.4332	0.0226	0.5275	8.3100e-003	0.5358	0.1519	7.9400e-003	0.1599		2,363.4126	2,363.4126	0.1162		2,366.3178
Worker	0.9941	0.5400	7.4490	0.0237	2.8101	0.0165	2.8266	0.7452	0.0152	0.7604		2,360.4854	2,360.4854	0.0554		2,361.8698
Total	1.2058	7.1666	8.8822	0.0463	3.3375	0.0248	3.3624	0.8971	0.0232	0.9203		4,723.8981	4,723.8981	0.1716		4,728.1876

3.5 Building Construction - 2027

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.3674	12.4697	16.0847	0.0270		0.5276	0.5276		0.4963	0.4963		2,556.4744	2,556.4744	0.6010		2,571.4981
Total	1.3674	12.4697	16.0847	0.0270		0.5276	0.5276		0.4963	0.4963		2,556.4744	2,556.4744	0.6010		2,571.4981

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.2020	6.5192	1.3404	0.0225	0.5275	7.8800e-003	0.5354	0.1519	7.5300e-003	0.1595		2,349.3808	2,349.3808	0.1147		2,352.2471
Worker	0.9384	0.4922	6.9300	0.0229	2.8101	0.0157	2.8258	0.7452	0.0144	0.7596		2,281.3437	2,281.3437	0.0501		2,282.5949
Total	1.1404	7.0115	8.2704	0.0454	3.3376	0.0236	3.3611	0.8971	0.0220	0.9191		4,630.7244	4,630.7244	0.1647		4,634.8421

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.3674	12.4697	16.0847	0.0270		0.5276	0.5276		0.4963	0.4963	0.0000	2,556.4744	2,556.4744	0.6010		2,571.4981
Total	1.3674	12.4697	16.0847	0.0270		0.5276	0.5276		0.4963	0.4963	0.0000	2,556.4744	2,556.4744	0.6010		2,571.4981

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.2020	6.5192	1.3404	0.0225	0.5275	7.8800e-003	0.5354	0.1519	7.5300e-003	0.1595		2,349.3808	2,349.3808	0.1147		2,352.2471
Worker	0.9384	0.4922	6.9300	0.0229	2.8101	0.0157	2.8258	0.7452	0.0144	0.7596		2,281.3437	2,281.3437	0.0501		2,282.5949
Total	1.1404	7.0115	8.2704	0.0454	3.3376	0.0236	3.3611	0.8971	0.0220	0.9191		4,630.7244	4,630.7244	0.1647		4,634.8421

3.6 Wood Shop Building Modernization - 2027

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Total	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000		0.0000

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	2.3500e-003	0.0758	0.0156	2.6000e-004	6.1300e-003	9.0000e-005	6.2300e-003	1.7700e-003	9.0000e-005	1.8500e-003		27.3184	27.3184	1.3300e-003		27.3517
Worker	0.0128	6.7100e-003	0.0945	3.1000e-004	0.0383	2.1000e-004	0.0385	0.0102	2.0000e-004	0.0104		31.1092	31.1092	6.8000e-004		31.1263
Total	0.0152	0.0825	0.1101	5.7000e-004	0.0445	3.0000e-004	0.0448	0.0119	2.9000e-004	0.0122		58.4276	58.4276	2.0100e-003		58.4780

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000
Total	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	2.3500e-003	0.0758	0.0156	2.6000e-004	6.1300e-003	9.0000e-005	6.2300e-003	1.7700e-003	9.0000e-005	1.8500e-003		27.3184	27.3184	1.3300e-003		27.3517
Worker	0.0128	6.7100e-003	0.0945	3.1000e-004	0.0383	2.1000e-004	0.0385	0.0102	2.0000e-004	0.0104		31.1092	31.1092	6.8000e-004		31.1263
Total	0.0152	0.0825	0.1101	5.7000e-004	0.0445	3.0000e-004	0.0448	0.0119	2.9000e-004	0.0122		58.4276	58.4276	2.0100e-003		58.4780

3.7 Paving - 2027

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.9152	8.5816	14.5780	0.0228		0.4185	0.4185		0.3850	0.3850		2,206.7452	2,206.7452	0.7137		2,224.5878
Paving	0.1188					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	1.0340	8.5816	14.5780	0.0228		0.4185	0.4185		0.3850	0.3850		2,206.7452	2,206.7452	0.7137		2,224.5878

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0640	0.0336	0.4725	1.5600e-003	0.1916	1.0700e-003	0.1927	0.0508	9.8000e-004	0.0518		155.5462	155.5462	3.4100e-003		155.6315
Total	0.0640	0.0336	0.4725	1.5600e-003	0.1916	1.0700e-003	0.1927	0.0508	9.8000e-004	0.0518		155.5462	155.5462	3.4100e-003		155.6315

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.9152	8.5816	14.5780	0.0228		0.4185	0.4185		0.3850	0.3850	0.0000	2,206.7452	2,206.7452	0.7137		2,224.5878
Paving	0.1188					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	1.0340	8.5816	14.5780	0.0228		0.4185	0.4185		0.3850	0.3850	0.0000	2,206.7452	2,206.7452	0.7137		2,224.5878

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0640	0.0336	0.4725	1.5600e-003	0.1916	1.0700e-003	0.1927	0.0508	9.8000e-004	0.0518		155.5462	155.5462	3.4100e-003		155.6315
Total	0.0640	0.0336	0.4725	1.5600e-003	0.1916	1.0700e-003	0.1927	0.0508	9.8000e-004	0.0518		155.5462	155.5462	3.4100e-003		155.6315

3.8 Architectural Coating - 2027

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	33.0865					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.1709	1.1455	1.8091	2.9700e-003		0.0515	0.0515		0.0515	0.0515		281.4481	281.4481	0.0154		281.8319
Total	33.2573	1.1455	1.8091	2.9700e-003		0.0515	0.0515		0.0515	0.0515		281.4481	281.4481	0.0154		281.8319

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.1919	0.1007	1.4175	4.6800e-003	0.5748	3.2100e-003	0.5780	0.1524	2.9500e-003	0.1554		466.6385	466.6385	0.0102		466.8944
Total	0.1919	0.1007	1.4175	4.6800e-003	0.5748	3.2100e-003	0.5780	0.1524	2.9500e-003	0.1554		466.6385	466.6385	0.0102		466.8944

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	33.0865					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.1709	1.1455	1.8091	2.9700e-003		0.0515	0.0515		0.0515	0.0515	0.0000	281.4481	281.4481	0.0154		281.8319
Total	33.2573	1.1455	1.8091	2.9700e-003		0.0515	0.0515		0.0515	0.0515	0.0000	281.4481	281.4481	0.0154		281.8319

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.1919	0.1007	1.4175	4.6800e-003	0.5748	3.2100e-003	0.5780	0.1524	2.9500e-003	0.1554		466.6385	466.6385	0.0102		466.8944
Total	0.1919	0.1007	1.4175	4.6800e-003	0.5748	3.2100e-003	0.5780	0.1524	2.9500e-003	0.1554		466.6385	466.6385	0.0102		466.8944

3.9 Finishing/Landscaping - 2027

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.1671	1.2217	3.2594	5.1700e-003		0.0599	0.0599		0.0551	0.0551		500.3379	500.3379	0.1618		504.3834
Total	0.1671	1.2217	3.2594	5.1700e-003		0.0599	0.0599		0.0551	0.0551		500.3379	500.3379	0.1618		504.3834

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0128	6.7100e-003	0.0945	3.1000e-004	0.0383	2.1000e-004	0.0385	0.0102	2.0000e-004	0.0104		31.1092	31.1092	6.8000e-004		31.1263
Total	0.0128	6.7100e-003	0.0945	3.1000e-004	0.0383	2.1000e-004	0.0385	0.0102	2.0000e-004	0.0104		31.1092	31.1092	6.8000e-004		31.1263

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.1671	1.2217	3.2594	5.1700e-003		0.0599	0.0599		0.0551	0.0551	0.0000	500.3379	500.3379	0.1618		504.3834
Total	0.1671	1.2217	3.2594	5.1700e-003		0.0599	0.0599		0.0551	0.0551	0.0000	500.3379	500.3379	0.1618		504.3834

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0128	6.7100e-003	0.0945	3.1000e-004	0.0383	2.1000e-004	0.0385	0.0102	2.0000e-004	0.0104		31.1092	31.1092	6.8000e-004		31.1263
Total	0.0128	6.7100e-003	0.0945	3.1000e-004	0.0383	2.1000e-004	0.0385	0.0102	2.0000e-004	0.0104		31.1092	31.1092	6.8000e-004		31.1263

10.0 Stationary Equipment

Fire Pumps and Emergency Generators

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	------------	-------------	-------------	-----------

Boilers

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type
----------------	--------	----------------	-----------------	---------------	-----------

User Defined Equipment

Equipment Type	Number
----------------	--------

11.0 Vegetation

Hamilton High School Expansion Phase 1 Construction - Glenn County, Winter

**Hamilton High School Expansion Phase 1 Construction
Glenn County, Winter**

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
High School	35.00	1000sqft	0.80	35,000.00	0
Other Asphalt Surfaces	42.50	1000sqft	0.98	42,500.00	0
Other Non-Asphalt Surfaces	432.72	1000sqft	9.93	432,720.00	0
Parking Lot	12.50	1000sqft	0.29	12,500.00	0

1.2 Other Project Characteristics

Urbanization	Rural	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	61
Climate Zone	3			Operational Year	2027
Utility Company	Pacific Gas & Electric Company				
CO2 Intensity (lb/MWhr)	641.35	CH4 Intensity (lb/MWhr)	0.029	N2O Intensity (lb/MWhr)	0.006

1.3 User Entered Comments & Non-Default Data

- Project Characteristics -
- Land Use - BSF is conservative based on data provided by applicant
- Construction Phase - schedule normalized based on CalEEMod defaults and data provided by applicant
- Off-road Equipment -
- Off-road Equipment -
- Off-road Equipment -
- Off-road Equipment - assuming one excavator for finishing/landscaping phase

Off-road Equipment -

Off-road Equipment - assuming 1 excavator/day

Off-road Equipment - sharing equipment with building construction phase.

Trips and VMT - Assuming 2 vendor trips/water truck/day. Assuming 3 worker and 1 vendor trip for woodshop building modernization, and 1 additional worker trip under architectural coating for woodshop

Grading -

Architectural Coating - Assuming 90% of interior and exterior would be painted, assuming woodshop would also be painted, accounts for area of parking lot only.

Table Name	Column Name	Default Value	New Value
tblArchitecturalCoating	ConstArea_Nonresidential_Exterior	17,500.00	19,350.00
tblArchitecturalCoating	ConstArea_Nonresidential_Interior	52,500.00	58,050.00
tblArchitecturalCoating	ConstArea_Parking	29,263.00	2,550.00
tblConstructionPhase	NumDays	20.00	28.00
tblConstructionPhase	NumDays	300.00	419.00
tblConstructionPhase	NumDays	300.00	42.00
tblConstructionPhase	NumDays	30.00	42.00
tblConstructionPhase	NumDays	30.00	42.00
tblConstructionPhase	NumDays	20.00	28.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	3.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	3.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	0.00
tblProjectCharacteristics	UrbanizationLevel	Urban	Rural
tblTripsAndVMT	VendorTripNumber	0.00	2.00
tblTripsAndVMT	VendorTripNumber	0.00	2.00
tblTripsAndVMT	VendorTripNumber	86.00	1.00
tblTripsAndVMT	WorkerTripNumber	220.00	3.00
tblTripsAndVMT	WorkerTripNumber	44.00	45.00

3.0 Construction Detail

Construction Phase

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Rough Grading	Grading	5/1/2025	6/28/2025	5	42	
2	Utility Trenching	Trenching	6/29/2025	7/18/2025	5	15	
3	Fine Grading	Grading	7/19/2025	9/16/2025	5	42	
4	Building Construction	Building Construction	9/17/2025	4/26/2027	5	419	
5	Wood Shop Building Modernization	Building Construction	2/26/2027	4/26/2027	5	42	
6	Paving	Paving	4/27/2027	6/3/2027	5	28	
7	Architectural Coating	Architectural Coating	6/4/2027	7/13/2027	5	28	
8	Finishing/Landscaping	Trenching	7/14/2027	7/30/2027	5	13	

Acres of Grading (Site Preparation Phase): 0

Acres of Grading (Grading Phase): 0

Acres of Paving: 11.2

Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 58,050; Non-Residential Outdoor: 19,350; Striped Parking Area:

OffRoad Equipment

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Rough Grading	Excavators	2	8.00	158	0.38
Rough Grading	Graders	1	8.00	187	0.41
Rough Grading	Rubber Tired Dozers	1	8.00	247	0.40
Rough Grading	Scrapers	2	8.00	367	0.48
Rough Grading	Tractors/Loaders/Backhoes	2	8.00	97	0.37
Utility Trenching	Excavators	1	8.00	158	0.38
Fine Grading	Excavators	2	8.00	158	0.38
Fine Grading	Graders	1	8.00	187	0.41
Fine Grading	Rubber Tired Dozers	1	8.00	247	0.40
Fine Grading	Scrapers	2	8.00	367	0.48
Fine Grading	Tractors/Loaders/Backhoes	2	8.00	97	0.37

Building Construction	Cranes	1	7.00	231	0.29
Building Construction	Forklifts	3	8.00	89	0.20
Building Construction	Generator Sets	1	8.00	84	0.74
Building Construction	Tractors/Loaders/Backhoes	3	7.00	97	0.37
Building Construction	Welders	1	8.00	46	0.45
Wood Shop Building Modernization	Cranes	0	7.00	231	0.29
Wood Shop Building Modernization	Forklifts	0	8.00	89	0.20
Wood Shop Building Modernization	Generator Sets	0	8.00	84	0.74
Wood Shop Building Modernization	Tractors/Loaders/Backhoes	0	7.00	97	0.37
Wood Shop Building Modernization	Welders	0	8.00	46	0.45
Paving	Pavers	2	8.00	130	0.42
Paving	Paving Equipment	2	8.00	132	0.36
Paving	Rollers	2	8.00	80	0.38
Architectural Coating	Air Compressors	1	6.00	78	0.48
Finishing/Landscaping	Excavators	1	8.00	158	0.38

Trips and VMT

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Rough Grading	8	20.00	2.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT
Utility Trenching	1	3.00	0.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT
Fine Grading	8	20.00	2.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	9	220.00	86.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT
Wood Shop Building Modernization	0	3.00	1.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT
Paving	6	15.00	0.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating	1	45.00	0.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT
Finishing/Landscaping	1	3.00	0.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

3.2 Rough Grading - 2025

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					8.6733	0.0000	8.6733	3.5965	0.0000	3.5965			0.0000			0.0000
Off-Road	2.9012	27.9429	26.3311	0.0621		1.1309	1.1309		1.0404	1.0404		6,008.2814	6,008.2814	1.9432		6,056.8614
Total	2.9012	27.9429	26.3311	0.0621	8.6733	1.1309	9.8042	3.5965	1.0404	4.6369		6,008.2814	6,008.2814	1.9432		6,056.8614

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	5.5100e-003	0.1583	0.0425	5.1000e-004	0.0123	2.1000e-004	0.0125	3.5300e-003	2.0000e-004	3.7400e-003		53.2816	53.2816	3.1300e-003		53.3598
Worker	0.0947	0.0670	0.5965	1.9500e-003	0.2555	1.5500e-003	0.2570	0.0678	1.4300e-003	0.0692		194.8103	194.8103	4.7600e-003		194.9293
Total	0.1002	0.2253	0.6390	2.4600e-003	0.2677	1.7600e-003	0.2695	0.0713	1.6300e-003	0.0729		248.0919	248.0919	7.8900e-003		248.2891

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					8.6733	0.0000	8.6733	3.5965	0.0000	3.5965			0.0000			0.0000
Off-Road	2.9012	27.9429	26.3311	0.0621		1.1309	1.1309		1.0404	1.0404	0.0000	6,008.2814	6,008.2814	1.9432		6,056.8614
Total	2.9012	27.9429	26.3311	0.0621	8.6733	1.1309	9.8042	3.5965	1.0404	4.6369	0.0000	6,008.2814	6,008.2814	1.9432		6,056.8614

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day										lb/day						
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000			0.0000
Vendor	5.5100e-003	0.1583	0.0425	5.1000e-004	0.0123	2.1000e-004	0.0125	3.5300e-003	2.0000e-004	3.7400e-003		53.2816	53.2816	3.1300e-003			53.3598
Worker	0.0947	0.0670	0.5965	1.9500e-003	0.2555	1.5500e-003	0.2570	0.0678	1.4300e-003	0.0692		194.8103	194.8103	4.7600e-003			194.9293
Total	0.1002	0.2253	0.6390	2.4600e-003	0.2677	1.7600e-003	0.2695	0.0713	1.6300e-003	0.0729		248.0919	248.0919	7.8900e-003			248.2891

3.3 Utility Trenching - 2025

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day										lb/day						
Off-Road	0.1671	1.2217	3.2594	5.1700e-003		0.0599	0.0599		0.0551	0.0551		500.3379	500.3379	0.1618			504.3834
Total	0.1671	1.2217	3.2594	5.1700e-003		0.0599	0.0599		0.0551	0.0551		500.3379	500.3379	0.1618			504.3834

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day										lb/day						
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000			0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000			0.0000
Worker	0.0142	0.0101	0.0895	2.9000e-004	0.0383	2.3000e-004	0.0386	0.0102	2.1000e-004	0.0104		29.2216	29.2216	7.1000e-004			29.2394
Total	0.0142	0.0101	0.0895	2.9000e-004	0.0383	2.3000e-004	0.0386	0.0102	2.1000e-004	0.0104		29.2216	29.2216	7.1000e-004			29.2394

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.1671	1.2217	3.2594	5.1700e-003		0.0599	0.0599		0.0551	0.0551	0.0000	500.3379	500.3379	0.1618		504.3834
Total	0.1671	1.2217	3.2594	5.1700e-003		0.0599	0.0599		0.0551	0.0551	0.0000	500.3379	500.3379	0.1618		504.3834

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0142	0.0101	0.0895	2.9000e-004	0.0383	2.3000e-004	0.0386	0.0102	2.1000e-004	0.0104		29.2216	29.2216	7.1000e-004		29.2394
Total	0.0142	0.0101	0.0895	2.9000e-004	0.0383	2.3000e-004	0.0386	0.0102	2.1000e-004	0.0104		29.2216	29.2216	7.1000e-004		29.2394

3.4 Fine Grading - 2025

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					8.6733	0.0000	8.6733	3.5965	0.0000	3.5965			0.0000			0.0000
Off-Road	2.9012	27.9429	26.3311	0.0621		1.1309	1.1309		1.0404	1.0404		6,008.2814	6,008.2814	1.9432		6,056.8614
Total	2.9012	27.9429	26.3311	0.0621	8.6733	1.1309	9.8042	3.5965	1.0404	4.6369		6,008.2814	6,008.2814	1.9432		6,056.8614

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	5.5100e-003	0.1583	0.0425	5.1000e-004	0.0123	2.1000e-004	0.0125	3.5300e-003	2.0000e-004	3.7400e-003		53.2816	53.2816	3.1300e-003		53.3598
Worker	0.0947	0.0670	0.5965	1.9500e-003	0.2555	1.5500e-003	0.2570	0.0678	1.4300e-003	0.0692		194.8103	194.8103	4.7600e-003		194.9293
Total	0.1002	0.2253	0.6390	2.4600e-003	0.2677	1.7600e-003	0.2695	0.0713	1.6300e-003	0.0729		248.0919	248.0919	7.8900e-003		248.2891

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					8.6733	0.0000	8.6733	3.5965	0.0000	3.5965			0.0000			0.0000
Off-Road	2.9012	27.9429	26.3311	0.0621		1.1309	1.1309		1.0404	1.0404	0.0000	6,008.2814	6,008.2814	1.9432		6,056.8614
Total	2.9012	27.9429	26.3311	0.0621	8.6733	1.1309	9.8042	3.5965	1.0404	4.6369	0.0000	6,008.2814	6,008.2814	1.9432		6,056.8614

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	5.5100e-003	0.1583	0.0425	5.1000e-004	0.0123	2.1000e-004	0.0125	3.5300e-003	2.0000e-004	3.7400e-003		53.2816	53.2816	3.1300e-003		53.3598
Worker	0.0947	0.0670	0.5965	1.9500e-003	0.2555	1.5500e-003	0.2570	0.0678	1.4300e-003	0.0692		194.8103	194.8103	4.7600e-003		194.9293
Total	0.1002	0.2253	0.6390	2.4600e-003	0.2677	1.7600e-003	0.2695	0.0713	1.6300e-003	0.0729		248.0919	248.0919	7.8900e-003		248.2891

3.5 Building Construction - 2025

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.3674	12.4697	16.0847	0.0270		0.5276	0.5276		0.4963	0.4963		2,556.4744	2,556.4744	0.6010		2,571.4981
Total	1.3674	12.4697	16.0847	0.0270		0.5276	0.5276		0.4963	0.4963		2,556.4744	2,556.4744	0.6010		2,571.4981

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.2368	6.8070	1.8267	0.0219	0.5275	9.1500e-003	0.5366	0.1519	8.7500e-003	0.1607		2,291.1079	2,291.1079	0.1346		2,294.4727
Worker	1.0413	0.7367	6.5617	0.0215	2.8101	0.0171	2.8272	0.7452	0.0157	0.7609		2,142.9137	2,142.9137	0.0523		2,144.2220
Total	1.2781	7.5437	8.3884	0.0434	3.3375	0.0262	3.3638	0.8971	0.0245	0.9216		4,434.0216	4,434.0216	0.1869		4,438.6947

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.3674	12.4697	16.0847	0.0270		0.5276	0.5276		0.4963	0.4963	0.0000	2,556.4744	2,556.4744	0.6010		2,571.4981
Total	1.3674	12.4697	16.0847	0.0270		0.5276	0.5276		0.4963	0.4963	0.0000	2,556.4744	2,556.4744	0.6010		2,571.4981

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.2368	6.8070	1.8267	0.0219	0.5275	9.1500e-003	0.5366	0.1519	8.7500e-003	0.1607		2,291.1079	2,291.1079	0.1346		2,294.4727
Worker	1.0413	0.7367	6.5617	0.0215	2.8101	0.0171	2.8272	0.7452	0.0157	0.7609		2,142.9137	2,142.9137	0.0523		2,144.2220
Total	1.2781	7.5437	8.3884	0.0434	3.3375	0.0262	3.3638	0.8971	0.0245	0.9216		4,434.0216	4,434.0216	0.1869		4,438.6947

3.5 Building Construction - 2026

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.3674	12.4697	16.0847	0.0270		0.5276	0.5276		0.4963	0.4963		2,556.4744	2,556.4744	0.6010		2,571.4981
Total	1.3674	12.4697	16.0847	0.0270		0.5276	0.5276		0.4963	0.4963		2,556.4744	2,556.4744	0.6010		2,571.4981

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.2257	6.6740	1.7146	0.0218	0.5275	8.5400e-003	0.5360	0.1519	8.1600e-003	0.1601		2,276.2146	2,276.2146	0.1320		2,279.5133
Worker	0.9882	0.6696	6.0665	0.0207	2.8101	0.0165	2.8266	0.7452	0.0152	0.7604		2,065.0224	2,065.0224	0.0471		2,066.2009
Total	1.2138	7.3436	7.7810	0.0425	3.3375	0.0251	3.3626	0.8971	0.0234	0.9205		4,341.2370	4,341.2370	0.1791		4,345.7142

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.3674	12.4697	16.0847	0.0270		0.5276	0.5276		0.4963	0.4963	0.0000	2,556.4744	2,556.4744	0.6010		2,571.4981
Total	1.3674	12.4697	16.0847	0.0270		0.5276	0.5276		0.4963	0.4963	0.0000	2,556.4744	2,556.4744	0.6010		2,571.4981

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.2257	6.6740	1.7146	0.0218	0.5275	8.5400e-003	0.5360	0.1519	8.1600e-003	0.1601		2,276.2146	2,276.2146	0.1320		2,279.5133
Worker	0.9882	0.6696	6.0665	0.0207	2.8101	0.0165	2.8266	0.7452	0.0152	0.7604		2,065.0224	2,065.0224	0.0471		2,066.2009
Total	1.2138	7.3436	7.7810	0.0425	3.3375	0.0251	3.3626	0.8971	0.0234	0.9205		4,341.2370	4,341.2370	0.1791		4,345.7142

3.5 Building Construction - 2027

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.3674	12.4697	16.0847	0.0270		0.5276	0.5276		0.4963	0.4963		2,556.4744	2,556.4744	0.6010		2,571.4981
Total	1.3674	12.4697	16.0847	0.0270		0.5276	0.5276		0.4963	0.4963		2,556.4744	2,556.4744	0.6010		2,571.4981

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.2154	6.5600	1.6082	0.0217	0.5275	8.0800e-003	0.5356	0.1519	7.7200e-003	0.1597		2,263.1139	2,263.1139	0.1303		2,266.3712
Worker	0.9365	0.6101	5.6268	0.0200	2.8101	0.0157	2.8258	0.7452	0.0144	0.7596		1,995.7195	1,995.7195	0.0425		1,996.7831
Total	1.1519	7.1700	7.2350	0.0417	3.3376	0.0238	3.3613	0.8971	0.0222	0.9193		4,258.8334	4,258.8334	0.1728		4,263.1543

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.3674	12.4697	16.0847	0.0270		0.5276	0.5276		0.4963	0.4963	0.0000	2,556.4744	2,556.4744	0.6010		2,571.4981
Total	1.3674	12.4697	16.0847	0.0270		0.5276	0.5276		0.4963	0.4963	0.0000	2,556.4744	2,556.4744	0.6010		2,571.4981

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.2154	6.5600	1.6082	0.0217	0.5275	8.0800e-003	0.5356	0.1519	7.7200e-003	0.1597		2,263.1139	2,263.1139	0.1303		2,266.3712
Worker	0.9365	0.6101	5.6268	0.0200	2.8101	0.0157	2.8258	0.7452	0.0144	0.7596		1,995.7195	1,995.7195	0.0425		1,996.7831
Total	1.1519	7.1700	7.2350	0.0417	3.3376	0.0238	3.3613	0.8971	0.0222	0.9193		4,258.8334	4,258.8334	0.1728		4,263.1543

3.6 Wood Shop Building Modernization - 2027

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Total	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000		0.0000

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	2.5000e-003	0.0763	0.0187	2.5000e-004	6.1300e-003	9.0000e-005	6.2300e-003	1.7700e-003	9.0000e-005	1.8600e-003		26.3153	26.3153	1.5200e-003		26.3532
Worker	0.0128	8.3200e-003	0.0767	2.7000e-004	0.0383	2.1000e-004	0.0385	0.0102	2.0000e-004	0.0104		27.2144	27.2144	5.8000e-004		27.2289
Total	0.0153	0.0846	0.0954	5.2000e-004	0.0445	3.0000e-004	0.0448	0.0119	2.9000e-004	0.0122		53.5296	53.5296	2.1000e-003		53.5820

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000
Total	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day										lb/day						
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000			0.0000
Vendor	2.5000e-003	0.0763	0.0187	2.5000e-004	6.1300e-003	9.0000e-005	6.2300e-003	1.7700e-003	9.0000e-005	1.8600e-003		26.3153	26.3153	1.5200e-003			26.3532
Worker	0.0128	8.3200e-003	0.0767	2.7000e-004	0.0383	2.1000e-004	0.0385	0.0102	2.0000e-004	0.0104		27.2144	27.2144	5.8000e-004			27.2289
Total	0.0153	0.0846	0.0954	5.2000e-004	0.0445	3.0000e-004	0.0448	0.0119	2.9000e-004	0.0122		53.5296	53.5296	2.1000e-003			53.5820

3.7 Paving - 2027

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day										lb/day						
Off-Road	0.9152	8.5816	14.5780	0.0228		0.4185	0.4185		0.3850	0.3850		2,206.7452	2,206.7452	0.7137			2,224.5878
Paving	0.1188					0.0000	0.0000		0.0000	0.0000			0.0000				0.0000
Total	1.0340	8.5816	14.5780	0.0228		0.4185	0.4185		0.3850	0.3850		2,206.7452	2,206.7452	0.7137			2,224.5878

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day										lb/day						
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000			0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000			0.0000
Worker	0.0639	0.0416	0.3837	1.3600e-003	0.1916	1.0700e-003	0.1927	0.0508	9.8000e-004	0.0518		136.0718	136.0718	2.9000e-003			136.1443
Total	0.0639	0.0416	0.3837	1.3600e-003	0.1916	1.0700e-003	0.1927	0.0508	9.8000e-004	0.0518		136.0718	136.0718	2.9000e-003			136.1443

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.9152	8.5816	14.5780	0.0228		0.4185	0.4185		0.3850	0.3850	0.0000	2,206.7452	2,206.7452	0.7137		2,224.5878
Paving	0.1188					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	1.0340	8.5816	14.5780	0.0228		0.4185	0.4185		0.3850	0.3850	0.0000	2,206.7452	2,206.7452	0.7137		2,224.5878

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0639	0.0416	0.3837	1.3600e-003	0.1916	1.0700e-003	0.1927	0.0508	9.8000e-004	0.0518		136.0718	136.0718	2.9000e-003		136.1443
Total	0.0639	0.0416	0.3837	1.3600e-003	0.1916	1.0700e-003	0.1927	0.0508	9.8000e-004	0.0518		136.0718	136.0718	2.9000e-003		136.1443

3.8 Architectural Coating - 2027

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	33.0865					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.1709	1.1455	1.8091	2.9700e-003		0.0515	0.0515		0.0515	0.0515		281.4481	281.4481	0.0154		281.8319
Total	33.2573	1.1455	1.8091	2.9700e-003		0.0515	0.0515		0.0515	0.0515		281.4481	281.4481	0.0154		281.8319

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.1916	0.1248	1.1509	4.0900e-003	0.5748	3.2100e-003	0.5780	0.1524	2.9500e-003	0.1554		408.2154	408.2154	8.7000e-003		408.4329
Total	0.1916	0.1248	1.1509	4.0900e-003	0.5748	3.2100e-003	0.5780	0.1524	2.9500e-003	0.1554		408.2154	408.2154	8.7000e-003		408.4329

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	33.0865					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.1709	1.1455	1.8091	2.9700e-003		0.0515	0.0515		0.0515	0.0515	0.0000	281.4481	281.4481	0.0154		281.8319
Total	33.2573	1.1455	1.8091	2.9700e-003		0.0515	0.0515		0.0515	0.0515	0.0000	281.4481	281.4481	0.0154		281.8319

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.1916	0.1248	1.1509	4.0900e-003	0.5748	3.2100e-003	0.5780	0.1524	2.9500e-003	0.1554		408.2154	408.2154	8.7000e-003		408.4329
Total	0.1916	0.1248	1.1509	4.0900e-003	0.5748	3.2100e-003	0.5780	0.1524	2.9500e-003	0.1554		408.2154	408.2154	8.7000e-003		408.4329

3.9 Finishing/Landscaping - 2027

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.1671	1.2217	3.2594	5.1700e-003		0.0599	0.0599		0.0551	0.0551		500.3379	500.3379	0.1618		504.3834
Total	0.1671	1.2217	3.2594	5.1700e-003		0.0599	0.0599		0.0551	0.0551		500.3379	500.3379	0.1618		504.3834

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0128	8.3200e-003	0.0767	2.7000e-004	0.0383	2.1000e-004	0.0385	0.0102	2.0000e-004	0.0104		27.2144	27.2144	5.8000e-004		27.2289
Total	0.0128	8.3200e-003	0.0767	2.7000e-004	0.0383	2.1000e-004	0.0385	0.0102	2.0000e-004	0.0104		27.2144	27.2144	5.8000e-004		27.2289

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.1671	1.2217	3.2594	5.1700e-003		0.0599	0.0599		0.0551	0.0551	0.0000	500.3379	500.3379	0.1618		504.3834
Total	0.1671	1.2217	3.2594	5.1700e-003		0.0599	0.0599		0.0551	0.0551	0.0000	500.3379	500.3379	0.1618		504.3834

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0128	8.3200e-003	0.0767	2.7000e-004	0.0383	2.1000e-004	0.0385	0.0102	2.0000e-004	0.0104		27.2144	27.2144	5.8000e-004		27.2289
Total	0.0128	8.3200e-003	0.0767	2.7000e-004	0.0383	2.1000e-004	0.0385	0.0102	2.0000e-004	0.0104		27.2144	27.2144	5.8000e-004		27.2289

10.0 Stationary Equipment

Fire Pumps and Emergency Generators

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	------------	-------------	-------------	-----------

Boilers

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type
----------------	--------	----------------	-----------------	---------------	-----------

User Defined Equipment

Equipment Type	Number
----------------	--------

11.0 Vegetation

Hamilton High School Expansion Phase 1 Construction - Glenn County, Annual

**Hamilton High School Expansion Phase 1 Construction
Glenn County, Annual**

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
High School	35.00	1000sqft	0.80	35,000.00	0
Other Asphalt Surfaces	42.50	1000sqft	0.98	42,500.00	0
Other Non-Asphalt Surfaces	432.72	1000sqft	9.93	432,720.00	0
Parking Lot	12.50	1000sqft	0.29	12,500.00	0

1.2 Other Project Characteristics

Urbanization	Rural	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	61
Climate Zone	3			Operational Year	2027
Utility Company	Pacific Gas & Electric Company				
CO2 Intensity (lb/MWhr)	641.35	CH4 Intensity (lb/MWhr)	0.029	N2O Intensity (lb/MWhr)	0.006

1.3 User Entered Comments & Non-Default Data

Project Characteristics -

Land Use - BSF is conservative based on data provided by applicant

Construction Phase - schedule normalized based on CalEEMod defaults and data provided by applicant

Off-road Equipment -

Off-road Equipment -

Off-road Equipment -

Off-road Equipment - assuming one excavator for finishing/landscaping phase

Off-road Equipment -

Off-road Equipment - assuming 1 excavator/day

Off-road Equipment - sharing equipment with building construction phase.

Trips and VMT - Assuming 2 vendor trips/water truck/day. Assuming 3 worker and 1 vendor trip for woodshop building modernization, and 1 additional

Grading -

Architectural Coating - Assuming 90% of interior and exterior would be painted, assuming woodshop would also be painted, accounts for area of parking

Table Name	Column Name	Default Value	New Value
tblArchitecturalCoating	ConstArea_Nonresidential_Exterior	17,500.00	19,350.00
tblArchitecturalCoating	ConstArea_Nonresidential_Interior	52,500.00	58,050.00
tblArchitecturalCoating	ConstArea_Parking	29,263.00	2,550.00
tblConstructionPhase	NumDays	20.00	28.00
tblConstructionPhase	NumDays	300.00	419.00
tblConstructionPhase	NumDays	300.00	42.00
tblConstructionPhase	NumDays	30.00	42.00
tblConstructionPhase	NumDays	30.00	42.00
tblConstructionPhase	NumDays	20.00	28.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	3.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	3.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	0.00
tblProjectCharacteristics	UrbanizationLevel	Urban	Rural
tblTripsAndVMT	VendorTripNumber	0.00	2.00
tblTripsAndVMT	VendorTripNumber	0.00	2.00
tblTripsAndVMT	VendorTripNumber	86.00	1.00
tblTripsAndVMT	WorkerTripNumber	220.00	3.00
tblTripsAndVMT	WorkerTripNumber	44.00	45.00

2.0 Emissions Summary

2.1 Overall Construction

Unmitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	tons/yr										MT/yr					
2025	0.2240	1.9503	2.0873	5.4800e-003	0.4978	0.0691	0.5668	0.1870	0.0640	0.2510	0.0000	487.6489	487.6489	0.1024	0.0000	490.2078
2026	0.3249	2.5791	3.1120	9.2200e-003	0.4202	0.0721	0.4923	0.1133	0.0678	0.1811	0.0000	831.2049	831.2049	0.0915	0.0000	833.4922
2027	0.5845	0.9515	1.2307	3.3500e-003	0.1435	0.0296	0.1731	0.0387	0.0278	0.0664	0.0000	300.8932	300.8932	0.0389	0.0000	301.8662
Maximum	0.5845	2.5791	3.1120	9.2200e-003	0.4978	0.0721	0.5668	0.1870	0.0678	0.2510	0.0000	831.2049	831.2049	0.1024	0.0000	833.4922

Mitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	tons/yr										MT/yr					
2025	0.2240	1.9503	2.0873	5.4800e-003	0.4978	0.0691	0.5668	0.1870	0.0640	0.2510	0.0000	487.6485	487.6485	0.1024	0.0000	490.2074
2026	0.3249	2.5791	3.1119	9.2200e-003	0.4202	0.0721	0.4923	0.1133	0.0678	0.1811	0.0000	831.2045	831.2045	0.0915	0.0000	833.4918
2027	0.5845	0.9515	1.2307	3.3500e-003	0.1435	0.0296	0.1731	0.0387	0.0278	0.0664	0.0000	300.8931	300.8931	0.0389	0.0000	301.8660
Maximum	0.5845	2.5791	3.1119	9.2200e-003	0.4978	0.0721	0.5668	0.1870	0.0678	0.2510	0.0000	831.2045	831.2045	0.1024	0.0000	833.4918

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Quarter	Start Date	End Date	Maximum Unmitigated ROG + NOX (tons/quarter)	Maximum Mitigated ROG + NOX (tons/quarter)
1	5-1-2025	7-31-2025	0.8112	0.8112
2	8-1-2025	10-31-2025	0.8861	0.8861
3	11-1-2025	1-31-2026	0.7416	0.7416

4	2-1-2026	4-30-2026	0.7098	0.7098
5	5-1-2026	7-31-2026	0.7297	0.7297
6	8-1-2026	10-31-2026	0.7318	0.7318
7	11-1-2026	1-31-2027	0.7332	0.7332
8	2-1-2027	4-30-2027	0.6871	0.6871
9	5-1-2027	7-31-2027	0.6221	0.6221
		Highest	0.8861	0.8861

3.0 Construction Detail

Construction Phase

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Rough Grading	Grading	5/1/2025	6/28/2025	5	42	
2	Utility Trenching	Trenching	6/29/2025	7/18/2025	5	15	
3	Fine Grading	Grading	7/19/2025	9/16/2025	5	42	
4	Building Construction	Building Construction	9/17/2025	4/26/2027	5	419	
5	Wood Shop Building Modernization	Building Construction	2/26/2027	4/26/2027	5	42	
6	Paving	Paving	4/27/2027	6/3/2027	5	28	
7	Architectural Coating	Architectural Coating	6/4/2027	7/13/2027	5	28	
8	Finishing/Landscaping	Trenching	7/14/2027	7/30/2027	5	13	

Acres of Grading (Site Preparation Phase): 0

Acres of Grading (Grading Phase): 0

Acres of Paving: 11.2

Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 58,050; Non-Residential Outdoor: 19,350; Striped Parking Area:

OffRoad Equipment

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Rough Grading	Excavators	2	8.00	158	0.38
Rough Grading	Graders	1	8.00	187	0.41
Rough Grading	Rubber Tired Dozers	1	8.00	247	0.40

Rough Grading	Scrapers	2	8.00	367	0.48
Rough Grading	Tractors/Loaders/Backhoes	2	8.00	97	0.37
Utility Trenching	Excavators	1	8.00	158	0.38
Fine Grading	Excavators	2	8.00	158	0.38
Fine Grading	Graders	1	8.00	187	0.41
Fine Grading	Rubber Tired Dozers	1	8.00	247	0.40
Fine Grading	Scrapers	2	8.00	367	0.48
Fine Grading	Tractors/Loaders/Backhoes	2	8.00	97	0.37
Building Construction	Cranes	1	7.00	231	0.29
Building Construction	Forklifts	3	8.00	89	0.20
Building Construction	Generator Sets	1	8.00	84	0.74
Building Construction	Tractors/Loaders/Backhoes	3	7.00	97	0.37
Building Construction	Welders	1	8.00	46	0.45
Wood Shop Building Modernization	Cranes	0	7.00	231	0.29
Wood Shop Building Modernization	Forklifts	0	8.00	89	0.20
Wood Shop Building Modernization	Generator Sets	0	8.00	84	0.74
Wood Shop Building Modernization	Tractors/Loaders/Backhoes	0	7.00	97	0.37
Wood Shop Building Modernization	Welders	0	8.00	46	0.45
Paving	Pavers	2	8.00	130	0.42
Paving	Paving Equipment	2	8.00	132	0.36
Paving	Rollers	2	8.00	80	0.38
Architectural Coating	Air Compressors	1	6.00	78	0.48
Finishing/Landscaping	Excavators	1	8.00	158	0.38

Trips and VMT

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Rough Grading	8	20.00	2.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT
Utility Trenching	1	3.00	0.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT
Fine Grading	8	20.00	2.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	9	220.00	86.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT

Wood Shop Building Modernization	0	3.00	1.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT
Paving	6	15.00	0.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating	1	45.00	0.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT
Finishing/Landscaping	1	3.00	0.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

3.2 Rough Grading - 2025

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.1821	0.0000	0.1821	0.0755	0.0000	0.0755	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0609	0.5868	0.5530	1.3000e-003		0.0238	0.0238		0.0219	0.0219	0.0000	114.4631	114.4631	0.0370	0.0000	115.3885
Total	0.0609	0.5868	0.5530	1.3000e-003	0.1821	0.0238	0.2059	0.0755	0.0219	0.0974	0.0000	114.4631	114.4631	0.0370	0.0000	115.3885

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	1.1000e-004	3.3400e-003	8.1000e-004	1.0000e-005	2.5000e-004	0.0000	2.5000e-004	7.0000e-005	0.0000	8.0000e-005	0.0000	1.0378	1.0378	6.0000e-005	0.0000	1.0391
Worker	1.8300e-003	1.2500e-003	0.0128	4.0000e-005	5.1700e-003	3.0000e-005	5.2000e-003	1.3700e-003	3.0000e-005	1.4000e-003	0.0000	3.8421	3.8421	9.0000e-005	0.0000	3.8445
Total	1.9400e-003	4.5900e-003	0.0136	5.0000e-005	5.4200e-003	3.0000e-005	5.4500e-003	1.4400e-003	3.0000e-005	1.4800e-003	0.0000	4.8799	4.8799	1.5000e-004	0.0000	4.8836

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.1821	0.0000	0.1821	0.0755	0.0000	0.0755	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0609	0.5868	0.5530	1.3000e-003		0.0238	0.0238		0.0219	0.0219	0.0000	114.4629	114.4629	0.0370	0.0000	115.3884
Total	0.0609	0.5868	0.5530	1.3000e-003	0.1821	0.0238	0.2059	0.0755	0.0219	0.0974	0.0000	114.4629	114.4629	0.0370	0.0000	115.3884

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	1.1000e-004	3.3400e-003	8.1000e-004	1.0000e-005	2.5000e-004	0.0000	2.5000e-004	7.0000e-005	0.0000	8.0000e-005	0.0000	1.0378	1.0378	6.0000e-005	0.0000	1.0391
Worker	1.8300e-003	1.2500e-003	0.0128	4.0000e-005	5.1700e-003	3.0000e-005	5.2000e-003	1.3700e-003	3.0000e-005	1.4000e-003	0.0000	3.8421	3.8421	9.0000e-005	0.0000	3.8445
Total	1.9400e-003	4.5900e-003	0.0136	5.0000e-005	5.4200e-003	3.0000e-005	5.4500e-003	1.4400e-003	3.0000e-005	1.4800e-003	0.0000	4.8799	4.8799	1.5000e-004	0.0000	4.8836

3.3 Utility Trenching - 2025

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	1.2500e-003	9.1600e-003	0.0245	4.0000e-005		4.5000e-004	4.5000e-004		4.1000e-004	4.1000e-004	0.0000	3.4042	3.4042	1.1000e-003	0.0000	3.4318
Total	1.2500e-003	9.1600e-003	0.0245	4.0000e-005		4.5000e-004	4.5000e-004		4.1000e-004	4.1000e-004	0.0000	3.4042	3.4042	1.1000e-003	0.0000	3.4318

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	tons/yr										MT/yr						
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	1.0000e-004	7.0000e-005	6.9000e-004	0.0000	2.8000e-004	0.0000	2.8000e-004	7.0000e-005	0.0000	8.0000e-005	0.0000	0.2058	0.2058	1.0000e-005	0.0000	0.2060	
Total	1.0000e-004	7.0000e-005	6.9000e-004	0.0000	2.8000e-004	0.0000	2.8000e-004	7.0000e-005	0.0000	8.0000e-005	0.0000	0.2058	0.2058	1.0000e-005	0.0000	0.2060	

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	1.2500e-003	9.1600e-003	0.0245	4.0000e-005		4.5000e-004	4.5000e-004		4.1000e-004	4.1000e-004	0.0000	3.4042	3.4042	1.1000e-003	0.0000	3.4318
Total	1.2500e-003	9.1600e-003	0.0245	4.0000e-005		4.5000e-004	4.5000e-004		4.1000e-004	4.1000e-004	0.0000	3.4042	3.4042	1.1000e-003	0.0000	3.4318

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	1.0000e-004	7.0000e-005	6.9000e-004	0.0000	2.8000e-004	0.0000	2.8000e-004	7.0000e-005	0.0000	8.0000e-005	0.0000	0.2058	0.2058	1.0000e-005	0.0000	0.2060
Total	1.0000e-004	7.0000e-005	6.9000e-004	0.0000	2.8000e-004	0.0000	2.8000e-004	7.0000e-005	0.0000	8.0000e-005	0.0000	0.2058	0.2058	1.0000e-005	0.0000	0.2060

3.4 Fine Grading - 2025

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.1821	0.0000	0.1821	0.0755	0.0000	0.0755	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0609	0.5868	0.5530	1.3000e-003		0.0238	0.0238		0.0219	0.0219	0.0000	114.4631	114.4631	0.0370	0.0000	115.3885
Total	0.0609	0.5868	0.5530	1.3000e-003	0.1821	0.0238	0.2059	0.0755	0.0219	0.0974	0.0000	114.4631	114.4631	0.0370	0.0000	115.3885

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	1.1000e-004	3.3400e-003	8.1000e-004	1.0000e-005	2.5000e-004	0.0000	2.5000e-004	7.0000e-005	0.0000	8.0000e-005	0.0000	1.0378	1.0378	6.0000e-005	0.0000	1.0391
Worker	1.8300e-003	1.2500e-003	0.0128	4.0000e-005	5.1700e-003	3.0000e-005	5.2000e-003	1.3700e-003	3.0000e-005	1.4000e-003	0.0000	3.8421	3.8421	9.0000e-005	0.0000	3.8445
Total	1.9400e-003	4.5900e-003	0.0136	5.0000e-005	5.4200e-003	3.0000e-005	5.4500e-003	1.4400e-003	3.0000e-005	1.4800e-003	0.0000	4.8799	4.8799	1.5000e-004	0.0000	4.8836

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.1821	0.0000	0.1821	0.0755	0.0000	0.0755	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0609	0.5868	0.5530	1.3000e-003		0.0238	0.0238		0.0219	0.0219	0.0000	114.4629	114.4629	0.0370	0.0000	115.3884
Total	0.0609	0.5868	0.5530	1.3000e-003	0.1821	0.0238	0.2059	0.0755	0.0219	0.0974	0.0000	114.4629	114.4629	0.0370	0.0000	115.3884

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	1.1000e-004	3.3400e-003	8.1000e-004	1.0000e-005	2.5000e-004	0.0000	2.5000e-004	7.0000e-005	0.0000	8.0000e-005	0.0000	1.0378	1.0378	6.0000e-005	0.0000	1.0391
Worker	1.8300e-003	1.2500e-003	0.0128	4.0000e-005	5.1700e-003	3.0000e-005	5.2000e-003	1.3700e-003	3.0000e-005	1.4000e-003	0.0000	3.8421	3.8421	9.0000e-005	0.0000	3.8445
Total	1.9400e-003	4.5900e-003	0.0136	5.0000e-005	5.4200e-003	3.0000e-005	5.4500e-003	1.4400e-003	3.0000e-005	1.4800e-003	0.0000	4.8799	4.8799	1.5000e-004	0.0000	4.8836

3.5 Building Construction - 2025

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0520	0.4739	0.6112	1.0200e-003		0.0201	0.0201		0.0189	0.0189	0.0000	88.1294	88.1294	0.0207	0.0000	88.6473
Total	0.0520	0.4739	0.6112	1.0200e-003		0.0201	0.0201		0.0189	0.0189	0.0000	88.1294	88.1294	0.0207	0.0000	88.6473

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	8.5800e-003	0.2595	0.0629	8.5000e-004	0.0195	3.4000e-004	0.0198	5.6300e-003	3.3000e-004	5.9500e-003	0.0000	80.7470	80.7470	4.3200e-003	0.0000	80.8550
Worker	0.0364	0.0249	0.2549	8.5000e-004	0.1029	6.5000e-004	0.1036	0.0274	6.0000e-004	0.0280	0.0000	76.4767	76.4767	1.8700e-003	0.0000	76.5235
Total	0.0450	0.2844	0.3178	1.7000e-003	0.1224	9.9000e-004	0.1233	0.0330	9.3000e-004	0.0339	0.0000	157.2236	157.2236	6.1900e-003	0.0000	157.3785

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0520	0.4739	0.6112	1.0200e-003		0.0201	0.0201		0.0189	0.0189	0.0000	88.1293	88.1293	0.0207	0.0000	88.6472
Total	0.0520	0.4739	0.6112	1.0200e-003		0.0201	0.0201		0.0189	0.0189	0.0000	88.1293	88.1293	0.0207	0.0000	88.6472

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	8.5800e-003	0.2595	0.0629	8.5000e-004	0.0195	3.4000e-004	0.0198	5.6300e-003	3.3000e-004	5.9500e-003	0.0000	80.7470	80.7470	4.3200e-003	0.0000	80.8550
Worker	0.0364	0.0249	0.2549	8.5000e-004	0.1029	6.5000e-004	0.1036	0.0274	6.0000e-004	0.0280	0.0000	76.4767	76.4767	1.8700e-003	0.0000	76.5235
Total	0.0450	0.2844	0.3178	1.7000e-003	0.1224	9.9000e-004	0.1233	0.0330	9.3000e-004	0.0339	0.0000	157.2236	157.2236	6.1900e-003	0.0000	157.3785

3.5 Building Construction - 2026

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.1785	1.6273	2.0991	3.5200e-003		0.0689	0.0689		0.0648	0.0648	0.0000	302.6549	302.6549	0.0711	0.0000	304.4335
Total	0.1785	1.6273	2.0991	3.5200e-003		0.0689	0.0689		0.0648	0.0648	0.0000	302.6549	302.6549	0.0711	0.0000	304.4335

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0281	0.8740	0.2024	2.9100e-003	0.0668	1.1000e-003	0.0679	0.0193	1.0500e-003	0.0204	0.0000	275.4612	275.4612	0.0145	0.0000	275.8248
Worker	0.1183	0.0778	0.8105	2.8000e-003	0.3534	2.1600e-003	0.3556	0.0940	1.9800e-003	0.0960	0.0000	253.0888	253.0888	5.8000e-003	0.0000	253.2338
Total	0.1464	0.9518	1.0129	5.7100e-003	0.4202	3.2600e-003	0.4234	0.1133	3.0300e-003	0.1163	0.0000	528.5500	528.5500	0.0203	0.0000	529.0587

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.1784	1.6273	2.0991	3.5200e-003		0.0689	0.0689		0.0648	0.0648	0.0000	302.6545	302.6545	0.0711	0.0000	304.4331
Total	0.1784	1.6273	2.0991	3.5200e-003		0.0689	0.0689		0.0648	0.0648	0.0000	302.6545	302.6545	0.0711	0.0000	304.4331

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0281	0.8740	0.2024	2.9100e-003	0.0668	1.1000e-003	0.0679	0.0193	1.0500e-003	0.0204	0.0000	275.4612	275.4612	0.0145	0.0000	275.8248
Worker	0.1183	0.0778	0.8105	2.8000e-003	0.3534	2.1600e-003	0.3556	0.0940	1.9800e-003	0.0960	0.0000	253.0888	253.0888	5.8000e-003	0.0000	253.2338
Total	0.1464	0.9518	1.0129	5.7100e-003	0.4202	3.2600e-003	0.4234	0.1133	3.0300e-003	0.1163	0.0000	528.5500	528.5500	0.0203	0.0000	529.0587

3.5 Building Construction - 2027

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0561	0.5113	0.6595	1.1100e-003		0.0216	0.0216		0.0204	0.0204	0.0000	95.0870	95.0870	0.0224	0.0000	95.6458
Total	0.0561	0.5113	0.6595	1.1100e-003		0.0216	0.0216		0.0204	0.0204	0.0000	95.0870	95.0870	0.0224	0.0000	95.6458

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	8.4300e-003	0.2700	0.0596	9.1000e-004	0.0210	3.3000e-004	0.0213	6.0700e-003	3.1000e-004	6.3800e-003	0.0000	86.0360	86.0360	4.5100e-003	0.0000	86.1488
Worker	0.0352	0.0223	0.2365	8.5000e-004	0.1110	6.4000e-004	0.1117	0.0295	5.9000e-004	0.0301	0.0000	76.8466	76.8466	1.6500e-003	0.0000	76.8878
Total	0.0436	0.2923	0.2961	1.7600e-003	0.1320	9.7000e-004	0.1330	0.0356	9.0000e-004	0.0365	0.0000	162.8827	162.8827	6.1600e-003	0.0000	163.0366

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0561	0.5113	0.6595	1.1100e-003		0.0216	0.0216		0.0204	0.0204	0.0000	95.0869	95.0869	0.0224	0.0000	95.6457
Total	0.0561	0.5113	0.6595	1.1100e-003		0.0216	0.0216		0.0204	0.0204	0.0000	95.0869	95.0869	0.0224	0.0000	95.6457

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	8.4300e-003	0.2700	0.0596	9.1000e-004	0.0210	3.3000e-004	0.0213	6.0700e-003	3.1000e-004	6.3800e-003	0.0000	86.0360	86.0360	4.5100e-003	0.0000	86.1488
Worker	0.0352	0.0223	0.2365	8.5000e-004	0.1110	6.4000e-004	0.1117	0.0295	5.9000e-004	0.0301	0.0000	76.8466	76.8466	1.6500e-003	0.0000	76.8878
Total	0.0436	0.2923	0.2961	1.7600e-003	0.1320	9.7000e-004	0.1330	0.0356	9.0000e-004	0.0365	0.0000	162.8827	162.8827	6.1600e-003	0.0000	163.0366

3.6 Wood Shop Building Modernization - 2027

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	5.0000e-005	1.6100e-003	3.5000e-004	1.0000e-005	1.2000e-004	0.0000	1.3000e-004	4.0000e-005	0.0000	4.0000e-005	0.0000	0.5124	0.5124	3.0000e-005	0.0000	0.5131
Worker	2.5000e-004	1.6000e-004	1.6500e-003	1.0000e-005	7.8000e-004	0.0000	7.8000e-004	2.1000e-004	0.0000	2.1000e-004	0.0000	0.5367	0.5367	1.0000e-005	0.0000	0.5370
Total	3.0000e-004	1.7700e-003	2.0000e-003	2.0000e-005	9.0000e-004	0.0000	9.1000e-004	2.5000e-004	0.0000	2.5000e-004	0.0000	1.0491	1.0491	4.0000e-005	0.0000	1.0501

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	5.0000e-005	1.6100e-003	3.5000e-004	1.0000e-005	1.2000e-004	0.0000	1.3000e-004	4.0000e-005	0.0000	4.0000e-005	0.0000	0.5124	0.5124	3.0000e-005	0.0000	0.5131
Worker	2.5000e-004	1.6000e-004	1.6500e-003	1.0000e-005	7.8000e-004	0.0000	7.8000e-004	2.1000e-004	0.0000	2.1000e-004	0.0000	0.5367	0.5367	1.0000e-005	0.0000	0.5370
Total	3.0000e-004	1.7700e-003	2.0000e-003	2.0000e-005	9.0000e-004	0.0000	9.1000e-004	2.5000e-004	0.0000	2.5000e-004	0.0000	1.0491	1.0491	4.0000e-005	0.0000	1.0501

3.7 Paving - 2027

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0128	0.1201	0.2041	3.2000e-004		5.8600e-003	5.8600e-003		5.3900e-003	5.3900e-003	0.0000	28.0270	28.0270	9.0600e-003	0.0000	28.2536
Paving	1.6600e-003					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	0.0145	0.1201	0.2041	3.2000e-004		5.8600e-003	5.8600e-003		5.3900e-003	5.3900e-003	0.0000	28.0270	28.0270	9.0600e-003	0.0000	28.2536

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	8.2000e-004	5.2000e-004	5.5100e-003	2.0000e-005	2.5800e-003	1.0000e-005	2.6000e-003	6.9000e-004	1.0000e-005	7.0000e-004	0.0000	1.7891	1.7891	4.0000e-005	0.0000	1.7901
Total	8.2000e-004	5.2000e-004	5.5100e-003	2.0000e-005	2.5800e-003	1.0000e-005	2.6000e-003	6.9000e-004	1.0000e-005	7.0000e-004	0.0000	1.7891	1.7891	4.0000e-005	0.0000	1.7901

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0128	0.1201	0.2041	3.2000e-004		5.8600e-003	5.8600e-003		5.3900e-003	5.3900e-003	0.0000	28.0269	28.0269	9.0600e-003	0.0000	28.2535
Paving	1.6600e-003					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	0.0145	0.1201	0.2041	3.2000e-004		5.8600e-003	5.8600e-003		5.3900e-003	5.3900e-003	0.0000	28.0269	28.0269	9.0600e-003	0.0000	28.2535

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	8.2000e-004	5.2000e-004	5.5100e-003	2.0000e-005	2.5800e-003	1.0000e-005	2.6000e-003	6.9000e-004	1.0000e-005	7.0000e-004	0.0000	1.7891	1.7891	4.0000e-005	0.0000	1.7901
Total	8.2000e-004	5.2000e-004	5.5100e-003	2.0000e-005	2.5800e-003	1.0000e-005	2.6000e-003	6.9000e-004	1.0000e-005	7.0000e-004	0.0000	1.7891	1.7891	4.0000e-005	0.0000	1.7901

3.8 Architectural Coating - 2027

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Archit. Coating	0.4632					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	2.3900e-003	0.0160	0.0253	4.0000e-005		7.2000e-004	7.2000e-004		7.2000e-004	7.2000e-004	0.0000	3.5746	3.5746	1.9000e-004	0.0000	3.5794
Total	0.4656	0.0160	0.0253	4.0000e-005		7.2000e-004	7.2000e-004		7.2000e-004	7.2000e-004	0.0000	3.5746	3.5746	1.9000e-004	0.0000	3.5794

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	2.4600e-003	1.5600e-003	0.0165	6.0000e-005	7.7500e-003	4.0000e-005	7.8000e-003	2.0600e-003	4.0000e-005	2.1000e-003	0.0000	5.3673	5.3673	1.2000e-004	0.0000	5.3702
Total	2.4600e-003	1.5600e-003	0.0165	6.0000e-005	7.7500e-003	4.0000e-005	7.8000e-003	2.0600e-003	4.0000e-005	2.1000e-003	0.0000	5.3673	5.3673	1.2000e-004	0.0000	5.3702

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Archit. Coating	0.4632					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	2.3900e-003	0.0160	0.0253	4.0000e-005		7.2000e-004	7.2000e-004		7.2000e-004	7.2000e-004	0.0000	3.5746	3.5746	1.9000e-004	0.0000	3.5794
Total	0.4656	0.0160	0.0253	4.0000e-005		7.2000e-004	7.2000e-004		7.2000e-004	7.2000e-004	0.0000	3.5746	3.5746	1.9000e-004	0.0000	3.5794

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	2.4600e-003	1.5600e-003	0.0165	6.0000e-005	7.7500e-003	4.0000e-005	7.8000e-003	2.0600e-003	4.0000e-005	2.1000e-003	0.0000	5.3673	5.3673	1.2000e-004	0.0000	5.3702
Total	2.4600e-003	1.5600e-003	0.0165	6.0000e-005	7.7500e-003	4.0000e-005	7.8000e-003	2.0600e-003	4.0000e-005	2.1000e-003	0.0000	5.3673	5.3673	1.2000e-004	0.0000	5.3702

3.9 Finishing/Landscaping - 2027

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	1.0900e-003	7.9400e-003	0.0212	3.0000e-005		3.9000e-004	3.9000e-004		3.6000e-004	3.6000e-004	0.0000	2.9503	2.9503	9.5000e-004	0.0000	2.9742
Total	1.0900e-003	7.9400e-003	0.0212	3.0000e-005		3.9000e-004	3.9000e-004		3.6000e-004	3.6000e-004	0.0000	2.9503	2.9503	9.5000e-004	0.0000	2.9742

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	8.0000e-005	5.0000e-005	5.1000e-004	0.0000	2.4000e-004	0.0000	2.4000e-004	6.0000e-005	0.0000	7.0000e-005	0.0000	0.1661	0.1661	0.0000	0.0000	0.1662
Total	8.0000e-005	5.0000e-005	5.1000e-004	0.0000	2.4000e-004	0.0000	2.4000e-004	6.0000e-005	0.0000	7.0000e-005	0.0000	0.1661	0.1661	0.0000	0.0000	0.1662

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	1.0900e-003	7.9400e-003	0.0212	3.0000e-005		3.9000e-004	3.9000e-004		3.6000e-004	3.6000e-004	0.0000	2.9503	2.9503	9.5000e-004	0.0000	2.9742
Total	1.0900e-003	7.9400e-003	0.0212	3.0000e-005		3.9000e-004	3.9000e-004		3.6000e-004	3.6000e-004	0.0000	2.9503	2.9503	9.5000e-004	0.0000	2.9742

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	8.0000e-005	5.0000e-005	5.1000e-004	0.0000	2.4000e-004	0.0000	2.4000e-004	6.0000e-005	0.0000	7.0000e-005	0.0000	0.1661	0.1661	0.0000	0.0000	0.1662
Total	8.0000e-005	5.0000e-005	5.1000e-004	0.0000	2.4000e-004	0.0000	2.4000e-004	6.0000e-005	0.0000	7.0000e-005	0.0000	0.1661	0.1661	0.0000	0.0000	0.1662

10.0 Stationary Equipment

Fire Pumps and Emergency Generators

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	------------	-------------	-------------	-----------

Boilers

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type
----------------	--------	----------------	-----------------	---------------	-----------

User Defined Equipment

Equipment Type	Number
----------------	--------

11.0 Vegetation

Hamilton High School Expansion Phase 2 Construction - Glenn County, Summer

**Hamilton High School Expansion Phase 2 Construction
Glenn County, Summer**

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
High School	82.00	1000sqft	1.88	82,000.00	0
Other Asphalt Surfaces	18.00	1000sqft	0.41	18,000.00	0
Other Non-Asphalt Surfaces	1,293.92	1000sqft	29.70	1,293,920.00	0

1.2 Other Project Characteristics

Urbanization	Rural	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	61
Climate Zone	3			Operational Year	2032
Utility Company	Pacific Gas & Electric Company				
CO2 Intensity (lb/MWhr)	641.35	CH4 Intensity (lb/MWhr)	0.029	N2O Intensity (lb/MWhr)	0.006

1.3 User Entered Comments & Non-Default Data

Project Characteristics -

Land Use - BSF is conservative based on data provided by applicant

Construction Phase - schedule normalized based on CalEEMod defaults and data provided by applicant

Off-road Equipment -

Off-road Equipment -

Off-road Equipment - assuming 1 excavator for utility trenching phase

Off-road Equipment -

Off-road Equipment -

Off-road Equipment -

Off-road Equipment - assuming 1 excavator for finishing/landscaping

Grading -

Trips and VMT - Assuming 2 vendor trips/water truck/day

Architectural Coating - Assuming 90% of interior and exterior would be painted based on data from applicant, accounts for area of parking lot only

Table Name	Column Name	Default Value	New Value
tblArchitecturalCoating	ConstArea_Nonresidential_Exterior	41,000.00	36,900.00
tblArchitecturalCoating	ConstArea_Nonresidential_Interior	123,000.00	110,700.00
tblArchitecturalCoating	ConstArea_Parking	78,715.00	0.00
tblConstructionPhase	NumDays	45.00	40.00
tblConstructionPhase	NumDays	20.00	18.00
tblConstructionPhase	NumDays	500.00	448.00
tblConstructionPhase	NumDays	35.00	31.00
tblConstructionPhase	NumDays	35.00	31.00
tblConstructionPhase	PhaseEndDate	9/10/2030	7/19/2030
tblConstructionPhase	PhaseEndDate	7/9/2030	5/25/2030
tblConstructionPhase	PhaseStartDate	7/10/2030	5/26/2030
tblConstructionPhase	PhaseStartDate	6/12/2030	5/1/2030
tblOffRoadEquipment	LoadFactor	0.38	0.38
tblOffRoadEquipment	OffRoadEquipmentType		Excavators
tblOffRoadEquipment	OffRoadEquipmentType		Excavators
tblProjectCharacteristics	UrbanizationLevel	Urban	Rural
tblTripsAndVMT	VendorTripNumber	0.00	2.00
tblTripsAndVMT	VendorTripNumber	0.00	2.00

3.0 Construction Detail

Construction Phase

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Site Preparation	Site Preparation	5/1/2030	5/25/2030	5	18	
2	Fine Grading	Grading	5/26/2030	7/19/2030	5	40	
3	Utility Trenching	Trenching	7/20/2030	8/2/2030	5	10	
4	Building Construction	Building Construction	8/3/2030	4/21/2032	5	448	
5	Paving	Paving	4/22/2032	6/3/2032	5	31	
6	Architectural Coating	Architectural Coating	6/4/2032	7/16/2032	5	31	
7	Finishing/Landscaping	Trenching	7/17/2032	7/31/2032	5	10	

Acres of Grading (Site Preparation Phase): 0

Acres of Grading (Grading Phase): 0

Acres of Paving: 30.11

Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 110,700; Non-Residential Outdoor: 36,900; Striped Parking Area:

OffRoad Equipment

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Architectural Coating	Air Compressors	1	6.00	78	0.48
Utility Trenching	Excavators	1	8.00	158	0.38
Finishing/Landscaping	Excavators	1	8.00	158	0.38
Fine Grading	Excavators	2	8.00	158	0.38
Building Construction	Cranes	1	7.00	231	0.29
Building Construction	Forklifts	3	8.00	89	0.20
Building Construction	Generator Sets	1	8.00	84	0.74
Paving	Pavers	2	8.00	130	0.42
Paving	Rollers	2	8.00	80	0.38
Fine Grading	Rubber Tired Dozers	1	8.00	247	0.40
Building Construction	Tractors/Loaders/Backhoes	3	7.00	97	0.37
Fine Grading	Graders	1	8.00	187	0.41

Fine Grading	Tractors/Loaders/Backhoes	2	8.00	97	0.37
Paving	Paving Equipment	2	8.00	132	0.36
Site Preparation	Tractors/Loaders/Backhoes	4	8.00	97	0.37
Site Preparation	Rubber Tired Dozers	3	8.00	247	0.40
Fine Grading	Scrapers	2	8.00	367	0.48
Building Construction	Welders	1	8.00	46	0.45

Trips and VMT

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Utility Trenching	1	3.00	0.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT
Site Preparation	7	18.00	2.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT
Fine Grading	8	20.00	2.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	9	585.00	228.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT
Paving	6	15.00	0.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating	1	117.00	0.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT
Finishing/Landscaping	1	3.00	0.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

3.2 Site Preparation - 2030

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					18.0663	0.0000	18.0663	9.9307	0.0000	9.9307			0.0000			0.0000
Off-Road	2.4399	13.6680	16.2918	0.0466		0.4367	0.4367		0.4367	0.4367		4,409.7537	4,409.7537	0.2176		4,415.1936
Total	2.4399	13.6680	16.2918	0.0466	18.0663	0.4367	18.5029	9.9307	0.4367	10.3673		4,409.7537	4,409.7537	0.2176		4,415.1936

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	4.2400e-003	0.1459	0.0274	5.2000e-004	0.0123	1.6000e-004	0.0124	3.5300e-003	1.5000e-004	3.6800e-003		53.9776	53.9776	2.5500e-003		54.0414
Worker	0.0618	0.0305	0.4633	1.7200e-003	0.2299	1.0300e-003	0.2309	0.0610	9.5000e-004	0.0619		171.3824	171.3824	3.0600e-003		171.4588
Total	0.0661	0.1765	0.4908	2.2400e-003	0.2422	1.1900e-003	0.2434	0.0645	1.1000e-003	0.0656		225.3600	225.3600	5.6100e-003		225.5002

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					18.0663	0.0000	18.0663	9.9307	0.0000	9.9307			0.0000			0.0000
Off-Road	2.4399	13.6680	16.2918	0.0466		0.4367	0.4367		0.4367	0.4367	0.0000	4,409.7537	4,409.7537	0.2176		4,415.1936
Total	2.4399	13.6680	16.2918	0.0466	18.0663	0.4367	18.5029	9.9307	0.4367	10.3673	0.0000	4,409.7537	4,409.7537	0.2176		4,415.1936

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	4.2400e-003	0.1459	0.0274	5.2000e-004	0.0123	1.6000e-004	0.0124	3.5300e-003	1.5000e-004	3.6800e-003		53.9776	53.9776	2.5500e-003		54.0414
Worker	0.0618	0.0305	0.4633	1.7200e-003	0.2299	1.0300e-003	0.2309	0.0610	9.5000e-004	0.0619		171.3824	171.3824	3.0600e-003		171.4588
Total	0.0661	0.1765	0.4908	2.2400e-003	0.2422	1.1900e-003	0.2434	0.0645	1.1000e-003	0.0656		225.3600	225.3600	5.6100e-003		225.5002

3.3 Fine Grading - 2030

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					8.6733	0.0000	8.6733	3.5965	0.0000	3.5965			0.0000			0.0000
Off-Road	3.2807	13.8462	23.0239	0.0699		0.4879	0.4879		0.4879	0.4879		7,213.1086	7,213.1086	0.2915		7,220.3963
Total	3.2807	13.8462	23.0239	0.0699	8.6733	0.4879	9.1613	3.5965	0.4879	4.0844		7,213.1086	7,213.1086	0.2915		7,220.3963

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	4.2400e-003	0.1459	0.0274	5.2000e-004	0.0123	1.6000e-004	0.0124	3.5300e-003	1.5000e-004	3.6800e-003		53.9776	53.9776	2.5500e-003		54.0414
Worker	0.0687	0.0339	0.5148	1.9100e-003	0.2555	1.1400e-003	0.2566	0.0678	1.0500e-003	0.0688		190.4248	190.4248	3.4000e-003		190.5098
Total	0.0729	0.1799	0.5422	2.4300e-003	0.2677	1.3000e-003	0.2690	0.0713	1.2000e-003	0.0725		244.4025	244.4025	5.9500e-003		244.5511

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					8.6733	0.0000	8.6733	3.5965	0.0000	3.5965			0.0000			0.0000
Off-Road	3.2807	13.8462	23.0239	0.0699		0.4879	0.4879		0.4879	0.4879	0.0000	7,213.1086	7,213.1086	0.2915		7,220.3963
Total	3.2807	13.8462	23.0239	0.0699	8.6733	0.4879	9.1613	3.5965	0.4879	4.0844	0.0000	7,213.1086	7,213.1086	0.2915		7,220.3963

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day										lb/day						
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000			0.0000
Vendor	4.2400e-003	0.1459	0.0274	5.2000e-004	0.0123	1.6000e-004	0.0124	3.5300e-003	1.5000e-004	3.6800e-003		53.9776	53.9776	2.5500e-003			54.0414
Worker	0.0687	0.0339	0.5148	1.9100e-003	0.2555	1.1400e-003	0.2566	0.0678	1.0500e-003	0.0688		190.4248	190.4248	3.4000e-003			190.5098
Total	0.0729	0.1799	0.5422	2.4300e-003	0.2677	1.3000e-003	0.2690	0.0713	1.2000e-003	0.0725		244.4025	244.4025	5.9500e-003			244.5511

3.4 Utility Trenching - 2030

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day										lb/day						
Off-Road	0.2256	0.5559	3.5601	6.3500e-003		0.0244	0.0244		0.0244	0.0244		601.7856	601.7856	0.0201			602.2886
Total	0.2256	0.5559	3.5601	6.3500e-003		0.0244	0.0244		0.0244	0.0244		601.7856	601.7856	0.0201			602.2886

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day										lb/day						
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000			0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000			0.0000
Worker	0.0103	5.0900e-003	0.0772	2.9000e-004	0.0383	1.7000e-004	0.0385	0.0102	1.6000e-004	0.0103		28.5637	28.5637	5.1000e-004			28.5765
Total	0.0103	5.0900e-003	0.0772	2.9000e-004	0.0383	1.7000e-004	0.0385	0.0102	1.6000e-004	0.0103		28.5637	28.5637	5.1000e-004			28.5765

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.2256	0.5559	3.5601	6.3500e-003		0.0244	0.0244		0.0244	0.0244	0.0000	601.7856	601.7856	0.0201		602.2886
Total	0.2256	0.5559	3.5601	6.3500e-003		0.0244	0.0244		0.0244	0.0244	0.0000	601.7856	601.7856	0.0201		602.2886

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0103	5.0900e-003	0.0772	2.9000e-004	0.0383	1.7000e-004	0.0385	0.0102	1.6000e-004	0.0103		28.5637	28.5637	5.1000e-004		28.5765
Total	0.0103	5.0900e-003	0.0772	2.9000e-004	0.0383	1.7000e-004	0.0385	0.0102	1.6000e-004	0.0103		28.5637	28.5637	5.1000e-004		28.5765

3.5 Building Construction - 2030

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.3091	7.9346	16.1570	0.0310		0.1481	0.1481		0.1481	0.1481		2,897.5468	2,897.5468	0.1162		2,900.4529
Total	1.3091	7.9346	16.1570	0.0310		0.1481	0.1481		0.1481	0.1481		2,897.5468	2,897.5468	0.1162		2,900.4529

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.4838	16.6357	3.1263	0.0589	1.3985	0.0181	1.4166	0.4028	0.0173	0.4201		6,153.4482	6,153.4482	0.2908		6,160.7175
Worker	2.0093	0.9927	15.0584	0.0558	7.4722	0.0335	7.5057	1.9816	0.0308	2.0124		5,569.9264	5,569.9264	0.0994		5,572.4103
Total	2.4930	17.6284	18.1847	0.1147	8.8708	0.0516	8.9223	2.3844	0.0481	2.4324		11,723.3746	11,723.3746	0.3901		11,733.1277

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.3091	7.9346	16.1570	0.0310		0.1481	0.1481		0.1481	0.1481	0.0000	2,897.5468	2,897.5468	0.1162		2,900.4529
Total	1.3091	7.9346	16.1570	0.0310		0.1481	0.1481		0.1481	0.1481	0.0000	2,897.5468	2,897.5468	0.1162		2,900.4529

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.4838	16.6357	3.1263	0.0589	1.3985	0.0181	1.4166	0.4028	0.0173	0.4201		6,153.4482	6,153.4482	0.2908		6,160.7175
Worker	2.0093	0.9927	15.0584	0.0558	7.4722	0.0335	7.5057	1.9816	0.0308	2.0124		5,569.9264	5,569.9264	0.0994		5,572.4103
Total	2.4930	17.6284	18.1847	0.1147	8.8708	0.0516	8.9223	2.3844	0.0481	2.4324		11,723.3746	11,723.3746	0.3901		11,733.1277

3.5 Building Construction - 2031

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.3091	7.9346	16.1570	0.0310		0.1481	0.1481		0.1481	0.1481		2,897.5468	2,897.5468	0.1162		2,900.4529
Total	1.3091	7.9346	16.1570	0.0310		0.1481	0.1481		0.1481	0.1481		2,897.5468	2,897.5468	0.1162		2,900.4529

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.4716	16.4794	3.0264	0.0588	1.3986	0.0174	1.4160	0.4028	0.0166	0.4195		6,138.5351	6,138.5351	0.2887		6,145.7525
Worker	1.8287	0.8993	14.0613	0.0545	7.4722	0.0312	7.5034	1.9816	0.0287	2.0103		5,441.7818	5,441.7818	0.0896		5,444.0209
Total	2.3003	17.3787	17.0876	0.1133	8.8708	0.0486	8.9194	2.3844	0.0453	2.4297		11,580.3169	11,580.3169	0.3783		11,589.7734

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.3091	7.9346	16.1570	0.0310		0.1481	0.1481		0.1481	0.1481	0.0000	2,897.5468	2,897.5468	0.1162		2,900.4529
Total	1.3091	7.9346	16.1570	0.0310		0.1481	0.1481		0.1481	0.1481	0.0000	2,897.5468	2,897.5468	0.1162		2,900.4529

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.4716	16.4794	3.0264	0.0588	1.3986	0.0174	1.4160	0.4028	0.0166	0.4195		6,138.5351	6,138.5351	0.2887		6,145.7525
Worker	1.8287	0.8993	14.0613	0.0545	7.4722	0.0312	7.5034	1.9816	0.0287	2.0103		5,441.7818	5,441.7818	0.0896		5,444.0209
Total	2.3003	17.3787	17.0876	0.1133	8.8708	0.0486	8.9194	2.3844	0.0453	2.4297		11,580.3169	11,580.3169	0.3783		11,589.7734

3.5 Building Construction - 2032

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.3091	7.9346	16.1570	0.0310		0.1481	0.1481		0.1481	0.1481		2,897.5468	2,897.5468	0.1162		2,900.4529
Total	1.3091	7.9346	16.1570	0.0310		0.1481	0.1481		0.1481	0.1481		2,897.5468	2,897.5468	0.1162		2,900.4529

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.4624	16.3431	2.9600	0.0587	1.3986	0.0169	1.4154	0.4028	0.0161	0.4190		6,128.5790	6,128.5790	0.2856		6,135.7178
Worker	1.6714	0.8199	13.1977	0.0534	7.4722	0.0291	7.5013	1.9816	0.0268	2.0083		5,329.7420	5,329.7420	0.0812		5,331.7724
Total	2.1338	17.1631	16.1577	0.1121	8.8708	0.0460	8.9168	2.3844	0.0429	2.4273		11,458.3209	11,458.3209	0.3668		11,467.4902

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.3091	7.9346	16.1570	0.0310		0.1481	0.1481		0.1481	0.1481	0.0000	2,897.5468	2,897.5468	0.1162		2,900.4529
Total	1.3091	7.9346	16.1570	0.0310		0.1481	0.1481		0.1481	0.1481	0.0000	2,897.5468	2,897.5468	0.1162		2,900.4529

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.4624	16.3431	2.9600	0.0587	1.3986	0.0169	1.4154	0.4028	0.0161	0.4190		6,128.5790	6,128.5790	0.2856		6,135.7178
Worker	1.6714	0.8199	13.1977	0.0534	7.4722	0.0291	7.5013	1.9816	0.0268	2.0083		5,329.7420	5,329.7420	0.0812		5,331.7724
Total	2.1338	17.1631	16.1577	0.1121	8.8708	0.0460	8.9168	2.3844	0.0429	2.4273		11,458.3209	11,458.3209	0.3668		11,467.4902

3.6 Paving - 2032

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.3845	7.1202	15.8495	0.0281		0.3306	0.3306		0.3306	0.3306		2,656.5168	2,656.5168	0.1245		2,659.6302
Paving	0.0347					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	1.4192	7.1202	15.8495	0.0281		0.3306	0.3306		0.3306	0.3306		2,656.5168	2,656.5168	0.1245		2,659.6302

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0429	0.0210	0.3384	1.3700e-003	0.1916	7.5000e-004	0.1923	0.0508	6.9000e-004	0.0515		136.6601	136.6601	2.0800e-003		136.7121
Total	0.0429	0.0210	0.3384	1.3700e-003	0.1916	7.5000e-004	0.1923	0.0508	6.9000e-004	0.0515		136.6601	136.6601	2.0800e-003		136.7121

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.3845	7.1202	15.8495	0.0281		0.3306	0.3306		0.3306	0.3306	0.0000	2,656.5168	2,656.5168	0.1245		2,659.6302
Paving	0.0347					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	1.4192	7.1202	15.8495	0.0281		0.3306	0.3306		0.3306	0.3306	0.0000	2,656.5168	2,656.5168	0.1245		2,659.6302

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0429	0.0210	0.3384	1.3700e-003	0.1916	7.5000e-004	0.1923	0.0508	6.9000e-004	0.0515		136.6601	136.6601	2.0800e-003		136.7121
Total	0.0429	0.0210	0.3384	1.3700e-003	0.1916	7.5000e-004	0.1923	0.0508	6.9000e-004	0.0515		136.6601	136.6601	2.0800e-003		136.7121

3.7 Architectural Coating - 2032

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	55.1715					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.1308	0.8563	1.7977	2.9700e-003		0.0203	0.0203		0.0203	0.0203		281.4481	281.4481	0.0114		281.7328
Total	55.3022	0.8563	1.7977	2.9700e-003		0.0203	0.0203		0.0203	0.0203		281.4481	281.4481	0.0114		281.7328

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.3343	0.1640	2.6395	0.0107	1.4945	5.8200e-003	1.5003	0.3963	5.3500e-003	0.4017		1,065.9484	1,065.9484	0.0162		1,066.3545
Total	0.3343	0.1640	2.6395	0.0107	1.4945	5.8200e-003	1.5003	0.3963	5.3500e-003	0.4017		1,065.9484	1,065.9484	0.0162		1,066.3545

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	55.1715					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.1308	0.8563	1.7977	2.9700e-003		0.0203	0.0203		0.0203	0.0203	0.0000	281.4481	281.4481	0.0114		281.7328
Total	55.3022	0.8563	1.7977	2.9700e-003		0.0203	0.0203		0.0203	0.0203	0.0000	281.4481	281.4481	0.0114		281.7328

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day										lb/day						
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000			0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000			0.0000
Worker	0.3343	0.1640	2.6395	0.0107	1.4945	5.8200e-003	1.5003	0.3963	5.3500e-003	0.4017		1,065.9484	1,065.9484	0.0162			1,066.3545
Total	0.3343	0.1640	2.6395	0.0107	1.4945	5.8200e-003	1.5003	0.3963	5.3500e-003	0.4017		1,065.9484	1,065.9484	0.0162			1,066.3545

3.8 Finishing/Landscaping - 2032

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day										lb/day						
Off-Road	0.2267	0.5587	3.5779	6.3900e-003		0.0245	0.0245		0.0245	0.0245		604.7946	604.7946	0.0202			605.3001
Total	0.2267	0.5587	3.5779	6.3900e-003		0.0245	0.0245		0.0245	0.0245		604.7946	604.7946	0.0202			605.3001

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day										lb/day						
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000			0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000			0.0000
Worker	8.5700e-003	4.2000e-003	0.0677	2.7000e-004	0.0383	1.5000e-004	0.0385	0.0102	1.4000e-004	0.0103		27.3320	27.3320	4.2000e-004			27.3424
Total	8.5700e-003	4.2000e-003	0.0677	2.7000e-004	0.0383	1.5000e-004	0.0385	0.0102	1.4000e-004	0.0103		27.3320	27.3320	4.2000e-004			27.3424

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.2267	0.5587	3.5779	6.3900e-003		0.0245	0.0245		0.0245	0.0245	0.0000	604.7946	604.7946	0.0202		605.3001
Total	0.2267	0.5587	3.5779	6.3900e-003		0.0245	0.0245		0.0245	0.0245	0.0000	604.7946	604.7946	0.0202		605.3001

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	8.5700e-003	4.2000e-003	0.0677	2.7000e-004	0.0383	1.5000e-004	0.0385	0.0102	1.4000e-004	0.0103		27.3320	27.3320	4.2000e-004		27.3424
Total	8.5700e-003	4.2000e-003	0.0677	2.7000e-004	0.0383	1.5000e-004	0.0385	0.0102	1.4000e-004	0.0103		27.3320	27.3320	4.2000e-004		27.3424

10.0 Stationary Equipment

Fire Pumps and Emergency Generators

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	------------	-------------	-------------	-----------

Boilers

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type
----------------	--------	----------------	-----------------	---------------	-----------

User Defined Equipment

Equipment Type	Number
----------------	--------

11.0 Vegetation

Hamilton High School Expansion Phase 2 Construction - Glenn County, Winter

**Hamilton High School Expansion Phase 2 Construction
Glenn County, Winter**

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
High School	82.00	1000sqft	1.88	82,000.00	0
Other Asphalt Surfaces	18.00	1000sqft	0.41	18,000.00	0
Other Non-Asphalt Surfaces	1,293.92	1000sqft	29.70	1,293,920.00	0

1.2 Other Project Characteristics

Urbanization	Rural	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	61
Climate Zone	3			Operational Year	2032
Utility Company	Pacific Gas & Electric Company				
CO2 Intensity (lb/MWhr)	641.35	CH4 Intensity (lb/MWhr)	0.029	N2O Intensity (lb/MWhr)	0.006

1.3 User Entered Comments & Non-Default Data

Project Characteristics -

Land Use - BSF is conservative based on data provided by applicant

Construction Phase - schedule normalized based on CalEEMod defaults and data provided by applicant

Off-road Equipment -

Off-road Equipment -

Off-road Equipment - assuming 1 excavator for utility trenching phase

Off-road Equipment -

Off-road Equipment -

Off-road Equipment -

Off-road Equipment - assuming 1 excavator for finishing/landscaping

Grading -

Trips and VMT - Assuming 2 vendor trips/water truck/day

Architectural Coating - Assuming 90% of interior and exterior would be painted based on data from applicant, accounts for area of parking lot only

Table Name	Column Name	Default Value	New Value
tblArchitecturalCoating	ConstArea_Nonresidential_Exterior	41,000.00	36,900.00
tblArchitecturalCoating	ConstArea_Nonresidential_Interior	123,000.00	110,700.00
tblArchitecturalCoating	ConstArea_Parking	78,715.00	0.00
tblConstructionPhase	NumDays	45.00	40.00
tblConstructionPhase	NumDays	20.00	18.00
tblConstructionPhase	NumDays	500.00	448.00
tblConstructionPhase	NumDays	35.00	31.00
tblConstructionPhase	NumDays	35.00	31.00
tblConstructionPhase	PhaseEndDate	9/10/2030	7/19/2030
tblConstructionPhase	PhaseEndDate	7/9/2030	5/25/2030
tblConstructionPhase	PhaseStartDate	7/10/2030	5/26/2030
tblConstructionPhase	PhaseStartDate	6/12/2030	5/1/2030
tblOffRoadEquipment	LoadFactor	0.38	0.38
tblOffRoadEquipment	OffRoadEquipmentType		Excavators
tblOffRoadEquipment	OffRoadEquipmentType		Excavators
tblProjectCharacteristics	UrbanizationLevel	Urban	Rural
tblTripsAndVMT	VendorTripNumber	0.00	2.00
tblTripsAndVMT	VendorTripNumber	0.00	2.00

3.0 Construction Detail

Construction Phase

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Site Preparation	Site Preparation	5/1/2030	5/25/2030	5	18	
2	Fine Grading	Grading	5/26/2030	7/19/2030	5	40	
3	Utility Trenching	Trenching	7/20/2030	8/2/2030	5	10	
4	Building Construction	Building Construction	8/3/2030	4/21/2032	5	448	
5	Paving	Paving	4/22/2032	6/3/2032	5	31	
6	Architectural Coating	Architectural Coating	6/4/2032	7/16/2032	5	31	
7	Finishing/Landscaping	Trenching	7/17/2032	7/31/2032	5	10	

Acres of Grading (Site Preparation Phase): 0

Acres of Grading (Grading Phase): 0

Acres of Paving: 30.11

Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 110,700; Non-Residential Outdoor: 36,900; Striped Parking Area:

OffRoad Equipment

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Architectural Coating	Air Compressors	1	6.00	78	0.48
Utility Trenching	Excavators	1	8.00	158	0.38
Finishing/Landscaping	Excavators	1	8.00	158	0.38
Fine Grading	Excavators	2	8.00	158	0.38
Building Construction	Cranes	1	7.00	231	0.29
Building Construction	Forklifts	3	8.00	89	0.20
Building Construction	Generator Sets	1	8.00	84	0.74
Paving	Pavers	2	8.00	130	0.42
Paving	Rollers	2	8.00	80	0.38
Fine Grading	Rubber Tired Dozers	1	8.00	247	0.40
Building Construction	Tractors/Loaders/Backhoes	3	7.00	97	0.37
Fine Grading	Graders	1	8.00	187	0.41

Fine Grading	Tractors/Loaders/Backhoes	2	8.00	97	0.37
Paving	Paving Equipment	2	8.00	132	0.36
Site Preparation	Tractors/Loaders/Backhoes	4	8.00	97	0.37
Site Preparation	Rubber Tired Dozers	3	8.00	247	0.40
Fine Grading	Scrapers	2	8.00	367	0.48
Building Construction	Welders	1	8.00	46	0.45

Trips and VMT

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Utility Trenching	1	3.00	0.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT
Site Preparation	7	18.00	2.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT
Fine Grading	8	20.00	2.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	9	585.00	228.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT
Paving	6	15.00	0.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating	1	117.00	0.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT
Finishing/Landscaping	1	3.00	0.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

3.2 Site Preparation - 2030

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					18.0663	0.0000	18.0663	9.9307	0.0000	9.9307			0.0000			0.0000
Off-Road	2.4399	13.6680	16.2918	0.0466		0.4367	0.4367		0.4367	0.4367		4,409.7537	4,409.7537	0.2176		4,415.1936
Total	2.4399	13.6680	16.2918	0.0466	18.0663	0.4367	18.5029	9.9307	0.4367	10.3673		4,409.7537	4,409.7537	0.2176		4,415.1936

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day										lb/day						
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000			0.0000
Vendor	4.5300e-003	0.1466	0.0331	5.0000e-004	0.0123	1.6000e-004	0.0124	3.5300e-003	1.5000e-004	3.6900e-003		52.0153	52.0153	2.9000e-003			52.0878
Worker	0.0621	0.0378	0.3725	1.5000e-003	0.2299	1.0300e-003	0.2309	0.0610	9.5000e-004	0.0619		149.8760	149.8760	2.5800e-003			149.9406
Total	0.0666	0.1843	0.4056	2.0000e-003	0.2422	1.1900e-003	0.2434	0.0645	1.1000e-003	0.0656		201.8913	201.8913	5.4800e-003			202.0284

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day										lb/day						
Fugitive Dust					18.0663	0.0000	18.0663	9.9307	0.0000	9.9307			0.0000				0.0000
Off-Road	2.4399	13.6680	16.2918	0.0466		0.4367	0.4367		0.4367	0.4367	0.0000	4,409.7537	4,409.7537	0.2176			4,415.1936
Total	2.4399	13.6680	16.2918	0.0466	18.0663	0.4367	18.5029	9.9307	0.4367	10.3673	0.0000	4,409.7537	4,409.7537	0.2176			4,415.1936

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day										lb/day						
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000			0.0000
Vendor	4.5300e-003	0.1466	0.0331	5.0000e-004	0.0123	1.6000e-004	0.0124	3.5300e-003	1.5000e-004	3.6900e-003		52.0153	52.0153	2.9000e-003			52.0878
Worker	0.0621	0.0378	0.3725	1.5000e-003	0.2299	1.0300e-003	0.2309	0.0610	9.5000e-004	0.0619		149.8760	149.8760	2.5800e-003			149.9406
Total	0.0666	0.1843	0.4056	2.0000e-003	0.2422	1.1900e-003	0.2434	0.0645	1.1000e-003	0.0656		201.8913	201.8913	5.4800e-003			202.0284

3.3 Fine Grading - 2030

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					8.6733	0.0000	8.6733	3.5965	0.0000	3.5965			0.0000			0.0000
Off-Road	3.2807	13.8462	23.0239	0.0699		0.4879	0.4879		0.4879	0.4879		7,213.1086	7,213.1086	0.2915		7,220.3963
Total	3.2807	13.8462	23.0239	0.0699	8.6733	0.4879	9.1613	3.5965	0.4879	4.0844		7,213.1086	7,213.1086	0.2915		7,220.3963

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	4.5300e-003	0.1466	0.0331	5.0000e-004	0.0123	1.6000e-004	0.0124	3.5300e-003	1.5000e-004	3.6900e-003		52.0153	52.0153	2.9000e-003		52.0878
Worker	0.0690	0.0420	0.4139	1.6700e-003	0.2555	1.1400e-003	0.2566	0.0678	1.0500e-003	0.0688		166.5289	166.5289	2.8700e-003		166.6007
Total	0.0735	0.1885	0.4470	2.1700e-003	0.2677	1.3000e-003	0.2690	0.0713	1.2000e-003	0.0725		218.5442	218.5442	5.7700e-003		218.6885

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					8.6733	0.0000	8.6733	3.5965	0.0000	3.5965			0.0000			0.0000
Off-Road	3.2807	13.8462	23.0239	0.0699		0.4879	0.4879		0.4879	0.4879	0.0000	7,213.1086	7,213.1086	0.2915		7,220.3963
Total	3.2807	13.8462	23.0239	0.0699	8.6733	0.4879	9.1613	3.5965	0.4879	4.0844	0.0000	7,213.1086	7,213.1086	0.2915		7,220.3963

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	4.5300e-003	0.1466	0.0331	5.0000e-004	0.0123	1.6000e-004	0.0124	3.5300e-003	1.5000e-004	3.6900e-003		52.0153	52.0153	2.9000e-003		52.0878
Worker	0.0690	0.0420	0.4139	1.6700e-003	0.2555	1.1400e-003	0.2566	0.0678	1.0500e-003	0.0688		166.5289	166.5289	2.8700e-003		166.6007
Total	0.0735	0.1885	0.4470	2.1700e-003	0.2677	1.3000e-003	0.2690	0.0713	1.2000e-003	0.0725		218.5442	218.5442	5.7700e-003		218.6885

3.4 Utility Trenching - 2030

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.2256	0.5559	3.5601	6.3500e-003		0.0244	0.0244		0.0244	0.0244		601.7856	601.7856	0.0201		602.2886
Total	0.2256	0.5559	3.5601	6.3500e-003		0.0244	0.0244		0.0244	0.0244		601.7856	601.7856	0.0201		602.2886

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0104	6.2900e-003	0.0621	2.5000e-004	0.0383	1.7000e-004	0.0385	0.0102	1.6000e-004	0.0103		24.9793	24.9793	4.3000e-004		24.9901
Total	0.0104	6.2900e-003	0.0621	2.5000e-004	0.0383	1.7000e-004	0.0385	0.0102	1.6000e-004	0.0103		24.9793	24.9793	4.3000e-004		24.9901

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.2256	0.5559	3.5601	6.3500e-003		0.0244	0.0244		0.0244	0.0244	0.0000	601.7856	601.7856	0.0201		602.2886
Total	0.2256	0.5559	3.5601	6.3500e-003		0.0244	0.0244		0.0244	0.0244	0.0000	601.7856	601.7856	0.0201		602.2886

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0104	6.2900e-003	0.0621	2.5000e-004	0.0383	1.7000e-004	0.0385	0.0102	1.6000e-004	0.0103		24.9793	24.9793	4.3000e-004		24.9901
Total	0.0104	6.2900e-003	0.0621	2.5000e-004	0.0383	1.7000e-004	0.0385	0.0102	1.6000e-004	0.0103		24.9793	24.9793	4.3000e-004		24.9901

3.5 Building Construction - 2030

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.3091	7.9346	16.1570	0.0310		0.1481	0.1481		0.1481	0.1481		2,897.5468	2,897.5468	0.1162		2,900.4529
Total	1.3091	7.9346	16.1570	0.0310		0.1481	0.1481		0.1481	0.1481		2,897.5468	2,897.5468	0.1162		2,900.4529

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.5162	16.7080	3.7751	0.0568	1.3985	0.0184	1.4169	0.4028	0.0176	0.4204		5,929.7411	5,929.7411	0.3309		5,938.0123
Worker	2.0178	1.2273	12.1070	0.0488	7.4722	0.0335	7.5057	1.9816	0.0308	2.0124		4,870.9697	4,870.9697	0.0840		4,873.0697
Total	2.5340	17.9353	15.8821	0.1056	8.8708	0.0519	8.9226	2.3844	0.0484	2.4327		10,800.7108	10,800.7108	0.4149		10,811.0819

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.3091	7.9346	16.1570	0.0310		0.1481	0.1481		0.1481	0.1481	0.0000	2,897.5468	2,897.5468	0.1162		2,900.4529
Total	1.3091	7.9346	16.1570	0.0310		0.1481	0.1481		0.1481	0.1481	0.0000	2,897.5468	2,897.5468	0.1162		2,900.4529

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.5162	16.7080	3.7751	0.0568	1.3985	0.0184	1.4169	0.4028	0.0176	0.4204		5,929.7411	5,929.7411	0.3309		5,938.0123
Worker	2.0178	1.2273	12.1070	0.0488	7.4722	0.0335	7.5057	1.9816	0.0308	2.0124		4,870.9697	4,870.9697	0.0840		4,873.0697
Total	2.5340	17.9353	15.8821	0.1056	8.8708	0.0519	8.9226	2.3844	0.0484	2.4327		10,800.7108	10,800.7108	0.4149		10,811.0819

3.5 Building Construction - 2031

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.3091	7.9346	16.1570	0.0310		0.1481	0.1481		0.1481	0.1481		2,897.5468	2,897.5468	0.1162		2,900.4529
Total	1.3091	7.9346	16.1570	0.0310		0.1481	0.1481		0.1481	0.1481		2,897.5468	2,897.5468	0.1162		2,900.4529

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.5034	16.5418	3.6612	0.0566	1.3986	0.0177	1.4162	0.4028	0.0169	0.4197		5,915.5142	5,915.5142	0.3286		5,923.7289
Worker	1.8385	1.1102	11.2540	0.0477	7.4722	0.0312	7.5034	1.9816	0.0287	2.0103		4,758.1490	4,758.1490	0.0755		4,760.0368
Total	2.3419	17.6520	14.9152	0.1043	8.8708	0.0489	8.9197	2.3844	0.0456	2.4300		10,673.6632	10,673.6632	0.4041		10,683.7657

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.3091	7.9346	16.1570	0.0310		0.1481	0.1481		0.1481	0.1481	0.0000	2,897.5468	2,897.5468	0.1162		2,900.4529
Total	1.3091	7.9346	16.1570	0.0310		0.1481	0.1481		0.1481	0.1481	0.0000	2,897.5468	2,897.5468	0.1162		2,900.4529

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.5034	16.5418	3.6612	0.0566	1.3986	0.0177	1.4162	0.4028	0.0169	0.4197		5,915.5142	5,915.5142	0.3286		5,923.7289
Worker	1.8385	1.1102	11.2540	0.0477	7.4722	0.0312	7.5034	1.9816	0.0287	2.0103		4,758.1490	4,758.1490	0.0755		4,760.0368
Total	2.3419	17.6520	14.9152	0.1043	8.8708	0.0489	8.9197	2.3844	0.0456	2.4300		10,673.6632	10,673.6632	0.4041		10,683.7657

3.5 Building Construction - 2032

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.3091	7.9346	16.1570	0.0310		0.1481	0.1481		0.1481	0.1481		2,897.5468	2,897.5468	0.1162		2,900.4529
Total	1.3091	7.9346	16.1570	0.0310		0.1481	0.1481		0.1481	0.1481		2,897.5468	2,897.5468	0.1162		2,900.4529

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.4937	16.3964	3.5864	0.0565	1.3986	0.0171	1.4157	0.4028	0.0164	0.4192		5,905.7851	5,905.7851	0.3251		5,913.9121
Worker	1.6828	1.0109	10.5179	0.0467	7.4722	0.0291	7.5013	1.9816	0.0268	2.0083		4,659.4874	4,659.4874	0.0683		4,661.1946
Total	2.1765	17.4073	14.1042	0.1032	8.8708	0.0462	8.9170	2.3844	0.0431	2.4275		10,565.2725	10,565.2725	0.3934		10,575.1067

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.3091	7.9346	16.1570	0.0310		0.1481	0.1481		0.1481	0.1481	0.0000	2,897.5468	2,897.5468	0.1162		2,900.4529
Total	1.3091	7.9346	16.1570	0.0310		0.1481	0.1481		0.1481	0.1481	0.0000	2,897.5468	2,897.5468	0.1162		2,900.4529

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.4937	16.3964	3.5864	0.0565	1.3986	0.0171	1.4157	0.4028	0.0164	0.4192		5,905.7851	5,905.7851	0.3251		5,913.9121
Worker	1.6828	1.0109	10.5179	0.0467	7.4722	0.0291	7.5013	1.9816	0.0268	2.0083		4,659.4874	4,659.4874	0.0683		4,661.1946
Total	2.1765	17.4073	14.1042	0.1032	8.8708	0.0462	8.9170	2.3844	0.0431	2.4275		10,565.2725	10,565.2725	0.3934		10,575.1067

3.6 Paving - 2032

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.3845	7.1202	15.8495	0.0281		0.3306	0.3306		0.3306	0.3306		2,656.5168	2,656.5168	0.1245		2,659.6302
Paving	0.0347					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	1.4192	7.1202	15.8495	0.0281		0.3306	0.3306		0.3306	0.3306		2,656.5168	2,656.5168	0.1245		2,659.6302

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0432	0.0259	0.2697	1.2000e-003	0.1916	7.5000e-004	0.1923	0.0508	6.9000e-004	0.0515		119.4740	119.4740	1.7500e-003		119.5178
Total	0.0432	0.0259	0.2697	1.2000e-003	0.1916	7.5000e-004	0.1923	0.0508	6.9000e-004	0.0515		119.4740	119.4740	1.7500e-003		119.5178

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.3845	7.1202	15.8495	0.0281		0.3306	0.3306		0.3306	0.3306	0.0000	2,656.5168	2,656.5168	0.1245		2,659.6302
Paving	0.0347					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	1.4192	7.1202	15.8495	0.0281		0.3306	0.3306		0.3306	0.3306	0.0000	2,656.5168	2,656.5168	0.1245		2,659.6302

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0432	0.0259	0.2697	1.2000e-003	0.1916	7.5000e-004	0.1923	0.0508	6.9000e-004	0.0515		119.4740	119.4740	1.7500e-003		119.5178
Total	0.0432	0.0259	0.2697	1.2000e-003	0.1916	7.5000e-004	0.1923	0.0508	6.9000e-004	0.0515		119.4740	119.4740	1.7500e-003		119.5178

3.7 Architectural Coating - 2032

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	55.1715					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.1308	0.8563	1.7977	2.9700e-003		0.0203	0.0203		0.0203	0.0203		281.4481	281.4481	0.0114		281.7328
Total	55.3022	0.8563	1.7977	2.9700e-003		0.0203	0.0203		0.0203	0.0203		281.4481	281.4481	0.0114		281.7328

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.3366	0.2022	2.1036	9.3300e-003	1.4945	5.8200e-003	1.5003	0.3963	5.3500e-003	0.4017		931.8975	931.8975	0.0137		932.2389
Total	0.3366	0.2022	2.1036	9.3300e-003	1.4945	5.8200e-003	1.5003	0.3963	5.3500e-003	0.4017		931.8975	931.8975	0.0137		932.2389

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	55.1715					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.1308	0.8563	1.7977	2.9700e-003		0.0203	0.0203		0.0203	0.0203	0.0000	281.4481	281.4481	0.0114		281.7328
Total	55.3022	0.8563	1.7977	2.9700e-003		0.0203	0.0203		0.0203	0.0203	0.0000	281.4481	281.4481	0.0114		281.7328

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day										lb/day						
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000			0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000			0.0000
Worker	0.3366	0.2022	2.1036	9.3300e-003	1.4945	5.8200e-003	1.5003	0.3963	5.3500e-003	0.4017		931.8975	931.8975	0.0137			932.2389
Total	0.3366	0.2022	2.1036	9.3300e-003	1.4945	5.8200e-003	1.5003	0.3963	5.3500e-003	0.4017		931.8975	931.8975	0.0137			932.2389

3.8 Finishing/Landscaping - 2032

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day										lb/day						
Off-Road	0.2267	0.5587	3.5779	6.3900e-003		0.0245	0.0245		0.0245	0.0245		604.7946	604.7946	0.0202			605.3001
Total	0.2267	0.5587	3.5779	6.3900e-003		0.0245	0.0245		0.0245	0.0245		604.7946	604.7946	0.0202			605.3001

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day										lb/day						
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000			0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000			0.0000
Worker	8.6300e-003	5.1800e-003	0.0539	2.4000e-004	0.0383	1.5000e-004	0.0385	0.0102	1.4000e-004	0.0103		23.8948	23.8948	3.5000e-004			23.9036
Total	8.6300e-003	5.1800e-003	0.0539	2.4000e-004	0.0383	1.5000e-004	0.0385	0.0102	1.4000e-004	0.0103		23.8948	23.8948	3.5000e-004			23.9036

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.2267	0.5587	3.5779	6.3900e-003		0.0245	0.0245		0.0245	0.0245	0.0000	604.7946	604.7946	0.0202		605.3001
Total	0.2267	0.5587	3.5779	6.3900e-003		0.0245	0.0245		0.0245	0.0245	0.0000	604.7946	604.7946	0.0202		605.3001

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	8.6300e-003	5.1800e-003	0.0539	2.4000e-004	0.0383	1.5000e-004	0.0385	0.0102	1.4000e-004	0.0103		23.8948	23.8948	3.5000e-004		23.9036
Total	8.6300e-003	5.1800e-003	0.0539	2.4000e-004	0.0383	1.5000e-004	0.0385	0.0102	1.4000e-004	0.0103		23.8948	23.8948	3.5000e-004		23.9036

10.0 Stationary Equipment

Fire Pumps and Emergency Generators

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	------------	-------------	-------------	-----------

Boilers

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type
----------------	--------	----------------	-----------------	---------------	-----------

User Defined Equipment

Equipment Type	Number
----------------	--------

11.0 Vegetation

Hamilton High School Expansion Phase 2 Construction - Glenn County, Annual

**Hamilton High School Expansion Phase 2 Construction
Glenn County, Annual**

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
High School	82.00	1000sqft	1.88	82,000.00	0
Other Asphalt Surfaces	18.00	1000sqft	0.41	18,000.00	0
Other Non-Asphalt Surfaces	1,293.92	1000sqft	29.70	1,293,920.00	0

1.2 Other Project Characteristics

Urbanization	Rural	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	61
Climate Zone	3			Operational Year	2032
Utility Company	Pacific Gas & Electric Company				
CO2 Intensity (lb/MWhr)	641.35	CH4 Intensity (lb/MWhr)	0.029	N2O Intensity (lb/MWhr)	0.006

1.3 User Entered Comments & Non-Default Data

Project Characteristics -

Land Use - BSF is conservative based on data provided by applicant

Construction Phase - schedule normalized based on CalEEMod defaults and data provided by applicant

Off-road Equipment -

Off-road Equipment -

Off-road Equipment - assuming 1 excavator for utility trenching phase

Off-road Equipment -

Off-road Equipment -

Off-road Equipment -

Off-road Equipment - assuming 1 excavator for finishing/landscaping

Grading -

Trips and VMT - Assuming 2 vendor trips/water truck/day

Architectural Coating - Assuming 90% of interior and exterior would be painted based on data from applicant, accounts for area of parking lot only

Table Name	Column Name	Default Value	New Value
tblArchitecturalCoating	ConstArea_Nonresidential_Exterior	41,000.00	36,900.00
tblArchitecturalCoating	ConstArea_Nonresidential_Interior	123,000.00	110,700.00
tblArchitecturalCoating	ConstArea_Parking	78,715.00	0.00
tblConstructionPhase	NumDays	45.00	40.00
tblConstructionPhase	NumDays	20.00	18.00
tblConstructionPhase	NumDays	500.00	448.00
tblConstructionPhase	NumDays	35.00	31.00
tblConstructionPhase	NumDays	35.00	31.00
tblConstructionPhase	PhaseEndDate	9/10/2030	7/19/2030
tblConstructionPhase	PhaseEndDate	7/9/2030	5/25/2030
tblConstructionPhase	PhaseStartDate	7/10/2030	5/26/2030
tblConstructionPhase	PhaseStartDate	6/12/2030	5/1/2030
tblOffRoadEquipment	LoadFactor	0.38	0.38
tblOffRoadEquipment	OffRoadEquipmentType		Excavators
tblOffRoadEquipment	OffRoadEquipmentType		Excavators
tblProjectCharacteristics	UrbanizationLevel	Urban	Rural
tblTripsAndVMT	VendorTripNumber	0.00	2.00
tblTripsAndVMT	VendorTripNumber	0.00	2.00

2.0 Emissions Summary

2.1 Overall Construction

Unmitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	tons/yr										MT/yr					
2030	0.2855	1.7890	2.3512	9.3800e-003	0.8014	0.0245	0.8259	0.2868	0.0244	0.3111	0.0000	855.0047	855.0047	0.0321	0.0000	855.8082
2031	0.4523	3.3335	4.0532	0.0180	1.1168	0.0257	1.1425	0.3011	0.0253	0.3264	0.0000	1,641.9068	1,641.9068	0.0593	0.0000	1,643.3889
2032	1.0183	1.1421	1.5397	6.1600e-003	0.3677	0.0134	0.3811	0.0991	0.0133	0.1124	0.0000	558.6837	558.6837	0.0200	0.0000	559.1840
Maximum	1.0183	3.3335	4.0532	0.0180	1.1168	0.0257	1.1425	0.3011	0.0253	0.3264	0.0000	1,641.9068	1,641.9068	0.0593	0.0000	1,643.3889

Mitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	tons/yr										MT/yr					
2030	0.2855	1.7890	2.3512	9.3800e-003	0.8014	0.0245	0.8259	0.2868	0.0244	0.3111	0.0000	855.0043	855.0043	0.0321	0.0000	855.8078
2031	0.4523	3.3335	4.0532	0.0180	1.1168	0.0257	1.1425	0.3011	0.0253	0.3264	0.0000	1,641.9064	1,641.9064	0.0593	0.0000	1,643.3885
2032	1.0183	1.1421	1.5397	6.1600e-003	0.3677	0.0134	0.3811	0.0991	0.0133	0.1124	0.0000	558.6836	558.6836	0.0200	0.0000	559.1839
Maximum	1.0183	3.3335	4.0532	0.0180	1.1168	0.0257	1.1425	0.3011	0.0253	0.3264	0.0000	1,641.9064	1,641.9064	0.0593	0.0000	1,643.3885

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Quarter	Start Date	End Date	Maximum Unmitigated ROG + NOX (tons/quarter)	Maximum Mitigated ROG + NOX (tons/quarter)
1	5-1-2030	7-31-2030	0.4908	0.4908
2	8-1-2030	10-31-2030	0.9483	0.9483

3	11-1-2030	1-31-2031	0.9710	0.9710
4	2-1-2031	4-30-2031	0.9260	0.9260
5	5-1-2031	7-31-2031	0.9503	0.9503
6	8-1-2031	10-31-2031	0.9538	0.9538
7	11-1-2031	1-31-2032	0.9561	0.9561
8	2-1-2032	4-30-2032	0.8594	0.8594
9	5-1-2032	7-31-2032	0.9788	0.9788
		Highest	0.9788	0.9788

3.0 Construction Detail

Construction Phase

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Site Preparation	Site Preparation	5/1/2030	5/25/2030	5	18	
2	Fine Grading	Grading	5/26/2030	7/19/2030	5	40	
3	Utility Trenching	Trenching	7/20/2030	8/2/2030	5	10	
4	Building Construction	Building Construction	8/3/2030	4/21/2032	5	448	
5	Paving	Paving	4/22/2032	6/3/2032	5	31	
6	Architectural Coating	Architectural Coating	6/4/2032	7/16/2032	5	31	
7	Finishing/Landscaping	Trenching	7/17/2032	7/31/2032	5	10	

Acres of Grading (Site Preparation Phase): 0

Acres of Grading (Grading Phase): 0

Acres of Paving: 30.11

Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 110,700; Non-Residential Outdoor: 36,900; Striped Parking Area:

OffRoad Equipment

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Architectural Coating	Air Compressors	1	6.00	78	0.48
Utility Trenching	Excavators	1	8.00	158	0.38
Finishing/Landscaping	Excavators	1	8.00	158	0.38

Fine Grading	Excavators	2	8.00	158	0.38
Building Construction	Cranes	1	7.00	231	0.29
Building Construction	Forklifts	3	8.00	89	0.20
Building Construction	Generator Sets	1	8.00	84	0.74
Paving	Pavers	2	8.00	130	0.42
Paving	Rollers	2	8.00	80	0.38
Fine Grading	Rubber Tired Dozers	1	8.00	247	0.40
Building Construction	Tractors/Loaders/Backhoes	3	7.00	97	0.37
Fine Grading	Graders	1	8.00	187	0.41
Fine Grading	Tractors/Loaders/Backhoes	2	8.00	97	0.37
Paving	Paving Equipment	2	8.00	132	0.36
Site Preparation	Tractors/Loaders/Backhoes	4	8.00	97	0.37
Site Preparation	Rubber Tired Dozers	3	8.00	247	0.40
Fine Grading	Scrapers	2	8.00	367	0.48
Building Construction	Welders	1	8.00	46	0.45

Trips and VMT

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Utility Trenching	1	3.00	0.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT
Site Preparation	7	18.00	2.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT
Fine Grading	8	20.00	2.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	9	585.00	228.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT
Paving	6	15.00	0.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating	1	117.00	0.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT
Finishing/Landscaping	1	3.00	0.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

3.2 Site Preparation - 2030

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.1626	0.0000	0.1626	0.0894	0.0000	0.0894	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0220	0.1230	0.1466	4.2000e-004		3.9300e-003	3.9300e-003		3.9300e-003	3.9300e-003	0.0000	36.0042	36.0042	1.7800e-003	0.0000	36.0486
Total	0.0220	0.1230	0.1466	4.2000e-004	0.1626	3.9300e-003	0.1665	0.0894	3.9300e-003	0.0933	0.0000	36.0042	36.0042	1.7800e-003	0.0000	36.0486

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	4.0000e-005	1.3300e-003	2.7000e-004	0.0000	1.1000e-004	0.0000	1.1000e-004	3.0000e-005	0.0000	3.0000e-005	0.0000	0.4340	0.4340	2.0000e-005	0.0000	0.4345
Worker	5.1000e-004	3.0000e-004	3.4500e-003	1.0000e-005	1.9900e-003	1.0000e-005	2.0000e-003	5.3000e-004	1.0000e-005	5.4000e-004	0.0000	1.2669	1.2669	2.0000e-005	0.0000	1.2675
Total	5.5000e-004	1.6300e-003	3.7200e-003	1.0000e-005	2.1000e-003	1.0000e-005	2.1100e-003	5.6000e-004	1.0000e-005	5.7000e-004	0.0000	1.7009	1.7009	4.0000e-005	0.0000	1.7020

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.1626	0.0000	0.1626	0.0894	0.0000	0.0894	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0220	0.1230	0.1466	4.2000e-004		3.9300e-003	3.9300e-003		3.9300e-003	3.9300e-003	0.0000	36.0041	36.0041	1.7800e-003	0.0000	36.0485
Total	0.0220	0.1230	0.1466	4.2000e-004	0.1626	3.9300e-003	0.1665	0.0894	3.9300e-003	0.0933	0.0000	36.0041	36.0041	1.7800e-003	0.0000	36.0485

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	4.0000e-005	1.3300e-003	2.7000e-004	0.0000	1.1000e-004	0.0000	1.1000e-004	3.0000e-005	0.0000	3.0000e-005	0.0000	0.4340	0.4340	2.0000e-005	0.0000	0.4345
Worker	5.1000e-004	3.0000e-004	3.4500e-003	1.0000e-005	1.9900e-003	1.0000e-005	2.0000e-003	5.3000e-004	1.0000e-005	5.4000e-004	0.0000	1.2669	1.2669	2.0000e-005	0.0000	1.2675
Total	5.5000e-004	1.6300e-003	3.7200e-003	1.0000e-005	2.1000e-003	1.0000e-005	2.1100e-003	5.6000e-004	1.0000e-005	5.7000e-004	0.0000	1.7009	1.7009	4.0000e-005	0.0000	1.7020

3.3 Fine Grading - 2030

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.1735	0.0000	0.1735	0.0719	0.0000	0.0719	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0656	0.2769	0.4605	1.4000e-003		9.7600e-003	9.7600e-003		9.7600e-003	9.7600e-003	0.0000	130.8724	130.8724	5.2900e-003	0.0000	131.0047
Total	0.0656	0.2769	0.4605	1.4000e-003	0.1735	9.7600e-003	0.1832	0.0719	9.7600e-003	0.0817	0.0000	130.8724	130.8724	5.2900e-003	0.0000	131.0047

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	9.0000e-005	2.9400e-003	6.0000e-004	1.0000e-005	2.4000e-004	0.0000	2.4000e-004	7.0000e-005	0.0000	7.0000e-005	0.0000	0.9644	0.9644	5.0000e-005	0.0000	0.9656
Worker	1.2600e-003	7.5000e-004	8.5200e-003	3.0000e-005	4.9200e-003	2.0000e-005	4.9500e-003	1.3100e-003	2.0000e-005	1.3300e-003	0.0000	3.1282	3.1282	5.0000e-005	0.0000	3.1296
Total	1.3500e-003	3.6900e-003	9.1200e-003	4.0000e-005	5.1600e-003	2.0000e-005	5.1900e-003	1.3800e-003	2.0000e-005	1.4000e-003	0.0000	4.0926	4.0926	1.0000e-004	0.0000	4.0952

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.1735	0.0000	0.1735	0.0719	0.0000	0.0719	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0656	0.2769	0.4605	1.4000e-003	9.7600e-003	9.7600e-003	9.7600e-003	9.7600e-003	9.7600e-003	9.7600e-003	0.0000	130.8723	130.8723	5.2900e-003	0.0000	131.0045
Total	0.0656	0.2769	0.4605	1.4000e-003	0.1735	9.7600e-003	0.1832	0.0719	9.7600e-003	0.0817	0.0000	130.8723	130.8723	5.2900e-003	0.0000	131.0045

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	9.0000e-005	2.9400e-003	6.0000e-004	1.0000e-005	2.4000e-004	0.0000	2.4000e-004	7.0000e-005	0.0000	7.0000e-005	0.0000	0.9644	0.9644	5.0000e-005	0.0000	0.9656
Worker	1.2600e-003	7.5000e-004	8.5200e-003	3.0000e-005	4.9200e-003	2.0000e-005	4.9500e-003	1.3100e-003	2.0000e-005	1.3300e-003	0.0000	3.1282	3.1282	5.0000e-005	0.0000	3.1296
Total	1.3500e-003	3.6900e-003	9.1200e-003	4.0000e-005	5.1600e-003	2.0000e-005	5.1900e-003	1.3800e-003	2.0000e-005	1.4000e-003	0.0000	4.0926	4.0926	1.0000e-004	0.0000	4.0952

3.4 Utility Trenching - 2030

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	1.1300e-003	2.7800e-003	0.0178	3.0000e-005		1.2000e-004	1.2000e-004		1.2000e-004	1.2000e-004	0.0000	2.7297	2.7297	9.0000e-005	0.0000	2.7319
Total	1.1300e-003	2.7800e-003	0.0178	3.0000e-005		1.2000e-004	1.2000e-004		1.2000e-004	1.2000e-004	0.0000	2.7297	2.7297	9.0000e-005	0.0000	2.7319

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	5.0000e-005	3.0000e-005	3.2000e-004	0.0000	1.8000e-004	0.0000	1.9000e-004	5.0000e-005	0.0000	5.0000e-005	0.0000	0.1173	0.1173	0.0000	0.0000	0.1174
Total	5.0000e-005	3.0000e-005	3.2000e-004	0.0000	1.8000e-004	0.0000	1.9000e-004	5.0000e-005	0.0000	5.0000e-005	0.0000	0.1173	0.1173	0.0000	0.0000	0.1174

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	1.1300e-003	2.7800e-003	0.0178	3.0000e-005		1.2000e-004	1.2000e-004		1.2000e-004	1.2000e-004	0.0000	2.7297	2.7297	9.0000e-005	0.0000	2.7319
Total	1.1300e-003	2.7800e-003	0.0178	3.0000e-005		1.2000e-004	1.2000e-004		1.2000e-004	1.2000e-004	0.0000	2.7297	2.7297	9.0000e-005	0.0000	2.7319

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	5.0000e-005	3.0000e-005	3.2000e-004	0.0000	1.8000e-004	0.0000	1.9000e-004	5.0000e-005	0.0000	5.0000e-005	0.0000	0.1173	0.1173	0.0000	0.0000	0.1174
Total	5.0000e-005	3.0000e-005	3.2000e-004	0.0000	1.8000e-004	0.0000	1.9000e-004	5.0000e-005	0.0000	5.0000e-005	0.0000	0.1173	0.1173	0.0000	0.0000	0.1174

3.5 Building Construction - 2030

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0700	0.4245	0.8644	1.6600e-003		7.9300e-003	7.9300e-003		7.9300e-003	7.9300e-003	0.0000	140.6307	140.6307	5.6400e-003	0.0000	140.7717
Total	0.0700	0.4245	0.8644	1.6600e-003		7.9300e-003	7.9300e-003		7.9300e-003	7.9300e-003	0.0000	140.6307	140.6307	5.6400e-003	0.0000	140.7717

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0264	0.8979	0.1819	3.1000e-003	0.0726	9.7000e-004	0.0736	0.0210	9.3000e-004	0.0219	0.0000	294.0918	294.0918	0.0149	0.0000	294.4651
Worker	0.0985	0.0585	0.6668	2.7000e-003	0.3852	1.7900e-003	0.3870	0.1025	1.6500e-003	0.1041	0.0000	244.7652	244.7652	4.2600e-003	0.0000	244.8716
Total	0.1249	0.9564	0.8487	5.8000e-003	0.4578	2.7600e-003	0.4606	0.1235	2.5800e-003	0.1260	0.0000	538.8569	538.8569	0.0192	0.0000	539.3367

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0700	0.4245	0.8644	1.6600e-003		7.9300e-003	7.9300e-003		7.9300e-003	7.9300e-003	0.0000	140.6305	140.6305	5.6400e-003	0.0000	140.7715
Total	0.0700	0.4245	0.8644	1.6600e-003		7.9300e-003	7.9300e-003		7.9300e-003	7.9300e-003	0.0000	140.6305	140.6305	5.6400e-003	0.0000	140.7715

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0264	0.8979	0.1819	3.1000e-003	0.0726	9.7000e-004	0.0736	0.0210	9.3000e-004	0.0219	0.0000	294.0918	294.0918	0.0149	0.0000	294.4651
Worker	0.0985	0.0585	0.6668	2.7000e-003	0.3852	1.7900e-003	0.3870	0.1025	1.6500e-003	0.1041	0.0000	244.7652	244.7652	4.2600e-003	0.0000	244.8716
Total	0.1249	0.9564	0.8487	5.8000e-003	0.4578	2.7600e-003	0.4606	0.1235	2.5800e-003	0.1260	0.0000	538.8569	538.8569	0.0192	0.0000	539.3367

3.5 Building Construction - 2031

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.1708	1.0355	2.1085	4.0400e-003		0.0193	0.0193		0.0193	0.0193	0.0000	343.0336	343.0336	0.0138	0.0000	343.3777
Total	0.1708	1.0355	2.1085	4.0400e-003		0.0193	0.0193		0.0193	0.0193	0.0000	343.0336	343.0336	0.0138	0.0000	343.3777

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0628	2.1689	0.4299	7.5500e-003	0.1771	2.2900e-003	0.1794	0.0512	2.1800e-003	0.0534	0.0000	715.6326	715.6326	0.0362	0.0000	716.5369
Worker	0.2186	0.1291	1.5148	6.4400e-003	0.9397	4.0700e-003	0.9438	0.2499	3.7400e-003	0.2536	0.0000	583.2406	583.2406	9.3500e-003	0.0000	583.4743
Total	0.2815	2.2980	1.9447	0.0140	1.1168	6.3600e-003	1.1231	0.3011	5.9200e-003	0.3071	0.0000	1,298.8732	1,298.8732	0.0455	0.0000	1,300.0112

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.1708	1.0355	2.1085	4.0400e-003		0.0193	0.0193		0.0193	0.0193	0.0000	343.0332	343.0332	0.0138	0.0000	343.3773
Total	0.1708	1.0355	2.1085	4.0400e-003		0.0193	0.0193		0.0193	0.0193	0.0000	343.0332	343.0332	0.0138	0.0000	343.3773

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0628	2.1689	0.4299	7.5500e-003	0.1771	2.2900e-003	0.1794	0.0512	2.1800e-003	0.0534	0.0000	715.6326	715.6326	0.0362	0.0000	716.5369
Worker	0.2186	0.1291	1.5148	6.4400e-003	0.9397	4.0700e-003	0.9438	0.2499	3.7400e-003	0.2536	0.0000	583.2406	583.2406	9.3500e-003	0.0000	583.4743
Total	0.2815	2.2980	1.9447	0.0140	1.1168	6.3600e-003	1.1231	0.3011	5.9200e-003	0.3071	0.0000	1,298.8732	1,298.8732	0.0455	0.0000	1,300.0112

3.5 Building Construction - 2032

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0524	0.3174	0.6463	1.2400e-003		5.9300e-003	5.9300e-003		5.9300e-003	5.9300e-003	0.0000	105.1444	105.1444	4.2200e-003	0.0000	105.2499
Total	0.0524	0.3174	0.6463	1.2400e-003		5.9300e-003	5.9300e-003		5.9300e-003	5.9300e-003	0.0000	105.1444	105.1444	4.2200e-003	0.0000	105.2499

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0189	0.6591	0.1290	2.3100e-003	0.0543	6.8000e-004	0.0550	0.0157	6.5000e-004	0.0164	0.0000	218.9932	218.9932	0.0110	0.0000	219.2674
Worker	0.0613	0.0360	0.4347	1.9300e-003	0.2880	1.1600e-003	0.2892	0.0766	1.0700e-003	0.0777	0.0000	175.0713	175.0713	2.5900e-003	0.0000	175.1362
Total	0.0802	0.6951	0.5637	4.2400e-003	0.3423	1.8400e-003	0.3442	0.0923	1.7200e-003	0.0940	0.0000	394.0645	394.0645	0.0136	0.0000	394.4035

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0524	0.3174	0.6463	1.2400e-003		5.9300e-003	5.9300e-003		5.9300e-003	5.9300e-003	0.0000	105.1443	105.1443	4.2200e-003	0.0000	105.2497
Total	0.0524	0.3174	0.6463	1.2400e-003		5.9300e-003	5.9300e-003		5.9300e-003	5.9300e-003	0.0000	105.1443	105.1443	4.2200e-003	0.0000	105.2497

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0189	0.6591	0.1290	2.3100e-003	0.0543	6.8000e-004	0.0550	0.0157	6.5000e-004	0.0164	0.0000	218.9932	218.9932	0.0110	0.0000	219.2674
Worker	0.0613	0.0360	0.4347	1.9300e-003	0.2880	1.1600e-003	0.2892	0.0766	1.0700e-003	0.0777	0.0000	175.0713	175.0713	2.5900e-003	0.0000	175.1362
Total	0.0802	0.6951	0.5637	4.2400e-003	0.3423	1.8400e-003	0.3442	0.0923	1.7200e-003	0.0940	0.0000	394.0645	394.0645	0.0136	0.0000	394.4035

3.6 Paving - 2032

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0215	0.1104	0.2457	4.3000e-004		5.1200e-003	5.1200e-003		5.1200e-003	5.1200e-003	0.0000	37.3543	37.3543	1.7500e-003	0.0000	37.3980
Paving	5.4000e-004					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	0.0220	0.1104	0.2457	4.3000e-004		5.1200e-003	5.1200e-003		5.1200e-003	5.1200e-003	0.0000	37.3543	37.3543	1.7500e-003	0.0000	37.3980

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	6.1000e-004	3.6000e-004	4.3200e-003	2.0000e-005	2.8600e-003	1.0000e-005	2.8700e-003	7.6000e-004	1.0000e-005	7.7000e-004	0.0000	1.7395	1.7395	3.0000e-005	0.0000	1.7401
Total	6.1000e-004	3.6000e-004	4.3200e-003	2.0000e-005	2.8600e-003	1.0000e-005	2.8700e-003	7.6000e-004	1.0000e-005	7.7000e-004	0.0000	1.7395	1.7395	3.0000e-005	0.0000	1.7401

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0215	0.1104	0.2457	4.3000e-004		5.1200e-003	5.1200e-003		5.1200e-003	5.1200e-003	0.0000	37.3542	37.3542	1.7500e-003	0.0000	37.3980
Paving	5.4000e-004					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	0.0220	0.1104	0.2457	4.3000e-004		5.1200e-003	5.1200e-003		5.1200e-003	5.1200e-003	0.0000	37.3542	37.3542	1.7500e-003	0.0000	37.3980

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	6.1000e-004	3.6000e-004	4.3200e-003	2.0000e-005	2.8600e-003	1.0000e-005	2.8700e-003	7.6000e-004	1.0000e-005	7.7000e-004	0.0000	1.7395	1.7395	3.0000e-005	0.0000	1.7401
Total	6.1000e-004	3.6000e-004	4.3200e-003	2.0000e-005	2.8600e-003	1.0000e-005	2.8700e-003	7.6000e-004	1.0000e-005	7.7000e-004	0.0000	1.7395	1.7395	3.0000e-005	0.0000	1.7401

3.7 Architectural Coating - 2032

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Archit. Coating	0.8552					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	2.0300e-003	0.0133	0.0279	5.0000e-005		3.1000e-004	3.1000e-004		3.1000e-004	3.1000e-004	0.0000	3.9575	3.9575	1.6000e-004	0.0000	3.9616
Total	0.8572	0.0133	0.0279	5.0000e-005		3.1000e-004	3.1000e-004		3.1000e-004	3.1000e-004	0.0000	3.9575	3.9575	1.6000e-004	0.0000	3.9616

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	4.7500e-003	2.7900e-003	0.0337	1.5000e-004	0.0223	9.0000e-005	0.0224	5.9400e-003	8.0000e-005	6.0200e-003	0.0000	13.5680	13.5680	2.0000e-004	0.0000	13.5731
Total	4.7500e-003	2.7900e-003	0.0337	1.5000e-004	0.0223	9.0000e-005	0.0224	5.9400e-003	8.0000e-005	6.0200e-003	0.0000	13.5680	13.5680	2.0000e-004	0.0000	13.5731

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Archit. Coating	0.8552					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	2.0300e-003	0.0133	0.0279	5.0000e-005		3.1000e-004	3.1000e-004		3.1000e-004	3.1000e-004	0.0000	3.9575	3.9575	1.6000e-004	0.0000	3.9615
Total	0.8572	0.0133	0.0279	5.0000e-005		3.1000e-004	3.1000e-004		3.1000e-004	3.1000e-004	0.0000	3.9575	3.9575	1.6000e-004	0.0000	3.9615

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	4.7500e-003	2.7900e-003	0.0337	1.5000e-004	0.0223	9.0000e-005	0.0224	5.9400e-003	8.0000e-005	6.0200e-003	0.0000	13.5680	13.5680	2.0000e-004	0.0000	13.5731
Total	4.7500e-003	2.7900e-003	0.0337	1.5000e-004	0.0223	9.0000e-005	0.0224	5.9400e-003	8.0000e-005	6.0200e-003	0.0000	13.5680	13.5680	2.0000e-004	0.0000	13.5731

3.8 Finishing/Landscaping - 2032

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	1.1300e-003	2.7900e-003	0.0179	3.0000e-005		1.2000e-004	1.2000e-004		1.2000e-004	1.2000e-004	0.0000	2.7433	2.7433	9.0000e-005	0.0000	2.7456
Total	1.1300e-003	2.7900e-003	0.0179	3.0000e-005		1.2000e-004	1.2000e-004		1.2000e-004	1.2000e-004	0.0000	2.7433	2.7433	9.0000e-005	0.0000	2.7456

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	4.0000e-005	2.0000e-005	2.8000e-004	0.0000	1.8000e-004	0.0000	1.9000e-004	5.0000e-005	0.0000	5.0000e-005	0.0000	0.1122	0.1122	0.0000	0.0000	0.1123
Total	4.0000e-005	2.0000e-005	2.8000e-004	0.0000	1.8000e-004	0.0000	1.9000e-004	5.0000e-005	0.0000	5.0000e-005	0.0000	0.1122	0.1122	0.0000	0.0000	0.1123

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	1.1300e-003	2.7900e-003	0.0179	3.0000e-005		1.2000e-004	1.2000e-004		1.2000e-004	1.2000e-004	0.0000	2.7433	2.7433	9.0000e-005	0.0000	2.7456
Total	1.1300e-003	2.7900e-003	0.0179	3.0000e-005		1.2000e-004	1.2000e-004		1.2000e-004	1.2000e-004	0.0000	2.7433	2.7433	9.0000e-005	0.0000	2.7456

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	4.0000e-005	2.0000e-005	2.8000e-004	0.0000	1.8000e-004	0.0000	1.9000e-004	5.0000e-005	0.0000	5.0000e-005	0.0000	0.1122	0.1122	0.0000	0.0000	0.1123
Total	4.0000e-005	2.0000e-005	2.8000e-004	0.0000	1.8000e-004	0.0000	1.9000e-004	5.0000e-005	0.0000	5.0000e-005	0.0000	0.1122	0.1122	0.0000	0.0000	0.1123

10.0 Stationary Equipment

Fire Pumps and Emergency Generators

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	------------	-------------	-------------	-----------

Boilers

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type
----------------	--------	----------------	-----------------	---------------	-----------

User Defined Equipment

Equipment Type	Number
----------------	--------

11.0 Vegetation

Hamilton High School Expansion Phase 1 Construction - Glenn County, Summer

**Hamilton High School Expansion Phase 1 Construction
Glenn County, Summer**

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
High School	35.00	1000sqft	0.80	35,000.00	0
Other Asphalt Surfaces	42.50	1000sqft	0.98	42,500.00	0
Other Non-Asphalt Surfaces	432.72	1000sqft	9.93	432,720.00	0
Parking Lot	12.50	1000sqft	0.29	12,500.00	0

1.2 Other Project Characteristics

Urbanization	Rural	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	61
Climate Zone	3			Operational Year	2027
Utility Company	Pacific Gas & Electric Company				
CO2 Intensity (lb/MWhr)	641.35	CH4 Intensity (lb/MWhr)	0.029	N2O Intensity (lb/MWhr)	0.006

1.3 User Entered Comments & Non-Default Data

- Project Characteristics -
- Land Use - BSF is conservative based on data provided by applicant
- Construction Phase - Normalized CalEEMod schedule based on construction duration provided by applicant
- Off-road Equipment -
- Off-road Equipment -
- Off-road Equipment -
- Off-road Equipment - assuming 1 excavator for finishing/landscaping phase

tblConstEquipMitigation	Tier	No Change	Tier 4 Interim
tblConstEquipMitigation	Tier	No Change	Tier 4 Interim
tblConstEquipMitigation	Tier	No Change	Tier 4 Interim
tblConstEquipMitigation	Tier	No Change	Tier 4 Interim
tblConstEquipMitigation	Tier	No Change	Tier 4 Interim
tblConstEquipMitigation	Tier	No Change	Tier 4 Interim
tblConstructionPhase	NumDays	30.00	42.00
tblConstructionPhase	NumDays	30.00	42.00
tblConstructionPhase	NumDays	300.00	419.00
tblConstructionPhase	NumDays	300.00	42.00
tblConstructionPhase	NumDays	20.00	28.00
tblConstructionPhase	NumDays	20.00	28.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	3.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	3.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	0.00
tblProjectCharacteristics	UrbanizationLevel	Urban	Rural
tblTripsAndVMT	VendorTripNumber	0.00	2.00
tblTripsAndVMT	VendorTripNumber	0.00	2.00
tblTripsAndVMT	VendorTripNumber	86.00	1.00
tblTripsAndVMT	WorkerTripNumber	220.00	3.00
tblTripsAndVMT	WorkerTripNumber	44.00	45.00

3.0 Construction Detail

Construction Phase

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Rough Grading	Grading	5/1/2025	6/28/2025	5	42	
2	Utility Trenching	Trenching	6/29/2025	7/18/2025	5	15	
3	Fine Grading	Grading	7/19/2025	9/16/2025	5	42	
4	Building Construction	Building Construction	9/17/2025	4/26/2027	5	419	
5	Wood Shop Building Modernization	Building Construction	2/26/2027	4/26/2027	5	42	
6	Paving	Paving	4/27/2027	6/3/2027	5	28	
7	Architectural Coating	Architectural Coating	6/4/2027	7/13/2027	5	28	
8	Finishing/Landscaping	Trenching	7/14/2027	7/31/2027	5	13	

Acres of Grading (Site Preparation Phase): 0

Acres of Grading (Grading Phase): 0

Acres of Paving: 11.2

Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 58,050; Non-Residential Outdoor: 19,350; Striped Parking Area:

OffRoad Equipment

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Rough Grading	Excavators	2	8.00	158	0.38
Rough Grading	Graders	1	8.00	187	0.41
Rough Grading	Rubber Tired Dozers	1	8.00	247	0.40
Rough Grading	Scrapers	2	8.00	367	0.48
Rough Grading	Tractors/Loaders/Backhoes	2	8.00	97	0.37
Utility Trenching	Excavators	1	8.00	158	0.38
Fine Grading	Excavators	2	8.00	158	0.38
Fine Grading	Graders	1	8.00	187	0.41
Fine Grading	Rubber Tired Dozers	1	8.00	247	0.40
Fine Grading	Scrapers	2	8.00	367	0.48
Fine Grading	Tractors/Loaders/Backhoes	2	8.00	97	0.37

Building Construction	Cranes	1	7.00	231	0.29
Building Construction	Forklifts	3	8.00	89	0.20
Building Construction	Generator Sets	1	8.00	84	0.74
Building Construction	Tractors/Loaders/Backhoes	3	7.00	97	0.37
Building Construction	Welders	1	8.00	46	0.45
Wood Shop Building Modernization	Cranes	0	7.00	231	0.29
Wood Shop Building Modernization	Forklifts	0	8.00	89	0.20
Wood Shop Building Modernization	Generator Sets	0	8.00	84	0.74
Wood Shop Building Modernization	Tractors/Loaders/Backhoes	0	7.00	97	0.37
Wood Shop Building Modernization	Welders	0	8.00	46	0.45
Paving	Pavers	2	8.00	130	0.42
Paving	Paving Equipment	2	8.00	132	0.36
Paving	Rollers	2	8.00	80	0.38
Architectural Coating	Air Compressors	1	6.00	78	0.48
Finishing/Landscaping	Excavators	1	8.00	158	0.38

Trips and VMT

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Rough Grading	8	20.00	2.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT
Utility Trenching	1	3.00	0.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT
Fine Grading	8	20.00	2.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	9	220.00	86.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT
Wood Shop Building Modernization	0	3.00	1.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT
Paving	6	15.00	0.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating	1	45.00	0.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT
Finishing/Landscaping	1	3.00	0.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

Use Cleaner Engines for Construction Equipment

3.2 Rough Grading - 2025

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					8.6733	0.0000	8.6733	3.5965	0.0000	3.5965			0.0000			0.0000
Off-Road	2.9012	27.9429	26.3311	0.0621		1.1309	1.1309		1.0404	1.0404		6,008.2814	6,008.2814	1.9432		6,056.8614
Total	2.9012	27.9429	26.3311	0.0621	8.6733	1.1309	9.8042	3.5965	1.0404	4.6369		6,008.2814	6,008.2814	1.9432		6,056.8614

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	5.1700e-003	0.1570	0.0356	5.3000e-004	0.0123	2.1000e-004	0.0125	3.5300e-003	2.0000e-004	3.7300e-003		55.3357	55.3357	2.7600e-003		55.4047
Worker	0.0957	0.0540	0.7303	2.2300e-003	0.2555	1.5500e-003	0.2570	0.0678	1.4300e-003	0.0692		222.6895	222.6895	5.5800e-003		222.8290
Total	0.1008	0.2110	0.7659	2.7600e-003	0.2677	1.7600e-003	0.2695	0.0713	1.6300e-003	0.0729		278.0252	278.0252	8.3400e-003		278.2337

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					8.6733	0.0000	8.6733	3.5965	0.0000	3.5965			0.0000			0.0000
Off-Road	1.0110	19.2707	36.7226	0.0621		0.1015	0.1015		0.1015	0.1015	0.0000	6,008.2814	6,008.2814	1.9432		6,056.8614
Total	1.0110	19.2707	36.7226	0.0621	8.6733	0.1015	8.7749	3.5965	0.1015	3.6980	0.0000	6,008.2814	6,008.2814	1.9432		6,056.8614

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day										lb/day						
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000			0.0000
Vendor	5.1700e-003	0.1570	0.0356	5.3000e-004	0.0123	2.1000e-004	0.0125	3.5300e-003	2.0000e-004	3.7300e-003		55.3357	55.3357	2.7600e-003			55.4047
Worker	0.0957	0.0540	0.7303	2.2300e-003	0.2555	1.5500e-003	0.2570	0.0678	1.4300e-003	0.0692		222.6895	222.6895	5.5800e-003			222.8290
Total	0.1008	0.2110	0.7659	2.7600e-003	0.2677	1.7600e-003	0.2695	0.0713	1.6300e-003	0.0729		278.0252	278.0252	8.3400e-003			278.2337

3.3 Utility Trenching - 2025

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day										lb/day						
Off-Road	0.1671	1.2217	3.2594	5.1700e-003		0.0599	0.0599		0.0551	0.0551		500.3379	500.3379	0.1618			504.3834
Total	0.1671	1.2217	3.2594	5.1700e-003		0.0599	0.0599		0.0551	0.0551		500.3379	500.3379	0.1618			504.3834

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day										lb/day						
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000			0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000			0.0000
Worker	0.0144	8.1000e-003	0.1096	3.4000e-004	0.0383	2.3000e-004	0.0386	0.0102	2.1000e-004	0.0104		33.4034	33.4034	8.4000e-004			33.4244
Total	0.0144	8.1000e-003	0.1096	3.4000e-004	0.0383	2.3000e-004	0.0386	0.0102	2.1000e-004	0.0104		33.4034	33.4034	8.4000e-004			33.4244

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.0635	2.2767	3.9180	5.1700e-003		8.4700e-003	8.4700e-003		8.4700e-003	8.4700e-003	0.0000	500.3379	500.3379	0.1618		504.3834
Total	0.0635	2.2767	3.9180	5.1700e-003		8.4700e-003	8.4700e-003		8.4700e-003	8.4700e-003	0.0000	500.3379	500.3379	0.1618		504.3834

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0144	8.1000e-003	0.1096	3.4000e-004	0.0383	2.3000e-004	0.0386	0.0102	2.1000e-004	0.0104		33.4034	33.4034	8.4000e-004		33.4244
Total	0.0144	8.1000e-003	0.1096	3.4000e-004	0.0383	2.3000e-004	0.0386	0.0102	2.1000e-004	0.0104		33.4034	33.4034	8.4000e-004		33.4244

3.4 Fine Grading - 2025

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					8.6733	0.0000	8.6733	3.5965	0.0000	3.5965			0.0000			0.0000
Off-Road	2.9012	27.9429	26.3311	0.0621		1.1309	1.1309		1.0404	1.0404		6,008.2814	6,008.2814	1.9432		6,056.8614
Total	2.9012	27.9429	26.3311	0.0621	8.6733	1.1309	9.8042	3.5965	1.0404	4.6369		6,008.2814	6,008.2814	1.9432		6,056.8614

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	5.1700e-003	0.1570	0.0356	5.3000e-004	0.0123	2.1000e-004	0.0125	3.5300e-003	2.0000e-004	3.7300e-003		55.3357	55.3357	2.7600e-003		55.4047
Worker	0.0957	0.0540	0.7303	2.2300e-003	0.2555	1.5500e-003	0.2570	0.0678	1.4300e-003	0.0692		222.6895	222.6895	5.5800e-003		222.8290
Total	0.1008	0.2110	0.7659	2.7600e-003	0.2677	1.7600e-003	0.2695	0.0713	1.6300e-003	0.0729		278.0252	278.0252	8.3400e-003		278.2337

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					8.6733	0.0000	8.6733	3.5965	0.0000	3.5965			0.0000			0.0000
Off-Road	1.0110	19.2707	36.7226	0.0621		0.1015	0.1015		0.1015	0.1015	0.0000	6,008.2814	6,008.2814	1.9432		6,056.8614
Total	1.0110	19.2707	36.7226	0.0621	8.6733	0.1015	8.7749	3.5965	0.1015	3.6980	0.0000	6,008.2814	6,008.2814	1.9432		6,056.8614

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	5.1700e-003	0.1570	0.0356	5.3000e-004	0.0123	2.1000e-004	0.0125	3.5300e-003	2.0000e-004	3.7300e-003		55.3357	55.3357	2.7600e-003		55.4047
Worker	0.0957	0.0540	0.7303	2.2300e-003	0.2555	1.5500e-003	0.2570	0.0678	1.4300e-003	0.0692		222.6895	222.6895	5.5800e-003		222.8290
Total	0.1008	0.2110	0.7659	2.7600e-003	0.2677	1.7600e-003	0.2695	0.0713	1.6300e-003	0.0729		278.0252	278.0252	8.3400e-003		278.2337

3.5 Building Construction - 2025

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.3674	12.4697	16.0847	0.0270		0.5276	0.5276		0.4963	0.4963		2,556.4744	2,556.4744	0.6010		2,571.4981
Total	1.3674	12.4697	16.0847	0.0270		0.5276	0.5276		0.4963	0.4963		2,556.4744	2,556.4744	0.6010		2,571.4981

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.2222	6.7526	1.5308	0.0228	0.5275	8.8800e-003	0.5363	0.1519	8.4800e-003	0.1604		2,379.4364	2,379.4364	0.1186		2,382.4024
Worker	1.0522	0.5938	8.0337	0.0246	2.8101	0.0171	2.8272	0.7452	0.0157	0.7609		2,449.5844	2,449.5844	0.0614		2,451.1188
Total	1.2744	7.3464	9.5645	0.0474	3.3375	0.0260	3.3635	0.8971	0.0242	0.9213		4,829.0208	4,829.0208	0.1800		4,833.5211

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.5335	10.9122	17.8738	0.0270		0.0846	0.0846		0.0846	0.0846	0.0000	2,556.4744	2,556.4744	0.6010		2,571.4981
Total	0.5335	10.9122	17.8738	0.0270		0.0846	0.0846		0.0846	0.0846	0.0000	2,556.4744	2,556.4744	0.6010		2,571.4981

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.2222	6.7526	1.5308	0.0228	0.5275	8.8800e-003	0.5363	0.1519	8.4800e-003	0.1604		2,379.4364	2,379.4364	0.1186		2,382.4024
Worker	1.0522	0.5938	8.0337	0.0246	2.8101	0.0171	2.8272	0.7452	0.0157	0.7609		2,449.5844	2,449.5844	0.0614		2,451.1188
Total	1.2744	7.3464	9.5645	0.0474	3.3375	0.0260	3.3635	0.8971	0.0242	0.9213		4,829.0208	4,829.0208	0.1800		4,833.5211

3.5 Building Construction - 2026

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.3674	12.4697	16.0847	0.0270		0.5276	0.5276		0.4963	0.4963		2,556.4744	2,556.4744	0.6010		2,571.4981
Total	1.3674	12.4697	16.0847	0.0270		0.5276	0.5276		0.4963	0.4963		2,556.4744	2,556.4744	0.6010		2,571.4981

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.2117	6.6266	1.4332	0.0226	0.5275	8.3100e-003	0.5358	0.1519	7.9400e-003	0.1599		2,363.4126	2,363.4126	0.1162		2,366.3178
Worker	0.9941	0.5400	7.4490	0.0237	2.8101	0.0165	2.8266	0.7452	0.0152	0.7604		2,360.4854	2,360.4854	0.0554		2,361.8698
Total	1.2058	7.1666	8.8822	0.0463	3.3375	0.0248	3.3624	0.8971	0.0232	0.9203		4,723.8981	4,723.8981	0.1716		4,728.1876

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.5335	10.9122	17.8738	0.0270		0.0846	0.0846		0.0846	0.0846	0.0000	2,556.4744	2,556.4744	0.6010		2,571.4981
Total	0.5335	10.9122	17.8738	0.0270		0.0846	0.0846		0.0846	0.0846	0.0000	2,556.4744	2,556.4744	0.6010		2,571.4981

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.2117	6.6266	1.4332	0.0226	0.5275	8.3100e-003	0.5358	0.1519	7.9400e-003	0.1599		2,363.4126	2,363.4126	0.1162		2,366.3178
Worker	0.9941	0.5400	7.4490	0.0237	2.8101	0.0165	2.8266	0.7452	0.0152	0.7604		2,360.4854	2,360.4854	0.0554		2,361.8698
Total	1.2058	7.1666	8.8822	0.0463	3.3375	0.0248	3.3624	0.8971	0.0232	0.9203		4,723.8981	4,723.8981	0.1716		4,728.1876

3.5 Building Construction - 2027

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.3674	12.4697	16.0847	0.0270		0.5276	0.5276		0.4963	0.4963		2,556.4744	2,556.4744	0.6010		2,571.4981
Total	1.3674	12.4697	16.0847	0.0270		0.5276	0.5276		0.4963	0.4963		2,556.4744	2,556.4744	0.6010		2,571.4981

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day										lb/day						
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000			0.0000
Vendor	0.2020	6.5192	1.3404	0.0225	0.5275	7.8800e-003	0.5354	0.1519	7.5300e-003	0.1595		2,349.3808	2,349.3808	0.1147			2,352.2471
Worker	0.9384	0.4922	6.9300	0.0229	2.8101	0.0157	2.8258	0.7452	0.0144	0.7596		2,281.3437	2,281.3437	0.0501			2,282.5949
Total	1.1404	7.0115	8.2704	0.0454	3.3376	0.0236	3.3611	0.8971	0.0220	0.9191		4,630.7244	4,630.7244	0.1647			4,634.8421

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day										lb/day						
Off-Road	0.5335	10.9122	17.8738	0.0270		0.0846	0.0846		0.0846	0.0846	0.0000	2,556.4744	2,556.4744	0.6010			2,571.4981
Total	0.5335	10.9122	17.8738	0.0270		0.0846	0.0846		0.0846	0.0846	0.0000	2,556.4744	2,556.4744	0.6010			2,571.4981

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day										lb/day						
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000			0.0000
Vendor	0.2020	6.5192	1.3404	0.0225	0.5275	7.8800e-003	0.5354	0.1519	7.5300e-003	0.1595		2,349.3808	2,349.3808	0.1147			2,352.2471
Worker	0.9384	0.4922	6.9300	0.0229	2.8101	0.0157	2.8258	0.7452	0.0144	0.7596		2,281.3437	2,281.3437	0.0501			2,282.5949
Total	1.1404	7.0115	8.2704	0.0454	3.3376	0.0236	3.3611	0.8971	0.0220	0.9191		4,630.7244	4,630.7244	0.1647			4,634.8421

3.6 Wood Shop Building Modernization - 2027

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Total	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000		0.0000

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	2.3500e-003	0.0758	0.0156	2.6000e-004	6.1300e-003	9.0000e-005	6.2300e-003	1.7700e-003	9.0000e-005	1.8500e-003		27.3184	27.3184	1.3300e-003		27.3517
Worker	0.0128	6.7100e-003	0.0945	3.1000e-004	0.0383	2.1000e-004	0.0385	0.0102	2.0000e-004	0.0104		31.1092	31.1092	6.8000e-004		31.1263
Total	0.0152	0.0825	0.1101	5.7000e-004	0.0445	3.0000e-004	0.0448	0.0119	2.9000e-004	0.0122		58.4276	58.4276	2.0100e-003		58.4780

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000
Total	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day										lb/day						
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000			0.0000
Vendor	2.3500e-003	0.0758	0.0156	2.6000e-004	6.1300e-003	9.0000e-005	6.2300e-003	1.7700e-003	9.0000e-005	1.8500e-003		27.3184	27.3184	1.3300e-003			27.3517
Worker	0.0128	6.7100e-003	0.0945	3.1000e-004	0.0383	2.1000e-004	0.0385	0.0102	2.0000e-004	0.0104		31.1092	31.1092	6.8000e-004			31.1263
Total	0.0152	0.0825	0.1101	5.7000e-004	0.0445	3.0000e-004	0.0448	0.0119	2.9000e-004	0.0122		58.4276	58.4276	2.0100e-003			58.4780

3.7 Paving - 2027

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day										lb/day						
Off-Road	0.9152	8.5816	14.5780	0.0228		0.4185	0.4185		0.3850	0.3850		2,206.7452	2,206.7452	0.7137			2,224.5878
Paving	0.1188					0.0000	0.0000		0.0000	0.0000			0.0000				0.0000
Total	1.0340	8.5816	14.5780	0.0228		0.4185	0.4185		0.3850	0.3850		2,206.7452	2,206.7452	0.7137			2,224.5878

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day										lb/day						
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000			0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000			0.0000
Worker	0.0640	0.0336	0.4725	1.5600e-003	0.1916	1.0700e-003	0.1927	0.0508	9.8000e-004	0.0518		155.5462	155.5462	3.4100e-003			155.6315
Total	0.0640	0.0336	0.4725	1.5600e-003	0.1916	1.0700e-003	0.1927	0.0508	9.8000e-004	0.0518		155.5462	155.5462	3.4100e-003			155.6315

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.3341	10.0395	17.2957	0.0228		0.0374	0.0374		0.0374	0.0374	0.0000	2,206.7452	2,206.7452	0.7137		2,224.5878
Paving	0.1188					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	0.4529	10.0395	17.2957	0.0228		0.0374	0.0374		0.0374	0.0374	0.0000	2,206.7452	2,206.7452	0.7137		2,224.5878

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0640	0.0336	0.4725	1.5600e-003	0.1916	1.0700e-003	0.1927	0.0508	9.8000e-004	0.0518		155.5462	155.5462	3.4100e-003		155.6315
Total	0.0640	0.0336	0.4725	1.5600e-003	0.1916	1.0700e-003	0.1927	0.0508	9.8000e-004	0.0518		155.5462	155.5462	3.4100e-003		155.6315

3.8 Architectural Coating - 2027

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	11.4654					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.1709	1.1455	1.8091	2.9700e-003		0.0515	0.0515		0.0515	0.0515		281.4481	281.4481	0.0154		281.8319
Total	11.6363	1.1455	1.8091	2.9700e-003		0.0515	0.0515		0.0515	0.0515		281.4481	281.4481	0.0154		281.8319

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.1919	0.1007	1.4175	4.6800e-003	0.5748	3.2100e-003	0.5780	0.1524	2.9500e-003	0.1554		466.6385	466.6385	0.0102		466.8944
Total	0.1919	0.1007	1.4175	4.6800e-003	0.5748	3.2100e-003	0.5780	0.1524	2.9500e-003	0.1554		466.6385	466.6385	0.0102		466.8944

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	11.4654					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.1709	1.1455	1.8091	2.9700e-003		0.0515	0.0515		0.0515	0.0515	0.0000	281.4481	281.4481	0.0154		281.8319
Total	11.6363	1.1455	1.8091	2.9700e-003		0.0515	0.0515		0.0515	0.0515	0.0000	281.4481	281.4481	0.0154		281.8319

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.1919	0.1007	1.4175	4.6800e-003	0.5748	3.2100e-003	0.5780	0.1524	2.9500e-003	0.1554		466.6385	466.6385	0.0102		466.8944
Total	0.1919	0.1007	1.4175	4.6800e-003	0.5748	3.2100e-003	0.5780	0.1524	2.9500e-003	0.1554		466.6385	466.6385	0.0102		466.8944

3.9 Finishing/Landscaping - 2027

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.1671	1.2217	3.2594	5.1700e-003		0.0599	0.0599		0.0551	0.0551		500.3379	500.3379	0.1618		504.3834
Total	0.1671	1.2217	3.2594	5.1700e-003		0.0599	0.0599		0.0551	0.0551		500.3379	500.3379	0.1618		504.3834

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0128	6.7100e-003	0.0945	3.1000e-004	0.0383	2.1000e-004	0.0385	0.0102	2.0000e-004	0.0104		31.1092	31.1092	6.8000e-004		31.1263
Total	0.0128	6.7100e-003	0.0945	3.1000e-004	0.0383	2.1000e-004	0.0385	0.0102	2.0000e-004	0.0104		31.1092	31.1092	6.8000e-004		31.1263

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.0635	2.2767	3.9180	5.1700e-003		8.4700e-003	8.4700e-003		8.4700e-003	8.4700e-003	0.0000	500.3379	500.3379	0.1618		504.3834
Total	0.0635	2.2767	3.9180	5.1700e-003		8.4700e-003	8.4700e-003		8.4700e-003	8.4700e-003	0.0000	500.3379	500.3379	0.1618		504.3834

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0128	6.7100e-003	0.0945	3.1000e-004	0.0383	2.1000e-004	0.0385	0.0102	2.0000e-004	0.0104		31.1092	31.1092	6.8000e-004		31.1263
Total	0.0128	6.7100e-003	0.0945	3.1000e-004	0.0383	2.1000e-004	0.0385	0.0102	2.0000e-004	0.0104		31.1092	31.1092	6.8000e-004		31.1263

10.0 Stationary Equipment

Fire Pumps and Emergency Generators

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	------------	-------------	-------------	-----------

Boilers

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type
----------------	--------	----------------	-----------------	---------------	-----------

User Defined Equipment

Equipment Type	Number
----------------	--------

11.0 Vegetation

Hamilton High School Expansion Phase 1 Construction - Glenn County, Winter

**Hamilton High School Expansion Phase 1 Construction
Glenn County, Winter**

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
High School	35.00	1000sqft	0.80	35,000.00	0
Other Asphalt Surfaces	42.50	1000sqft	0.98	42,500.00	0
Other Non-Asphalt Surfaces	432.72	1000sqft	9.93	432,720.00	0
Parking Lot	12.50	1000sqft	0.29	12,500.00	0

1.2 Other Project Characteristics

Urbanization	Rural	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	61
Climate Zone	3			Operational Year	2027
Utility Company	Pacific Gas & Electric Company				
CO2 Intensity (lb/MWhr)	641.35	CH4 Intensity (lb/MWhr)	0.029	N2O Intensity (lb/MWhr)	0.006

1.3 User Entered Comments & Non-Default Data

Project Characteristics -

Land Use - BSF is conservative based on data provided by applicant

Construction Phase - Normalized CalEEMod schedule based on construction duration provided by applicant

Off-road Equipment -

Off-road Equipment -

Off-road Equipment -

Off-road Equipment - assuming 1 excavator for finishing/landscaping phase

tblConstEquipMitigation	Tier	No Change	Tier 4 Interim
tblConstEquipMitigation	Tier	No Change	Tier 4 Interim
tblConstEquipMitigation	Tier	No Change	Tier 4 Interim
tblConstEquipMitigation	Tier	No Change	Tier 4 Interim
tblConstEquipMitigation	Tier	No Change	Tier 4 Interim
tblConstEquipMitigation	Tier	No Change	Tier 4 Interim
tblConstructionPhase	NumDays	30.00	42.00
tblConstructionPhase	NumDays	30.00	42.00
tblConstructionPhase	NumDays	300.00	419.00
tblConstructionPhase	NumDays	300.00	42.00
tblConstructionPhase	NumDays	20.00	28.00
tblConstructionPhase	NumDays	20.00	28.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	3.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	3.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	0.00
tblProjectCharacteristics	UrbanizationLevel	Urban	Rural
tblTripsAndVMT	VendorTripNumber	0.00	2.00
tblTripsAndVMT	VendorTripNumber	0.00	2.00
tblTripsAndVMT	VendorTripNumber	86.00	1.00
tblTripsAndVMT	WorkerTripNumber	220.00	3.00
tblTripsAndVMT	WorkerTripNumber	44.00	45.00

3.0 Construction Detail

Construction Phase

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Rough Grading	Grading	5/1/2025	6/28/2025	5	42	
2	Utility Trenching	Trenching	6/29/2025	7/18/2025	5	15	
3	Fine Grading	Grading	7/19/2025	9/16/2025	5	42	
4	Building Construction	Building Construction	9/17/2025	4/26/2027	5	419	
5	Wood Shop Building Modernization	Building Construction	2/26/2027	4/26/2027	5	42	
6	Paving	Paving	4/27/2027	6/3/2027	5	28	
7	Architectural Coating	Architectural Coating	6/4/2027	7/13/2027	5	28	
8	Finishing/Landscaping	Trenching	7/14/2027	7/31/2027	5	13	

Acres of Grading (Site Preparation Phase): 0

Acres of Grading (Grading Phase): 0

Acres of Paving: 11.2

Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 58,050; Non-Residential Outdoor: 19,350; Striped Parking Area:

OffRoad Equipment

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Rough Grading	Excavators	2	8.00	158	0.38
Rough Grading	Graders	1	8.00	187	0.41
Rough Grading	Rubber Tired Dozers	1	8.00	247	0.40
Rough Grading	Scrapers	2	8.00	367	0.48
Rough Grading	Tractors/Loaders/Backhoes	2	8.00	97	0.37
Utility Trenching	Excavators	1	8.00	158	0.38
Fine Grading	Excavators	2	8.00	158	0.38
Fine Grading	Graders	1	8.00	187	0.41
Fine Grading	Rubber Tired Dozers	1	8.00	247	0.40
Fine Grading	Scrapers	2	8.00	367	0.48
Fine Grading	Tractors/Loaders/Backhoes	2	8.00	97	0.37

Building Construction	Cranes	1	7.00	231	0.29
Building Construction	Forklifts	3	8.00	89	0.20
Building Construction	Generator Sets	1	8.00	84	0.74
Building Construction	Tractors/Loaders/Backhoes	3	7.00	97	0.37
Building Construction	Welders	1	8.00	46	0.45
Wood Shop Building Modernization	Cranes	0	7.00	231	0.29
Wood Shop Building Modernization	Forklifts	0	8.00	89	0.20
Wood Shop Building Modernization	Generator Sets	0	8.00	84	0.74
Wood Shop Building Modernization	Tractors/Loaders/Backhoes	0	7.00	97	0.37
Wood Shop Building Modernization	Welders	0	8.00	46	0.45
Paving	Pavers	2	8.00	130	0.42
Paving	Paving Equipment	2	8.00	132	0.36
Paving	Rollers	2	8.00	80	0.38
Architectural Coating	Air Compressors	1	6.00	78	0.48
Finishing/Landscaping	Excavators	1	8.00	158	0.38

Trips and VMT

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Rough Grading	8	20.00	2.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT
Utility Trenching	1	3.00	0.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT
Fine Grading	8	20.00	2.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	9	220.00	86.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT
Wood Shop Building Modernization	0	3.00	1.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT
Paving	6	15.00	0.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating	1	45.00	0.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT
Finishing/Landscaping	1	3.00	0.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

Use Cleaner Engines for Construction Equipment

3.2 Rough Grading - 2025

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					8.6733	0.0000	8.6733	3.5965	0.0000	3.5965			0.0000			0.0000
Off-Road	2.9012	27.9429	26.3311	0.0621		1.1309	1.1309		1.0404	1.0404		6,008.2814	6,008.2814	1.9432		6,056.8614
Total	2.9012	27.9429	26.3311	0.0621	8.6733	1.1309	9.8042	3.5965	1.0404	4.6369		6,008.2814	6,008.2814	1.9432		6,056.8614

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	5.5100e-003	0.1583	0.0425	5.1000e-004	0.0123	2.1000e-004	0.0125	3.5300e-003	2.0000e-004	3.7400e-003		53.2816	53.2816	3.1300e-003		53.3598
Worker	0.0947	0.0670	0.5965	1.9500e-003	0.2555	1.5500e-003	0.2570	0.0678	1.4300e-003	0.0692		194.8103	194.8103	4.7600e-003		194.9293
Total	0.1002	0.2253	0.6390	2.4600e-003	0.2677	1.7600e-003	0.2695	0.0713	1.6300e-003	0.0729		248.0919	248.0919	7.8900e-003		248.2891

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					8.6733	0.0000	8.6733	3.5965	0.0000	3.5965			0.0000			0.0000
Off-Road	1.0110	19.2707	36.7226	0.0621		0.1015	0.1015		0.1015	0.1015	0.0000	6,008.2814	6,008.2814	1.9432		6,056.8614
Total	1.0110	19.2707	36.7226	0.0621	8.6733	0.1015	8.7749	3.5965	0.1015	3.6980	0.0000	6,008.2814	6,008.2814	1.9432		6,056.8614

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day										lb/day						
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000			0.0000
Vendor	5.5100e-003	0.1583	0.0425	5.1000e-004	0.0123	2.1000e-004	0.0125	3.5300e-003	2.0000e-004	3.7400e-003		53.2816	53.2816	3.1300e-003			53.3598
Worker	0.0947	0.0670	0.5965	1.9500e-003	0.2555	1.5500e-003	0.2570	0.0678	1.4300e-003	0.0692		194.8103	194.8103	4.7600e-003			194.9293
Total	0.1002	0.2253	0.6390	2.4600e-003	0.2677	1.7600e-003	0.2695	0.0713	1.6300e-003	0.0729		248.0919	248.0919	7.8900e-003			248.2891

3.3 Utility Trenching - 2025

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day										lb/day						
Off-Road	0.1671	1.2217	3.2594	5.1700e-003		0.0599	0.0599		0.0551	0.0551		500.3379	500.3379	0.1618			504.3834
Total	0.1671	1.2217	3.2594	5.1700e-003		0.0599	0.0599		0.0551	0.0551		500.3379	500.3379	0.1618			504.3834

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day										lb/day						
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000			0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000			0.0000
Worker	0.0142	0.0101	0.0895	2.9000e-004	0.0383	2.3000e-004	0.0386	0.0102	2.1000e-004	0.0104		29.2216	29.2216	7.1000e-004			29.2394
Total	0.0142	0.0101	0.0895	2.9000e-004	0.0383	2.3000e-004	0.0386	0.0102	2.1000e-004	0.0104		29.2216	29.2216	7.1000e-004			29.2394

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.0635	2.2767	3.9180	5.1700e-003		8.4700e-003	8.4700e-003		8.4700e-003	8.4700e-003	0.0000	500.3379	500.3379	0.1618		504.3834
Total	0.0635	2.2767	3.9180	5.1700e-003		8.4700e-003	8.4700e-003		8.4700e-003	8.4700e-003	0.0000	500.3379	500.3379	0.1618		504.3834

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0142	0.0101	0.0895	2.9000e-004	0.0383	2.3000e-004	0.0386	0.0102	2.1000e-004	0.0104		29.2216	29.2216	7.1000e-004		29.2394
Total	0.0142	0.0101	0.0895	2.9000e-004	0.0383	2.3000e-004	0.0386	0.0102	2.1000e-004	0.0104		29.2216	29.2216	7.1000e-004		29.2394

3.4 Fine Grading - 2025

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					8.6733	0.0000	8.6733	3.5965	0.0000	3.5965			0.0000			0.0000
Off-Road	2.9012	27.9429	26.3311	0.0621		1.1309	1.1309		1.0404	1.0404		6,008.2814	6,008.2814	1.9432		6,056.8614
Total	2.9012	27.9429	26.3311	0.0621	8.6733	1.1309	9.8042	3.5965	1.0404	4.6369		6,008.2814	6,008.2814	1.9432		6,056.8614

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day										lb/day						
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000			0.0000
Vendor	5.5100e-003	0.1583	0.0425	5.1000e-004	0.0123	2.1000e-004	0.0125	3.5300e-003	2.0000e-004	3.7400e-003		53.2816	53.2816	3.1300e-003			53.3598
Worker	0.0947	0.0670	0.5965	1.9500e-003	0.2555	1.5500e-003	0.2570	0.0678	1.4300e-003	0.0692		194.8103	194.8103	4.7600e-003			194.9293
Total	0.1002	0.2253	0.6390	2.4600e-003	0.2677	1.7600e-003	0.2695	0.0713	1.6300e-003	0.0729		248.0919	248.0919	7.8900e-003			248.2891

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					8.6733	0.0000	8.6733	3.5965	0.0000	3.5965			0.0000			0.0000
Off-Road	1.0110	19.2707	36.7226	0.0621		0.1015	0.1015		0.1015	0.1015	0.0000	6,008.2814	6,008.2814	1.9432		6,056.8614
Total	1.0110	19.2707	36.7226	0.0621	8.6733	0.1015	8.7749	3.5965	0.1015	3.6980	0.0000	6,008.2814	6,008.2814	1.9432		6,056.8614

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	5.5100e-003	0.1583	0.0425	5.1000e-004	0.0123	2.1000e-004	0.0125	3.5300e-003	2.0000e-004	3.7400e-003		53.2816	53.2816	3.1300e-003		53.3598
Worker	0.0947	0.0670	0.5965	1.9500e-003	0.2555	1.5500e-003	0.2570	0.0678	1.4300e-003	0.0692		194.8103	194.8103	4.7600e-003		194.9293
Total	0.1002	0.2253	0.6390	2.4600e-003	0.2677	1.7600e-003	0.2695	0.0713	1.6300e-003	0.0729		248.0919	248.0919	7.8900e-003		248.2891

3.5 Building Construction - 2025

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.3674	12.4697	16.0847	0.0270		0.5276	0.5276		0.4963	0.4963		2,556.4744	2,556.4744	0.6010		2,571.4981
Total	1.3674	12.4697	16.0847	0.0270		0.5276	0.5276		0.4963	0.4963		2,556.4744	2,556.4744	0.6010		2,571.4981

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.2368	6.8070	1.8267	0.0219	0.5275	9.1500e-003	0.5366	0.1519	8.7500e-003	0.1607		2,291.1079	2,291.1079	0.1346		2,294.4727
Worker	1.0413	0.7367	6.5617	0.0215	2.8101	0.0171	2.8272	0.7452	0.0157	0.7609		2,142.9137	2,142.9137	0.0523		2,144.2220
Total	1.2781	7.5437	8.3884	0.0434	3.3375	0.0262	3.3638	0.8971	0.0245	0.9216		4,434.0216	4,434.0216	0.1869		4,438.6947

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.5335	10.9122	17.8738	0.0270		0.0846	0.0846		0.0846	0.0846	0.0000	2,556.4744	2,556.4744	0.6010		2,571.4981
Total	0.5335	10.9122	17.8738	0.0270		0.0846	0.0846		0.0846	0.0846	0.0000	2,556.4744	2,556.4744	0.6010		2,571.4981

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.2368	6.8070	1.8267	0.0219	0.5275	9.1500e-003	0.5366	0.1519	8.7500e-003	0.1607		2,291.1079	2,291.1079	0.1346		2,294.4727
Worker	1.0413	0.7367	6.5617	0.0215	2.8101	0.0171	2.8272	0.7452	0.0157	0.7609		2,142.9137	2,142.9137	0.0523		2,144.2220
Total	1.2781	7.5437	8.3884	0.0434	3.3375	0.0262	3.3638	0.8971	0.0245	0.9216		4,434.0216	4,434.0216	0.1869		4,438.6947

3.5 Building Construction - 2026

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.3674	12.4697	16.0847	0.0270		0.5276	0.5276		0.4963	0.4963		2,556.4744	2,556.4744	0.6010		2,571.4981
Total	1.3674	12.4697	16.0847	0.0270		0.5276	0.5276		0.4963	0.4963		2,556.4744	2,556.4744	0.6010		2,571.4981

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.2257	6.6740	1.7146	0.0218	0.5275	8.5400e-003	0.5360	0.1519	8.1600e-003	0.1601		2,276.2146	2,276.2146	0.1320		2,279.5133
Worker	0.9882	0.6696	6.0665	0.0207	2.8101	0.0165	2.8266	0.7452	0.0152	0.7604		2,065.0224	2,065.0224	0.0471		2,066.2009
Total	1.2138	7.3436	7.7810	0.0425	3.3375	0.0251	3.3626	0.8971	0.0234	0.9205		4,341.2370	4,341.2370	0.1791		4,345.7142

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.5335	10.9122	17.8738	0.0270		0.0846	0.0846		0.0846	0.0846	0.0000	2,556.4744	2,556.4744	0.6010		2,571.4981
Total	0.5335	10.9122	17.8738	0.0270		0.0846	0.0846		0.0846	0.0846	0.0000	2,556.4744	2,556.4744	0.6010		2,571.4981

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.2257	6.6740	1.7146	0.0218	0.5275	8.5400e-003	0.5360	0.1519	8.1600e-003	0.1601		2,276.2146	2,276.2146	0.1320		2,279.5133
Worker	0.9882	0.6696	6.0665	0.0207	2.8101	0.0165	2.8266	0.7452	0.0152	0.7604		2,065.0224	2,065.0224	0.0471		2,066.2009
Total	1.2138	7.3436	7.7810	0.0425	3.3375	0.0251	3.3626	0.8971	0.0234	0.9205		4,341.2370	4,341.2370	0.1791		4,345.7142

3.5 Building Construction - 2027

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.3674	12.4697	16.0847	0.0270		0.5276	0.5276		0.4963	0.4963		2,556.4744	2,556.4744	0.6010		2,571.4981
Total	1.3674	12.4697	16.0847	0.0270		0.5276	0.5276		0.4963	0.4963		2,556.4744	2,556.4744	0.6010		2,571.4981

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.2154	6.5600	1.6082	0.0217	0.5275	8.0800e-003	0.5356	0.1519	7.7200e-003	0.1597		2,263.1139	2,263.1139	0.1303		2,266.3712
Worker	0.9365	0.6101	5.6268	0.0200	2.8101	0.0157	2.8258	0.7452	0.0144	0.7596		1,995.7195	1,995.7195	0.0425		1,996.7831
Total	1.1519	7.1700	7.2350	0.0417	3.3376	0.0238	3.3613	0.8971	0.0222	0.9193		4,258.8334	4,258.8334	0.1728		4,263.1543

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.5335	10.9122	17.8738	0.0270		0.0846	0.0846		0.0846	0.0846	0.0000	2,556.4744	2,556.4744	0.6010		2,571.4981
Total	0.5335	10.9122	17.8738	0.0270		0.0846	0.0846		0.0846	0.0846	0.0000	2,556.4744	2,556.4744	0.6010		2,571.4981

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.2154	6.5600	1.6082	0.0217	0.5275	8.0800e-003	0.5356	0.1519	7.7200e-003	0.1597		2,263.1139	2,263.1139	0.1303		2,266.3712
Worker	0.9365	0.6101	5.6268	0.0200	2.8101	0.0157	2.8258	0.7452	0.0144	0.7596		1,995.7195	1,995.7195	0.0425		1,996.7831
Total	1.1519	7.1700	7.2350	0.0417	3.3376	0.0238	3.3613	0.8971	0.0222	0.9193		4,258.8334	4,258.8334	0.1728		4,263.1543

3.6 Wood Shop Building Modernization - 2027

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Total	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000		0.0000

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	2.5000e-003	0.0763	0.0187	2.5000e-004	6.1300e-003	9.0000e-005	6.2300e-003	1.7700e-003	9.0000e-005	1.8600e-003		26.3153	26.3153	1.5200e-003		26.3532
Worker	0.0128	8.3200e-003	0.0767	2.7000e-004	0.0383	2.1000e-004	0.0385	0.0102	2.0000e-004	0.0104		27.2144	27.2144	5.8000e-004		27.2289
Total	0.0153	0.0846	0.0954	5.2000e-004	0.0445	3.0000e-004	0.0448	0.0119	2.9000e-004	0.0122		53.5296	53.5296	2.1000e-003		53.5820

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000
Total	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day										lb/day						
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000			0.0000
Vendor	2.5000e-003	0.0763	0.0187	2.5000e-004	6.1300e-003	9.0000e-005	6.2300e-003	1.7700e-003	9.0000e-005	1.8600e-003		26.3153	26.3153	1.5200e-003			26.3532
Worker	0.0128	8.3200e-003	0.0767	2.7000e-004	0.0383	2.1000e-004	0.0385	0.0102	2.0000e-004	0.0104		27.2144	27.2144	5.8000e-004			27.2289
Total	0.0153	0.0846	0.0954	5.2000e-004	0.0445	3.0000e-004	0.0448	0.0119	2.9000e-004	0.0122		53.5296	53.5296	2.1000e-003			53.5820

3.7 Paving - 2027

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day										lb/day						
Off-Road	0.9152	8.5816	14.5780	0.0228		0.4185	0.4185		0.3850	0.3850		2,206.7452	2,206.7452	0.7137			2,224.5878
Paving	0.1188					0.0000	0.0000		0.0000	0.0000			0.0000				0.0000
Total	1.0340	8.5816	14.5780	0.0228		0.4185	0.4185		0.3850	0.3850		2,206.7452	2,206.7452	0.7137			2,224.5878

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day										lb/day						
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000			0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000			0.0000
Worker	0.0639	0.0416	0.3837	1.3600e-003	0.1916	1.0700e-003	0.1927	0.0508	9.8000e-004	0.0518		136.0718	136.0718	2.9000e-003			136.1443
Total	0.0639	0.0416	0.3837	1.3600e-003	0.1916	1.0700e-003	0.1927	0.0508	9.8000e-004	0.0518		136.0718	136.0718	2.9000e-003			136.1443

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.3341	10.0395	17.2957	0.0228		0.0374	0.0374		0.0374	0.0374	0.0000	2,206.7452	2,206.7452	0.7137		2,224.5878
Paving	0.1188					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	0.4529	10.0395	17.2957	0.0228		0.0374	0.0374		0.0374	0.0374	0.0000	2,206.7452	2,206.7452	0.7137		2,224.5878

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0639	0.0416	0.3837	1.3600e-003	0.1916	1.0700e-003	0.1927	0.0508	9.8000e-004	0.0518		136.0718	136.0718	2.9000e-003		136.1443
Total	0.0639	0.0416	0.3837	1.3600e-003	0.1916	1.0700e-003	0.1927	0.0508	9.8000e-004	0.0518		136.0718	136.0718	2.9000e-003		136.1443

3.8 Architectural Coating - 2027

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	11.4654					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.1709	1.1455	1.8091	2.9700e-003		0.0515	0.0515		0.0515	0.0515		281.4481	281.4481	0.0154		281.8319
Total	11.6363	1.1455	1.8091	2.9700e-003		0.0515	0.0515		0.0515	0.0515		281.4481	281.4481	0.0154		281.8319

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.1916	0.1248	1.1509	4.0900e-003	0.5748	3.2100e-003	0.5780	0.1524	2.9500e-003	0.1554		408.2154	408.2154	8.7000e-003		408.4329
Total	0.1916	0.1248	1.1509	4.0900e-003	0.5748	3.2100e-003	0.5780	0.1524	2.9500e-003	0.1554		408.2154	408.2154	8.7000e-003		408.4329

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	11.4654					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.1709	1.1455	1.8091	2.9700e-003		0.0515	0.0515		0.0515	0.0515	0.0000	281.4481	281.4481	0.0154		281.8319
Total	11.6363	1.1455	1.8091	2.9700e-003		0.0515	0.0515		0.0515	0.0515	0.0000	281.4481	281.4481	0.0154		281.8319

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.1916	0.1248	1.1509	4.0900e-003	0.5748	3.2100e-003	0.5780	0.1524	2.9500e-003	0.1554		408.2154	408.2154	8.7000e-003		408.4329
Total	0.1916	0.1248	1.1509	4.0900e-003	0.5748	3.2100e-003	0.5780	0.1524	2.9500e-003	0.1554		408.2154	408.2154	8.7000e-003		408.4329

3.9 Finishing/Landscaping - 2027

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.1671	1.2217	3.2594	5.1700e-003		0.0599	0.0599		0.0551	0.0551		500.3379	500.3379	0.1618		504.3834
Total	0.1671	1.2217	3.2594	5.1700e-003		0.0599	0.0599		0.0551	0.0551		500.3379	500.3379	0.1618		504.3834

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0128	8.3200e-003	0.0767	2.7000e-004	0.0383	2.1000e-004	0.0385	0.0102	2.0000e-004	0.0104		27.2144	27.2144	5.8000e-004		27.2289
Total	0.0128	8.3200e-003	0.0767	2.7000e-004	0.0383	2.1000e-004	0.0385	0.0102	2.0000e-004	0.0104		27.2144	27.2144	5.8000e-004		27.2289

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.0635	2.2767	3.9180	5.1700e-003		8.4700e-003	8.4700e-003		8.4700e-003	8.4700e-003	0.0000	500.3379	500.3379	0.1618		504.3834
Total	0.0635	2.2767	3.9180	5.1700e-003		8.4700e-003	8.4700e-003		8.4700e-003	8.4700e-003	0.0000	500.3379	500.3379	0.1618		504.3834

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0128	8.3200e-003	0.0767	2.7000e-004	0.0383	2.1000e-004	0.0385	0.0102	2.0000e-004	0.0104		27.2144	27.2144	5.8000e-004		27.2289
Total	0.0128	8.3200e-003	0.0767	2.7000e-004	0.0383	2.1000e-004	0.0385	0.0102	2.0000e-004	0.0104		27.2144	27.2144	5.8000e-004		27.2289

10.0 Stationary Equipment

Fire Pumps and Emergency Generators

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	------------	-------------	-------------	-----------

Boilers

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type
----------------	--------	----------------	-----------------	---------------	-----------

User Defined Equipment

Equipment Type	Number
----------------	--------

11.0 Vegetation

Hamilton High School Expansion Phase 1 Construction - Glenn County, Annual

**Hamilton High School Expansion Phase 1 Construction
Glenn County, Annual**

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
High School	35.00	1000sqft	0.80	35,000.00	0
Other Asphalt Surfaces	42.50	1000sqft	0.98	42,500.00	0
Other Non-Asphalt Surfaces	432.72	1000sqft	9.93	432,720.00	0
Parking Lot	12.50	1000sqft	0.29	12,500.00	0

1.2 Other Project Characteristics

Urbanization	Rural	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	61
Climate Zone	3			Operational Year	2027
Utility Company	Pacific Gas & Electric Company				
CO2 Intensity (lb/MWhr)	641.35	CH4 Intensity (lb/MWhr)	0.029	N2O Intensity (lb/MWhr)	0.006

1.3 User Entered Comments & Non-Default Data

Project Characteristics -

Land Use - BSF is conservative based on data provided by applicant

Construction Phase - Normalized CalEEMod schedule based on construction duration provided by applicant

Off-road Equipment -

Off-road Equipment -

Off-road Equipment -

Off-road Equipment - assuming 1 excavator for finishing/landscaping phase

tblConstEquipMitigation	Tier	No Change	Tier 4 Interim
tblConstEquipMitigation	Tier	No Change	Tier 4 Interim
tblConstEquipMitigation	Tier	No Change	Tier 4 Interim
tblConstEquipMitigation	Tier	No Change	Tier 4 Interim
tblConstEquipMitigation	Tier	No Change	Tier 4 Interim
tblConstEquipMitigation	Tier	No Change	Tier 4 Interim
tblConstructionPhase	NumDays	30.00	42.00
tblConstructionPhase	NumDays	30.00	42.00
tblConstructionPhase	NumDays	300.00	419.00
tblConstructionPhase	NumDays	300.00	42.00
tblConstructionPhase	NumDays	20.00	28.00
tblConstructionPhase	NumDays	20.00	28.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	3.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	3.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	0.00
tblProjectCharacteristics	UrbanizationLevel	Urban	Rural
tblTripsAndVMT	VendorTripNumber	0.00	2.00
tblTripsAndVMT	VendorTripNumber	0.00	2.00
tblTripsAndVMT	VendorTripNumber	86.00	1.00
tblTripsAndVMT	WorkerTripNumber	220.00	3.00
tblTripsAndVMT	WorkerTripNumber	44.00	45.00

2.0 Emissions Summary

2.1 Overall Construction

Unmitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	tons/yr										MT/yr					
2025	0.2240	1.9503	2.0873	5.4800e-003	0.4978	0.0691	0.5668	0.1870	0.0640	0.2510	0.0000	487.6489	487.6489	0.1024	0.0000	490.2078
2026	0.3249	2.5791	3.1120	9.2200e-003	0.4202	0.0721	0.4923	0.1133	0.0678	0.1811	0.0000	831.2049	831.2049	0.0915	0.0000	833.4922
2027	0.2818	0.9515	1.2307	3.3500e-003	0.1435	0.0296	0.1731	0.0387	0.0278	0.0664	0.0000	300.8932	300.8932	0.0389	0.0000	301.8662
Maximum	0.3249	2.5791	3.1120	9.2200e-003	0.4978	0.0721	0.5668	0.1870	0.0678	0.2510	0.0000	831.2049	831.2049	0.1024	0.0000	833.4922

Mitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	tons/yr										MT/yr					
2025	0.1122	1.5348	2.5966	5.4800e-003	0.4978	8.6100e-003	0.5064	0.1870	8.5400e-003	0.1956	0.0000	487.6485	487.6485	0.1024	0.0000	490.2074
2026	0.2160	2.3759	3.3454	9.2200e-003	0.4202	0.0143	0.4345	0.1133	0.0141	0.1274	0.0000	831.2045	831.2045	0.0915	0.0000	833.4918
2027	0.2388	0.9149	1.3464	3.3500e-003	0.1435	5.8100e-003	0.1493	0.0387	5.7300e-003	0.0444	0.0000	300.8931	300.8931	0.0389	0.0000	301.8660
Maximum	0.2388	2.3759	3.3454	9.2200e-003	0.4978	0.0143	0.5064	0.1870	0.0141	0.1956	0.0000	831.2045	831.2045	0.1024	0.0000	833.4918

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	31.74	11.96	-13.35	0.00	0.00	83.19	11.53	0.00	82.24	26.32	0.00	0.00	0.00	0.00	0.00	0.00

Quarter	Start Date	End Date	Maximum Unmitigated ROG + NOX (tons/quarter)	Maximum Mitigated ROG + NOX (tons/quarter)
1	5-1-2025	7-31-2025	0.8112	0.5464

2	8-1-2025	10-31-2025	0.8861	0.6704
3	11-1-2025	1-31-2026	0.7416	0.6630
4	2-1-2026	4-30-2026	0.7098	0.6338
5	5-1-2026	7-31-2026	0.7297	0.6512
6	8-1-2026	10-31-2026	0.7318	0.6532
7	11-1-2026	1-31-2027	0.7332	0.6546
8	2-1-2027	4-30-2027	0.6871	0.6158
9	5-1-2027	7-31-2027	0.3138	0.3305
		Highest	0.8861	0.6704

3.0 Construction Detail

Construction Phase

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Rough Grading	Grading	5/1/2025	6/28/2025	5	42	
2	Utility Trenching	Trenching	6/29/2025	7/18/2025	5	15	
3	Fine Grading	Grading	7/19/2025	9/16/2025	5	42	
4	Building Construction	Building Construction	9/17/2025	4/26/2027	5	419	
5	Wood Shop Building Modernization	Building Construction	2/26/2027	4/26/2027	5	42	
6	Paving	Paving	4/27/2027	6/3/2027	5	28	
7	Architectural Coating	Architectural Coating	6/4/2027	7/13/2027	5	28	
8	Finishing/Landscaping	Trenching	7/14/2027	7/31/2027	5	13	

Acres of Grading (Site Preparation Phase): 0

Acres of Grading (Grading Phase): 0

Acres of Paving: 11.2

Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 58,050; Non-Residential Outdoor: 19,350; Striped Parking Area:

OffRoad Equipment

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Rough Grading	Excavators	2	8.00	158	0.38

Rough Grading	Graders	1	8.00	187	0.41
Rough Grading	Rubber Tired Dozers	1	8.00	247	0.40
Rough Grading	Scrapers	2	8.00	367	0.48
Rough Grading	Tractors/Loaders/Backhoes	2	8.00	97	0.37
Utility Trenching	Excavators	1	8.00	158	0.38
Fine Grading	Excavators	2	8.00	158	0.38
Fine Grading	Graders	1	8.00	187	0.41
Fine Grading	Rubber Tired Dozers	1	8.00	247	0.40
Fine Grading	Scrapers	2	8.00	367	0.48
Fine Grading	Tractors/Loaders/Backhoes	2	8.00	97	0.37
Building Construction	Cranes	1	7.00	231	0.29
Building Construction	Forklifts	3	8.00	89	0.20
Building Construction	Generator Sets	1	8.00	84	0.74
Building Construction	Tractors/Loaders/Backhoes	3	7.00	97	0.37
Building Construction	Welders	1	8.00	46	0.45
Wood Shop Building Modernization	Cranes	0	7.00	231	0.29
Wood Shop Building Modernization	Forklifts	0	8.00	89	0.20
Wood Shop Building Modernization	Generator Sets	0	8.00	84	0.74
Wood Shop Building Modernization	Tractors/Loaders/Backhoes	0	7.00	97	0.37
Wood Shop Building Modernization	Welders	0	8.00	46	0.45
Paving	Pavers	2	8.00	130	0.42
Paving	Paving Equipment	2	8.00	132	0.36
Paving	Rollers	2	8.00	80	0.38
Architectural Coating	Air Compressors	1	6.00	78	0.48
Finishing/Landscaping	Excavators	1	8.00	158	0.38

Trips and VMT

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Rough Grading	8	20.00	2.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT
Utility Trenching	1	3.00	0.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT

Fine Grading	8	20.00	2.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	9	220.00	86.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT
Wood Shop Building Modernization	0	3.00	1.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT
Paving	6	15.00	0.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating	1	45.00	0.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT
Finishing/Landscaping	1	3.00	0.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

Use Cleaner Engines for Construction Equipment

3.2 Rough Grading - 2025

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.1821	0.0000	0.1821	0.0755	0.0000	0.0755	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0609	0.5868	0.5530	1.3000e-003		0.0238	0.0238		0.0219	0.0219	0.0000	114.4631	114.4631	0.0370	0.0000	115.3885
Total	0.0609	0.5868	0.5530	1.3000e-003	0.1821	0.0238	0.2059	0.0755	0.0219	0.0974	0.0000	114.4631	114.4631	0.0370	0.0000	115.3885

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	1.1000e-004	3.3400e-003	8.1000e-004	1.0000e-005	2.5000e-004	0.0000	2.5000e-004	7.0000e-005	0.0000	8.0000e-005	0.0000	1.0378	1.0378	6.0000e-005	0.0000	1.0391
Worker	1.8300e-003	1.2500e-003	0.0128	4.0000e-005	5.1700e-003	3.0000e-005	5.2000e-003	1.3700e-003	3.0000e-005	1.4000e-003	0.0000	3.8421	3.8421	9.0000e-005	0.0000	3.8445
Total	1.9400e-003	4.5900e-003	0.0136	5.0000e-005	5.4200e-003	3.0000e-005	5.4500e-003	1.4400e-003	3.0000e-005	1.4800e-003	0.0000	4.8799	4.8799	1.5000e-004	0.0000	4.8836

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.1821	0.0000	0.1821	0.0755	0.0000	0.0755	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0212	0.4047	0.7712	1.3000e-003		2.1300e-003	2.1300e-003		2.1300e-003	2.1300e-003	0.0000	114.4629	114.4629	0.0370	0.0000	115.3884
Total	0.0212	0.4047	0.7712	1.3000e-003	0.1821	2.1300e-003	0.1843	0.0755	2.1300e-003	0.0777	0.0000	114.4629	114.4629	0.0370	0.0000	115.3884

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	1.1000e-004	3.3400e-003	8.1000e-004	1.0000e-005	2.5000e-004	0.0000	2.5000e-004	7.0000e-005	0.0000	8.0000e-005	0.0000	1.0378	1.0378	6.0000e-005	0.0000	1.0391
Worker	1.8300e-003	1.2500e-003	0.0128	4.0000e-005	5.1700e-003	3.0000e-005	5.2000e-003	1.3700e-003	3.0000e-005	1.4000e-003	0.0000	3.8421	3.8421	9.0000e-005	0.0000	3.8445
Total	1.9400e-003	4.5900e-003	0.0136	5.0000e-005	5.4200e-003	3.0000e-005	5.4500e-003	1.4400e-003	3.0000e-005	1.4800e-003	0.0000	4.8799	4.8799	1.5000e-004	0.0000	4.8836

3.3 Utility Trenching - 2025

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	1.2500e-003	9.1600e-003	0.0245	4.0000e-005		4.5000e-004	4.5000e-004		4.1000e-004	4.1000e-004	0.0000	3.4042	3.4042	1.1000e-003	0.0000	3.4318
Total	1.2500e-003	9.1600e-003	0.0245	4.0000e-005		4.5000e-004	4.5000e-004		4.1000e-004	4.1000e-004	0.0000	3.4042	3.4042	1.1000e-003	0.0000	3.4318

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	1.0000e-004	7.0000e-005	6.9000e-004	0.0000	2.8000e-004	0.0000	2.8000e-004	7.0000e-005	0.0000	8.0000e-005	0.0000	0.2058	0.2058	1.0000e-005	0.0000	0.2060
Total	1.0000e-004	7.0000e-005	6.9000e-004	0.0000	2.8000e-004	0.0000	2.8000e-004	7.0000e-005	0.0000	8.0000e-005	0.0000	0.2058	0.2058	1.0000e-005	0.0000	0.2060

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	4.8000e-004	0.0171	0.0294	4.0000e-005		6.0000e-005	6.0000e-005		6.0000e-005	6.0000e-005	0.0000	3.4042	3.4042	1.1000e-003	0.0000	3.4318
Total	4.8000e-004	0.0171	0.0294	4.0000e-005		6.0000e-005	6.0000e-005		6.0000e-005	6.0000e-005	0.0000	3.4042	3.4042	1.1000e-003	0.0000	3.4318

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	1.0000e-004	7.0000e-005	6.9000e-004	0.0000	2.8000e-004	0.0000	2.8000e-004	7.0000e-005	0.0000	8.0000e-005	0.0000	0.2058	0.2058	1.0000e-005	0.0000	0.2060
Total	1.0000e-004	7.0000e-005	6.9000e-004	0.0000	2.8000e-004	0.0000	2.8000e-004	7.0000e-005	0.0000	8.0000e-005	0.0000	0.2058	0.2058	1.0000e-005	0.0000	0.2060

3.4 Fine Grading - 2025

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.1821	0.0000	0.1821	0.0755	0.0000	0.0755	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0609	0.5868	0.5530	1.3000e-003		0.0238	0.0238		0.0219	0.0219	0.0000	114.4631	114.4631	0.0370	0.0000	115.3885
Total	0.0609	0.5868	0.5530	1.3000e-003	0.1821	0.0238	0.2059	0.0755	0.0219	0.0974	0.0000	114.4631	114.4631	0.0370	0.0000	115.3885

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	1.1000e-004	3.3400e-003	8.1000e-004	1.0000e-005	2.5000e-004	0.0000	2.5000e-004	7.0000e-005	0.0000	8.0000e-005	0.0000	1.0378	1.0378	6.0000e-005	0.0000	1.0391
Worker	1.8300e-003	1.2500e-003	0.0128	4.0000e-005	5.1700e-003	3.0000e-005	5.2000e-003	1.3700e-003	3.0000e-005	1.4000e-003	0.0000	3.8421	3.8421	9.0000e-005	0.0000	3.8445
Total	1.9400e-003	4.5900e-003	0.0136	5.0000e-005	5.4200e-003	3.0000e-005	5.4500e-003	1.4400e-003	3.0000e-005	1.4800e-003	0.0000	4.8799	4.8799	1.5000e-004	0.0000	4.8836

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.1821	0.0000	0.1821	0.0755	0.0000	0.0755	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0212	0.4047	0.7712	1.3000e-003		2.1300e-003	2.1300e-003		2.1300e-003	2.1300e-003	0.0000	114.4629	114.4629	0.0370	0.0000	115.3884
Total	0.0212	0.4047	0.7712	1.3000e-003	0.1821	2.1300e-003	0.1843	0.0755	2.1300e-003	0.0777	0.0000	114.4629	114.4629	0.0370	0.0000	115.3884

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	1.1000e-004	3.3400e-003	8.1000e-004	1.0000e-005	2.5000e-004	0.0000	2.5000e-004	7.0000e-005	0.0000	8.0000e-005	0.0000	1.0378	1.0378	6.0000e-005	0.0000	1.0391
Worker	1.8300e-003	1.2500e-003	0.0128	4.0000e-005	5.1700e-003	3.0000e-005	5.2000e-003	1.3700e-003	3.0000e-005	1.4000e-003	0.0000	3.8421	3.8421	9.0000e-005	0.0000	3.8445
Total	1.9400e-003	4.5900e-003	0.0136	5.0000e-005	5.4200e-003	3.0000e-005	5.4500e-003	1.4400e-003	3.0000e-005	1.4800e-003	0.0000	4.8799	4.8799	1.5000e-004	0.0000	4.8836

3.5 Building Construction - 2025

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0520	0.4739	0.6112	1.0200e-003		0.0201	0.0201		0.0189	0.0189	0.0000	88.1294	88.1294	0.0207	0.0000	88.6473
Total	0.0520	0.4739	0.6112	1.0200e-003		0.0201	0.0201		0.0189	0.0189	0.0000	88.1294	88.1294	0.0207	0.0000	88.6473

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	8.5800e-003	0.2595	0.0629	8.5000e-004	0.0195	3.4000e-004	0.0198	5.6300e-003	3.3000e-004	5.9500e-003	0.0000	80.7470	80.7470	4.3200e-003	0.0000	80.8550
Worker	0.0364	0.0249	0.2549	8.5000e-004	0.1029	6.5000e-004	0.1036	0.0274	6.0000e-004	0.0280	0.0000	76.4767	76.4767	1.8700e-003	0.0000	76.5235
Total	0.0450	0.2844	0.3178	1.7000e-003	0.1224	9.9000e-004	0.1233	0.0330	9.3000e-004	0.0339	0.0000	157.2236	157.2236	6.1900e-003	0.0000	157.3785

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0203	0.4147	0.6792	1.0200e-003		3.2100e-003	3.2100e-003		3.2100e-003	3.2100e-003	0.0000	88.1293	88.1293	0.0207	0.0000	88.6472
Total	0.0203	0.4147	0.6792	1.0200e-003		3.2100e-003	3.2100e-003		3.2100e-003	3.2100e-003	0.0000	88.1293	88.1293	0.0207	0.0000	88.6472

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	8.5800e-003	0.2595	0.0629	8.5000e-004	0.0195	3.4000e-004	0.0198	5.6300e-003	3.3000e-004	5.9500e-003	0.0000	80.7470	80.7470	4.3200e-003	0.0000	80.8550
Worker	0.0364	0.0249	0.2549	8.5000e-004	0.1029	6.5000e-004	0.1036	0.0274	6.0000e-004	0.0280	0.0000	76.4767	76.4767	1.8700e-003	0.0000	76.5235
Total	0.0450	0.2844	0.3178	1.7000e-003	0.1224	9.9000e-004	0.1233	0.0330	9.3000e-004	0.0339	0.0000	157.2236	157.2236	6.1900e-003	0.0000	157.3785

3.5 Building Construction - 2026

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.1785	1.6273	2.0991	3.5200e-003		0.0689	0.0689		0.0648	0.0648	0.0000	302.6549	302.6549	0.0711	0.0000	304.4335
Total	0.1785	1.6273	2.0991	3.5200e-003		0.0689	0.0689		0.0648	0.0648	0.0000	302.6549	302.6549	0.0711	0.0000	304.4335

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0281	0.8740	0.2024	2.9100e-003	0.0668	1.1000e-003	0.0679	0.0193	1.0500e-003	0.0204	0.0000	275.4612	275.4612	0.0145	0.0000	275.8248
Worker	0.1183	0.0778	0.8105	2.8000e-003	0.3534	2.1600e-003	0.3556	0.0940	1.9800e-003	0.0960	0.0000	253.0888	253.0888	5.8000e-003	0.0000	253.2338
Total	0.1464	0.9518	1.0129	5.7100e-003	0.4202	3.2600e-003	0.4234	0.1133	3.0300e-003	0.1163	0.0000	528.5500	528.5500	0.0203	0.0000	529.0587

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0696	1.4240	2.3325	3.5200e-003		0.0110	0.0110		0.0110	0.0110	0.0000	302.6545	302.6545	0.0711	0.0000	304.4331
Total	0.0696	1.4240	2.3325	3.5200e-003		0.0110	0.0110		0.0110	0.0110	0.0000	302.6545	302.6545	0.0711	0.0000	304.4331

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0281	0.8740	0.2024	2.9100e-003	0.0668	1.1000e-003	0.0679	0.0193	1.0500e-003	0.0204	0.0000	275.4612	275.4612	0.0145	0.0000	275.8248
Worker	0.1183	0.0778	0.8105	2.8000e-003	0.3534	2.1600e-003	0.3556	0.0940	1.9800e-003	0.0960	0.0000	253.0888	253.0888	5.8000e-003	0.0000	253.2338
Total	0.1464	0.9518	1.0129	5.7100e-003	0.4202	3.2600e-003	0.4234	0.1133	3.0300e-003	0.1163	0.0000	528.5500	528.5500	0.0203	0.0000	529.0587

3.5 Building Construction - 2027

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0561	0.5113	0.6595	1.1100e-003		0.0216	0.0216		0.0204	0.0204	0.0000	95.0870	95.0870	0.0224	0.0000	95.6458
Total	0.0561	0.5113	0.6595	1.1100e-003		0.0216	0.0216		0.0204	0.0204	0.0000	95.0870	95.0870	0.0224	0.0000	95.6458

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	8.4300e-003	0.2700	0.0596	9.1000e-004	0.0210	3.3000e-004	0.0213	6.0700e-003	3.1000e-004	6.3800e-003	0.0000	86.0360	86.0360	4.5100e-003	0.0000	86.1488
Worker	0.0352	0.0223	0.2365	8.5000e-004	0.1110	6.4000e-004	0.1117	0.0295	5.9000e-004	0.0301	0.0000	76.8466	76.8466	1.6500e-003	0.0000	76.8878
Total	0.0436	0.2923	0.2961	1.7600e-003	0.1320	9.7000e-004	0.1330	0.0356	9.0000e-004	0.0365	0.0000	162.8827	162.8827	6.1600e-003	0.0000	163.0366

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0219	0.4474	0.7328	1.1100e-003		3.4700e-003	3.4700e-003		3.4700e-003	3.4700e-003	0.0000	95.0869	95.0869	0.0224	0.0000	95.6457
Total	0.0219	0.4474	0.7328	1.1100e-003		3.4700e-003	3.4700e-003		3.4700e-003	3.4700e-003	0.0000	95.0869	95.0869	0.0224	0.0000	95.6457

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	8.4300e-003	0.2700	0.0596	9.1000e-004	0.0210	3.3000e-004	0.0213	6.0700e-003	3.1000e-004	6.3800e-003	0.0000	86.0360	86.0360	4.5100e-003	0.0000	86.1488
Worker	0.0352	0.0223	0.2365	8.5000e-004	0.1110	6.4000e-004	0.1117	0.0295	5.9000e-004	0.0301	0.0000	76.8466	76.8466	1.6500e-003	0.0000	76.8878
Total	0.0436	0.2923	0.2961	1.7600e-003	0.1320	9.7000e-004	0.1330	0.0356	9.0000e-004	0.0365	0.0000	162.8827	162.8827	6.1600e-003	0.0000	163.0366

3.6 Wood Shop Building Modernization - 2027

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	5.0000e-005	1.6100e-003	3.5000e-004	1.0000e-005	1.2000e-004	0.0000	1.3000e-004	4.0000e-005	0.0000	4.0000e-005	0.0000	0.5124	0.5124	3.0000e-005	0.0000	0.5131
Worker	2.5000e-004	1.6000e-004	1.6500e-003	1.0000e-005	7.8000e-004	0.0000	7.8000e-004	2.1000e-004	0.0000	2.1000e-004	0.0000	0.5367	0.5367	1.0000e-005	0.0000	0.5370
Total	3.0000e-004	1.7700e-003	2.0000e-003	2.0000e-005	9.0000e-004	0.0000	9.1000e-004	2.5000e-004	0.0000	2.5000e-004	0.0000	1.0491	1.0491	4.0000e-005	0.0000	1.0501

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	5.0000e-005	1.6100e-003	3.5000e-004	1.0000e-005	1.2000e-004	0.0000	1.3000e-004	4.0000e-005	0.0000	4.0000e-005	0.0000	0.5124	0.5124	3.0000e-005	0.0000	0.5131
Worker	2.5000e-004	1.6000e-004	1.6500e-003	1.0000e-005	7.8000e-004	0.0000	7.8000e-004	2.1000e-004	0.0000	2.1000e-004	0.0000	0.5367	0.5367	1.0000e-005	0.0000	0.5370
Total	3.0000e-004	1.7700e-003	2.0000e-003	2.0000e-005	9.0000e-004	0.0000	9.1000e-004	2.5000e-004	0.0000	2.5000e-004	0.0000	1.0491	1.0491	4.0000e-005	0.0000	1.0501

3.7 Paving - 2027

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0128	0.1201	0.2041	3.2000e-004		5.8600e-003	5.8600e-003		5.3900e-003	5.3900e-003	0.0000	28.0270	28.0270	9.0600e-003	0.0000	28.2536
Paving	1.6600e-003					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	0.0145	0.1201	0.2041	3.2000e-004		5.8600e-003	5.8600e-003		5.3900e-003	5.3900e-003	0.0000	28.0270	28.0270	9.0600e-003	0.0000	28.2536

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	8.2000e-004	5.2000e-004	5.5100e-003	2.0000e-005	2.5800e-003	1.0000e-005	2.6000e-003	6.9000e-004	1.0000e-005	7.0000e-004	0.0000	1.7891	1.7891	4.0000e-005	0.0000	1.7901
Total	8.2000e-004	5.2000e-004	5.5100e-003	2.0000e-005	2.5800e-003	1.0000e-005	2.6000e-003	6.9000e-004	1.0000e-005	7.0000e-004	0.0000	1.7891	1.7891	4.0000e-005	0.0000	1.7901

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	4.6800e-003	0.1406	0.2421	3.2000e-004		5.2000e-004	5.2000e-004		5.2000e-004	5.2000e-004	0.0000	28.0269	28.0269	9.0600e-003	0.0000	28.2535
Paving	1.6600e-003					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	6.3400e-003	0.1406	0.2421	3.2000e-004		5.2000e-004	5.2000e-004		5.2000e-004	5.2000e-004	0.0000	28.0269	28.0269	9.0600e-003	0.0000	28.2535

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	8.2000e-004	5.2000e-004	5.5100e-003	2.0000e-005	2.5800e-003	1.0000e-005	2.6000e-003	6.9000e-004	1.0000e-005	7.0000e-004	0.0000	1.7891	1.7891	4.0000e-005	0.0000	1.7901
Total	8.2000e-004	5.2000e-004	5.5100e-003	2.0000e-005	2.5800e-003	1.0000e-005	2.6000e-003	6.9000e-004	1.0000e-005	7.0000e-004	0.0000	1.7891	1.7891	4.0000e-005	0.0000	1.7901

3.8 Architectural Coating - 2027

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Archit. Coating	0.1605					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	2.3900e-003	0.0160	0.0253	4.0000e-005		7.2000e-004	7.2000e-004		7.2000e-004	7.2000e-004	0.0000	3.5746	3.5746	1.9000e-004	0.0000	3.5794
Total	0.1629	0.0160	0.0253	4.0000e-005		7.2000e-004	7.2000e-004		7.2000e-004	7.2000e-004	0.0000	3.5746	3.5746	1.9000e-004	0.0000	3.5794

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	2.4600e-003	1.5600e-003	0.0165	6.0000e-005	7.7500e-003	4.0000e-005	7.8000e-003	2.0600e-003	4.0000e-005	2.1000e-003	0.0000	5.3673	5.3673	1.2000e-004	0.0000	5.3702
Total	2.4600e-003	1.5600e-003	0.0165	6.0000e-005	7.7500e-003	4.0000e-005	7.8000e-003	2.0600e-003	4.0000e-005	2.1000e-003	0.0000	5.3673	5.3673	1.2000e-004	0.0000	5.3702

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Archit. Coating	0.1605					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	2.3900e-003	0.0160	0.0253	4.0000e-005		7.2000e-004	7.2000e-004		7.2000e-004	7.2000e-004	0.0000	3.5746	3.5746	1.9000e-004	0.0000	3.5794
Total	0.1629	0.0160	0.0253	4.0000e-005		7.2000e-004	7.2000e-004		7.2000e-004	7.2000e-004	0.0000	3.5746	3.5746	1.9000e-004	0.0000	3.5794

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	2.4600e-003	1.5600e-003	0.0165	6.0000e-005	7.7500e-003	4.0000e-005	7.8000e-003	2.0600e-003	4.0000e-005	2.1000e-003	0.0000	5.3673	5.3673	1.2000e-004	0.0000	5.3702
Total	2.4600e-003	1.5600e-003	0.0165	6.0000e-005	7.7500e-003	4.0000e-005	7.8000e-003	2.0600e-003	4.0000e-005	2.1000e-003	0.0000	5.3673	5.3673	1.2000e-004	0.0000	5.3702

3.9 Finishing/Landscaping - 2027

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	1.0900e-003	7.9400e-003	0.0212	3.0000e-005		3.9000e-004	3.9000e-004		3.6000e-004	3.6000e-004	0.0000	2.9503	2.9503	9.5000e-004	0.0000	2.9742
Total	1.0900e-003	7.9400e-003	0.0212	3.0000e-005		3.9000e-004	3.9000e-004		3.6000e-004	3.6000e-004	0.0000	2.9503	2.9503	9.5000e-004	0.0000	2.9742

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	8.0000e-005	5.0000e-005	5.1000e-004	0.0000	2.4000e-004	0.0000	2.4000e-004	6.0000e-005	0.0000	7.0000e-005	0.0000	0.1661	0.1661	0.0000	0.0000	0.1662
Total	8.0000e-005	5.0000e-005	5.1000e-004	0.0000	2.4000e-004	0.0000	2.4000e-004	6.0000e-005	0.0000	7.0000e-005	0.0000	0.1661	0.1661	0.0000	0.0000	0.1662

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	4.1000e-004	0.0148	0.0255	3.0000e-005		6.0000e-005	6.0000e-005		6.0000e-005	6.0000e-005	0.0000	2.9503	2.9503	9.5000e-004	0.0000	2.9742
Total	4.1000e-004	0.0148	0.0255	3.0000e-005		6.0000e-005	6.0000e-005		6.0000e-005	6.0000e-005	0.0000	2.9503	2.9503	9.5000e-004	0.0000	2.9742

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	8.0000e-005	5.0000e-005	5.1000e-004	0.0000	2.4000e-004	0.0000	2.4000e-004	6.0000e-005	0.0000	7.0000e-005	0.0000	0.1661	0.1661	0.0000	0.0000	0.1662
Total	8.0000e-005	5.0000e-005	5.1000e-004	0.0000	2.4000e-004	0.0000	2.4000e-004	6.0000e-005	0.0000	7.0000e-005	0.0000	0.1661	0.1661	0.0000	0.0000	0.1662

10.0 Stationary Equipment

Fire Pumps and Emergency Generators

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	------------	-------------	-------------	-----------

Boilers

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type
----------------	--------	----------------	-----------------	---------------	-----------

User Defined Equipment

Equipment Type	Number
----------------	--------

11.0 Vegetation

Hamilton High School Expansion Phase 2 Mitigated Construction - Glenn County, Summer

**Hamilton High School Expansion Phase 2 Mitigated Construction
Glenn County, Summer**

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
High School	82.00	1000sqft	1.88	82,000.00	0
Other Asphalt Surfaces	18.00	1000sqft	0.41	18,000.00	0
Other Non-Asphalt Surfaces	1,293.92	1000sqft	29.70	1,293,920.00	0

1.2 Other Project Characteristics

Urbanization	Rural	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	61
Climate Zone	3			Operational Year	2032
Utility Company	Pacific Gas & Electric Company				
CO2 Intensity (lb/MWhr)	641.35	CH4 Intensity (lb/MWhr)	0.029	N2O Intensity (lb/MWhr)	0.006

1.3 User Entered Comments & Non-Default Data

Project Characteristics -

Land Use - BSF is conservative based on data provided by applicant

Construction Phase - schedule normalized based on CalEEMod defaults and data provided by applicant

Off-road Equipment -

Off-road Equipment -

Off-road Equipment -

Off-road Equipment - assuming 1 excavator for finishing/landscaping

Off-road Equipment -

tblConstEquipMitigation	Tier	No Change	Tier 4 Final
tblConstEquipMitigation	Tier	No Change	Tier 4 Final
tblConstEquipMitigation	Tier	No Change	Tier 4 Final
tblConstEquipMitigation	Tier	No Change	Tier 4 Final
tblConstEquipMitigation	Tier	No Change	Tier 4 Final
tblConstructionPhase	NumDays	35.00	31.00
tblConstructionPhase	NumDays	500.00	448.00
tblConstructionPhase	NumDays	45.00	40.00
tblConstructionPhase	NumDays	35.00	31.00
tblConstructionPhase	NumDays	20.00	18.00
tblProjectCharacteristics	UrbanizationLevel	Urban	Rural
tblTripsAndVMT	VendorTripNumber	0.00	2.00
tblTripsAndVMT	VendorTripNumber	0.00	2.00

2.0 Emissions Summary

2.1 Overall Construction (Maximum Daily Emission)

Unmitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	lb/day										lb/day					
2030	3.8021	25.5630	34.3417	0.1457	18.3084	0.4892	18.7463	9.9952	0.4891	10.4329	0.0000	14,620.9213	14,620.9213	0.5064	0.0000	14,633.5806
2031	3.6094	25.3133	33.2446	0.1443	8.8708	0.1967	9.0675	2.3844	0.1935	2.5779	0.0000	14,477.8637	14,477.8637	0.4945	0.0000	14,490.2263
2032	18.3958	25.0977	32.3147	0.1430	8.8708	0.3314	9.0649	2.3844	0.3313	2.5754	0.0000	14,355.8677	14,355.8677	0.4830	0.0000	14,367.9431
Maximum	18.3958	25.5630	34.3417	0.1457	18.3084	0.4892	18.7463	9.9952	0.4891	10.4329	0.0000	14,620.9213	14,620.9213	0.5064	0.0000	14,633.5806

Mitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	lb/day										lb/day					
2030	2.8208	19.8631	35.6450	0.1457	18.3084	0.1028	18.3717	9.9952	0.1027	10.0584	0.0000	14,620.9213	14,620.9213	0.5064	0.0000	14,633.5806
2031	2.6281	19.6134	34.5479	0.1443	8.8708	0.0894	8.9602	2.3844	0.0861	2.4705	0.0000	14,477.8637	14,477.8637	0.4945	0.0000	14,490.2263
2032	18.3958	19.3978	33.6180	0.1430	8.8708	0.0868	8.9576	2.3844	0.0837	2.4681	0.0000	14,355.8677	14,355.8677	0.4830	0.0000	14,367.9431
Maximum	18.3958	19.8631	35.6450	0.1457	18.3084	0.1028	18.3717	9.9952	0.1027	10.0584	0.0000	14,620.9213	14,620.9213	0.5064	0.0000	14,633.5806

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	7.60	22.51	-3.91	0.00	0.00	72.58	1.60	0.00	73.12	3.78	0.00	0.00	0.00	0.00	0.00	0.00

3.0 Construction Detail

Construction Phase

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Site Preparation	Site Preparation	5/1/2030	5/25/2030	5	18	
2	Fine Grading	Grading	5/26/2030	7/19/2030	5	40	
3	Utility Trenching	Trenching	7/20/2030	8/2/2030	5	10	
4	Building Construction	Building Construction	8/3/2030	4/21/2032	5	448	
5	Paving	Paving	4/22/2032	6/3/2032	5	31	
6	Architectural Coating	Architectural Coating	6/4/2032	7/16/2032	5	31	
7	Finishing/Landscaping	Trenching	7/17/2032	7/31/2032	5	10	

Acres of Grading (Site Preparation Phase): 0

Acres of Grading (Grading Phase): 0

Acres of Paving: 30.11

Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 110,700; Non-Residential Outdoor: 36,900; Striped Parking Area:

OffRoad Equipment

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Site Preparation	Rubber Tired Dozers	3	8.00	247	0.40
Site Preparation	Tractors/Loaders/Backhoes	4	8.00	97	0.37
Fine Grading	Excavators	2	8.00	158	0.38
Fine Grading	Graders	1	8.00	187	0.41
Fine Grading	Rubber Tired Dozers	1	8.00	247	0.40
Fine Grading	Scrapers	2	8.00	367	0.48
Fine Grading	Tractors/Loaders/Backhoes	2	8.00	97	0.37
Utility Trenching	Excavators	1	8.00	158	0.38
Building Construction	Cranes	1	7.00	231	0.29
Building Construction	Forklifts	3	8.00	89	0.20
Building Construction	Generator Sets	1	8.00	84	0.74
Building Construction	Tractors/Loaders/Backhoes	3	7.00	97	0.37
Building Construction	Welders	1	8.00	46	0.45
Paving	Pavers	2	8.00	130	0.42
Paving	Paving Equipment	2	8.00	132	0.36
Paving	Rollers	2	8.00	80	0.38
Architectural Coating	Air Compressors	1	6.00	78	0.48
Finishing/Landscaping	Excavators	1	8.00	158	0.38

Trips and VMT

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Site Preparation	7	18.00	2.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT
Fine Grading	8	20.00	2.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT
Utility Trenching	1	3.00	0.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	9	585.00	228.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT
Paving	6	15.00	0.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating	1	117.00	0.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT
Finishing/Landscaping	1	3.00	0.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

Use Cleaner Engines for Construction Equipment

3.2 Site Preparation - 2030

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					18.0663	0.0000	18.0663	9.9307	0.0000	9.9307			0.0000			0.0000
Off-Road	2.4399	13.6680	16.2918	0.0466		0.4367	0.4367		0.4367	0.4367		4,409.7537	4,409.7537	0.2176		4,415.1936
Total	2.4399	13.6680	16.2918	0.0466	18.0663	0.4367	18.5029	9.9307	0.4367	10.3673		4,409.7537	4,409.7537	0.2176		4,415.1936

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	4.2400e-003	0.1459	0.0274	5.2000e-004	0.0123	1.6000e-004	0.0124	3.5300e-003	1.5000e-004	3.6800e-003		53.9776	53.9776	2.5500e-003		54.0414
Worker	0.0618	0.0305	0.4633	1.7200e-003	0.2299	1.0300e-003	0.2309	0.0610	9.5000e-004	0.0619		171.3824	171.3824	3.0600e-003		171.4588
Total	0.0661	0.1765	0.4908	2.2400e-003	0.2422	1.1900e-003	0.2434	0.0645	1.1000e-003	0.0656		225.3600	225.3600	5.6100e-003		225.5002

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					18.0663	0.0000	18.0663	9.9307	0.0000	9.9307			0.0000			0.0000
Off-Road	0.4656	2.0175	20.8690	0.0466		0.0621	0.0621		0.0621	0.0621	0.0000	4,409.7537	4,409.7537	0.2176		4,415.1936
Total	0.4656	2.0175	20.8690	0.0466	18.0663	0.0621	18.1283	9.9307	0.0621	9.9928	0.0000	4,409.7537	4,409.7537	0.2176		4,415.1936

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	4.2400e-003	0.1459	0.0274	5.2000e-004	0.0123	1.6000e-004	0.0124	3.5300e-003	1.5000e-004	3.6800e-003		53.9776	53.9776	2.5500e-003		54.0414
Worker	0.0618	0.0305	0.4633	1.7200e-003	0.2299	1.0300e-003	0.2309	0.0610	9.5000e-004	0.0619		171.3824	171.3824	3.0600e-003		171.4588
Total	0.0661	0.1765	0.4908	2.2400e-003	0.2422	1.1900e-003	0.2434	0.0645	1.1000e-003	0.0656		225.3600	225.3600	5.6100e-003		225.5002

3.3 Fine Grading - 2030

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					8.6733	0.0000	8.6733	3.5965	0.0000	3.5965			0.0000			0.0000
Off-Road	3.2807	13.8462	23.0239	0.0699		0.4879	0.4879		0.4879	0.4879		7,213.1086	7,213.1086	0.2915		7,220.3963
Total	3.2807	13.8462	23.0239	0.0699	8.6733	0.4879	9.1613	3.5965	0.4879	4.0844		7,213.1086	7,213.1086	0.2915		7,220.3963

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	4.2400e-003	0.1459	0.0274	5.2000e-004	0.0123	1.6000e-004	0.0124	3.5300e-003	1.5000e-004	3.6800e-003		53.9776	53.9776	2.5500e-003		54.0414
Worker	0.0687	0.0339	0.5148	1.9100e-003	0.2555	1.1400e-003	0.2566	0.0678	1.0500e-003	0.0688		190.4248	190.4248	3.4000e-003		190.5098
Total	0.0729	0.1799	0.5422	2.4300e-003	0.2677	1.3000e-003	0.2690	0.0713	1.2000e-003	0.0725		244.4025	244.4025	5.9500e-003		244.5511

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					8.6733	0.0000	8.6733	3.5965	0.0000	3.5965			0.0000			0.0000
Off-Road	0.7616	3.3000	32.9991	0.0699		0.1015	0.1015		0.1015	0.1015	0.0000	7,213.1086	7,213.1086	0.2915		7,220.3963
Total	0.7616	3.3000	32.9991	0.0699	8.6733	0.1015	8.7749	3.5965	0.1015	3.6980	0.0000	7,213.1086	7,213.1086	0.2915		7,220.3963

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	4.2400e-003	0.1459	0.0274	5.2000e-004	0.0123	1.6000e-004	0.0124	3.5300e-003	1.5000e-004	3.6800e-003		53.9776	53.9776	2.5500e-003		54.0414
Worker	0.0687	0.0339	0.5148	1.9100e-003	0.2555	1.1400e-003	0.2566	0.0678	1.0500e-003	0.0688		190.4248	190.4248	3.4000e-003		190.5098
Total	0.0729	0.1799	0.5422	2.4300e-003	0.2677	1.3000e-003	0.2690	0.0713	1.2000e-003	0.0725		244.4025	244.4025	5.9500e-003		244.5511

3.4 Utility Trenching - 2030

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.2256	0.5559	3.5601	6.3500e-003		0.0244	0.0244		0.0244	0.0244		601.7856	601.7856	0.0201		602.2886
Total	0.2256	0.5559	3.5601	6.3500e-003		0.0244	0.0244		0.0244	0.0244		601.7856	601.7856	0.0201		602.2886

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0103	5.0900e-003	0.0772	2.9000e-004	0.0383	1.7000e-004	0.0385	0.0102	1.6000e-004	0.0103		28.5637	28.5637	5.1000e-004		28.5765
Total	0.0103	5.0900e-003	0.0772	2.9000e-004	0.0383	1.7000e-004	0.0385	0.0102	1.6000e-004	0.0103		28.5637	28.5637	5.1000e-004		28.5765

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.0635	0.2753	3.9180	6.3500e-003		8.4700e-003	8.4700e-003		8.4700e-003	8.4700e-003	0.0000	601.7856	601.7856	0.0201		602.2886
Total	0.0635	0.2753	3.9180	6.3500e-003		8.4700e-003	8.4700e-003		8.4700e-003	8.4700e-003	0.0000	601.7856	601.7856	0.0201		602.2886

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0103	5.0900e-003	0.0772	2.9000e-004	0.0383	1.7000e-004	0.0385	0.0102	1.6000e-004	0.0103		28.5637	28.5637	5.1000e-004		28.5765
Total	0.0103	5.0900e-003	0.0772	2.9000e-004	0.0383	1.7000e-004	0.0385	0.0102	1.6000e-004	0.0103		28.5637	28.5637	5.1000e-004		28.5765

3.5 Building Construction - 2030

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.3091	7.9346	16.1570	0.0310		0.1481	0.1481		0.1481	0.1481		2,897.5468	2,897.5468	0.1162		2,900.4529
Total	1.3091	7.9346	16.1570	0.0310		0.1481	0.1481		0.1481	0.1481		2,897.5468	2,897.5468	0.1162		2,900.4529

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.4838	16.6357	3.1263	0.0589	1.3985	0.0181	1.4166	0.4028	0.0173	0.4201		6,153.4482	6,153.4482	0.2908		6,160.7175
Worker	2.0093	0.9927	15.0584	0.0558	7.4722	0.0335	7.5057	1.9816	0.0308	2.0124		5,569.9264	5,569.9264	0.0994		5,572.4103
Total	2.4930	17.6284	18.1847	0.1147	8.8708	0.0516	8.9223	2.3844	0.0481	2.4324		11,723.3746	11,723.3746	0.3901		11,733.1277

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.3278	2.2347	17.4603	0.0310		0.0408	0.0408		0.0408	0.0408	0.0000	2,897.5468	2,897.5468	0.1162		2,900.4529
Total	0.3278	2.2347	17.4603	0.0310		0.0408	0.0408		0.0408	0.0408	0.0000	2,897.5468	2,897.5468	0.1162		2,900.4529

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.4838	16.6357	3.1263	0.0589	1.3985	0.0181	1.4166	0.4028	0.0173	0.4201		6,153.4482	6,153.4482	0.2908		6,160.7175
Worker	2.0093	0.9927	15.0584	0.0558	7.4722	0.0335	7.5057	1.9816	0.0308	2.0124		5,569.9264	5,569.9264	0.0994		5,572.4103
Total	2.4930	17.6284	18.1847	0.1147	8.8708	0.0516	8.9223	2.3844	0.0481	2.4324		11,723.3746	11,723.3746	0.3901		11,733.1277

3.5 Building Construction - 2031

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.3091	7.9346	16.1570	0.0310		0.1481	0.1481		0.1481	0.1481		2,897.5468	2,897.5468	0.1162		2,900.4529
Total	1.3091	7.9346	16.1570	0.0310		0.1481	0.1481		0.1481	0.1481		2,897.5468	2,897.5468	0.1162		2,900.4529

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.4716	16.4794	3.0264	0.0588	1.3986	0.0174	1.4160	0.4028	0.0166	0.4195		6,138.5351	6,138.5351	0.2887		6,145.7525
Worker	1.8287	0.8993	14.0613	0.0545	7.4722	0.0312	7.5034	1.9816	0.0287	2.0103		5,441.7818	5,441.7818	0.0896		5,444.0209
Total	2.3003	17.3787	17.0876	0.1133	8.8708	0.0486	8.9194	2.3844	0.0453	2.4297		11,580.3169	11,580.3169	0.3783		11,589.7734

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.3278	2.2347	17.4603	0.0310		0.0408	0.0408		0.0408	0.0408	0.0000	2,897.5468	2,897.5468	0.1162		2,900.4529
Total	0.3278	2.2347	17.4603	0.0310		0.0408	0.0408		0.0408	0.0408	0.0000	2,897.5468	2,897.5468	0.1162		2,900.4529

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.4716	16.4794	3.0264	0.0588	1.3986	0.0174	1.4160	0.4028	0.0166	0.4195		6,138.5351	6,138.5351	0.2887		6,145.7525
Worker	1.8287	0.8993	14.0613	0.0545	7.4722	0.0312	7.5034	1.9816	0.0287	2.0103		5,441.7818	5,441.7818	0.0896		5,444.0209
Total	2.3003	17.3787	17.0876	0.1133	8.8708	0.0486	8.9194	2.3844	0.0453	2.4297		11,580.3169	11,580.3169	0.3783		11,589.7734

3.5 Building Construction - 2032

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.3091	7.9346	16.1570	0.0310		0.1481	0.1481		0.1481	0.1481		2,897.5468	2,897.5468	0.1162		2,900.4529
Total	1.3091	7.9346	16.1570	0.0310		0.1481	0.1481		0.1481	0.1481		2,897.5468	2,897.5468	0.1162		2,900.4529

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.4624	16.3431	2.9600	0.0587	1.3986	0.0169	1.4154	0.4028	0.0161	0.4190		6,128.5790	6,128.5790	0.2856		6,135.7178
Worker	1.6714	0.8199	13.1977	0.0534	7.4722	0.0291	7.5013	1.9816	0.0268	2.0083		5,329.7420	5,329.7420	0.0812		5,331.7724
Total	2.1338	17.1631	16.1577	0.1121	8.8708	0.0460	8.9168	2.3844	0.0429	2.4273		11,458.3209	11,458.3209	0.3668		11,467.4902

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.3278	2.2347	17.4603	0.0310		0.0408	0.0408		0.0408	0.0408	0.0000	2,897.5468	2,897.5468	0.1162		2,900.4529
Total	0.3278	2.2347	17.4603	0.0310		0.0408	0.0408		0.0408	0.0408	0.0000	2,897.5468	2,897.5468	0.1162		2,900.4529

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.4624	16.3431	2.9600	0.0587	1.3986	0.0169	1.4154	0.4028	0.0161	0.4190		6,128.5790	6,128.5790	0.2856		6,135.7178
Worker	1.6714	0.8199	13.1977	0.0534	7.4722	0.0291	7.5013	1.9816	0.0268	2.0083		5,329.7420	5,329.7420	0.0812		5,331.7724
Total	2.1338	17.1631	16.1577	0.1121	8.8708	0.0460	8.9168	2.3844	0.0429	2.4273		11,458.3209	11,458.3209	0.3668		11,467.4902

3.6 Paving - 2032

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.3845	7.1202	15.8495	0.0281		0.3306	0.3306		0.3306	0.3306		2,656.5168	2,656.5168	0.1245		2,659.6302
Paving	0.0347					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	1.4192	7.1202	15.8495	0.0281		0.3306	0.3306		0.3306	0.3306		2,656.5168	2,656.5168	0.1245		2,659.6302

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0429	0.0210	0.3384	1.3700e-003	0.1916	7.5000e-004	0.1923	0.0508	6.9000e-004	0.0515		136.6601	136.6601	2.0800e-003		136.7121
Total	0.0429	0.0210	0.3384	1.3700e-003	0.1916	7.5000e-004	0.1923	0.0508	6.9000e-004	0.0515		136.6601	136.6601	2.0800e-003		136.7121

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.2805	1.2154	17.2957	0.0281		0.0374	0.0374		0.0374	0.0374	0.0000	2,656.5168	2,656.5168	0.1245		2,659.6302
Paving	0.0347					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	0.3151	1.2154	17.2957	0.0281		0.0374	0.0374		0.0374	0.0374	0.0000	2,656.5168	2,656.5168	0.1245		2,659.6302

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0429	0.0210	0.3384	1.3700e-003	0.1916	7.5000e-004	0.1923	0.0508	6.9000e-004	0.0515		136.6601	136.6601	2.0800e-003		136.7121
Total	0.0429	0.0210	0.3384	1.3700e-003	0.1916	7.5000e-004	0.1923	0.0508	6.9000e-004	0.0515		136.6601	136.6601	2.0800e-003		136.7121

3.7 Architectural Coating - 2032

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	17.9307					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.1308	0.8563	1.7977	2.9700e-003		0.0203	0.0203		0.0203	0.0203		281.4481	281.4481	0.0114		281.7328
Total	18.0615	0.8563	1.7977	2.9700e-003		0.0203	0.0203		0.0203	0.0203		281.4481	281.4481	0.0114		281.7328

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day										lb/day						
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000			0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000			0.0000
Worker	0.3343	0.1640	2.6395	0.0107	1.4945	5.8200e-003	1.5003	0.3963	5.3500e-003	0.4017		1,065.9484	1,065.9484	0.0162			1,066.3545
Total	0.3343	0.1640	2.6395	0.0107	1.4945	5.8200e-003	1.5003	0.3963	5.3500e-003	0.4017		1,065.9484	1,065.9484	0.0162			1,066.3545

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day										lb/day						
Archit. Coating	17.9307					0.0000	0.0000		0.0000	0.0000			0.0000				0.0000
Off-Road	0.1308	0.8563	1.7977	2.9700e-003		0.0203	0.0203		0.0203	0.0203	0.0000	281.4481	281.4481	0.0114			281.7328
Total	18.0615	0.8563	1.7977	2.9700e-003		0.0203	0.0203		0.0203	0.0203	0.0000	281.4481	281.4481	0.0114			281.7328

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day										lb/day						
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000			0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000			0.0000
Worker	0.3343	0.1640	2.6395	0.0107	1.4945	5.8200e-003	1.5003	0.3963	5.3500e-003	0.4017		1,065.9484	1,065.9484	0.0162			1,066.3545
Total	0.3343	0.1640	2.6395	0.0107	1.4945	5.8200e-003	1.5003	0.3963	5.3500e-003	0.4017		1,065.9484	1,065.9484	0.0162			1,066.3545

3.8 Finishing/Landscaping - 2032

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.2256	0.5559	3.5601	6.3500e-003		0.0244	0.0244		0.0244	0.0244		601.7856	601.7856	0.0201		602.2886
Total	0.2256	0.5559	3.5601	6.3500e-003		0.0244	0.0244		0.0244	0.0244		601.7856	601.7856	0.0201		602.2886

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	8.5700e-003	4.2000e-003	0.0677	2.7000e-004	0.0383	1.5000e-004	0.0385	0.0102	1.4000e-004	0.0103		27.3320	27.3320	4.2000e-004		27.3424
Total	8.5700e-003	4.2000e-003	0.0677	2.7000e-004	0.0383	1.5000e-004	0.0385	0.0102	1.4000e-004	0.0103		27.3320	27.3320	4.2000e-004		27.3424

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.0635	0.2753	3.9180	6.3500e-003		8.4700e-003	8.4700e-003		8.4700e-003	8.4700e-003	0.0000	601.7856	601.7856	0.0201		602.2886
Total	0.0635	0.2753	3.9180	6.3500e-003		8.4700e-003	8.4700e-003		8.4700e-003	8.4700e-003	0.0000	601.7856	601.7856	0.0201		602.2886

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	8.5700e-003	4.2000e-003	0.0677	2.7000e-004	0.0383	1.5000e-004	0.0385	0.0102	1.4000e-004	0.0103		27.3320	27.3320	4.2000e-004		27.3424
Total	8.5700e-003	4.2000e-003	0.0677	2.7000e-004	0.0383	1.5000e-004	0.0385	0.0102	1.4000e-004	0.0103		27.3320	27.3320	4.2000e-004		27.3424

10.0 Stationary Equipment

Fire Pumps and Emergency Generators

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	------------	-------------	-------------	-----------

Boilers

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type
----------------	--------	----------------	-----------------	---------------	-----------

User Defined Equipment

Equipment Type	Number
----------------	--------

11.0 Vegetation

Hamilton High School Expansion Phase 2 Mitigated Construction - Glenn County, Winter

**Hamilton High School Expansion Phase 2 Mitigated Construction
Glenn County, Winter**

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
High School	82.00	1000sqft	1.88	82,000.00	0
Other Asphalt Surfaces	18.00	1000sqft	0.41	18,000.00	0
Other Non-Asphalt Surfaces	1,293.92	1000sqft	29.70	1,293,920.00	0

1.2 Other Project Characteristics

Urbanization	Rural	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	61
Climate Zone	3			Operational Year	2032
Utility Company	Pacific Gas & Electric Company				
CO2 Intensity (lb/MWhr)	641.35	CH4 Intensity (lb/MWhr)	0.029	N2O Intensity (lb/MWhr)	0.006

1.3 User Entered Comments & Non-Default Data

- Project Characteristics -
- Land Use - BSF is conservative based on data provided by applicant
- Construction Phase - schedule normalized based on CalEEMod defaults and data provided by applicant
- Off-road Equipment -
- Off-road Equipment -
- Off-road Equipment -
- Off-road Equipment - assuming 1 excavator for finishing/landscaping
- Off-road Equipment -

tblConstEquipMitigation	Tier	No Change	Tier 4 Final
tblConstEquipMitigation	Tier	No Change	Tier 4 Final
tblConstEquipMitigation	Tier	No Change	Tier 4 Final
tblConstEquipMitigation	Tier	No Change	Tier 4 Final
tblConstEquipMitigation	Tier	No Change	Tier 4 Final
tblConstructionPhase	NumDays	35.00	31.00
tblConstructionPhase	NumDays	500.00	448.00
tblConstructionPhase	NumDays	45.00	40.00
tblConstructionPhase	NumDays	35.00	31.00
tblConstructionPhase	NumDays	20.00	18.00
tblProjectCharacteristics	UrbanizationLevel	Urban	Rural
tblTripsAndVMT	VendorTripNumber	0.00	2.00
tblTripsAndVMT	VendorTripNumber	0.00	2.00

2.0 Emissions Summary

2.1 Overall Construction (Maximum Daily Emission)

Unmitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	lb/day										lb/day					
2030	3.8431	25.8699	32.0391	0.1365	18.3084	0.4892	18.7463	9.9952	0.4891	10.4330	0.0000	13,698.2575	13,698.2575	0.5311	0.0000	13,711.5348
2031	3.6510	25.5866	31.0722	0.1353	8.8708	0.1970	9.0678	2.3844	0.1937	2.5781	0.0000	13,571.2100	13,571.2100	0.5203	0.0000	13,584.2185
2032	18.3980	25.3420	30.2612	0.1342	8.8708	0.3314	9.0652	2.3844	0.3313	2.5757	0.0000	13,462.8193	13,462.8193	0.5096	0.0000	13,475.5596
Maximum	18.3980	25.8699	32.0391	0.1365	18.3084	0.4892	18.7463	9.9952	0.4891	10.4330	0.0000	13,698.2575	13,698.2575	0.5311	0.0000	13,711.5348

Mitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	lb/day										lb/day					
2030	2.8618	20.1700	33.4462	0.1365	18.3084	0.1029	18.3717	9.9952	0.1028	10.0584	0.0000	13,698.2575	13,698.2575	0.5311	0.0000	13,711.5348
2031	2.6697	19.8867	32.3754	0.1353	8.8708	0.0897	8.9604	2.3844	0.0864	2.4708	0.0000	13,571.2100	13,571.2100	0.5203	0.0000	13,584.2185
2032	18.3980	19.6421	31.5645	0.1342	8.8708	0.0870	8.9578	2.3844	0.0839	2.4683	0.0000	13,462.8193	13,462.8193	0.5096	0.0000	13,475.5596
Maximum	18.3980	20.1700	33.4462	0.1365	18.3084	0.1029	18.3717	9.9952	0.1028	10.0584	0.0000	13,698.2575	13,698.2575	0.5311	0.0000	13,711.5348

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	7.58	22.27	-4.30	0.00	0.00	72.53	1.60	0.00	73.08	3.78	0.00	0.00	0.00	0.00	0.00	0.00

3.0 Construction Detail

Construction Phase

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Site Preparation	Site Preparation	5/1/2030	5/25/2030	5	18	
2	Fine Grading	Grading	5/26/2030	7/19/2030	5	40	
3	Utility Trenching	Trenching	7/20/2030	8/2/2030	5	10	
4	Building Construction	Building Construction	8/3/2030	4/21/2032	5	448	
5	Paving	Paving	4/22/2032	6/3/2032	5	31	
6	Architectural Coating	Architectural Coating	6/4/2032	7/16/2032	5	31	
7	Finishing/Landscaping	Trenching	7/17/2032	7/31/2032	5	10	

Acres of Grading (Site Preparation Phase): 0

Acres of Grading (Grading Phase): 0

Acres of Paving: 30.11

Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 110,700; Non-Residential Outdoor: 36,900; Striped Parking Area:

OffRoad Equipment

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Site Preparation	Rubber Tired Dozers	3	8.00	247	0.40
Site Preparation	Tractors/Loaders/Backhoes	4	8.00	97	0.37
Fine Grading	Excavators	2	8.00	158	0.38
Fine Grading	Graders	1	8.00	187	0.41
Fine Grading	Rubber Tired Dozers	1	8.00	247	0.40
Fine Grading	Scrapers	2	8.00	367	0.48
Fine Grading	Tractors/Loaders/Backhoes	2	8.00	97	0.37
Utility Trenching	Excavators	1	8.00	158	0.38
Building Construction	Cranes	1	7.00	231	0.29
Building Construction	Forklifts	3	8.00	89	0.20
Building Construction	Generator Sets	1	8.00	84	0.74
Building Construction	Tractors/Loaders/Backhoes	3	7.00	97	0.37
Building Construction	Welders	1	8.00	46	0.45
Paving	Pavers	2	8.00	130	0.42
Paving	Paving Equipment	2	8.00	132	0.36
Paving	Rollers	2	8.00	80	0.38
Architectural Coating	Air Compressors	1	6.00	76	0.48
Finishing/Landscaping	Excavators	1	8.00	158	0.38

Trips and VMT

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Site Preparation	7	18.00	2.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT
Fine Grading	8	20.00	2.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT
Utility Trenching	1	3.00	0.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	9	585.00	228.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT
Paving	6	15.00	0.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT

Architectural Coating	1	117.00	0.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT
Finishing/Landscaping	1	3.00	0.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

Use Cleaner Engines for Construction Equipment

3.2 Site Preparation - 2030

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					18.0663	0.0000	18.0663	9.9307	0.0000	9.9307			0.0000			0.0000
Off-Road	2.4399	13.6680	16.2918	0.0466		0.4367	0.4367		0.4367	0.4367		4,409.7537	4,409.7537	0.2176		4,415.1936
Total	2.4399	13.6680	16.2918	0.0466	18.0663	0.4367	18.5029	9.9307	0.4367	10.3673		4,409.7537	4,409.7537	0.2176		4,415.1936

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	4.5300e-003	0.1466	0.0331	5.0000e-004	0.0123	1.6000e-004	0.0124	3.5300e-003	1.5000e-004	3.6900e-003		52.0153	52.0153	2.9000e-003		52.0878
Worker	0.0621	0.0378	0.3725	1.5000e-003	0.2299	1.0300e-003	0.2309	0.0610	9.5000e-004	0.0619		149.8760	149.8760	2.5800e-003		149.9406
Total	0.0666	0.1843	0.4056	2.0000e-003	0.2422	1.1900e-003	0.2434	0.0645	1.1000e-003	0.0656		201.8913	201.8913	5.4800e-003		202.0284

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					18.0663	0.0000	18.0663	9.9307	0.0000	9.9307			0.0000			0.0000
Off-Road	0.4656	2.0175	20.8690	0.0466		0.0621	0.0621		0.0621	0.0621	0.0000	4,409.7537	4,409.7537	0.2176		4,415.1936
Total	0.4656	2.0175	20.8690	0.0466	18.0663	0.0621	18.1283	9.9307	0.0621	9.9928	0.0000	4,409.7537	4,409.7537	0.2176		4,415.1936

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	4.5300e-003	0.1466	0.0331	5.0000e-004	0.0123	1.6000e-004	0.0124	3.5300e-003	1.5000e-004	3.6900e-003		52.0153	52.0153	2.9000e-003		52.0878
Worker	0.0621	0.0378	0.3725	1.5000e-003	0.2299	1.0300e-003	0.2309	0.0610	9.5000e-004	0.0619		149.8760	149.8760	2.5800e-003		149.9406
Total	0.0666	0.1843	0.4056	2.0000e-003	0.2422	1.1900e-003	0.2434	0.0645	1.1000e-003	0.0656		201.8913	201.8913	5.4800e-003		202.0284

3.3 Fine Grading - 2030

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					8.6733	0.0000	8.6733	3.5965	0.0000	3.5965			0.0000			0.0000
Off-Road	3.2807	13.8462	23.0239	0.0699		0.4879	0.4879		0.4879	0.4879		7,213.1086	7,213.1086	0.2915		7,220.3963
Total	3.2807	13.8462	23.0239	0.0699	8.6733	0.4879	9.1613	3.5965	0.4879	4.0844		7,213.1086	7,213.1086	0.2915		7,220.3963

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	4.5300e-003	0.1466	0.0331	5.0000e-004	0.0123	1.6000e-004	0.0124	3.5300e-003	1.5000e-004	3.6900e-003		52.0153	52.0153	2.9000e-003		52.0878
Worker	0.0690	0.0420	0.4139	1.6700e-003	0.2555	1.1400e-003	0.2566	0.0678	1.0500e-003	0.0688		166.5289	166.5289	2.8700e-003		166.6007
Total	0.0735	0.1885	0.4470	2.1700e-003	0.2677	1.3000e-003	0.2690	0.0713	1.2000e-003	0.0725		218.5442	218.5442	5.7700e-003		218.6885

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					8.6733	0.0000	8.6733	3.5965	0.0000	3.5965			0.0000			0.0000
Off-Road	0.7616	3.3000	32.9991	0.0699		0.1015	0.1015		0.1015	0.1015	0.0000	7,213.1086	7,213.1086	0.2915		7,220.3963
Total	0.7616	3.3000	32.9991	0.0699	8.6733	0.1015	8.7749	3.5965	0.1015	3.6980	0.0000	7,213.1086	7,213.1086	0.2915		7,220.3963

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	4.5300e-003	0.1466	0.0331	5.0000e-004	0.0123	1.6000e-004	0.0124	3.5300e-003	1.5000e-004	3.6900e-003		52.0153	52.0153	2.9000e-003		52.0878
Worker	0.0690	0.0420	0.4139	1.6700e-003	0.2555	1.1400e-003	0.2566	0.0678	1.0500e-003	0.0688		166.5289	166.5289	2.8700e-003		166.6007
Total	0.0735	0.1885	0.4470	2.1700e-003	0.2677	1.3000e-003	0.2690	0.0713	1.2000e-003	0.0725		218.5442	218.5442	5.7700e-003		218.6885

3.4 Utility Trenching - 2030

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.2256	0.5559	3.5601	6.3500e-003		0.0244	0.0244		0.0244	0.0244		601.7856	601.7856	0.0201		602.2886
Total	0.2256	0.5559	3.5601	6.3500e-003		0.0244	0.0244		0.0244	0.0244		601.7856	601.7856	0.0201		602.2886

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0104	6.2900e-003	0.0621	2.5000e-004	0.0383	1.7000e-004	0.0385	0.0102	1.6000e-004	0.0103		24.9793	24.9793	4.3000e-004		24.9901
Total	0.0104	6.2900e-003	0.0621	2.5000e-004	0.0383	1.7000e-004	0.0385	0.0102	1.6000e-004	0.0103		24.9793	24.9793	4.3000e-004		24.9901

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.0635	0.2753	3.9180	6.3500e-003		8.4700e-003	8.4700e-003		8.4700e-003	8.4700e-003	0.0000	601.7856	601.7856	0.0201		602.2886
Total	0.0635	0.2753	3.9180	6.3500e-003		8.4700e-003	8.4700e-003		8.4700e-003	8.4700e-003	0.0000	601.7856	601.7856	0.0201		602.2886

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0104	6.2900e-003	0.0621	2.5000e-004	0.0383	1.7000e-004	0.0385	0.0102	1.6000e-004	0.0103		24.9793	24.9793	4.3000e-004		24.9901
Total	0.0104	6.2900e-003	0.0621	2.5000e-004	0.0383	1.7000e-004	0.0385	0.0102	1.6000e-004	0.0103		24.9793	24.9793	4.3000e-004		24.9901

3.5 Building Construction - 2030

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.3091	7.9346	16.1570	0.0310		0.1481	0.1481		0.1481	0.1481		2,897.5468	2,897.5468	0.1162		2,900.4529
Total	1.3091	7.9346	16.1570	0.0310		0.1481	0.1481		0.1481	0.1481		2,897.5468	2,897.5468	0.1162		2,900.4529

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.5162	16.7080	3.7751	0.0568	1.3985	0.0184	1.4169	0.4028	0.0176	0.4204		5,929.7411	5,929.7411	0.3309		5,938.0123
Worker	2.0178	1.2273	12.1070	0.0488	7.4722	0.0335	7.5057	1.9816	0.0308	2.0124		4,870.9697	4,870.9697	0.0840		4,873.0697
Total	2.5340	17.9353	15.8821	0.1056	8.8708	0.0519	8.9226	2.3844	0.0484	2.4327		10,800.7108	10,800.7108	0.4149		10,811.0819

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.3278	2.2347	17.4603	0.0310		0.0408	0.0408		0.0408	0.0408	0.0000	2,897.5468	2,897.5468	0.1162		2,900.4529
Total	0.3278	2.2347	17.4603	0.0310		0.0408	0.0408		0.0408	0.0408	0.0000	2,897.5468	2,897.5468	0.1162		2,900.4529

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.5162	16.7080	3.7751	0.0568	1.3985	0.0184	1.4169	0.4028	0.0176	0.4204		5,929.7411	5,929.7411	0.3309		5,938.0123
Worker	2.0178	1.2273	12.1070	0.0488	7.4722	0.0335	7.5057	1.9816	0.0308	2.0124		4,870.9697	4,870.9697	0.0840		4,873.0697
Total	2.5340	17.9353	15.8821	0.1056	8.8708	0.0519	8.9226	2.3844	0.0484	2.4327		10,800.7108	10,800.7108	0.4149		10,811.0819

3.5 Building Construction - 2031

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.3091	7.9346	16.1570	0.0310		0.1481	0.1481		0.1481	0.1481		2,897.5468	2,897.5468	0.1162		2,900.4529
Total	1.3091	7.9346	16.1570	0.0310		0.1481	0.1481		0.1481	0.1481		2,897.5468	2,897.5468	0.1162		2,900.4529

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.5034	16.5418	3.6612	0.0566	1.3986	0.0177	1.4162	0.4028	0.0169	0.4197		5,915.5142	5,915.5142	0.3286		5,923.7289
Worker	1.8385	1.1102	11.2540	0.0477	7.4722	0.0312	7.5034	1.9816	0.0287	2.0103		4,758.1490	4,758.1490	0.0755		4,760.0368
Total	2.3419	17.6520	14.9152	0.1043	8.8708	0.0489	8.9197	2.3844	0.0456	2.4300		10,673.6632	10,673.6632	0.4041		10,683.7657

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.3278	2.2347	17.4603	0.0310		0.0408	0.0408		0.0408	0.0408	0.0000	2,897.5468	2,897.5468	0.1162		2,900.4529
Total	0.3278	2.2347	17.4603	0.0310		0.0408	0.0408		0.0408	0.0408	0.0000	2,897.5468	2,897.5468	0.1162		2,900.4529

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.5034	16.5418	3.6612	0.0566	1.3986	0.0177	1.4162	0.4028	0.0169	0.4197		5,915.5142	5,915.5142	0.3286		5,923.7289
Worker	1.8385	1.1102	11.2540	0.0477	7.4722	0.0312	7.5034	1.9816	0.0287	2.0103		4,758.1490	4,758.1490	0.0755		4,760.0368
Total	2.3419	17.6520	14.9152	0.1043	8.8708	0.0489	8.9197	2.3844	0.0456	2.4300		10,673.6632	10,673.6632	0.4041		10,683.7657

3.5 Building Construction - 2032

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.3091	7.9346	16.1570	0.0310		0.1481	0.1481		0.1481	0.1481		2,897.5468	2,897.5468	0.1162		2,900.4529
Total	1.3091	7.9346	16.1570	0.0310		0.1481	0.1481		0.1481	0.1481		2,897.5468	2,897.5468	0.1162		2,900.4529

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.4937	16.3964	3.5864	0.0565	1.3986	0.0171	1.4157	0.4028	0.0164	0.4192		5,905.7851	5,905.7851	0.3251		5,913.9121
Worker	1.6828	1.0109	10.5179	0.0467	7.4722	0.0291	7.5013	1.9816	0.0268	2.0083		4,659.4874	4,659.4874	0.0683		4,661.1946
Total	2.1765	17.4073	14.1042	0.1032	8.8708	0.0462	8.9170	2.3844	0.0431	2.4275		10,565.2725	10,565.2725	0.3934		10,575.1067

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.3278	2.2347	17.4603	0.0310		0.0408	0.0408		0.0408	0.0408	0.0000	2,897.5468	2,897.5468	0.1162		2,900.4529
Total	0.3278	2.2347	17.4603	0.0310		0.0408	0.0408		0.0408	0.0408	0.0000	2,897.5468	2,897.5468	0.1162		2,900.4529

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.4937	16.3964	3.5864	0.0565	1.3986	0.0171	1.4157	0.4028	0.0164	0.4192		5,905.7851	5,905.7851	0.3251		5,913.9121
Worker	1.6828	1.0109	10.5179	0.0467	7.4722	0.0291	7.5013	1.9816	0.0268	2.0083		4,659.4874	4,659.4874	0.0683		4,661.1946
Total	2.1765	17.4073	14.1042	0.1032	8.8708	0.0462	8.9170	2.3844	0.0431	2.4275		10,565.2725	10,565.2725	0.3934		10,575.1067

3.6 Paving - 2032

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.3845	7.1202	15.8495	0.0281		0.3306	0.3306		0.3306	0.3306		2,656.5168	2,656.5168	0.1245		2,659.6302
Paving	0.0347					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	1.4192	7.1202	15.8495	0.0281		0.3306	0.3306		0.3306	0.3306		2,656.5168	2,656.5168	0.1245		2,659.6302

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0432	0.0259	0.2697	1.2000e-003	0.1916	7.5000e-004	0.1923	0.0508	6.9000e-004	0.0515		119.4740	119.4740	1.7500e-003		119.5178
Total	0.0432	0.0259	0.2697	1.2000e-003	0.1916	7.5000e-004	0.1923	0.0508	6.9000e-004	0.0515		119.4740	119.4740	1.7500e-003		119.5178

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.2805	1.2154	17.2957	0.0281		0.0374	0.0374		0.0374	0.0374	0.0000	2,656.5168	2,656.5168	0.1245		2,659.6302
Paving	0.0347					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	0.3151	1.2154	17.2957	0.0281		0.0374	0.0374		0.0374	0.0374	0.0000	2,656.5168	2,656.5168	0.1245		2,659.6302

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0432	0.0259	0.2697	1.2000e-003	0.1916	7.5000e-004	0.1923	0.0508	6.9000e-004	0.0515		119.4740	119.4740	1.7500e-003		119.5178
Total	0.0432	0.0259	0.2697	1.2000e-003	0.1916	7.5000e-004	0.1923	0.0508	6.9000e-004	0.0515		119.4740	119.4740	1.7500e-003		119.5178

3.7 Architectural Coating - 2032

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	17.9307					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.1308	0.8563	1.7977	2.9700e-003		0.0203	0.0203		0.0203	0.0203		281.4481	281.4481	0.0114		281.7328
Total	18.0615	0.8563	1.7977	2.9700e-003		0.0203	0.0203		0.0203	0.0203		281.4481	281.4481	0.0114		281.7328

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.3366	0.2022	2.1036	9.3300e-003	1.4945	5.8200e-003	1.5003	0.3963	5.3500e-003	0.4017		931.8975	931.8975	0.0137		932.2389
Total	0.3366	0.2022	2.1036	9.3300e-003	1.4945	5.8200e-003	1.5003	0.3963	5.3500e-003	0.4017		931.8975	931.8975	0.0137		932.2389

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	17.9307					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.1308	0.8563	1.7977	2.9700e-003		0.0203	0.0203		0.0203	0.0203	0.0000	281.4481	281.4481	0.0114		281.7328
Total	18.0615	0.8563	1.7977	2.9700e-003		0.0203	0.0203		0.0203	0.0203	0.0000	281.4481	281.4481	0.0114		281.7328

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.3366	0.2022	2.1036	9.3300e-003	1.4945	5.8200e-003	1.5003	0.3963	5.3500e-003	0.4017		931.8975	931.8975	0.0137		932.2389
Total	0.3366	0.2022	2.1036	9.3300e-003	1.4945	5.8200e-003	1.5003	0.3963	5.3500e-003	0.4017		931.8975	931.8975	0.0137		932.2389

3.8 Finishing/Landscaping - 2032

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.2256	0.5559	3.5601	6.3500e-003		0.0244	0.0244		0.0244	0.0244		601.7856	601.7856	0.0201		602.2886
Total	0.2256	0.5559	3.5601	6.3500e-003		0.0244	0.0244		0.0244	0.0244		601.7856	601.7856	0.0201		602.2886

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	8.6300e-003	5.1800e-003	0.0539	2.4000e-004	0.0383	1.5000e-004	0.0385	0.0102	1.4000e-004	0.0103		23.8948	23.8948	3.5000e-004		23.9036
Total	8.6300e-003	5.1800e-003	0.0539	2.4000e-004	0.0383	1.5000e-004	0.0385	0.0102	1.4000e-004	0.0103		23.8948	23.8948	3.5000e-004		23.9036

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.0635	0.2753	3.9180	6.3500e-003		8.4700e-003	8.4700e-003		8.4700e-003	8.4700e-003	0.0000	601.7856	601.7856	0.0201		602.2886
Total	0.0635	0.2753	3.9180	6.3500e-003		8.4700e-003	8.4700e-003		8.4700e-003	8.4700e-003	0.0000	601.7856	601.7856	0.0201		602.2886

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	8.6300e-003	5.1800e-003	0.0539	2.4000e-004	0.0383	1.5000e-004	0.0385	0.0102	1.4000e-004	0.0103		23.8948	23.8948	3.5000e-004		23.9036
Total	8.6300e-003	5.1800e-003	0.0539	2.4000e-004	0.0383	1.5000e-004	0.0385	0.0102	1.4000e-004	0.0103		23.8948	23.8948	3.5000e-004		23.9036

10.0 Stationary Equipment

Fire Pumps and Emergency Generators

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	------------	-------------	-------------	-----------

Boilers

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type
----------------	--------	----------------	-----------------	---------------	-----------

User Defined Equipment

Equipment Type	Number
----------------	--------

11.0 Vegetation

Hamilton High School Expansion Phase 2 Mitigated Construction - Glenn County, Annual

**Hamilton High School Expansion Phase 2 Mitigated Construction
Glenn County, Annual**

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
High School	82.00	1000sqft	1.88	82,000.00	0
Other Asphalt Surfaces	18.00	1000sqft	0.41	18,000.00	0
Other Non-Asphalt Surfaces	1,293.92	1000sqft	29.70	1,293,920.00	0

1.2 Other Project Characteristics

Urbanization	Rural	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	61
Climate Zone	3			Operational Year	2032
Utility Company	Pacific Gas & Electric Company				
CO2 Intensity (lb/MWhr)	641.35	CH4 Intensity (lb/MWhr)	0.029	N2O Intensity (lb/MWhr)	0.006

1.3 User Entered Comments & Non-Default Data

Project Characteristics -

Land Use - BSF is conservative based on data provided by applicant

Construction Phase - schedule normalized based on CalEEMod defaults and data provided by applicant

Off-road Equipment -

Off-road Equipment -

Off-road Equipment -

Off-road Equipment - assuming 1 excavator for finishing/landscaping

Off-road Equipment -

tblConstEquipMitigation	Tier	No Change	Tier 4 Final
tblConstEquipMitigation	Tier	No Change	Tier 4 Final
tblConstEquipMitigation	Tier	No Change	Tier 4 Final
tblConstEquipMitigation	Tier	No Change	Tier 4 Final
tblConstEquipMitigation	Tier	No Change	Tier 4 Final
tblConstructionPhase	NumDays	35.00	31.00
tblConstructionPhase	NumDays	500.00	448.00
tblConstructionPhase	NumDays	45.00	40.00
tblConstructionPhase	NumDays	35.00	31.00
tblConstructionPhase	NumDays	20.00	18.00
tblProjectCharacteristics	UrbanizationLevel	Urban	Rural
tblTripsAndVMT	VendorTripNumber	0.00	2.00
tblTripsAndVMT	VendorTripNumber	0.00	2.00

2.0 Emissions Summary

2.1 Overall Construction

Unmitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	tons/yr										MT/yr					
2030	0.2855	1.7890	2.3512	9.3800e-003	0.8014	0.0245	0.8259	0.2868	0.0244	0.3111	0.0000	855.0047	855.0047	0.0321	0.0000	855.8082
2031	0.4523	3.3335	4.0532	0.0180	1.1168	0.0257	1.1425	0.3011	0.0253	0.3264	0.0000	1,641.9068	1,641.9068	0.0593	0.0000	1,643.3889
2032	0.4410	1.1421	1.5396	6.1600e-003	0.3677	0.0134	0.3811	0.0991	0.0133	0.1124	0.0000	558.6701	558.6701	0.0200	0.0000	559.1704
Maximum	0.4523	3.3335	4.0532	0.0180	1.1168	0.0257	1.1425	0.3011	0.0253	0.3264	0.0000	1,641.9068	1,641.9068	0.0593	0.0000	1,643.3889

Mitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	tons/yr										MT/yr					
2030	0.1641	1.1669	2.6634	9.3800e-003	0.8014	7.6200e-003	0.8090	0.2868	7.4300e-003	0.2942	0.0000	855.0043	855.0043	0.0321	0.0000	855.8078
2031	0.3242	2.5897	4.2233	0.0180	1.1168	0.0117	1.1285	0.3011	0.0113	0.3124	0.0000	1,641.9064	1,641.9064	0.0593	0.0000	1,643.3885
2032	0.3838	0.8212	1.6159	6.1600e-003	0.3677	4.5100e-003	0.3722	0.0991	4.3800e-003	0.1034	0.0000	558.6699	558.6699	0.0200	0.0000	559.1702
Maximum	0.3838	2.5897	4.2233	0.0180	1.1168	0.0117	1.1285	0.3011	0.0113	0.3124	0.0000	1,641.9064	1,641.9064	0.0593	0.0000	1,643.3885

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	26.02	26.93	-7.03	0.00	0.00	62.60	1.70	0.00	63.34	5.31	0.00	0.00	0.00	0.00	0.00	0.00

Quarter	Start Date	End Date	Maximum Unmitigated ROG + NOX (tons/quarter)	Maximum Mitigated ROG + NOX (tons/quarter)
1	5-1-2030	7-31-2030	0.4908	0.1106
2	8-1-2030	10-31-2030	0.9483	0.7332
3	11-1-2030	1-31-2031	0.9710	0.7515
4	2-1-2031	4-30-2031	0.9260	0.7136
5	5-1-2031	7-31-2031	0.9503	0.7308
6	8-1-2031	10-31-2031	0.9538	0.7343
7	11-1-2031	1-31-2032	0.9561	0.7366
8	2-1-2032	4-30-2032	0.8594	0.6436
9	5-1-2032	7-31-2032	0.4069	0.3194
		Highest	0.9710	0.7515

3.0 Construction Detail

Construction Phase

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Site Preparation	Site Preparation	5/1/2030	5/25/2030	5	18	

2	Fine Grading	Grading	5/26/2030	7/19/2030	5	40
3	Utility Trenching	Trenching	7/20/2030	8/2/2030	5	10
4	Building Construction	Building Construction	8/3/2030	4/21/2032	5	448
5	Paving	Paving	4/22/2032	6/3/2032	5	31
6	Architectural Coating	Architectural Coating	6/4/2032	7/16/2032	5	31
7	Finishing/Landscaping	Trenching	7/17/2032	7/31/2032	5	10

Acres of Grading (Site Preparation Phase): 0

Acres of Grading (Grading Phase): 0

Acres of Paving: 30.11

Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 110,700; Non-Residential Outdoor: 36,900; Striped Parking Area:

OffRoad Equipment

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Site Preparation	Rubber Tired Dozers	3	8.00	247	0.40
Site Preparation	Tractors/Loaders/Backhoes	4	8.00	97	0.37
Fine Grading	Excavators	2	8.00	158	0.38
Fine Grading	Graders	1	8.00	187	0.41
Fine Grading	Rubber Tired Dozers	1	8.00	247	0.40
Fine Grading	Scrapers	2	8.00	367	0.48
Fine Grading	Tractors/Loaders/Backhoes	2	8.00	97	0.37
Utility Trenching	Excavators	1	8.00	158	0.38
Building Construction	Cranes	1	7.00	231	0.29
Building Construction	Forklifts	3	8.00	89	0.20
Building Construction	Generator Sets	1	8.00	84	0.74
Building Construction	Tractors/Loaders/Backhoes	3	7.00	97	0.37
Building Construction	Welders	1	8.00	46	0.45
Paving	Pavers	2	8.00	130	0.42
Paving	Paving Equipment	2	8.00	132	0.36
Paving	Rollers	2	8.00	80	0.38
Architectural Coating	Air Compressors	1	6.00	78	0.48

Finishing/Landscaping	Excavators	1	8.00	158	0.38
-----------------------	------------	---	------	-----	------

Trips and VMT

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Site Preparation	7	18.00	2.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT
Fine Grading	8	20.00	2.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT
Utility Trenching	1	3.00	0.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	9	585.00	228.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT
Paving	6	15.00	0.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating	1	117.00	0.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT
Finishing/Landscaping	1	3.00	0.00	0.00	16.80	6.60	20.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

Use Cleaner Engines for Construction Equipment

3.2 Site Preparation - 2030

Unmitigated Construction On-Site

Category	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
	tons/yr										MT/yr					
Fugitive Dust					0.1626	0.0000	0.1626	0.0894	0.0000	0.0894	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0220	0.1230	0.1466	4.2000e-004		3.9300e-003	3.9300e-003		3.9300e-003	3.9300e-003	0.0000	36.0042	36.0042	1.7800e-003	0.0000	36.0486
Total	0.0220	0.1230	0.1466	4.2000e-004	0.1626	3.9300e-003	0.1665	0.0894	3.9300e-003	0.0933	0.0000	36.0042	36.0042	1.7800e-003	0.0000	36.0486

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	4.0000e-005	1.3300e-003	2.7000e-004	0.0000	1.1000e-004	0.0000	1.1000e-004	3.0000e-005	0.0000	3.0000e-005	0.0000	0.4340	0.4340	2.0000e-005	0.0000	0.4345
Worker	5.1000e-004	3.0000e-004	3.4500e-003	1.0000e-005	1.9900e-003	1.0000e-005	2.0000e-003	5.3000e-004	1.0000e-005	5.4000e-004	0.0000	1.2669	1.2669	2.0000e-005	0.0000	1.2675
Total	5.5000e-004	1.6300e-003	3.7200e-003	1.0000e-005	2.1000e-003	1.0000e-005	2.1100e-003	5.6000e-004	1.0000e-005	5.7000e-004	0.0000	1.7009	1.7009	4.0000e-005	0.0000	1.7020

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.1626	0.0000	0.1626	0.0894	0.0000	0.0894	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	4.1900e-003	0.0182	0.1878	4.2000e-004		5.6000e-004	5.6000e-004		5.6000e-004	5.6000e-004	0.0000	36.0041	36.0041	1.7800e-003	0.0000	36.0485
Total	4.1900e-003	0.0182	0.1878	4.2000e-004	0.1626	5.6000e-004	0.1632	0.0894	5.6000e-004	0.0899	0.0000	36.0041	36.0041	1.7800e-003	0.0000	36.0485

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	4.0000e-005	1.3300e-003	2.7000e-004	0.0000	1.1000e-004	0.0000	1.1000e-004	3.0000e-005	0.0000	3.0000e-005	0.0000	0.4340	0.4340	2.0000e-005	0.0000	0.4345
Worker	5.1000e-004	3.0000e-004	3.4500e-003	1.0000e-005	1.9900e-003	1.0000e-005	2.0000e-003	5.3000e-004	1.0000e-005	5.4000e-004	0.0000	1.2669	1.2669	2.0000e-005	0.0000	1.2675
Total	5.5000e-004	1.6300e-003	3.7200e-003	1.0000e-005	2.1000e-003	1.0000e-005	2.1100e-003	5.6000e-004	1.0000e-005	5.7000e-004	0.0000	1.7009	1.7009	4.0000e-005	0.0000	1.7020

3.3 Fine Grading - 2030

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.1735	0.0000	0.1735	0.0719	0.0000	0.0719	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0656	0.2769	0.4605	1.4000e-003	9.7600e-003	9.7600e-003	9.7600e-003	9.7600e-003	9.7600e-003	9.7600e-003	0.0000	130.8724	130.8724	5.2900e-003	0.0000	131.0047
Total	0.0656	0.2769	0.4605	1.4000e-003	0.1735	9.7600e-003	0.1832	0.0719	9.7600e-003	0.0817	0.0000	130.8724	130.8724	5.2900e-003	0.0000	131.0047

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	9.0000e-005	2.9400e-003	6.0000e-004	1.0000e-005	2.4000e-004	0.0000	2.4000e-004	7.0000e-005	0.0000	7.0000e-005	0.0000	0.9644	0.9644	5.0000e-005	0.0000	0.9656
Worker	1.2600e-003	7.5000e-004	8.5200e-003	3.0000e-005	4.9200e-003	2.0000e-005	4.9500e-003	1.3100e-003	2.0000e-005	1.3300e-003	0.0000	3.1282	3.1282	5.0000e-005	0.0000	3.1296
Total	1.3500e-003	3.6900e-003	9.1200e-003	4.0000e-005	5.1600e-003	2.0000e-005	5.1900e-003	1.3800e-003	2.0000e-005	1.4000e-003	0.0000	4.0926	4.0926	1.0000e-004	0.0000	4.0952

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.1735	0.0000	0.1735	0.0719	0.0000	0.0719	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0152	0.0660	0.6600	1.4000e-003	2.0300e-003	2.0300e-003	2.0300e-003	2.0300e-003	2.0300e-003	2.0300e-003	0.0000	130.8723	130.8723	5.2900e-003	0.0000	131.0045
Total	0.0152	0.0660	0.6600	1.4000e-003	0.1735	2.0300e-003	0.1755	0.0719	2.0300e-003	0.0740	0.0000	130.8723	130.8723	5.2900e-003	0.0000	131.0045

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	9.0000e-005	2.9400e-003	6.0000e-004	1.0000e-005	2.4000e-004	0.0000	2.4000e-004	7.0000e-005	0.0000	7.0000e-005	0.0000	0.9644	0.9644	5.0000e-005	0.0000	0.9656
Worker	1.2600e-003	7.5000e-004	8.5200e-003	3.0000e-005	4.9200e-003	2.0000e-005	4.9500e-003	1.3100e-003	2.0000e-005	1.3300e-003	0.0000	3.1282	3.1282	5.0000e-005	0.0000	3.1296
Total	1.3500e-003	3.6900e-003	9.1200e-003	4.0000e-005	5.1600e-003	2.0000e-005	5.1900e-003	1.3800e-003	2.0000e-005	1.4000e-003	0.0000	4.0926	4.0926	1.0000e-004	0.0000	4.0952

3.4 Utility Trenching - 2030

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	1.1300e-003	2.7800e-003	0.0178	3.0000e-005		1.2000e-004	1.2000e-004		1.2000e-004	1.2000e-004	0.0000	2.7297	2.7297	9.0000e-005	0.0000	2.7319
Total	1.1300e-003	2.7800e-003	0.0178	3.0000e-005		1.2000e-004	1.2000e-004		1.2000e-004	1.2000e-004	0.0000	2.7297	2.7297	9.0000e-005	0.0000	2.7319

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	5.0000e-005	3.0000e-005	3.2000e-004	0.0000	1.8000e-004	0.0000	1.9000e-004	5.0000e-005	0.0000	5.0000e-005	0.0000	0.1173	0.1173	0.0000	0.0000	0.1174
Total	5.0000e-005	3.0000e-005	3.2000e-004	0.0000	1.8000e-004	0.0000	1.9000e-004	5.0000e-005	0.0000	5.0000e-005	0.0000	0.1173	0.1173	0.0000	0.0000	0.1174

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	3.2000e-004	1.3800e-003	0.0196	3.0000e-005		4.0000e-005	4.0000e-005		4.0000e-005	4.0000e-005	0.0000	2.7297	2.7297	9.0000e-005	0.0000	2.7319
Total	3.2000e-004	1.3800e-003	0.0196	3.0000e-005		4.0000e-005	4.0000e-005		4.0000e-005	4.0000e-005	0.0000	2.7297	2.7297	9.0000e-005	0.0000	2.7319

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	5.0000e-005	3.0000e-005	3.2000e-004	0.0000	1.8000e-004	0.0000	1.9000e-004	5.0000e-005	0.0000	5.0000e-005	0.0000	0.1173	0.1173	0.0000	0.0000	0.1174
Total	5.0000e-005	3.0000e-005	3.2000e-004	0.0000	1.8000e-004	0.0000	1.9000e-004	5.0000e-005	0.0000	5.0000e-005	0.0000	0.1173	0.1173	0.0000	0.0000	0.1174

3.5 Building Construction - 2030

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0700	0.4245	0.8644	1.6600e-003		7.9300e-003	7.9300e-003		7.9300e-003	7.9300e-003	0.0000	140.6307	140.6307	5.6400e-003	0.0000	140.7717
Total	0.0700	0.4245	0.8644	1.6600e-003		7.9300e-003	7.9300e-003		7.9300e-003	7.9300e-003	0.0000	140.6307	140.6307	5.6400e-003	0.0000	140.7717

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0264	0.8979	0.1819	3.1000e-003	0.0726	9.7000e-004	0.0736	0.0210	9.3000e-004	0.0219	0.0000	294.0918	294.0918	0.0149	0.0000	294.4651
Worker	0.0985	0.0585	0.6668	2.7000e-003	0.3852	1.7900e-003	0.3870	0.1025	1.6500e-003	0.1041	0.0000	244.7652	244.7652	4.2600e-003	0.0000	244.8716
Total	0.1249	0.9564	0.8487	5.8000e-003	0.4578	2.7600e-003	0.4606	0.1235	2.5800e-003	0.1260	0.0000	538.8569	538.8569	0.0192	0.0000	539.3367

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0175	0.1196	0.9341	1.6600e-003		2.1800e-003	2.1800e-003		2.1800e-003	2.1800e-003	0.0000	140.6305	140.6305	5.6400e-003	0.0000	140.7715
Total	0.0175	0.1196	0.9341	1.6600e-003		2.1800e-003	2.1800e-003		2.1800e-003	2.1800e-003	0.0000	140.6305	140.6305	5.6400e-003	0.0000	140.7715

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0264	0.8979	0.1819	3.1000e-003	0.0726	9.7000e-004	0.0736	0.0210	9.3000e-004	0.0219	0.0000	294.0918	294.0918	0.0149	0.0000	294.4651
Worker	0.0985	0.0585	0.6668	2.7000e-003	0.3852	1.7900e-003	0.3870	0.1025	1.6500e-003	0.1041	0.0000	244.7652	244.7652	4.2600e-003	0.0000	244.8716
Total	0.1249	0.9564	0.8487	5.8000e-003	0.4578	2.7600e-003	0.4606	0.1235	2.5800e-003	0.1260	0.0000	538.8569	538.8569	0.0192	0.0000	539.3367

3.5 Building Construction - 2031

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.1708	1.0355	2.1085	4.0400e-003		0.0193	0.0193		0.0193	0.0193	0.0000	343.0336	343.0336	0.0138	0.0000	343.3777
Total	0.1708	1.0355	2.1085	4.0400e-003		0.0193	0.0193		0.0193	0.0193	0.0000	343.0336	343.0336	0.0138	0.0000	343.3777

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0628	2.1689	0.4299	7.5500e-003	0.1771	2.2900e-003	0.1794	0.0512	2.1800e-003	0.0534	0.0000	715.6326	715.6326	0.0362	0.0000	716.5369
Worker	0.2186	0.1291	1.5148	6.4400e-003	0.9397	4.0700e-003	0.9438	0.2499	3.7400e-003	0.2536	0.0000	583.2406	583.2406	9.3500e-003	0.0000	583.4743
Total	0.2815	2.2980	1.9447	0.0140	1.1168	6.3600e-003	1.1231	0.3011	5.9200e-003	0.3071	0.0000	1,298.8732	1,298.8732	0.0455	0.0000	1,300.0112

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0428	0.2916	2.2786	4.0400e-003		5.3200e-003	5.3200e-003		5.3200e-003	5.3200e-003	0.0000	343.0332	343.0332	0.0138	0.0000	343.3773
Total	0.0428	0.2916	2.2786	4.0400e-003		5.3200e-003	5.3200e-003		5.3200e-003	5.3200e-003	0.0000	343.0332	343.0332	0.0138	0.0000	343.3773

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0628	2.1689	0.4299	7.5500e-003	0.1771	2.2900e-003	0.1794	0.0512	2.1800e-003	0.0534	0.0000	715.6326	715.6326	0.0362	0.0000	716.5369
Worker	0.2186	0.1291	1.5148	6.4400e-003	0.9397	4.0700e-003	0.9438	0.2499	3.7400e-003	0.2536	0.0000	583.2406	583.2406	9.3500e-003	0.0000	583.4743
Total	0.2815	2.2980	1.9447	0.0140	1.1168	6.3600e-003	1.1231	0.3011	5.9200e-003	0.3071	0.0000	1,298.8732	1,298.8732	0.0455	0.0000	1,300.0112

3.5 Building Construction - 2032

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0524	0.3174	0.6463	1.2400e-003		5.9300e-003	5.9300e-003		5.9300e-003	5.9300e-003	0.0000	105.1444	105.1444	4.2200e-003	0.0000	105.2499
Total	0.0524	0.3174	0.6463	1.2400e-003		5.9300e-003	5.9300e-003		5.9300e-003	5.9300e-003	0.0000	105.1444	105.1444	4.2200e-003	0.0000	105.2499

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0189	0.6591	0.1290	2.3100e-003	0.0543	6.8000e-004	0.0550	0.0157	6.5000e-004	0.0164	0.0000	218.9932	218.9932	0.0110	0.0000	219.2674
Worker	0.0613	0.0360	0.4347	1.9300e-003	0.2880	1.1600e-003	0.2892	0.0766	1.0700e-003	0.0777	0.0000	175.0713	175.0713	2.5900e-003	0.0000	175.1362
Total	0.0802	0.6951	0.5637	4.2400e-003	0.3423	1.8400e-003	0.3442	0.0923	1.7200e-003	0.0940	0.0000	394.0645	394.0645	0.0136	0.0000	394.4035

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0131	0.0894	0.6984	1.2400e-003		1.6300e-003	1.6300e-003		1.6300e-003	1.6300e-003	0.0000	105.1443	105.1443	4.2200e-003	0.0000	105.2497
Total	0.0131	0.0894	0.6984	1.2400e-003		1.6300e-003	1.6300e-003		1.6300e-003	1.6300e-003	0.0000	105.1443	105.1443	4.2200e-003	0.0000	105.2497

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0189	0.6591	0.1290	2.3100e-003	0.0543	6.8000e-004	0.0550	0.0157	6.5000e-004	0.0164	0.0000	218.9932	218.9932	0.0110	0.0000	219.2674
Worker	0.0613	0.0360	0.4347	1.9300e-003	0.2880	1.1600e-003	0.2892	0.0766	1.0700e-003	0.0777	0.0000	175.0713	175.0713	2.5900e-003	0.0000	175.1362
Total	0.0802	0.6951	0.5637	4.2400e-003	0.3423	1.8400e-003	0.3442	0.0923	1.7200e-003	0.0940	0.0000	394.0645	394.0645	0.0136	0.0000	394.4035

3.6 Paving - 2032

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0215	0.1104	0.2457	4.3000e-004		5.1200e-003	5.1200e-003		5.1200e-003	5.1200e-003	0.0000	37.3543	37.3543	1.7500e-003	0.0000	37.3980
Paving	5.4000e-004					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	0.0220	0.1104	0.2457	4.3000e-004		5.1200e-003	5.1200e-003		5.1200e-003	5.1200e-003	0.0000	37.3543	37.3543	1.7500e-003	0.0000	37.3980

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	6.1000e-004	3.6000e-004	4.3200e-003	2.0000e-005	2.8600e-003	1.0000e-005	2.8700e-003	7.6000e-004	1.0000e-005	7.7000e-004	0.0000	1.7395	1.7395	3.0000e-005	0.0000	1.7401
Total	6.1000e-004	3.6000e-004	4.3200e-003	2.0000e-005	2.8600e-003	1.0000e-005	2.8700e-003	7.6000e-004	1.0000e-005	7.7000e-004	0.0000	1.7395	1.7395	3.0000e-005	0.0000	1.7401

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	4.3500e-003	0.0188	0.2681	4.3000e-004		5.8000e-004	5.8000e-004		5.8000e-004	5.8000e-004	0.0000	37.3542	37.3542	1.7500e-003	0.0000	37.3980
Paving	5.4000e-004					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	4.8900e-003	0.0188	0.2681	4.3000e-004		5.8000e-004	5.8000e-004		5.8000e-004	5.8000e-004	0.0000	37.3542	37.3542	1.7500e-003	0.0000	37.3980

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	6.1000e-004	3.6000e-004	4.3200e-003	2.0000e-005	2.8600e-003	1.0000e-005	2.8700e-003	7.6000e-004	1.0000e-005	7.7000e-004	0.0000	1.7395	1.7395	3.0000e-005	0.0000	1.7401
Total	6.1000e-004	3.6000e-004	4.3200e-003	2.0000e-005	2.8600e-003	1.0000e-005	2.8700e-003	7.6000e-004	1.0000e-005	7.7000e-004	0.0000	1.7395	1.7395	3.0000e-005	0.0000	1.7401

3.7 Architectural Coating - 2032

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Archit. Coating	0.2779					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	2.0300e-003	0.0133	0.0279	5.0000e-005		3.1000e-004	3.1000e-004		3.1000e-004	3.1000e-004	0.0000	3.9575	3.9575	1.6000e-004	0.0000	3.9616
Total	0.2800	0.0133	0.0279	5.0000e-005		3.1000e-004	3.1000e-004		3.1000e-004	3.1000e-004	0.0000	3.9575	3.9575	1.6000e-004	0.0000	3.9616

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	4.7500e-003	2.7900e-003	0.0337	1.5000e-004	0.0223	9.0000e-005	0.0224	5.9400e-003	8.0000e-005	6.0200e-003	0.0000	13.5680	13.5680	2.0000e-004	0.0000	13.5731
Total	4.7500e-003	2.7900e-003	0.0337	1.5000e-004	0.0223	9.0000e-005	0.0224	5.9400e-003	8.0000e-005	6.0200e-003	0.0000	13.5680	13.5680	2.0000e-004	0.0000	13.5731

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Archit. Coating	0.2779					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	2.0300e-003	0.0133	0.0279	5.0000e-005		3.1000e-004	3.1000e-004		3.1000e-004	3.1000e-004	0.0000	3.9575	3.9575	1.6000e-004	0.0000	3.9615
Total	0.2800	0.0133	0.0279	5.0000e-005		3.1000e-004	3.1000e-004		3.1000e-004	3.1000e-004	0.0000	3.9575	3.9575	1.6000e-004	0.0000	3.9615

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	4.7500e-003	2.7900e-003	0.0337	1.5000e-004	0.0223	9.0000e-005	0.0224	5.9400e-003	8.0000e-005	6.0200e-003	0.0000	13.5680	13.5680	2.0000e-004	0.0000	13.5731
Total	4.7500e-003	2.7900e-003	0.0337	1.5000e-004	0.0223	9.0000e-005	0.0224	5.9400e-003	8.0000e-005	6.0200e-003	0.0000	13.5680	13.5680	2.0000e-004	0.0000	13.5731

3.8 Finishing/Landscaping - 2032

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	1.1300e-003	2.7800e-003	0.0178	3.0000e-005		1.2000e-004	1.2000e-004		1.2000e-004	1.2000e-004	0.0000	2.7297	2.7297	9.0000e-005	0.0000	2.7319
Total	1.1300e-003	2.7800e-003	0.0178	3.0000e-005		1.2000e-004	1.2000e-004		1.2000e-004	1.2000e-004	0.0000	2.7297	2.7297	9.0000e-005	0.0000	2.7319

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	4.0000e-005	2.0000e-005	2.8000e-004	0.0000	1.8000e-004	0.0000	1.9000e-004	5.0000e-005	0.0000	5.0000e-005	0.0000	0.1122	0.1122	0.0000	0.0000	0.1123
Total	4.0000e-005	2.0000e-005	2.8000e-004	0.0000	1.8000e-004	0.0000	1.9000e-004	5.0000e-005	0.0000	5.0000e-005	0.0000	0.1122	0.1122	0.0000	0.0000	0.1123

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	3.2000e-004	1.3800e-003	0.0196	3.0000e-005		4.0000e-005	4.0000e-005		4.0000e-005	4.0000e-005	0.0000	2.7297	2.7297	9.0000e-005	0.0000	2.7319
Total	3.2000e-004	1.3800e-003	0.0196	3.0000e-005		4.0000e-005	4.0000e-005		4.0000e-005	4.0000e-005	0.0000	2.7297	2.7297	9.0000e-005	0.0000	2.7319

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	4.0000e-005	2.0000e-005	2.8000e-004	0.0000	1.8000e-004	0.0000	1.9000e-004	5.0000e-005	0.0000	5.0000e-005	0.0000	0.1122	0.1122	0.0000	0.0000	0.1123
Total	4.0000e-005	2.0000e-005	2.8000e-004	0.0000	1.8000e-004	0.0000	1.9000e-004	5.0000e-005	0.0000	5.0000e-005	0.0000	0.1122	0.1122	0.0000	0.0000	0.1123

10.0 Stationary Equipment

Fire Pumps and Emergency Generators

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	------------	-------------	-------------	-----------

Boilers

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type
----------------	--------	----------------	-----------------	---------------	-----------

User Defined Equipment

Equipment Type	Number
----------------	--------

11.0 Vegetation

A P P E N D I X B

C U L T U R A L R E S O U R C E S R E P O R T



**Cultural Resources Study for the
Hamilton Union High School Expansion Project
Hamilton City, Glenn County, California**

Taylor Alshuth, BA
and
Eileen Barrow, MA/RPA

November 20, 2019



**Cultural Resources Study for the
Hamilton Union High School Expansion Project
Hamilton City, Glenn County, California**

Prepared by:

Taylor Alshuth, BA
and
Eileen Barrow, MA/RPA

Tom Origer & Associates
Post Office Box 1531
Rohnert Park, California 94927
(707) 584-8200

Prepared for:

Steve Noack
PlaceWorks
1625 Shattuck Avenue
Berkeley, California 94709

November 20, 2019

ABSTRACT

Tom Origer & Associates conducted a cultural resources study for the Hamilton Union High School Expansion Project, Hamilton City, Glenn County, California. The study was requested and authorized by Steve Noack, PlaceWorks. This study was conducted to meet the requirements of the Hamilton Unified School District and those of the California Environmental Quality Act. The purpose of this report is to identify potential historical resources other than Tribal Cultural Resources, as defined in Public Resources Code [PRC] 21074 (a)(1)(A)-(B) and discussed in the Regulatory Context section). Tribal Cultural Resources are defined in Public Resources Code [PRC] 21074 (a)(1)(A)-(B).

The proposed project includes the acquisition of property adjacent to Hamilton High School in order to expand and modernize program space.

This study included archival research at the Northeast Information Center, Chico State University, examination of the library and files of Tom Origer & Associates, Native American contact, and field inspection of the study area. No cultural resources were found within the study area.

This report contains information about the locations of archaeological sites. For the protection of these resources, this report, and such location information, should not be publicly circulated.

Synopsis

Project: Hamilton Union High School Expansion Project
Location: 500 Sixth Street, Hamilton City, Glenn County
APN: A portion of 032-230-015
Quadrangles: Foster Island and Hamilton City 7.5' series
Study Type: Intensive
Scope: Approximately 45 acres
Field Hours: six person-hours
NEIC #: W19-180
TOA #: 2019-069
Finds: None

Key Personnel

Eileen Barrow conducted the records search at the Northeast Information Center, conducted the fieldwork, and coauthored the report for this study. Mrs. Barrow has been with Tom Origer & Associates since 2005. She holds a Master of Arts in cultural resources management from Sonoma State University. Mrs. Barrow's experience includes work that has been completed in compliance with local ordinances, CEQA, NEPA, and Section 106 (NHPA) requirements. Her professional affiliations include the Society for American Archaeology, the Society for California Archaeology, the Cotati Historical Society, the Sonoma County Historical Society, the Western Obsidian Focus Group, and the Register of Professional Archaeologists (#989269).

Taylor Alshuth coauthored the report for this study. Mr. Alshuth obtained a Bachelor of Arts degree in Anthropology from Humboldt State University in 2014, after obtaining an Associate of Arts degree in Anthropology at Santa Rosa Junior College in 2012. He has been affiliated with the Society for California Archaeology, the Archaeological Institute of America, and the Archaeological Conservancy. Mr. Alshuth has been a part of northern California archaeology since 2014.

CONTENTS

ABSTRACT i
 Synopsis..... i
 Key Personnel..... ii
INTRODUCTION 1
REGULATORY CONTEXT..... 1
 Resource Definitions 2
 Significance Criteria..... 2
PROJECT SETTING 3
 Study Area Location and Description 3
 Cultural Setting..... 5
STUDY PROCEDURES AND FINDINGS 7
 Native American Contact 7
 Native American Contact Results..... 8
 Archival Research Procedures..... 8
 Archival Research Findings..... 9
 Field Survey Procedures..... 9
 Field Survey Findings..... 10
DISCUSSION AND RECOMMENDATIONS..... 10
 Archaeological Recommendations 10
 Built Environment Recommendations..... 11
 Accidental Discovery 11
SUMMARY..... 11
MATERIALS CONSULTED..... 12

APPENDIX A: Native American Contact

FIGURES

Figure 1. Project vicinity. 1
Figure 2. Study area location 4
Figure 3. Overview photo of the study area, facing northwest. 5
Figure 4. Location of auger borings within the study area (shown in red). 10

TABLES

Table 1. Sacramento Valley Chronology..... 6
Table 2. Studies within a Quarter-mile of the Study Area..... 9

INTRODUCTION

This report describes a cultural resources study for the Hamilton High School Expansion Project, 500 Sixth Street, Hamilton City, Glenn County, California (Figure 1). The study was requested and authorized by Steve Noack, PlaceWorks. This study was conducted to meet the requirements of the Hamilton Unified School District and those of the California Environmental Quality Act (CEQA). The proposed project includes the acquisition of property adjacent to Hamilton High School in order to expand and modernize program space. Documentation pertaining to this study is on file at Tom Origer & Associates (File No. 2019-069).

REGULATORY CONTEXT

The State of California requires that cultural resources be considered during the environmental review process. This process is outlined in CEQA and accomplished by an inventory of resources within a study area and by assessing the potential that historical resources could be affected by development. The term “Historical Resources” encompasses all forms of cultural resources including prehistoric and historical archaeological sites and built environment resources (e.g., buildings, bridges, canals), that would be eligible for inclusion on the California Register of Historical Resources (California Register). An additional category of resources is defined in CEQA under the term “Tribal Cultural Resources” (Public Resources Code Section 21074). They are not addressed in this report because Tribal Cultural Resources are resources that are of specific concern to California Native American tribes, and knowledge of such resources is limited to tribal people. Pursuant to CEQA, as revised in July 2015, such resources are to be identified by tribal people in direct, confidential consultation with the lead agency (PRC §21080.3.1).




Figure 1. Project vicinity (adapted from the 1970 Chico and the 1980 Ukiah 1:250,000-scale USGS maps).

This cultural resources study was designed to satisfy environmental issues specified in the CEQA and its guidelines (Title 14 CCR §15064.5) by: (1) identifying historical resources within the project area; (2) offering a preliminary significance evaluation of the identified cultural resources; (3) assessing resource vulnerability to effects that could arise from project activities; and (4) offering suggestions designed to protect resource integrity, as warranted.

Resource Definitions

Historical resources are classified by the State Office of Historic Preservation (OHP) as sites, buildings, structures, objects and districts, and each is described by OHP (1995) as follows.

Site. A site is the location of a significant event, a prehistoric or historic occupation or activity, or a building or structure, whether standing, ruined, or vanished, where the location itself possesses historic, cultural, or archaeological value regardless of the value of any existing structure.

Building. A building, such as a house, barn, church, hotel, or similar construction, is created principally to shelter any form of human activity. “Building” may also be used to refer to a historically and functionally related unit, such as a courthouse and jail, or a house and barn.

Structure. The term “structure” is used to distinguish from buildings those functional constructions made usually for purposes other than creating human shelter.

Object. The term “object” is used to distinguish from buildings and structures those constructions that are primarily artistic in nature or are relatively small in scale and simply constructed. Although it may be, by nature or design, movable, an object is associated with a specific setting or environment.

District. A district possesses a significant concentration, linkage, or continuity of sites, buildings, structures, or objects united historically or aesthetically by plan or physical development.

Significance Criteria

When a project might impact a cultural resource, the project proponent is required to conduct an assessment to determine whether the impact may be one that is significant. Consequently, it is necessary to determine the importance of resources that could be impacted. The importance of a resource is measured in terms of criteria for inclusion on the California Register. A resource may be important if it meets any one of the criteria, or if it is already listed on the California Register or a local register (Title 14 CCR, §4852).

An important resource is one which:

1. Is associated with events that have made a significant contribution to the broad patterns of local or regional history, or the cultural heritage of California or the United States.
2. Is associated with the lives of persons important to local, California, or national history.

3. Embodies the distinctive characteristics of a type, period, region or method of construction, or represents the work of a master or possesses high artistic values.
4. Has yielded, or may be likely to yield, information important to the prehistory or history of the local area, California, or the nation.

In addition to meeting one or more of the above criteria, eligibility for the California Register requires that a resource retains sufficient integrity to convey a sense of its significance or importance. Seven elements are considered key in considering a property's integrity: location, design, setting, materials, workmanship, feeling, and association.

The OHP advocates that all resources over 45 years old be recorded for inclusion in the OHP filing system (OHP 1995:2), although the use of professional judgment is urged in determining whether a resource warrants documentation.

PROJECT SETTING

Study Area Location and Description

The study area lies within the northern portion of the Central Valley referred to as the Sacramento Valley. The Central Valley is drained by the Sacramento and San Joaquin rivers; the Sacramento River is the longest river in the state and is a little over half a mile east of the study area. Prior to European contact, the freshwater lakes, rivers, and marshes, riparian forests, and grasslands speckled with vernal pools of the Sacramento Valley provided a diverse and rich landscape that supported large populations of fish, birds, and mammals (Garone 2011:3-7). After European contact, the Sacramento Valley floor was transformed into a mosaic of irrigated agriculture, wetlands, and riparian habitats.

The study area is located at 500 Sixth Street (APN 032-230-015-000), in Hamilton City, Glenn County, as shown on the Foster Island and Hamilton City 7.5' USGS topographic maps (Figure 2). The portion of this parcel that comprises the study area fronts onto Canal Street and lies immediately northwest of Hamilton Union High School. The vicinity of the study area is comprised of large agricultural fields, as is much of Glenn County. Figure 3 provides a current overview of the study area.

The study area consists of 45 acres situated on generally level land with a percent slope of less than 1%. Review of historical maps show that the closest source of water is the Sacramento River, found 925 meters to the northwest; however, examination of the topography depicted on maps suggests that a drainage once flowed through the study area. Additionally, the Glenn-Colusa Canal is located approximately 40 meters west of the study area, across Canal Road.

The geology of the study area consists of alluvium of the Modesto Formation which dates from the late Pleistocene to early Holocene (30,000 to 5,850 years ago) (Blake *et al.* 1992).

Soils within the study area belong to the Wyo series (Begg 1968: Sheet 18). Wyo soils are moderately to very deep and well- to somewhat excessively well-draining. These soils are found on young alluvial fans and in the foothills on low benches along Stony Creek and its tributaries. In a natural state, these soils support the growth of annual grasses, forbs, stands of valley oaks. Historically, parcels containing Wyo soils were used for row, field, orchard, and truck crops, when irrigated (Begg 1968:73-74).




Figure 2. Study area location (adapted from the 1969 Foster Island and Hamilton City 7.5' USGS topographic maps).



Figure 3. Overview photo of the study area, facing northwest.

Cultural Setting

Prehistory

The concept of prehistory refers to the period of time before events were recorded in writing and varies worldwide. Because there is no written record, our understanding of California prehistory relies on archaeological materials and oral histories passed down through generations. Early archaeological research in central California began with the work of Max Uhle and Nels Nelson. Uhle is credited with the first scientific excavation in California with his work at the Emeryville Shellmound in 1902, and Nelson spent several years (1906 to 1908) surveying the San Francisco Bay margins and California coast for archaeological sites. In the 1930s, archaeologists from Sacramento Junior College and the University of California began piecing together a sequence of cultures primarily based on burial patterns and ornamental artifacts from sites in the lower Sacramento Valley (Lillard *et al.* 1939; Heizer and Fenenga 1939). Their cultural sequence became known as the Central California Taxonomic System (CCTS), which identified three culture periods termed the Early, Middle, and Late Horizons, but without offering date ranges. Refinement of the CCTS became a chief concern of archaeologists as the century progressed with publications by Richard Beardsley (1948, 1954) and Clement Meighan (1955) based on materials excavated by the University of California archaeological survey.

In 1973, David Fredrickson synthesized prior work, and in combination with his own research, he developed a chronology that is used to this day, albeit modified for locality-specific circumstances. Fredrickson's scheme shows that native peoples have occupied Central California for over 11,000 years (which is supported by Erlandson *et al.* 2007), and during that time, shifts took place in their social, political, and ideological regimes (Fredrickson 1973).

In addition, Fredrickson defined cultural patterns pertinent to the Central Valley (1973). Although Fredrickson's concept of a pattern has no temporal implications, the Windmill, Berkeley, and Augustine patterns tend to be stratified (Moratto 2004: Figure 5.11). Table 1 assimilates Fredrickson's (1973) chronology and patterns and the obsidian hydration dating scheme from Origer (1987).

Prehistoric archaeological site indicators expected to be found in the region include but are not limited to: obsidian and chert flakes and chipped stone tools; grinding and mashing implements such as slabs and hand-stones, and mortars and pestles; and locally darkened midden soils containing some of the previously listed items plus fragments of bone, shellfish, and fire-affected stones.

Table 1. Sacramento Valley Chronology

Temporal Period ¹	Approximate Time Range ¹	~ Hydration Interval (μ) ²	Patterns ³
Historical	< AD 1800	<1.2	
Upper Emergent	AD 1800 to AD 1500	1.3 - 1.8	Augustine
Lower Emergent	AD 1500 to AD 1000	1.9 - 2.5	
Upper Archaic	AD 1000 to 500 BC	2.6 - 4.0	
			Berkeley
Middle Archaic	500 BC to 3000 BC	4.1 - 5.7	Windmill
Lower Archaic	3000 BC to 6000 BC	5.8 - 7.2	
Paleo-Indian	>6000 BC	>7.2	

¹ based on Fredrickson (1994)

² based on Napa Glass Mountain rate by Origer (1987)

³ based on Moratto (2004)

Ethnography

Linguists and ethnographers tracing the evolution of languages have found that most of the indigenous languages of the California region belong to one of five widespread North American language groups (the Hokan and Penutian phyla, and the Uto-Aztecan, Algonic, and Athabaskan language families). The distribution and internal diversity of four of these groups suggest that their original centers of dispersal were outside, or peripheral to, the core territory of California, that is, the Central Valley, the Sierra Nevada, the Coast Range from Cape Mendocino to Point Conception, and the Southern California coast and islands. Only languages of the Hokan phylum can plausibly be traced back to populations inhabiting parts of this core region during the Archaic period, and there are hints of connections between certain branches of Hokan, such as that between Salinan and Seri, that suggest that at least some of the Hokan languages could have been brought into California by later immigrants, primarily from the Southwest and northwestern Mexico (Golla 2011).

At the time of European settlement, the study area was within the territory controlled by the Konkow (Valley Maidu) (Kroeber 1932; Riddell 1978). The Konkow were hunter-gatherers who lived in the mid-to-upper end of the Sacramento Valley and the foothills east of Chico and Oroville. The Konkow settled in a primary, central village from which trips would be made to small camps when seasonal resources were available. The central village contained a semi-subterranean earth-covered lodge which served as an assembly location as well as the house of the village leader. Central villages are typically located on river ridges. Trips to the valley floor were made in the spring to collect seeds. In the summer, hunting was done in the foothills. For more information about the Konkow, see Dixon 1905, Kroeber (1925), and Heizer and Hester (1970).

History

Historically, the study area is within the Capay Rancho, granted to Josefa Soto in 1844. The grant consisted of 44,388 acres that extended along the west side of the Sacramento River from Thomes Creek and Rancho Saucos on the north to Stony Creek on the south and encompassed Hamilton City and Monroeville (Cowan 1977:23). Hamilton City was founded in 1905 as a result of the construction of James Hamilton's Holly Sugar Beet factory (Hoover *et al.* 2002:100-101).

Historic period site indicators generally include: fragments of glass, ceramic, and metal objects; milled and split lumber; and structure and feature remains such as building foundations and discrete trash deposits (e.g., wells, privy pits, dumps).

STUDY PROCEDURES AND FINDINGS

Native American Contact

A request was sent to the State of California's Native American Heritage Commission (NAHC) seeking information from the Sacred Lands File and the names of Native American individuals and groups that would be appropriate to contact regarding this project. Letters were also sent to the following groups:

Enterprise Rancheria of Maidu Indians
Grindstone Rancheria of Wintun-Wailaki
Mechoopda Indian Tribe
Paskenta Band of Nomlaki Indians

This contact does not constitute consultation with tribes but informs them of our involvement with the project.

Native American Contact Results

The NAHC replied via email with a letter dated September 19, 2019, which indicated that the Sacred Lands File has no information about the presence of Native American cultural resources in the immediate project area.

A response was received from Kyle McHenry, Tribal Historic Preservation Officer for the Mechoopda Indian Tribe on November 19, 2019. Mr. McHenry stated that the study area is within their ancestral lands and they believe the study area is highly sensitive. They request that a monitor from the Mechoopda Indian Tribe be present during earth moving and grading activities.

A log of contact efforts is appended to this report, along with copies of correspondence (see Appendix A).

Archival Research Procedures

Archival research included examination of the library and project files at Tom Origer & Associates. This research is meant to assess the potential to encounter archaeological sites and built environment within the study area. Research was also completed to determine the potential for buried archaeological deposits.

A review (NEIC File No. W19-180) was completed of the archaeological site base maps and records, survey reports, and other materials on file at the Northeast Information Center (NEIC), University of California, Chico by Eileen Barrow on November 4, 2019. Sources of information included but were not limited to the current listings of properties on the National Register of Historic Places, California Historical Landmarks, California Register of Historical Resources, and California Points of Historical Interest as listed in the OHP's *Historic Property Directory* (2012).

The OHP has determined that structures in excess of 45 years of age could be important historical resources, and former building and structure locations could be important archaeological sites. Archival research included an examination of 19th and 20th-century maps and aerial photographs to gain insight into the nature and extent of historical development in the general vicinity, and especially within the study area.

Ethnographic literature that describes appropriate Native American groups, county histories, and other primary and secondary sources were reviewed. Sources reviewed are listed in the "Materials Consulted" section of this report.

Several models for predicting a location's sensitivity for buried archaeological sites have been developed throughout the state (Byrd *et al.* 2017; Meyer and Rosenthal 2007, 2008; Rosenthal and Meyer 2004a, 2004b; Meyer *et al.* 2010). These models are based on the age of the landform, slope, and proximity to water. A location is considered to have the highest sensitivity if the landform dates to the Holocene, has a slope of five percent or less, is within 150 meters of freshwater, and 150 meters of a confluence. Note: the Holocene Epoch is the current period of geologic time, which began about 11,700 years ago, and coincides with the emergence of human occupation of the area. A basic premise of the model is that archaeological deposits will not be buried within landforms that predate human colonization of the area. Calculating these factors using the buried site model (Byrd *et al.* 2017:Tables 11 and 12), a location's sensitivity will be scored on a scale of 1-10 and classed as follows: lowest (<1); low (1-3); moderate (3-5.5); high (5.5-7.5); highest (>7.5).

Archival Research Findings

Archival research found that the no previous cultural resources study area had not been previously subjected to a cultural resources study. Five studies have been conducted within a quarter-mile of the study area (Table 2). Two resources have been recorded within a quarter-mile of the study area. The first resource is a segment of the Glenn-Colusa Canal (P-11-000605) (Melvin and Freeman 2008). The portion of the canal recorded nearest to the study area is where the canal intersects with Highway 32; however, the canal extends beyond this point and can be found immediately across Canal Street from the study area. The other resource is a lithic scatter (P-11-000724) located 970 feet away and would not extend into the study area (Rosenthal and Stillman 2010).

Table 2. Studies within a Quarter-mile of the Study Area

Author	Date	S#
Johnson and Johnson	1974	1137
Vaughan	2001	5605
Bass	1984	6931
Jensen	2006	8375
Leach-Palm <i>et al.</i>	2008	9539

There are no reported ethnographic sites within one mile of the study area (Dryer 1984; Heizer and Hester 1970; Kroeber 1925, 1932).

A review of 19th and 20th century maps shows no buildings within the study area (GLO 1858; USACE 1951a, 1951b; USGS 1904, 1906, 1914a, 1914b, 1949, 1950a, 1950b, 1951a, 1951b, 1969a, 1969b). Review of aerial photos shows that a well and power line are within the study area after 1998.

Based on landform age, our analysis of the environmental setting, and taking into account the studies conducted throughout the state, (Byrd *et al.* 2017; Meyer and Rosenthal 2007, 2008; Rosenthal and Meyer 2004a, 2004b; Meyer *et al.* 2010), there is a high potential (5.6) for buried archaeological site indicators within the study area.

Field Survey Procedures

An intensive field survey was completed Eileen Barrow on November 3, 2019. Six hours were spent in the field and field conditions were sunny and warm. Surface examination consisted of walking in 15-meter transects. Normally, a hoe would be used to clear vegetation; however, the study area had been recently disced and ground visibility was excellent.

In addition to our surface survey, five hand-dug auger borings were excavated using a 4-inch diameter barrel auger to examine subsurface soils (see Figure 4). The auger borings were excavated to depths between 120 to 150 centimeters.




Figure 4. Location of auger borings within the study area (shown in red).

Field Survey Findings

Archaeology

No archaeological site indicators were observed during the course of the survey.

Additionally, no archaeological site indicators were found within the auger borings. Soils in all five auger holes were consistent with the soil survey description for the study area.

Built Environment

Located within the study area are a well and a power line to the well.

DISCUSSION AND RECOMMENDATIONS

Field survey found no archaeological sites within the study area. Application of buried sites model indicates a high potential for buried sites; however, no archaeological site indicators or soils were found in the five auger borings.

The well and power line are too new to be considered eligible for inclusion on the California Register.

Archaeological Recommendations

No recommendations are warranted.

Built Environment Recommendations

No recommendations are warranted.

Accidental Discovery

In keeping with the CEQA guidelines, if archaeological remains are uncovered, work at the place of discovery should be halted immediately until a qualified archaeologist can evaluate the finds (§15064.5 [f]). Prehistoric archaeological site indicators include: obsidian and chert flakes and chipped stone tools; grinding and mashing implements (e.g., slabs and handstones, and mortars and pestles); bedrock outcrops and boulders with mortar cups; and locally darkened midden soils. Midden soils may contain a combination of any of the previously listed items with the possible addition of bone and shell remains, and fire-affected stones. Historic period site indicators generally include: fragments of glass, ceramic, and metal objects; milled and split lumber; and structure and feature remains such as building foundations and discrete trash deposits (e.g., wells, privy pits, dumps).

The following actions are promulgated in the CEQA Guidelines Section 15064.5(d) and pertain to the discovery of human remains. If human remains are encountered, excavation or disturbance of the location must be halted in the vicinity of the find, and the county coroner contacted. If the coroner determines the remains are Native American, the coroner will contact the NAHC. The NAHC will identify the person or persons believed to be most likely descended from the deceased Native American. The most likely descendent makes recommendations regarding the treatment of the remains with appropriate dignity.

SUMMARY

Tom Origer & Associates completed a cultural resources study for the Hamilton High School Expansion Project, Hamilton City, Glenn County, California. The study was requested and authorized by Steve Noack, PlaceWorks. This study was conducted to meet the requirements of the Hamilton Unified School District and those of CEQA. No cultural resources were found within the study area; therefore, no resource-specific recommendations are warranted. Documentation pertaining to this study is on file at the offices of Tom Origer & Associates (File No. 2019-069).

MATERIALS CONSULTED

- Barbour, M. and J. Major, ed.
1988 *Terrestrial Vegetation of California*. California Native Plant Society.
- Bass, H.
1984 *Negative Archaeological Survey Report for the Glenn-Colusa Canal Bridge*. Document #6931 on file at the Northeast Information Center, California State University, Chico.
- Beardsley, R.
1948 Culture Sequences in Central California Archaeology. In *American Antiquity* Vol. 14, No. 1, pp. 1-28.
1954 *Temporal and Areal Relationships in Central California Archaeology*. Reports of the University of California Archaeological Survey 24-25. Berkeley, California.
- Begg, E.
1972 *Soil Survey of Glenn County, California*. U.S. Department of Agriculture in cooperation with the University of California Agricultural Experiment Station.
- Blake, M., E. Helley, A. Jayko, D. Jones, and H. Ohlin
1992 *Geologic Map of the Willows 1;100,000 Quadrangle, California*. U.S. Geologic Survey. Menlo Park, California.
- Byrd, B., A. Whitaker, P. Mikkelsen, J. Rosenthal, J. Meyer, and P. Kaijankoski
2017 Discovering Sites: Geoarchaeological Approaches to Site Sensitivity and Predictive Modeling. In, *San Francisco Bay-Delta Region Context and Research Design for Native American Archaeological Resources Caltrans District 4*. B. Byrd, A. Whitaker, P. Mikkelsen, and J. Rosenthal. Pp 4-1 through 4-13. On file at the Caltrans District 04 Office of Cultural Resource Studies, Oakland, California.
- DeJarnett, J.
1874 *Official Map of Colusa County, California*. A.L. Bancroft & Co. Lith. San Francisco.
- DeJarnett & Crane
1885 *Official Map of Colusa County, California*. Britton & Rey. San Francisco.
- Department of Parks and Recreation
1976 *California Inventory of Historical Resources*. State of California, Sacramento.
- Dixon, R.
1905 The Northern Maidu. *Bulletin of the American Museum of Natural History*. 17(3):119-346. New York.
- Dryer, W.
1984 *Prehistoric Settlement Strategies in a Portion of the Northern Sacramento Valley, California*. Unpublished Masters Thesis, California State University, Chico.

- Erlandson, J., T. Rick, T. Jones, and J. Porcasi
 2007 One if by Land, Two if by Sea: Who Were the First Californians? In: *California Prehistory: Colonization, Culture, and Complexity*. (pp 53-62) T. Jones and K. Klar, editors. AltaMira Press. Lanham, MD.
- Garone, P.
 2011 *The Fall and Rise of the Wetlands of California's Great Central Valley*. University of California Press. Berkeley, California.
- General Land Office (GLO)
 1858 *Plat of the Rancho Capay*. Department of the Interior, Washington, D.C.
- Golla, V.
 2007 Linguistic Prehistory. In *California Prehistory: Colonization, Culture, and Complexity* edited by T. Jones and K. Klar, pp. 71-82. Alta Mira Press, Lanham, Maryland.
- Heizer, R. and F. Fenenga
 1939 Archaeological Horizons in Central California. *American Anthropologist*, Vol. 41, pp. 378-399.
- Heizer, R. and T. Hester
 1970 Names and Locations of Someth Ethnographic Patwin and Maidu Indian Villages. *University of California Archaeological Research Facility Contributions*. 9(5): 79-118. Berkeley.
- Hoover, M., H. Rensch, E. Rensch, and W. Abeloe
 1966 *Historic Spots in California*. 3rd edition. Stanford University Press, Stanford.
- Hoover, M., H. Rensch, E. Rensch, W. Abeloe, and D. Kyle
 1990 *Historic Spots in California*. 4th edition. Stanford University Press, Stanford.
- 2002 *Historic Spots in California*. 5th edition. Stanford University Press, Stanford.
- Jensen
 2006 Letter report regarding an Archaeological Survey, 6.47 acre Horn Development Project, Hamilton City, Glenn County, California. Document #8375 on file at the Northeast Information Center, California State University, Chico.
- Johnson, J. and P. Johnson
 1974 *Cultural Resources Along the Sacramento River from Keswick Dam to Sacramento*. Document #1137 on file at the Northeast Information Center, California State University, Chico.
- Kroeber, A.
 1925 *Handbook of the Indians of California*. Bureau of American Ethnology, Bulletin 78, Smithsonian Institution, Washington, D.C.
- 1932 The Patwin and their Neighbors. *University of California Publications in American Archaeology and Ethnology*. Vol. 29, No. 4, pp. 253-423.
- Leach-Palm, L., P. Mikkelsen, P. Brandy, J. King, L. Hartman, and B. Larson
 2008 *Cultural Resources Inventory of Caltrans District 3 Rural Conventional Highways in Butte, Colusa, El Dorado, Glenn, Nevada, Placer, Sacramento, Sierra, Sutter, Yolo, and Yuba*

- Counties*. Document #9539 on file at the Northeast Information Center, California State University, Chico.
- Lillard, J., R. Heizer, and F. Fenenga
 1939 *An Introduction to the Archaeology of Central California*. Sacramento Junior College Department of Anthropology, Bulletin 2, pp. 93, figs. 20 and map, pls. 31).
- Meighan, C.
 1955 *Archaeology of the North Coast Ranges, California*. Reports of the University of California Archaeological Survey No. 30. University of California, Berkeley.
- Melvin, S. and J. Freeman
 2008 Primary Record for P-11-000605. Document on file at the Northeast Information Center, California State University, Chico.
- Meyer, J. and J. Rosenthal
 2007 *Geoarchaeological Overview of the Nine Bay Area Counties in Caltrans District 4*. Document S-33600 on file at the Northwest Information Center, Sonoma State University, Rohnert Park.
 2008 *A Geoarchaeological Overview and Assessment of Caltrans District 3 - Cultural Resources Inventory of Caltrans District 3 Rural Conventional Highways*. Document on file at the Northeast Information Center, California State University, Chico.
- Meyer, J., D. Young, and J. Rosenthal
 2010 *Volume I: A Geoarchaeological Overview and Assessment of Caltrans Districts 6 and 9*. Document on file at the Northeast Information Center, California State University, Chico.
- Moratto, M.
 1984 *California Archaeology*. Academic Press, San Francisco.
- Munz, P. and D. Keck
 1973 *A California Flora and Supplement*. University of California Press, Berkeley.
- Office of Historic Preservation (OHP)
 1995 *Instructions for Recording Historical Resources*. California Office of Historic Preservation, Sacramento.
 2012 *Historic Property Directory*. Office of Historic Preservation, Sacramento.
- Origer, T.
 1987 *Temporal Control in the Southern North Coast Ranges of California: The Application of Obsidian Hydration Analysis*. Papers in Northern California Anthropology, Number 1, Berkeley.
- Riddell, F.
 1978 Maidu and Konkow. In *California*, edited by R. Heizer, pp. 370-386. Handbook of North American Indians, Vol. 8, W. Sturtevant, general editor. Smithsonian Institution, Washington, D.C.

Rosenthal, J. and J. Meyer

2004a *Landscape Evolution and the Archaeological Record: A Geoarchaeological Study of the Southern Santa Clara Valley and Surrounding Region*. Center for Archaeological Research at Davis Publication 14, University of California, Davis.

2004b Volume III: Geoarchaeological Study: Landscape Evolution and the Archaeological Record of Central California. In, *Cultural Resources Inventory of California Department of Transportation District 10 Rural Conventional Highways*. Document on file at the Central California Information Center, California State University, Stanislaus.

Rosenthal, J. and W. Stillman

2010 Primary Record for P-11-000724 (CA-GLE-724). Document on file at the Northeast Information Center, California State University, Chico.

United States Army Corps of Engineers (USACE)

1951a Foster Island, 1:25,000-scale map. Engineer Reproduction Plant, Washington, D.C.

1951b Hamilton City California 1:25,000-scale map. Engineer Reproduction Plant, Washington, D.C.

United States Geological Survey (USGS)

1904 Vina, California 15' map. Geological Survey, Washington, D.C.

1906 Willows, California 15' map. Geological Survey, Washington, D.C.

1914a Hamilton, California 7.5' map. Geological Survey, Washington, D.C.

1914b McIntosh Landing, California 7.5' map. Geological Survey, Washington, D.C.

1949 Hamilton City, California 7.5' map. Geological Survey, Washington, D.C.

1950a Foster Island, California 7.5' map. Geological Survey, Washington, D.C.

1950b Hamilton City, California 7.5' map. Geological Survey, Washington, D.C.

1951a Corning, California 15' map. Geological Survey, Washington, D.C.

1951b Foster Island, California 7.5' map. Geological Survey, Washington, D.C.

1951c Willows, California 15' map. Geological Survey, Washington, D.C.

1969a Foster Island, California 7.5' map. Geological Survey, Washington, D.C.

1969b Hamilton City, California 7.5' map. Geological Survey, Washington, D.C.

Vaughan, T.

2001 Letter report regarding an Archaeological Survey for the Proposed SpectraSite Communications, Inc. Wireless Telecommunication Facilities at Hamilton City, Glenn County, California, Terracon Project No. 64017013. Document #5605on file at the Northeast Information Center, California State University, Chico.

White, G.

2003 *Population Ecology of the Prehistoric Colusa Reach*. Ph.D. dissertation, Department of Anthropology, University of California. Davis.

APPENDIX A

Native American Contact

Copies of Correspondence

**Native American Contact Efforts
Hamilton Union High School Expansion Project
Hamilton City, Glenn County**

Organization	Contact	Action	Results
Native American Heritage Commission		Letter 8/22/19	The NAHC replied via email with a letter dated September 19, 2019, which indicated that the Sacred Lands File has no information about the presence of Native American cultural resources in the immediate project area.
Enterprise Rancheria of Maidu Indians	Glenda Nelson	Letter 8/22/19	No response received as of the date of this report.
Grindstone Rancheria of Wintun Wailaki	Ronald Kirk	Letter 8/22/19	No response received as of the date of this report.
Mechoopda Indian Tribe	Dennis Ramirez	Letter 8/22/19	A response was received from Kyle McHenry, Tribal Historic Preservation Officer for the Mechoopda Indian Tribe on November 19, 2019. Mr. McHenry stated that the study area is within their ancestral lands and they believe the study area is highly sensitive. They request that a monitor from the Mechoopda Indian Tribe be present during earth moving and grading activities.
Paskenta Band of Nomlaki Indians	Andrew Alejandre	Letter 8/22/19	No response received as of the date of this report.

Sacred Lands File & Native American Contacts List Request

NATIVE AMERICAN HERITAGE COMMISSION

1550 Harbor Blvd., Suite 100
West Sacramento, CA 95691
(916) 373-3710
(916) 373-5471 – Fax
nahc@nahc.ca.gov

Information Below is Required for a Sacred Lands File Search

Project: Hamilton High School Expansion
County: Glenn

USGS Quadrangles
Name: Foster Island, Hamilton City
Township 22N Range 1W Rancho Capay MDBM

Date: August 22, 2019
Company/Firm/Agency: Tom Origer & Associates
Contact Person: Taylor Alshuth

Address: PO Box 1531
City: Rohnert Park Zip: 94927
Phone: (707) 584-8200 Fax: (707) 584-8300
Email: taylor@origer.com

Project Description:

The project proponent is in the process of purchasing property adjacent to the current High School in order to expand and modernize program space. The project area is approximately 45 acres.

NATIVE AMERICAN HERITAGE COMMISSION
Cultural and Environmental Department
1550 Harbor Blvd., Suite 100
West Sacramento, CA 95691 Phone: (916) 373-3710
Email: nahc@nahc.ca.gov
Website: <http://www.nahc.ca.gov>



September 19, 2019

Taylor Alshuth
Tom Origer & Associates

VIA Email to: taylor@origer.com

RE: Hamilton High School Expansion, Glenn County.

Dear Ms. Alshuth:

A record search of the Native American Heritage Commission (NAHC) Sacred Lands File (SLF) was completed for the information you have submitted for the above referenced project. The results were negative. However, the absence of specific site information in the SLF does not indicate the absence of cultural resources in any project area. Other sources of cultural resources should also be contacted for information regarding known and recorded sites.

Attached is a list of Native American tribes who may also have knowledge of cultural resources in the project area. This list should provide a starting place in locating areas of potential adverse impact within the proposed project area. I suggest you contact all of those indicated; if they cannot supply information, they might recommend others with specific knowledge. By contacting all those listed, your organization will be better able to respond to claims of failure to consult with the appropriate tribe. If a response has not been received within two weeks of notification, the Commission requests that you follow-up with a telephone call or email to ensure that the project information has been received.

If you receive notification of change of addresses and phone numbers from tribes, please notify me. With your assistance, we can assure that our lists contain current information. If you have any questions or need additional information, please contact me at my email address: katy.sanchez@nahc.ca.gov.

Sincerely,

A handwritten signature in cursive script that reads "Katy Sanchez".

KATY SANCHEZ
Associate Environmental Planner

Attachment

**Native American Heritage Commission
Native American Contacts List
9/20/2019**

Estom Yumeka Maidu Tribe of the Enterprise Rancheria
Glenda Nelson, Chairperson
2133 Monte Vista Avenue Maidu
Oroville CA 95966
info@enterpriserancheria.org
(530) 532-9214
(530) 532-1768 Fax

Grindstone Indian Rancheria of Wintun-Wailaki
Ronald Kirk, Chairperson
P.O. Box 63 Nomlaki
Elk Creek CA 95939 Wintun (Patwin)
(530) 968-5365 Wailaki
(530) 968-5366 Fax Muimok

Mechoopda Indian Tribe
Dennis E. Ramirez, Chairperson
125 Mission Ranch Blvd Mechoopda Maidu
Chico CA 95926 Concow
dramirez@mechoopda-nsn.gov
(530) 899-8922
(530) 899-8517 - Fax

Paskenta Band of Nomlaki Indians
Andrew Alejandre, Chairperson
P.O. Box 709 Nomlaki
Corning CA 96021 Wintun
office@paskenta.org
(530) 528-3538

This list is current as of the date of this document and is based on the information available to the Commission on the date it was produced.

Distribution of this list does not relieve any person of statutory responsibility as defined in Section 7050.5 of the Health and Safety Code, Section 5097.94 of the Public Resources Code, or Section 5097.98 of the Public Resources Code.

This list is only applicable for contacting local Native Americans Tribes for the proposed: Hamilton High School Expansion, Glenn County.

Tom Origer & Associates

Archaeology / Historical Research

August 22, 2019

Glenda Nelson
Enterprise Rancheria of Maidu Indians
2133 Monte Vista Avenue
Oroville, CA 95966

Re: Hamilton High School Expansion Project, Hamilton City, Glenn County

Dear Ms. Nelson:

I write to notify you of a proposed project within Glenn County, for which our firm is conducting a cultural resources study. This notification does not constitute consultation. The Hamilton Unified School District is in the process of purchasing property adjacent to the current High School in order to expand and modernize program space. The Hamilton Unified School District is reviewing the project for CEQA compliance.

Enclosed is a portion of the Foster Island, Hamilton City, Nord, and Ord Ferry 7.5' USGS maps showing the project location.

Sincerely,



Taylor Alshuth
Associate
Email: taylor@origer.com

Tom Origer & Associates

Archaeology / Historical Research

August 22, 2019

Creig Marcus
Enterprise Rancheria of Maidu Indians
2133 Monte Vista Avenue
Oroville, CA 95966

Re: Hamilton High School Expansion Project, Hamilton City, Glenn County

Dear Mr. Marcus:

I write to notify you of a proposed project within Glenn County, for which our firm is conducting a cultural resources study. This notification does not constitute consultation. The Hamilton Unified School District is in the process of purchasing property adjacent to the current High School in order to expand and modernize program space. The Hamilton Unified School District is reviewing the project for CEQA compliance.

Enclosed is a portion of the Foster Island, Hamilton City, Nord, and Ord Ferry 7.5' USGS maps showing the project location.

Sincerely,



Taylor Alshuth
Associate
Email: taylor@origer.com

Tom Origer & Associates

Archaeology / Historical Research

August 22, 2019

Ronald Kirk
Grindstone Rancheria of Wintun-Wailaki
P.O. Box 63
Elk Creek, CA 95939

Re: Hamilton High School Expansion Project, Hamilton City, Glenn County

Dear Mr. Kirk:

I write to notify you of a proposed project within Glenn County, for which our firm is conducting a cultural resources study. This notification does not constitute consultation. The Hamilton Unified School District is in the process of purchasing property adjacent to the current High School in order to expand and modernize program space. The Hamilton Unified School District is reviewing the project for CEQA compliance.

Enclosed is a portion of the Foster Island, Hamilton City, Nord, and Ord Ferry 7.5' USGS maps showing the project location.

Sincerely,



Taylor Alshuth
Associate
Email: taylor@origer.com

Tom Origer & Associates

Archaeology / Historical Research

November 19, 2019

Dennis Ramirez
Mechoopda Indian Tribe
125 Mission Ranch Boulevard
Chico, CA 95926

Re: Hamilton High School Expansion Project, Hamilton City, Glenn County

Dear Ms. Ramirez:

I write to notify you of a proposed project within Glenn County, for which our firm is conducting a cultural resources study. The Hamilton Unified School District is in the process of purchasing the property adjacent to the current school grounds in order to expand and modernize its program space. The Hamilton Unified School District is reviewing the project for CEQA compliance. This notification does not constitute consultation.

Enclosed is a portion of the Foster Island and Hamilton City 7.5' USGS maps showing the project location.

Sincerely,



Eileen Barrow
Senior Associate

Tom Origer & Associates

Archaeology / Historical Research

August 22, 2019

Andrew Alejandre
Paskenta Band of Nomlaki Indians
P.O. Box 709
Corning, CA 96021

Re: Hamilton High School Expansion Project, Hamilton City, Glenn County

Dear Mr. Alejandre:


I write to notify you of a proposed project within Glenn County, for which our firm is conducting a cultural resources study. This notification does not constitute consultation. The Hamilton Unified School District is in the process of purchasing property adjacent to the current High School in order to expand and modernize program space. The Hamilton Unified School District is reviewing the project for CEQA compliance.

Enclosed is a portion of the Foster Island, Hamilton City, Nord, and Ord Ferry 7.5' USGS maps showing the project location.

Sincerely,



Taylor Alshuth
Associate
Email: taylor@origer.com



Eileen

From: K McHenry <kmchenry@mechoopda-nsn.gov>
Sent: Tuesday, November 19, 2019 11:58 AM
To: eileen@origer.com
Subject: Hamilton High School Expansion Project, Hamilton City, Glenn County

Re: **Hamilton High School Expansion Project, Hamilton City, Glenn County**

Dear Eileen:

On Behalf of the Mechoopda Indian Tribe of the Chico Rancheria ("Tribe"), We hereby Submit the following comments to express the Tribe's concerns related to the impacts to sacred places, properties and features of religious, ceremonial and cultural significance to the Tribe with regard to the above-referenced project ("Project")

The Project site lies within the ancestral lands of the Tribe. The Project location and surrounding landscape have long been considered as having cultural, historical, and religious significance for the Tribe. It is undisputed that there is a high sensitivity to the Project site bases on recordings in the area and Tribal knowledge. The Tribe has a deep and abiding cultural and spiritual attachment to their ancestral landscape, which includes and extends beyond the Tribes formal boundaries, including the Project site.

We request a Mechoopda Indian monitor shall be present during all earth moving and grading activities to assure that any potential cultural resources, found during Project ground disturbance be protected.

The Tribe's goal is simple and Clear: ensure the careful and complete implementation of all statutory and regulatory mechanisms for protecting cultural and historical resources to protect tribal cultural and historical resources that may be impacted by the Project.

We look forward to working with you on this matter.

Sincerely,

**Kyle McHenry, Tribal Council
Tribal Historic Preservation officer
Mechoopda Tribe
125 Mission Ranch Blvd, Chico, CA 95926
530-899-8922 ext 203**

A P P E N D I X C

PHASE I ENVIRONMENTAL SITE
ASSESSMENT



DRAFT
PRELIMINARY ENDANGERMENT ASSESSMENT
Hamilton Union High School Expansion
February 7, 2020

Prepared For:

HAMILTON UNIFIED SCHOOL DISTRICT
Attn: Mr. Jeremy Powell, Superintendent
P.O. Box 488
Hamilton City, CA 95951

530.826.3261 ext. 6005 | JPowell@husdschools.org



N|V|5

48 Bellarmine Court
Suite 40
Chico, CA 95929

70779.02

February 7, 2020
Project No. 70779.01

Hamilton Unified School District
Attn: Jeremy Powell, Superintendent
P.O. Box 488
Hamilton City, CA 95951
Phone: (530) 826-3261, ext. 6011
Email: jpowell@hudschools.org

Reference: Draft Preliminary Endangerment Assessment
Hamilton Union High School Expansion
Glenn County Assessor Parcel Number: 032-230-015
Hamilton City, Glenn County, California

Dear Mr. Powell:

NV5 prepared this draft Preliminary Endangerment Assessment (PEA) for the referenced site in Hamilton City, Glenn County, California. NV5 understands Hamilton Unified School District (HUSD) plans to develop an expansion of Hamilton Union High School on the subject property.


This report documents the results of site characterization including soil sampling, laboratory analysis and screening-level human health risk assessment. The assessment findings indicate that the site is a candidate for a no further action determination regarding the characterization of potential constituents of concern at the site.

NV5 appreciates the opportunity to provide environmental engineering services for the Hamilton Unified School District on this important project. If you have questions, comments, or require additional information, please contact the undersigned.

Sincerely,
NV5

Prepared by:


Heidi J. Cummings, PG 7732
Senior Geologist



Reviewed by:


Jason Muir, PE
Associate Engineer



cc: Ms. Elizabeth Tisdale, DTSC, 1 copy, 1 electronic copy to elizabeth.tisdale@dtsc.ca.gov

TABLE OF CONTENTS

EXECUTIVE SUMMARY	ES-1
1.0 INTRODUCTION.....	1
1.1 PURPOSE	1
1.2 SITE DESCRIPTION	1
1.2.1 Site Identification.....	1
1.2.2 Adjacent Properties	2
1.2.3 Intended Use of the Property	2
2.0 PRIOR ENVIRONMENTAL STUDIES.....	3
3.0 ENVIRONMENTAL SETTING.....	4
3.1 PHYSICAL SETTING	4
3.1.1 Regional Physiographic Conditions.....	4
3.1.2 Geologic Conditions.....	4
3.1.3 Naturally Occurring Asbestos.....	4
3.1.4 Radon.....	4
3.1.5 Soil Conditions.....	5
3.1.6 Groundwater	5
3.1.7 Nearest Surface Water.....	5
4.0 IMPLEMENTATION OF PEA WORK PLAN	6
4.1 PRE-FIELD ACTIVITIES.....	6
4.2 SOIL SAMPLING AND ANALYSIS.....	6
4.2.1 Agricultural Area	6
4.2.2 Drainage Course.....	7
4.2.3 Background Soil	7
4.2.4 Transformer Location.....	7
4.2.5 Collection and Handling of Soil Samples	7
4.2.6 Decontamination	8
4.2.7 Laboratory Analysis	8
4.3 GROUNDWATER SAMPLING AND ANALYSIS	9
4.4 DISCUSSION OF RESULTS FOR SOIL SAMPLES.....	9
4.4.1 Screening Levels	9
4.4.2 Background Soil Arsenic Concentrations.....	9
4.4.3 Arsenic Analytical Methods	10
4.4.4 Total Metals in Soil Samples.....	10
4.4.5 Organochlorine Pesticides in Soil Samples	11
4.4.6 Polychlorinated Biphenyls in Soil Samples.....	11
4.4.7 Total Petroleum Hydrocarbons in Soil Samples.....	11
4.5 DATA QUALITY SUMMARY.....	11
4.5.1 Field Sampling Evaluation and Field Variance	11
4.5.2 Chain of Custody Evaluation.....	12

TABLE OF CONTENTS (CONCLUDED)

4.5.3	Data Validation.....	12
4.5.4	Health and Safety Procedures	12
5.0	HUMAN HEALTH RISK ASSESSMENT.....	13
5.1	SITE CONCEPTUAL MODEL.....	13
5.2	EXPOSURE POINT CONCENTRATIONS AND CHEMICAL GROUPS	14
5.3	EXPOSURE PARAMETERS.....	14
5.4	TOXICITY VALUES.....	15
5.5	RISK CHARACTERIZATION	15
5.6	UNCERTAINTY ANALYSIS	16
5.7	SUMMARY OF EVALUATION	16
6.0	PUBLIC PARTICIPATION	17
7.0	CONCLUSIONS AND RECOMMENDATIONS	18
8.0	LIMITATIONS	19
9.0	REFERENCES	20

FIGURES

- 1 Location Map
- 2 Site Plan
- 3 Soil and Groundwater Sample Locations
- 4 Site Conceptual Model Diagram

TABLES

- 1 Arsenic and Lead in Soil
- 2 Organochlorine Pesticides in Soil
- 3 Total Petroleum Hydrocarbons in Soil
- 4 Title 22 Metals in Soil

APPENDICES

- A Regulatory Correspondence
- B Laboratory Reports and Chain-of-Custody Documentation
- C Data Quality Assessment
- D Summary Statistics
- E Risk Assessment

ABBREVIATIONS AND ACRONYMS

APN	Assessor Parcel Number
bgs	below ground surface
BTV	background threshold value
CCV	continuing calibration verification
CDHS	California Department of Health Services
CL	co-located
cm ²	square centimeters
COC	constituent of concern
CSD	Community Services District
CV	coefficient of variation
DDE	p,p'-dichloro-diphenyl-dichloro-ethylene
DRO	diesel range organics
DTSC	Department of Toxic Substances Control
EOA	Environmental Oversight Agreement
EPC	exposure point concentrations
ESA	Environmental Site Assessment
ESL	Environmental Screening Level
FR	field replicate
GRO	gasoline range organics
HAZWOPER	Hazardous Waste Operations and Emergency Response
HERO	Human and Ecological Risk Office
HHRA	human health risk assessment
HHS	Hamilton High School
HI	hazard index
HUHS	Hamilton Union High School
HUSD	Hamilton Unified School District
kg	kilogram
LCS	laboratory control samples
LCSD	LCS duplicates
m ³ /day	cubic meters per day
m ³ /kg	cubic meters per kilogram
MDL	method detection limit
mg/cm ²	milligrams per square centimeter
mg/day	milligrams per day
mg/kg	milligram per kilogram
MS/MSD	matrix spike and matrix spike duplicates
MORO	motor oil range organics
NOA	naturally occurring asbestos
OCP	organochlorine pesticide
OEHHA	Office of Environmental Health Hazard Assessment
OSHA	Occupational Safety and Health Administration
OSWER	Office of Solid Waste and Emergency Response
PCB	polychlorinated biphenyls
pCi/L	picoCuries per liter
PEA	Preliminary Endangerment Assessment
PEF	particulate emission factor

ABBREVIATIONS AND ACRONYMS (Concluded)

PQL	practical quantitation limit
QA/QC	quality assurance/quality control
REC	recognized environmental condition
RL	reporting limit
RSL	regional screening level
RWQCB	Regional Water Quality Control Board
SCM	site conceptual model
SL	screening level
SR	State Route
Sunstar	SunStar Laboratories
TPH	total petroleum hydrocarbons
µg/kg	microgram per kilogram
USEPA	United States Environmental Protection Agency
USGS	United States Geological Survey
UTL	upper tolerance level

EXECUTIVE SUMMARY

The purpose of this Preliminary Endangerment Assessment (PEA) is to investigate environmental conditions identified on a 45-acre property located adjacent and north of the existing Hamilton Union High School (HUHS) and east of California State Route (SR) 45/Canal Street in Hamilton City, Glenn County, California. The property is identified as Glenn County Assessor Parcel Number (APN) 032-230-015.

The property is to be developed by the Hamilton Unified School District (HUSD) as an extension of the current high school campus. The number of classrooms, administrative buildings and student capacity are not yet determined by the HUSD. The school will be served by municipal water supply.

Environmental conditions were identified at the property in a Phase I Environmental Site Assessment (ESA; September 13, 2018) prepared by NV5. The recognized environmental conditions (RECs) are summarized below:

- The possible presence of arsenic and organochlorine pesticides (OCPs) in soil from historical agricultural use of the property;
- The possible presence of arsenic and OCPs in groundwater from historical agricultural use of the property; and
- The possible presence of polychlorinated biphenyls (PCBs) in soil beneath electrical transformers on the property.

During the review process for the PEA Work Plan, the California Department of Toxic Substances Control (DTSC) identified the following elements to be addressed:

- The possible presence of contaminants in the drainage ditch on the southern edge of the property,
- The possible presence of lead in soil from historical agricultural use of the property, and
- Background metals concentrations on the property.

This PEA report was prepared in accordance with the PEA Work Plan (NV5, October 29, 2019). The PEA Work Plan was approved by the DTSC in a letter dated November 5, 2019. The PEA is intended to assess potential health risks associated with the RECs, address the additional elements identified by DTSC above, and to evaluate informational needs of the community related to the PEA site characterization. The PEA field investigation was conducted in November 2019 and included:

- Collection of soil samples from 56 locations within the boundary of former agricultural use on the property to investigate the presence of arsenic, lead and OCPs.
- Collection of soil samples from one location adjacent to the pole-mounted transformer on the property to assess the presence of PCBs.
- Collection of eight soil samples from the current HUHS campus to assess background concentrations of arsenic and lead.

- Collection of seven soil samples from the drainage ditch on the southern boundary of the property to evaluate total petroleum hydrocarbons (TPH), Title 22 Metals and OCPs.
- Collection of one groundwater sample from the onsite agricultural well to assess the presence of OCPs.

Arsenic was detected in 19 discrete samples (including field replicate and co-located samples) obtained from the upper 6 inches of soil at the site at concentrations ranging from 4.1 to 6.4 milligrams per kilogram (mg/kg). Arsenic was detected in 10 background soil samples (including field replicate and co-located samples) obtained from 18 to 24 inches below ground surface (bgs) on the current HUHS campus, at concentrations ranging from 3.6 to 5.7 mg/kg.

Lead was detected in 19 discrete samples (including field replicate and co-located samples) obtained from the upper 6 inches of soil at the site at concentrations ranging from 4.28 to 5.90 mg/kg. Lead was detected within 10 background soil samples (including field replicate and co-located samples) obtained from 18 to 24 inches bgs on the current HUHS campus, at concentrations ranging from 3.72 to 4.35 mg/kg.

Diesel range organics (DRO), motor oil range organics (MORO), arsenic, barium, chromium, cobalt, copper, lead, mercury, nickel, vanadium and zinc were detected in soil samples collected in the drainage ditch on the southern boundary of the site.

One OCP compound (p,p'-dichloro-diphenyl-dichloro-ethylene [4,4-DDE]) was detected in fifteen 4-point composite samples (including field replicate and co-located samples) on the agricultural property, and in eight discrete samples (including field replicate and co-located samples) in the drainage ditch on the southern boundary of the site. OCPs were not detected in samples from the onsite agricultural groundwater well.

PCBs were not detected in soil samples collected beneath the onsite pole-mounted transformer.

A screening-level human health risk assessment (HHRA) was performed pursuant to DTSC guidance to assess potential risks from routine, long-term exposure to the chemicals detected in soil. Pursuant to DTSC guidelines, human health hazard and cancer risk are calculated on a site-wide basis, considering the hazard and risk associated with exposure to all detected chemicals including those that are determined to be consistent with background or ambient concentrations. This information is intended to be useful for risk management decisions and to foster public transparency. The hazard index (hazard or HI; $1.7E+01$) and excess lifetime cancer risk (risk; $6.2E-05$) are driven by arsenic concentrations in soil. Excluding arsenic, which was detected at concentrations that are similar to accepted background values, the hazard is $6.6E-01$ and the risk is $3.8E-08$.

Based on the findings of site characterization, it is NV5's opinion that the site is a candidate for a no further action determination regarding the characterization of arsenic, lead, OCPs, PCBs, TPH and Title 22 metals. The findings and conclusions presented herein are subject to review and approval by the DTSC.

The PEA report is submitted in draft format to DTSC for review and is revised pursuant to DTSC comments. After revision, the PEA report is resubmitted in "draft final" format for DTSC review and approval. Pursuant to the California Education Code, the HUSD is required to notify the public

concurrently with the submission of the PEA report to DTSC. The school district must publish a notice in a local newspaper of general circulation and post the notice in a prominent manner at the school site. The notice shall state the school district's determination to make the PEA available for public review and comment.

The HUSD must offer to receive written comments for a period of at least 30 calendar days after the assessment is submitted to the DTSC and must hold a public hearing to receive further comments. The following documents must be available for public review:

- The PEA Report;
- The changes requested by the DTSC for the PEA; and
- Any correspondence between the school district and the DTSC relating to the PEA.

If the PEA Report is revised or altered following the public hearing, then the HUSD must make those revisions or alterations available to the public. The DTSC will complete its review of the PEA Report and public comments received thereon and will either approve or disapprove the assessment within 30 calendar days of the close of the public review period.

1.0 INTRODUCTION

This Preliminary Endangerment Assessment (PEA) report presents the results of site characterization for the property located adjacent and north of the existing Hamilton Union High School (HUHS) and east of California State Route (SR) 45/Canal Street in Hamilton City, Glenn County, California. The site is referenced as Glenn County Assessor Parcel Number (APN) 032-230-015. This PEA report was prepared in accordance with the *Preliminary Endangerment Assessment Work Plan* (Work Plan; NV5, October 29, 2019). A copy of the PEA Work Plan approval letter from the California Department of Toxic Substances Control (DTSC) dated November 5, 2019 is provided in Appendix A.

The DTSC is the lead agency for oversight of site characterization, as set forth in an Environmental Oversight Agreement (EOA; Docket No. HSA-FY18/19-162; August 16, 2019) between DTSC and the Hamilton Unified School District (HUSD).

The PEA was performed pursuant to Section 17213.1 of the California Education Code, which authorizes DTSC to oversee preparation of an environmental assessment report by HUSD.

1.1 PURPOSE

The purpose of the PEA is to assess the presence of organochlorine pesticides (OCPs), arsenic and lead in soil from historical agricultural use, polychlorinated biphenyls (PCBs) in soil from historical transformers on the site, OCPs in groundwater and petroleum hydrocarbons and metals in soil at areas of surface water runoff from adjacent properties. Findings of the PEA investigation are used to assess risk and evaluate informational needs of the community related to site characterization.

1.2 SITE DESCRIPTION

The approximately 45-acre subject property is adjacent and north of the current HUHS and east of SR 45/Canal Street in Hamilton City, Glenn County, California. The property is accessed from the south via SR 32/Sixth Street or from the west via SR 45. A site location map is presented as Figure 1. The property is referenced as the southwest portion of Glenn County APN 032-230-015. A site plan is presented as Figure 2.

Referencing the *Hamilton City Quadrangle 7.5 Minute Series (Topographic)* map (United States Geological Survey [USGS], 1969), the subject property is in Township 22 North and Range 1 West, based on the Mount Diablo geodetic datum. The site is centered at about latitude 39.7493 degrees north and longitude 122.0186 degrees west. The property elevation is approximately 153 feet above mean sea level with flat lying surface topography.

1.2.1 Site Identification

Site Identification Information	
Site Name	Hamilton Union High School Expansion
Contact Person	Mr. Jeremy Powell, Hamilton Unified School District
Site Address	North of 620 Canal St. and East of SR45, Hamilton City, California

Site Identification Information	
Mailing Address of Contact Person	P.O. Box 488, Hamilton City, California 95951
Phone Number of Contact Person	(530) 826-3261, ext. 6011
Other Site Names	none
USEPA Identification Number	none
CalSites Identification Number	none
Assessor Parcel Number	032-230-015
Township	22 North
Range	1 West
Land Use	Agricultural
Zoning	AP-80 - Intensive Agriculture
<u>Notes:</u>	
USEPA = United States Environmental Protection Agency	

1.2.2 Adjacent Properties

The subject property is bounded by agricultural property to the north and east, the existing Hamilton Union High School and commercial/industrial properties to the south and State Route 45/Canal Street and the Glenn-Colusa Canal to the west.

1.2.3 Intended Use of the Property

The property is to be developed as an expansion of the HUHS campus. The number of classrooms and student capacity have not been programmed by the HUSD. The site will be served by the Hamilton City Community Services District (CSD) that includes water provided by California Water Service – Chico District, storm drain connections provided by Glenn County Planning and Public Works Agency, and sewer provided by the CSD.

The proposed expansion project will include phased construction of new playing fields, a gymnasium and parking lot on the expanded site and future new school buildings and parking areas.

2.0 PRIOR ENVIRONMENTAL STUDIES

NV5 prepared a Phase I ESA dated September 13, 2018 (NV5, 2018). No other hazardous substances assessment associated with the site beyond the Phase I ESA is known. Findings of the Phase I ESA are summarized below:

- The subject site consists of approximately 45 acres of the southwest portion of Glenn County APN 032-230-015, located north of State Route 32 and east of State Route 45 in Hamilton City, Glenn County, California.
- The subject property was used for agricultural purposes (hay type crop) from as early as 1937, then as orchards beginning as early as 1983 through 2016. The property representative indicated that the orchard was removed in 2017 and hay type crops are the current crop in cultivation.
- One pole-mounted transformer was observed at the location of the water supply well. The pole-mounted transformer was likely installed with the water well, circa 1978.
- One 2.5-gallon container of herbicide and one 2.5-gallon unlabeled container were stored on the concrete pad adjacent to the water supply well, suggesting that mixing of agricultural chemicals may take place at this location.
- The subject property receives stormwater runoff from the adjacent commercial property to the south.
- To NV5's knowledge, the subject property is not currently regulated by any federal, state or local agencies, except for the Air Pollution Control District for agricultural chemicals. No violations are noted.
- Review of federal, state and local records identified no upgradient sites within a ½-mile of the subject property that have recognized environmental conditions (RECs).
- Naturally occurring hazardous materials (i.e. naturally occurring asbestos [NOA] and radon) are not likely to be present at the subject site.

NV5's professional opinions based on the findings of the Phase I ESA are summarized below.

1. The pole-mounted electrical transformer is considered a REC because there is concern that leakage from transformers could contaminate soil with PCBs.
2. The agricultural land use identified by review of aerial photos, site reconnaissance and landowner representative interview is considered a REC because there is concern for the soil to be contaminated with residual agricultural chemicals (i.e. pesticides).
3. Groundwater from the subject property water supply well has the potential to contain agricultural chemicals based on the past agricultural land use.
4. Fill material that is sourced from the alluvial deposits of Stony Creek to the south could potentially contain NOA and should be avoided or evaluated for NOA prior to import.

The Phase I ESA identified PCBs and agricultural chemicals as potential sources of contamination at the site. NV5 recommended that soil sampling for PCBs be conducted beneath the existing transformers and that soil sampling for agricultural chemicals be conducted site-wide pursuant to guidelines set forth by DTSC (2006 and 2008).

3.0 ENVIRONMENTAL SETTING

The property is intended to be developed as a new school campus. Details associated with the number of classrooms, administrative buildings, and student capacity have not yet been determined by HUSD.

3.1 PHYSICAL SETTING

3.1.1 Regional Physiographic Conditions

The subject property is situated in the Sacramento Valley within the Great Valley geomorphic province, west of the boundary with the Cascade geomorphic province and east of the boundary of the Coast Range geomorphic province. The Great Valley geomorphic province is characterized as an asymmetrical synclinal trough composed of up to 80,000 feet of Jurassic and Eocene age sequenced marine sedimentary units deposited during periods of inundation, and Pliocene to recent Holocene age terrestrial sediments originating from the Sierra Nevada, Cascade, and Coast Mountain Ranges during sea recession and mountain uplift.

3.1.2 Geologic Conditions

The *Geologic Map of California, Ukiah Sheet* (Jennings and Strand, 1960) depicts the geology of the subject property location as Holocene aged stream channel deposits, the Holocene occurring from 11,000 years before present to the present.

3.1.3 Naturally Occurring Asbestos

NV5 reviewed geologic literature regarding the distribution and occurrence of NOA in California. The site is not in an area mapped as likely to contain NOA, and NV5's field geologist did not observe the presence of ultramafic rock outcrops (typically associated with the occurrence of NOA) at the site.

According to *A General Location Guide for Ultramafic Rocks in California - Areas Likely to Contain Naturally Occurring Asbestos* (California Department of Conservation, Division of Mines and Geology; August 2000) ultramafic rock is mapped approximately 21 miles west of the site.

The Jennings and Strand 1960 geologic map shows a Mesozoic aged ultramafic rock unit mapped approximately 21 miles west of the site and within the Upper Stony Creek Watershed. Surface water draining from the Upper Stony Creek Watershed flows into Black Butte Lake where the sediment load is likely deposited, then flows southwest across the valley and ultimately to the Sacramento River approximately 5.5 miles south of the subject property. The site is not within the Upper Stony Creek Watershed and is protected from inundation and deposition of NOA by the Glenn-Colusa Canal levee. Therefore, naturally occurring asbestos is not a REC for the subject property.

3.1.4 Radon

Radon gas concentrations are often compared to a regulatory screening level of 4 picoCuries per liter [pCi/L]. Based on review of the California Department of Health Services (CDHS) report *Geologic Controls on the Distribution of Radon in California* (Ronald Churchill, Associate Geochemist,

California Geological Survey, dated January 25, 1991), Glenn County is not underlain by geologic deposits that increase the chance of elevated radon gas. Glenn County is in Radon Zone 3 as defined by the United States Environmental Protection Agency *Map of Radon Zones for California* (viewed August 21, 2018 at: <http://www.city-data.com/radon-zones/California/California.html>). This zone consists of counties with a predicted average indoor radon screening level less than 2 pCi/L. Furthermore, the *California Indoor Radon Test Results* (Department of Health Services, last updated February 2016) database summary indicates that, in the 95951 zip code for Glenn County, radon concentrations were less than the California Department of Health Services recommended action level of 4 pCi/L in four of four indoor air tests. Therefore, based on the published literature reviewed radon is not expected to be present at levels exceeding the screening levels. Sampling and analysis of indoor air would be required to determine actual radon levels at the site.

3.1.5 Soil Conditions

According to the United States Department of Agriculture Soil Conservation Service, National Cooperative Soil Survey, as summarized in the Phase I ESA, soil at the site is mapped as Wyo silt loam and Wyo loam. According to the Soil Conservation Service, these soils are comprised of alluvium derived from metavolcanics; are well drained; exhibit moderate infiltration rates; and have a high corrosion potential for uncoated steel.

No surface evidence of fill material was observed during NV5's Phase I ESA site reconnaissance and during the sampling effort for the PEA.

3.1.6 Groundwater

NV5 did not perform a groundwater investigation at the subject site. Based on our experience in the site vicinity, it is anticipated that the depth to groundwater fluctuates seasonally and may be encountered at a depth of approximately 10 to 15 feet below ground surface (bgs) with flow directions toward the east to southeast toward the Sacramento River.

NV5 acquired the well completion report for the onsite agricultural well, which is presented in Appendix B. The well completion report shows a total drilled depth of 223 feet bgs, with alternating layers of clay, gravel and clayey gravel of varying thickness. The well construction details indicate 16-inch blank steel casing was installed from 0 to 120 feet bgs and from 125 to 197 feet bgs, and the perforated section was installed from 84 to 104 feet and 125 to 197 feet bgs. The lower section of the well is reported as solid steel and perforated. Based on communication with the property owner representative, the perforated section of the well is expected to be both 84 to 104 and 125 to 197 feet bgs. At the time the well was installed (July 15, 1978), the depth to water in the well was reported to be approximately 28 feet bgs. At the time of sampling of the agricultural well, the well casing was not accessible to measure the water level in the well.

3.1.7 Nearest Surface Water

Nearest surface water is the Sacramento River, which is located approximately one-half mile northwest of the subject property. The Glenn-Colusa Canal is also within 150 feet toward the southwest.

4.0 IMPLEMENTATION OF PEA WORK PLAN

Field work for this project was conducted on November 11, 12, 13 and 19, 2019. Soil samples were collected from the following locations on the property, which are depicted on Figure 3.

- 56 locations within the boundary of former agricultural use on the property to investigate the presence of arsenic, lead and OCPs. 14 composite samples were prepared using the 56 discrete samples on a 4:1 ratio and analyzed for OCPs. 14 discrete samples from across the site were analyzed for arsenic and lead.
- Eight discrete samples from the current HUHS campus for background concentrations of arsenic and lead.
- Seven discrete samples from the drainage ditch on the southern boundary of the property to be analyzed for total petroleum hydrocarbons (TPH), Title 22 Metals, and OCPs.
- One location adjacent to the pole-mounted transformer on the property to assess the presence of polychlorinated biphenyls.

In addition to the soil samples listed above, one groundwater sample was collected from the onsite agricultural and was analyzed for OCPs.

4.1 PRE-FIELD ACTIVITIES

Approximately seven days prior to beginning field work, the HUSD issued a DTSC-approved Field Work Notice to neighboring residents within line of sight of the school property. The approved Field Work Notice can be found in the Work Plan (NV5, October 2019).

4.2 SOIL SAMPLING AND ANALYSIS

On November 11, 12 and 13, 2019, NV5 implemented the soil sampling and analysis plan presented in the DTSC-approved PEA Work Plan. Tables 1 through 4 present a summary of laboratory results, and sample locations are depicted on Figure 3.

4.2.1 Agricultural Area

The number of soil samples collected and analyzed for arsenic and OCPs was determined using the *Interim Guidance for Sampling Agricultural Fields for School Sites, Third Revision* (DTSC, 2008). The site is approximately 45 acres, for which DTSC requires 55 sampling locations. Because of the irregular shape of the site, however, the site was divided into 56 sampling areas, and 56 sampling locations were determined in the field within a grid superimposed on the site. The sampling grid is identified on Figure 3. Sample locations were determined in the field using a handheld GPS device. The sample locations should be considered approximate and were not determined to survey-grade accuracy. Soil samples were collected from a depth interval of 0 to 6 inches below ground surface, collecting equal amounts from the entire depth interval.

For OCP analysis, 19 composite samples (including 14 composite samples and five co-located and replicate composite samples) were prepared by the analytical laboratory using the 56 discrete

samples with a 4:1 ratio (i.e. 4 discrete samples for every 1 composite sample) on a unit weight basis and were subsequently homogenized by the laboratory prior to analysis for OCPs.

For arsenic and lead, 19 discrete samples were analyzed, including fourteen discrete site samples (grid locations A1, A7, B3, C1, C5, C8, D3, D7, E2, E5, F3, F7, H6, and H8) and five co-located and replicate samples. The 14 site samples were a subset of the 56 discrete samples collected for OCP analysis.

4.2.2 Drainage Course

Nine discrete soil samples (referenced as “DD” samples) and two co-located and replicate samples were obtained from a drainage course for analysis of Title 22 metals, OCPs and TPH.

4.2.3 Background Soil

Ten discrete soil samples (including eight discrete field samples and two co-located and replicate samples) were collected from a depth of 2 feet bgs at the current HUHS site for assessing the arsenic and lead concentrations in native, undisturbed soil.

4.2.4 Transformer Location

The sampling methodology for PCBs was determined using the *Interim Guidance, Evaluation of School Sites with Potential Soil Contamination as a Result of Lead from Lead-Based Paint, Organochlorine Pesticides from Termiticides, and Polychlorinated Biphenyls from Electrical Transformers, Revised 06/09/06* (DTSC, 2006). Two discrete soil samples were collected beneath the existing electrical transformer. One surface soil sample (0 to 6 inches bgs) and one subsurface soil sample (2 to 2.5 feet bgs) were collected.

4.2.5 Collection and Handling of Soil Samples

Soil samples were collected using individually wrapped, single-use, disposable plastic scoops. At the time of sampling, the field had been cultivated to a depth of greater than six inches, so an auger was not necessary for sampling. A hand auger was used to advance the remaining soil borings. Sample locations are depicted on Figure 3.

Soil samples were obtained from the borings and placed in 8-ounce glass jars fitted with Teflon™ lined lids. Sixty-four discrete-depth soil samples were collected from 0 to 6 inches bgs (total arsenic and lead, TPH, OCP, and PCB analysis at the site and in the drainage ditch), one from 2 to 2.5 feet bgs (PCB analysis near the onsite transformer), and eight from 1.5 to 2 feet bgs (total arsenic and lead analysis on the HUHS campus). The samples were labeled with a unique sample identification number and were placed on ice in a thermally insulated container.

Samples collected within the grid were assigned a unique identification (e.g. A4D-0) that represents the grid row letter (A), grid column number (4), sample type (composite = C; discrete = D) and depth (0 = 0 to 6 inches bgs and 2 = 1.5 to 2 feet bgs). For quality assurance/quality control (QA/QC) samples, the sample type (co-located = CL; field replicate = FR) was appended to the sample identification using a hyphen. Sample identifications for those samples collected beneath the pole-

mounted transformer and from the drainage ditch were assigned a prefix (PMT- and DD-, respectively).

4.2.6 Decontamination

Personnel involved in sample processing and decontamination wore disposable, non-powdered gloves, and new gloves were donned at each new sampling location. Disposable equipment and supplies were placed in a plastic bag and disposed appropriately at an off-site location.

Decontamination of reusable field sampling equipment including augers, sampling trowels, and other hand tools was conducted prior to and following use that may have encountered potentially contaminated soil. Field sampling equipment was cleaned with a soft-bristled brush to remove soil, washed with clean tap water and detergent in a bucket, double-rinsed with clean tap water in two additional buckets, rinsed with deionized water and allowed to air dry. The final rinse from each decontamination was captured in a glass container for equipment blank analysis. One equipment blank sample was analyzed for each day of sampling, and the results of analysis of equipment blanks EB-1, EB-2 and EB-3 are presented in Appendix B.

4.2.7 Laboratory Analysis

Samples were shipped under chain-of-custody documentation to SunStar Laboratories (Sunstar) of Lake Forest, CA (ELAP Certification No. 2250). Laboratory analysis is summarized below.

- Fourteen 4-point composite samples, three co-located composite samples, and two field replicate composite samples obtained from 0 to 6 inches bgs within the former agricultural field were analyzed for OCPs by United States Environmental Protection Agency (USEPA) Method 8081A.
- Fourteen discrete samples, three field replicate samples, and two co-located samples obtained from 0 to 6 inches bgs within the former agricultural area were analyzed for arsenic by USEPA Method 6020 and lead by USEPA Method 6010B.
- Eight discrete samples, one co-located sample, and one field replicate sample obtained from 1.5 to 2 feet bgs on the HUHS campus were analyzed for arsenic by USEPA Method 6020 and lead by USEPA Method 6010B.
- Seven discrete samples, one co-located sample, and one field replicate sample obtained from 0 to 6 inches bgs within the drainage ditch were analyzed for OCPs by USEPA Method 8081A, for TPH by USEPA Method 8015B and for Title 22 Metals by USEPA Methods 6020, 6010B and 7470/7471.
- One discrete sample and one co-located sample obtained from 0 to 6 inches bgs and one discrete sample obtained from 2 to 2.5 feet bgs adjacent to the pole mounted transformer were analyzed for PCBs by USEPA Method 8082.
- Three equipment blank samples (EB-1, EB-2 and EB-3) were analyzed for Title 22 Metals by USEPA Methods 6010B and 7470/7471 and for OCPs by USEPA Method 8081A. Equipment blank sample (EB-1) was additionally analyzed for TPH by USEPA Method 8015B.

Results for arsenic, lead, OCPs, TPH and Title 22 Metals are tabulated in Tables 1 through 4. PCBs were not detected in soil at concentrations greater than the method detection limit (MDL). Therefore, PCB results were not tabulated. Additionally, no analytes were detected in the equipment blank samples.

4.3 GROUNDWATER SAMPLING AND ANALYSIS

One groundwater sample (AW-1) was collected from the onsite agricultural well as specified in the PEA Work Plan. Approximately three casing volumes of groundwater were purged from the well prior to sampling. The groundwater sample was collected from piping attached to the well head. The sample was shipped under chain-of-custody documentation to SunStar. The groundwater sample was analyzed for OCPs by USEPA Method 8081A. No OCPs were detected in sample AW-1 at concentrations exceeding their respective MDLs. Laboratory analytical results are presented in Appendix B.

4.4 DISCUSSION OF RESULTS FOR SOIL SAMPLES

Laboratory results are discussed in this section, and the analytical results for arsenic, lead, OCPs, TPH and Title 22 Metals are tabulated in Tables 1 through 4. Copies of the laboratory reports and chain-of-custody are provided in Appendix B.

4.4.1 Screening Levels

Screening levels are used to provide a general overview of site conditions. The screening levels are not intended to take the place of the human health risk assessment presented in Section 5 of this report.

Pursuant to DTSC (2019b) guidelines, screening levels related to protection of human health in the case of routine, long term exposure by direct pathways (i.e. ingestion, inhalation and dermal contact) commonly include USEPA Regional Screening Levels (RSLs) and DTSC-Screening Levels (SLs). For inorganics, background concentrations are also used as a basis for comparison.

RSLs and DTSC-SLs include inorganic constituent concentrations that are based on the protection of public health. In California, DTSC-SLs are commonly used in lieu of RSLs when DTSC uses toxicity criteria that are different than the toxicity criteria used by USEPA.

The screening levels are generally considered conservative. Under most circumstances, the presence of a chemical in media at concentrations less than the corresponding RSL or DTSC-SL can be assumed not to pose a significant, long-term (chronic) threat to human health. The presence of a chemical or inorganic constituent at a concentration in excess of a screening level does not necessarily indicate that adverse impacts to human health are occurring or will occur; however, further evaluation of potential human health concerns are generally appropriate if screening values are exceeded.

4.4.2 Background Soil Arsenic Concentrations

For the purposes of risk assessment, it is useful to distinguish between background metals concentrations occurring naturally in soil and elevated concentrations resulting from past waste

disposal or releases of hazardous substances to the environment. According to the *Human and Ecological Risk Office (HERO) Human Health Risk Assessment (HHRA) Note No. 3, DTSC-modified Screening Levels (DTSC-SLs)* (DTSC, 2019b), “HERO strongly recommends consideration of site-specific background concentrations of inorganic constituents.”

DTSC (1997) provides a framework in which risk assessors may identify background metals concentrations. Pursuant to DTSC (2019) risk assessment guidance “risk assessments should eliminate from consideration those whose range of concentrations falls within the range of local ambient conditions.” To do this, the local ambient data set may be defined by pooling all site data and determining ambient conditions in the presence of possible contamination.

ProUCL Version 5.1 (USEPA, 2016) was used to evaluate potentially outlying data and to prepare a box plot and normality plot (Q-Q plot) for the arsenic data set. No outliers were identified based on visual interpretation of the plots, and Rosner’s outlier test identified no outlying data at 5% and 1% significance levels. Soil arsenic data, including the site data and the subsurface samples obtained from the adjacent high school property, appear to be representative of a single population. The data set, plots and test results are presented in Appendix D.

ProUCL was used to perform background threshold value (BTV) statistics using the entire arsenic data set. ProUCL output is presented in Appendix D. Based on the small population of soil arsenic data (n = 29) the 95% upper tolerance level (UTL; 6.4 mg/kg) could be used to represent the upper range of background soil arsenic concentrations. The detected concentrations range from 3.6 to 6.4 mg/kg, the mean value is 5.2 mg/kg, and the coefficient of variation (CV) is 0.11.

4.4.3 Arsenic Analytical Methods

Total arsenic in soil was originally analyzed using EPA Method 6010B with a practical quantitation limit (PQL; also referred to as reporting limit, or RL) of 5 mg/kg. The PQL did not meet the project data quality objectives, and therefore the EPA 6010B data were rejected, and the analysis was repeated using EPA Method 6020 with a PQL of 0.25 mg/kg. Analytical reports for both analyses are presented in Appendix B.

4.4.4 Total Metals in Soil Samples

Total metals concentrations detected in soil samples do not exceed the corresponding screening levels for residential (unrestricted) land use listed in Table 4, except for arsenic. The DTSC-SL for arsenic in residential soil is 0.11 mg/kg.

Arsenic was detected in 19 discrete samples (including field replicate and co-located samples) obtained from the upper 6 inches of soil at the site at concentrations ranging from 4.1 to 6.4 mg/kg. These site samples were obtained on November 12 and 13, 2019, and are referenced by the grid location from which they were obtained (A1 through H8). Results are presented in Table 1.

Arsenic was detected in 10 background soil samples (including field replicate and co-located samples) obtained from 18-24 inches below ground surface on the adjacent current HUHS campus at concentrations ranging from 3.6 to 5.7 mg/kg. These background samples were obtained on November 11, 2019 and are referenced as “HHS” (Hamilton High School) samples. Results are presented in Table 1.

Arsenic was detected in nine samples (including field replicate and co-located samples) obtained from 0-6 inches below ground surface in the site drainage ditch at concentrations ranging from 4.3 to 6.7 mg/kg. These drainage ditch samples were obtained on November 11, 2019 and are referenced as “DD” samples. Results are presented in Table 4.

As described above in Section 4.4.2, the arsenic data were evaluated pursuant to DTSC guidance and are representative of background conditions.

4.4.5 Organochlorine Pesticides in Soil Samples

One OCP compound, 4,4-DDE, was detected in twelve 4-point composite samples, one field replicate 4-point composite, and three co-located 4-point composite samples from the onsite sample grid. 4,4-DDE also was detected in nine discrete samples (including a co-located sample and field replicate) obtained from the drainage ditch on the southern property boundary. The detected OCP concentrations were less than the USEPA RSL for residential and industrial soils.

4.4.6 Polychlorinated Biphenyls in Soil Samples

PCBs were not detected at concentrations greater than the MDL of 3.7 micrograms per kilogram (ug/kg).

4.4.7 Total Petroleum Hydrocarbons in Soil Samples

Motor oil range organics (MORO) were detected in each of the nine samples (including a co-located sample and field replicate) obtained from the drainage ditch on the southern property boundary at concentrations ranging from 16 to 48 mg/kg. Diesel range organics (DRO) were detected in two of the nine samples at concentrations of 10 and 11 mg/kg, and trace concentrations (less than the RL of 10 mg/kg) were detected in six of the samples. Gasoline range organics (GRO) were not detected. Concentrations of DRO and MORO were less than their respective Environmental Screening Levels (ESLs) as set by the San Francisco Regional Water Quality Control Board (RWQCB), which are listed in Table 3.

4.5 DATA QUALITY SUMMARY

4.5.1 Field Sampling Evaluation and Field Variance

NV5 performed the soil sampling in general accordance with the DTSC approved Work Plan (NV5, 2019). NV5 did not encounter significant variances from the PEA Work Plan except that the initial laboratory analysis of arsenic was performed with unacceptably high MDL and PQL. As described above in Section 4.4.3, total arsenic in soil was originally analyzed using EPA Method 6010B with a PQL of 5 mg/kg. The PQL did not meet the project data quality objectives, and therefore the EPA 6010B data were rejected, and the analysis was repeated using EPA Method 6020 with a PQL of 0.25 mg/kg. Analytical reports for both analyses are presented in Appendix B.

4.5.2 Chain of Custody Evaluation

The chain-of-custody documentation associated with the sample shipment was reviewed for completeness. Samples were received in good condition and were cold. Samples and requested analyses matched the sampling and analysis matrix.

4.5.3 Data Validation

Project data associated with the PEA were reviewed to assess the accuracy of data recording, processing and transmittal. Based on the validation, data generated are of acceptable quality for use in the PEA screening evaluation. None of the data were unusable based on the data evaluation, except for the original laboratory analysis of total arsenic in soil by EPA Method 6010B, as discussed in Section 4.4.3. The data evaluation is provided in Appendix C.

4.5.4 Health and Safety Procedures

Personnel conducting the site investigation were certified under Occupational Safety and Health Administration (OSHA) Hazardous Waste Operations and Emergency Response (HAZWOPER) Standard (29 Code of Federal Regulations 1910). Prior to beginning field work, NV5 conducted a job safety analysis to identify site hazards and control measures to be implemented, reviewed potential constituents of concern (COC) and exposure routes, required the use of personal protective equipment, implemented decontamination procedures, and reviewed emergency response and hazard communications.

5.0 HUMAN HEALTH RISK ASSESSMENT

A screening-level human health risk assessment was performed in general accordance with the DTSC (2019) guidance. HHRA methodology and results are summarized below. Laboratory data for samples collected in November 2019 were used in the HHRA, as presented in Tables 1 through 4. Data evaluation worksheets and summary statistics are presented in Appendix D, and HHRA worksheets are presented in Appendix E.

5.1 SITE CONCEPTUAL MODEL

A site conceptual model (SCM) diagram is presented as Figure 4. The diagram depicts:

- Source media, release mechanisms and transport mechanisms;
- Potential points of exposure (exposure media) and exposure routes; and
- Potential receptors.

The model components are described below.

- The primary source media are inorganic and organic pesticides that were historically applied to the agricultural area. PCBs were not detected in soil and therefore are not considered constituents of concern. Bulk petroleum hydrocarbons were detected at di minimis concentrations below screening levels and are not quantitatively evaluated in the risk assessment.
- The primary release mechanism is the past application of pesticides during orchard cultivation and the aerial deposition of pesticides on surface soil. The site investigation did not identify anomalously high pesticide concentrations in soil that would indicate a spill; based on the low spatial variability of the laboratory test results it is assumed that the pesticide application resulted in a relatively uniform distribution within the cultivated area.
- The secondary source medium is shallow soil containing residual pesticide compounds.
- Potential transport mechanisms include mechanical soil disturbance, soil erosion by water and sediment transport, and soil erosion by wind and dust transport. The physical site characteristics and the results of soil sampling and analysis in a drainage ditch indicate that surface water erosion is not a significant transport mechanism. Leaching, volatilization and/or biological uptake in plant tissue are not considered significant transport mechanisms based on the relatively immobile and non-volatile nature of the constituents of concern and the physical site characteristics.
- Exposure media are soil and suspended particulates (dust). Exposure routes are incidental ingestion and dermal contact with contaminated soil, and inhalation of particulates originating from the contaminated soil. Groundwater and surface water routes are not considered complete. The contaminated soil is subject to seasonal precipitation and runoff; however, the constituents are relatively immobile, and soluble contaminants are expected only at low concentrations. Volatilization to indoor or outdoor air is not considered a complete exposure route because the COCs are not volatile.
- The site is evaluated from an unrestricted land use exposure scenario, and the potential receptors are comprised of offsite residents, construction workers, students, school staff and parents.

5.2 EXPOSURE POINT CONCENTRATIONS AND CHEMICAL GROUPS

COCs include inorganic (metals) and organic (OCP) constituents associated with historical pesticide application.

Arsenic concentrations detected in site soil range from 4.1 to 6.4 mg/kg and exceeds the DTSC-SL for residential soil (0.11 mg/kg). The detected concentrations are similar to the background values detected in subsurface soil samples obtained from the adjacent HUHS school campus and are considered to be representative of background values. Other metals were below the referenced screening levels.

One OCP compound (4,4-DDE) was detected in discrete and composite samples of site soil at concentrations ranging from 5.3 to 43 mg/kg. The detected concentrations were less than the RSL for 4,4-DDE in residential soil.

Laboratory data are presented in Tables 1 through 4. Exposure point concentrations (EPCs) are summarized below. Based on the small sample population, the maximum detected concentration is used as the EPC.

Pursuant to guidelines set forth in HERO *Human Health Risk Assessment Note No. 4* (DTSC, 2019c), risk and hazard are calculated on a site-wide basis, considering the risk and hazard associated with exposure to all detected chemicals (including those inorganic constituents that are determined to be consistent with background or ambient concentrations). Metals that were not detected (antimony, beryllium, molybdenum, selenium, silver and thallium) are not quantitatively evaluated.

5.3 EXPOSURE PARAMETERS

Exposure parameters for residential (unrestricted) land use are adopted from the HERO *Human Health Risk Assessment Note No. 1* (DTSC, 2019a), pursuant to guidance presented in *Risk Assessment Guidance for Superfund, Volume I: Human Health Evaluation Manual (RAGS Part E, Supplemental Guidance for Dermal Risk Assessment), Final* (USEPA, Office of Solid Waste and Emergency Response [OSWER] 9285.7-02EP, 2004) and *Supplemental Guidance for Developing Soil Screening Levels for Superfund Sites* (USEPA, OSWER 9355.4-24, 2002).

- Exposure frequency is 350 days per year.
- Body weight is 15 kilograms (kg) for child and 80 kg for adult.
- The incidental soil ingestion rate is 200 milligrams per day (mg/day) for child and 100 mg/day for adult. Pica (intentional ingestion of soil and related particles) is not considered.
- The inhalation rate is 10 cubic meters per day (m³/day) for child and 20 m³/day for adult.
- Averaging time is 70 years for carcinogenic effects.
- Exposure duration for adults is 20 years. Averaging time for non-carcinogenic effects is equal to the exposure duration.
- Exposed skin surface area is 2,900 square centimeters (cm²) for children and 6,032 cm² for adults.
- Dermal adherence factor is 0.2 milligrams per square centimeter (mg/cm²) for children and 0.07 mg/cm² for adults.
- Particulate emission factor (PEF) is 1.36E+09 cubic meters per kilogram (m³/kg).

5.4 TOXICITY VALUES

Toxicity values and sources are presented in Appendix E, Table E1. Toxicity value selection was performed pursuant to HERO HHRA Note No. 3 (DTSC, 2019b).

5.5 RISK CHARACTERIZATION

Risk and hazard calculations are performed using the following equations for non-volatile constituents. For residential land use, hazard is evaluated for child exposure. Calculations are summarized in Appendix E, Table E2.

$$\text{Risk}_{\text{soil}} = \text{SF}_o \times \text{C}_s \times [((\text{IR}_{\text{s,child}} \times \text{EF} \times \text{ED}_{\text{child}} \times 10^{-6} \text{ kg/mg}) / (\text{BW}_{\text{child}} \times \text{AT} \times 365 \text{ days/yr})) + ((\text{SA}_{\text{child}} \times \text{AF} \times \text{ABS} \times \text{EF}_{\text{child}} \times \text{ED}_{\text{child}} \times 10^{-6} \text{ kg/mg}) / (\text{BW}_{\text{child}} \times \text{AT} \times 365 \text{ days/yr})) + ((\text{IR}_{\text{s,adult}} \times \text{EF} \times \text{ED}_{\text{adult}} \times 10^{-6} \text{ kg/mg}) / (\text{BW}_{\text{adult}} \times \text{AT} \times 365 \text{ days/yr})) + ((\text{SA}_{\text{adult}} \times \text{AF} \times \text{ABS} \times \text{EF}_{\text{adult}} \times \text{ED}_{\text{adult}} \times 10^{-6} \text{ kg/mg}) / (\text{BW}_{\text{adult}} \times \text{AT} \times 365 \text{ days/yr}))]$$

$$\text{Hazard}_{\text{soil}} = (\text{C}_s / \text{RfD}_o) \times [((\text{IR}_s \times \text{EF} \times \text{ED} \times 10^{-6} \text{ kg/mg}) / (\text{BW} \times \text{AT} \times 356 \text{ days/yr})) + ((\text{SA} \times \text{AF} \times \text{ABS} \times \text{EF} \times \text{ED} \times 10^{-6} \text{ kg/mg}) / (\text{BW} \times \text{AT} \times 365 \text{ days/yr}))]$$

$$\text{Risk}_{\text{air}} = \text{SF}_i \times \text{C}_a \times [((\text{IR}_{\text{child}} \times \text{EF} \times \text{ED}_{\text{child}}) / (\text{BW}_{\text{child}} \times \text{AT} \times 365 \text{ days/yr})) + ((\text{IR}_{\text{adult}} \times \text{EF} \times \text{ED}_{\text{adult}}) / (\text{BW}_{\text{adult}} \times \text{AT} \times 365 \text{ days/yr}))]$$

$$\text{Hazard}_{\text{air}} = (\text{C}_a / \text{RfD}_i) \times (\text{IR} \times \text{EF} \times \text{ED}) / (\text{BW} \times \text{AT} \times 365 \text{ days/yr})$$

Where:

ABS = absorption fraction of chemical from soil

AT = averaging time, years

AF = soil to skin adherence factor, mg/cm²

BW = body weight, kg

C_a = concentration in air, mg/m³ (C_a = C_s / PEF)

C_s = concentration in soil, mg/kg

ED = exposure duration, years

EF = exposure frequency

PEF = particulate emission factor, m³/kg

Hazard_{air} = non-cancer chronic health hazard for air pathways

Hazard_{soil} = non-cancer chronic health hazard for soil pathways

IR_a = inhalation rate, m³/day

IR_s = incidental soil ingestion rate, mg/day

SA = exposed skin surface area, cm²

SF_i = inhalation cancer slope factor, (mg/kg-day)⁻¹

SF_o = oral cancer slope factor, (mg/kg-day)⁻¹

RfD_i = inhalation reference dose, mg/kg-day

RfD_o = oral reference dose, mg/kg-day

Risk_{air} = lifetime excess cancer risk for air pathways

Risk_{soil} = lifetime excess cancer risk for soil pathways

5.6 UNCERTAINTY ANALYSIS

According to the California Office of Environmental Health Hazard Assessment (OEHHA, 2004), “systematic, logical and informed approaches to decision making about carcinogens in the environment call for quantitative assessments because the absence of clearly definable thresholds does not permit identification of ‘safe’ levels of exposure. Unfortunately, due to the frequent lack of sufficient data, assumptions have to be made in order to complete quantitative assessments of cancer risk.”

There are uncertainties associated with contaminant concentrations in soil; the amount of exposure to soil; the biological uptake of contaminants from soil; and the toxicological effects of biologically available contaminants. Such uncertainty must be discussed so that the assessment does not result in a “higher degree of implied certainty in the overall assessment than is warranted” (OEHHA, 2004).

Laboratory reporting and detection limits are generally less than the corresponding screening levels and/or background levels; therefore, these laboratory analytical limitations are not expected to be a significant source of uncertainty.

Confidence in the exposure assessment is considered low to moderate. Confidence in toxicity values ranges from low to high based on the data available for specific constituents of concern. The risk assessment considers routine, long-term exposure to soil, including dermal contact, ingestion and inhalation of soil dust.

Sampling uncertainty related to contaminant concentrations in soil, as well as sampling uncertainty related to the literature-derived exposure and toxicity parameters, contribute to the overall uncertainty of the assessment. The use of maximum detected concentrations tends to overestimate risk. Confidence in sampling is considered moderate based on the relatively consistent laboratory results and the findings of field and laboratory data validation.

The literature-derived exposure factors and toxicity factors used in the assessment were obtained with the goal of reducing uncertainty; however, limitations of existing data pertaining to activity patterns for future site occupants, as well as health effects from exposure, result in model uncertainty.

5.7 SUMMARY OF EVALUATION

Pursuant to guidelines set forth in HERO HHRA Note No. 4 (DTSC, 2019c) hazard and risk are calculated on a site-wide basis, considering the hazard and risk associated with exposure to all detected chemicals including those that are determined to be consistent with background or ambient concentrations. This information is intended to be useful for risk management decisions and to foster public transparency. The hazard index (hazard or HI; $1.7E+01$) and excess lifetime cancer risk (risk; $6.2E-05$) are driven by ambient arsenic concentrations in soil. Excluding arsenic, which was detected at concentrations similar to accepted background values, the hazard is $6.6E-01$ and the risk is $3.8E-08$.

6.0 PUBLIC PARTICIPATION

The PEA report is submitted in draft format to DTSC for review and is revised pursuant to DTSC comments. After revision, the PEA report is resubmitted in “draft final” format for DTSC review and approval. Pursuant to the California Education Code Section 17213.1 (a) (6), the school district is required to notify the public concurrently with the submission of the draft PEA report to DTSC. The school district must publish a notice in a local newspaper of general circulation and post the notice in a prominent manner at the school site. The notice shall state the school district's determination to make the PEA available for public review and comment.

The code specifies two alternative methods of notification, and the school district intends to use option “A” as set forth in California Education Code Section 17213.1 (a) (6). Option “A” is outlined below, borrowing from the referenced code.

The school district shall offer to receive written comments for a period of at least 30 calendar days after the assessment is submitted to the DTSC, commencing on the date the notice is originally published, and shall hold a public hearing to receive further comments. The school district shall make all the following documents available to the public upon request through the time of the public hearing:

- (i) The PEA Report,
- (ii) The changes requested by the DTSC for the PEA, and
- (iii) Any correspondence between the school district and the DTSC relating to the PEA.

The notice of the public hearing shall include the date and location of the public hearing, and the location where the public may review the documents described in items (i), (ii) and (iii) above. All public comments pertaining to the preliminary endangerment assessment shall be forwarded to the DTSC immediately.

If the PEA is revised or altered following the public hearing, the school district shall make those revisions or alterations available to the public. The school district shall transmit a copy of all public comments received by the school district on the PEA to the DTSC.

The DTSC shall complete its review of the PEA and public comments received thereon and shall either approve or disapprove the assessment within 30 calendar days of the close of the public review period. If the DTSC determines that it is likely to disapprove the assessment prior to its receipt of the public comments, it shall inform the school district of that determination and of any action that the school district is required to take for the DTSC to approve the assessment.

7.0 CONCLUSIONS AND RECOMMENDATIONS

The following conclusions are based on the findings of site characterization and risk assessment.

Arsenic concentrations detected in surface soil range from 4.1 to 6.7 mg/kg and have an average value of 5.3 mg/kg. These concentrations exceed the DTSC-SL for residential soil (unrestricted land use). However, the concentrations are similar to accepted background values and are considered to be representative of background conditions.

OCPs were not detected in soil within the former agricultural area in exceedance of DTSC-SLs and were not detected in groundwater sampled from the onsite agricultural well. PCBs were not detected in soil adjacent to the onsite pole mounted transformer. Except for arsenic (discussed above), Title 22 metals were not detected in soil within the former agricultural area or drainage ditch in exceedance of DTSC-SLs. Total petroleum hydrocarbons were not detected in soil in the drainage ditch in exceedance of RWQCB ESLs.

Based on the findings of site characterization presented herein, it is NV5's opinion that the site is a candidate for a no further action determination regarding the characterization of Title 22 metals (including arsenic), OCPs, TPH and PCBs. The findings and conclusions presented herein are subject to review and approval by DTSC.

8.0 LIMITATIONS

The following limitations apply to the findings, conclusions and recommendations presented in this report:

- NV5's professional services were performed consistent with the generally accepted engineering principles and practices employed in northern California. No warranty is expressed or implied.
- These services were performed per NV5's agreement with NV5's client. NV5 is not responsible for the impacts of any changes in environmental standards, practices or regulations subsequent to performance of environmental and engineering services. NV5 does not warrant the accuracy of information supplied by others, or the use of segregated portions of this report. This report is solely for the use of the client unless noted otherwise. Any reliance on this report by a third party is at the party's sole risk.
- If changes are made to the nature or design of the project as described in this report, then the conclusions and recommendations presented in this report should be considered invalid by all parties. Only NV5 can determine the validity of the conclusions and recommendations presented in this report. Therefore, NV5 should be retained to review all project changes and prepare written responses with regards to their impacts on NV5's conclusions and recommendations; however, NV5 may require additional field work and laboratory testing to develop any modifications to the report. Costs to review project changes and perform additional fieldwork and laboratory testing necessary to modify NV5's recommendations are beyond the scope of services presented in this report. Additional work will require an approved scope of services, budget and authorization to proceed.
- NV5 is not responsible for the health and safety of non-NV5 personnel, on or off the project site.
- The analyses, conclusions and recommendations presented in this report are based on site conditions as they existed at the time NV5's investigation was performed. Changes in the conditions of the property can occur with the passage of time. The changes may be due to natural processes or to the works of man, on the project site or adjacent properties. In addition, changes in applicable or appropriate standards can occur, whether they result from legislation or the broadening of knowledge, therefore, the recommendations presented in this plan may need to be revised based on site conditions or regulatory requirements.


9.0 REFERENCES

- California Department of Health Services, 2016. *California Indoor Radon Levels Sorted by Zip Code (Last updated February 2016)*.
- California Department of Conservation, Division of Mines and Geology, 2000. *A General Location Guide for Ultramafic Rocks in California - Areas Likely to Contain Naturally Occurring Asbestos*. Map scale 1:1,100,000. Open-File Report 2000-19. August.
- California Geological Survey, 1991. *Geologic Controls on the Distribution of Radon in California*. January 25.
- Department of Toxic Substances Control (DTSC), 1997. *Selecting Inorganic Constituents as Chemicals of Potential Concern at Risk Assessments at Hazardous Waste Sites and Permitted Facilities, Final Policy*. Human and Ecological Risk Division. February.
- DTSC, 2006. Interim Guidance, Evaluation of School Sites with Potential Soil Contamination as a Result of Lead from Lead-Based Paint, Organochlorine Pesticides from Termiticides, and Polychlorinated Biphenyls from Electrical Transformers, Revised 06/09/06.
- DTSC, 2008. Interim Guidance for Sampling Agricultural Fields for School Sites (Third Revision). August 7.
- DTSC, 2009 Jan 16. Arsenic Strategies, Determination of Arsenic Remediation, Development of Arsenic Cleanup Goals. [https://www.dtsc.ca.gov/AssessingRisk /upload/Arsenic-Cleanup-Goals-Jan09.pdf](https://www.dtsc.ca.gov/AssessingRisk/upload/Arsenic-Cleanup-Goals-Jan09.pdf)
- DTSC, 2011 Sept. User's Guide to LeadSpread 8 and Recommendations for Evaluation of Lead Exposures in Adults. Human and Ecological Risk Office. Accessed online at <https://dtsc.ca.gov/leadsread-8/>
- DTSC, 2015 Oct. Preliminary Endangerment Assessment Guidance Manual
- DTSC, 2019. Human Health Risk Assessment and Ecological Risk Assessment guidance, Human and Ecological Risk Office, available online at <https://dtsc.ca.gov/human-health-risk-hero/> and <https://dtsc.ca.gov/ecological-risk-assessment-hero/>. October.
- DTSC, 2019a. *Human Health Risk Assessment Note No. 1. Recommended DTSC Default Exposure Factors for Use in Risk Assessment at California Hazardous Waste Sites and Permitted Facilities*. Office of Human and Ecological Risk. April 9.
- DTSC, 2019b. *Human Health Risk Assessment Note No. 3, DTSC-modified Screening Levels (DTSC-SLs)*. Office of Human and Ecological Risk. April.
- DTSC, 2019c. *Human Health Risk Assessment Note No. 4. Guidance for Screening Level Human Health Risk Assessments*. Office of Human and Ecological Risk. May 14.
- Jennings and Strand, 1960. *Geologic Map of California, Ukiah Sheet*. California Division of Mines and Geology.
- NV5, 2018. Phase I Environmental Site Assessment, Hamilton Union High School Expansion. September 13.
- NV5, 2019. Preliminary Endangerment Assessment Work Plan, Hamilton Union High School Expansion, Hamilton City, Glenn County, California. October 29.

- United States Geological Survey (USGS), 1969. Hamilton City Quadrangle 7.5 Minute Series (Topographic).
- Office of Environmental Health Hazard Assessment (OEHHA), 2004. *Public Health Goals for Chemicals in Drinking Water, Arsenic*. California Environmental Protection Agency.
- OEHHA, 2007. Child-Specific Benchmark Change in Blood Lead Concentration for School Site Risk Assessment. April, http://oehha.ca.gov/public_info/public/kids/pdf/PbHGVO41307.pdf
- OEHHA, 2009 Sept. Revised California Human Health Screening Levels for Lead, California Environmental Protection Agency, Integrated Risk Assessment Branch
- United State Environmental Protection Agency (USEPA), 2002. *Supplemental Guidance for Developing Soil Screening Levels for Superfund Sites*. Office of Solid Waste and Emergency Response (OSWER) 9355.4-24.
- USEPA, 2004. *Risk Assessment Guidance for Superfund, Volume I: Human Health Evaluation Manual* (RAGS Part E, Supplemental Guidance for Dermal Risk Assessment, OSWER 9285.7-02EP. August.
- USEPA, 2016. ProUCL Version 5.1 Technical Guide, Statistical Software for Environmental Applications for Data Sets with and without Nondetect Observations, EPA/600/R-07/041. May.
- USEPA, 2019. Regional Screening Levels (RSLs)–Generic Tables. <https://www.epa.gov/risk/regional-screening-levels-rsls-generic-tables>
- USEPA. Hazardous Waste Test Methods / SW-846. *Test Methods for Evaluating Solid Waste, Physical/Chemical Methods*. URL: <https://www.epa.gov/hw-sw846>.
- USEPA. *Map of Radon Zones for California*. Viewed on August 21, 2018. URL: <http://www.city-data.com/radon-zones/California/California.html>.

FIGURES

- 1 Location Map
- 2 Site Plan
- 3 Soil and Groundwater Sample Locations
- 4 Site Conceptual Model Diagram




BASE MAP: USGS, 1969. HAMILTON CITY 7.5 MIN QUADRANGLE



LOCATION MAP
HAMILTON UNION HIGH SCHOOL EXPANSION
 HAMILTON CITY, CALIFORNIA

DRAWN BY:	HJC
CHECKED BY:	HJC
PROJECT NO:	70779.01
DATE:	JANUARY 2020


FIGURE
1



SITE PLAN
HAMILTON UNION HIGH SCHOOL EXPANSION
 HAMILTON CITY, CALIFORNIA

DRAWN BY:	CWB
CHECKED BY:	HJC
PROJECT NO:	70779.01
DATE:	JANUARY 2020

FIGURE
2




SOIL AND GROUNDWATER SAMPLE LOCATIONS

HAMILTON UNION HIGH SCHOOL EXPANSION
HAMILTON CITY, CALIFORNIA

DRAWN BY: CWB
CHECKED BY: HJC
PROJECT: 70779.01
DATE: JANUARY 2020

FIGURE
3

TRANSPORT MECHANISMS AND EXPOSURE MEDIA FOR HUMAN RECEPTORS



SITE CONCEPTUAL MODEL DIAGRAM
 HAMILTON UNION HIGH SCHOOL EXPANSION
 HAMILTON CITY, CALIFORNIA

DRAWN BY:	CWB
CHECKED BY:	HJC
PROJECT:	70779.01
DATE:	JANUARY 2020

FIGURE
4

TABLES

- 1 Arsenic and Lead in Soil
- 2 Organochlorine Pesticides in Soil
- 3 Total Petroleum Hydrocarbons in Soil
- 4 Title 22 Metals in Soil

Table 1. Total Arsenic and Lead in Soil

Hamilton Union High School Expansion

Hamilton City, Glenn County, California

Sample ID	Sample Date	Depth (inches bgs)	Arsenic	Lead
<i>USEPA Method</i>			6020	6010B
<i>CAS No.</i>			7440-38-2	7439-92-1
<i>MDL</i>			0.0025	0.01
<i>RL</i>			0.25	3
<i>Unit</i>			mg/kg	mg/kg
<i>Screening Levels^(a)</i>	<i>DTSC-SL (Residential)</i>		0.11	80
	<i>DTSC-SL (Industrial)</i>		0.36	320
A1D-0	11/12/19	0-6	5.4	4.5
A7D-0	11/12/19	0-6	5.9	5.4
A7D-0-CL	11/12/19	0-6	5.7	5.4
B3D-0	11/12/19	0-6	5.3	4.7
B3D-0-FR	11/12/19	0-6	5.0	4.3
C1D-0	11/12/19	0-6	4.7	4.3
C1D-0-CL	11/12/19	0-6	4.8	4.7
C5D-0	11/12/19	0-6	4.1	5.1
C8D-0	11/12/19	0-6	5.5	5.0
D3D-0	11/12/19	0-6	4.7	4.5
D7D-0	11/12/19	0-6	6.4	5.8
D7D-0-FR	11/12/19	0-6	5.2	5.6
E2D-0	11/13/19	0-6	4.9	4.9
E5D-0	11/13/19	0-6	6.0	5.7
F3D-0	11/13/19	0-6	5.5	5.5
F3D-0-FR	11/13/19	0-6	5.4	5.4
F7D-0	11/13/19	0-6	4.7	5.2
H6D-0	11/13/19	0-6	5.6	5.9
H8D-0	11/13/19	0-6	5.8	5.8
HHS1D-2	11/11/19	18-24	5.0	4.3
HHS2D-2	11/11/19	18-24	5.4	4.4
HHS3D-2	11/11/19	18-24	4.7	4.1
HHS3D-2-FR	11/11/19	18-24	5.2	3.7
HHS4D-2	11/11/19	18-24	3.6	4.0
HHS5D-2	11/11/19	18-24	4.7	3.7
HHS5D-2-CL	11/11/19	18-24	4.6	4.1
HHS6D-2	11/11/19	18-24	5.1	4.1
HHS7D-2	11/11/19	18-24	4.9	3.8
HHS8D-2	11/11/19	18-24	5.7	4.2

Notes:

bgs = below ground surface

CAS = Chemical Abstracts Service registry number

DTSC = Department of Toxic Substances Control

MDL = method detection limit

mg/kg = milligrams per kilogram

ND = not detected greater than listed MDL

RL = reporting limit

SL = screening level

USEPA = United States Environmental Protection Agency

Table 2. Organochlorine Pesticides in Soil

Hamilton Union High School Expansion

Hamilton City, Glenn County, California

Sample ID	Sample Date	Depth (inches bgs)	4,4'-DDE
<i>USEPA Method</i>			8081A
<i>CAS No.</i>			72-55-9
<i>MDL</i>			1.5
<i>RL</i>			5.0
<i>Unit</i>			ug/kg
<i>Screening Levels^(a)</i>	<i>USEPA RSL (Residential)</i>		<i>2000 (500 for 1:4 composite)</i>
	<i>USEPA RSL (Industrial)</i>		<i>9300 (2325 for 1:4 composite)</i>
ABCD1C-0	11/12/19	0-6	12
ABCD2C-0	11/12/19	0-6	11
ABCD2C-0-FR	11/12/19	0-6	8.7
ABCD3C-0	11/12/19	0-6	9.8
ABCD4C-0	11/12/19	0-6	7.6
ABCD5C-0	11/12/19	0-6	6.6
ABCD5C-0-CL	11/12/19	0-6	7.0
ABCD6C-0	11/12/19	0-6	<5.0
ABCD7C-0	11/12/19	0-6	<5.0
ABCD7C-0-FR	11/12/19	0-6	<5.0
ABCD8C-0	11/12/19	0-6	<5.0
EF1EF2C-0	11/13/19	0-6	9.0
EF3EF4C-0	11/13/19	0-6	8.2
EF3EF4C-0-CL	11/13/19	0-6	11
EFGH5C-0	11/13/19	0-6	7.7
EFGH6C-0	11/13/19	0-6	8.5
EFGH7C-0	11/13/19	0-6	8.3
EFGH8C-0	11/13/19	0-6	6.6
EFGH8C-0-CL	11/13/19	0-6	5.3
DD1D-0	11/11/19	0-6	9.3
DD2D-0	11/11/19	0-6	11
DD2D-0-CL	11/11/19	0-6	12
DD3D-0	11/11/19	0-6	21
DD4D-0	11/11/19	0-6	40
DD4D-0-FR	11/11/19	0-6	36
DD5D-0	11/11/19	0-6	<5.0
DD6D-0	11/11/19	0-6	14
DD7D-0	11/11/19	0-6	43

Notes:

bgs = below ground surface

CAS = Chemical Abstracts Service registry number

MDL = method detection limit

ND = not detected above listed MDL

RL = reporting limit

RSL = Regional Screening Level

USEPA = United States Environmental Protection Agency

ug/kg = micrograms per kilogram

^(a) RSLs as set forth by USEPA Region 9 (USEPA, November 2019). Screening levels shown in parentheses were divided by 4 to account for potential dilution associated with the 4:1 composite sample.

Table 3. Total Petroleum Hydrocarbons in Soil

Hamilton Union High School Expansion

Hamilton City, Glenn County, California

Sample ID	Sample Date	GRO (C6-C12)	DRO (C13-C28)	MORO (C29-C40)
<i>USEPA Method</i>		<i>8015B</i>	<i>8015B</i>	<i>8015B</i>
<i>MDL</i>		<i>2.2</i>	<i>1.6</i>	<i>4.2</i>
<i>RL</i>		<i>10</i>	<i>10</i>	<i>10</i>
<i>Unit</i>		<i>mg/kg</i>	<i>mg/kg</i>	<i>mg/kg</i>
<i>Screening Levels^(a)</i>	<i>ESL</i>	<i>100</i>	<i>260</i>	<i>1600</i>
DD1D-0	11/11/19	ND	ND	17
DD2D-0	11/11/19	ND	2.9J	17
DD2D-0-CL	11/11/19	ND	5.4J	25
DD3D-0	11/11/19	ND	3.0J	16
DD4D-0	11/11/19	ND	5.6J	30
DD4D-0-FR	11/11/19	ND	5.2J	33
DD5D-0	11/11/19	ND	8.0J	26
DD6D-0	11/11/19	ND	11	48
DD7D-0	11/11/19	ND	10	35

Notes:

CAS = Chemical Abstracts Service

DRO = diesel range organics

ESL = Environmental Screening Level

GRO = gasoline range organics

J = estimated value; between method detection limit and reporting limit

MDL = method detection limit

mg/kg = milligrams per kilogram

MORO = motor oil range organics

ND = not detected

RL = reporting limit

RWQCB = Regional Water Quality Control Board

USEPA = United State Environmental Protection Agency

^(a) RWQCB, San Francisco Bay Region, 2019. Environmental Screening Levels (ESLs).

Table 4. Title 22 Metals in Soil
Hamilton Union High School Expansion
Hamilton City, Glenn County, California

Sample ID	Sample Date	Depth (inches bgs)	Antimony	Arsenic	Barium	Beryllium	Cadmium	Chromium	Cobalt	Copper	Lead	Mercury	Molybdenum	Nickel	Selenium	Silver	Thallium	Vanadium	Zinc	
<i>USEPA Method</i>			6010B	6020	6010B	6010B	6010B	6010B	6010B	6010B	6010B	7471A	6010B	6010B	6010B	6010B	6020	6010B	6010B	
<i>CAS No.</i>			7440-36-0	7440-38-2	7440-39-3	7440-41-7	7440-43-9	7440-47-3	7440-48-4	7440-50-8	7439-92-1	7439-97-6	7439-98-7	7440-02-0	7782-49-2	7440-22-4	7440-28-0	7440-62-2	7440-66-6	
<i>MDL</i>			1.4	0.0025	0.3	0.2	0.1	0.1	0.2	0.2	1.0	0.027	0.2	0.3	2.2	0.5	0.10	0.3	0.1	
<i>RL</i>			3.0	0.25	1.0	1.0	2.0	2.0	2.0	1.0	3.0	0.10	5.0	2.0	5.0	2.0	0.25	5.0	1.0	
<i>Unit</i>			mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
<i>Screening Levels</i> ^(a, b)	<i>DTSC-SL (Residential)</i>		NL	0.11	NL	16	71	NL	NL	NL	80	1.0	NL	820	NL	NL	NL	NL	NL	
	<i>DTSC-SL (Industrial)</i>		NL	0.36	NL	230	780	NL	NL	NL	320	4.4	NL	11,000	NL	NL	NL	NL	NL	
	<i>RSL (Residential)</i>		31	0.68	15,000	160	71	120,000	23	3,100	400	11	390	1,500	390	390	0.78	390	23,000	
DD1D-0	11/11/19	0-6	ND	4.4	70	ND	0.53J	40	9.7	23	4.5	0.035J	ND	59	ND	ND	ND	28	52	
DD2D-0	11/11/19	0-6	ND	5.3	65	ND	0.51J	40	9.2	22	4.7	ND	ND	56	ND	ND	ND	27	52	
DD2D-0-CL	11/11/19	0-6	ND	4.8	65	ND	0.48J	37	8.7	21	4.5	ND	ND	54	ND	ND	ND	26	52	
DD3D-0	11/11/19	0-6	ND	4.3	62	ND	0.49J	35	8.4	20	4.8	ND	ND	50	ND	ND	ND	25	51	
DD4D-0	11/11/19	0-6	ND	5.8	65	ND	0.50J	35	9.1	21	5.2	ND	ND	52	ND	ND	ND	26	51	
DD4D-0-FR	11/11/19	0-6	ND	5.5	64	ND	0.48J	35	8.8	21	5.5	ND	ND	51	ND	ND	ND	25	56	
DD5D-0	11/11/19	0-6	ND	6.7	190	ND	0.57J	41	9.8	26	6.4	0.036J	ND	59	ND	ND	ND	30	77	
DD6D-0	11/11/19	0-6	ND	5.7	200	ND	0.56J	40	9.6	25	6.5	0.029J	ND	57	ND	ND	ND	29	81	
DD7D-0	11/11/19	0-6	ND	5.7	190	ND	0.53J	38	9.4	22	4.9	0.028J	ND	57	ND	ND	ND	28	58	

Notes:

- bgs = below ground surface
- CAS = Chemical Abstracts Service registry number
- DTSC-SL = California Department of Toxic Substances Control Screening Level, as set forth in Human Health Risk Assessment (HHRA) Note 3 (DTSC; April 2019)
- J = estimated value; between method detection limit and reporting limit
- MDL = method detection limit
- mg/kg = milligrams per kilogram
- ND = not detected greater than listed MDL
- RL = reporting limit
- RSL = Regional Screening Level
- USEPA = United States Environmental Protection Agency
- NL = not listed

^(a) DTSC-SL as set forth in Human Health Risk Assessment (HHRA) Note 3 (DTSC; April 2019)

^(b) RSLs as set forth by USEPA Region 9 (USEPA, November 2019)

APPENDIX A

Regulatory Correspondence



Jared Blumenfeld
Secretary for
Environmental Protection



Department of Toxic Substances Control

Meredith Williams, Ph.D.
Acting Director
8800 Cal Center Drive
Sacramento, California 95826-3200



Gavin Newsom
Governor

November 5, 2019

Mr. Jeremy Powell, EdD
Superintendent
Hamilton Unified School District
P.O. Box 488
Hamilton City, California 95951

PRELIMINARY ENDANGERMENT ASSESSMENT WORKPLAN – APPROVAL,
HAMILTON UNIFIED SCHOOL DISTRICT, HAMILTON UNION HIGH SCHOOL
EXPANSION, NORTH OF 620 CANAL STREET AND EAST OF SR 45/CANAL
STREET, HAMILTON CITY, GLENN COUNTY (PROJECT CODE 104806)

Dear Dr. Powell:

The Department of Toxic Substances Control (DTSC) reviewed the revised *Preliminary Endangerment Assessment Work Plan* (PEA Workplan – NV5, October 29, 2019) received electronically on November 1, 2019. The PEA Workplan was revised in response to DTSC comments on the draft version forwarded in a letter dated October 7, 2019. The PEA Workplan includes project background information as well as proposed environmental investigation activities.

According to the PEA Workplan, the Hamilton Unified School District (District) is proposing to expand the existing Hamilton Union High School. The proposed expansion will include phased construction of a gymnasium, a parking lot, new play fields, and modernization of utilities and infrastructure. The Site will be served by the Hamilton City Community Services District (CSD) which includes water provided by California Water Service – Chico District, storm drain connections provided by Glenn County Planning and Public Works Agency and sewer provided by the CSD.

The Site is identified as an approximately 45-acre portion of the parcel identified by the Glenn County Assessor's Parcel Number 032-230-015 (125 acres). The Site is bordered to the north by agricultural land; to the east by railroad tracks followed by agricultural land and the Sacramento River; to the south by Hamilton Union High School, then 6th Street, followed by mixed commercial businesses and residences; and, to the west by Canal Road, then the Glenn-Colusa Canal followed by agricultural land.

According to the PEA Workplan, the Site has been used for agricultural purposes since at least 1937. A hay type crop was planted at the Site from at least 1937 through approximately 1983. The Site was used as an orchard from approximately 1983 through 2017. The Site has been planted with a hay type crop since 2017. One pole-mounted transformer and water supply well are present at the Site. Both were likely installed around 1978.

The PEA Workplan includes activities to investigate the Site for potential impacts from the following environmental conditions that may pose a threat to human health or the environment:

- Organochlorine pesticides (OCPs), arsenic, and lead in soils from historic agricultural use;
- Arsenic, lead, and OCPs in soil and groundwater associated with the supply well as a potential mixing area;
- Polychlorinated biphenyls in soils associated with the pole-mounted transformer; and,
- Total petroleum hydrocarbons, metals, and OCPs in soils associated with a drainage ditch that runs east to west along the southern edge of the Site.

DTSC's comments have been adequately addressed, and the revised PEA Workplan is hereby approved. If Site conditions differ from those presented in the approved PEA Workplan, additional work may be necessary. In accordance with Education Code section 17210.1(b), the District shall provide written notice to businesses and residents in the immediate area, approved in form by DTSC, at least five days in advance of field investigation activities. The intent of this requirement is to provide advance notice of fieldwork such as drilling, sampling, and other environmental data collection activities to anyone who lives or works in the line of sight of the Site. Please notify DTSC a minimum of 48 hours in advance of fieldwork or schedule changes.

The PEA Workplan states that the District intends to make the Draft PEA Report available for public review in compliance with Option A of the Education Code section 17213.1(a)(6)(A). Pursuant to Education Code section 17213.1, subdivision (a)(6), at the same time the Draft PEA Report is submitted to DTSC for review, the District shall publish a DTSC approved notice in a local newspaper of general circulation and post the notice in a prominent manner at the Site. The notice should state the District's intent of making the Draft PEA Report available for public review pursuant Option A. A copy of the notice shall be submitted to DTSC with the Draft PEA Report.

Mr. Jeremy Powell, EdD
November 5, 2019
Page 3

If you have any questions regarding the project, please contact me at (916) 255-6666 or via email at Elizabeth.Tisdale@dtsc.ca.gov.

Sincerely,



Elizabeth Tisdale
Project Manager
Northern California Schools Unit
Site Mitigation and Restoration Program

cc: (via e-mail)

Ms. Kristen Hamman
Chief Business Official
Hamilton Unified School District
khamman@hudschools.org

Mr. Michael Cannon
Principal
EFPM, LLC
mscannon_efpm@msn.com

Ms. Heidi Cummings, PG
Senior Geologist
NV5
Heidi.Cummings@nv5.com

Mr. José Salcedo, PE
Chief, Northern California Schools Unit
DTSC – Sacramento Office
Jose.Salcedo@dtsc.ca.gov

Mr. Craig W. Bourne, PG
Project Geologist
NV5
Craig.Bourne@nv5.com

Ms. Valerie Hanley, PhD
Staff Toxicologist
DTSC – Human and Ecological Risk Office
Valerie.Hanley@dtsc.ca.gov

APPENDIX B

Laboratory Reports and Chain-of-Custody Documentation



25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

11 December 2019

Heidi Cummings

NV5

48 Bellarmine Ct, Suite 40

Chico, CA 95928

RE: Hamilton Union High School

Enclosed are the results of analyses for samples received by the laboratory on 11/13/19 08:27. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink, appearing to read "Jeff Lee", is written over a light gray rectangular background.

Jeff Lee

Project Manager

NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
12/11/19 09:12

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
A1D-0	T193941-01	Soil	11/12/19 08:30	11/13/19 08:27
C1D-0	T193941-03	Soil	11/12/19 08:50	11/13/19 08:27
C1D-0-CL	T193941-04	Soil	11/12/19 09:00	11/13/19 08:27
ABCD1C-0	T193941-06	Soil	11/12/19 00:00	11/13/19 08:27
ABCD2C-0	T193941-15	Soil	11/12/19 00:00	11/13/19 08:27
ABCD2C-0-FR	T193941-16	Soil	11/12/19 00:00	11/13/19 08:27
B3D-0	T193941-18	Soil	11/12/19 10:25	11/13/19 08:27
B3D-0-FR	T193941-19	Soil	11/12/19 10:26	11/13/19 08:27
D3D-0	T193941-21	Soil	11/12/19 11:00	11/13/19 08:27
ABCD3C-0	T193941-22	Soil	11/12/19 00:00	11/13/19 08:27
ABCD4C-0	T193941-27	Soil	11/12/19 00:00	11/13/19 08:27
HHS1D-2	T193941-28	Soil	11/11/19 08:30	11/13/19 08:27
HHS2D-2	T193941-29	Soil	11/11/19 09:15	11/13/19 08:27
HHS3D-2	T193941-30	Soil	11/11/19 10:15	11/13/19 08:27
HHS3D-2-FR	T193941-31	Soil	11/11/19 10:18	11/13/19 08:27
HHS4D-2	T193941-32	Soil	11/11/19 10:30	11/13/19 08:27
HHS5D-2	T193941-33	Soil	11/11/19 10:45	11/13/19 08:27
HHS5D-2-CL	T193941-34	Soil	11/11/19 10:55	11/13/19 08:27
HHS6D-2	T193941-35	Soil	11/11/19 11:30	11/13/19 08:27
HHS7D-2	T193941-36	Soil	11/11/19 12:25	11/13/19 08:27
HHS8D-2	T193941-37	Soil	11/11/19 13:30	11/13/19 08:27
PMT-E6D-0	T193941-38	Soil	11/11/19 15:05	11/13/19 08:27
PMT-E6D-0-CL	T193941-39	Soil	11/11/19 15:15	11/13/19 08:27
PMT-E6D-2	T193941-40	Soil	11/11/19 15:30	11/13/19 08:27
EB-1	T193941-41	Water	11/11/19 15:00	11/13/19 08:27
DD1D-0	T193941-42	Soil	11/11/19 13:40	11/13/19 08:27
DD2D-0	T193941-43	Soil	11/11/19 13:45	11/13/19 08:27
DD2D-0-CL	T193941-44	Soil	11/11/19 13:50	11/13/19 08:27
DD3D-0	T193941-45	Soil	11/11/19 14:05	11/13/19 08:27

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
12/11/19 09:12

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
DD4D-0	T193941-46	Soil	11/11/19 14:10	11/13/19 08:27
DD4D-0-FR	T193941-47	Soil	11/11/19 14:15	11/13/19 08:27
DD5D-0	T193941-48	Soil	11/11/19 14:25	11/13/19 08:27
DD6D-0	T193941-49	Soil	11/11/19 14:35	11/13/19 08:27
DD7D-0	T193941-50	Soil	11/11/19 15:00	11/13/19 08:27

This report has been revised to report Arsenic and Thallium under EPA 6020 instead of EPA 6010. JL 12/11/19



NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
12/11/19 09:12

DETECTIONS SUMMARY

Sample ID: A1D-0 **Laboratory ID:** T193941-01

Analyte	Reporting		Units	Method	Notes
	Result	Limit			
Lead	4.47	3.00	mg/kg	EPA 6010b	
Arsenic	5.4	0.25	mg/kg	6020 ICP-MS	

Sample ID: C1D-0 **Laboratory ID:** T193941-03

Analyte	Reporting		Units	Method	Notes
	Result	Limit			
Lead	4.33	3.00	mg/kg	EPA 6010b	
Arsenic	4.7	0.25	mg/kg	6020 ICP-MS	

Sample ID: C1D-0-CL **Laboratory ID:** T193941-04

Analyte	Reporting		Units	Method	Notes
	Result	Limit			
Lead	4.72	3.00	mg/kg	EPA 6010b	
Arsenic	4.8	0.25	mg/kg	6020 ICP-MS	

Sample ID: ABCD1C-0 **Laboratory ID:** T193941-06

Analyte	Reporting		Units	Method	Notes
	Result	Limit			
4,4'-DDE	12	5.0	ug/kg	EPA 8081A	

Sample ID: ABCD2C-0 **Laboratory ID:** T193941-15

Analyte	Reporting		Units	Method	Notes
	Result	Limit			
4,4'-DDE	11	5.0	ug/kg	EPA 8081A	



NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
12/11/19 09:12

Sample ID: ABCD2C-0-FR **Laboratory ID:** T193941-16

Analyte	Reporting		Units	Method	Notes
	Result	Limit			
4,4'-DDE	8.7	5.0	ug/kg	EPA 8081A	

Sample ID: B3D-0 **Laboratory ID:** T193941-18

Analyte	Reporting		Units	Method	Notes
	Result	Limit			
Lead	4.67	3.00	mg/kg	EPA 6010b	
Arsenic	5.3	0.25	mg/kg	6020 ICP-MS	

Sample ID: B3D-0-FR **Laboratory ID:** T193941-19

Analyte	Reporting		Units	Method	Notes
	Result	Limit			
Lead	4.28	3.00	mg/kg	EPA 6010b	
Arsenic	5.0	0.25	mg/kg	6020 ICP-MS	

Sample ID: D3D-0 **Laboratory ID:** T193941-21

Analyte	Reporting		Units	Method	Notes
	Result	Limit			
Lead	4.54	3.00	mg/kg	EPA 6010b	
Arsenic	4.7	0.25	mg/kg	6020 ICP-MS	

Sample ID: ABCD3C-0 **Laboratory ID:** T193941-22

Analyte	Reporting		Units	Method	Notes
	Result	Limit			
4,4'-DDE	9.8	5.0	ug/kg	EPA 8081A	

Sample ID: ABCD4C-0 **Laboratory ID:** T193941-27

Analyte	Reporting		Units	Method	Notes
	Result	Limit			
4,4'-DDE	7.6	5.0	ug/kg	EPA 8081A	



NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
12/11/19 09:12

Sample ID: HHS1D-2 **Laboratory ID:** T193941-28

Analyte	Reporting		Units	Method	Notes
	Result	Limit			
Lead	4.32	3.00	mg/kg	EPA 6010b	
Arsenic	5.0	0.23	mg/kg	6020 ICP-MS	

Sample ID: HHS2D-2 **Laboratory ID:** T193941-29

Analyte	Reporting		Units	Method	Notes
	Result	Limit			
Lead	4.35	3.00	mg/kg	EPA 6010b	
Arsenic	5.4	0.25	mg/kg	6020 ICP-MS	

Sample ID: HHS3D-2 **Laboratory ID:** T193941-30

Analyte	Reporting		Units	Method	Notes
	Result	Limit			
Lead	4.07	3.00	mg/kg	EPA 6010b	
Arsenic	4.7	0.25	mg/kg	6020 ICP-MS	

Sample ID: HHS3D-2-FR **Laboratory ID:** T193941-31

Analyte	Reporting		Units	Method	Notes
	Result	Limit			
Lead	3.74	3.00	mg/kg	EPA 6010b	
Arsenic	5.2	0.25	mg/kg	6020 ICP-MS	

Sample ID: HHS4D-2 **Laboratory ID:** T193941-32

Analyte	Reporting		Units	Method	Notes
	Result	Limit			
Lead	3.97	3.00	mg/kg	EPA 6010b	
Arsenic	3.6	0.25	mg/kg	6020 ICP-MS	

Sample ID: HHS5D-2 **Laboratory ID:** T193941-33

Analyte	Reporting		Units	Method	Notes
	Result	Limit			
Lead	3.72	3.00	mg/kg	EPA 6010b	
Arsenic	4.7	0.25	mg/kg	6020 ICP-MS	



NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
12/11/19 09:12

Sample ID: HHS5D-2-CL **Laboratory ID:** T193941-34

Analyte	Reporting		Units	Method	Notes
	Result	Limit			
Lead	4.07	3.00	mg/kg	EPA 6010b	
Arsenic	4.6	0.23	mg/kg	6020 ICP-MS	

Sample ID: HHS6D-2 **Laboratory ID:** T193941-35

Analyte	Reporting		Units	Method	Notes
	Result	Limit			
Lead	4.08	3.00	mg/kg	EPA 6010b	
Arsenic	5.1	0.25	mg/kg	6020 ICP-MS	

Sample ID: HHS7D-2 **Laboratory ID:** T193941-36

Analyte	Reporting		Units	Method	Notes
	Result	Limit			
Lead	3.80	3.00	mg/kg	EPA 6010b	
Arsenic	4.9	0.25	mg/kg	6020 ICP-MS	

Sample ID: HHS8D-2 **Laboratory ID:** T193941-37

Analyte	Reporting		Units	Method	Notes
	Result	Limit			
Lead	4.22	3.00	mg/kg	EPA 6010b	
Arsenic	5.7	0.25	mg/kg	6020 ICP-MS	

Sample ID: PMT-E6D-0 **Laboratory ID:** T193941-38

No Results Detected

Sample ID: PMT-E6D-0-CL **Laboratory ID:** T193941-39

No Results Detected



NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
12/11/19 09:12

Sample ID: PMT-E6D-2

Laboratory ID: T193941-40

No Results Detected

Sample ID: EB-1

Laboratory ID: T193941-41

No Results Detected

Sample ID: DD1D-0

Laboratory ID: T193941-42

Analyte	Reporting		Units	Method	Notes
	Result	Limit			
C29-C40 (MORO)	17	10	mg/kg	EPA 8015B	
Barium	70	1.0	mg/kg	EPA 6010b	
Cadmium	0.53	2.0	mg/kg	EPA 6010b	J
Chromium	40	2.0	mg/kg	EPA 6010b	
Cobalt	9.7	2.0	mg/kg	EPA 6010b	
Copper	23	1.0	mg/kg	EPA 6010b	
Lead	4.5	3.0	mg/kg	EPA 6010b	
Nickel	59	2.0	mg/kg	EPA 6010b	
Vanadium	28	5.0	mg/kg	EPA 6010b	
Zinc	52	1.0	mg/kg	EPA 6010b	
Arsenic	4.4	0.25	mg/kg	6020 ICP-MS	
Mercury	0.035	0.10	mg/kg	EPA 7471A Soil	J
4,4'-DDE	9.3	5.0	ug/kg	EPA 8081A	

Sample ID: DD2D-0

Laboratory ID: T193941-43

Analyte	Reporting		Units	Method	Notes
	Result	Limit			
C13-C28 (DRO)	2.9	10	mg/kg	EPA 8015B	J
C29-C40 (MORO)	17	10	mg/kg	EPA 8015B	
Barium	65	1.0	mg/kg	EPA 6010b	
Cadmium	0.51	2.0	mg/kg	EPA 6010b	J
Chromium	40	2.0	mg/kg	EPA 6010b	
Cobalt	9.2	2.0	mg/kg	EPA 6010b	
Copper	22	1.0	mg/kg	EPA 6010b	



NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
12/11/19 09:12

Sample ID: DD2D-0 **Laboratory ID:** T193941-43

Analyte	Reporting		Units	Method	Notes
	Result	Limit			
Lead	4.7	3.0	mg/kg	EPA 6010b	
Nickel	56	2.0	mg/kg	EPA 6010b	
Vanadium	27	5.0	mg/kg	EPA 6010b	
Zinc	52	1.0	mg/kg	EPA 6010b	
Arsenic	5.3	0.25	mg/kg	6020 ICP-MS	
4,4'-DDE	11	5.0	ug/kg	EPA 8081A	

Sample ID: DD2D-0-CL **Laboratory ID:** T193941-44

Analyte	Reporting		Units	Method	Notes
	Result	Limit			
C13-C28 (DRO)	5.4	10	mg/kg	EPA 8015B	J
C29-C40 (MORO)	25	10	mg/kg	EPA 8015B	
Barium	65	0.91	mg/kg	EPA 6010b	
Cadmium	0.48	1.8	mg/kg	EPA 6010b	J
Chromium	37	1.8	mg/kg	EPA 6010b	
Cobalt	8.7	1.8	mg/kg	EPA 6010b	
Copper	21	0.91	mg/kg	EPA 6010b	
Lead	4.5	2.7	mg/kg	EPA 6010b	
Nickel	54	1.8	mg/kg	EPA 6010b	
Vanadium	26	4.5	mg/kg	EPA 6010b	
Zinc	52	0.91	mg/kg	EPA 6010b	
Arsenic	4.8	0.25	mg/kg	6020 ICP-MS	
4,4'-DDE	12	5.0	ug/kg	EPA 8081A	

Sample ID: DD3D-0 **Laboratory ID:** T193941-45

Analyte	Reporting		Units	Method	Notes
	Result	Limit			
C13-C28 (DRO)	3.0	10	mg/kg	EPA 8015B	J
C29-C40 (MORO)	16	10	mg/kg	EPA 8015B	
Barium	62	1.0	mg/kg	EPA 6010b	
Cadmium	0.49	2.0	mg/kg	EPA 6010b	J
Chromium	35	2.0	mg/kg	EPA 6010b	
Cobalt	8.4	2.0	mg/kg	EPA 6010b	
Copper	20	1.0	mg/kg	EPA 6010b	
Lead	4.8	3.0	mg/kg	EPA 6010b	



NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
12/11/19 09:12

Sample ID: DD3D-0

Laboratory ID: T193941-45

Analyte	Reporting		Units	Method	Notes
	Result	Limit			
Nickel	50	2.0	mg/kg	EPA 6010b	
Vanadium	25	5.0	mg/kg	EPA 6010b	
Zinc	51	1.0	mg/kg	EPA 6010b	
Arsenic	4.3	0.25	mg/kg	6020 ICP-MS	
4,4'-DDE	21	5.0	ug/kg	EPA 8081A	

Sample ID: DD4D-0

Laboratory ID: T193941-46

Analyte	Reporting		Units	Method	Notes
	Result	Limit			
C13-C28 (DRO)	5.6	10	mg/kg	EPA 8015B	J
C29-C40 (MORO)	30	10	mg/kg	EPA 8015B	
Barium	65	1.0	mg/kg	EPA 6010b	
Cadmium	0.50	2.0	mg/kg	EPA 6010b	J
Chromium	35	2.0	mg/kg	EPA 6010b	
Cobalt	9.1	2.0	mg/kg	EPA 6010b	
Copper	21	1.0	mg/kg	EPA 6010b	
Lead	5.2	3.0	mg/kg	EPA 6010b	
Nickel	52	2.0	mg/kg	EPA 6010b	
Vanadium	26	5.0	mg/kg	EPA 6010b	
Zinc	51	1.0	mg/kg	EPA 6010b	
Arsenic	5.8	0.25	mg/kg	6020 ICP-MS	
4,4'-DDE	40	5.0	ug/kg	EPA 8081A	

Sample ID: DD4D-0-FR

Laboratory ID: T193941-47

Analyte	Reporting		Units	Method	Notes
	Result	Limit			
C13-C28 (DRO)	5.2	10	mg/kg	EPA 8015B	J
C29-C40 (MORO)	33	10	mg/kg	EPA 8015B	
Barium	64	1.0	mg/kg	EPA 6010b	
Cadmium	0.48	2.0	mg/kg	EPA 6010b	J
Chromium	35	2.0	mg/kg	EPA 6010b	
Cobalt	8.8	2.0	mg/kg	EPA 6010b	
Copper	21	1.0	mg/kg	EPA 6010b	
Lead	5.5	3.0	mg/kg	EPA 6010b	
Nickel	51	2.0	mg/kg	EPA 6010b	



NV5
 48 Bellarmine Ct, Suite 40
 Chico CA, 95928

Project: Hamilton Union High School
 Project Number: 70779.01.001.003
 Project Manager: Heidi Cummings

Reported:
 12/11/19 09:12

Sample ID: DD4D-0-FR **Laboratory ID:** T193941-47

Analyte	Reporting		Units	Method	Notes
	Result	Limit			
Vanadium	25	5.0	mg/kg	EPA 6010b	
Zinc	56	1.0	mg/kg	EPA 6010b	
Arsenic	5.5	0.25	mg/kg	6020 ICP-MS	
4,4'-DDE	36	5.0	ug/kg	EPA 8081A	

Sample ID: DD5D-0 **Laboratory ID:** T193941-48

Analyte	Reporting		Units	Method	Notes
	Result	Limit			
C13-C28 (DRO)	8.0	10	mg/kg	EPA 8015B	J
C29-C40 (MORO)	26	10	mg/kg	EPA 8015B	
Barium	190	4.0	mg/kg	EPA 6010b	RE-01
Cadmium	0.57	2.0	mg/kg	EPA 6010b	J
Chromium	41	2.0	mg/kg	EPA 6010b	
Cobalt	9.8	2.0	mg/kg	EPA 6010b	
Copper	26	1.0	mg/kg	EPA 6010b	
Lead	6.4	3.0	mg/kg	EPA 6010b	
Nickel	59	2.0	mg/kg	EPA 6010b	
Vanadium	30	5.0	mg/kg	EPA 6010b	
Zinc	77	1.0	mg/kg	EPA 6010b	
Arsenic	6.7	0.25	mg/kg	6020 ICP-MS	
Mercury	0.036	0.10	mg/kg	EPA 7471A Soil	J

Sample ID: DD5D-0 **Laboratory ID:** T193941-48RE1

No Results Detected

Sample ID: DD6D-0 **Laboratory ID:** T193941-49

Analyte	Reporting		Units	Method	Notes
	Result	Limit			
C13-C28 (DRO)	11	10	mg/kg	EPA 8015B	
C29-C40 (MORO)	48	10	mg/kg	EPA 8015B	
Barium	200	4.0	mg/kg	EPA 6010b	RE-01
Cadmium	0.56	2.0	mg/kg	EPA 6010b	J



NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
12/11/19 09:12

Sample ID: DD6D-0

Laboratory ID: T193941-49

Analyte	Reporting		Units	Method	Notes
	Result	Limit			
Chromium	40	2.0	mg/kg	EPA 6010b	
Cobalt	9.6	2.0	mg/kg	EPA 6010b	
Copper	25	1.0	mg/kg	EPA 6010b	
Lead	6.5	3.0	mg/kg	EPA 6010b	
Nickel	57	2.0	mg/kg	EPA 6010b	
Vanadium	29	5.0	mg/kg	EPA 6010b	
Zinc	81	1.0	mg/kg	EPA 6010b	
Arsenic	5.7	0.23	mg/kg	6020 ICP-MS	
Mercury	0.029	0.10	mg/kg	EPA 7471A Soil	J
4,4'-DDE	14	5.0	ug/kg	EPA 8081A	

Sample ID: DD7D-0

Laboratory ID: T193941-50

Analyte	Reporting		Units	Method	Notes
	Result	Limit			
C13-C28 (DRO)	10	10	mg/kg	EPA 8015B	
C29-C40 (MORO)	35	10	mg/kg	EPA 8015B	
Barium	190	4.0	mg/kg	EPA 6010b	RE-01
Cadmium	0.53	2.0	mg/kg	EPA 6010b	J
Chromium	38	2.0	mg/kg	EPA 6010b	
Cobalt	9.4	2.0	mg/kg	EPA 6010b	
Copper	22	1.0	mg/kg	EPA 6010b	
Lead	4.9	3.0	mg/kg	EPA 6010b	
Nickel	57	2.0	mg/kg	EPA 6010b	
Vanadium	28	5.0	mg/kg	EPA 6010b	
Zinc	58	1.0	mg/kg	EPA 6010b	
Arsenic	5.7	0.25	mg/kg	6020 ICP-MS	
Mercury	0.028	0.10	mg/kg	EPA 7471A Soil	J
4,4'-DDE	43	5.0	ug/kg	EPA 8081A	
4,4'-DDT	2.0	5.0	ug/kg	EPA 8081A	J



NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
12/11/19 09:12

A1D-0

T193941-01(Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----	--------------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 6010B

Lead	4.47	0.967	3.00	mg/kg	1	9111360	11/13/19	11/14/19	EPA 6010b	
-------------	-------------	-------	------	-------	---	---------	----------	----------	-----------	--

Metals by EPA 6020 Method

Arsenic	5.4	0.0025	0.25	mg/kg	1	9121017	12/10/19	12/10/19	6020 ICP-MS	
----------------	------------	--------	------	-------	---	---------	----------	----------	----------------	--

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
12/11/19 09:12

C1D-0

T193941-03(Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----	--------------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 6010B

Lead	4.33	0.967	3.00	mg/kg	1	9111360	11/13/19	11/14/19	EPA 6010b	
-------------	------	-------	------	-------	---	---------	----------	----------	-----------	--

Metals by EPA 6020 Method

Arsenic	4.7	0.0025	0.25	mg/kg	1	9121017	12/10/19	12/10/19	6020 ICP-MS	
----------------	-----	--------	------	-------	---	---------	----------	----------	----------------	--

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
12/11/19 09:12

C1D-0-CL
T193941-04(Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----	--------------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 6010B

Lead	4.72	0.967	3.00	mg/kg	1	9111360	11/13/19	11/14/19	EPA 6010b	
-------------	-------------	-------	------	-------	---	---------	----------	----------	-----------	--

Metals by EPA 6020 Method

Arsenic	4.8	0.0025	0.25	mg/kg	1	9121017	12/10/19	12/10/19	6020 ICP-MS	
----------------	------------	--------	------	-------	---	---------	----------	----------	----------------	--

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
12/11/19 09:12

ABCD1C-0
T193941-06(Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Organochlorine Pesticides by EPA Method 8081A

alpha-BHC	ND	0.56	5.0	ug/kg	1	9111350	11/13/19	11/14/19	EPA 8081A	
gamma-BHC (Lindane)	ND	0.96	5.0	"	"	"	"	"	"	
beta-BHC	ND	1.4	5.0	"	"	"	"	"	"	
delta-BHC	ND	0.64	5.0	"	"	"	"	"	"	
Heptachlor	ND	0.59	5.0	"	"	"	"	"	"	
Aldrin	ND	0.66	5.0	"	"	"	"	"	"	
Heptachlor epoxide	ND	0.98	5.0	"	"	"	"	"	"	
gamma-Chlordane	ND	0.93	5.0	"	"	"	"	"	"	
alpha-Chlordane	ND	0.83	5.0	"	"	"	"	"	"	
Endosulfan I	ND	0.81	5.0	"	"	"	"	"	"	
4,4'-DDE	12	0.78	5.0	"	"	"	"	"	"	
Dieldrin	ND	1.1	5.0	"	"	"	"	"	"	
Endrin	ND	1.1	5.0	"	"	"	"	"	"	
4,4'-DDD	ND	1.2	5.0	"	"	"	"	"	"	
Endosulfan II	ND	1.1	5.0	"	"	"	"	"	"	
4,4'-DDT	ND	0.80	5.0	"	"	"	"	"	"	
Endrin aldehyde	ND	1.7	5.0	"	"	"	"	"	"	
Endosulfan sulfate	ND	0.61	5.0	"	"	"	"	"	"	
Methoxychlor	ND	0.40	5.0	"	"	"	"	"	"	
Endrin ketone	ND	1.3	5.0	"	"	"	"	"	"	
Toxaphene	ND	5.8	20	"	"	"	"	"	"	
Chlordane (tech)	ND	5.0	50	"	"	"	"	"	"	
Chlordane (Total)	ND		5.0	"	"	"	"	"	"	
Surrogate: Tetrachloro-meta-xylene			126 %		35-140	"	"	"	"	
Surrogate: Decachlorobiphenyl			107 %		35-140	"	"	"	"	



NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
12/11/19 09:12

ABCD2C-0
T193941-15(Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Organochlorine Pesticides by EPA Method 8081A

alpha-BHC	ND	0.56	5.0	ug/kg	1	9111350	11/13/19	11/14/19	EPA 8081A	
gamma-BHC (Lindane)	ND	0.96	5.0	"	"	"	"	"	"	
beta-BHC	ND	1.4	5.0	"	"	"	"	"	"	
delta-BHC	ND	0.64	5.0	"	"	"	"	"	"	
Heptachlor	ND	0.59	5.0	"	"	"	"	"	"	
Aldrin	ND	0.66	5.0	"	"	"	"	"	"	
Heptachlor epoxide	ND	0.98	5.0	"	"	"	"	"	"	
gamma-Chlordane	ND	0.93	5.0	"	"	"	"	"	"	
alpha-Chlordane	ND	0.83	5.0	"	"	"	"	"	"	
Endosulfan I	ND	0.81	5.0	"	"	"	"	"	"	
4,4'-DDE	11	0.78	5.0	"	"	"	"	"	"	
Dieldrin	ND	1.1	5.0	"	"	"	"	"	"	
Endrin	ND	1.1	5.0	"	"	"	"	"	"	
4,4'-DDD	ND	1.2	5.0	"	"	"	"	"	"	
Endosulfan II	ND	1.1	5.0	"	"	"	"	"	"	
4,4'-DDT	ND	0.80	5.0	"	"	"	"	"	"	
Endrin aldehyde	ND	1.7	5.0	"	"	"	"	"	"	
Endosulfan sulfate	ND	0.61	5.0	"	"	"	"	"	"	
Methoxychlor	ND	0.40	5.0	"	"	"	"	"	"	
Endrin ketone	ND	1.3	5.0	"	"	"	"	"	"	
Toxaphene	ND	5.8	20	"	"	"	"	"	"	
Chlordane (tech)	ND	5.0	50	"	"	"	"	"	"	
Chlordane (Total)	ND		5.0	"	"	"	"	"	"	
Surrogate: Tetrachloro-meta-xylene			118 %		35-140	"	"	"	"	
Surrogate: Decachlorobiphenyl			128 %		35-140	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.





25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5
 48 Bellarmine Ct, Suite 40
 Chico CA, 95928

Project: Hamilton Union High School
 Project Number: 70779.01.001.003
 Project Manager: Heidi Cummings

Reported:
 12/11/19 09:12

ABCD2C-0-FR
T193941-16(Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Organochlorine Pesticides by EPA Method 8081A

alpha-BHC	ND	0.56	5.0	ug/kg	1	9111350	11/13/19	11/14/19	EPA 8081A	
gamma-BHC (Lindane)	ND	0.96	5.0	"	"	"	"	"	"	
beta-BHC	ND	1.4	5.0	"	"	"	"	"	"	
delta-BHC	ND	0.64	5.0	"	"	"	"	"	"	
Heptachlor	ND	0.59	5.0	"	"	"	"	"	"	
Aldrin	ND	0.66	5.0	"	"	"	"	"	"	
Heptachlor epoxide	ND	0.98	5.0	"	"	"	"	"	"	
gamma-Chlordane	ND	0.93	5.0	"	"	"	"	"	"	
alpha-Chlordane	ND	0.83	5.0	"	"	"	"	"	"	
Endosulfan I	ND	0.81	5.0	"	"	"	"	"	"	
4,4'-DDE	8.7	0.78	5.0	"	"	"	"	"	"	
Dieldrin	ND	1.1	5.0	"	"	"	"	"	"	
Endrin	ND	1.1	5.0	"	"	"	"	"	"	
4,4'-DDD	ND	1.2	5.0	"	"	"	"	"	"	
Endosulfan II	ND	1.1	5.0	"	"	"	"	"	"	
4,4'-DDT	ND	0.80	5.0	"	"	"	"	"	"	
Endrin aldehyde	ND	1.7	5.0	"	"	"	"	"	"	
Endosulfan sulfate	ND	0.61	5.0	"	"	"	"	"	"	
Methoxychlor	ND	0.40	5.0	"	"	"	"	"	"	
Endrin ketone	ND	1.3	5.0	"	"	"	"	"	"	
Toxaphene	ND	5.8	20	"	"	"	"	"	"	
Chlordane (tech)	ND	5.0	50	"	"	"	"	"	"	
Chlordane (Total)	ND		5.0	"	"	"	"	"	"	
Surrogate: Tetrachloro-meta-xylene			119 %		35-140	"	"	"	"	
Surrogate: Decachlorobiphenyl			77.6 %		35-140	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
12/11/19 09:12

B3D-0
T193941-18(Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----	--------------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 6010B

Lead	4.67	0.967	3.00	mg/kg	1	9111360	11/13/19	11/14/19	EPA 6010b	
-------------	-------------	-------	------	-------	---	---------	----------	----------	-----------	--

Metals by EPA 6020 Method

Arsenic	5.3	0.0025	0.25	mg/kg	1	9121017	12/10/19	12/10/19	6020 ICP-MS	
----------------	------------	--------	------	-------	---	---------	----------	----------	----------------	--

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
12/11/19 09:12

B3D-0-FR
T193941-19(Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----	--------------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 6010B

Lead	4.28	0.967	3.00	mg/kg	1	9111360	11/13/19	11/14/19	EPA 6010b	
-------------	-------------	-------	------	-------	---	---------	----------	----------	-----------	--

Metals by EPA 6020 Method

Arsenic	5.0	0.0025	0.25	mg/kg	1	9121017	12/10/19	12/10/19	6020 ICP-MS	
----------------	------------	--------	------	-------	---	---------	----------	----------	----------------	--



NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
12/11/19 09:12

D3D-0
T193941-21(Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----	--------------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 6010B

Lead	4.54	0.967	3.00	mg/kg	1	9111360	11/13/19	11/14/19	EPA 6010b	
-------------	-------------	-------	------	-------	---	---------	----------	----------	-----------	--

Metals by EPA 6020 Method

Arsenic	4.7	0.0025	0.25	mg/kg	1	9121017	12/10/19	12/10/19	6020 ICP-MS	
----------------	------------	--------	------	-------	---	---------	----------	----------	----------------	--

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
12/11/19 09:12

ABCD3C-0
T193941-22(Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Organochlorine Pesticides by EPA Method 8081A

alpha-BHC	ND	0.56	5.0	ug/kg	1	9111350	11/13/19	11/14/19	EPA 8081A	
gamma-BHC (Lindane)	ND	0.96	5.0	"	"	"	"	"	"	
beta-BHC	ND	1.4	5.0	"	"	"	"	"	"	
delta-BHC	ND	0.64	5.0	"	"	"	"	"	"	
Heptachlor	ND	0.59	5.0	"	"	"	"	"	"	
Aldrin	ND	0.66	5.0	"	"	"	"	"	"	
Heptachlor epoxide	ND	0.98	5.0	"	"	"	"	"	"	
gamma-Chlordane	ND	0.93	5.0	"	"	"	"	"	"	
alpha-Chlordane	ND	0.83	5.0	"	"	"	"	"	"	
Endosulfan I	ND	0.81	5.0	"	"	"	"	"	"	
4,4'-DDE	9.8	0.78	5.0	"	"	"	"	"	"	
Dieldrin	ND	1.1	5.0	"	"	"	"	"	"	
Endrin	ND	1.1	5.0	"	"	"	"	"	"	
4,4'-DDD	ND	1.2	5.0	"	"	"	"	"	"	
Endosulfan II	ND	1.1	5.0	"	"	"	"	"	"	
4,4'-DDT	ND	0.80	5.0	"	"	"	"	"	"	
Endrin aldehyde	ND	1.7	5.0	"	"	"	"	"	"	
Endosulfan sulfate	ND	0.61	5.0	"	"	"	"	"	"	
Methoxychlor	ND	0.40	5.0	"	"	"	"	"	"	
Endrin ketone	ND	1.3	5.0	"	"	"	"	"	"	
Toxaphene	ND	5.8	20	"	"	"	"	"	"	
Chlordane (tech)	ND	5.0	50	"	"	"	"	"	"	
Chlordane (Total)	ND		5.0	"	"	"	"	"	"	
<i>Surrogate: Tetrachloro-meta-xylene</i>			120 %		35-140	"	"	"	"	
<i>Surrogate: Decachlorobiphenyl</i>			67.0 %		35-140	"	"	"	"	



NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
12/11/19 09:12

ABCD4C-0
T193941-27(Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----	--------------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Organochlorine Pesticides by EPA Method 8081A

alpha-BHC	ND	0.56	5.0	ug/kg	1	9111350	11/13/19	11/14/19	EPA 8081A	
gamma-BHC (Lindane)	ND	0.96	5.0	"	"	"	"	"	"	
beta-BHC	ND	1.4	5.0	"	"	"	"	"	"	
delta-BHC	ND	0.64	5.0	"	"	"	"	"	"	
Heptachlor	ND	0.59	5.0	"	"	"	"	"	"	
Aldrin	ND	0.66	5.0	"	"	"	"	"	"	
Heptachlor epoxide	ND	0.98	5.0	"	"	"	"	"	"	
gamma-Chlordane	ND	0.93	5.0	"	"	"	"	"	"	
alpha-Chlordane	ND	0.83	5.0	"	"	"	"	"	"	
Endosulfan I	ND	0.81	5.0	"	"	"	"	"	"	
4,4'-DDE	7.6	0.78	5.0	"	"	"	"	"	"	
Dieldrin	ND	1.1	5.0	"	"	"	"	"	"	
Endrin	ND	1.1	5.0	"	"	"	"	"	"	
4,4'-DDD	ND	1.2	5.0	"	"	"	"	"	"	
Endosulfan II	ND	1.1	5.0	"	"	"	"	"	"	
4,4'-DDT	ND	0.80	5.0	"	"	"	"	"	"	
Endrin aldehyde	ND	1.7	5.0	"	"	"	"	"	"	
Endosulfan sulfate	ND	0.61	5.0	"	"	"	"	"	"	
Methoxychlor	ND	0.40	5.0	"	"	"	"	"	"	
Endrin ketone	ND	1.3	5.0	"	"	"	"	"	"	
Toxaphene	ND	5.8	20	"	"	"	"	"	"	
Chlordane (tech)	ND	5.0	50	"	"	"	"	"	"	
Chlordane (Total)	ND		5.0	"	"	"	"	"	"	
<i>Surrogate: Tetrachloro-meta-xylene</i>			116 %		35-140	"	"	"	"	
<i>Surrogate: Decachlorobiphenyl</i>			74.3 %		35-140	"	"	"	"	



NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
12/11/19 09:12

HHS1D-2
T193941-28(Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----	--------------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 6010B

Lead	4.32	0.967	3.00	mg/kg	1	9111360	11/13/19	11/14/19	EPA 6010b	
-------------	-------------	-------	------	-------	---	---------	----------	----------	-----------	--

Metals by EPA 6020 Method

Arsenic	5.0	0.0023	0.23	mg/kg	1	9121017	12/10/19	12/10/19	6020 ICP-MS	
----------------	------------	--------	------	-------	---	---------	----------	----------	----------------	--

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
12/11/19 09:12

HHS2D-2
T193941-29(Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----	--------------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 6010B

Lead	4.35	0.967	3.00	mg/kg	1	9111360	11/13/19	11/14/19	EPA 6010b	
-------------	-------------	-------	------	-------	---	---------	----------	----------	-----------	--

Metals by EPA 6020 Method

Arsenic	5.4	0.0025	0.25	mg/kg	1	9121017	12/10/19	12/10/19	6020 ICP-MS	
----------------	------------	--------	------	-------	---	---------	----------	----------	----------------	--

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
12/11/19 09:12

HHS3D-2
T193941-30(Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----	--------------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 6010B

Lead	4.07	0.967	3.00	mg/kg	1	9111360	11/13/19	11/14/19	EPA 6010b	
-------------	-------------	-------	------	-------	---	---------	----------	----------	-----------	--

Metals by EPA 6020 Method

Arsenic	4.7	0.0025	0.25	mg/kg	1	9121017	12/10/19	12/10/19	6020 ICP-MS	
----------------	------------	--------	------	-------	---	---------	----------	----------	----------------	--

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
12/11/19 09:12

HHS3D-2-FR
T193941-31(Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----	--------------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 6010B

Lead	3.74	0.967	3.00	mg/kg	1	9111360	11/13/19	11/14/19	EPA 6010b	
-------------	------	-------	------	-------	---	---------	----------	----------	-----------	--

Metals by EPA 6020 Method

Arsenic	5.2	0.0025	0.25	mg/kg	1	9121017	12/10/19	12/10/19	6020 ICP-MS	
----------------	-----	--------	------	-------	---	---------	----------	----------	----------------	--

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
12/11/19 09:12

HHS4D-2
T193941-32(Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----	--------------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 6010B

Lead	3.97	0.967	3.00	mg/kg	1	9111360	11/13/19	11/14/19	EPA 6010b	
-------------	-------------	-------	------	-------	---	---------	----------	----------	-----------	--

Metals by EPA 6020 Method

Arsenic	3.6	0.0025	0.25	mg/kg	1	9121017	12/10/19	12/10/19	6020 ICP-MS	
----------------	------------	--------	------	-------	---	---------	----------	----------	----------------	--

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
12/11/19 09:12

HHS5D-2
T193941-33(Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----	--------------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 6010B

Lead	3.72	0.967	3.00	mg/kg	1	9111360	11/13/19	11/14/19	EPA 6010b	
-------------	------	-------	------	-------	---	---------	----------	----------	-----------	--

Metals by EPA 6020 Method

Arsenic	4.7	0.0025	0.25	mg/kg	1	9121017	12/10/19	12/10/19	6020 ICP-MS	
----------------	-----	--------	------	-------	---	---------	----------	----------	----------------	--

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.





25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5 48 Bellarmine Ct, Suite 40 Chico CA, 95928	Project: Hamilton Union High School Project Number: 70779.01.001.003 Project Manager: Heidi Cummings	Reported: 12/11/19 09:12
--	--	-----------------------------

HHS5D-2-CL
T193941-34(Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 6010B

Lead	4.07	0.967	3.00	mg/kg	1	9111360	11/13/19	11/14/19	EPA 6010b	
------	------	-------	------	-------	---	---------	----------	----------	-----------	--

Metals by EPA 6020 Method

Arsenic	4.6	0.0023	0.23	mg/kg	1	9121017	12/10/19	12/10/19	6020 ICP-MS	
---------	-----	--------	------	-------	---	---------	----------	----------	----------------	--

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
12/11/19 09:12

HHS6D-2
T193941-35(Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----	--------------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 6010B

Lead	4.08	0.967	3.00	mg/kg	1	9111360	11/13/19	11/14/19	EPA 6010b	
-------------	-------------	-------	------	-------	---	---------	----------	----------	-----------	--

Metals by EPA 6020 Method

Arsenic	5.1	0.0025	0.25	mg/kg	1	9121017	12/10/19	12/10/19	6020 ICP-MS	
----------------	------------	--------	------	-------	---	---------	----------	----------	----------------	--

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



NV5 48 Bellarmine Ct, Suite 40 Chico CA, 95928	Project: Hamilton Union High School Project Number: 70779.01.001.003 Project Manager: Heidi Cummings	Reported: 12/11/19 09:12
--	--	------------------------------------

HHS7D-2
T193941-36(Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----	--------------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 6010B

Lead	3.80	0.967	3.00	mg/kg	1	9111360	11/13/19	11/14/19	EPA 6010b	
-------------	-------------	-------	------	-------	---	---------	----------	----------	-----------	--

Metals by EPA 6020 Method

Arsenic	4.9	0.0025	0.25	mg/kg	1	9121017	12/10/19	12/10/19	6020 ICP-MS	
----------------	------------	--------	------	-------	---	---------	----------	----------	----------------	--

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



NV5 48 Bellarmine Ct, Suite 40 Chico CA, 95928	Project: Hamilton Union High School Project Number: 70779.01.001.003 Project Manager: Heidi Cummings	Reported: 12/11/19 09:12
--	--	------------------------------------

HHS8D-2
T193941-37(Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----	--------------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 6010B

Lead	4.22	0.967	3.00	mg/kg	1	9111360	11/13/19	11/14/19	EPA 6010b	
-------------	-------------	-------	------	-------	---	---------	----------	----------	-----------	--

Metals by EPA 6020 Method

Arsenic	5.7	0.0025	0.25	mg/kg	1	9121017	12/10/19	12/10/19	6020 ICP-MS	
----------------	------------	--------	------	-------	---	---------	----------	----------	----------------	--

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
12/11/19 09:12

PMT-E6D-0
T193941-38(Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----	--------------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Polychlorinated Biphenyls by EPA Method 8082

PCB-1016	ND	2.1	10	ug/kg	1	9111415	11/14/19	11/14/19	EPA 8082	
PCB-1221	ND	2.1	10	"	"	"	"	"	"	
PCB-1232	ND	2.1	10	"	"	"	"	"	"	
PCB-1242	ND	2.1	10	"	"	"	"	"	"	
PCB-1248	ND	2.1	10	"	"	"	"	"	"	
PCB-1254	ND	2.1	10	"	"	"	"	"	"	
PCB-1260	ND	2.1	10	"	"	"	"	"	"	
<i>Surrogate: Tetrachloro-meta-xylene</i>			76.8 %	35-140		"	"	"	"	
<i>Surrogate: Decachlorobiphenyl</i>			75.2 %	35-140		"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
12/11/19 09:12

PMT-E6D-0-CL
T193941-39(Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----	--------------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Polychlorinated Biphenyls by EPA Method 8082

PCB-1016	ND	2.1	10	ug/kg	1	9111415	11/14/19	11/14/19	EPA 8082	
PCB-1221	ND	2.1	10	"	"	"	"	"	"	
PCB-1232	ND	2.1	10	"	"	"	"	"	"	
PCB-1242	ND	2.1	10	"	"	"	"	"	"	
PCB-1248	ND	2.1	10	"	"	"	"	"	"	
PCB-1254	ND	2.1	10	"	"	"	"	"	"	
PCB-1260	ND	2.1	10	"	"	"	"	"	"	

Surrogate: Tetrachloro-meta-xylene

88.1 % 35-140

"

"

"

"

Surrogate: Decachlorobiphenyl

102 % 35-140

"

"

"

"

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
12/11/19 09:12

PMT-E6D-2
T193941-40(Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----	--------------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Polychlorinated Biphenyls by EPA Method 8082

PCB-1016	ND	2.1	10	ug/kg	1	9111415	11/14/19	11/14/19	EPA 8082	
PCB-1221	ND	2.1	10	"	"	"	"	"	"	
PCB-1232	ND	2.1	10	"	"	"	"	"	"	
PCB-1242	ND	2.1	10	"	"	"	"	"	"	
PCB-1248	ND	2.1	10	"	"	"	"	"	"	
PCB-1254	ND	2.1	10	"	"	"	"	"	"	
PCB-1260	ND	2.1	10	"	"	"	"	"	"	

Surrogate: Tetrachloro-meta-xylene

87.3 %

35-140

"

"

"

"

Surrogate: Decachlorobiphenyl

119 %

35-140

"

"

"

"

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
12/11/19 09:12

EB-1
T193941-41(Water)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Extractable Petroleum Hydrocarbons by 8015B

C6-C12 (GRO)	ND	0.013	0.050	mg/l	1	9111347	11/13/19	11/14/19	EPA 8015B	
C13-C28 (DRO)	ND	0.013	0.050	"	"	"	"	"	"	
C29-C40 (MORO)	ND	0.013	0.10	"	"	"	"	"	"	
<i>Surrogate: p-Terphenyl</i>			115 %	65-135	"	"	"	"	"	

Metals by EPA 6010B

Antimony	ND	17	50	ug/l	1	9111354	11/13/19	11/15/19	EPA 6010b	
Silver	ND	24	50	"	"	"	"	"	"	
Arsenic	ND	17	50	"	"	"	"	"	"	
Barium	ND	13	50	"	"	"	"	"	"	
Beryllium	ND	18	50	"	"	"	"	11/15/19	"	
Cadmium	ND	21	50	"	"	"	"	11/15/19	"	
Chromium	ND	21	50	"	"	"	"	"	"	
Cobalt	ND	14	50	"	"	"	"	"	"	
Copper	ND	20	50	"	"	"	"	"	"	
Lead	ND	17	50	"	"	"	"	"	"	
Molybdenum	ND	14	50	"	"	"	"	"	"	
Nickel	ND	14	50	"	"	"	"	"	"	
Selenium	ND	19	50	"	"	"	"	"	"	
Thallium	ND	16	50	"	"	"	"	"	"	
Vanadium	ND	20	50	"	"	"	"	"	"	
Zinc	ND	17	50	"	"	"	"	"	"	

Cold Vapor Extraction EPA 7470/7471

Mercury	ND	0.022	0.50	ug/l	1	9111355	11/13/19	11/15/19	EPA 7470A Water	
---------	----	-------	------	------	---	---------	----------	----------	--------------------	--

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.





25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5 48 Bellarmine Ct, Suite 40 Chico CA, 95928	Project: Hamilton Union High School Project Number: 70779.01.001.003 Project Manager: Heidi Cummings	Reported: 12/11/19 09:12
--	--	-----------------------------

EB-1
T193941-41(Water)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Organochlorine Pesticides by EPA Method 8081A

alpha-BHC	ND	0.04	1.00	ug/l	1	9111344	11/13/19	11/13/19	EPA 8081A	
gamma-BHC (Lindane)	ND	0.03	1.00	"	"	"	"	"	"	
beta-BHC	ND	0.05	1.00	"	"	"	"	"	"	
delta-BHC	ND	0.02	1.00	"	"	"	"	"	"	
Heptachlor	ND	0.04	1.00	"	"	"	"	"	"	
Aldrin	ND	0.02	1.00	"	"	"	"	"	"	
Heptachlor epoxide	ND	0.04	1.00	"	"	"	"	"	"	
gamma-Chlordane	ND	0.05	1.00	"	"	"	"	"	"	
alpha-Chlordane	ND	0.03	1.00	"	"	"	"	"	"	
Endosulfan I	ND	0.02	1.00	"	"	"	"	"	"	
4,4'-DDE	ND	0.04	1.00	"	"	"	"	"	"	
Dieldrin	ND	0.03	1.00	"	"	"	"	"	"	
Endrin	ND	0.04	1.00	"	"	"	"	"	"	
4,4'-DDD	ND	0.03	1.00	"	"	"	"	"	"	
Endosulfan II	ND	0.04	1.00	"	"	"	"	"	"	
4,4'-DDT	ND	0.06	1.00	"	"	"	"	"	"	
Endrin aldehyde	ND	0.02	1.00	"	"	"	"	"	"	
Endosulfan sulfate	ND	0.05	1.00	"	"	"	"	"	"	
Methoxychlor	ND	0.03	1.00	"	"	"	"	"	"	
Endrin ketone	ND	0.05	1.00	"	"	"	"	"	"	
Chlordane (tech)	ND	1.00	10.0	"	"	"	"	"	"	
Toxaphene	ND	5.79	20.0	"	"	"	"	"	"	
Surrogate: Tetrachloro-meta-xylene			61.2 %	35-140		"	"	"	"	
Surrogate: Decachlorobiphenyl			77.7 %	35-140		"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
12/11/19 09:12

DD1D-0
T193941-42(Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Extractable Petroleum Hydrocarbons by 8015B

C6-C12 (GRO)	ND	2.2	10	mg/kg	1	9111411	11/14/19	11/15/19	EPA 8015B	
C13-C28 (DRO)	ND	1.6	10	"	"	"	"	"	"	
C29-C40 (MORO)	17	4.2	10	"	"	"	"	"	"	
<i>Surrogate: p-Terphenyl</i>			106 %	65-135		"	"	"	"	

Metals by EPA 6010B

Antimony	ND	1.4	3.0	mg/kg	1	9111418	11/14/19	11/15/19	EPA 6010b	
Silver	ND	0.50	2.0	"	"	"	"	"	"	
Barium	70	0.30	1.0	"	"	"	"	"	"	
Beryllium	ND	0.20	1.0	"	"	"	"	11/15/19	"	
Cadmium	0.53	0.10	2.0	"	"	"	"	11/15/19	"	J
Chromium	40	0.10	2.0	"	"	"	"	"	"	
Cobalt	9.7	0.20	2.0	"	"	"	"	"	"	
Copper	23	0.20	1.0	"	"	"	"	"	"	
Lead	4.5	1.0	3.0	"	"	"	"	"	"	
Molybdenum	ND	0.20	5.0	"	"	"	"	"	"	
Nickel	59	0.30	2.0	"	"	"	"	"	"	
Selenium	ND	2.2	5.0	"	"	"	"	"	"	
Vanadium	28	0.30	5.0	"	"	"	"	"	"	
Zinc	52	0.10	1.0	"	"	"	"	"	"	

Metals by EPA 6020 Method

Arsenic	4.4	0.0025	0.25	mg/kg	1	9121017	12/10/19	12/10/19	6020 ICP-MS	
Thallium	ND	0.099	0.25	"	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
12/11/19 09:12

DD1D-0
T193941-42(Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Cold Vapor Extraction EPA 7470/7471

Mercury	0.035	0.027	0.10	mg/kg	1	9111422	11/14/19	11/15/19	EPA 7471A Soil	J
---------	-------	-------	------	-------	---	---------	----------	----------	-------------------	---

Organochlorine Pesticides by EPA Method 8081A

alpha-BHC	ND	0.56	5.0	ug/kg	1	9111350	11/13/19	11/14/19	EPA 8081A	
gamma-BHC (Lindane)	ND	0.96	5.0	"	"	"	"	"	"	
beta-BHC	ND	1.4	5.0	"	"	"	"	"	"	
delta-BHC	ND	0.64	5.0	"	"	"	"	"	"	
Heptachlor	ND	0.59	5.0	"	"	"	"	"	"	
Aldrin	ND	0.66	5.0	"	"	"	"	"	"	
Heptachlor epoxide	ND	0.98	5.0	"	"	"	"	"	"	
gamma-Chlordane	ND	0.93	5.0	"	"	"	"	"	"	
alpha-Chlordane	ND	0.83	5.0	"	"	"	"	"	"	
Endosulfan I	ND	0.81	5.0	"	"	"	"	"	"	
4,4'-DDE	9.3	0.78	5.0	"	"	"	"	"	"	
Dieldrin	ND	1.1	5.0	"	"	"	"	"	"	
Endrin	ND	1.1	5.0	"	"	"	"	"	"	
4,4'-DDD	ND	1.2	5.0	"	"	"	"	"	"	
Endosulfan II	ND	1.1	5.0	"	"	"	"	"	"	
4,4'-DDT	ND	0.80	5.0	"	"	"	"	"	"	
Endrin aldehyde	ND	1.7	5.0	"	"	"	"	"	"	
Endosulfan sulfate	ND	0.61	5.0	"	"	"	"	"	"	
Methoxychlor	ND	0.40	5.0	"	"	"	"	"	"	
Endrin ketone	ND	1.3	5.0	"	"	"	"	"	"	
Toxaphene	ND	5.8	20	"	"	"	"	"	"	
Chlordane (tech)	ND	5.0	50	"	"	"	"	"	"	
Chlordane (Total)	ND		5.0	"	"	"	"	"	"	

Surrogate: Tetrachloro-meta-xylene

120 % 35-140

"

"

"

"

Surrogate: Decachlorobiphenyl

96.6 % 35-140

"

"

"

"

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
12/11/19 09:12

DD2D-0
T193941-43(Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----	--------------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Extractable Petroleum Hydrocarbons by 8015B

C6-C12 (GRO)	ND	2.2	10	mg/kg	1	9111411	11/14/19	11/15/19	EPA 8015B	
C13-C28 (DRO)	2.9	1.6	10	"	"	"	"	"	"	J
C29-C40 (MORO)	17	4.2	10	"	"	"	"	"	"	
<i>Surrogate: p-Terphenyl</i>			<i>111 %</i>	<i>65-135</i>		"	"	"	"	

Metals by EPA 6010B

Antimony	ND	1.4	3.0	mg/kg	1	9111418	11/14/19	11/15/19	EPA 6010b	
Silver	ND	0.50	2.0	"	"	"	"	"	"	
Barium	65	0.30	1.0	"	"	"	"	"	"	J
Beryllium	ND	0.20	1.0	"	"	"	"	"	"	
Cadmium	0.51	0.10	2.0	"	"	"	"	"	"	J
Chromium	40	0.10	2.0	"	"	"	"	"	"	
Cobalt	9.2	0.20	2.0	"	"	"	"	"	"	
Copper	22	0.20	1.0	"	"	"	"	"	"	
Lead	4.7	1.0	3.0	"	"	"	"	"	"	
Molybdenum	ND	0.20	5.0	"	"	"	"	"	"	
Nickel	56	0.30	2.0	"	"	"	"	"	"	
Selenium	ND	2.2	5.0	"	"	"	"	"	"	
Vanadium	27	0.30	5.0	"	"	"	"	"	"	
Zinc	52	0.10	1.0	"	"	"	"	"	"	

Metals by EPA 6020 Method

Arsenic	5.3	0.0025	0.25	mg/kg	1	9121017	12/10/19	12/10/19	6020 ICP-MS	
Thallium	ND	0.099	0.25	"	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
12/11/19 09:12

DD2D-0
T193941-43(Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Cold Vapor Extraction EPA 7470/7471

Mercury	ND	0.027	0.10	mg/kg	1	9111422	11/14/19	11/15/19	EPA 7471A Soil	
---------	----	-------	------	-------	---	---------	----------	----------	-------------------	--

Organochlorine Pesticides by EPA Method 8081A

alpha-BHC	ND	0.56	5.0	ug/kg	1	9111350	11/13/19	11/14/19	EPA 8081A	
gamma-BHC (Lindane)	ND	0.96	5.0	"	"	"	"	"	"	"
beta-BHC	ND	1.4	5.0	"	"	"	"	"	"	"
delta-BHC	ND	0.64	5.0	"	"	"	"	"	"	"
Heptachlor	ND	0.59	5.0	"	"	"	"	"	"	"
Aldrin	ND	0.66	5.0	"	"	"	"	"	"	"
Heptachlor epoxide	ND	0.98	5.0	"	"	"	"	"	"	"
gamma-Chlordane	ND	0.93	5.0	"	"	"	"	"	"	"
alpha-Chlordane	ND	0.83	5.0	"	"	"	"	"	"	"
Endosulfan I	ND	0.81	5.0	"	"	"	"	"	"	"
4,4'-DDE	11	0.78	5.0	"	"	"	"	"	"	"
Dieldrin	ND	1.1	5.0	"	"	"	"	"	"	"
Endrin	ND	1.1	5.0	"	"	"	"	"	"	"
4,4'-DDD	ND	1.2	5.0	"	"	"	"	"	"	"
Endosulfan II	ND	1.1	5.0	"	"	"	"	"	"	"
4,4'-DDT	ND	0.80	5.0	"	"	"	"	"	"	"
Endrin aldehyde	ND	1.7	5.0	"	"	"	"	"	"	"
Endosulfan sulfate	ND	0.61	5.0	"	"	"	"	"	"	"
Methoxychlor	ND	0.40	5.0	"	"	"	"	"	"	"
Endrin ketone	ND	1.3	5.0	"	"	"	"	"	"	"
Toxaphene	ND	5.8	20	"	"	"	"	"	"	"
Chlordane (tech)	ND	5.0	50	"	"	"	"	"	"	"
Chlordane (Total)	ND		5.0	"	"	"	"	"	"	"

Surrogate: Tetrachloro-meta-xylene

112 % 35-140

" " " "

Surrogate: Decachlorobiphenyl

69.0 % 35-140

" " " "

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
12/11/19 09:12

DD2D-0-CL
T193941-44(Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Extractable Petroleum Hydrocarbons by 8015B

C6-C12 (GRO)	ND	2.2	10	mg/kg	1	9111411	11/14/19	11/15/19	EPA 8015B	
C13-C28 (DRO)	5.4	1.6	10	"	"	"	"	"	"	J
C29-C40 (MORO)	25	4.2	10	"	"	"	"	"	"	
<i>Surrogate: p-Terphenyl</i>			<i>111 %</i>	<i>65-135</i>		"	"	"	"	

Metals by EPA 6010B

Antimony	ND	1.3	2.7	mg/kg	1	9111418	11/14/19	11/15/19	EPA 6010b	
Silver	ND	0.45	1.8	"	"	"	"	"	"	
Barium	65	0.27	0.91	"	"	"	"	"	"	
Beryllium	ND	0.18	0.91	"	"	"	"	11/15/19	"	
Cadmium	0.48	0.091	1.8	"	"	"	"	11/15/19	"	J
Chromium	37	0.091	1.8	"	"	"	"	"	"	
Cobalt	8.7	0.18	1.8	"	"	"	"	"	"	
Copper	21	0.18	0.91	"	"	"	"	"	"	
Lead	4.5	0.91	2.7	"	"	"	"	"	"	
Molybdenum	ND	0.18	4.5	"	"	"	"	"	"	
Nickel	54	0.27	1.8	"	"	"	"	"	"	
Selenium	ND	2.0	4.5	"	"	"	"	"	"	
Vanadium	26	0.27	4.5	"	"	"	"	"	"	
Zinc	52	0.091	0.91	"	"	"	"	"	"	

Metals by EPA 6020 Method

Arsenic	4.8	0.0025	0.25	mg/kg	1	9121017	12/10/19	12/10/19	6020 ICP-MS	
Thallium	ND	0.099	0.25	"	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
12/11/19 09:12

DD2D-0-CL
T193941-44(Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Cold Vapor Extraction EPA 7470/7471

Mercury	ND	0.027	0.10	mg/kg	1	9111422	11/14/19	11/15/19	EPA 7471A Soil	
---------	----	-------	------	-------	---	---------	----------	----------	-------------------	--

Organochlorine Pesticides by EPA Method 8081A

alpha-BHC	ND	0.56	5.0	ug/kg	1	9111350	11/13/19	11/14/19	EPA 8081A	
gamma-BHC (Lindane)	ND	0.96	5.0	"	"	"	"	"	"	"
beta-BHC	ND	1.4	5.0	"	"	"	"	"	"	"
delta-BHC	ND	0.64	5.0	"	"	"	"	"	"	"
Heptachlor	ND	0.59	5.0	"	"	"	"	"	"	"
Aldrin	ND	0.66	5.0	"	"	"	"	"	"	"
Heptachlor epoxide	ND	0.98	5.0	"	"	"	"	"	"	"
gamma-Chlordane	ND	0.93	5.0	"	"	"	"	"	"	"
alpha-Chlordane	ND	0.83	5.0	"	"	"	"	"	"	"
Endosulfan I	ND	0.81	5.0	"	"	"	"	"	"	"
4,4'-DDE	12	0.78	5.0	"	"	"	"	"	"	"
Dieldrin	ND	1.1	5.0	"	"	"	"	"	"	"
Endrin	ND	1.1	5.0	"	"	"	"	"	"	"
4,4'-DDD	ND	1.2	5.0	"	"	"	"	"	"	"
Endosulfan II	ND	1.1	5.0	"	"	"	"	"	"	"
4,4'-DDT	ND	0.80	5.0	"	"	"	"	"	"	"
Endrin aldehyde	ND	1.7	5.0	"	"	"	"	"	"	"
Endosulfan sulfate	ND	0.61	5.0	"	"	"	"	"	"	"
Methoxychlor	ND	0.40	5.0	"	"	"	"	"	"	"
Endrin ketone	ND	1.3	5.0	"	"	"	"	"	"	"
Toxaphene	ND	5.8	20	"	"	"	"	"	"	"
Chlordane (tech)	ND	5.0	50	"	"	"	"	"	"	"
Chlordane (Total)	ND		5.0	"	"	"	"	"	"	"

Surrogate: Tetrachloro-meta-xylene

106 % 35-140

" " " "

Surrogate: Decachlorobiphenyl

57.7 % 35-140

" " " "

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
12/11/19 09:12

DD3D-0
T193941-45(Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Extractable Petroleum Hydrocarbons by 8015B

C6-C12 (GRO)	ND	2.2	10	mg/kg	1	9111411	11/14/19	11/15/19	EPA 8015B	
C13-C28 (DRO)	3.0	1.6	10	"	"	"	"	"	"	J
C29-C40 (MORO)	16	4.2	10	"	"	"	"	"	"	
<i>Surrogate: p-Terphenyl</i>			<i>96.0 %</i>	<i>65-135</i>		"	"	"	"	

Metals by EPA 6010B

Antimony	ND	1.4	3.0	mg/kg	1	9111418	11/14/19	11/15/19	EPA 6010b	
Silver	ND	0.50	2.0	"	"	"	"	"	"	
Barium	62	0.30	1.0	"	"	"	"	"	"	
Beryllium	ND	0.20	1.0	"	"	"	"	"	"	
Cadmium	0.49	0.10	2.0	"	"	"	"	"	"	J
Chromium	35	0.10	2.0	"	"	"	"	"	"	
Cobalt	8.4	0.20	2.0	"	"	"	"	"	"	
Copper	20	0.20	1.0	"	"	"	"	"	"	
Lead	4.8	1.0	3.0	"	"	"	"	"	"	
Molybdenum	ND	0.20	5.0	"	"	"	"	"	"	
Nickel	50	0.30	2.0	"	"	"	"	"	"	
Selenium	ND	2.2	5.0	"	"	"	"	"	"	
Vanadium	25	0.30	5.0	"	"	"	"	"	"	
Zinc	51	0.10	1.0	"	"	"	"	"	"	

Metals by EPA 6020 Method

Arsenic	4.3	0.0025	0.25	mg/kg	1	9121017	12/10/19	12/10/19	6020 ICP-MS	
Thallium	ND	0.099	0.25	"	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
12/11/19 09:12

DD3D-0
T193941-45(Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Cold Vapor Extraction EPA 7470/7471

Mercury	ND	0.027	0.10	mg/kg	1	9111422	11/14/19	11/15/19	EPA 7471A Soil	
---------	----	-------	------	-------	---	---------	----------	----------	-------------------	--

Organochlorine Pesticides by EPA Method 8081A

alpha-BHC	ND	0.56	5.0	ug/kg	1	9111350	11/13/19	11/14/19	EPA 8081A	
gamma-BHC (Lindane)	ND	0.96	5.0	"	"	"	"	"	"	"
beta-BHC	ND	1.4	5.0	"	"	"	"	"	"	"
delta-BHC	ND	0.64	5.0	"	"	"	"	"	"	"
Heptachlor	ND	0.59	5.0	"	"	"	"	"	"	"
Aldrin	ND	0.66	5.0	"	"	"	"	"	"	"
Heptachlor epoxide	ND	0.98	5.0	"	"	"	"	"	"	"
gamma-Chlordane	ND	0.93	5.0	"	"	"	"	"	"	"
alpha-Chlordane	ND	0.83	5.0	"	"	"	"	"	"	"
Endosulfan I	ND	0.81	5.0	"	"	"	"	"	"	"
4,4'-DDE	21	0.78	5.0	"	"	"	"	"	"	"
Dieldrin	ND	1.1	5.0	"	"	"	"	"	"	"
Endrin	ND	1.1	5.0	"	"	"	"	"	"	"
4,4'-DDD	ND	1.2	5.0	"	"	"	"	"	"	"
Endosulfan II	ND	1.1	5.0	"	"	"	"	"	"	"
4,4'-DDT	ND	0.80	5.0	"	"	"	"	"	"	"
Endrin aldehyde	ND	1.7	5.0	"	"	"	"	"	"	"
Endosulfan sulfate	ND	0.61	5.0	"	"	"	"	"	"	"
Methoxychlor	ND	0.40	5.0	"	"	"	"	"	"	"
Endrin ketone	ND	1.3	5.0	"	"	"	"	"	"	"
Toxaphene	ND	5.8	20	"	"	"	"	"	"	"
Chlordane (tech)	ND	5.0	50	"	"	"	"	"	"	"
Chlordane (Total)	ND		5.0	"	"	"	"	"	"	"

Surrogate: Tetrachloro-meta-xylene

117 % 35-140

" " " "

Surrogate: Decachlorobiphenyl

112 % 35-140

" " " "

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
12/11/19 09:12

DD4D-0

T193941-46(Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Extractable Petroleum Hydrocarbons by 8015B

C6-C12 (GRO)	ND	2.2	10	mg/kg	1	9111411	11/14/19	11/15/19	EPA 8015B	
C13-C28 (DRO)	5.6	1.6	10	"	"	"	"	"	"	J
C29-C40 (MORO)	30	4.2	10	"	"	"	"	"	"	
<i>Surrogate: p-Terphenyl</i>			<i>114 %</i>	<i>65-135</i>		"	"	"	"	

Metals by EPA 6010B

Antimony	ND	1.4	3.0	mg/kg	1	9111418	11/14/19	11/15/19	EPA 6010b	
Silver	ND	0.50	2.0	"	"	"	"	"	"	
Barium	65	0.30	1.0	"	"	"	"	"	"	
Beryllium	ND	0.20	1.0	"	"	"	"	"	"	
Cadmium	0.50	0.10	2.0	"	"	"	"	"	"	J
Chromium	35	0.10	2.0	"	"	"	"	"	"	
Cobalt	9.1	0.20	2.0	"	"	"	"	"	"	
Copper	21	0.20	1.0	"	"	"	"	"	"	
Lead	5.2	1.0	3.0	"	"	"	"	"	"	
Molybdenum	ND	0.20	5.0	"	"	"	"	"	"	
Nickel	52	0.30	2.0	"	"	"	"	"	"	
Selenium	ND	2.2	5.0	"	"	"	"	"	"	
Vanadium	26	0.30	5.0	"	"	"	"	"	"	
Zinc	51	0.10	1.0	"	"	"	"	"	"	

Metals by EPA 6020 Method

Arsenic	5.8	0.0025	0.25	mg/kg	1	9121019	12/10/19	12/10/19	6020 ICP-MS	
Thallium	ND	0.099	0.25	"	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
12/11/19 09:12

DD4D-0
T193941-46(Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Cold Vapor Extraction EPA 7470/7471

Mercury	ND	0.027	0.10	mg/kg	1	9111422	11/14/19	11/15/19	EPA 7471A Soil	
---------	----	-------	------	-------	---	---------	----------	----------	-------------------	--

Organochlorine Pesticides by EPA Method 8081A

alpha-BHC	ND	0.56	5.0	ug/kg	1	9111350	11/13/19	11/14/19	EPA 8081A	
gamma-BHC (Lindane)	ND	0.96	5.0	"	"	"	"	"	"	
beta-BHC	ND	1.4	5.0	"	"	"	"	"	"	
delta-BHC	ND	0.64	5.0	"	"	"	"	"	"	
Heptachlor	ND	0.59	5.0	"	"	"	"	"	"	
Aldrin	ND	0.66	5.0	"	"	"	"	"	"	
Heptachlor epoxide	ND	0.98	5.0	"	"	"	"	"	"	
gamma-Chlordane	ND	0.93	5.0	"	"	"	"	"	"	
alpha-Chlordane	ND	0.83	5.0	"	"	"	"	"	"	
Endosulfan I	ND	0.81	5.0	"	"	"	"	"	"	
4,4'-DDE	40	0.78	5.0	"	"	"	"	"	"	
Dieldrin	ND	1.1	5.0	"	"	"	"	"	"	
Endrin	ND	1.1	5.0	"	"	"	"	"	"	
4,4'-DDD	ND	1.2	5.0	"	"	"	"	"	"	
Endosulfan II	ND	1.1	5.0	"	"	"	"	"	"	
4,4'-DDT	ND	0.80	5.0	"	"	"	"	"	"	
Endrin aldehyde	ND	1.7	5.0	"	"	"	"	"	"	
Endosulfan sulfate	ND	0.61	5.0	"	"	"	"	"	"	
Methoxychlor	ND	0.40	5.0	"	"	"	"	"	"	
Endrin ketone	ND	1.3	5.0	"	"	"	"	"	"	
Toxaphene	ND	5.8	20	"	"	"	"	"	"	
Chlordane (tech)	ND	5.0	50	"	"	"	"	"	"	
Chlordane (Total)	ND		5.0	"	"	"	"	"	"	

Surrogate: Tetrachloro-meta-xylene

116 % 35-140

" " " "

Surrogate: Decachlorobiphenyl

89.6 % 35-140

" " " "

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
12/11/19 09:12

DD4D-0-FR
T193941-47(Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Extractable Petroleum Hydrocarbons by 8015B

C6-C12 (GRO)	ND	2.2	10	mg/kg	1	9111411	11/14/19	11/15/19	EPA 8015B	
C13-C28 (DRO)	5.2	1.6	10	"	"	"	"	"	"	J
C29-C40 (MORO)	33	4.2	10	"	"	"	"	"	"	
<i>Surrogate: p-Terphenyl</i>			<i>112 %</i>	<i>65-135</i>		"	"	"	"	

Metals by EPA 6010B

Antimony	ND	1.4	3.0	mg/kg	1	9111418	11/14/19	11/15/19	EPA 6010b	
Silver	ND	0.50	2.0	"	"	"	"	"	"	
Barium	64	0.30	1.0	"	"	"	"	"	"	
Beryllium	ND	0.20	1.0	"	"	"	"	11/15/19	"	
Cadmium	0.48	0.10	2.0	"	"	"	"	11/15/19	"	J
Chromium	35	0.10	2.0	"	"	"	"	"	"	
Cobalt	8.8	0.20	2.0	"	"	"	"	"	"	
Copper	21	0.20	1.0	"	"	"	"	"	"	
Lead	5.5	1.0	3.0	"	"	"	"	"	"	
Molybdenum	ND	0.20	5.0	"	"	"	"	"	"	
Nickel	51	0.30	2.0	"	"	"	"	"	"	
Selenium	ND	2.2	5.0	"	"	"	"	"	"	
Vanadium	25	0.30	5.0	"	"	"	"	"	"	
Zinc	56	0.10	1.0	"	"	"	"	"	"	

Metals by EPA 6020 Method

Arsenic	5.5	0.0025	0.25	mg/kg	1	9121019	12/10/19	12/10/19	6020 ICP-MS	
Thallium	ND	0.099	0.25	"	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
12/11/19 09:12

DD4D-0-FR
T193941-47(Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Cold Vapor Extraction EPA 7470/7471

Mercury	ND	0.027	0.10	mg/kg	1	9111422	11/14/19	11/15/19	EPA 7471A Soil	
---------	----	-------	------	-------	---	---------	----------	----------	-------------------	--

Organochlorine Pesticides by EPA Method 8081A

alpha-BHC	ND	0.56	5.0	ug/kg	1	9111350	11/13/19	11/14/19	EPA 8081A	
gamma-BHC (Lindane)	ND	0.96	5.0	"	"	"	"	"	"	"
beta-BHC	ND	1.4	5.0	"	"	"	"	"	"	"
delta-BHC	ND	0.64	5.0	"	"	"	"	"	"	"
Heptachlor	ND	0.59	5.0	"	"	"	"	"	"	"
Aldrin	ND	0.66	5.0	"	"	"	"	"	"	"
Heptachlor epoxide	ND	0.98	5.0	"	"	"	"	"	"	"
gamma-Chlordane	ND	0.93	5.0	"	"	"	"	"	"	"
alpha-Chlordane	ND	0.83	5.0	"	"	"	"	"	"	"
Endosulfan I	ND	0.81	5.0	"	"	"	"	"	"	"
4,4'-DDE	36	0.78	5.0	"	"	"	"	"	"	"
Dieldrin	ND	1.1	5.0	"	"	"	"	"	"	"
Endrin	ND	1.1	5.0	"	"	"	"	"	"	"
4,4'-DDD	ND	1.2	5.0	"	"	"	"	"	"	"
Endosulfan II	ND	1.1	5.0	"	"	"	"	"	"	"
4,4'-DDT	ND	0.80	5.0	"	"	"	"	"	"	"
Endrin aldehyde	ND	1.7	5.0	"	"	"	"	"	"	"
Endosulfan sulfate	ND	0.61	5.0	"	"	"	"	"	"	"
Methoxychlor	ND	0.40	5.0	"	"	"	"	"	"	"
Endrin ketone	ND	1.3	5.0	"	"	"	"	"	"	"
Toxaphene	ND	5.8	20	"	"	"	"	"	"	"
Chlordane (tech)	ND	5.0	50	"	"	"	"	"	"	"
Chlordane (Total)	ND		5.0	"	"	"	"	"	"	"

Surrogate: Tetrachloro-meta-xylene

114 % 35-140

" " " "

Surrogate: Decachlorobiphenyl

81.8 % 35-140

" " " "

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
12/11/19 09:12

DD5D-0
T193941-48(Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Extractable Petroleum Hydrocarbons by 8015B

C6-C12 (GRO)	ND	2.2	10	mg/kg	1	9111411	11/14/19	11/15/19	EPA 8015B	
C13-C28 (DRO)	8.0	1.6	10	"	"	"	"	"	"	J
C29-C40 (MORO)	26	4.2	10	"	"	"	"	"	"	
<i>Surrogate: p-Terphenyl</i>			<i>111 %</i>	<i>65-135</i>		"	"	"	"	

Metals by EPA 6010B

Antimony	ND	1.4	3.0	mg/kg	1	9111418	11/14/19	11/15/19	EPA 6010b	
Silver	ND	0.50	2.0	"	"	"	"	"	"	
Barium	190	1.2	4.0	"	4	"	"	11/15/19	"	RE-01
Beryllium	ND	0.20	1.0	"	1	"	"	11/15/19	"	
Cadmium	0.57	0.10	2.0	"	"	"	"	"	"	J
Chromium	41	0.10	2.0	"	"	"	"	"	"	
Cobalt	9.8	0.20	2.0	"	"	"	"	"	"	
Copper	26	0.20	1.0	"	"	"	"	"	"	
Lead	6.4	1.0	3.0	"	"	"	"	"	"	
Molybdenum	ND	0.20	5.0	"	"	"	"	"	"	
Nickel	59	0.30	2.0	"	"	"	"	"	"	
Selenium	ND	2.2	5.0	"	"	"	"	"	"	
Vanadium	30	0.30	5.0	"	"	"	"	"	"	
Zinc	77	0.10	1.0	"	"	"	"	"	"	

Metals by EPA 6020 Method

Arsenic	6.7	0.0025	0.25	mg/kg	1	9121019	12/10/19	12/10/19	6020 ICP-MS	
Thallium	ND	0.099	0.25	"	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
12/11/19 09:12

DD5D-0
T193941-48(Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Cold Vapor Extraction EPA 7470/7471

Mercury	0.036	0.027	0.10	mg/kg	1	9111422	11/14/19	11/15/19	EPA 7471A Soil	J
---------	-------	-------	------	-------	---	---------	----------	----------	-------------------	---

Organochlorine Pesticides by EPA Method 8081A

alpha-BHC	ND	5.6	50	ug/kg	10	9111350	11/13/19	11/14/19	EPA 8081A	R-07
gamma-BHC (Lindane)	ND	9.6	50	"	"	"	"	"	"	R-07
beta-BHC	ND	14	50	"	"	"	"	"	"	R-07
delta-BHC	ND	6.4	50	"	"	"	"	"	"	R-07
Heptachlor	ND	5.9	50	"	"	"	"	"	"	R-07
Aldrin	ND	6.6	50	"	"	"	"	"	"	R-07
Heptachlor epoxide	ND	9.8	50	"	"	"	"	"	"	R-07
gamma-Chlordane	ND	9.3	50	"	"	"	"	"	"	R-07
alpha-Chlordane	ND	8.3	50	"	"	"	"	"	"	R-07
Endosulfan I	ND	8.1	50	"	"	"	"	"	"	R-07
4,4'-DDE	ND	7.8	50	"	"	"	"	"	"	R-07
Dieldrin	ND	11	50	"	"	"	"	"	"	R-07
Endrin	ND	11	50	"	"	"	"	"	"	R-07
4,4'-DDD	ND	12	50	"	"	"	"	"	"	R-07
Endosulfan II	ND	11	50	"	"	"	"	"	"	R-07
4,4'-DDT	ND	8.0	50	"	"	"	"	"	"	R-07
Endrin aldehyde	ND	17	50	"	"	"	"	"	"	R-07
Endosulfan sulfate	ND	6.1	50	"	"	"	"	"	"	R-07
Methoxychlor	ND	4.0	50	"	"	"	"	"	"	R-07
Endrin ketone	ND	13	50	"	"	"	"	"	"	R-07
Toxaphene	ND	58	200	"	"	"	"	"	"	R-07
Chlordane (tech)	ND	5.0	50	"	1	"	"	"	"	
Chlordane (Total)	ND		5.0	"	"	"	"	"	"	

Surrogate: Tetrachloro-meta-xylene

114 % 35-140

Surrogate: Decachlorobiphenyl

100 % 35-140

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.





25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5 48 Bellarmine Ct, Suite 40 Chico CA, 95928	Project: Hamilton Union High School Project Number: 70779.01.001.003 Project Manager: Heidi Cummings	Reported: 12/11/19 09:12
--	--	-----------------------------

DD5D-0

T193941-48RE1(Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Organochlorine Pesticides by EPA Method 8081A

alpha-BHC	ND	0.56	5.0	ug/kg	1	9112036	11/20/19	11/26/19	EPA 8081A	
gamma-BHC (Lindane)	ND	0.96	5.0	"	"	"	"	"	"	
beta-BHC	ND	1.4	5.0	"	"	"	"	"	"	
delta-BHC	ND	0.64	5.0	"	"	"	"	"	"	
Heptachlor	ND	0.59	5.0	"	"	"	"	"	"	
Aldrin	ND	0.66	5.0	"	"	"	"	"	"	
Heptachlor epoxide	ND	0.98	5.0	"	"	"	"	"	"	
gamma-Chlordane	ND	0.93	5.0	"	"	"	"	"	"	
alpha-Chlordane	ND	0.83	5.0	"	"	"	"	"	"	
Endosulfan I	ND	0.81	5.0	"	"	"	"	"	"	
4,4'-DDE	ND	0.78	5.0	"	"	"	"	"	"	
Dieldrin	ND	1.1	5.0	"	"	"	"	"	"	
Endrin	ND	1.1	5.0	"	"	"	"	"	"	
4,4'-DDD	ND	1.2	5.0	"	"	"	"	"	"	
Endosulfan II	ND	1.1	5.0	"	"	"	"	"	"	
4,4'-DDT	ND	0.80	5.0	"	"	"	"	"	"	
Endrin aldehyde	ND	1.7	5.0	"	"	"	"	"	"	
Endosulfan sulfate	ND	0.61	5.0	"	"	"	"	"	"	
Methoxychlor	ND	0.40	5.0	"	"	"	"	"	"	
Endrin ketone	ND	1.3	5.0	"	"	"	"	"	"	
Toxaphene	ND	5.8	20	"	"	"	"	"	"	
Surrogate: Tetrachloro-meta-xylene			109 %		35-140	"	"	"	"	
Surrogate: Decachlorobiphenyl			104 %		35-140	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
12/11/19 09:12

DD6D-0
T193941-49(Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Extractable Petroleum Hydrocarbons by 8015B

C6-C12 (GRO)	ND	2.2	10	mg/kg	1	9111411	11/14/19	11/15/19	EPA 8015B	
C13-C28 (DRO)	11	1.6	10	"	"	"	"	"	"	
C29-C40 (MORO)	48	4.2	10	"	"	"	"	"	"	
<i>Surrogate: p-Terphenyl</i>			<i>117 %</i>	<i>65-135</i>		"	"	"	"	

Metals by EPA 6010B

Antimony	ND	1.4	3.0	mg/kg	1	9111418	11/14/19	11/15/19	EPA 6010b	
Silver	ND	0.50	2.0	"	"	"	"	11/15/19	"	
Barium	200	1.2	4.0	"	4	"	"	11/15/19	"	RE-01
Beryllium	ND	0.20	1.0	"	1	"	"	11/15/19	"	
Cadmium	0.56	0.10	2.0	"	"	"	"	11/15/19	"	J
Chromium	40	0.10	2.0	"	"	"	"	11/15/19	"	
Cobalt	9.6	0.20	2.0	"	"	"	"	11/15/19	"	
Copper	25	0.20	1.0	"	"	"	"	11/15/19	"	
Lead	6.5	1.0	3.0	"	"	"	"	11/15/19	"	
Molybdenum	ND	0.20	5.0	"	"	"	"	"	"	
Nickel	57	0.30	2.0	"	"	"	"	11/15/19	"	
Selenium	ND	2.2	5.0	"	"	"	"	11/15/19	"	
Vanadium	29	0.30	5.0	"	"	"	"	11/15/19	"	
Zinc	81	0.10	1.0	"	"	"	"	"	"	

Metals by EPA 6020 Method

Arsenic	5.7	0.0023	0.23	mg/kg	1	9121019	12/10/19	12/10/19	6020 ICP-MS	
Thallium	ND	0.090	0.23	"	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
12/11/19 09:12

DD6D-0
T193941-49(Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Cold Vapor Extraction EPA 7470/7471

Mercury	0.029	0.027	0.10	mg/kg	1	9111422	11/14/19	11/15/19	EPA 7471A Soil	J
---------	-------	-------	------	-------	---	---------	----------	----------	-------------------	---

Organochlorine Pesticides by EPA Method 8081A

alpha-BHC	ND	0.56	5.0	ug/kg	1	9111350	11/13/19	11/14/19	EPA 8081A	
gamma-BHC (Lindane)	ND	0.96	5.0	"	"	"	"	"	"	
beta-BHC	ND	1.4	5.0	"	"	"	"	"	"	
delta-BHC	ND	0.64	5.0	"	"	"	"	"	"	
Heptachlor	ND	0.59	5.0	"	"	"	"	"	"	
Aldrin	ND	0.66	5.0	"	"	"	"	"	"	
Heptachlor epoxide	ND	0.98	5.0	"	"	"	"	"	"	
gamma-Chlordane	ND	0.93	5.0	"	"	"	"	"	"	
alpha-Chlordane	ND	0.83	5.0	"	"	"	"	"	"	
Endosulfan I	ND	0.81	5.0	"	"	"	"	"	"	
4,4'-DDE	14	0.78	5.0	"	"	"	"	"	"	
Dieldrin	ND	1.1	5.0	"	"	"	"	"	"	
Endrin	ND	1.1	5.0	"	"	"	"	"	"	
4,4'-DDD	ND	1.2	5.0	"	"	"	"	"	"	
Endosulfan II	ND	1.1	5.0	"	"	"	"	"	"	
4,4'-DDT	ND	0.80	5.0	"	"	"	"	"	"	
Endrin aldehyde	ND	1.7	5.0	"	"	"	"	"	"	
Endosulfan sulfate	ND	0.61	5.0	"	"	"	"	"	"	
Methoxychlor	ND	0.40	5.0	"	"	"	"	"	"	
Endrin ketone	ND	1.3	5.0	"	"	"	"	"	"	
Toxaphene	ND	5.8	20	"	"	"	"	"	"	
Chlordane (tech)	ND	5.0	50	"	"	"	"	"	"	
Chlordane (Total)	ND		5.0	"	"	"	"	"	"	

Surrogate: Tetrachloro-meta-xylene

116 % 35-140

"

"

"

"

Surrogate: Decachlorobiphenyl

106 % 35-140

"

"

"

"

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
12/11/19 09:12

DD7D-0
T193941-50(Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----	--------------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Extractable Petroleum Hydrocarbons by 8015B

C6-C12 (GRO)	ND	2.2	10	mg/kg	1	9111411	11/14/19	11/15/19	EPA 8015B	
C13-C28 (DRO)	10	1.6	10	"	"	"	"	"	"	
C29-C40 (MORO)	35	4.2	10	"	"	"	"	"	"	
<i>Surrogate: p-Terphenyl</i>			<i>119 %</i>	<i>65-135</i>		"	"	"	"	

Metals by EPA 6010B

Antimony	ND	1.4	3.0	mg/kg	1	9111418	11/14/19	11/15/19	EPA 6010b	
Silver	ND	0.50	2.0	"	"	"	"	"	"	
Barium	190	1.2	4.0	"	4	"	"	11/15/19	"	RE-01
Beryllium	ND	0.20	1.0	"	1	"	"	11/15/19	"	
Cadmium	0.53	0.10	2.0	"	"	"	"	11/15/19	"	J
Chromium	38	0.10	2.0	"	"	"	"	"	"	
Cobalt	9.4	0.20	2.0	"	"	"	"	"	"	
Copper	22	0.20	1.0	"	"	"	"	"	"	
Lead	4.9	1.0	3.0	"	"	"	"	"	"	
Molybdenum	ND	0.20	5.0	"	"	"	"	"	"	
Nickel	57	0.30	2.0	"	"	"	"	"	"	
Selenium	ND	2.2	5.0	"	"	"	"	"	"	
Vanadium	28	0.30	5.0	"	"	"	"	"	"	
Zinc	58	0.10	1.0	"	"	"	"	"	"	

Metals by EPA 6020 Method

Arsenic	5.7	0.0025	0.25	mg/kg	1	9121019	12/10/19	12/10/19	6020 ICP-MS	
Thallium	ND	0.099	0.25	"	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
12/11/19 09:12

DD7D-0
T193941-50(Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Cold Vapor Extraction EPA 7470/7471

Mercury	0.028	0.027	0.10	mg/kg	1	9111422	11/14/19	11/15/19	EPA 7471A Soil	J
---------	-------	-------	------	-------	---	---------	----------	----------	-------------------	---

Organochlorine Pesticides by EPA Method 8081A

alpha-BHC	ND	0.56	5.0	ug/kg	1	9111350	11/13/19	11/14/19	EPA 8081A	
gamma-BHC (Lindane)	ND	0.96	5.0	"	"	"	"	"	"	
beta-BHC	ND	1.4	5.0	"	"	"	"	"	"	
delta-BHC	ND	0.64	5.0	"	"	"	"	"	"	
Heptachlor	ND	0.59	5.0	"	"	"	"	"	"	
Aldrin	ND	0.66	5.0	"	"	"	"	"	"	
Heptachlor epoxide	ND	0.98	5.0	"	"	"	"	"	"	
gamma-Chlordane	ND	0.93	5.0	"	"	"	"	"	"	
alpha-Chlordane	ND	0.83	5.0	"	"	"	"	"	"	
Endosulfan I	ND	0.81	5.0	"	"	"	"	"	"	
4,4'-DDE	43	0.78	5.0	"	"	"	"	"	"	
Dieldrin	ND	1.1	5.0	"	"	"	"	"	"	
Endrin	ND	1.1	5.0	"	"	"	"	"	"	
4,4'-DDD	ND	1.2	5.0	"	"	"	"	"	"	
Endosulfan II	ND	1.1	5.0	"	"	"	"	"	"	
4,4'-DDT	2.0	0.80	5.0	"	"	"	"	"	"	J
Endrin aldehyde	ND	1.7	5.0	"	"	"	"	"	"	
Endosulfan sulfate	ND	0.61	5.0	"	"	"	"	"	"	
Methoxychlor	ND	0.40	5.0	"	"	"	"	"	"	
Endrin ketone	ND	1.3	5.0	"	"	"	"	"	"	
Toxaphene	ND	5.8	20	"	"	"	"	"	"	
Chlordane (tech)	ND	5.0	50	"	"	"	"	"	"	
Chlordane (Total)	ND		5.0	"	"	"	"	"	"	
Surrogate: Tetrachloro-meta-xylene			126 %			35-140	"	"	"	"
Surrogate: Decachlorobiphenyl			96.3 %			35-140	"	"	"	"

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.





25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5
 48 Bellarmine Ct, Suite 40
 Chico CA, 95928

Project: Hamilton Union High School
 Project Number: 70779.01.001.003
 Project Manager: Heidi Cummings

Reported:
 12/11/19 09:12

Extractable Petroleum Hydrocarbons by 8015B - Quality Control
SunStar Laboratories, Inc.

Analyte	Result	MDL	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 9111347 - EPA 3510C GC

Blank (9111347-BLK1)

Prepared: 11/13/19 Analyzed: 11/14/19

Surrogate: p-Terphenyl	5.90			mg/l	4.00		147	65-135			S-13
C6-C12 (GRO)	ND	0.013	0.050	"							
C13-C28 (DRO)	ND	0.013	0.050	"							
C29-C40 (MORO)	ND	0.013	0.10	"							

LCS (9111347-BS1)

Prepared: 11/13/19 Analyzed: 11/14/19

Surrogate: p-Terphenyl	4.67			mg/l	4.00		117	65-135			
C13-C28 (DRO)	19.4	0.013	0.050	"	20.0		97.0	75-125			

LCS Dup (9111347-BSD1)

Prepared: 11/13/19 Analyzed: 11/14/19

Surrogate: p-Terphenyl	4.82			mg/l	4.00		121	65-135			
C13-C28 (DRO)	19.1	0.013	0.050	"	20.0		95.3	75-125	1.76	20	

Batch 9111411 - EPA 3550B GC

Blank (9111411-BLK1)

Prepared: 11/14/19 Analyzed: 11/15/19

Surrogate: p-Terphenyl	112			mg/kg	101		111	65-135			
C6-C12 (GRO)	ND	2.2	10	"							
C13-C28 (DRO)	ND	1.6	10	"							
C29-C40 (MORO)	ND	4.2	10	"							

LCS (9111411-BS1)

Prepared: 11/14/19 Analyzed: 11/15/19

Surrogate: p-Terphenyl	114			mg/kg	101		113	65-135			
C13-C28 (DRO)	510	1.6	10	"	505		102	75-125			

LCS Dup (9111411-BSD1)

Prepared: 11/14/19 Analyzed: 11/15/19

Surrogate: p-Terphenyl	110			mg/kg	101		109	65-135			
C13-C28 (DRO)	500	1.6	10	"	505		99.7	75-125	1.88	20	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5 48 Bellarmine Ct, Suite 40 Chico CA, 95928	Project: Hamilton Union High School Project Number: 70779.01.001.003 Project Manager: Heidi Cummings	Reported: 12/11/19 09:12
--	--	-----------------------------

Metals by EPA 6010B - Quality Control
SunStar Laboratories, Inc.

Analyte	Result	MDL	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 9111354 - EPA 3010A

Blank (9111354-BLK1)

Prepared: 11/13/19 Analyzed: 11/14/19

Antimony	ND	17	50	ug/l							
Silver	ND	24	50	"							
Arsenic	ND	17	50	"							
Barium	ND	13	50	"							
Beryllium	ND	18	50	"							
Cadmium	ND	21	50	"							
Chromium	ND	21	50	"							
Cobalt	ND	14	50	"							
Copper	ND	20	50	"							
Lead	ND	17	50	"							
Molybdenum	ND	14	50	"							
Nickel	ND	14	50	"							
Selenium	ND	19	50	"							
Thallium	ND	16	50	"							
Vanadium	ND	20	50	"							
Zinc	ND	17	50	"							

LCS (9111354-BS1)

Prepared: 11/13/19 Analyzed: 11/14/19

Arsenic	503	17	50	ug/l	500		101	75-125			
Barium	511	13	50	"	500		102	75-125			
Cadmium	512	21	50	"	500		102	75-125			
Chromium	513	21	50	"	500		103	75-125			
Lead	509	17	50	"	500		102	75-125			

Matrix Spike (9111354-MS1)

Source: T193930-01

Prepared: 11/13/19 Analyzed: 11/14/19

Arsenic	528	17	50	ug/l	500	ND	106	75-125			
Barium	662	13	50	"	500	170	98.4	75-125			QM-05
Cadmium	505	21	50	"	500	ND	101	75-125			
Chromium	507	21	50	"	500	ND	101	75-125			

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
12/11/19 09:12

Metals by EPA 6010B - Quality Control

SunStar Laboratories, Inc.

Analyte	Result	MDL	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 9111354 - EPA 3010A

Matrix Spike (9111354-MS1)

Source: T193930-01

Prepared: 11/13/19 Analyzed: 11/14/19

Lead	494	17	50	ug/l	500	ND	98.8	75-125			
------	-----	----	----	------	-----	----	------	--------	--	--	--

Matrix Spike Dup (9111354-MSD1)

Source: T193930-01

Prepared: 11/13/19 Analyzed: 11/14/19

Arsenic	529	17	50	ug/l	500	ND	106	75-125	0.209	20	
Barium	656	13	50	"	500	170	97.3	75-125	0.860	20	QM-05
Cadmium	498	21	50	"	500	ND	99.7	75-125	1.23	20	
Chromium	501	21	50	"	500	ND	100	75-125	1.28	20	
Lead	496	17	50	"	500	ND	99.1	75-125	0.352	20	

Batch 9111360 - EPA 3050B

Blank (9111360-BLK1)

Prepared: 11/13/19 Analyzed: 11/14/19

Antimony	ND	0.0141	3.00	mg/kg							
Arsenic	ND	0.800	5.00	"							
Barium	ND	0.338	1.00	"							
Beryllium	ND	0.157	1.00	"							
Cadmium	ND	0.114	2.00	"							
Chromium	ND	0.121	2.00	"							
Cobalt	ND	0.239	2.00	"							
Copper	ND	0.152	1.00	"							
Lead	ND	0.967	3.00	"							
Molybdenum	ND	0.243	5.00	"							
Nickel	ND	0.263	2.00	"							
Selenium	ND	2.25	5.00	"							
Silver	ND	0.522	2.00	"							
Thallium	ND	1.74	2.00	"							
Vanadium	ND	0.306	5.00	"							
Zinc	ND	0.131	1.00	"							

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.





25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5
 48 Bellarmine Ct, Suite 40
 Chico CA, 95928

Project: Hamilton Union High School
 Project Number: 70779.01.001.003
 Project Manager: Heidi Cummings

Reported:
 12/11/19 09:12

Metals by EPA 6010B - Quality Control
SunStar Laboratories, Inc.

Analyte	Result	MDL	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 9111360 - EPA 3050B

LCS (9111360-BS1) Prepared: 11/13/19 Analyzed: 11/14/19

Arsenic	101	0.800	5.00	mg/kg	100		101	75-125			
Barium	102	0.338	1.00	"	100		102	75-125			
Cadmium	101	0.114	2.00	"	100		101	75-125			
Chromium	102	0.121	2.00	"	100		102	75-125			
Lead	101	0.967	3.00	"	100		101	75-125			

Matrix Spike (9111360-MS1) Source: T193921-01 Prepared: 11/13/19 Analyzed: 11/14/19

Arsenic	57.2	0.800	5.00	mg/kg	97.1	ND	58.9	75-125	8.08	20	QM-05
Barium	125	0.338	1.00	"	97.1	41.9	85.8	75-125	5.71	20	QM-05
Cadmium	56.6	0.114	2.00	"	97.1	0.155	58.1	75-125	3.36	20	QM-05
Chromium	62.6	0.121	2.00	"	97.1	3.62	60.8	75-125	3.82	20	QM-05
Lead	55.7	0.967	3.00	"	97.1	1.02	56.3	75-125	6.65	20	QM-05

Matrix Spike Dup (9111360-MSD1) Source: T193921-01 Prepared: 11/13/19 Analyzed: 11/14/19

Arsenic	62.0	0.800	5.00	mg/kg	97.1	ND	63.9	75-125	8.08	20	QM-05
Barium	133	0.338	1.00	"	97.1	41.9	93.4	75-125	5.71	20	QM-05
Cadmium	58.5	0.114	2.00	"	97.1	0.155	60.1	75-125	3.36	20	QM-05
Chromium	65.0	0.121	2.00	"	97.1	3.62	63.3	75-125	3.82	20	QM-05
Lead	59.5	0.967	3.00	"	97.1	1.02	60.3	75-125	6.65	20	QM-05

Batch 9111418 - EPA 3050B

Blank (9111418-BLK1) Prepared: 11/14/19 Analyzed: 11/15/19

Antimony	ND	1.4	3.0	mg/kg							
Silver	ND	0.50	2.0	"							
Arsenic	ND	0.80	5.0	"							
Barium	ND	0.30	1.0	"							
Beryllium	ND	0.20	1.0	"							
Cadmium	ND	0.10	2.0	"							
Chromium	ND	0.10	2.0	"							

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5 48 Bellarmine Ct, Suite 40 Chico CA, 95928	Project: Hamilton Union High School Project Number: 70779.01.001.003 Project Manager: Heidi Cummings	Reported: 12/11/19 09:12
--	--	-----------------------------

Metals by EPA 6010B - Quality Control
SunStar Laboratories, Inc.

Analyte	Result	MDL	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 9111418 - EPA 3050B

Blank (9111418-BLK1) Prepared: 11/14/19 Analyzed: 11/15/19

Cobalt	ND	0.20	2.0	mg/kg							
Copper	ND	0.20	1.0	"							
Lead	ND	1.0	3.0	"							
Molybdenum	ND	0.20	5.0	"							
Nickel	ND	0.30	2.0	"							
Selenium	ND	2.2	5.0	"							
Thallium	ND	1.7	2.0	"							
Vanadium	ND	0.30	5.0	"							
Zinc	ND	0.10	1.0	"							

LCS (9111418-BS1) Prepared: 11/14/19 Analyzed: 11/15/19

Arsenic	94.2	0.80	5.0	mg/kg	100		94.2	75-125			
Barium	94.4	0.30	1.0	"	100		94.4	75-125			
Cadmium	94.0	0.10	2.0	"	100		94.0	75-125			
Chromium	94.1	0.10	2.0	"	100		94.1	75-125			
Lead	94.8	1.0	3.0	"	100		94.8	75-125			

Matrix Spike (9111418-MS1) Source: T193941-42 Prepared: 11/14/19 Analyzed: 11/15/19

Arsenic	51.2	0.80	5.0	mg/kg	96.2	ND	53.2	75-125			QM-05
Barium	119	0.30	1.0	"	96.2	69.9	50.8	75-125			QM-05
Cadmium	49.8	0.10	2.0	"	96.2	0.532	51.2	75-125			QM-05
Chromium	92.4	0.10	2.0	"	96.2	40.3	54.2	75-125			QM-05
Lead	52.2	1.0	3.0	"	96.2	4.54	49.6	75-125			QM-05

Matrix Spike Dup (9111418-MSD1) Source: T193941-42 Prepared: 11/14/19 Analyzed: 11/15/19

Arsenic	55.3	0.80	5.0	mg/kg	98.0	ND	56.4	75-125	7.78	20	QM-05
Barium	121	0.30	1.0	"	98.0	69.9	52.3	75-125	2.05	20	QM-05
Cadmium	52.5	0.10	2.0	"	98.0	0.532	53.0	75-125	5.28	20	QM-05
Chromium	94.5	0.10	2.0	"	98.0	40.3	55.2	75-125	2.21	20	QM-05

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5 48 Bellarmine Ct, Suite 40 Chico CA, 95928	Project: Hamilton Union High School Project Number: 70779.01.001.003 Project Manager: Heidi Cummings	Reported: 12/11/19 09:12
--	--	-----------------------------

Metals by EPA 6010B - Quality Control

SunStar Laboratories, Inc.

Analyte	Result	MDL	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 9111418 - EPA 3050B

Matrix Spike Dup (9111418-MSD1)		Source: T193941-42			Prepared: 11/14/19 Analyzed: 11/15/19						
Lead	55.7	1.0	3.0	mg/kg	98.0	4.54	52.1	75-125	6.34	20	QM-05

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5 48 Bellarmine Ct, Suite 40 Chico CA, 95928	Project: Hamilton Union High School Project Number: 70779.01.001.003 Project Manager: Heidi Cummings	Reported: 12/11/19 09:12
--	--	-----------------------------

Metals by EPA 6020 Method - Quality Control

SunStar Laboratories, Inc.

Analyte	Result	MDL	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 9121017 - EPA 3050B

Blank (9121017-BLK1) Prepared & Analyzed: 12/10/19

Arsenic	ND	0.0025	0.25	mg/kg							
Thallium	ND	0.099	0.25	"							

LCS (9121017-BS1) Prepared & Analyzed: 12/10/19

Arsenic	24.4	0.0025	0.25	mg/kg	25.0		97.7	80-120			
---------	------	--------	------	-------	------	--	------	--------	--	--	--

Matrix Spike (9121017-MS1) Source: T193941-01 Prepared & Analyzed: 12/10/19

Arsenic	27.2	0.0025	0.25	mg/kg	23.1	5.42	93.9	75-125			
---------	------	--------	------	-------	------	------	------	--------	--	--	--

Matrix Spike Dup (9121017-MSD1) Source: T193941-01 Prepared & Analyzed: 12/10/19

Arsenic	31.9	0.0025	0.25	mg/kg	24.5	5.42	108	75-125	15.9	20	
---------	------	--------	------	-------	------	------	-----	--------	------	----	--

Post Spike (9121017-PS1) Source: T193941-01 Prepared & Analyzed: 12/10/19

Arsenic	34.4			mg/kg	25.0	5.42	116	80-120			
---------	------	--	--	-------	------	------	-----	--------	--	--	--

Batch 9121019 - EPA 3050B

Blank (9121019-BLK1) Prepared & Analyzed: 12/10/19

Arsenic	ND	0.0025	0.25	mg/kg							
Thallium	ND	0.099	0.25	"							

LCS (9121019-BS1) Prepared & Analyzed: 12/10/19

Arsenic	25.9	0.0025	0.25	mg/kg	25.0		104	80-120			
---------	------	--------	------	-------	------	--	-----	--------	--	--	--

Matrix Spike (9121019-MS1) Source: T193941-46 Prepared & Analyzed: 12/10/19

Arsenic	30.7	0.0025	0.25	mg/kg	24.8	5.81	101	75-125			
---------	------	--------	------	-------	------	------	-----	--------	--	--	--

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5 48 Bellarmine Ct, Suite 40 Chico CA, 95928	Project: Hamilton Union High School Project Number: 70779.01.001.003 Project Manager: Heidi Cummings	Reported: 12/11/19 09:12
--	--	-----------------------------

Metals by EPA 6020 Method - Quality Control

SunStar Laboratories, Inc.

Analyte	Result	MDL	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 9121019 - EPA 3050B

Matrix Spike Dup (9121019-MSD1)

Source: T193941-46

Prepared & Analyzed: 12/10/19

Arsenic	29.1	0.0025	0.25	mg/kg	24.8	5.81	94.1	75-125	5.46	20	
---------	------	--------	------	-------	------	------	------	--------	------	----	--

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5 48 Bellarmine Ct, Suite 40 Chico CA, 95928	Project: Hamilton Union High School Project Number: 70779.01.001.003 Project Manager: Heidi Cummings	Reported: 12/11/19 09:12
--	--	-----------------------------

Cold Vapor Extraction EPA 7470/7471 - Quality Control
SunStar Laboratories, Inc.

Analyte	Result	MDL	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 9111355 - EPA 7470A Water											
Blank (9111355-BLK1)					Prepared: 11/13/19 Analyzed: 11/15/19						
Mercury	ND	0.022	0.50	ug/l							
LCS (9111355-BS1)					Prepared: 11/13/19 Analyzed: 11/15/19						
Mercury	4.71	0.022	0.50	ug/l	5.00		94.2	80-120			
Matrix Spike (9111355-MS1)					Source: T193930-01 Prepared: 11/13/19 Analyzed: 11/15/19						
Mercury	4.60	0.022	0.50	ug/l	5.00	ND	92.0	75-125			
Matrix Spike Dup (9111355-MSD1)					Source: T193930-01 Prepared: 11/13/19 Analyzed: 11/15/19						
Mercury	4.56	0.022	0.50	ug/l	5.00	ND	91.1	75-125	0.939	20	
Batch 9111422 - EPA 7471A Soil											
Blank (9111422-BLK1)					Prepared: 11/14/19 Analyzed: 11/15/19						
Mercury	ND	0.027	0.10	mg/kg							
LCS (9111422-BS1)					Prepared: 11/14/19 Analyzed: 11/15/19						
Mercury	0.418	0.027	0.10	mg/kg	0.410		102	80-120			
Matrix Spike (9111422-MS1)					Source: T193921-01 Prepared: 11/14/19 Analyzed: 11/15/19						
Mercury	0.434	0.027	0.10	mg/kg	0.410	ND	106	75-125			
Matrix Spike Dup (9111422-MSD1)					Source: T193921-01 Prepared: 11/14/19 Analyzed: 11/15/19						
Mercury	0.415	0.027	0.10	mg/kg	0.397	ND	105	75-125	4.42	20	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5
 48 Bellarmine Ct, Suite 40
 Chico CA, 95928

Project: Hamilton Union High School
 Project Number: 70779.01.001.003
 Project Manager: Heidi Cummings

Reported:
 12/11/19 09:12

Organochlorine Pesticides by EPA Method 8081A - Quality Control
SunStar Laboratories, Inc.

Analyte	Result	MDL	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 9111344 - EPA 3510C GCMS/ECD

Blank (9111344-BLK1)

Prepared & Analyzed: 11/13/19

Surrogate: Tetrachloro-meta-xylene	0.690			ug/l	1.00		69.0	35-140			
Surrogate: Decachlorobiphenyl	0.836			"	1.00		83.6	35-140			
alpha-BHC	ND	0.04	1.00	"							
gamma-BHC (Lindane)	ND	0.03	1.00	"							
beta-BHC	ND	0.05	1.00	"							
delta-BHC	ND	0.02	1.00	"							
Heptachlor	ND	0.04	1.00	"							
Aldrin	ND	0.02	1.00	"							
Heptachlor epoxide	ND	0.04	1.00	"							
gamma-Chlordane	ND	0.05	1.00	"							
alpha-Chlordane	ND	0.03	1.00	"							
Endosulfan I	ND	0.02	1.00	"							
4,4'-DDE	ND	0.04	1.00	"							
Dieldrin	ND	0.03	1.00	"							
Endrin	ND	0.04	1.00	"							
4,4'-DDD	ND	0.03	1.00	"							
Endosulfan II	ND	0.04	1.00	"							
4,4'-DDT	ND	0.06	1.00	"							
Endrin aldehyde	ND	0.02	1.00	"							
Endosulfan sulfate	ND	0.05	1.00	"							
Methoxychlor	ND	0.03	1.00	"							
Endrin ketone	ND	0.05	1.00	"							
Chlordane (tech)	ND	1.00	10.0	"							
Toxaphene	ND	5.79	20.0	"							

LCS (9111344-BS1)

Prepared & Analyzed: 11/13/19

Surrogate: Tetrachloro-meta-xylene	0.805			ug/l	1.00		80.5	35-140			
Surrogate: Decachlorobiphenyl	0.876			"	1.00		87.6	35-140			

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5
 48 Bellarmine Ct, Suite 40
 Chico CA, 95928

Project: Hamilton Union High School
 Project Number: 70779.01.001.003
 Project Manager: Heidi Cummings

Reported:
 12/11/19 09:12

Organochlorine Pesticides by EPA Method 8081A - Quality Control
SunStar Laboratories, Inc.

Analyte	Result	MDL	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 9111344 - EPA 3510C GCMS/ECD

LCS (9111344-BS1)

Prepared & Analyzed: 11/13/19

gamma-BHC (Lindane)	4.01	0.03	1.00	ug/l	4.00		100	40-120			
Heptachlor	4.14	0.04	1.00	"	4.00		103	40-120			
Aldrin	3.66	0.02	1.00	"	4.00		91.4	40-120			
Dieldrin	4.03	0.03	1.00	"	4.00		101	40-120			
Endrin	4.21	0.04	1.00	"	4.00		105	40-120			
4,4'-DDT	4.15	0.06	1.00	"	4.00		104	40-120			

LCS Dup (9111344-BS1)

Prepared & Analyzed: 11/13/19

Surrogate: Tetrachloro-meta-xylene	0.892			ug/l	1.00		89.2	35-140			
Surrogate: Decachlorobiphenyl	0.793			"	1.00		79.3	35-140			
gamma-BHC (Lindane)	4.49	0.03	1.00	"	4.00		112	40-120	11.3	20	
Heptachlor	4.56	0.04	1.00	"	4.00		114	40-120	9.72	20	
Aldrin	3.79	0.02	1.00	"	4.00		94.7	40-120	3.55	20	
Dieldrin	4.26	0.03	1.00	"	4.00		106	40-120	5.36	20	
Endrin	4.36	0.04	1.00	"	4.00		109	40-120	3.45	20	
4,4'-DDT	4.29	0.06	1.00	"	4.00		107	40-120	3.25	20	

Batch 9111350 - EPA 3550 ECD/GCMS

Blank (9111350-BLK1)

Prepared: 11/13/19 Analyzed: 11/14/19

Surrogate: Tetrachloro-meta-xylene	12.5			ug/kg	10.1		124	35-140			
Surrogate: Decachlorobiphenyl	13.2			"	10.1		131	35-140			
alpha-BHC	ND	0.56	5.0	"							
gamma-BHC (Lindane)	ND	0.96	5.0	"							
beta-BHC	ND	1.4	5.0	"							
delta-BHC	ND	0.64	5.0	"							
Heptachlor	ND	0.59	5.0	"							
Aldrin	ND	0.66	5.0	"							
Heptachlor epoxide	ND	0.98	5.0	"							

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5
 48 Bellarmine Ct, Suite 40
 Chico CA, 95928

Project: Hamilton Union High School
 Project Number: 70779.01.001.003
 Project Manager: Heidi Cummings

Reported:
 12/11/19 09:12

Organochlorine Pesticides by EPA Method 8081A - Quality Control
SunStar Laboratories, Inc.

Analyte	Result	MDL	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 9111350 - EPA 3550 ECD/GCMS

Blank (9111350-BLK1)

Prepared: 11/13/19 Analyzed: 11/14/19

gamma-Chlordane	ND	0.93	5.0	ug/kg							
alpha-Chlordane	ND	0.83	5.0	"							
Endosulfan I	ND	0.81	5.0	"							
4,4'-DDE	ND	0.78	5.0	"							
Dieldrin	ND	1.1	5.0	"							
Endrin	ND	1.1	5.0	"							
4,4'-DDD	ND	1.2	5.0	"							
Endosulfan II	ND	1.1	5.0	"							
4,4'-DDT	ND	0.80	5.0	"							
Endrin aldehyde	ND	1.7	5.0	"							
Endosulfan sulfate	ND	0.61	5.0	"							
Methoxychlor	ND	0.40	5.0	"							
Endrin ketone	ND	1.3	5.0	"							
Toxaphene	ND	5.8	20	"							
Chlordane (tech)	ND	5.0	50	"							
Chlordane (Total)	ND		5.0	"							

LCS (9111350-BS1)

Prepared: 11/13/19 Analyzed: 11/14/19

Surrogate: Tetrachloro-meta-xylene	13.0			ug/kg	10.1		128	35-140			
Surrogate: Decachlorobiphenyl	10.6			"	10.1		105	35-140			
gamma-BHC (Lindane)	59.1	0.96	5.0	"	40.4		146	40-120			QM-12
Heptachlor	61.0	0.59	5.0	"	40.4		151	40-120			QM-12
Aldrin	54.1	0.66	5.0	"	40.4		134	40-120			QM-12
Dieldrin	58.9	1.1	5.0	"	40.4		146	40-120			QM-12
Endrin	60.4	1.1	5.0	"	40.4		149	40-120			QM-12
4,4'-DDT	53.5	0.80	5.0	"	40.4		132	33-147			

LCS Dup (9111350-BSD1)

Prepared: 11/13/19 Analyzed: 11/14/19

Surrogate: Tetrachloro-meta-xylene	11.6			ug/kg	10.1		115	35-140			
------------------------------------	------	--	--	-------	------	--	-----	--------	--	--	--

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5 48 Bellarmine Ct, Suite 40 Chico CA, 95928	Project: Hamilton Union High School Project Number: 70779.01.001.003 Project Manager: Heidi Cummings	Reported: 12/11/19 09:12
--	--	-----------------------------

Organochlorine Pesticides by EPA Method 8081A - Quality Control
SunStar Laboratories, Inc.

Analyte	Result	MDL	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 9111350 - EPA 3550 ECD/GCMS

LCS Dup (9111350-BSD1)

Prepared: 11/13/19 Analyzed: 11/14/19

<i>Surrogate: Decachlorobiphenyl</i>	10.5			ug/kg	10.1		104	35-140			
gamma-BHC (Lindane)	51.6	0.96	5.0	"	40.4		128	40-120	13.6	30	QM-12
Heptachlor	53.6	0.59	5.0	"	40.4		133	40-120	12.9	30	QM-12
Aldrin	47.1	0.66	5.0	"	40.4		117	40-120	13.8	30	QM-12
Dieldrin	52.2	1.1	5.0	"	40.4		129	40-120	12.0	30	QM-12
Endrin	53.1	1.1	5.0	"	40.4		132	40-120	12.8	30	QM-12
4,4'-DDT	48.4	0.80	5.0	"	40.4		120	33-147	9.93	30	

Batch 9112036 - EPA 3550 ECD/GCMS

Blank (9112036-BLK1)

Prepared: 11/20/19 Analyzed: 11/26/19

<i>Surrogate: Tetrachloro-meta-xylene</i>	11.5			ug/kg	10.0		115	35-140			
<i>Surrogate: Decachlorobiphenyl</i>	11.6			"	10.0		116	35-140			QM-14
alpha-BHC	ND	0.56	5.0	"							
gamma-BHC (Lindane)	ND	0.96	5.0	"							
beta-BHC	ND	1.4	5.0	"							
delta-BHC	ND	0.64	5.0	"							
Heptachlor	ND	0.59	5.0	"							
Aldrin	ND	0.66	5.0	"							
Heptachlor epoxide	ND	0.98	5.0	"							
gamma-Chlordane	ND	0.93	5.0	"							
alpha-Chlordane	ND	0.83	5.0	"							
Endosulfan I	ND	0.81	5.0	"							
4,4'-DDE	ND	0.78	5.0	"							
Dieldrin	ND	1.1	5.0	"							
Endrin	ND	1.1	5.0	"							
4,4'-DDD	ND	1.2	5.0	"							
Endosulfan II	ND	1.1	5.0	"							
4,4'-DDT	ND	0.80	5.0	"							

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
12/11/19 09:12

Organochlorine Pesticides by EPA Method 8081A - Quality Control

SunStar Laboratories, Inc.

Analyte	Result	MDL	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 9112036 - EPA 3550 ECD/GCMS

Blank (9112036-BLK1)

Prepared: 11/20/19 Analyzed: 11/26/19

Endrin aldehyde	ND	1.7	5.0	ug/kg							
Endosulfan sulfate	ND	0.61	5.0	"							
Methoxychlor	ND	0.40	5.0	"							
Endrin ketone	ND	1.3	5.0	"							
Toxaphene	ND	5.8	20	"							

LCS (9112036-BS1)

Prepared: 11/20/19 Analyzed: 11/26/19

Surrogate: Tetrachloro-meta-xylene	11.5			ug/kg	10.0		115	35-140			
Surrogate: Decachlorobiphenyl	11.2			"	10.0		112	35-140			
gamma-BHC (Lindane)	48.8	0.96	5.0	"	40.0	122	40-120				QM-14
Heptachlor	53.3	0.59	5.0	"	40.0	133	40-120				QM-14
Aldrin	43.0	0.66	5.0	"	40.0	107	40-120				
Dieldrin	47.8	1.1	5.0	"	40.0	119	40-120				
Endrin	53.2	1.1	5.0	"	40.0	133	40-120				QM-14
4,4'-DDT	72.6	0.80	5.0	"	40.0	182	33-147				QM-14

LCS Dup (9112036-BS1)

Prepared: 11/20/19 Analyzed: 11/26/19

Surrogate: Tetrachloro-meta-xylene	11.9			ug/kg	10.0		119	35-140			
Surrogate: Decachlorobiphenyl	12.1			"	10.0		121	35-140			
gamma-BHC (Lindane)	51.1	0.96	5.0	"	40.0	128	40-120	4.69	30		QM-14
Heptachlor	54.3	0.59	5.0	"	40.0	136	40-120	1.87	30		QM-14
Aldrin	44.4	0.66	5.0	"	40.0	111	40-120	3.22	30		
Dieldrin	49.5	1.1	5.0	"	40.0	124	40-120	3.55	30		QM-14
Endrin	54.2	1.1	5.0	"	40.0	136	40-120	1.86	30		QM-14
4,4'-DDT	70.1	0.80	5.0	"	40.0	175	33-147	3.53	30		QM-14

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.





25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5
 48 Bellarmine Ct, Suite 40
 Chico CA, 95928

Project: Hamilton Union High School
 Project Number: 70779.01.001.003
 Project Manager: Heidi Cummings

Reported:
 12/11/19 09:12

Polychlorinated Biphenyls by EPA Method 8082 - Quality Control
SunStar Laboratories, Inc.

Analyte	Result	MDL	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 9111415 - EPA 3550 ECD/GCMS

Blank (9111415-BLK1)

Prepared & Analyzed: 11/14/19

Surrogate: Tetrachloro-meta-xylene	9.41			ug/kg	10.0		94.1	35-140			
Surrogate: Decachlorobiphenyl	10.1			"	10.0		101	35-140			
PCB-1016	ND	2.1	10	"							
PCB-1221	ND	2.1	10	"							
PCB-1232	ND	2.1	10	"							
PCB-1242	ND	2.1	10	"							
PCB-1248	ND	2.1	10	"							
PCB-1254	ND	2.1	10	"							
PCB-1260	ND	2.1	10	"							

LCS (9111415-BS1)

Prepared & Analyzed: 11/14/19

Surrogate: Tetrachloro-meta-xylene	8.88			ug/kg	10.0		88.8	35-140			
Surrogate: Decachlorobiphenyl	9.93			"	10.0		99.3	35-140			
PCB-1016	97.0	2.1	10	"	100		97.0	40-130			
PCB-1260	98.0	2.1	10	"	100		98.0	40-130			

LCS Dup (9111415-BSD1)

Prepared & Analyzed: 11/14/19

Surrogate: Tetrachloro-meta-xylene	8.98			ug/kg	10.0		89.8	35-140			
Surrogate: Decachlorobiphenyl	9.79			"	10.0		97.9	35-140			
PCB-1016	92.6	2.1	10	"	100		92.6	40-130	4.59	30	
PCB-1260	91.2	2.1	10	"	100		91.2	40-130	7.24	30	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
12/11/19 09:12

Notes and Definitions

- S-13 Surrogate recovery outside of established control limits. The data was accepted based on valid recovery of surrogates in client samples and remaining QC including CCV.
- RE-01 Sample contained analytes with concentrations above calibration limits and was rerun at a dilution.
- R-07 Reporting limit for this compound(s) has been raised to account for dilution necessary due to high levels of interfering compound(s) and/or matrix affect.
- QM-14 The LCS and LCSD were above acceptance criteria. The method blank and sample were ND for the analyte in question. The CCV was within acceptance criteria. No negative impact on data is expected.
- QM-12 The % recovery for this analyte was above acceptance criteria in the LCS and/or LCSD. The MB and sample(s) were ND for the analyte. The CCV(s) was within acceptance criteria. No negative impact on data is expected.
- QM-05 The spike recovery was outside acceptance limits for the MS and/or MSD due to possible matrix interference. The LCS was within acceptance criteria. The data is acceptable as no negative impact on data is expected.
- J Detected but below the Standard Reporting Limit; therefore, result is an estimated concentration (CLP J-Flag).
- DET Analyte DETECTED
- ND Analyte NOT DETECTED at or above the Method Detection Limit (MDL)
- NR Not Reported
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference



SunStar Laboratories
 25712 Commercentre Dr
 Lake Forest, CA 92630
 949-297-5020

Chain of Custody Record

Client: NV5
 Address: 48 Bellarmine Court, Ste 40, Chico, CA 95928
 Phone: 530-894-2487 Fax: 530-894-2437
 Project Manager: Heidi Cummings, heidi.cummings@NV5.com

Date: 11/12/2019
 Project Name: Hamilton Union High School
 Collector: HJCCWB Client Project #: 70779.01.001.003
 Batch #: 7192941 EDF #: _____

Sample ID	Date Sampled	Time	Sample Type	Container Type	Arsenic EPA 6010	Lead EPA 6010	OCPs EPA 8081	Laboratory ID #	Comments/Preservative	Total # of containers	
A1D-0	11/12/2019	0830	SOIL	8 oz jar	X	X		01	ICE Chest 1 of 2	1	
B1D-0	11/12/2019	0840	SOIL	8 oz jar				02		1	
C1D-0	11/12/2019	0850	SOIL	8 oz jar	X	X		03		1	
D1D-0	11/12/2019	0900	SOIL	8 oz jar	X	X		04		1	
ABC1C-0	11/12/2019	0905	SOIL	8 oz jar			X	05		1	
A2D-0	11/12/2019	0920	SOIL	8 oz jar				07		1	
B2D-0	11/12/2019	0921	SOIL	8 oz jar				08		1	
C2D-0	11/12/2019	0935	SOIL	8 oz jar				09		1	
D2D-0	11/12/2019	0936	SOIL	8 oz jar				10		1	
A3D-0	11/12/2019	0950	SOIL	8 oz jar				11		1	
B3D-0	11/12/2019	0951	SOIL	8 oz jar				12		1	
C3D-0	11/12/2019	1005	SOIL	8 oz jar				13		1	
D3D-0	11/12/2019	1006	SOIL	8 oz jar				14		1	
ABC2C-0	11/12/2019				X	X					15
ABC2C-0-FR	11/12/2019				X	X					16
Relinquished by: (signature) _____ Date / Time _____ Received by: (signature) <u>SSD</u> Date / Time <u>11/29/1600</u> Relinquished by: (signature) <u>Heidi Cummings</u> Date / Time <u>11/29/1600</u> Received by: (signature) _____ Date / Time _____ Relinquished by: (signature) _____ Date / Time _____ Received by: (signature) <u>SSD</u> Date / Time <u>11/29/1600</u> Relinquished by: (signature) <u>SSD</u> Date / Time <u>11/29/1600</u> Received by: (signature) _____ Date / Time _____ Relinquished by: (signature) _____ Date / Time _____ Received by: (signature) _____ Date / Time _____											
Sample disposal instructions: Disposal @ \$2.00 each _____ Return to client _____ Pickup _____ Turn around time: 5 day Total # of containers: _____ Chain of Custody seals: <u>Y/N/A</u> Seals intact: <u>Y/N/A</u> Received good condition/cold: _____ Method 8081 report Chloroform and Technical Chloroform Please return H&K/NV5 ice chests 3.7c 3.0c											

Client: NV5
Address: 48 Bellarmine Court, Ste 40, Chico, CA 95928
Phone: 530-894-2487 Fax: 530-894-2437
Project Manager: Heidi Cummings, heidi.cummings@NV5.com

Date: 11/12/2019
Project Name: Hamilton Union High School
Collector: HJC/CWB Client Project #: 70779.01.001.003
Batch #: 7193941 EDF #:

Sample ID	Date Sampled	Time	Sample Type	Container Type	Arsenic EPA 6010	Lead EPA 6010	OCPs EPA 8081	Laboratory ID #	Comments/Preservative	Total # of containers	
A3D-0	11/12/2019	1015	SOIL	8 oz jar				17	Ice Chest 1 of 2		
B3D-0	11/12/2019	1025	SOIL	8 oz jar	X	X		18			
B3D-0-FR	11/12/2019	1026	SOIL	8 oz jar	X	X		19			
C3D-0	11/12/2019	1040	SOIL	8 oz jar				20			
D3D-0	11/12/2019	1100	SOIL	8 oz jar	X	X		21			
ABC3C-0	11/12/2019		SOIL				X			Lab to prepare ABC3C-0 as 4:1 composite of A3D-0, B3D-0, C3D-0 and D3D-0	22
A4D-0	11/12/2019	1110	SOIL	8 oz jar							23
B4D-0	11/12/2019	1120	SOIL	8 oz jar							24
C4D-0	11/12/2019	1130	SOIL	8 oz jar							25
D4D-0	11/12/2019	1140	SOIL	8 oz jar							26
ABC4C-0	11/12/2019		SOIL				X		Lab to prepare ABC4C-0 as 4:1 composite of A4D-0, B4D-0, C4D-0 and D4D-0	27	
Relinquished by: (signature) _____ Date / Time _____ Received by: (signature) _____ Date / Time _____											
Relinquished by: (signature) <i>Heidi Cummings</i> Date / Time <i>11/29/1600</i> Received by: (signature) <i>ESD</i> Date / Time <i>11/29/1600</i>											
Relinquished by: (signature) _____ Date / Time _____ Received by: (signature) _____ Date / Time _____											
Relinquished by: (signature) <i>ESD</i> Date / Time <i>11-13-19 8:27</i> Received by: (signature) <i>[Signature]</i> Date / Time <i>11-13-19 8:27</i>											
Sample disposal Instructions: Disposal @ \$2.00 each _____ Return to client _____ Pickup _____											
Turn around time: 5 day											
Total # of containers _____ Chain of Custody seals _____ Received good condition/cold _____											
Notes: Method 8081 report Chlordane and Technical Chlordane Please return H&K/NV5 ice chests \$7.00 \$3.00											

Chain of Custody Record

Client: NV5
Address: 48 Bellarmine Court, Ste 40, Chico, CA 95928
Phone: 530-894-2487 Fax: 530-894-2437
Project Manager: Heidi Cummings, heidi.cummings@NV5.com

Date: 11/11/2019
Project Name: Hamilton Union High School
Collector: HJC/CWB Client Project #: 70779.01.001.003
Batch #: 7102941 EDF #: _____

Sample ID	Date Sampled	Time	Sample Type	Container Type	PCBS EAP 8082	Arsenic EPA 6010	Lead EPA 6010	OCPs EPA 8081	TPH CARBON CHAIN EPA 8260/8015	Title 22 Metals EPA	Laboratory ID #	Comments/Preservative	Total # of containers	
HHS1D-2	11/11/2019	0830	SOIL	8 oz jar	X	X	X				28	ICE Chest 2092	1	
HHS2D-2	11/11/2019	0915	SOIL	8 oz jar	X	X	X				29		1	
HHS3D-2	11/11/2019	1015	SOIL	8 oz jar	X	X	X				30		1	
HHS3D-2-FR	11/11/2019	1018	SOIL	8 oz jar	X	X	X				31		1	
HHS4D-2	11/11/2019	1030	SOIL	8 oz jar	X	X	X				32		1	
HHS5D-2	11/11/2019	1045	SOIL	8 oz jar	X	X	X				33		1	
HHS5D-2-CL	11/11/2019	1055	SOIL	8 oz jar	X	X	X				34		1	
HHS6D-2	11/11/2019	1130	SOIL	8 oz jar	X	X	X				35		1	
HHS7D-2	11/11/2019	1225	SOIL	8 oz jar	X	X	X				36		1	
HHS8D-2	11/11/2019	1330	SOIL	8 oz jar	X	X	X				37		1	
PMT-E6D-0	11/11/2019	1505	SOIL	8 oz jar	X						38		1	
PMT-E6D-0-CL	11/11/2019	1515	SOIL	8 oz jar	X						39		1	
PMT-E6D-2	11/11/2019	1530	SOIL	8 oz jar	X						40		1	
EB-1	11/11/2019	1500	W	POLYAMBER/NOA				X	X	X	41		5	
Relinquished by: (signature) <i>Heidi Cummings</i> Date / Time 11/29/1600				Received by: (signature) <i>ESB</i> Date / Time 11/29/1600									Total # of containers	
Relinquished by: (signature) <i>ESB</i> Date / Time 11/29/1600				Received by: (signature) <i>ESB</i> Date / Time 11/29/1600									Chain of Custody seals Intact Y/N/NA	
Relinquished by: (signature) <i>ESB</i> Date / Time 11/29/1600				Received by: (signature) <i>ESB</i> Date / Time 11/29/1600									Received good condition/cold	
Relinquished by: (signature) _____ Date / Time _____				Received by: (signature) _____ Date / Time _____									Turn around time: 5 day	
Sample disposal instructions: Disposal @ \$2.00 each _____ Return to client _____ Pickup _____														
Notes Method 8081 report Chlordane and Technical Chlordane Please return H&K/NV5 ice chests 3.7c 3.0c														

SAMPLE RECEIVING REVIEW SHEET

Batch/Work Order #: 7193941
 Client Name: HOLDREGE & KULL - CHICO Project: HAMILTON UNION HIGH SCHOOL
 Delivered by: Client SunStar Courier GSO FedEx Other
 If Courier, Received by: _____ Date/Time Courier Received: _____
 Lab Received by: SUNNY Date/Time Lab Received: 11-13-19 / 8:27
 Total number of coolers received: 2 Thermometer ID: 50-1 Calibration due: 6/27/20

Temperature:	Cooler #1	2.5	°C +/- the CF (+ 1.2°C) =	3.7	°C corrected temperature
Temperature:	Cooler #2	1.8	°C +/- the CF (+ 1.2°C) =	3.0	°C corrected temperature
Temperature:	Cooler #3		°C +/- the CF (+ 1.2°C) =		°C corrected temperature
Temperature criteria = ≤ 6°C (no frozen containers)			Within criteria?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
If NO:					
Samples received on ice?		<input type="checkbox"/> Yes		<input type="checkbox"/> No → Complete Non-Conformance Sheet	
If on ice, samples received same day collected?		<input type="checkbox"/> Yes → Acceptable		<input type="checkbox"/> No → Complete Non-Conformance Sheet	

Custody seals intact on cooler/sample Yes No* N/A
 Sample containers intact Yes No*
 Sample labels match Chain of Custody IDs Yes No*
 Total number of containers received match COC Yes No*
 Proper containers received for analyses requested on COC Yes No*
 Proper preservative indicated on COC/containers for analyses requested Yes No* N/A
 Complete shipment received in good condition with correct temperatures, containers, labels, volumes preservatives and within method specified holding times Yes No*
 * Complete Non-Conformance Receiving Sheet if checked Cooler/Sample Review - Initials and date: SL 11-13-19

Comments: _____

WORK ORDER

T193941

Client: NV5
Project: Hamilton Union High School

Project Manager: Jeff Lee
Project Number: 70779.01.001.003

Report To:

NV5
 Heidi Cummings
 48 Bellarmine Ct, Suite 40
 Chico, CA 95928

Date Due: 11/20/19 17:00 (5 day TAT)

Received By: Sunny Lounethone

Date Received: 11/13/19 08:27

Logged In By: Sunny Lounethone

Date Logged In: 11/13/19 09:50

Samples Received at: 3°C
 Custody Seals Yes Received On Ice Yes
 Containers Intact Yes
 COC/Labels Agree Yes
 Preservation Confir Yes

Analysis	Due	TAT	Expires	Comments
T193941-01 A1D-0 [Soil] Sampled 11/12/19 08:30 (GMT-08:00) Pacific Time (US &				
6010 Individual Metals	11/20/19 15:00	5	05/10/20 08:30	As and Pb only
T193941-02 B1D-0 [Soil] Sampled 11/12/19 08:40 (GMT-08:00) Pacific Time (US &				
[NO ANALYSES]				
T193941-03 C1D-0 [Soil] Sampled 11/12/19 08:50 (GMT-08:00) Pacific Time (US &				
6010 Individual Metals	11/20/19 15:00	5	05/10/20 08:50	As and Pb only
T193941-04 C1D-0-CL [Soil] Sampled 11/12/19 09:00 (GMT-08:00) Pacific Time (US &				
6010 Individual Metals	11/20/19 15:00	5	05/10/20 09:00	As and Pb only
T193941-05 D1D-0 [Soil] Sampled 11/12/19 09:05 (GMT-08:00) Pacific Time (US &				
[NO ANALYSES]				
T193941-06 ABCD1C-0 [Soil] Sampled 11/12/19 00:00 (GMT-08:00) Pacific Time (US &				COMPOSITE 4:1 (A1D-0, B1D-0, C1D-0, D1D-0)
8081 Pesticides	11/20/19 15:00	5	11/26/19 00:00	
T193941-07 A2D-0 [Soil] Sampled 11/12/19 09:20 (GMT-08:00) Pacific Time (US &				
[NO ANALYSES]				

WORK ORDER

T193941

Client: NV5	Project Manager: Jeff Lee
Project: Hamilton Union High School	Project Number: 70779.01.001.003

Analysis	Due	TAT	Expires	Comments
T193941-08 A2D-0FR [Soil] Sampled 11/12/19 09:21 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				
T193941-09 B2D-0 [Soil] Sampled 11/12/19 09:35 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				
T193941-10 B-2D-0-FR [Soil] Sampled 11/12/19 09:36 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				
T193941-11 C2D-0 [Soil] Sampled 11/12/19 09:50 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				
T193941-12 C-2D-0-FR [Soil] Sampled 11/12/19 09:51 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				
T193941-13 D2D-0 [Soil] Sampled 11/12/19 10:05 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				
T193941-14 D-2D-0-FR [Soil] Sampled 11/12/19 10:06 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				
T193941-15 ABCD2C-0 [Soil] Sampled 11/12/19 00:00 (GMT-08:00) Pacific Time (US & 8081 Pesticides	11/20/19 15:00	5	11/26/19 00:00	COMPOSITE 4:1 (A2D-0, B2D-0, C2D-0, D2D-0)
T193941-16 ABCD2C-0-FR [Soil] Sampled 11/12/19 00:00 (GMT-08:00) Pacific Time (US & 8081 Pesticides	11/20/19 15:00	5	11/26/19 00:00	COMPOSITE 4:1 (A2D-0-FR, B2D-0-FR, C2D-0-FR, D2D-0-FR)
T193941-17 A3D-0 [Soil] Sampled 11/12/19 10:15 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				
T193941-18 B3D-0 [Soil] Sampled 11/12/19 10:25 (GMT-08:00) Pacific Time (US & 6010 Individual Metals	11/20/19 15:00	5	05/10/20 10:25	As and Pb only

WORK ORDER

T193941

Client: NV5	Project Manager: Jeff Lee
Project: Hamilton Union High School	Project Number: 70779.01.001.003

Analysis	Due	TAT	Expires	Comments
T193941-19 B3D-0-FR [Soil] Sampled 11/12/19 10:26 (GMT-08:00) Pacific Time (US &				
6010 Individual Metals	11/20/19 15:00	5	05/10/20 10:26	As and Pb only
T193941-20 C3D-0 [Soil] Sampled 11/12/19 10:40 (GMT-08:00) Pacific Time (US &				
[NO ANALYSES]				
T193941-21 D3D-0 [Soil] Sampled 11/12/19 11:00 (GMT-08:00) Pacific Time (US &				
6010 Individual Metals	11/20/19 15:00	5	05/10/20 11:00	As and Pb only
T193941-22 ABCD3C-0 [Soil] Sampled 11/12/19 00:00 (GMT-08:00) Pacific Time (US &				
8081 Pesticides	11/20/19 15:00	5	11/26/19 00:00	COMPOSITE 4:1 (A3D-0, B3D-0, C3D-0, D3D-0)
T193941-23 A4D-0 [Soil] Sampled 11/12/19 11:10 (GMT-08:00) Pacific Time (US &				
[NO ANALYSES]				
T193941-24 B4D-0 [Soil] Sampled 11/12/19 11:20 (GMT-08:00) Pacific Time (US &				
[NO ANALYSES]				
T193941-25 C4D-0 [Soil] Sampled 11/12/19 11:30 (GMT-08:00) Pacific Time (US &				
[NO ANALYSES]				
T193941-26 D4D-0 [Soil] Sampled 11/12/19 11:40 (GMT-08:00) Pacific Time (US &				
[NO ANALYSES]				
T193941-27 ABCD4C-0 [Soil] Sampled 11/12/19 00:00 (GMT-08:00) Pacific Time (US &				
8081 Pesticides	11/20/19 15:00	5	11/26/19 00:00	COMPOSITE 4:1 (A4D-0, B4D-0, C4D-0, D4D-0)
T193941-28 HHS1D-2 [Soil] Sampled 11/11/19 08:30 (GMT-08:00) Pacific Time (US &				
6010 Individual Metals	11/20/19 15:00	5	05/09/20 08:30	As and Pb only
T193941-29 HHS2D-2 [Soil] Sampled 11/11/19 09:15 (GMT-08:00) Pacific Time (US &				
6010 Individual Metals	11/20/19 15:00	5	05/09/20 09:15	As and Pb only

WORK ORDER

T193941

Client: NV5	Project Manager: Jeff Lee
Project: Hamilton Union High School	Project Number: 70779.01.001.003

Analysis	Due	TAT	Expires	Comments
T193941-30 HHS3D-2 [Soil] Sampled 11/11/19 10:15 (GMT-08:00) Pacific Time (US &				
6010 Individual Metals	11/20/19 15:00	5	05/09/20 10:15	As and Pb only
T193941-31 HHS3D-2-FR [Soil] Sampled 11/11/19 10:18 (GMT-08:00) Pacific Time (US &				
6010 Individual Metals	11/20/19 15:00	5	05/09/20 10:18	As and Pb only
T193941-32 HHS4D-2 [Soil] Sampled 11/11/19 10:30 (GMT-08:00) Pacific Time (US &				
6010 Individual Metals	11/20/19 15:00	5	05/09/20 10:30	As and Pb only
T193941-33 HHS5D-2 [Soil] Sampled 11/11/19 10:45 (GMT-08:00) Pacific Time (US &				
6010 Individual Metals	11/20/19 15:00	5	05/09/20 10:45	As and Pb only
T193941-34 HHS5D-2-CL [Soil] Sampled 11/11/19 10:55 (GMT-08:00) Pacific Time (US &				
6010 Individual Metals	11/20/19 15:00	5	05/09/20 10:55	As and Pb only
T193941-35 HHS6D-2 [Soil] Sampled 11/11/19 11:30 (GMT-08:00) Pacific Time (US &				
6010 Individual Metals	11/20/19 15:00	5	05/09/20 11:30	As and Pb only
T193941-36 HHS7D-2 [Soil] Sampled 11/11/19 12:25 (GMT-08:00) Pacific Time (US &				
6010 Individual Metals	11/20/19 15:00	5	05/09/20 12:25	As and Pb only
T193941-37 HHS8D-2 [Soil] Sampled 11/11/19 13:30 (GMT-08:00) Pacific Time (US &				
6010 Individual Metals	11/20/19 15:00	5	05/09/20 13:30	As and Pb only
T193941-38 PMT-E6D-0 [Soil] Sampled 11/11/19 15:05 (GMT-08:00) Pacific Time (US &				
8082 PCB	11/20/19 15:00	5	11/25/19 15:05	
T193941-39 PMT-E6D-0-CL [Soil] Sampled 11/11/19 15:15 (GMT-08:00) Pacific Time (US &				
8082 PCB	11/20/19 15:00	5	11/25/19 15:15	
T193941-40 PMT-E6D-2 [Soil] Sampled 11/11/19 15:30 (GMT-08:00) Pacific Time (US &				
8082 PCB	11/20/19 15:00	5	11/25/19 15:30	

WORK ORDER

T193941

Client: NV5	Project Manager: Jeff Lee
Project: Hamilton Union High School	Project Number: 70779.01.001.003

Analysis	Due	TAT	Expires	Comments
T193941-41 EB-1 [Water] Sampled 11/11/19 15:00 (GMT-08:00) Pacific Time (US &				
6010 Title 22	11/20/19 15:00	5	05/09/20 15:00	
8015 TPH-CC LLvL	11/20/19 15:00	5	11/25/19 15:00	
8081 Pesticides	11/20/19 15:00	5	11/18/19 15:00	
T193941-42 DD1D-0 [Soil] Sampled 11/11/19 13:40 (GMT-08:00) Pacific Time (US &				
6010 Title 22	11/20/19 15:00	5	05/09/20 13:40	
8015 Carbon Chain	11/20/19 15:00	5	11/25/19 13:40	
8081 Pesticides	11/20/19 15:00	5	11/25/19 13:40	
T193941-43 DD2D-0 [Soil] Sampled 11/11/19 13:45 (GMT-08:00) Pacific Time (US &				
6010 Title 22	11/20/19 15:00	5	05/09/20 13:45	
8015 Carbon Chain	11/20/19 15:00	5	11/25/19 13:45	
8081 Pesticides	11/20/19 15:00	5	11/25/19 13:45	
T193941-44 DD2D-0-CL [Soil] Sampled 11/11/19 13:50 (GMT-08:00) Pacific Time (US &				
6010 Title 22	11/20/19 15:00	5	05/09/20 13:50	
8015 Carbon Chain	11/20/19 15:00	5	11/25/19 13:50	
8081 Pesticides	11/20/19 15:00	5	11/25/19 13:50	
T193941-45 DD3D-0 [Soil] Sampled 11/11/19 14:05 (GMT-08:00) Pacific Time (US &				
6010 Title 22	11/20/19 15:00	5	05/09/20 14:05	
8015 Carbon Chain	11/20/19 15:00	5	11/25/19 14:05	
8081 Pesticides	11/20/19 15:00	5	11/25/19 14:05	
T193941-46 DD4D-0 [Soil] Sampled 11/11/19 14:10 (GMT-08:00) Pacific Time (US &				
6010 Title 22	11/20/19 15:00	5	05/09/20 14:10	
8015 Carbon Chain	11/20/19 15:00	5	11/25/19 14:10	
8081 Pesticides	11/20/19 15:00	5	11/25/19 14:10	
T193941-47 DD4D-0-FR [Soil] Sampled 11/11/19 14:15 (GMT-08:00) Pacific Time (US &				
6010 Title 22	11/20/19 15:00	5	05/09/20 14:15	
8015 Carbon Chain	11/20/19 15:00	5	11/25/19 14:15	
8081 Pesticides	11/20/19 15:00	5	11/25/19 14:15	

WORK ORDER

T193941

Client: NV5	Project Manager: Jeff Lee
Project: Hamilton Union High School	Project Number: 70779.01.001.003

Analysis	Due	TAT	Expires	Comments
T193941-48 DD5D-0 [Soil] Sampled 11/11/19 14:25 (GMT-08:00) Pacific Time (US &				
6010 Title 22	11/20/19 15:00	5	05/09/20 14:25	
8015 Carbon Chain	11/20/19 15:00	5	11/25/19 14:25	
8081 Pesticides	11/20/19 15:00	5	11/25/19 14:25	
T193941-49 DD6D-0 [Soil] Sampled 11/11/19 14:35 (GMT-08:00) Pacific Time (US &				
6010 Title 22	11/20/19 15:00	5	05/09/20 14:35	
8015 Carbon Chain	11/20/19 15:00	5	11/25/19 14:35	
8081 Pesticides	11/20/19 15:00	5	11/25/19 14:35	
T193941-50 DD7D-0 [Soil] Sampled 11/11/19 15:00 (GMT-08:00) Pacific Time (US &				
6010 Title 22	11/20/19 15:00	5	05/09/20 15:00	
8015 Carbon Chain	11/20/19 15:00	5	11/25/19 15:00	
8081 Pesticides	11/20/19 15:00	5	11/25/19 15:00	

Analysis groups included in this work order	
<i>6010 Title 22</i>	
subgroup 6010B T22	7470/71 Hg



25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

11 December 2019

Heidi Cummings

NV5

48 Bellarmine Ct, Suite 40

Chico, CA 95928

RE: Hamilton Union High School

Enclosed are the results of analyses for samples received by the laboratory on 11/15/19 08:34. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jeff Lee', is written over a light gray rectangular background.

Jeff Lee

Project Manager

NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
12/11/19 09:27

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
C5D-0	T193979-05	Soil	11/12/19 13:00	11/15/19 08:34
ABCD5C-0	T193979-09	Soil	11/12/19 00:00	11/15/19 08:34
ABCD5C-0-CL	T193979-10	Soil	11/12/19 00:00	11/15/19 08:34
ABCD6C-0	T193979-15	Soil	11/12/19 00:00	11/15/19 08:34
A7D-0	T193979-16	Soil	11/12/19 14:45	11/15/19 08:34
A7D-0-CL	T193979-18	Soil	11/12/19 14:55	11/15/19 08:34
D7D-0	T193979-23	Soil	11/12/19 15:30	11/15/19 08:34
D7D-0-FR	T193979-24	Soil	11/12/19 15:31	11/15/19 08:34
ABCD7C-0	T193979-25	Soil	11/12/19 00:00	11/15/19 08:34
ABCD7C-0-FR	T193979-26	Soil	11/12/19 00:00	11/15/19 08:34
C8D-0	T193979-29	Soil	11/12/19 16:05	11/15/19 08:34
ABCD8C-0	T193979-31	Soil	11/12/19 00:00	11/15/19 08:34

This report has been revised to report Arsenic under EPA 6020 instead of EPA 6010 to provide the lowest MDL value possible.
JL 12/11/19



NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
12/11/19 09:27

DETECTIONS SUMMARY

Sample ID: C5D-0 **Laboratory ID:** T193979-05

Analyte	Result	Reporting		Units	Method	Notes
		Limit				
Lead	5.10	3.00		mg/kg	EPA 6010b	
Arsenic	4.1	0.25		mg/kg	6020 ICP-MS	

Sample ID: ABCD5C-0 **Laboratory ID:** T193979-09

Analyte	Result	Reporting		Units	Method	Notes
		Limit				
4,4'-DDE	6.6	5.0		ug/kg	EPA 8081A	

Sample ID: ABCD5C-0-CL **Laboratory ID:** T193979-10

Analyte	Result	Reporting		Units	Method	Notes
		Limit				
4,4'-DDE	7.0	5.0		ug/kg	EPA 8081A	

Sample ID: ABCD6C-0 **Laboratory ID:** T193979-15

Analyte	Result	Reporting		Units	Method	Notes
		Limit				
4,4'-DDE	4.1	5.0		ug/kg	EPA 8081A	J

Sample ID: A7D-0 **Laboratory ID:** T193979-16

Analyte	Result	Reporting		Units	Method	Notes
		Limit				
Lead	5.35	3.00		mg/kg	EPA 6010b	
Arsenic	5.9	0.25		mg/kg	6020 ICP-MS	



NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
12/11/19 09:27

Sample ID: A7D-0-CL

Laboratory ID: T193979-18

Analyte	Reporting		Units	Method	Notes
	Result	Limit			
Lead	5.35	3.00	mg/kg	EPA 6010b	
Arsenic	5.7	0.25	mg/kg	6020 ICP-MS	

Sample ID: D7D-0

Laboratory ID: T193979-23

Analyte	Reporting		Units	Method	Notes
	Result	Limit			
Lead	5.75	3.00	mg/kg	EPA 6010b	
Arsenic	6.4	0.25	mg/kg	6020 ICP-MS	

Sample ID: D7D-0-FR

Laboratory ID: T193979-24

Analyte	Reporting		Units	Method	Notes
	Result	Limit			
Lead	5.61	3.00	mg/kg	EPA 6010b	
Arsenic	5.2	0.25	mg/kg	6020 ICP-MS	

Sample ID: ABCD7C-0

Laboratory ID: T193979-25

Analyte	Reporting		Units	Method	Notes
	Result	Limit			
4,4'-DDE	3.6	5.0	ug/kg	EPA 8081A	J

Sample ID: ABCD7C-0-FR

Laboratory ID: T193979-26

Analyte	Reporting		Units	Method	Notes
	Result	Limit			
4,4'-DDE	3.0	5.0	ug/kg	EPA 8081A	J

Sample ID: C8D-0

Laboratory ID: T193979-29

Analyte	Reporting		Units	Method	Notes
	Result	Limit			
Lead	4.95	2.73	mg/kg	EPA 6010b	
Arsenic	5.5	0.25	mg/kg	6020 ICP-MS	



NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
12/11/19 09:27

Sample ID: ABCD8C-0

Laboratory ID: T193979-31

Analyte	Result	Reporting		Units	Method	Notes
		Limit				
4,4'-DDE	4.8	5.0		ug/kg	EPA 8081A	J



NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
12/11/19 09:27

C5D-0

T193979-05(Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----	--------------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 6010B

Lead	5.10	0.967	3.00	mg/kg	1	9111532	11/15/19	11/18/19	EPA 6010b	
-------------	-------------	-------	------	-------	---	---------	----------	----------	-----------	--

Metals by EPA 6020 Method

Arsenic	4.1	0.0025	0.25	mg/kg	1	9121019	12/10/19	12/10/19	6020 ICP-MS	
----------------	------------	--------	------	-------	---	---------	----------	----------	----------------	--

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
12/11/19 09:27

ABCD5C-0
T193979-09(Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Organochlorine Pesticides by EPA Method 8081A

alpha-BHC	ND	0.56	5.0	ug/kg	1	9111517	11/15/19	11/18/19	EPA 8081A	
gamma-BHC (Lindane)	ND	0.96	5.0	"	"	"	"	"	"	
beta-BHC	ND	1.4	5.0	"	"	"	"	"	"	
delta-BHC	ND	0.64	5.0	"	"	"	"	"	"	
Heptachlor	ND	0.59	5.0	"	"	"	"	"	"	
Aldrin	ND	0.66	5.0	"	"	"	"	"	"	
Heptachlor epoxide	ND	0.98	5.0	"	"	"	"	"	"	
gamma-Chlordane	ND	0.93	5.0	"	"	"	"	"	"	
alpha-Chlordane	ND	0.83	5.0	"	"	"	"	"	"	
Endosulfan I	ND	0.81	5.0	"	"	"	"	"	"	
4,4'-DDE	6.6	0.78	5.0	"	"	"	"	"	"	
Dieldrin	ND	1.1	5.0	"	"	"	"	"	"	
Endrin	ND	1.1	5.0	"	"	"	"	"	"	
4,4'-DDD	ND	1.2	5.0	"	"	"	"	"	"	
Endosulfan II	ND	1.1	5.0	"	"	"	"	"	"	
4,4'-DDT	ND	0.80	5.0	"	"	"	"	"	"	
Endrin aldehyde	ND	1.7	5.0	"	"	"	"	"	"	
Endosulfan sulfate	ND	0.61	5.0	"	"	"	"	"	"	
Methoxychlor	ND	0.40	5.0	"	"	"	"	"	"	
Endrin ketone	ND	1.3	5.0	"	"	"	"	"	"	
Toxaphene	ND	5.8	20	"	"	"	"	"	"	
Chlordane (tech)	ND	5.0	50	"	"	"	"	"	"	
Chlordane (Total)	ND		5.0	"	"	"	"	"	"	
Surrogate: Tetrachloro-meta-xylene			103 %		35-140	"	"	"	"	
Surrogate: Decachlorobiphenyl			109 %		35-140	"	"	"	"	



NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
12/11/19 09:27

ABCD5C-0-CL
T193979-10(Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Organochlorine Pesticides by EPA Method 8081A

alpha-BHC	ND	0.56	5.0	ug/kg	1	9111517	11/15/19	11/18/19	EPA 8081A	
gamma-BHC (Lindane)	ND	0.96	5.0	"	"	"	"	"	"	
beta-BHC	ND	1.4	5.0	"	"	"	"	"	"	
delta-BHC	ND	0.64	5.0	"	"	"	"	"	"	
Heptachlor	ND	0.59	5.0	"	"	"	"	"	"	
Aldrin	ND	0.66	5.0	"	"	"	"	"	"	
Heptachlor epoxide	ND	0.98	5.0	"	"	"	"	"	"	
gamma-Chlordane	ND	0.93	5.0	"	"	"	"	"	"	
alpha-Chlordane	ND	0.83	5.0	"	"	"	"	"	"	
Endosulfan I	ND	0.81	5.0	"	"	"	"	"	"	
4,4'-DDE	7.0	0.78	5.0	"	"	"	"	"	"	
Dieldrin	ND	1.1	5.0	"	"	"	"	"	"	
Endrin	ND	1.1	5.0	"	"	"	"	"	"	
4,4'-DDD	ND	1.2	5.0	"	"	"	"	"	"	
Endosulfan II	ND	1.1	5.0	"	"	"	"	"	"	
4,4'-DDT	ND	0.80	5.0	"	"	"	"	"	"	
Endrin aldehyde	ND	1.7	5.0	"	"	"	"	"	"	
Endosulfan sulfate	ND	0.61	5.0	"	"	"	"	"	"	
Methoxychlor	ND	0.40	5.0	"	"	"	"	"	"	
Endrin ketone	ND	1.3	5.0	"	"	"	"	"	"	
Toxaphene	ND	5.8	20	"	"	"	"	"	"	
Chlordane (tech)	ND	5.0	50	"	"	"	"	"	"	
Chlordane (Total)	ND		5.0	"	"	"	"	"	"	
Surrogate: Tetrachloro-meta-xylene			89.0 %		35-140	"	"	"	"	
Surrogate: Decachlorobiphenyl			113 %		35-140	"	"	"	"	



NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
12/11/19 09:27

ABCD6C-0
T193979-15(Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Organochlorine Pesticides by EPA Method 8081A

alpha-BHC	ND	0.56	5.0	ug/kg	1	9111517	11/15/19	11/18/19	EPA 8081A	
gamma-BHC (Lindane)	ND	0.96	5.0	"	"	"	"	"	"	
beta-BHC	ND	1.4	5.0	"	"	"	"	"	"	
delta-BHC	ND	0.64	5.0	"	"	"	"	"	"	
Heptachlor	ND	0.59	5.0	"	"	"	"	"	"	
Aldrin	ND	0.66	5.0	"	"	"	"	"	"	
Heptachlor epoxide	ND	0.98	5.0	"	"	"	"	"	"	
gamma-Chlordane	ND	0.93	5.0	"	"	"	"	"	"	
alpha-Chlordane	ND	0.83	5.0	"	"	"	"	"	"	
Endosulfan I	ND	0.81	5.0	"	"	"	"	"	"	
4,4'-DDE	4.1	0.78	5.0	"	"	"	"	"	"	J
Dieldrin	ND	1.1	5.0	"	"	"	"	"	"	
Endrin	ND	1.1	5.0	"	"	"	"	"	"	
4,4'-DDD	ND	1.2	5.0	"	"	"	"	"	"	
Endosulfan II	ND	1.1	5.0	"	"	"	"	"	"	
4,4'-DDT	ND	0.80	5.0	"	"	"	"	"	"	
Endrin aldehyde	ND	1.7	5.0	"	"	"	"	"	"	
Endosulfan sulfate	ND	0.61	5.0	"	"	"	"	"	"	
Methoxychlor	ND	0.40	5.0	"	"	"	"	"	"	
Endrin ketone	ND	1.3	5.0	"	"	"	"	"	"	
Toxaphene	ND	5.8	20	"	"	"	"	"	"	
Chlordane (tech)	ND	5.0	50	"	"	"	"	"	"	
Chlordane (Total)	ND		5.0	"	"	"	"	"	"	
<i>Surrogate: Tetrachloro-meta-xylene</i>			85.9 %		35-140	"	"	"	"	
<i>Surrogate: Decachlorobiphenyl</i>			93.9 %		35-140	"	"	"	"	





25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5 48 Bellarmine Ct, Suite 40 Chico CA, 95928	Project: Hamilton Union High School Project Number: 70779.01.001.003 Project Manager: Heidi Cummings	Reported: 12/11/19 09:27
--	--	-----------------------------

A7D-0
T193979-16(Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 6010B

Lead	5.35	0.967	3.00	mg/kg	1	9111532	11/15/19	11/18/19	EPA 6010b	
-------------	-------------	-------	------	-------	---	---------	----------	----------	-----------	--

Metals by EPA 6020 Method

Arsenic	5.9	0.0025	0.25	mg/kg	1	9121019	12/10/19	12/10/19	6020 ICP-MS	
----------------	------------	--------	------	-------	---	---------	----------	----------	----------------	--

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
12/11/19 09:27

A7D-0-CL
T193979-18(Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----	--------------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 6010B

Lead	5.35	0.967	3.00	mg/kg	1	9111532	11/15/19	11/18/19	EPA 6010b	
-------------	------	-------	------	-------	---	---------	----------	----------	-----------	--

Metals by EPA 6020 Method

Arsenic	5.7	0.0025	0.25	mg/kg	1	9121019	12/10/19	12/10/19	6020 ICP-MS	
----------------	-----	--------	------	-------	---	---------	----------	----------	----------------	--

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
12/11/19 09:27

D7D-0
T193979-23(Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----	--------------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 6010B

Lead	5.75	0.967	3.00	mg/kg	1	9112523	11/25/19	11/26/19	EPA 6010b	
-------------	-------------	-------	------	-------	---	---------	----------	----------	-----------	--

Metals by EPA 6020 Method

Arsenic	6.4	0.0025	0.25	mg/kg	1	9121019	12/10/19	12/10/19	6020 ICP-MS	
----------------	------------	--------	------	-------	---	---------	----------	----------	----------------	--

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
12/11/19 09:27

D7D-0-FR
T193979-24(Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----	--------------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 6010B

Lead	5.61	0.967	3.00	mg/kg	1	9111532	11/15/19	11/18/19	EPA 6010b	
-------------	-------------	-------	------	-------	---	---------	----------	----------	-----------	--

Metals by EPA 6020 Method

Arsenic	5.2	0.0025	0.25	mg/kg	1	9121019	12/10/19	12/10/19	6020 ICP-MS	
----------------	------------	--------	------	-------	---	---------	----------	----------	----------------	--

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
12/11/19 09:27

ABCD7C-0
T193979-25(Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Organochlorine Pesticides by EPA Method 8081A

alpha-BHC	ND	0.56	5.0	ug/kg	1	9111517	11/15/19	11/18/19	EPA 8081A	
gamma-BHC (Lindane)	ND	0.96	5.0	"	"	"	"	"	"	
beta-BHC	ND	1.4	5.0	"	"	"	"	"	"	
delta-BHC	ND	0.64	5.0	"	"	"	"	"	"	
Heptachlor	ND	0.59	5.0	"	"	"	"	"	"	
Aldrin	ND	0.66	5.0	"	"	"	"	"	"	
Heptachlor epoxide	ND	0.98	5.0	"	"	"	"	"	"	
gamma-Chlordane	ND	0.93	5.0	"	"	"	"	"	"	
alpha-Chlordane	ND	0.83	5.0	"	"	"	"	"	"	
Endosulfan I	ND	0.81	5.0	"	"	"	"	"	"	
4,4'-DDE	3.6	0.78	5.0	"	"	"	"	"	"	J
Dieldrin	ND	1.1	5.0	"	"	"	"	"	"	
Endrin	ND	1.1	5.0	"	"	"	"	"	"	
4,4'-DDD	ND	1.2	5.0	"	"	"	"	"	"	
Endosulfan II	ND	1.1	5.0	"	"	"	"	"	"	
4,4'-DDT	ND	0.80	5.0	"	"	"	"	"	"	
Endrin aldehyde	ND	1.7	5.0	"	"	"	"	"	"	
Endosulfan sulfate	ND	0.61	5.0	"	"	"	"	"	"	
Methoxychlor	ND	0.40	5.0	"	"	"	"	"	"	
Endrin ketone	ND	1.3	5.0	"	"	"	"	"	"	
Toxaphene	ND	5.8	20	"	"	"	"	"	"	
Chlordane (tech)	ND	5.0	50	"	"	"	"	"	"	
Chlordane (Total)	ND		5.0	"	"	"	"	"	"	
<i>Surrogate: Tetrachloro-meta-xylene</i>			56.1 %		35-140	"	"	"	"	
<i>Surrogate: Decachlorobiphenyl</i>			95.3 %		35-140	"	"	"	"	





25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5 48 Bellarmine Ct, Suite 40 Chico CA, 95928	Project: Hamilton Union High School Project Number: 70779.01.001.003 Project Manager: Heidi Cummings	Reported: 12/11/19 09:27
--	--	-----------------------------

ABCD7C-0-FR
T193979-26(Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Organochlorine Pesticides by EPA Method 8081A

alpha-BHC	ND	0.56	5.0	ug/kg	1	9111517	11/15/19	11/18/19	EPA 8081A	
gamma-BHC (Lindane)	ND	0.96	5.0	"	"	"	"	"	"	
beta-BHC	ND	1.4	5.0	"	"	"	"	"	"	
delta-BHC	ND	0.64	5.0	"	"	"	"	"	"	
Heptachlor	ND	0.59	5.0	"	"	"	"	"	"	
Aldrin	ND	0.66	5.0	"	"	"	"	"	"	
Heptachlor epoxide	ND	0.98	5.0	"	"	"	"	"	"	
gamma-Chlordane	ND	0.93	5.0	"	"	"	"	"	"	
alpha-Chlordane	ND	0.83	5.0	"	"	"	"	"	"	
Endosulfan I	ND	0.81	5.0	"	"	"	"	"	"	
4,4'-DDE	3.0	0.78	5.0	"	"	"	"	"	"	J
Dieldrin	ND	1.1	5.0	"	"	"	"	"	"	
Endrin	ND	1.1	5.0	"	"	"	"	"	"	
4,4'-DDD	ND	1.2	5.0	"	"	"	"	"	"	
Endosulfan II	ND	1.1	5.0	"	"	"	"	"	"	
4,4'-DDT	ND	0.80	5.0	"	"	"	"	"	"	
Endrin aldehyde	ND	1.7	5.0	"	"	"	"	"	"	
Endosulfan sulfate	ND	0.61	5.0	"	"	"	"	"	"	
Methoxychlor	ND	0.40	5.0	"	"	"	"	"	"	
Endrin ketone	ND	1.3	5.0	"	"	"	"	"	"	
Toxaphene	ND	5.8	20	"	"	"	"	"	"	
Chlordane (tech)	ND	5.0	50	"	"	"	"	"	"	
Chlordane (Total)	ND		5.0	"	"	"	"	"	"	
Surrogate: Tetrachloro-meta-xylene			43.3 %		35-140	"	"	"	"	
Surrogate: Decachlorobiphenyl			83.0 %		35-140	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
12/11/19 09:27

C8D-0

T193979-29(Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----	--------------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 6010B

Lead	4.95	0.879	2.73	mg/kg	1	9111532	11/15/19	11/18/19	EPA 6010b	
-------------	-------------	-------	------	-------	---	---------	----------	----------	-----------	--

Metals by EPA 6020 Method

Arsenic	5.5	0.0025	0.25	mg/kg	1	9121019	12/10/19	12/10/19	6020 ICP-MS	
----------------	------------	--------	------	-------	---	---------	----------	----------	----------------	--

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
12/11/19 09:27

ABCD8C-0
T193979-31(Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Organochlorine Pesticides by EPA Method 8081A

alpha-BHC	ND	0.56	5.0	ug/kg	1	9111517	11/15/19	11/18/19	EPA 8081A	
gamma-BHC (Lindane)	ND	0.96	5.0	"	"	"	"	"	"	
beta-BHC	ND	1.4	5.0	"	"	"	"	"	"	
delta-BHC	ND	0.64	5.0	"	"	"	"	"	"	
Heptachlor	ND	0.59	5.0	"	"	"	"	"	"	
Aldrin	ND	0.66	5.0	"	"	"	"	"	"	
Heptachlor epoxide	ND	0.98	5.0	"	"	"	"	"	"	
gamma-Chlordane	ND	0.93	5.0	"	"	"	"	"	"	
alpha-Chlordane	ND	0.83	5.0	"	"	"	"	"	"	
Endosulfan I	ND	0.81	5.0	"	"	"	"	"	"	
4,4'-DDE	4.8	0.78	5.0	"	"	"	"	"	"	J
Dieldrin	ND	1.1	5.0	"	"	"	"	"	"	
Endrin	ND	1.1	5.0	"	"	"	"	"	"	
4,4'-DDD	ND	1.2	5.0	"	"	"	"	"	"	
Endosulfan II	ND	1.1	5.0	"	"	"	"	"	"	
4,4'-DDT	ND	0.80	5.0	"	"	"	"	"	"	
Endrin aldehyde	ND	1.7	5.0	"	"	"	"	"	"	
Endosulfan sulfate	ND	0.61	5.0	"	"	"	"	"	"	
Methoxychlor	ND	0.40	5.0	"	"	"	"	"	"	
Endrin ketone	ND	1.3	5.0	"	"	"	"	"	"	
Toxaphene	ND	5.8	20	"	"	"	"	"	"	
Chlordane (tech)	ND	5.0	50	"	"	"	"	"	"	
Chlordane (Total)	ND		5.0	"	"	"	"	"	"	
<i>Surrogate: Tetrachloro-meta-xylene</i>			45.3 %		35-140	"	"	"	"	
<i>Surrogate: Decachlorobiphenyl</i>			84.8 %		35-140	"	"	"	"	



NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
12/11/19 09:27

Metals by EPA 6010B - Quality Control
SunStar Laboratories, Inc.

Analyte	Result	MDL	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 9111532 - EPA 3050B

Blank (9111532-BLK1)

Prepared: 11/15/19 Analyzed: 11/18/19

Arsenic	ND	0.800	5.00	mg/kg							
Lead	ND	0.967	3.00	"							

LCS (9111532-BS1)

Prepared: 11/15/19 Analyzed: 11/18/19

Arsenic	97.4	0.800	5.00	mg/kg	100		97.4	75-125			
Lead	99.5	0.967	3.00	"	100		99.5	75-125			

Matrix Spike (9111532-MS1)

Source: T193974-24

Prepared: 11/15/19 Analyzed: 11/18/19

Arsenic	73.0	0.800	5.00	mg/kg	99.0		73.7	75-125			QM-05
Lead	76.9	0.967	3.00	"	99.0		77.7	75-125			QM-05

Matrix Spike Dup (9111532-MSD1)

Source: T193974-24

Prepared: 11/15/19 Analyzed: 11/18/19

Arsenic	66.9	0.800	5.00	mg/kg	93.5		71.6	75-125	8.64	20	QM-05
Lead	68.9	0.967	3.00	"	93.5		73.8	75-125	11.0	20	QM-05

Batch 9112523 - EPA 3050B

Blank (9112523-BLK1)

Prepared: 11/25/19 Analyzed: 11/26/19

Arsenic	2.89	0.800	5.00	mg/kg							J
Lead	ND	0.967	3.00	"							

LCS (9112523-BS1)

Prepared: 11/25/19 Analyzed: 11/26/19

Arsenic	95.8	0.800	5.00	mg/kg	100		95.8	75-125			
Lead	95.7	0.967	3.00	"	100		95.7	75-125			

Matrix Spike (9112523-MS1)

Source: T193979-23

Prepared: 11/25/19 Analyzed: 11/26/19

Arsenic	61.3	0.800	5.00	mg/kg	93.5	ND	65.6	75-125			QM-05
Lead	59.0	0.967	3.00	"	93.5	5.75	57.0	75-125			QM-05





25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5 48 Bellarmine Ct, Suite 40 Chico CA, 95928	Project: Hamilton Union High School Project Number: 70779.01.001.003 Project Manager: Heidi Cummings	Reported: 12/11/19 09:27
--	--	-----------------------------

Metals by EPA 6010B - Quality Control
SunStar Laboratories, Inc.

Analyte	Result	MDL	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 9112523 - EPA 3050B

Matrix Spike Dup (9112523-MSD1)	Source: T193979-23		Prepared: 11/25/19 Analyzed: 11/26/19								
Arsenic	70.4	0.800	5.00	mg/kg	100	ND	70.4	75-125	13.7	20	QM-05
Lead	68.6	0.967	3.00	"	100	5.75	62.8	75-125	14.9	20	QM-05

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5
 48 Bellarmine Ct, Suite 40
 Chico CA, 95928

Project: Hamilton Union High School
 Project Number: 70779.01.001.003
 Project Manager: Heidi Cummings

Reported:
 12/11/19 09:27

Metals by EPA 6020 Method - Quality Control

SunStar Laboratories, Inc.

Analyte	Result	MDL	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 9121019 - EPA 3050B											
Blank (9121019-BLK1)					Prepared & Analyzed: 12/10/19						
Arsenic	ND	0.0025	0.25	mg/kg							
Thallium	ND	0.099	0.25	"							
LCS (9121019-BS1)					Prepared & Analyzed: 12/10/19						
Arsenic	25.9	0.0025	0.25	mg/kg	25.0		104	80-120			
Matrix Spike (9121019-MS1)					Source: T193941-46 Prepared & Analyzed: 12/10/19						
Arsenic	30.7	0.0025	0.25	mg/kg	24.8	5.81	101	75-125			
Matrix Spike Dup (9121019-MSD1)					Source: T193941-46 Prepared & Analyzed: 12/10/19						
Arsenic	29.1	0.0025	0.25	mg/kg	24.8	5.81	94.1	75-125	5.46	20	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5
 48 Bellarmine Ct, Suite 40
 Chico CA, 95928

Project: Hamilton Union High School
 Project Number: 70779.01.001.003
 Project Manager: Heidi Cummings

Reported:
 12/11/19 09:27

Organochlorine Pesticides by EPA Method 8081A - Quality Control
SunStar Laboratories, Inc.

Analyte	Result	MDL	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 9111517 - EPA 3550 ECD/GCMS

Blank (9111517-BLK1)

Prepared: 11/15/19 Analyzed: 11/18/19

Surrogate: Tetrachloro-meta-xylene	9.16			ug/kg	10.1		90.6	35-140			
Surrogate: Decachlorobiphenyl	14.3			"	10.1		141	35-140			S-GC
alpha-BHC	ND	0.56	5.0	"							
gamma-BHC (Lindane)	ND	0.96	5.0	"							
beta-BHC	ND	1.4	5.0	"							
delta-BHC	ND	0.64	5.0	"							
Heptachlor	ND	0.59	5.0	"							
Aldrin	ND	0.66	5.0	"							
Heptachlor epoxide	ND	0.98	5.0	"							
gamma-Chlordane	ND	0.93	5.0	"							
alpha-Chlordane	ND	0.83	5.0	"							
Endosulfan I	ND	0.81	5.0	"							
4,4'-DDE	ND	0.78	5.0	"							
Dieldrin	ND	1.1	5.0	"							
Endrin	ND	1.1	5.0	"							
4,4'-DDD	ND	1.2	5.0	"							
Endosulfan II	ND	1.1	5.0	"							
4,4'-DDT	ND	0.80	5.0	"							
Endrin aldehyde	ND	1.7	5.0	"							
Endosulfan sulfate	ND	0.61	5.0	"							
Methoxychlor	ND	0.40	5.0	"							
Endrin ketone	ND	1.3	5.0	"							
Toxaphene	ND	5.8	20	"							
Chlordane (tech)	ND	5.0	50	"							
Chlordane (Total)	ND		5.0	"							

LCS (9111517-BS1)

Prepared: 11/15/19 Analyzed: 11/19/19

Surrogate: Tetrachloro-meta-xylene	10.0			ug/kg	10.1		99.2	35-140			
------------------------------------	------	--	--	-------	------	--	------	--------	--	--	--

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5
 48 Bellarmine Ct, Suite 40
 Chico CA, 95928

Project: Hamilton Union High School
 Project Number: 70779.01.001.003
 Project Manager: Heidi Cummings

Reported:
 12/11/19 09:27

Organochlorine Pesticides by EPA Method 8081A - Quality Control
SunStar Laboratories, Inc.

Analyte	Result	MDL	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 9111517 - EPA 3550 ECD/GCMS

LCS (9111517-BS1)

Prepared: 11/15/19 Analyzed: 11/19/19

Surrogate: Decachlorobiphenyl	11.0			ug/kg	10.1		109	35-140			
gamma-BHC (Lindane)	43.0	0.96	5.0	"	40.4		106	40-120			
Heptachlor	43.2	0.59	5.0	"	40.4		107	40-120			
Aldrin	39.1	0.66	5.0	"	40.4		96.8	40-120			
Dieldrin	43.4	1.1	5.0	"	40.4		108	40-120			
Endrin	43.8	1.1	5.0	"	40.4		109	40-120			
4,4'-DDT	41.7	0.80	5.0	"	40.4		103	33-147			

LCS Dup (9111517-BSD1)

Prepared: 11/15/19 Analyzed: 11/19/19

Surrogate: Tetrachloro-meta-xylene	8.92			ug/kg	10.1		88.4	35-140			
Surrogate: Decachlorobiphenyl	12.1			"	10.1		120	35-140			
gamma-BHC (Lindane)	41.5	0.96	5.0	"	40.4		103	40-120	3.54	30	
Heptachlor	42.8	0.59	5.0	"	40.4		106	40-120	0.838	30	
Aldrin	40.0	0.66	5.0	"	40.4		98.9	40-120	2.19	30	
Dieldrin	46.2	1.1	5.0	"	40.4		114	40-120	6.26	30	
Endrin	46.6	1.1	5.0	"	40.4		115	40-120	6.06	30	
4,4'-DDT	45.5	0.80	5.0	"	40.4		113	33-147	8.74	30	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
12/11/19 09:27

Notes and Definitions

S-GC Surrogate recovery outside of established control limits. The data was accepted based on valid recovery of the remaining surrogate(s).

QM-05 The spike recovery was outside acceptance limits for the MS and/or MSD due to possible matrix interference. The LCS was within acceptance criteria. The data is acceptable as no negative impact on data is expected.

J Detected but below the Standard Reporting Limit; therefore, result is an estimated concentration (CLP J-Flag).

DET Analyte DETECTED

ND Analyte NOT DETECTED at or above the Method Detection Limit (MDL)

NR Not Reported

dry Sample results reported on a dry weight basis

RPD Relative Percent Difference



Chain of Custody Record

1193979

Client: NV5
Address: 48 Bellarmine Court, Ste 40, Chico, CA 95928
Phone: 530-894-2487 Fax: 530-894-2437
Project Manager: Heidi Cummings, heidi.cummings@NV5.com

Date: 11/14/2019
Project Name: Hamilton Union High School
Collector: HJC/CWB Client Project #: 70779.01.001.003
Batch #: _____ EDF #: _____

Sample ID	Date Sampled	Time	Sample Type	Container Type	Arsenic EPA 6010	Lead EPA 6010	OCPs EPA 8081	Laboratory ID #	Comments/Preservative	Total # of containers
ASD-0	11/12/2019	1220	SOIL	8 oz jar				01		1
ASD-0-CL	11/12/2019	1236	SOIL	8 oz jar				02		1
B5D-0	11/12/2019	#245	SOIL	8 oz jar				03		1
B5D-0-CL	11/12/2019	1250	SOIL	8 oz jar				04		1
C5D-0	11/12/2019	1300	SOIL	8 oz jar	X			05		1
C5D-0-CL	11/12/2019	1310	SOIL	8 oz jar				06		1
D5D-0	11/12/2019	1325	SOIL	8 oz jar				07		1
D5D-0-CL	11/12/2019	1330	SOIL	8 oz jar				08		1
									Lab to prepare ABCD5C-0 as 4:1 composite of ASD-0, B5D-0, C5D-0 and D5D-0	
									Lab to prepare ABCD5C-0-CL as 4:1 composite of ASD-0-CL, B5D-0-CL, C5D-0-CL and D5D-0-CL	
A6D-0	11/12/2019	1355	SOIL	8 oz jar						1
B6D-0	11/12/2019	1410	SOIL	8 oz jar						1
C6D-0	11/12/2019	1420	SOIL	8 oz jar						1
D6D-0	11/12/2019	1435	SOIL	8 oz jar						1
ABCD6C-0	11/12/2019		SOIL				X		Lab to prepare ABCD5C-0 as 4:1 composite of ASD-0, B5D-0, C5D-0 and D5D-0	1
Relinquished by: (signature) _____ Date / Time <u>11/14/19 1606</u> Received by: (signature) <u>GSO</u> Date / Time <u>11/14/19 1606</u> Relinquished by: (signature) _____ Date / Time _____ Received by: (signature) _____ Date / Time _____ Relinquished by: (signature) <u>GSO 11-15-19 8:34</u> Date / Time _____ Received by: (signature) _____ Date / Time _____										
Sample disposal instructions: Disposal @ \$2.00 each _____ Return to client _____ Pickup _____ Turn around time: <u>5 day</u>										
Total # of containers _____ Chain of Custody seals <u>N/A</u> Seals Intact? <u>N/A</u> Received good condition/cold <u>2-82</u>										
Notes Method 8081 report Chloridane and Technical Chloridane Please return H&K/NV5 ice chests										

15
69
10

SunStar Laboratories
 25712 Commercentre Dr
 Lake Forest, CA 92630
 949-297-5020

Chain of Custody Record

REVISED

7193979

Client: NVS
 Address: 48 Bellamine Court, Ste 40, Chico, CA 95928
 Phone: 530-894-2487 Fax: 530-894-2437
 Project Manager: Heidi Cummings, heidi.cummings@NV5.com

Date: 11/14/2019
 Project Name: Hamilton Union High School
 Collector: HJC/GWB Client Project #: 70779.01.001.003
 Batch #: _____ EDF #: _____

Sample ID	Date Sampled	Time	Sample Type	Container Type	Arsenic EPA 6010	Lead EPA 6010	OCPs EPA 8081	Laboratory ID #	Comments/Preservative	Total # of containers
ASD-0	11/12/2019	1220	SOIL	8 oz jar				01		1
ASD-0-CL	11/12/2019	1230	SOIL	8 oz jar				02		1
BSD-0	11/12/2019	1245	SOIL	8 oz jar				03		1
BSD-0-CL	11/12/2019	1250	SOIL	8 oz jar				04		1
CSD-0	11/12/2019	1300	SOIL	8 oz jar				05		1
CSD-0-CL	11/12/2019	1310	SOIL	8 oz jar				06		1
DSD-0	11/12/2019	1325	SOIL	8 oz jar				07		1
DSD-0-CL	11/12/2019	1330	SOIL	8 oz jar				08		1
Lab to prepare ABCD5C-0 as 4:1 composite of ASD-0, BSD-0, CSD-0 and DSD-0										09
Lab to prepare ABCD5C-0-CL as 4:1 composite of ASD-0-CL, BSD-0-CL, CSD-0-CL and DSD-0-CL										10
ABD-0	11/12/2019	1355	SOIL	8 oz jar						1
B6D-0	11/12/2019	1410	SOIL	8 oz jar						1
C6D-0	11/12/2019	1420	SOIL	8 oz jar						1
D6D-0	11/12/2019	1470	SOIL	8 oz jar						1
ABCD6C-0	11/12/2019		SOIL							1
Lab to prepare ABCD6C-0 as 4:1 composite of ASD-0, BSD-0, CSD-0 and DSD-0										15
Relinquished by: (signature)	Date / Time	Received by: (signature)	Date / Time	Total # of containers		Chain of Custody sealed		Seals intact: Y/N/A		Received good condition/cold
<i>[Signature]</i>	11/14/19 1600	GSO	11/14/19 1608	0		Y		Y		280
Relinquished by: (signature)	Date / Time	Received by: (signature)	Date / Time	Total # of containers		Chain of Custody sealed		Seals intact: Y/N/A		Received good condition/cold
GSO	11/15/19 8:34	<i>[Signature]</i>	11/15/19 8:34	5		Y		Y		280

Sample disposal instructions: Disposal @ \$2.00 each

Return to client _____ Pickup _____

Notes
 Method 8081 report Chlordane and Technical Chlordane
 Please return H&K/NV5 ice chests

SAMPLE RECEIVING REVIEW SHEET

Batch/Work Order #: 7193979
 Client Name: NV5 Project: HAMILTON UNION HIGH SCHOOL
 Delivered by: Client SunStar Courier GSO FedEx Other
 If Courier, Received by: _____ Date/Time Courier Received: _____
 Lab Received by: SUNNY Date/Time Lab Received: 11-15-19 / 8:34
 Total number of coolers received: 1 Thermometer ID: SC-1 Calibration due to: 6/27/20

Temperature: Cooler #1 <u>1.6</u>	°C +/- the CF (+ 1.2°C) = <u>2.8</u>	°C corrected temperature
Temperature: Cooler #2	°C +/- the CF (+ 1.2°C) =	°C corrected temperature
Temperature: Cooler #3	°C +/- the CF (+ 1.2°C) =	°C corrected temperature
Temperature criteria = ≤ 6°C (no frozen containers)	Within criteria?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
If NO:		
Samples received on ice?	<input type="checkbox"/> Yes	<input type="checkbox"/> No → Complete Non-Conformance Sheet
If on ice, samples received same day collected?	<input type="checkbox"/> Yes → Acceptable	<input type="checkbox"/> No → Complete Non-Conformance Sheet

Custody seals intact on cooler/sample Yes No* N/A
 Sample containers intact Yes No*
 Sample labels match Chain of Custody IDs Yes No*
 Total number of containers received match COC Yes No*
 Proper containers received for analyses requested on COC Yes No*
 Proper preservative indicated on COC/containers for analyses requested Yes No* N/A
 Complete shipment received in good condition with correct temperatures, containers, labels, volumes preservatives and within method specified holding times Yes No*

* Complete Non-Conformance Receiving Sheet if checked Cooler/Sample Review - Initials and date: SL 11-15-19

Comments: _____

WORK ORDER

T193979

Client: NV5	Project Manager: Jeff Lee
Project: Hamilton Union High School	Project Number: 70779.01.001.003

Report To:

NV5
 Heidi Cummings
 48 Bellarmine Ct, Suite 40
 Chico, CA 95928

Date Due: 11/22/19 17:00 (5 day TAT)

Received By: Sunny Lounethone

Date Received: 11/15/19 08:34

Logged In By: Sunny Lounethone

Date Logged In: 11/15/19 11:17

Samples Received at:	2.8°C		
Custody Seals	Yes	Received On Ice	Yes
Containers Intact	Yes		
COC/Labels Agree	Yes		
Preservation Confir	No		

Analysis	Due	TAT	Expires	Comments
T193979-01 A5D-0 [Soil] Sampled 11/12/19 12:20 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				
T193979-02 A5D-0-CL [Soil] Sampled 11/12/19 12:30 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				
T193979-03 B5D-0 [Soil] Sampled 11/12/19 12:45 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				
T193979-04 B5D-0-CL [Soil] Sampled 11/12/19 12:50 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				
T193979-05 C5D-0 [Soil] Sampled 11/12/19 13:00 (GMT-08:00) Pacific Time (US &	6010 Individual Metals	11/22/19 15:00	5	05/10/20 13:00 As and Pb only
T193979-06 C5D-0-CL [Soil] Sampled 11/12/19 13:10 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				
T193979-07 D5D-0 [Soil] Sampled 11/12/19 13:25 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				

WORK ORDER

T193979

Client: NV5	Project Manager: Jeff Lee
Project: Hamilton Union High School	Project Number: 70779.01.001.003

Analysis	Due	TAT	Expires	Comments
T193979-08 D5D-0-CL [Soil] Sampled 11/12/19 13:30 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				
T193979-09 ABCD5C-0 [Soil] Sampled 11/12/19 00:00 (GMT-08:00) Pacific Time (US & 8081 Pesticides	11/22/19 15:00	5	11/26/19 00:00	COMPOSITE 4:1 (A5D-0, B5D-0, C5D-0, D5D-0) Chlorodane and Technical Chlorodane
T193979-10 ABCD5C-0-CL [Soil] Sampled 11/12/19 00:00 (GMT-08:00) Pacific Time (US & 8081 Pesticides	11/22/19 15:00	5	11/26/19 00:00	COMPOSITE 4:1 (A5D-0-CL, B5D-0-CL, C5D-0-CL, D5D-0-CL) Chlorodane and Technical Chlorodane
T193979-11 A6D-0 [Soil] Sampled 11/12/19 13:55 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				
T193979-12 B6D-0 [Soil] Sampled 11/12/19 14:10 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				
T193979-13 C6D-0 [Soil] Sampled 11/12/19 14:20 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				
T193979-14 D6D-0 [Soil] Sampled 11/12/19 14:35 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				
T193979-15 ABCD6C-0 [Soil] Sampled 11/12/19 00:00 (GMT-08:00) Pacific Time (US & 8081 Pesticides	11/22/19 15:00	5	11/26/19 00:00	COMPOSITE 4:1 (A6D-0, B6D-0, C6D-0, D6D-0) Chlorodane and Technical Chlorodane
T193979-16 A7D-0 [Soil] Sampled 11/12/19 14:45 (GMT-08:00) Pacific Time (US & 6010 Individual Metals	11/22/19 15:00	5	05/10/20 14:45	As and Pb only
T193979-17 A7D-0-FR [Soil] Sampled 11/12/19 14:46 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				
T193979-18 A7D-0-CL [Soil] Sampled 11/12/19 14:55 (GMT-08:00) Pacific Time (US & 6010 Individual Metals	11/22/19 15:00	5	05/10/20 14:55	As and Pb only

WORK ORDER

T193979

Client: NV5	Project Manager: Jeff Lee
Project: Hamilton Union High School	Project Number: 70779.01.001.003

Analysis	Due	TAT	Expires	Comments
T193979-19 B7D-0 [Soil] Sampled 11/12/19 15:05 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				
T193979-20 B7D-0-FR [Soil] Sampled 11/12/19 15:06 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				
T193979-21 C7D-0 [Soil] Sampled 11/12/19 15:15 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				
T193979-22 C7D-0-FR [Soil] Sampled 11/12/19 15:16 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				
T193979-23 D7D-0 [Soil] Sampled 11/12/19 15:30 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				
T193979-24 D7D-0-FR [Soil] Sampled 11/12/19 15:31 (GMT-08:00) Pacific Time (US &				
6010 Individual Metals	11/22/19 15:00	5	05/10/20 15:31	As and Pb only
T193979-25 ABCD7C-0 [Soil] Sampled 11/12/19 00:00 (GMT-08:00) Pacific Time (US &				
8081 Pesticides	11/22/19 15:00	5	11/26/19 00:00	Chlorodane and Technical Chlorodane
T193979-26 ABCD7C-0-FR [Soil] Sampled 11/12/19 00:00 (GMT-08:00) Pacific Time (US &				
8081 Pesticides	11/22/19 15:00	5	11/26/19 00:00	Chlorodane and Technical Chlorodane
T193979-27 A8D-0 [Soil] Sampled 11/12/19 15:45 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				
T193979-28 B8D-0 [Soil] Sampled 11/12/19 15:55 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				
T193979-29 C8D-0 [Soil] Sampled 11/12/19 16:05 (GMT-08:00) Pacific Time (US &				
6010 Individual Metals	11/22/19 15:00	5	05/10/20 16:05	As and Pb only

WORK ORDER

T193979

Client: NV5	Project Manager: Jeff Lee
Project: Hamilton Union High School	Project Number: 70779.01.001.003

Analysis	Due	TAT	Expires	Comments
T193979-30 D8D-0 [Soil] Sampled 11/12/19 16:15 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				
T193979-31 ABCD8C-0 [Soil] Sampled 11/12/19 00:00 (GMT-08:00) Pacific Time (US & 8081 Pesticides	11/22/19 15:00	5	11/26/19 00:00	COMPOSITE 4:1 (A8D-0, B8D-0, C8D-0, D8D-0) Chlorodane and Technical Chlorodane



25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

11 December 2019

Heidi Cummings

NV5

48 Bellarmine Ct, Suite 40

Chico, CA 95928

RE: Hamilton Union High School

Enclosed are the results of analyses for samples received by the laboratory on 11/15/19 08:34. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Jeff Lee

Project Manager

NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
12/11/19 09:32

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
E2D-0	T193981-03	Soil	11/13/19 09:25	11/15/19 08:34
EF1EF2C-0	T193981-05	Soil	11/13/19 00:00	11/15/19 08:34
F3D-0	T193981-08	Soil	11/13/19 10:00	11/15/19 08:34
F3D-0-FR	T193981-10	Soil	11/13/19 10:01	11/15/19 08:34
EF3EF4C-0	T193981-15	Soil	11/13/19 00:00	11/15/19 08:34
EF3EF4C-0-CL	T193981-16	Soil	11/13/19 00:00	11/15/19 08:34
E5D-0	T193981-17	Soil	11/13/19 11:30	11/15/19 08:34
EFGH5C-0	T193981-21	Soil	11/13/19 00:00	11/15/19 08:34
H6D-0	T193981-25	Soil	11/13/19 13:10	11/15/19 08:34
EFGH6C-0	T193981-26	Soil	11/13/19 00:00	11/15/19 08:34
EB-2	T193981-27	Water	11/13/19 15:00	11/15/19 08:34
EB-3	T193981-28	Water	11/13/19 15:00	11/15/19 08:34
F7D-0	T193981-30	Soil	11/13/19 13:30	11/15/19 08:34
EFGH7C-0	T193981-33	Soil	11/13/19 00:00	11/15/19 08:34
H8D-0	T193981-40	Soil	11/13/19 15:25	11/15/19 08:34
EFGH8C-0	T193981-42	Soil	11/13/19 00:00	11/15/19 08:34
EFGH8C-0-CL	T193981-43	Soil	11/13/19 00:00	11/15/19 08:34

This report has been revised to report Arsenic under EPA 6020 instead of EPA 6010 to provide the lowest MDL value possible.
JL 12/11/19



NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
12/11/19 09:32

Sample ID: EF3EF4C-0-CL **Laboratory ID:** T193981-16

Analyte	Reporting		Units	Method	Notes
	Result	Limit			
4,4'-DDE	11	5.0	ug/kg	EPA 8081A	

Sample ID: E5D-0 **Laboratory ID:** T193981-17

Analyte	Reporting		Units	Method	Notes
	Result	Limit			
Lead	5.67	3.00	mg/kg	EPA 6010b	
Arsenic	6.0	0.25	mg/kg	6020 ICP-MS	

Sample ID: EFGH5C-0 **Laboratory ID:** T193981-21

Analyte	Reporting		Units	Method	Notes
	Result	Limit			
4,4'-DDE	7.7	5.0	ug/kg	EPA 8081A	

Sample ID: H6D-0 **Laboratory ID:** T193981-25

Analyte	Reporting		Units	Method	Notes
	Result	Limit			
Lead	5.90	3.00	mg/kg	EPA 6010b	
Arsenic	5.6	0.25	mg/kg	6020 ICP-MS	

Sample ID: EFGH6C-0 **Laboratory ID:** T193981-26

Analyte	Reporting		Units	Method	Notes
	Result	Limit			
4,4'-DDE	8.5	5.0	ug/kg	EPA 8081A	

Sample ID: EB-2 **Laboratory ID:** T193981-27

Analyte	Reporting		Units	Method	Notes
	Result	Limit			
Mercury	0.022	0.50	ug/l	EPA 7470A Water	J



NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
12/11/19 09:32

Sample ID: EB-3

Laboratory ID: T193981-28

No Results Detected

Sample ID: F7D-0

Laboratory ID: T193981-30

Analyte	Reporting		Units	Method	Notes
	Result	Limit			
Lead	5.17	3.00	mg/kg	EPA 6010b	
Arsenic	4.7	0.25	mg/kg	6020 ICP-MS	

Sample ID: EFGH7C-0

Laboratory ID: T193981-33

Analyte	Reporting		Units	Method	Notes
	Result	Limit			
4,4'-DDE	8.3	5.0	ug/kg	EPA 8081A	

Sample ID: H8D-0

Laboratory ID: T193981-40

Analyte	Reporting		Units	Method	Notes
	Result	Limit			
Lead	5.84	3.00	mg/kg	EPA 6010b	
Arsenic	5.8	0.25	mg/kg	6020 ICP-MS	

Sample ID: EFGH8C-0

Laboratory ID: T193981-42

Analyte	Reporting		Units	Method	Notes
	Result	Limit			
4,4'-DDE	6.6	5.0	ug/kg	EPA 8081A	

Sample ID: EFGH8C-0-CL

Laboratory ID: T193981-43

Analyte	Reporting		Units	Method	Notes
	Result	Limit			
4,4'-DDE	5.3	5.0	ug/kg	EPA 8081A	



NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
12/11/19 09:32



NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
12/11/19 09:32

E2D-0

T193981-03(Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----	--------------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 6010B

Lead	4.92	0.967	3.00	mg/kg	1	9111532	11/15/19	11/18/19	EPA 6010b	
-------------	-------------	-------	------	-------	---	---------	----------	----------	-----------	--

Metals by EPA 6020 Method

Arsenic	4.9	0.0025	0.25	mg/kg	1	9121019	12/10/19	12/10/19	6020 ICP-MS	
----------------	------------	--------	------	-------	---	---------	----------	----------	----------------	--

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
12/11/19 09:32

EF1EF2C-0
T193981-05(Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Organochlorine Pesticides by EPA Method 8081A

alpha-BHC	ND	0.56	5.0	ug/kg	1	9111517	11/15/19	11/18/19	EPA 8081A	
gamma-BHC (Lindane)	ND	0.96	5.0	"	"	"	"	"	"	
beta-BHC	ND	1.4	5.0	"	"	"	"	"	"	
delta-BHC	ND	0.64	5.0	"	"	"	"	"	"	
Heptachlor	ND	0.59	5.0	"	"	"	"	"	"	
Aldrin	ND	0.66	5.0	"	"	"	"	"	"	
Heptachlor epoxide	ND	0.98	5.0	"	"	"	"	"	"	
gamma-Chlordane	ND	0.93	5.0	"	"	"	"	"	"	
alpha-Chlordane	ND	0.83	5.0	"	"	"	"	"	"	
Endosulfan I	ND	0.81	5.0	"	"	"	"	"	"	
4,4'-DDE	9.0	0.78	5.0	"	"	"	"	"	"	
Dieldrin	ND	1.1	5.0	"	"	"	"	"	"	
Endrin	ND	1.1	5.0	"	"	"	"	"	"	
4,4'-DDD	ND	1.2	5.0	"	"	"	"	"	"	
Endosulfan II	ND	1.1	5.0	"	"	"	"	"	"	
4,4'-DDT	ND	0.80	5.0	"	"	"	"	"	"	
Endrin aldehyde	ND	1.7	5.0	"	"	"	"	"	"	
Endosulfan sulfate	ND	0.61	5.0	"	"	"	"	"	"	
Methoxychlor	ND	0.40	5.0	"	"	"	"	"	"	
Endrin ketone	ND	1.3	5.0	"	"	"	"	"	"	
Toxaphene	ND	5.8	20	"	"	"	"	"	"	
Chlordane (tech)	ND	5.0	50	"	"	"	"	"	"	
Chlordane (Total)	ND		5.0	"	"	"	"	"	"	
<i>Surrogate: Tetrachloro-meta-xylene</i>			55.5 %			35-140	"	"	"	"
<i>Surrogate: Decachlorobiphenyl</i>			101 %			35-140	"	"	"	"



NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
12/11/19 09:32

F3D-0
T193981-08(Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----	--------------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 6010B

Lead	5.46	0.967	3.00	mg/kg	1	9111532	11/15/19	11/18/19	EPA 6010b	
-------------	-------------	-------	------	-------	---	---------	----------	----------	-----------	--

Metals by EPA 6020 Method

Arsenic	5.5	0.0023	0.23	mg/kg	1	9121019	12/10/19	12/10/19	6020 ICP-MS	
----------------	------------	--------	------	-------	---	---------	----------	----------	----------------	--

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
12/11/19 09:32

F3D-0-FR
T193981-10(Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----	--------------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 6010B

Lead	5.42	0.879	2.73	mg/kg	1	9111532	11/15/19	11/18/19	EPA 6010b	
-------------	-------------	-------	------	-------	---	---------	----------	----------	-----------	--

Metals by EPA 6020 Method

Arsenic	5.4	0.0023	0.23	mg/kg	1	9121019	12/10/19	12/10/19	6020 ICP-MS	
----------------	------------	--------	------	-------	---	---------	----------	----------	----------------	--



NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
12/11/19 09:32

EF3EF4C-0
T193981-15(Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Organochlorine Pesticides by EPA Method 8081A

alpha-BHC	ND	0.56	5.0	ug/kg	1	9111517	11/15/19	11/18/19	EPA 8081A	
gamma-BHC (Lindane)	ND	0.96	5.0	"	"	"	"	"	"	
beta-BHC	ND	1.4	5.0	"	"	"	"	"	"	
delta-BHC	ND	0.64	5.0	"	"	"	"	"	"	
Heptachlor	ND	0.59	5.0	"	"	"	"	"	"	
Aldrin	ND	0.66	5.0	"	"	"	"	"	"	
Heptachlor epoxide	ND	0.98	5.0	"	"	"	"	"	"	
gamma-Chlordane	ND	0.93	5.0	"	"	"	"	"	"	
alpha-Chlordane	ND	0.83	5.0	"	"	"	"	"	"	
Endosulfan I	ND	0.81	5.0	"	"	"	"	"	"	
4,4'-DDE	8.2	0.78	5.0	"	"	"	"	"	"	
Dieldrin	ND	1.1	5.0	"	"	"	"	"	"	
Endrin	ND	1.1	5.0	"	"	"	"	"	"	
4,4'-DDD	ND	1.2	5.0	"	"	"	"	"	"	
Endosulfan II	ND	1.1	5.0	"	"	"	"	"	"	
4,4'-DDT	ND	0.80	5.0	"	"	"	"	"	"	
Endrin aldehyde	ND	1.7	5.0	"	"	"	"	"	"	
Endosulfan sulfate	ND	0.61	5.0	"	"	"	"	"	"	
Methoxychlor	ND	0.40	5.0	"	"	"	"	"	"	
Endrin ketone	ND	1.3	5.0	"	"	"	"	"	"	
Toxaphene	ND	5.8	20	"	"	"	"	"	"	
Chlordane (tech)	ND	5.0	50	"	"	"	"	"	"	
Chlordane (Total)	ND		5.0	"	"	"	"	"	"	
<i>Surrogate: Tetrachloro-meta-xylene</i>			53.7 %		35-140	"	"	"	"	
<i>Surrogate: Decachlorobiphenyl</i>			96.4 %		35-140	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.





25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5 48 Bellarmine Ct, Suite 40 Chico CA, 95928	Project: Hamilton Union High School Project Number: 70779.01.001.003 Project Manager: Heidi Cummings	Reported: 12/11/19 09:32
--	--	-----------------------------

EF3EF4C-0-CL
T193981-16(Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Organochlorine Pesticides by EPA Method 8081A

alpha-BHC	ND	0.56	5.0	ug/kg	1	9111517	11/15/19	11/18/19	EPA 8081A	
gamma-BHC (Lindane)	ND	0.96	5.0	"	"	"	"	"	"	
beta-BHC	ND	1.4	5.0	"	"	"	"	"	"	
delta-BHC	ND	0.64	5.0	"	"	"	"	"	"	
Heptachlor	ND	0.59	5.0	"	"	"	"	"	"	
Aldrin	ND	0.66	5.0	"	"	"	"	"	"	
Heptachlor epoxide	ND	0.98	5.0	"	"	"	"	"	"	
gamma-Chlordane	ND	0.93	5.0	"	"	"	"	"	"	
alpha-Chlordane	ND	0.83	5.0	"	"	"	"	"	"	
Endosulfan I	ND	0.81	5.0	"	"	"	"	"	"	
4,4'-DDE	11	0.78	5.0	"	"	"	"	"	"	
Dieldrin	ND	1.1	5.0	"	"	"	"	"	"	
Endrin	ND	1.1	5.0	"	"	"	"	"	"	
4,4'-DDD	ND	1.2	5.0	"	"	"	"	"	"	
Endosulfan II	ND	1.1	5.0	"	"	"	"	"	"	
4,4'-DDT	ND	0.80	5.0	"	"	"	"	"	"	
Endrin aldehyde	ND	1.7	5.0	"	"	"	"	"	"	
Endosulfan sulfate	ND	0.61	5.0	"	"	"	"	"	"	
Methoxychlor	ND	0.40	5.0	"	"	"	"	"	"	
Endrin ketone	ND	1.3	5.0	"	"	"	"	"	"	
Toxaphene	ND	5.8	20	"	"	"	"	"	"	
Chlordane (tech)	ND	5.0	50	"	"	"	"	"	"	
Chlordane (Total)	ND		5.0	"	"	"	"	"	"	
<i>Surrogate: Tetrachloro-meta-xylene</i>			82.7 %		35-140	"	"	"	"	
<i>Surrogate: Decachlorobiphenyl</i>			85.1 %		35-140	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
12/11/19 09:32

E5D-0

T193981-17(Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----	--------------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 6010B

Lead	5.67	0.967	3.00	mg/kg	1	9111532	11/15/19	11/18/19	EPA 6010b	
-------------	-------------	-------	------	-------	---	---------	----------	----------	-----------	--

Metals by EPA 6020 Method

Arsenic	6.0	0.0025	0.25	mg/kg	1	9121019	12/10/19	12/10/19	6020 ICP-MS	
----------------	------------	--------	------	-------	---	---------	----------	----------	----------------	--

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
12/11/19 09:32

EFGH5C-0
T193981-21(Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Organochlorine Pesticides by EPA Method 8081A

alpha-BHC	ND	0.56	5.0	ug/kg	1	9111517	11/15/19	11/18/19	EPA 8081A	
gamma-BHC (Lindane)	ND	0.96	5.0	"	"	"	"	"	"	
beta-BHC	ND	1.4	5.0	"	"	"	"	"	"	
delta-BHC	ND	0.64	5.0	"	"	"	"	"	"	
Heptachlor	ND	0.59	5.0	"	"	"	"	"	"	
Aldrin	ND	0.66	5.0	"	"	"	"	"	"	
Heptachlor epoxide	ND	0.98	5.0	"	"	"	"	"	"	
gamma-Chlordane	ND	0.93	5.0	"	"	"	"	"	"	
alpha-Chlordane	ND	0.83	5.0	"	"	"	"	"	"	
Endosulfan I	ND	0.81	5.0	"	"	"	"	"	"	
4,4'-DDE	7.7	0.78	5.0	"	"	"	"	"	"	
Dieldrin	ND	1.1	5.0	"	"	"	"	"	"	
Endrin	ND	1.1	5.0	"	"	"	"	"	"	
4,4'-DDD	ND	1.2	5.0	"	"	"	"	"	"	
Endosulfan II	ND	1.1	5.0	"	"	"	"	"	"	
4,4'-DDT	ND	0.80	5.0	"	"	"	"	"	"	
Endrin aldehyde	ND	1.7	5.0	"	"	"	"	"	"	
Endosulfan sulfate	ND	0.61	5.0	"	"	"	"	"	"	
Methoxychlor	ND	0.40	5.0	"	"	"	"	"	"	
Endrin ketone	ND	1.3	5.0	"	"	"	"	"	"	
Toxaphene	ND	5.8	20	"	"	"	"	"	"	
Chlordane (tech)	ND	5.0	50	"	"	"	"	"	"	
Chlordane (Total)	ND		5.0	"	"	"	"	"	"	
<i>Surrogate: Tetrachloro-meta-xylene</i>			68.6 %	35-140		"	"	"	"	
<i>Surrogate: Decachlorobiphenyl</i>			97.8 %	35-140		"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
12/11/19 09:32

H6D-0
T193981-25(Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----	--------------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 6010B

Lead	5.90	0.967	3.00	mg/kg	1	9111532	11/15/19	11/18/19	EPA 6010b	
-------------	-------------	-------	------	-------	---	---------	----------	----------	-----------	--

Metals by EPA 6020 Method

Arsenic	5.6	0.0025	0.25	mg/kg	1	9121019	12/10/19	12/10/19	6020 ICP-MS	
----------------	------------	--------	------	-------	---	---------	----------	----------	----------------	--

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
12/11/19 09:32

EFGH6C-0
T193981-26(Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Organochlorine Pesticides by EPA Method 8081A

alpha-BHC	ND	0.56	5.0	ug/kg	1	9111517	11/15/19	11/18/19	EPA 8081A	
gamma-BHC (Lindane)	ND	0.96	5.0	"	"	"	"	"	"	
beta-BHC	ND	1.4	5.0	"	"	"	"	"	"	
delta-BHC	ND	0.64	5.0	"	"	"	"	"	"	
Heptachlor	ND	0.59	5.0	"	"	"	"	"	"	
Aldrin	ND	0.66	5.0	"	"	"	"	"	"	
Heptachlor epoxide	ND	0.98	5.0	"	"	"	"	"	"	
gamma-Chlordane	ND	0.93	5.0	"	"	"	"	"	"	
alpha-Chlordane	ND	0.83	5.0	"	"	"	"	"	"	
Endosulfan I	ND	0.81	5.0	"	"	"	"	"	"	
4,4'-DDE	8.5	0.78	5.0	"	"	"	"	"	"	
Dieldrin	ND	1.1	5.0	"	"	"	"	"	"	
Endrin	ND	1.1	5.0	"	"	"	"	"	"	
4,4'-DDD	ND	1.2	5.0	"	"	"	"	"	"	
Endosulfan II	ND	1.1	5.0	"	"	"	"	"	"	
4,4'-DDT	ND	0.80	5.0	"	"	"	"	"	"	
Endrin aldehyde	ND	1.7	5.0	"	"	"	"	"	"	
Endosulfan sulfate	ND	0.61	5.0	"	"	"	"	"	"	
Methoxychlor	ND	0.40	5.0	"	"	"	"	"	"	
Endrin ketone	ND	1.3	5.0	"	"	"	"	"	"	
Toxaphene	ND	5.8	20	"	"	"	"	"	"	
Chlordane (tech)	ND	5.0	50	"	"	"	"	"	"	
Chlordane (Total)	ND		5.0	"	"	"	"	"	"	
Surrogate: Tetrachloro-meta-xylene			65.5 %			35-140	"	"	"	"
Surrogate: Decachlorobiphenyl			93.1 %			35-140	"	"	"	"



NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
12/11/19 09:32

EB-2
T193981-27(Water)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 6010B

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Antimony	ND	17	50	ug/l	1	9111527	11/15/19	11/19/19	EPA 6010b	
Silver	ND	24	50	"	"	"	"	"	"	
Arsenic	ND	17	50	"	"	"	"	"	"	
Barium	ND	13	50	"	"	"	"	"	"	
Beryllium	ND	18	50	"	"	"	"	"	"	
Cadmium	ND	21	50	"	"	"	"	"	"	
Chromium	ND	21	50	"	"	"	"	"	"	
Cobalt	ND	14	50	"	"	"	"	"	"	
Copper	ND	20	50	"	"	"	"	"	"	
Lead	ND	17	50	"	"	"	"	"	"	
Molybdenum	ND	14	50	"	"	"	"	"	"	
Nickel	ND	14	50	"	"	"	"	"	"	
Selenium	ND	19	50	"	"	"	"	"	"	
Thallium	ND	16	50	"	"	"	"	"	"	
Vanadium	ND	20	50	"	"	"	"	"	"	
Zinc	ND	17	50	"	"	"	"	"	"	

Cold Vapor Extraction EPA 7470/7471

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Mercury	0.022	0.022	0.50	ug/l	1	9111529	11/15/19	11/20/19	EPA 7470A Water	J

Organochlorine Pesticides by EPA Method 8081A

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
alpha-BHC	ND	0.04	1.00	ug/l	1	9111825	11/18/19	11/19/19	EPA 8081A	
gamma-BHC (Lindane)	ND	0.03	1.00	"	"	"	"	"	"	
beta-BHC	ND	0.05	1.00	"	"	"	"	"	"	
delta-BHC	ND	0.02	1.00	"	"	"	"	"	"	
Heptachlor	ND	0.04	1.00	"	"	"	"	"	"	
Aldrin	ND	0.02	1.00	"	"	"	"	"	"	
Heptachlor epoxide	ND	0.04	1.00	"	"	"	"	"	"	
gamma-Chlordane	ND	0.05	1.00	"	"	"	"	"	"	
alpha-Chlordane	ND	0.03	1.00	"	"	"	"	"	"	
Endosulfan I	ND	0.02	1.00	"	"	"	"	"	"	
4,4'-DDE	ND	0.04	1.00	"	"	"	"	"	"	
Dieldrin	ND	0.03	1.00	"	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
12/11/19 09:32

EB-2
T193981-27(Water)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Organochlorine Pesticides by EPA Method 8081A

Endrin	ND	0.04	1.00	ug/l	1	9111825	11/18/19	11/19/19	EPA 8081A	
4,4'-DDD	ND	0.03	1.00	"	"	"	"	"	"	
Endosulfan II	ND	0.04	1.00	"	"	"	"	"	"	
4,4'-DDT	ND	0.06	1.00	"	"	"	"	"	"	
Endrin aldehyde	ND	0.02	1.00	"	"	"	"	"	"	
Endosulfan sulfate	ND	0.05	1.00	"	"	"	"	"	"	
Methoxychlor	ND	0.03	1.00	"	"	"	"	"	"	
Endrin ketone	ND	0.05	1.00	"	"	"	"	"	"	
Chlordane (tech)	ND	1.00	10.0	"	"	"	"	"	"	
Toxaphene	ND	5.79	20.0	"	"	"	"	"	"	
Surrogate: Tetrachloro-meta-xylene			78.5 %	35-140		"	"	"	"	
Surrogate: Decachlorobiphenyl			85.6 %	35-140		"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
12/11/19 09:32

EB-3
T193981-28(Water)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 6010B

Antimony	ND	17	50	ug/l	1	9111527	11/15/19	11/19/19	EPA 6010b	
Silver	ND	24	50	"	"	"	"	"	"	
Arsenic	ND	17	50	"	"	"	"	"	"	
Barium	ND	13	50	"	"	"	"	"	"	
Beryllium	ND	18	50	"	"	"	"	"	"	
Cadmium	ND	21	50	"	"	"	"	"	"	
Chromium	ND	21	50	"	"	"	"	"	"	
Cobalt	ND	14	50	"	"	"	"	"	"	
Copper	ND	20	50	"	"	"	"	"	"	
Lead	ND	17	50	"	"	"	"	"	"	
Molybdenum	ND	14	50	"	"	"	"	"	"	
Nickel	ND	14	50	"	"	"	"	"	"	
Selenium	ND	19	50	"	"	"	"	"	"	
Thallium	ND	16	50	"	"	"	"	"	"	
Vanadium	ND	20	50	"	"	"	"	"	"	
Zinc	ND	17	50	"	"	"	"	"	"	

Cold Vapor Extraction EPA 7470/7471

Mercury	ND	0.022	0.50	ug/l	1	9111529	11/15/19	11/20/19	EPA 7470A Water	
---------	----	-------	------	------	---	---------	----------	----------	--------------------	--

Organochlorine Pesticides by EPA Method 8081A

alpha-BHC	ND	0.04	1.00	ug/l	1	9111825	11/18/19	11/19/19	EPA 8081A	
gamma-BHC (Lindane)	ND	0.03	1.00	"	"	"	"	"	"	
beta-BHC	ND	0.05	1.00	"	"	"	"	"	"	
delta-BHC	ND	0.02	1.00	"	"	"	"	"	"	
Heptachlor	ND	0.04	1.00	"	"	"	"	"	"	
Aldrin	ND	0.02	1.00	"	"	"	"	"	"	
Heptachlor epoxide	ND	0.04	1.00	"	"	"	"	"	"	
gamma-Chlordane	ND	0.05	1.00	"	"	"	"	"	"	
alpha-Chlordane	ND	0.03	1.00	"	"	"	"	"	"	
Endosulfan I	ND	0.02	1.00	"	"	"	"	"	"	
4,4'-DDE	ND	0.04	1.00	"	"	"	"	"	"	
Dieldrin	ND	0.03	1.00	"	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.





25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5 48 Bellarmine Ct, Suite 40 Chico CA, 95928	Project: Hamilton Union High School Project Number: 70779.01.001.003 Project Manager: Heidi Cummings	Reported: 12/11/19 09:32
--	--	-----------------------------

EB-3
T193981-28(Water)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Organochlorine Pesticides by EPA Method 8081A

Endrin	ND	0.04	1.00	ug/l	1	9111825	11/18/19	11/19/19	EPA 8081A	
4,4'-DDD	ND	0.03	1.00	"	"	"	"	"	"	
Endosulfan II	ND	0.04	1.00	"	"	"	"	"	"	
4,4'-DDT	ND	0.06	1.00	"	"	"	"	"	"	
Endrin aldehyde	ND	0.02	1.00	"	"	"	"	"	"	
Endosulfan sulfate	ND	0.05	1.00	"	"	"	"	"	"	
Methoxychlor	ND	0.03	1.00	"	"	"	"	"	"	
Endrin ketone	ND	0.05	1.00	"	"	"	"	"	"	
Chlordane (tech)	ND	1.00	10.0	"	"	"	"	"	"	
Toxaphene	ND	5.79	20.0	"	"	"	"	"	"	
Surrogate: Tetrachloro-meta-xylene			75.5 %	35-140		"	"	"	"	
Surrogate: Decachlorobiphenyl			85.8 %	35-140		"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
12/11/19 09:32

F7D-0
T193981-30(Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----	--------------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 6010B

Lead	5.17	0.967	3.00	mg/kg	1	9111532	11/15/19	11/18/19	EPA 6010b	
-------------	------	-------	------	-------	---	---------	----------	----------	-----------	--

Metals by EPA 6020 Method

Arsenic	4.7	0.0025	0.25	mg/kg	1	9121019	12/10/19	12/10/19	6020 ICP-MS	
----------------	-----	--------	------	-------	---	---------	----------	----------	----------------	--

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
12/11/19 09:32

EFGH7C-0
T193981-33(Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Organochlorine Pesticides by EPA Method 8081A

alpha-BHC	ND	0.56	5.0	ug/kg	1	9111517	11/15/19	11/18/19	EPA 8081A	
gamma-BHC (Lindane)	ND	0.96	5.0	"	"	"	"	"	"	
beta-BHC	ND	1.4	5.0	"	"	"	"	"	"	
delta-BHC	ND	0.64	5.0	"	"	"	"	"	"	
Heptachlor	ND	0.59	5.0	"	"	"	"	"	"	
Aldrin	ND	0.66	5.0	"	"	"	"	"	"	
Heptachlor epoxide	ND	0.98	5.0	"	"	"	"	"	"	
gamma-Chlordane	ND	0.93	5.0	"	"	"	"	"	"	
alpha-Chlordane	ND	0.83	5.0	"	"	"	"	"	"	
Endosulfan I	ND	0.81	5.0	"	"	"	"	"	"	
4,4'-DDE	8.3	0.78	5.0	"	"	"	"	"	"	
Dieldrin	ND	1.1	5.0	"	"	"	"	"	"	
Endrin	ND	1.1	5.0	"	"	"	"	"	"	
4,4'-DDD	ND	1.2	5.0	"	"	"	"	"	"	
Endosulfan II	ND	1.1	5.0	"	"	"	"	"	"	
4,4'-DDT	ND	0.80	5.0	"	"	"	"	"	"	
Endrin aldehyde	ND	1.7	5.0	"	"	"	"	"	"	
Endosulfan sulfate	ND	0.61	5.0	"	"	"	"	"	"	
Methoxychlor	ND	0.40	5.0	"	"	"	"	"	"	
Endrin ketone	ND	1.3	5.0	"	"	"	"	"	"	
Toxaphene	ND	5.8	20	"	"	"	"	"	"	
Chlordane (tech)	ND	5.0	50	"	"	"	"	"	"	
Chlordane (Total)	ND		5.0	"	"	"	"	"	"	
<i>Surrogate: Tetrachloro-meta-xylene</i>			54.5 %	35-140		"	"	"	"	
<i>Surrogate: Decachlorobiphenyl</i>			81.4 %	35-140		"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
12/11/19 09:32

H8D-0
T193981-40(Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----	--------------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 6010B

Lead	5.84	0.967	3.00	mg/kg	1	9111532	11/15/19	11/18/19	EPA 6010b	
-------------	-------------	-------	------	-------	---	---------	----------	----------	-----------	--

Metals by EPA 6020 Method

Arsenic	5.8	0.0025	0.25	mg/kg	1	9121019	12/10/19	12/10/19	6020 ICP-MS	
----------------	------------	--------	------	-------	---	---------	----------	----------	----------------	--

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
12/11/19 09:32

EFGH8C-0
T193981-42(Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Organochlorine Pesticides by EPA Method 8081A

alpha-BHC	ND	0.56	5.0	ug/kg	1	9111517	11/15/19	11/18/19	EPA 8081A	
gamma-BHC (Lindane)	ND	0.96	5.0	"	"	"	"	"	"	
beta-BHC	ND	1.4	5.0	"	"	"	"	"	"	
delta-BHC	ND	0.64	5.0	"	"	"	"	"	"	
Heptachlor	ND	0.59	5.0	"	"	"	"	"	"	
Aldrin	ND	0.66	5.0	"	"	"	"	"	"	
Heptachlor epoxide	ND	0.98	5.0	"	"	"	"	"	"	
gamma-Chlordane	ND	0.93	5.0	"	"	"	"	"	"	
alpha-Chlordane	ND	0.83	5.0	"	"	"	"	"	"	
Endosulfan I	ND	0.81	5.0	"	"	"	"	"	"	
4,4'-DDE	6.6	0.78	5.0	"	"	"	"	"	"	
Dieldrin	ND	1.1	5.0	"	"	"	"	"	"	
Endrin	ND	1.1	5.0	"	"	"	"	"	"	
4,4'-DDD	ND	1.2	5.0	"	"	"	"	"	"	
Endosulfan II	ND	1.1	5.0	"	"	"	"	"	"	
4,4'-DDT	ND	0.80	5.0	"	"	"	"	"	"	
Endrin aldehyde	ND	1.7	5.0	"	"	"	"	"	"	
Endosulfan sulfate	ND	0.61	5.0	"	"	"	"	"	"	
Methoxychlor	ND	0.40	5.0	"	"	"	"	"	"	
Endrin ketone	ND	1.3	5.0	"	"	"	"	"	"	
Toxaphene	ND	5.8	20	"	"	"	"	"	"	
Chlordane (tech)	ND	5.0	50	"	"	"	"	"	"	
Chlordane (Total)	ND		5.0	"	"	"	"	"	"	
Surrogate: Tetrachloro-meta-xylene			82.1 %		35-140	"	"	"	"	
Surrogate: Decachlorobiphenyl			104 %		35-140	"	"	"	"	



NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
12/11/19 09:32

EFGH8C-0-CL
T193981-43(Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Organochlorine Pesticides by EPA Method 8081A

alpha-BHC	ND	0.56	5.0	ug/kg	1	9111517	11/15/19	11/18/19	EPA 8081A	
gamma-BHC (Lindane)	ND	0.96	5.0	"	"	"	"	"	"	
beta-BHC	ND	1.4	5.0	"	"	"	"	"	"	
delta-BHC	ND	0.64	5.0	"	"	"	"	"	"	
Heptachlor	ND	0.59	5.0	"	"	"	"	"	"	
Aldrin	ND	0.66	5.0	"	"	"	"	"	"	
Heptachlor epoxide	ND	0.98	5.0	"	"	"	"	"	"	
gamma-Chlordane	ND	0.93	5.0	"	"	"	"	"	"	
alpha-Chlordane	ND	0.83	5.0	"	"	"	"	"	"	
Endosulfan I	ND	0.81	5.0	"	"	"	"	"	"	
4,4'-DDE	5.3	0.78	5.0	"	"	"	"	"	"	
Dieldrin	ND	1.1	5.0	"	"	"	"	"	"	
Endrin	ND	1.1	5.0	"	"	"	"	"	"	
4,4'-DDD	ND	1.2	5.0	"	"	"	"	"	"	
Endosulfan II	ND	1.1	5.0	"	"	"	"	"	"	
4,4'-DDT	ND	0.80	5.0	"	"	"	"	"	"	
Endrin aldehyde	ND	1.7	5.0	"	"	"	"	"	"	
Endosulfan sulfate	ND	0.61	5.0	"	"	"	"	"	"	
Methoxychlor	ND	0.40	5.0	"	"	"	"	"	"	
Endrin ketone	ND	1.3	5.0	"	"	"	"	"	"	
Toxaphene	ND	5.8	20	"	"	"	"	"	"	
Chlordane (tech)	ND	5.0	50	"	"	"	"	"	"	
Chlordane (Total)	ND		5.0	"	"	"	"	"	"	
<i>Surrogate: Tetrachloro-meta-xylene</i>			63.0 %		35-140	"	"	"	"	
<i>Surrogate: Decachlorobiphenyl</i>			90.1 %		35-140	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.





25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5
 48 Bellarmine Ct, Suite 40
 Chico CA, 95928

Project: Hamilton Union High School
 Project Number: 70779.01.001.003
 Project Manager: Heidi Cummings

Reported:
 12/11/19 09:32

Metals by EPA 6010B - Quality Control
SunStar Laboratories, Inc.

Analyte	Result	MDL	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 9111527 - EPA 3010A

Blank (9111527-BLK1)

Prepared: 11/15/19 Analyzed: 11/19/19

Antimony	ND	17	50	ug/l							
Silver	ND	24	50	"							
Arsenic	ND	17	50	"							
Barium	ND	13	50	"							
Beryllium	ND	18	50	"							
Cadmium	ND	21	50	"							
Chromium	ND	21	50	"							
Cobalt	ND	14	50	"							
Copper	ND	20	50	"							
Lead	ND	17	50	"							
Molybdenum	ND	14	50	"							
Nickel	ND	14	50	"							
Selenium	ND	19	50	"							
Thallium	ND	16	50	"							
Vanadium	ND	20	50	"							
Zinc	ND	17	50	"							

LCS (9111527-BS1)

Prepared: 11/15/19 Analyzed: 11/19/19

Arsenic	525	17	50	ug/l	500		105	75-125			
Barium	538	13	50	"	500		108	75-125			
Cadmium	543	21	50	"	500		109	75-125			
Chromium	539	21	50	"	500		108	75-125			
Lead	525	17	50	"	500		105	75-125			

Batch 9111532 - EPA 3050B

Blank (9111532-BLK1)

Prepared: 11/15/19 Analyzed: 11/18/19

Arsenic	ND	0.800	5.00	mg/kg							
Lead	ND	0.967	3.00	"							

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
12/11/19 09:32

Metals by EPA 6010B - Quality Control
SunStar Laboratories, Inc.

Analyte	Result	MDL	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 9111532 - EPA 3050B

LCS (9111532-BS1)

Prepared: 11/15/19 Analyzed: 11/18/19

Arsenic	97.4	0.800	5.00	mg/kg	100		97.4	75-125			
Lead	99.5	0.967	3.00	"	100		99.5	75-125			

Matrix Spike (9111532-MS1)

Source: T193974-24

Prepared: 11/15/19 Analyzed: 11/18/19

Arsenic	73.0	0.800	5.00	mg/kg	99.0		73.7	75-125			QM-05
Lead	76.9	0.967	3.00	"	99.0		77.7	75-125			QM-05

Matrix Spike Dup (9111532-MSD1)

Source: T193974-24

Prepared: 11/15/19 Analyzed: 11/18/19

Arsenic	66.9	0.800	5.00	mg/kg	93.5		71.6	75-125	8.64	20	QM-05
Lead	68.9	0.967	3.00	"	93.5		73.8	75-125	11.0	20	QM-05

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
12/11/19 09:32

Metals by EPA 6020 Method - Quality Control

SunStar Laboratories, Inc.

Analyte	Result	MDL	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 9121019 - EPA 3050B											
Blank (9121019-BLK1)											
						Prepared & Analyzed: 12/10/19					
Arsenic	ND	0.0025	0.25	mg/kg							
Thallium	ND	0.099	0.25	"							
LCS (9121019-BS1)											
						Prepared & Analyzed: 12/10/19					
Arsenic	25.9	0.0025	0.25	mg/kg	25.0		104	80-120			
Matrix Spike (9121019-MS1)											
						Source: T193941-46 Prepared & Analyzed: 12/10/19					
Arsenic	30.7	0.0025	0.25	mg/kg	24.8	5.81	101	75-125			
Matrix Spike Dup (9121019-MSD1)											
						Source: T193941-46 Prepared & Analyzed: 12/10/19					
Arsenic	29.1	0.0025	0.25	mg/kg	24.8	5.81	94.1	75-125	5.46	20	



NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
12/11/19 09:32

Cold Vapor Extraction EPA 7470/7471 - Quality Control

SunStar Laboratories, Inc.

Analyte	Result	MDL	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 9111529 - EPA 7470A Water											
Blank (9111529-BLK1)											
						Prepared: 11/15/19 Analyzed: 11/20/19					
Mercury	ND	0.022	0.50	ug/l							
LCS (9111529-BS1)											
						Prepared: 11/15/19 Analyzed: 11/20/19					
Mercury	4.42	0.022	0.50	ug/l	5.00	ND	88.5	80-120			
Matrix Spike (9111529-MS1)											
						Source: T193981-27 Prepared: 11/15/19 Analyzed: 11/20/19					
Mercury	4.10	0.022	0.50	ug/l	5.00	ND	81.9	75-125			
Matrix Spike Dup (9111529-MSD1)											
						Source: T193981-27 Prepared: 11/15/19 Analyzed: 11/20/19					
Mercury	4.22	0.022	0.50	ug/l	5.00	ND	84.4	75-125	2.91	20	





25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5 48 Bellarmine Ct, Suite 40 Chico CA, 95928	Project: Hamilton Union High School Project Number: 70779.01.001.003 Project Manager: Heidi Cummings	Reported: 12/11/19 09:32
--	--	-----------------------------

Organochlorine Pesticides by EPA Method 8081A - Quality Control
SunStar Laboratories, Inc.

Analyte	Result	MDL	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 9111517 - EPA 3550 ECD/GCMS

Blank (9111517-BLK1)

Prepared: 11/15/19 Analyzed: 11/18/19

Surrogate: Tetrachloro-meta-xylene	9.16			ug/kg	10.1		90.6	35-140			
Surrogate: Decachlorobiphenyl	14.3			"	10.1		141	35-140			S-GC
alpha-BHC	ND	0.56	5.0	"							
gamma-BHC (Lindane)	ND	0.96	5.0	"							
beta-BHC	ND	1.4	5.0	"							
delta-BHC	ND	0.64	5.0	"							
Heptachlor	ND	0.59	5.0	"							
Aldrin	ND	0.66	5.0	"							
Heptachlor epoxide	ND	0.98	5.0	"							
gamma-Chlordane	ND	0.93	5.0	"							
alpha-Chlordane	ND	0.83	5.0	"							
Endosulfan I	ND	0.81	5.0	"							
4,4'-DDE	ND	0.78	5.0	"							
Dieldrin	ND	1.1	5.0	"							
Endrin	ND	1.1	5.0	"							
4,4'-DDD	ND	1.2	5.0	"							
Endosulfan II	ND	1.1	5.0	"							
4,4'-DDT	ND	0.80	5.0	"							
Endrin aldehyde	ND	1.7	5.0	"							
Endosulfan sulfate	ND	0.61	5.0	"							
Methoxychlor	ND	0.40	5.0	"							
Endrin ketone	ND	1.3	5.0	"							
Toxaphene	ND	5.8	20	"							
Chlordane (tech)	ND	5.0	50	"							
Chlordane (Total)	ND		5.0	"							

LCS (9111517-BS1)

Prepared: 11/15/19 Analyzed: 11/19/19

Surrogate: Tetrachloro-meta-xylene	10.0			ug/kg	10.1		99.2	35-140			
------------------------------------	------	--	--	-------	------	--	------	--------	--	--	--

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5
 48 Bellarmine Ct, Suite 40
 Chico CA, 95928

Project: Hamilton Union High School
 Project Number: 70779.01.001.003
 Project Manager: Heidi Cummings

Reported:
 12/11/19 09:32

Organochlorine Pesticides by EPA Method 8081A - Quality Control
SunStar Laboratories, Inc.

Analyte	Result	MDL	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 9111517 - EPA 3550 ECD/GCMS

LCS (9111517-BS1)

Prepared: 11/15/19 Analyzed: 11/19/19

Surrogate: Decachlorobiphenyl	11.0			ug/kg	10.1		109	35-140			
gamma-BHC (Lindane)	43.0	0.96	5.0	"	40.4		106	40-120			
Heptachlor	43.2	0.59	5.0	"	40.4		107	40-120			
Aldrin	39.1	0.66	5.0	"	40.4		96.8	40-120			
Dieldrin	43.4	1.1	5.0	"	40.4		108	40-120			
Endrin	43.8	1.1	5.0	"	40.4		109	40-120			
4,4'-DDT	41.7	0.80	5.0	"	40.4		103	33-147			

LCS Dup (9111517-BSD1)

Prepared: 11/15/19 Analyzed: 11/19/19

Surrogate: Tetrachloro-meta-xylene	8.92			ug/kg	10.1		88.4	35-140			
Surrogate: Decachlorobiphenyl	12.1			"	10.1		120	35-140			
gamma-BHC (Lindane)	41.5	0.96	5.0	"	40.4		103	40-120	3.54	30	
Heptachlor	42.8	0.59	5.0	"	40.4		106	40-120	0.838	30	
Aldrin	40.0	0.66	5.0	"	40.4		98.9	40-120	2.19	30	
Dieldrin	46.2	1.1	5.0	"	40.4		114	40-120	6.26	30	
Endrin	46.6	1.1	5.0	"	40.4		115	40-120	6.06	30	
4,4'-DDT	45.5	0.80	5.0	"	40.4		113	33-147	8.74	30	

Batch 9111825 - EPA 3510C GCMS/ECD

Blank (9111825-BLK1)

Prepared: 11/18/19 Analyzed: 11/19/19

Surrogate: Tetrachloro-meta-xylene	0.823			ug/l	1.00		82.3	35-140			
Surrogate: Decachlorobiphenyl	0.965			"	1.00		96.5	35-140			
alpha-BHC	ND	0.04	1.00	"							
gamma-BHC (Lindane)	ND	0.03	1.00	"							
beta-BHC	ND	0.05	1.00	"							
delta-BHC	ND	0.02	1.00	"							
Heptachlor	ND	0.04	1.00	"							
Aldrin	ND	0.02	1.00	"							

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5
 48 Bellarmine Ct, Suite 40
 Chico CA, 95928

Project: Hamilton Union High School
 Project Number: 70779.01.001.003
 Project Manager: Heidi Cummings

Reported:
 12/11/19 09:32

Organochlorine Pesticides by EPA Method 8081A - Quality Control
SunStar Laboratories, Inc.

Analyte	Result	MDL	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 9111825 - EPA 3510C GCMS/ECD

Blank (9111825-BLK1)

Prepared: 11/18/19 Analyzed: 11/19/19

Heptachlor epoxide	ND	0.04	1.00	ug/l							
gamma-Chlordane	ND	0.05	1.00	"							
alpha-Chlordane	ND	0.03	1.00	"							
Endosulfan I	ND	0.02	1.00	"							
4,4'-DDE	ND	0.04	1.00	"							
Dieldrin	ND	0.03	1.00	"							
Endrin	ND	0.04	1.00	"							
4,4'-DDD	ND	0.03	1.00	"							
Endosulfan II	ND	0.04	1.00	"							
4,4'-DDT	ND	0.06	1.00	"							
Endrin aldehyde	ND	0.02	1.00	"							
Endosulfan sulfate	ND	0.05	1.00	"							
Methoxychlor	ND	0.03	1.00	"							
Endrin ketone	ND	0.05	1.00	"							
Chlordane (tech)	ND	1.00	10.0	"							
Toxaphene	ND	5.79	20.0	"							

LCS (9111825-BS1)

Prepared: 11/18/19 Analyzed: 11/19/19

Surrogate: Tetrachloro-meta-xylene	0.737			ug/l	1.00		73.7	35-140			
Surrogate: Decachlorobiphenyl	0.928			"	1.00		92.8	35-140			
gamma-BHC (Lindane)	3.79	0.03	1.00	"	4.00		94.6	40-120			
Heptachlor	3.79	0.04	1.00	"	4.00		94.7	40-120			
Aldrin	3.41	0.02	1.00	"	4.00		85.2	40-120			
Dieldrin	4.05	0.03	1.00	"	4.00		101	40-120			
Endrin	4.24	0.04	1.00	"	4.00		106	40-120			
4,4'-DDT	4.15	0.06	1.00	"	4.00		104	40-120			

LCS Dup (9111825-BSD1)

Prepared: 11/18/19 Analyzed: 11/19/19

Surrogate: Tetrachloro-meta-xylene	0.866			ug/l	1.00		86.6	35-140			
------------------------------------	-------	--	--	------	------	--	------	--------	--	--	--

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5
 48 Bellarmine Ct, Suite 40
 Chico CA, 95928

Project: Hamilton Union High School
 Project Number: 70779.01.001.003
 Project Manager: Heidi Cummings

Reported:
 12/11/19 09:32

Organochlorine Pesticides by EPA Method 8081A - Quality Control

SunStar Laboratories, Inc.

Analyte	Result	MDL	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 9111825 - EPA 3510C GCMS/ECD

LCS Dup (9111825-BSD1)

Prepared: 11/18/19 Analyzed: 11/19/19

Surrogate: Decachlorobiphenyl	0.978			ug/l	1.00		97.8	35-140			
gamma-BHC (Lindane)	4.28	0.03	1.00	"	4.00		107	40-120	12.2	20	
Heptachlor	4.26	0.04	1.00	"	4.00		106	40-120	11.7	20	
Aldrin	3.96	0.02	1.00	"	4.00		99.0	40-120	15.0	20	
Dieldrin	4.45	0.03	1.00	"	4.00		111	40-120	9.33	20	
Endrin	4.59	0.04	1.00	"	4.00		115	40-120	7.84	20	
4,4'-DDT	4.42	0.06	1.00	"	4.00		110	40-120	6.31	20	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
12/11/19 09:32

Notes and Definitions

S-GC Surrogate recovery outside of established control limits. The data was accepted based on valid recovery of the remaining surrogate(s).

QM-05 The spike recovery was outside acceptance limits for the MS and/or MSD due to possible matrix interference. The LCS was within acceptance criteria. The data is acceptable as no negative impact on data is expected.

J Detected but below the Standard Reporting Limit; therefore, result is an estimated concentration (CLP J-Flag).

DET Analyte DETECTED

ND Analyte NOT DETECTED at or above the Method Detection Limit (MDL)

NR Not Reported

dry Sample results reported on a dry weight basis

RPD Relative Percent Difference



Chain of Custody Record

SunStar Laboratories
 25712 Commerce Centre Dr
 Lake Forest, CA 92630
 949-297-5020

Client: NV5
 Address: 48 Bellamine Court, Ste 40, Chico, CA 95928
 Phone: 530-894-2487 Fax: 530-894-2437
 Project Manager: Heidi Cummings, heidi.cummings@NV5.com

Date: 11/14/2019
 Project Name: Hamilton Union High School
 Collector: HJC/CWB Client Project #: 70779.01.001.003
 Batch #: 793981 EDF #: _____

Sample ID	Date Sampled	Time	Sample Type	Container Type	Arsenic EPA 6010	Lead EPA 6010	OCPs EPA 8081	Lab to prepare EF-1/EF-2C-0 as 4:1 composite of E1D-0, F1D-0, E2D-0 and F2D-0	Laboratory ID #	Comments/Preservative	Total # of	
E1D-0	11/13/2019	0850	SOIL	8 oz jar					01		1	
F1D-0	11/13/2019	0900	SOIL	8 oz jar					02		1	
E2D-0	11/13/2019	0925	SOIL	8 oz jar	X	X			03		1	
F2D-0	11/13/2019	0915	SOIL	8 oz jar					04		1	
E3D-0	11/13/2019	0940	SOIL	8 oz jar					06		1	
E3D-0-CL	11/13/2019	0945	SOIL	8 oz jar					07		1	
F3D-0	11/13/2019	1000	SOIL	8 oz jar	X	X			08		1	
F3D-0-CL	11/13/2019	1005	SOIL	8 oz jar					09		1	
F3D-0-FR	11/13/2019	1001	SOIL	8 oz jar	X	X			10		1	
E4D-0	11/13/2019	1050	SOIL	8 oz jar					11		1	
E4D-0-CL	11/13/2019	1055	SOIL	8 oz jar					12		1	
F4D-0	11/13/2019	1025	SOIL	8 oz jar					13		1	
F4D-0-CL	11/13/2019	1035	SOIL	8 oz jar					14		1	
Relinquished by: (signature) <u>[Signature]</u>					Received by: (signature) <u>GSO</u>			Total # of containers: _____				
Date / Time: <u>11/14/19 1600</u>					Date / Time: <u>11/14/19 1600</u>			Chain of Custody seals: <u>N/A</u>				
Relinquished by: (signature) <u>GSO</u>					Received by: (signature) <u>[Signature]</u>			Seals intact? <u>N/A</u>				
Date / Time: <u>11-15-19 8:34</u>					Date / Time: <u>11-15-19 8:34</u>			Received good condition/cold: <u>2.5%</u>				
Relinquished by: (signature) _____					Received by: (signature) _____			Turn around time: <u>5 day</u>				
Date / Time: _____					Date / Time: _____			Notes: Method 8081 report Chlordane and Technical Chlordane Please return H&K/NV5 ice chests				

Sample disposal instructions: Disposal @ \$2.00 each _____

Return to client _____ Pickup _____

SunStar Laboratories
 25712 Commercentre Dr
 Lake Forest, CA 92630
 949-297-5020

Chain of Custody Record

Client: NV5
 Address: 48 Bellarmine Court, Ste 40, Chico, CA 95928
 Phone: 530-894-2487 Fax: 530-894-2437
 Project Manager: Heidi Cummings, heidi.cummings@NV5.com

Date: 11/14/2019
 Project Name: Hamilton Union High School
 Collector: HJC/CWB Client Project #: 70779.01.001.003
 Batch #: ~~79988~~ 79981 EDF #:

Sample ID	Date Sampled	Time	Sample Type	Container Type	Arsenic EPA 6010	Lead EPA 6010	OCPs EPA 8081	Title 22 Metals	Laboratory ID #	Comments/Preservative	Total # of
E5D-0	11/13/2019	1130	SOIL	8 oz jar	X					Lab to prepare EF3EF4C-0-CL as 4:1 composite of E3D-0-CL, F3D-0-CL, E4D-0-CL and F4D-0-	1
F5D-0	11/13/2019	1140	SOIL	8 oz jar							1
G5D-0	11/13/2019	1155	SOIL	8 oz jar							1
H5D-0	11/13/2019	1210	SOIL	8 oz jar							1
E6D-0	11/13/2019	1230	SOIL	8 oz jar			X			Lab to prepare EF6GH5C-0 as 4:1 composite of E5D-0, F5D-0, G5D-0 and H5D-0	1
F6D-0	11/13/2019	1240	SOIL	8 oz jar							1
G6D-0	11/13/2019	1255	SOIL	8 oz jar							1
H6D-0	11/13/2019	1310	SOIL	8 oz jar	X						1
EB-2	11/12/2019	1500	Water	Amber, plastic			X				2
EB-3	11/13/2019	1500	Water	Amber, plastic			X				2
Relinquished by: (signature)		Date / Time	Received by: (signature)		Date / Time	Total # of containers		Chain of Custody seals		Notes	
<i>[Signature]</i>		11/14/19 1600	GSO		11/14/19 1600	0/N/A		0/N/A		Method 8081 report Chloroform and Technical Chloroform Please return H&K/NV5 Ice chests	
Relinquished by: (signature)		Date / Time	Received by: (signature)		Date / Time	Seals intact?		Received good condition/cold			
<i>[Signature]</i>		11-15-19 8:34	<i>[Signature]</i>		11-15-19 8:34	0/N/A		2/2			
Relinquished by: (signature)		Date / Time	Received by: (signature)		Date / Time	Turn around time:					
<i>[Signature]</i>			<i>[Signature]</i>			5 day					

Sample disposal instructions: Disposal @ \$2.00 each

Return to client

Pickup

Client: NV5
Address: 48 Bellamine Court, Ste 40, Chico, CA 95928
Phone: 530-894-2487 Fax: 530-894-2437
Project Manager: Heidi Cummings, heidi.cummings@NV5.com

Date: 11/14/2019
Project Name: Hamilton Union High School
Collector: HJGCWB Client Project #: 70779.01.001.003
Batch #: 7192981 EDF #: _____

Sample ID	Date Sampled	Time	Sample Type	Container Type	Arsenic EPA 6010	Lead EPA 6010	OCPs EPA 8081	Laboratory ID #	Comments/Preservative	Total # of
E7D-0	11/13/2019	1320	SOIL	8 oz jar	X	X		29		1
F7D-0	11/13/2019	1330	SOIL	8 oz jar				30		1
G7D-0	11/13/2019	1345	SOIL	8 oz jar				31		1
H7D-0	11/13/2019	1400	SOIL	8 oz jar			X	32		1
E8D-0	11/13/2019	1415	SOIL	8 oz jar				34		1
F8D-0-CL	11/13/2019	1425	SOIL	8 oz jar				35		1
F8D-0	11/13/2019	1435	SOIL	8 oz jar				36		1
F8D-0-CL	11/13/2019	1445	SOIL	8 oz jar				37		1
G8D-0	11/13/2019	1500	SOIL	8 oz jar				38		1
G8D-0-CL	11/13/2019	1510	SOIL	8 oz jar				39		1
H8D-0	11/13/2019	1525	SOIL	8 oz jar	X	X		40		1
H8D-0-CL	11/13/2019	1535	SOIL	8 oz jar			X	41		1
Relinquished by: (signature) <u>[Signature]</u> Date / Time <u>11/14/19 1600</u>					Received by: (signature) <u>[Signature]</u> Date / Time <u>11/14/19 1600</u>					
Relinquished by: (signature) <u>[Signature]</u> Date / Time <u>11/15/19 8:34</u>					Received by: (signature) <u>[Signature]</u> Date / Time <u>11/15/19 8:34</u>					
Relinquished by: (signature) _____ Date / Time _____					Received by: (signature) _____ Date / Time _____					
Sample disposal instructions: Disposal @ \$2.00 each _____					Return to client _____	Pickup _____				
Total # of containers _____					Chain of Custody seals _____					
Received good condition/cold _____					Seals intact _____					
Turn around time: <u>5 day</u>										
Notes					Method 8081 report Chloroform and Technical Chloroform Please return H&K/NV5 ice chests					

SAMPLE RECEIVING REVIEW SHEET

Batch/Work Order #: 7193981
 Client Name: NV5 Project: HAMILTON UNION HIGH SCHOOL
 Delivered by: Client SunStar Courier GSO FedEx Other
 If Courier, Received by: _____ Date/Time Courier Received: _____
 Lab Received by: SUNNY Date/Time Lab Received: 11-15-19 / 8:34
 Total number of coolers received: 1 Thermometer ID: SC-1 Calibration due: 6/27/20

Temperature: Cooler #1	1.3	°C +/- the CF (+ 1.2°C) =	2.5	°C corrected temperature
Temperature: Cooler #2		°C +/- the CF (+ 1.2°C) =		°C corrected temperature
Temperature: Cooler #3		°C +/- the CF (+ 1.2°C) =		°C corrected temperature
Temperature criteria = ≤ 6°C (no frozen containers)		Within criteria?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
If NO:				
Samples received on ice?		<input type="checkbox"/> Yes	<input type="checkbox"/> No → Complete Non-Conformance Sheet	
If on ice, samples received same day collected?		<input type="checkbox"/> Yes → Acceptable	<input type="checkbox"/> No → Complete Non-Conformance Sheet	

Custody seals intact on cooler/sample Yes No* N/A
 Sample containers intact Yes No*
 Sample labels match Chain of Custody IDs Yes No*
 Total number of containers received match COC Yes No*
 Proper containers received for analyses requested on COC Yes No*
 Proper preservative indicated on COC/containers for analyses requested Yes No* N/A
 Complete shipment received in good condition with correct temperatures, containers, labels, volumes preservatives and within method specified holding times Yes No*

* Complete Non-Conformance Receiving Sheet if checked Cooler/Sample Review - Initials and date: SL 11-15-19

Comments: _____

WORK ORDER

T193981

Client: NV5
Project: Hamilton Union High School

Project Manager: Jeff Lee
Project Number: 70779.01.001.003

Report To:

NV5
 Heidi Cummings
 48 Bellarmine Ct, Suite 40
 Chico, CA 95928

Date Due: 11/22/19 17:00 (5 day TAT)

Received By: Sunny Lounethone

Date Received: 11/15/19 08:34

Logged In By: Sunny Lounethone

Date Logged In: 11/15/19 11:57

Samples Received at: **2.5°C**
 Custody Seals Yes Received On Ice Yes
 Containers Intact Yes
 COC/Labels Agree Yes
 Preservation Confir No

Analysis	Due	TAT	Expires	Comments
T193981-01 E1D-0 [Soil] Sampled 11/13/19 08:50 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				
T193981-02 F1D-0 [Soil] Sampled 11/13/19 09:00 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				
T193981-03 E2D-0 [Soil] Sampled 11/13/19 09:25 (GMT-08:00) Pacific Time (US & 6010 Individual Metals	11/22/19 15:00	5	05/11/20 09:25	As and Pb only
T193981-04 F2D-0 [Soil] Sampled 11/13/19 09:15 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				
T193981-05 EF1EF2C-0 [Soil] Sampled 11/13/19 00:00 (GMT-08:00) Pacific Time (US & 8081 Pesticides	11/22/19 15:00	5	11/27/19 00:00	COMPOSITE 4:1 (E1D-0, F1D-0, E2D-0, F2D-0)
T193981-06 E3D-0 [Soil] Sampled 11/13/19 09:40 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				
T193981-07 E3D-0-CL [Soil] Sampled 11/13/19 09:45 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				

WORK ORDER

T193981

Client: NV5	Project Manager: Jeff Lee
Project: Hamilton Union High School	Project Number: 70779.01.001.003

Analysis	Due	TAT	Expires	Comments
T193981-08 F3D-0 [Soil] Sampled 11/13/19 10:00 (GMT-08:00) Pacific Time (US &				
6010 Individual Metals	11/22/19 15:00	5	05/11/20 10:00	As and Pb only
T193981-09 F3D-0-CL [Soil] Sampled 11/13/19 10:05 (GMT-08:00) Pacific Time (US &				
[NO ANALYSES]				
T193981-10 F3D-0-FR [Soil] Sampled 11/13/19 10:01 (GMT-08:00) Pacific Time (US &				
6010 Individual Metals	11/22/19 15:00	5	05/11/20 10:01	As and Pb only
T193981-11 E4D-0 [Soil] Sampled 11/13/19 10:50 (GMT-08:00) Pacific Time (US &				
[NO ANALYSES]				
T193981-12 E4D-0-CL [Soil] Sampled 11/13/19 11:05 (GMT-08:00) Pacific Time (US &				
[NO ANALYSES]				
T193981-13 F4D-0 [Soil] Sampled 11/13/19 10:25 (GMT-08:00) Pacific Time (US &				
[NO ANALYSES]				
T193981-14 F4D-0-CL [Soil] Sampled 11/13/19 10:35 (GMT-08:00) Pacific Time (US &				
[NO ANALYSES]				
T193981-15 EF3EF4C-0 [Soil] Sampled 11/13/19 00:00 (GMT-08:00) Pacific Time (US &				
8081 Pesticides	11/22/19 15:00	5	11/27/19 00:00	COMPOSITE 4:1 (E3D-0, F3D-0, E4D-0, F4D-0)
T193981-16 EF3EF4C-0-CL [Soil] Sampled 11/13/19 00:00 (GMT-08:00) Pacific Time (US &				
8081 Pesticides	11/22/19 15:00	5	11/27/19 00:00	COMPOSITE 4:1 (E3D-0-CL, F3D-0-CL, E4D-0-CL, F4D-0-CL)
T193981-17 E5D-0 [Soil] Sampled 11/13/19 11:30 (GMT-08:00) Pacific Time (US &				
6010 Individual Metals	11/22/19 15:00	5	05/11/20 11:30	As and Pb only
T193981-18 F5D-0 [Soil] Sampled 11/13/19 11:40 (GMT-08:00) Pacific Time (US &				
[NO ANALYSES]				

WORK ORDER

T193981

Client: NV5	Project Manager: Jeff Lee
Project: Hamilton Union High School	Project Number: 70779.01.001.003

Analysis	Due	TAT	Expires	Comments
T193981-19 G5D-0 [Soil] Sampled 11/13/19 11:55 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				
T193981-20 H5D-0 [Soil] Sampled 11/13/19 12:10 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				
T193981-21 EFGH5C-0 [Soil] Sampled 11/13/19 00:00 (GMT-08:00) Pacific Time (US & COMPOSITE 4:1 (E5D-0, F5D-0, G5D-0, H5D-0)				
8081 Pesticides	11/22/19 15:00	5	11/27/19 00:00	
T193981-22 E6D-0 [Soil] Sampled 11/13/19 12:30 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				
T193981-23 F6D-0 [Soil] Sampled 11/13/19 12:40 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				
T193981-24 G6D-0 [Soil] Sampled 11/13/19 12:55 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				
T193981-25 H6D-0 [Soil] Sampled 11/13/19 13:10 (GMT-08:00) Pacific Time (US & 6010 Individual Metals				
	11/22/19 15:00	5	05/11/20 13:10	As and Pb only
T193981-26 EFGH6C-0 [Soil] Sampled 11/13/19 00:00 (GMT-08:00) Pacific Time (US & COMPOSITE 4:1 (E6D-0, F6D-0, G6D-0, H6D-0)				
8081 Pesticides	11/22/19 15:00	5	11/27/19 00:00	
T193981-27 EB-2 [Water] Sampled 11/13/19 15:00 (GMT-08:00) Pacific Time (US & 6010 Title 22				
	11/22/19 15:00	5	05/11/20 15:00	
8081 Pesticides	11/22/19 15:00	5	11/20/19 15:00	
T193981-28 EB-3 [Water] Sampled 11/13/19 15:00 (GMT-08:00) Pacific Time (US & 6010 Title 22				
	11/22/19 15:00	5	05/11/20 15:00	
8081 Pesticides	11/22/19 15:00	5	11/20/19 15:00	

WORK ORDER

T193981

Client: NV5	Project Manager: Jeff Lee
Project: Hamilton Union High School	Project Number: 70779.01.001.003

Analysis	Due	TAT	Expires	Comments
T193981-29 E7D-0 [Soil] Sampled 11/13/19 13:20 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				
T193981-30 F7D-0 [Soil] Sampled 11/13/19 13:30 (GMT-08:00) Pacific Time (US & 6010 Individual Metals 11/22/19 15:00 5 05/11/20 13:30 As and Pb only				
T193981-31 G7D-0 [Soil] Sampled 11/13/19 13:45 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				
T193981-32 H7D-0 [Soil] Sampled 11/13/19 14:00 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				
T193981-33 EFGH7C-0 [Soil] Sampled 11/13/19 00:00 (GMT-08:00) Pacific Time (US & 8081 Pesticides 11/22/19 15:00 5 11/27/19 00:00 COMPOSITE 4:1 (E7D-0, F7D-0, G7D-0, H7D-0)				
T193981-34 E8D-0 [Soil] Sampled 11/13/19 14:15 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				
T193981-35 E8D-0-CL [Soil] Sampled 11/13/19 14:25 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				
T193981-36 F8D-0 [Soil] Sampled 11/13/19 14:35 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				
T193981-37 F8D-0-CL [Soil] Sampled 11/13/19 14:45 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				
T193981-38 G8D-0 [Soil] Sampled 11/13/19 15:00 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				
T193981-39 G8D-0-CL [Soil] Sampled 11/13/19 15:10 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				

WORK ORDER

T193981

Client: NV5	Project Manager: Jeff Lee
Project: Hamilton Union High School	Project Number: 70779.01.001.003

Analysis	Due	TAT	Expires	Comments
T193981-40 H8D-0 [Soil] Sampled 11/13/19 15:25 (GMT-08:00) Pacific Time (US &				
6010 Individual Metals	11/22/19 15:00	5	05/11/20 15:25	As and Pb only
T193981-41 H8D-0-CL [Soil] Sampled 11/13/19 15:35 (GMT-08:00) Pacific Time (US &				
[NO ANALYSES]				
T193981-42 EFGH8C-0 [Soil] Sampled 11/13/19 00:00 (GMT-08:00) Pacific Time (US &				
8081 Pesticides	11/22/19 15:00	5	11/27/19 00:00	COMPOSITE 4:1 (E8D-0, F8D-0, G8D-0, H8D-0)
T193981-43 EFGH8C-0-CL [Soil] Sampled 11/13/19 00:00 (GMT-08:00) Pacific Time (US &				
8081 Pesticides	11/22/19 15:00	5	11/27/19 00:00	COMPOSITE 4:1 (E8D-0-CL, F8D-0-CL, G8D-0-CL, H8D-0-CL)

Analysis groups included in this work order

6010 Title 22

subgroup 6010B T22 7470/71 Hg



25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

26 November 2019

Heidi Cummings

NV5

48 Bellarmine Ct, Suite 40

Chico, CA 95928

RE: Hamilton Union High School

Enclosed are the results of analyses for samples received by the laboratory on 11/20/19 08:42. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Jeff Lee

Project Manager



25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.02
Project Manager: Heidi Cummings

Reported:
11/26/19 09:54

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
AW-1	T194029-01	Water	11/19/19 14:40	11/20/19 08:42

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.02
Project Manager: Heidi Cummings

Reported:
11/26/19 09:54

DETECTIONS SUMMARY

Sample ID: AW-1

Laboratory ID: T194029-01

No Results Detected

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5 48 Bellarmine Ct, Suite 40 Chico CA, 95928	Project: Hamilton Union High School Project Number: 70779.02 Project Manager: Heidi Cummings	Reported: 11/26/19 09:54
--	--	-----------------------------

AW-1
T194029-01 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Organochlorine Pesticides by EPA Method 8081A

alpha-BHC	ND	1.00	ug/l	1	9112032	11/20/19	11/25/19	EPA 8081A	
gamma-BHC (Lindane)	ND	1.00	"	"	"	"	"	"	
beta-BHC	ND	1.00	"	"	"	"	"	"	
delta-BHC	ND	1.00	"	"	"	"	"	"	
Heptachlor	ND	1.00	"	"	"	"	"	"	
Aldrin	ND	1.00	"	"	"	"	"	"	
Heptachlor epoxide	ND	1.00	"	"	"	"	"	"	
gamma-Chlordane	ND	1.00	"	"	"	"	"	"	
alpha-Chlordane	ND	1.00	"	"	"	"	"	"	
Endosulfan I	ND	1.00	"	"	"	"	"	"	
4,4'-DDE	ND	1.00	"	"	"	"	"	"	
Dieldrin	ND	1.00	"	"	"	"	"	"	
Endrin	ND	1.00	"	"	"	"	"	"	
4,4'-DDD	ND	1.00	"	"	"	"	"	"	
Endosulfan II	ND	1.00	"	"	"	"	"	"	
4,4'-DDT	ND	1.00	"	"	"	"	"	"	
Endrin aldehyde	ND	1.00	"	"	"	"	"	"	
Endosulfan sulfate	ND	1.00	"	"	"	"	"	"	
Methoxychlor	ND	1.00	"	"	"	"	"	"	
Endrin ketone	ND	1.00	"	"	"	"	"	"	
Toxaphene	ND	20.0	"	"	"	"	"	"	
Surrogate: Tetrachloro-meta-xylene		80.3 %		35-140	"	"	"	"	
Surrogate: Decachlorobiphenyl		99.7 %		35-140	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5
 48 Bellarmine Ct, Suite 40
 Chico CA, 95928

Project: Hamilton Union High School
 Project Number: 70779.02
 Project Manager: Heidi Cummings

Reported:
 11/26/19 09:54

Organochlorine Pesticides by EPA Method 8081A - Quality Control

SunStar Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 9112032 - EPA 3510C GCMS/ECD

Blank (9112032-BLK1)

Prepared: 11/20/19 Analyzed: 11/25/19

alpha-BHC	ND	1.00	ug/l							
gamma-BHC (Lindane)	ND	1.00	"							
beta-BHC	ND	1.00	"							
delta-BHC	ND	1.00	"							
Heptachlor	ND	1.00	"							
Aldrin	ND	1.00	"							
Heptachlor epoxide	ND	1.00	"							
gamma-Chlordane	ND	1.00	"							
alpha-Chlordane	ND	1.00	"							
Endosulfan I	ND	1.00	"							
4,4'-DDE	ND	1.00	"							
Dieldrin	ND	1.00	"							
Endrin	ND	1.00	"							
4,4'-DDD	ND	1.00	"							
Endosulfan II	ND	1.00	"							
4,4'-DDT	ND	1.00	"							
Endrin aldehyde	ND	1.00	"							
Endosulfan sulfate	ND	1.00	"							
Methoxychlor	ND	1.00	"							
Endrin ketone	ND	1.00	"							
Toxaphene	ND	20.0	"							

Surrogate: Tetrachloro-meta-xylene

ND 1.00 " 1.00 85.3 35-140

Surrogate: Decachlorobiphenyl

0.907 1.00 " 1.00 90.7 35-140

LCS (9112032-BS1)

Prepared: 11/20/19 Analyzed: 11/25/19

gamma-BHC (Lindane)	3.33	1.00	ug/l	4.00		83.3	40-120
Heptachlor	3.43	1.00	"	4.00		85.8	40-120
Aldrin	3.11	1.00	"	4.00		77.7	40-120
Dieldrin	3.61	1.00	"	4.00		90.2	40-120
Endrin	3.73	1.00	"	4.00		93.2	40-120
4,4'-DDT	3.80	1.00	"	4.00		95.1	40-120

Surrogate: Tetrachloro-meta-xylene

0.828 1.00 " 1.00 82.8 35-140

Surrogate: Decachlorobiphenyl

0.993 1.00 " 1.00 99.3 35-140

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager

NV5 48 Bellarmine Ct, Suite 40 Chico CA, 95928	Project: Hamilton Union High School Project Number: 70779.02 Project Manager: Heidi Cummings	Reported: 11/26/19 09:54
--	--	-----------------------------

Organochlorine Pesticides by EPA Method 8081A - Quality Control

SunStar Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 9112032 - EPA 3510C GCMS/ECD

LCS Dup (9112032-BSD1)

Prepared: 11/20/19 Analyzed: 11/25/19

gamma-BHC (Lindane)	3.21	1.00	ug/l	4.00		80.3	40-120	3.72	20	
Heptachlor	3.23	1.00	"	4.00		80.8	40-120	5.97	20	
Aldrin	2.91	1.00	"	4.00		72.8	40-120	6.51	20	
Dieldrin	3.39	1.00	"	4.00		84.8	40-120	6.11	20	
Endrin	3.50	1.00	"	4.00		87.4	40-120	6.45	20	
4,4'-DDT	3.53	1.00	"	4.00		88.3	40-120	7.43	20	
Surrogate: Tetrachloro-meta-xylene	0.769		"	1.00		76.9	35-140			
Surrogate: Decachlorobiphenyl	0.963		"	1.00		96.3	35-140			

SunStar Laboratories, Inc.



Jeff Lee, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.02
Project Manager: Heidi Cummings

Reported:
11/26/19 09:54

Notes and Definitions

DET Analyte DETECTED
ND Analyte NOT DETECTED at or above the reporting limit
NR Not Reported
dry Sample results reported on a dry weight basis
RPD Relative Percent Difference

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager

SAMPLE RECEIVING REVIEW SHEET

Batch/Work Order #: T194029
 Client Name: NV5 Project: Hamilton Union High School
 Delivered by: Client SunStar Courier GSO FedEx Other
 If Courier, Received by: _____ Date/Time Courier Received: _____
 Lab Received by: Travis Date/Time Lab Received: 11-20-19 8:42
 Total number of coolers received: 1 Thermometer ID: 5C-1 Calibration due: 6/27/20

Temperature:	Cooler #1	1.2 °C +/- the CF (+ 1.2°C) =	2.4 °C corrected temperature
Temperature:	Cooler #2	°C +/- the CF (+ 1.2°C) =	°C corrected temperature
Temperature:	Cooler #3	°C +/- the CF (+ 1.2°C) =	°C corrected temperature
Temperature criteria = ≤ 6°C (no frozen containers)		Within criteria?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
If NO:			
Samples received on ice?		<input type="checkbox"/> Yes	<input type="checkbox"/> No → Complete Non-Conformance Sheet
If on ice, samples received same day collected?		<input type="checkbox"/> Yes → Acceptable	<input type="checkbox"/> No → Complete Non-Conformance Sheet

Custody seals intact on cooler/sample Yes No* N/A
 Sample containers intact Yes No*
 Sample labels match Chain of Custody IDs Yes No*
 Total number of containers received match COC Yes No*
 Proper containers received for analyses requested on COC Yes No*
 Proper preservative indicated on COC/containers for analyses requested Yes No* N/A
 Complete shipment received in good condition with correct temperatures, containers, labels, volumes preservatives and within method specified holding times Yes No*

* Complete Non-Conformance Receiving Sheet if checked

 Cooler/Sample Review - Initials and date: TB 11-20-19

Comments: _____

WORK ORDER

T194029

Client: NV5
Project: Hamilton Union High School

Project Manager: Jeff Lee
Project Number: 70779.02

Report To:

NV5
 Heidi Cummings
 48 Bellarmine Ct, Suite 40
 Chico, CA 95928

Date Due: 11/27/19 17:00 (5 day TAT)

Received By: Travis Berner

Date Received: 11/20/19 08:42

Logged In By: Travis Berner

Date Logged In: 11/20/19 09:25

Samples Received at: **2.4°C**
 Custody Seals Yes Received On Ice Yes
 Containers Intact Yes
 COC/Labels Agree Yes
 Preservation Confir No

Analysis	Due	TAT	Expires	Comments
----------	-----	-----	---------	----------

T194029-01 AW-1 [Water] Sampled 11/19/19 14:40 (GMT-08:00) Pacific Time (US &				
--	--	--	--	--

8081 Pesticides	11/27/19 15:00	5	11/26/19 14:40	
-----------------	----------------	---	----------------	--



25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

27 November 2019

Heidi Cummings

NV5

48 Bellarmine Ct, Suite 40

Chico, CA 95928

RE: Hamilton Union High School

Enclosed are the results of analyses for samples received by the laboratory on 11/13/19 08:27. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Jeff Lee

Project Manager

NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
11/27/19 11:23

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
A1D-0	T193941-01	Soil	11/12/19 08:30	11/13/19 08:27
C1D-0	T193941-03	Soil	11/12/19 08:50	11/13/19 08:27
C1D-0-CL	T193941-04	Soil	11/12/19 09:00	11/13/19 08:27
ABCD1C-0	T193941-06	Soil	11/12/19 00:00	11/13/19 08:27
ABCD2C-0	T193941-15	Soil	11/12/19 00:00	11/13/19 08:27
ABCD2C-0-FR	T193941-16	Soil	11/12/19 00:00	11/13/19 08:27
B3D-0	T193941-18	Soil	11/12/19 10:25	11/13/19 08:27
B3D-0-FR	T193941-19	Soil	11/12/19 10:26	11/13/19 08:27
D3D-0	T193941-21	Soil	11/12/19 11:00	11/13/19 08:27
ABCD3C-0	T193941-22	Soil	11/12/19 00:00	11/13/19 08:27
ABCD4C-0	T193941-27	Soil	11/12/19 00:00	11/13/19 08:27
HHS1D-2	T193941-28	Soil	11/11/19 08:30	11/13/19 08:27
HHS2D-2	T193941-29	Soil	11/11/19 09:15	11/13/19 08:27
HHS3D-2	T193941-30	Soil	11/11/19 10:15	11/13/19 08:27
HHS3D-2-FR	T193941-31	Soil	11/11/19 10:18	11/13/19 08:27
HHS4D-2	T193941-32	Soil	11/11/19 10:30	11/13/19 08:27
HHS5D-2	T193941-33	Soil	11/11/19 10:45	11/13/19 08:27
HHS5D-2-CL	T193941-34	Soil	11/11/19 10:55	11/13/19 08:27
HHS6D-2	T193941-35	Soil	11/11/19 11:30	11/13/19 08:27
HHS7D-2	T193941-36	Soil	11/11/19 12:25	11/13/19 08:27
HHS8D-2	T193941-37	Soil	11/11/19 13:30	11/13/19 08:27
PMT-E6D-0	T193941-38	Soil	11/11/19 15:05	11/13/19 08:27
PMT-E6D-0-CL	T193941-39	Soil	11/11/19 15:15	11/13/19 08:27
PMT-E6D-2	T193941-40	Soil	11/11/19 15:30	11/13/19 08:27
EB-1	T193941-41	Water	11/11/19 15:00	11/13/19 08:27
DD1D-0	T193941-42	Soil	11/11/19 13:40	11/13/19 08:27

SunStar Laboratories, Inc.



Jeff Lee, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5
 48 Bellarmine Ct, Suite 40
 Chico CA, 95928

Project: Hamilton Union High School
 Project Number: 70779.01.001.003
 Project Manager: Heidi Cummings

Reported:
 11/27/19 11:23

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
DD2D-0	T193941-43	Soil	11/11/19 13:45	11/13/19 08:27
DD2D-0-CL	T193941-44	Soil	11/11/19 13:50	11/13/19 08:27
DD3D-0	T193941-45	Soil	11/11/19 14:05	11/13/19 08:27
DD4D-0	T193941-46	Soil	11/11/19 14:10	11/13/19 08:27
DD4D-0-FR	T193941-47	Soil	11/11/19 14:15	11/13/19 08:27
DD5D-0	T193941-48	Soil	11/11/19 14:25	11/13/19 08:27
DD6D-0	T193941-49	Soil	11/11/19 14:35	11/13/19 08:27
DD7D-0	T193941-50	Soil	11/11/19 15:00	11/13/19 08:27

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager

NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
11/27/19 11:23

DETECTIONS SUMMARY

Sample ID:	A1D-0	Laboratory ID:	T193941-01			
Analyte	Result	Reporting Limit	Units	Method	Notes	
Lead	4.47	3.00	mg/kg	EPA 6010b		
Sample ID:	C1D-0	Laboratory ID:	T193941-03			
Analyte	Result	Reporting Limit	Units	Method	Notes	
Lead	4.33	3.00	mg/kg	EPA 6010b		
Sample ID:	C1D-0-CL	Laboratory ID:	T193941-04			
Analyte	Result	Reporting Limit	Units	Method	Notes	
Lead	4.72	3.00	mg/kg	EPA 6010b		
Sample ID:	ABCD1C-0	Laboratory ID:	T193941-06			
Analyte	Result	Reporting Limit	Units	Method	Notes	
4,4'-DDE	12	5.0	ug/kg	EPA 8081A		
Sample ID:	ABCD2C-0	Laboratory ID:	T193941-15			
Analyte	Result	Reporting Limit	Units	Method	Notes	
4,4'-DDE	11	5.0	ug/kg	EPA 8081A		
Sample ID:	ABCD2C-0-FR	Laboratory ID:	T193941-16			
Analyte	Result	Reporting Limit	Units	Method	Notes	
4,4'-DDE	8.7	5.0	ug/kg	EPA 8081A		

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Jeff Lee, Project Manager

NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
11/27/19 11:23

Sample ID: HHS3D-2

Laboratory ID: T193941-30

Analyte	Result	Reporting		Units	Method	Notes
		Limit				
Lead	4.07	3.00		mg/kg	EPA 6010b	

Sample ID: HHS3D-2-FR

Laboratory ID: T193941-31

Analyte	Result	Reporting		Units	Method	Notes
		Limit				
Lead	3.74	3.00		mg/kg	EPA 6010b	

Sample ID: HHS4D-2

Laboratory ID: T193941-32

Analyte	Result	Reporting		Units	Method	Notes
		Limit				
Lead	3.97	3.00		mg/kg	EPA 6010b	

Sample ID: HHS5D-2

Laboratory ID: T193941-33

Analyte	Result	Reporting		Units	Method	Notes
		Limit				
Lead	3.72	3.00		mg/kg	EPA 6010b	

Sample ID: HHS5D-2-CL

Laboratory ID: T193941-34

Analyte	Result	Reporting		Units	Method	Notes
		Limit				
Lead	4.07	3.00		mg/kg	EPA 6010b	

Sample ID: HHS6D-2

Laboratory ID: T193941-35

Analyte	Result	Reporting		Units	Method	Notes
		Limit				
Lead	4.08	3.00		mg/kg	EPA 6010b	

Sample ID: HHS7D-2

Laboratory ID: T193941-36

Analyte	Result	Reporting		Units	Method	Notes
		Limit				
Lead	3.80	3.00		mg/kg	EPA 6010b	

SunStar Laboratories, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager

NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
11/27/19 11:23

Sample ID: DD1D-0

Laboratory ID: T193941-42

Analyte	Result	Reporting		Units	Method	Notes
		Limit				
Vanadium	28	5.0		mg/kg	EPA 6010b	
Zinc	52	1.0		mg/kg	EPA 6010b	
4,4'-DDE	9.3	5.0		ug/kg	EPA 8081A	

Sample ID: DD2D-0

Laboratory ID: T193941-43

Analyte	Result	Reporting		Units	Method	Notes
		Limit				
C29-C40 (MORO)	17	10		mg/kg	EPA 8015B	
Barium	65	1.0		mg/kg	EPA 6010b	
Chromium	40	2.0		mg/kg	EPA 6010b	
Cobalt	9.2	2.0		mg/kg	EPA 6010b	
Copper	22	1.0		mg/kg	EPA 6010b	
Lead	4.7	3.0		mg/kg	EPA 6010b	
Nickel	56	2.0		mg/kg	EPA 6010b	
Vanadium	27	5.0		mg/kg	EPA 6010b	
Zinc	52	1.0		mg/kg	EPA 6010b	
4,4'-DDE	11	5.0		ug/kg	EPA 8081A	

Sample ID: DD2D-0-CL

Laboratory ID: T193941-44

Analyte	Result	Reporting		Units	Method	Notes
		Limit				
C29-C40 (MORO)	25	10		mg/kg	EPA 8015B	
Barium	65	0.91		mg/kg	EPA 6010b	
Chromium	37	1.8		mg/kg	EPA 6010b	
Cobalt	8.7	1.8		mg/kg	EPA 6010b	
Copper	21	0.91		mg/kg	EPA 6010b	
Lead	4.5	2.7		mg/kg	EPA 6010b	
Nickel	54	1.8		mg/kg	EPA 6010b	
Vanadium	26	4.5		mg/kg	EPA 6010b	
Zinc	52	0.91		mg/kg	EPA 6010b	
4,4'-DDE	12	5.0		ug/kg	EPA 8081A	

SunStar Laboratories, Inc.



Jeff Lee, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
11/27/19 11:23

Sample ID: DD3D-0

Laboratory ID: T193941-45

Analyte	Result	Reporting		Units	Method	Notes
		Limit				
C29-C40 (MORO)	16	10		mg/kg	EPA 8015B	
Barium	62	1.0		mg/kg	EPA 6010b	
Chromium	35	2.0		mg/kg	EPA 6010b	
Cobalt	8.4	2.0		mg/kg	EPA 6010b	
Copper	20	1.0		mg/kg	EPA 6010b	
Lead	4.8	3.0		mg/kg	EPA 6010b	
Nickel	50	2.0		mg/kg	EPA 6010b	
Vanadium	25	5.0		mg/kg	EPA 6010b	
Zinc	51	1.0		mg/kg	EPA 6010b	
4,4'-DDE	21	5.0		ug/kg	EPA 8081A	

Sample ID: DD4D-0

Laboratory ID: T193941-46

Analyte	Result	Reporting		Units	Method	Notes
		Limit				
C29-C40 (MORO)	30	10		mg/kg	EPA 8015B	
Barium	65	1.0		mg/kg	EPA 6010b	
Chromium	35	2.0		mg/kg	EPA 6010b	
Cobalt	9.1	2.0		mg/kg	EPA 6010b	
Copper	21	1.0		mg/kg	EPA 6010b	
Lead	5.2	3.0		mg/kg	EPA 6010b	
Nickel	52	2.0		mg/kg	EPA 6010b	
Vanadium	26	5.0		mg/kg	EPA 6010b	
Zinc	51	1.0		mg/kg	EPA 6010b	
4,4'-DDE	40	5.0		ug/kg	EPA 8081A	

Sample ID: DD4D-0-FR

Laboratory ID: T193941-47

Analyte	Result	Reporting		Units	Method	Notes
		Limit				
C29-C40 (MORO)	33	10		mg/kg	EPA 8015B	
Barium	64	1.0		mg/kg	EPA 6010b	
Chromium	35	2.0		mg/kg	EPA 6010b	
Cobalt	8.8	2.0		mg/kg	EPA 6010b	
Copper	21	1.0		mg/kg	EPA 6010b	
Lead	5.5	3.0		mg/kg	EPA 6010b	
Nickel	51	2.0		mg/kg	EPA 6010b	

SunStar Laboratories, Inc.



Jeff Lee, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
11/27/19 11:23

Sample ID: DD4D-0-FR

Laboratory ID: T193941-47

Analyte	Result	Reporting		Units	Method	Notes
		Limit				
Vanadium	25	5.0		mg/kg	EPA 6010b	
Zinc	56	1.0		mg/kg	EPA 6010b	
4,4'-DDE	36	5.0		ug/kg	EPA 8081A	

Sample ID: DD5D-0

Laboratory ID: T193941-48

Analyte	Result	Reporting		Units	Method	Notes
		Limit				
C29-C40 (MORO)	26	10		mg/kg	EPA 8015B	
Barium	190	4.0		mg/kg	EPA 6010b	RE-01
Chromium	41	2.0		mg/kg	EPA 6010b	
Cobalt	9.8	2.0		mg/kg	EPA 6010b	
Copper	26	1.0		mg/kg	EPA 6010b	
Lead	6.4	3.0		mg/kg	EPA 6010b	
Nickel	59	2.0		mg/kg	EPA 6010b	
Vanadium	30	5.0		mg/kg	EPA 6010b	
Zinc	77	1.0		mg/kg	EPA 6010b	

Sample ID: DD5D-0

Laboratory ID: T193941-48RE1

No Results Detected

Sample ID: DD6D-0

Laboratory ID: T193941-49

Analyte	Result	Reporting		Units	Method	Notes
		Limit				
C13-C28 (DRO)	11	10		mg/kg	EPA 8015B	
C29-C40 (MORO)	48	10		mg/kg	EPA 8015B	
Barium	200	4.0		mg/kg	EPA 6010b	RE-01
Chromium	40	2.0		mg/kg	EPA 6010b	
Cobalt	9.6	2.0		mg/kg	EPA 6010b	
Copper	25	1.0		mg/kg	EPA 6010b	
Lead	6.5	3.0		mg/kg	EPA 6010b	
Nickel	57	2.0		mg/kg	EPA 6010b	
Vanadium	29	5.0		mg/kg	EPA 6010b	

SunStar Laboratories, Inc.



Jeff Lee, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
11/27/19 11:23

Sample ID: DD6D-0

Laboratory ID: T193941-49

Analyte	Result	Reporting		Units	Method	Notes
		Limit				
Zinc	81	1.0		mg/kg	EPA 6010b	
4,4'-DDE	14	5.0		ug/kg	EPA 8081A	

Sample ID: DD7D-0

Laboratory ID: T193941-50

Analyte	Result	Reporting		Units	Method	Notes
		Limit				
C13-C28 (DRO)	10	10		mg/kg	EPA 8015B	
C29-C40 (MORO)	35	10		mg/kg	EPA 8015B	
Barium	190	4.0		mg/kg	EPA 6010b	RE-01
Chromium	38	2.0		mg/kg	EPA 6010b	
Cobalt	9.4	2.0		mg/kg	EPA 6010b	
Copper	22	1.0		mg/kg	EPA 6010b	
Lead	4.9	3.0		mg/kg	EPA 6010b	
Nickel	57	2.0		mg/kg	EPA 6010b	
Vanadium	28	5.0		mg/kg	EPA 6010b	
Zinc	58	1.0		mg/kg	EPA 6010b	
4,4'-DDE	43	5.0		ug/kg	EPA 8081A	

SunStar Laboratories, Inc.



Jeff Lee, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5 48 Bellarmine Ct, Suite 40 Chico CA, 95928	Project: Hamilton Union High School Project Number: 70779.01.001.003 Project Manager: Heidi Cummings	Reported: 11/27/19 11:23
--	--	-----------------------------

A1D-0
T193941-01 (Soil)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 6010B

Arsenic	ND	5.00	mg/kg	1	9111360	11/13/19	11/14/19	EPA 6010b	
Lead	4.47	3.00	"	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5 48 Bellarmine Ct, Suite 40 Chico CA, 95928	Project: Hamilton Union High School Project Number: 70779.01.001.003 Project Manager: Heidi Cummings	Reported: 11/27/19 11:23
--	--	-----------------------------

C1D-0
T193941-03 (Soil)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 6010B

Arsenic	ND	5.00	mg/kg	1	9111360	11/13/19	11/14/19	EPA 6010b	
Lead	4.33	3.00	"	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5 48 Bellarmine Ct, Suite 40 Chico CA, 95928	Project: Hamilton Union High School Project Number: 70779.01.001.003 Project Manager: Heidi Cummings	Reported: 11/27/19 11:23
--	--	-----------------------------

C1D-0-CL
T193941-04 (Soil)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 6010B

Arsenic	ND	5.00	mg/kg	1	9111360	11/13/19	11/14/19	EPA 6010b	
Lead	4.72	3.00	"	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5 48 Bellarmine Ct, Suite 40 Chico CA, 95928	Project: Hamilton Union High School Project Number: 70779.01.001.003 Project Manager: Heidi Cummings	Reported: 11/27/19 11:23
--	--	-----------------------------

ABCD1C-0
T193941-06 (Soil)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Organochlorine Pesticides by EPA Method 8081A

alpha-BHC	ND	5.0	ug/kg	1	9111350	11/13/19	11/14/19	EPA 8081A	
gamma-BHC (Lindane)	ND	5.0	"	"	"	"	"	"	
beta-BHC	ND	5.0	"	"	"	"	"	"	
delta-BHC	ND	5.0	"	"	"	"	"	"	
Heptachlor	ND	5.0	"	"	"	"	"	"	
Aldrin	ND	5.0	"	"	"	"	"	"	
Heptachlor epoxide	ND	5.0	"	"	"	"	"	"	
gamma-Chlordane	ND	5.0	"	"	"	"	"	"	
alpha-Chlordane	ND	5.0	"	"	"	"	"	"	
Endosulfan I	ND	5.0	"	"	"	"	"	"	
4,4'-DDE	12	5.0	"	"	"	"	"	"	
Dieldrin	ND	5.0	"	"	"	"	"	"	
Endrin	ND	5.0	"	"	"	"	"	"	
4,4'-DDD	ND	5.0	"	"	"	"	"	"	
Endosulfan II	ND	5.0	"	"	"	"	"	"	
4,4'-DDT	ND	5.0	"	"	"	"	"	"	
Endrin aldehyde	ND	5.0	"	"	"	"	"	"	
Endosulfan sulfate	ND	5.0	"	"	"	"	"	"	
Methoxychlor	ND	5.0	"	"	"	"	"	"	
Endrin ketone	ND	5.0	"	"	"	"	"	"	
Toxaphene	ND	20	"	"	"	"	"	"	
Chlordane (tech)	ND	50	"	"	"	"	"	"	
Chlordane (Total)	ND	5.0	"	"	"	"	"	"	
Surrogate: Tetrachloro-meta-xylene		126 %		35-140	"	"	"	"	
Surrogate: Decachlorobiphenyl		107 %		35-140	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager

NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
11/27/19 11:23

ABCD2C-0
T193941-15 (Soil)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Organochlorine Pesticides by EPA Method 8081A

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
alpha-BHC	ND	5.0	ug/kg	1	9111350	11/13/19	11/14/19	EPA 8081A	
gamma-BHC (Lindane)	ND	5.0	"	"	"	"	"	"	
beta-BHC	ND	5.0	"	"	"	"	"	"	
delta-BHC	ND	5.0	"	"	"	"	"	"	
Heptachlor	ND	5.0	"	"	"	"	"	"	
Aldrin	ND	5.0	"	"	"	"	"	"	
Heptachlor epoxide	ND	5.0	"	"	"	"	"	"	
gamma-Chlordane	ND	5.0	"	"	"	"	"	"	
alpha-Chlordane	ND	5.0	"	"	"	"	"	"	
Endosulfan I	ND	5.0	"	"	"	"	"	"	
4,4'-DDE	11	5.0	"	"	"	"	"	"	
Dieldrin	ND	5.0	"	"	"	"	"	"	
Endrin	ND	5.0	"	"	"	"	"	"	
4,4'-DDD	ND	5.0	"	"	"	"	"	"	
Endosulfan II	ND	5.0	"	"	"	"	"	"	
4,4'-DDT	ND	5.0	"	"	"	"	"	"	
Endrin aldehyde	ND	5.0	"	"	"	"	"	"	
Endosulfan sulfate	ND	5.0	"	"	"	"	"	"	
Methoxychlor	ND	5.0	"	"	"	"	"	"	
Endrin ketone	ND	5.0	"	"	"	"	"	"	
Toxaphene	ND	20	"	"	"	"	"	"	
Chlordane (tech)	ND	50	"	"	"	"	"	"	
Chlordane (Total)	ND	5.0	"	"	"	"	"	"	
Surrogate: Tetrachloro-meta-xylene		118 %		35-140	"	"	"	"	
Surrogate: Decachlorobiphenyl		128 %		35-140	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5 48 Bellarmine Ct, Suite 40 Chico CA, 95928	Project: Hamilton Union High School Project Number: 70779.01.001.003 Project Manager: Heidi Cummings	Reported: 11/27/19 11:23
--	--	-----------------------------

ABCD2C-0-FR
T193941-16 (Soil)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Organochlorine Pesticides by EPA Method 8081A

alpha-BHC	ND	5.0	ug/kg	1	9111350	11/13/19	11/14/19	EPA 8081A	
gamma-BHC (Lindane)	ND	5.0	"	"	"	"	"	"	
beta-BHC	ND	5.0	"	"	"	"	"	"	
delta-BHC	ND	5.0	"	"	"	"	"	"	
Heptachlor	ND	5.0	"	"	"	"	"	"	
Aldrin	ND	5.0	"	"	"	"	"	"	
Heptachlor epoxide	ND	5.0	"	"	"	"	"	"	
gamma-Chlordane	ND	5.0	"	"	"	"	"	"	
alpha-Chlordane	ND	5.0	"	"	"	"	"	"	
Endosulfan I	ND	5.0	"	"	"	"	"	"	
4,4'-DDE	8.7	5.0	"	"	"	"	"	"	
Dieldrin	ND	5.0	"	"	"	"	"	"	
Endrin	ND	5.0	"	"	"	"	"	"	
4,4'-DDD	ND	5.0	"	"	"	"	"	"	
Endosulfan II	ND	5.0	"	"	"	"	"	"	
4,4'-DDT	ND	5.0	"	"	"	"	"	"	
Endrin aldehyde	ND	5.0	"	"	"	"	"	"	
Endosulfan sulfate	ND	5.0	"	"	"	"	"	"	
Methoxychlor	ND	5.0	"	"	"	"	"	"	
Endrin ketone	ND	5.0	"	"	"	"	"	"	
Toxaphene	ND	20	"	"	"	"	"	"	
Chlordane (tech)	ND	50	"	"	"	"	"	"	
Chlordane (Total)	ND	5.0	"	"	"	"	"	"	
Surrogate: Tetrachloro-meta-xylene		119 %		35-140	"	"	"	"	
Surrogate: Decachlorobiphenyl		77.6 %		35-140	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5 48 Bellarmine Ct, Suite 40 Chico CA, 95928	Project: Hamilton Union High School Project Number: 70779.01.001.003 Project Manager: Heidi Cummings	Reported: 11/27/19 11:23
--	--	-----------------------------

B3D-0
T193941-18 (Soil)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 6010B

Arsenic	ND	5.00	mg/kg	1	9111360	11/13/19	11/14/19	EPA 6010b	
Lead	4.67	3.00	"	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5 48 Bellarmine Ct, Suite 40 Chico CA, 95928	Project: Hamilton Union High School Project Number: 70779.01.001.003 Project Manager: Heidi Cummings	Reported: 11/27/19 11:23
--	--	------------------------------------

B3D-0-FR
T193941-19 (Soil)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 6010B

Arsenic	ND	5.00	mg/kg	1	9111360	11/13/19	11/14/19	EPA 6010b	
Lead	4.28	3.00	"	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5 48 Bellarmine Ct, Suite 40 Chico CA, 95928	Project: Hamilton Union High School Project Number: 70779.01.001.003 Project Manager: Heidi Cummings	Reported: 11/27/19 11:23
--	--	-----------------------------

D3D-0
T193941-21 (Soil)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 6010B

Arsenic	ND	5.00	mg/kg	1	9111360	11/13/19	11/14/19	EPA 6010b	
Lead	4.54	3.00	"	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5 48 Bellarmine Ct, Suite 40 Chico CA, 95928	Project: Hamilton Union High School Project Number: 70779.01.001.003 Project Manager: Heidi Cummings	Reported: 11/27/19 11:23
--	--	-----------------------------

ABCD3C-0
T193941-22 (Soil)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Organochlorine Pesticides by EPA Method 8081A

alpha-BHC	ND	5.0	ug/kg	1	9111350	11/13/19	11/14/19	EPA 8081A	
gamma-BHC (Lindane)	ND	5.0	"	"	"	"	"	"	
beta-BHC	ND	5.0	"	"	"	"	"	"	
delta-BHC	ND	5.0	"	"	"	"	"	"	
Heptachlor	ND	5.0	"	"	"	"	"	"	
Aldrin	ND	5.0	"	"	"	"	"	"	
Heptachlor epoxide	ND	5.0	"	"	"	"	"	"	
gamma-Chlordane	ND	5.0	"	"	"	"	"	"	
alpha-Chlordane	ND	5.0	"	"	"	"	"	"	
Endosulfan I	ND	5.0	"	"	"	"	"	"	
4,4'-DDE	9.8	5.0	"	"	"	"	"	"	
Dieldrin	ND	5.0	"	"	"	"	"	"	
Endrin	ND	5.0	"	"	"	"	"	"	
4,4'-DDD	ND	5.0	"	"	"	"	"	"	
Endosulfan II	ND	5.0	"	"	"	"	"	"	
4,4'-DDT	ND	5.0	"	"	"	"	"	"	
Endrin aldehyde	ND	5.0	"	"	"	"	"	"	
Endosulfan sulfate	ND	5.0	"	"	"	"	"	"	
Methoxychlor	ND	5.0	"	"	"	"	"	"	
Endrin ketone	ND	5.0	"	"	"	"	"	"	
Toxaphene	ND	20	"	"	"	"	"	"	
Chlordane (tech)	ND	50	"	"	"	"	"	"	
Chlordane (Total)	ND	5.0	"	"	"	"	"	"	
Surrogate: Tetrachloro-meta-xylene		120 %		35-140	"	"	"	"	
Surrogate: Decachlorobiphenyl		67.0 %		35-140	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5 48 Bellarmine Ct, Suite 40 Chico CA, 95928	Project: Hamilton Union High School Project Number: 70779.01.001.003 Project Manager: Heidi Cummings	Reported: 11/27/19 11:23
--	--	-----------------------------

ABCD4C-0
T193941-27 (Soil)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Organochlorine Pesticides by EPA Method 8081A

alpha-BHC	ND	5.0	ug/kg	1	9111350	11/13/19	11/14/19	EPA 8081A	
gamma-BHC (Lindane)	ND	5.0	"	"	"	"	"	"	
beta-BHC	ND	5.0	"	"	"	"	"	"	
delta-BHC	ND	5.0	"	"	"	"	"	"	
Heptachlor	ND	5.0	"	"	"	"	"	"	
Aldrin	ND	5.0	"	"	"	"	"	"	
Heptachlor epoxide	ND	5.0	"	"	"	"	"	"	
gamma-Chlordane	ND	5.0	"	"	"	"	"	"	
alpha-Chlordane	ND	5.0	"	"	"	"	"	"	
Endosulfan I	ND	5.0	"	"	"	"	"	"	
4,4'-DDE	7.6	5.0	"	"	"	"	"	"	
Dieldrin	ND	5.0	"	"	"	"	"	"	
Endrin	ND	5.0	"	"	"	"	"	"	
4,4'-DDD	ND	5.0	"	"	"	"	"	"	
Endosulfan II	ND	5.0	"	"	"	"	"	"	
4,4'-DDT	ND	5.0	"	"	"	"	"	"	
Endrin aldehyde	ND	5.0	"	"	"	"	"	"	
Endosulfan sulfate	ND	5.0	"	"	"	"	"	"	
Methoxychlor	ND	5.0	"	"	"	"	"	"	
Endrin ketone	ND	5.0	"	"	"	"	"	"	
Toxaphene	ND	20	"	"	"	"	"	"	
Chlordane (tech)	ND	50	"	"	"	"	"	"	
Chlordane (Total)	ND	5.0	"	"	"	"	"	"	
Surrogate: Tetrachloro-meta-xylene		116 %		35-140	"	"	"	"	
Surrogate: Decachlorobiphenyl		74.3 %		35-140	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5 48 Bellarmine Ct, Suite 40 Chico CA, 95928	Project: Hamilton Union High School Project Number: 70779.01.001.003 Project Manager: Heidi Cummings	Reported: 11/27/19 11:23
--	--	------------------------------------

HHS1D-2
T193941-28 (Soil)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 6010B

Arsenic	ND	5.00	mg/kg	1	9111360	11/13/19	11/14/19	EPA 6010b	
Lead	4.32	3.00	"	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5 48 Bellarmine Ct, Suite 40 Chico CA, 95928	Project: Hamilton Union High School Project Number: 70779.01.001.003 Project Manager: Heidi Cummings	Reported: 11/27/19 11:23
--	--	-----------------------------

HHS2D-2
T193941-29 (Soil)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 6010B

Arsenic	ND	5.00	mg/kg	1	9111360	11/13/19	11/14/19	EPA 6010b	
Lead	4.35	3.00	"	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5 48 Bellarmine Ct, Suite 40 Chico CA, 95928	Project: Hamilton Union High School Project Number: 70779.01.001.003 Project Manager: Heidi Cummings	Reported: 11/27/19 11:23
--	--	-----------------------------

HHS3D-2
T193941-30 (Soil)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 6010B

Arsenic	ND	5.00	mg/kg	1	9111360	11/13/19	11/14/19	EPA 6010b	
Lead	4.07	3.00	"	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5 48 Bellarmine Ct, Suite 40 Chico CA, 95928	Project: Hamilton Union High School Project Number: 70779.01.001.003 Project Manager: Heidi Cummings	Reported: 11/27/19 11:23
--	--	-----------------------------

HHS3D-2-FR
T193941-31 (Soil)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 6010B

Arsenic	ND	5.00	mg/kg	1	9111360	11/13/19	11/14/19	EPA 6010b	
Lead	3.74	3.00	"	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5 48 Bellarmine Ct, Suite 40 Chico CA, 95928	Project: Hamilton Union High School Project Number: 70779.01.001.003 Project Manager: Heidi Cummings	Reported: 11/27/19 11:23
--	--	-----------------------------

HHS4D-2
T193941-32 (Soil)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 6010B

Arsenic	ND	5.00	mg/kg	1	9111360	11/13/19	11/14/19	EPA 6010b	
Lead	3.97	3.00	"	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5 48 Bellarmine Ct, Suite 40 Chico CA, 95928	Project: Hamilton Union High School Project Number: 70779.01.001.003 Project Manager: Heidi Cummings	Reported: 11/27/19 11:23
--	--	-----------------------------

HHS5D-2
T193941-33 (Soil)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 6010B

Arsenic	ND	5.00	mg/kg	1	9111360	11/13/19	11/14/19	EPA 6010b	
Lead	3.72	3.00	"	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5 48 Bellarmine Ct, Suite 40 Chico CA, 95928	Project: Hamilton Union High School Project Number: 70779.01.001.003 Project Manager: Heidi Cummings	Reported: 11/27/19 11:23
--	--	-----------------------------

HHS5D-2-CL
T193941-34 (Soil)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 6010B

Arsenic	ND	5.00	mg/kg	1	9111360	11/13/19	11/14/19	EPA 6010b	
Lead	4.07	3.00	"	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5 48 Bellarmine Ct, Suite 40 Chico CA, 95928	Project: Hamilton Union High School Project Number: 70779.01.001.003 Project Manager: Heidi Cummings	Reported: 11/27/19 11:23
--	--	-----------------------------

HHS6D-2
T193941-35 (Soil)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 6010B

Arsenic	ND	5.00	mg/kg	1	9111360	11/13/19	11/14/19	EPA 6010b	
Lead	4.08	3.00	"	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5 48 Bellarmine Ct, Suite 40 Chico CA, 95928	Project: Hamilton Union High School Project Number: 70779.01.001.003 Project Manager: Heidi Cummings	Reported: 11/27/19 11:23
--	--	-----------------------------

HHS7D-2
T193941-36 (Soil)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 6010B

Arsenic	ND	5.00	mg/kg	1	9111360	11/13/19	11/14/19	EPA 6010b	
Lead	3.80	3.00	"	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5 48 Bellarmine Ct, Suite 40 Chico CA, 95928	Project: Hamilton Union High School Project Number: 70779.01.001.003 Project Manager: Heidi Cummings	Reported: 11/27/19 11:23
--	--	------------------------------------

HHS8D-2
T193941-37 (Soil)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 6010B

Arsenic	ND	5.00	mg/kg	1	9111360	11/13/19	11/14/19	EPA 6010b	
Lead	4.22	3.00	"	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5 48 Bellarmine Ct, Suite 40 Chico CA, 95928	Project: Hamilton Union High School Project Number: 70779.01.001.003 Project Manager: Heidi Cummings	Reported: 11/27/19 11:23
--	--	-----------------------------

PMT-E6D-0
T193941-38 (Soil)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Polychlorinated Biphenyls by EPA Method 8082

PCB-1016	ND	10	ug/kg	1	9111415	11/14/19	11/14/19	EPA 8082	
PCB-1221	ND	10	"	"	"	"	"	"	
PCB-1232	ND	10	"	"	"	"	"	"	
PCB-1242	ND	10	"	"	"	"	"	"	
PCB-1248	ND	10	"	"	"	"	"	"	
PCB-1254	ND	10	"	"	"	"	"	"	
PCB-1260	ND	10	"	"	"	"	"	"	
Surrogate: Tetrachloro-meta-xylene		76.8 %	35-140		"	"	"	"	
Surrogate: Decachlorobiphenyl		75.2 %	35-140		"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5 48 Bellarmine Ct, Suite 40 Chico CA, 95928	Project: Hamilton Union High School Project Number: 70779.01.001.003 Project Manager: Heidi Cummings	Reported: 11/27/19 11:23
--	--	-----------------------------

PMT-E6D-0-CL
T193941-39 (Soil)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Polychlorinated Biphenyls by EPA Method 8082

PCB-1016	ND	10	ug/kg	1	9111415	11/14/19	11/14/19	EPA 8082	
PCB-1221	ND	10	"	"	"	"	"	"	
PCB-1232	ND	10	"	"	"	"	"	"	
PCB-1242	ND	10	"	"	"	"	"	"	
PCB-1248	ND	10	"	"	"	"	"	"	
PCB-1254	ND	10	"	"	"	"	"	"	
PCB-1260	ND	10	"	"	"	"	"	"	
Surrogate: Tetrachloro-meta-xylene		88.1 %	35-140		"	"	"	"	
Surrogate: Decachlorobiphenyl		102 %	35-140		"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5 48 Bellarmine Ct, Suite 40 Chico CA, 95928	Project: Hamilton Union High School Project Number: 70779.01.001.003 Project Manager: Heidi Cummings	Reported: 11/27/19 11:23
--	--	-----------------------------

PMT-E6D-2
T193941-40 (Soil)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Polychlorinated Biphenyls by EPA Method 8082

PCB-1016	ND	10	ug/kg	1	9111415	11/14/19	11/14/19	EPA 8082	
PCB-1221	ND	10	"	"	"	"	"	"	
PCB-1232	ND	10	"	"	"	"	"	"	
PCB-1242	ND	10	"	"	"	"	"	"	
PCB-1248	ND	10	"	"	"	"	"	"	
PCB-1254	ND	10	"	"	"	"	"	"	
PCB-1260	ND	10	"	"	"	"	"	"	
Surrogate: Tetrachloro-meta-xylene		87.3 %	35-140		"	"	"	"	
Surrogate: Decachlorobiphenyl		119 %	35-140		"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager

NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
11/27/19 11:23

EB-1

T193941-41 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Extractable Petroleum Hydrocarbons by 8015B

C6-C12 (GRO)	ND	50	ug/l	1	9111347	11/13/19	11/14/19	EPA 8015B	
C13-C28 (DRO)	ND	50	"	"	"	"	"	"	
C29-C40 (MORO)	ND	100	"	"	"	"	"	"	
<i>Surrogate: p-Terphenyl</i>		115 %	65-135		"	"	"	"	

Metals by EPA 6010B

Antimony	ND	50	ug/l	1	9111354	11/13/19	11/15/19	EPA 6010b	
Silver	ND	50	"	"	"	"	"	"	
Arsenic	ND	50	"	"	"	"	"	"	
Barium	ND	50	"	"	"	"	"	"	
Beryllium	ND	50	"	"	"	"	11/15/19	"	
Cadmium	ND	50	"	"	"	"	11/15/19	"	
Chromium	ND	50	"	"	"	"	"	"	
Cobalt	ND	50	"	"	"	"	"	"	
Copper	ND	50	"	"	"	"	"	"	
Lead	ND	50	"	"	"	"	"	"	
Molybdenum	ND	50	"	"	"	"	"	"	
Nickel	ND	50	"	"	"	"	"	"	
Selenium	ND	50	"	"	"	"	"	"	
Thallium	ND	50	"	"	"	"	"	"	
Vanadium	ND	50	"	"	"	"	"	"	
Zinc	ND	50	"	"	"	"	"	"	

Cold Vapor Extraction EPA 7470/7471

Mercury	ND	0.50	ug/l	1	9111355	11/13/19	11/15/19	EPA 7470A Water	
---------	----	------	------	---	---------	----------	----------	--------------------	--

SunStar Laboratories, Inc.



Jeff Lee, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5 48 Bellarmine Ct, Suite 40 Chico CA, 95928	Project: Hamilton Union High School Project Number: 70779.01.001.003 Project Manager: Heidi Cummings	Reported: 11/27/19 11:23
--	--	-----------------------------

EB-1
T193941-41 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Organochlorine Pesticides by EPA Method 8081A

alpha-BHC	ND	1.00	ug/l	1	9111344	11/13/19	11/13/19	EPA 8081A	
gamma-BHC (Lindane)	ND	1.00	"	"	"	"	"	"	
beta-BHC	ND	1.00	"	"	"	"	"	"	
delta-BHC	ND	1.00	"	"	"	"	"	"	
Heptachlor	ND	1.00	"	"	"	"	"	"	
Aldrin	ND	1.00	"	"	"	"	"	"	
Heptachlor epoxide	ND	1.00	"	"	"	"	"	"	
gamma-Chlordane	ND	1.00	"	"	"	"	"	"	
alpha-Chlordane	ND	1.00	"	"	"	"	"	"	
Endosulfan I	ND	1.00	"	"	"	"	"	"	
4,4'-DDE	ND	1.00	"	"	"	"	"	"	
Dieldrin	ND	1.00	"	"	"	"	"	"	
Endrin	ND	1.00	"	"	"	"	"	"	
4,4'-DDD	ND	1.00	"	"	"	"	"	"	
Endosulfan II	ND	1.00	"	"	"	"	"	"	
4,4'-DDT	ND	1.00	"	"	"	"	"	"	
Endrin aldehyde	ND	1.00	"	"	"	"	"	"	
Endosulfan sulfate	ND	1.00	"	"	"	"	"	"	
Methoxychlor	ND	1.00	"	"	"	"	"	"	
Endrin ketone	ND	1.00	"	"	"	"	"	"	
Chlordane (tech)	ND	10.0	"	"	"	"	"	"	
Toxaphene	ND	20.0	"	"	"	"	"	"	
Surrogate: Tetrachloro-meta-xylene		61.2 %		35-140	"	"	"	"	
Surrogate: Decachlorobiphenyl		77.7 %		35-140	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager

NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
11/27/19 11:23

DD1D-0
T193941-42 (Soil)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Extractable Petroleum Hydrocarbons by 8015B

C6-C12 (GRO)	ND	10	mg/kg	1	9111411	11/14/19	11/15/19	EPA 8015B	
C13-C28 (DRO)	ND	10	"	"	"	"	"	"	
C29-C40 (MORO)	17	10	"	"	"	"	"	"	
<i>Surrogate: p-Terphenyl</i>		<i>106 %</i>	<i>65-135</i>		<i>"</i>	<i>"</i>	<i>"</i>	<i>"</i>	

Metals by EPA 6010B

Antimony	ND	3.0	mg/kg	1	9111418	11/14/19	11/15/19	EPA 6010b	
Silver	ND	2.0	"	"	"	"	"	"	
Arsenic	ND	5.0	"	"	"	"	"	"	
Barium	70	1.0	"	"	"	"	"	"	
Beryllium	ND	1.0	"	"	"	"	11/15/19	"	
Cadmium	ND	2.0	"	"	"	"	11/15/19	"	
Chromium	40	2.0	"	"	"	"	"	"	
Cobalt	9.7	2.0	"	"	"	"	"	"	
Copper	23	1.0	"	"	"	"	"	"	
Lead	4.5	3.0	"	"	"	"	"	"	
Molybdenum	ND	5.0	"	"	"	"	"	"	
Nickel	59	2.0	"	"	"	"	"	"	
Selenium	ND	5.0	"	"	"	"	"	"	
Thallium	ND	2.0	"	"	"	"	"	"	
Vanadium	28	5.0	"	"	"	"	"	"	
Zinc	52	1.0	"	"	"	"	"	"	

Cold Vapor Extraction EPA 7470/7471

Mercury	ND	0.10	mg/kg	1	9111422	11/14/19	11/15/19	EPA 7471A Soil	
---------	----	------	-------	---	---------	----------	----------	-------------------	--

SunStar Laboratories, Inc.



Jeff Lee, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
11/27/19 11:23

DD1D-0
T193941-42 (Soil)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Organochlorine Pesticides by EPA Method 8081A

alpha-BHC	ND	5.0	ug/kg	1	9111350	11/13/19	11/14/19	EPA 8081A	
gamma-BHC (Lindane)	ND	5.0	"	"	"	"	"	"	
beta-BHC	ND	5.0	"	"	"	"	"	"	
delta-BHC	ND	5.0	"	"	"	"	"	"	
Heptachlor	ND	5.0	"	"	"	"	"	"	
Aldrin	ND	5.0	"	"	"	"	"	"	
Heptachlor epoxide	ND	5.0	"	"	"	"	"	"	
gamma-Chlordane	ND	5.0	"	"	"	"	"	"	
alpha-Chlordane	ND	5.0	"	"	"	"	"	"	
Endosulfan I	ND	5.0	"	"	"	"	"	"	
4,4'-DDE	9.3	5.0	"	"	"	"	"	"	
Dieldrin	ND	5.0	"	"	"	"	"	"	
Endrin	ND	5.0	"	"	"	"	"	"	
4,4'-DDD	ND	5.0	"	"	"	"	"	"	
Endosulfan II	ND	5.0	"	"	"	"	"	"	
4,4'-DDT	ND	5.0	"	"	"	"	"	"	
Endrin aldehyde	ND	5.0	"	"	"	"	"	"	
Endosulfan sulfate	ND	5.0	"	"	"	"	"	"	
Methoxychlor	ND	5.0	"	"	"	"	"	"	
Endrin ketone	ND	5.0	"	"	"	"	"	"	
Toxaphene	ND	20	"	"	"	"	"	"	
Chlordane (tech)	ND	50	"	"	"	"	"	"	
Chlordane (Total)	ND	5.0	"	"	"	"	"	"	
Surrogate: Tetrachloro-meta-xylene		120 %		35-140	"	"	"	"	
Surrogate: Decachlorobiphenyl		96.6 %		35-140	"	"	"	"	

SunStar Laboratories, Inc.



Jeff Lee, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5 48 Bellarmine Ct, Suite 40 Chico CA, 95928	Project: Hamilton Union High School Project Number: 70779.01.001.003 Project Manager: Heidi Cummings	Reported: 11/27/19 11:23
--	--	-----------------------------

DD2D-0
T193941-43 (Soil)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Extractable Petroleum Hydrocarbons by 8015B

C6-C12 (GRO)	ND	10	mg/kg	1	9111411	11/14/19	11/15/19	EPA 8015B	
C13-C28 (DRO)	ND	10	"	"	"	"	"	"	
C29-C40 (MORO)	17	10	"	"	"	"	"	"	
<i>Surrogate: p-Terphenyl</i>		<i>111 %</i>	<i>65-135</i>		<i>"</i>	<i>"</i>	<i>"</i>	<i>"</i>	

Metals by EPA 6010B

Antimony	ND	3.0	mg/kg	1	9111418	11/14/19	11/15/19	EPA 6010b	
Silver	ND	2.0	"	"	"	"	"	"	
Arsenic	ND	5.0	"	"	"	"	"	"	
Barium	65	1.0	"	"	"	"	"	"	
Beryllium	ND	1.0	"	"	"	"	"	"	
Cadmium	ND	2.0	"	"	"	"	"	"	
Chromium	40	2.0	"	"	"	"	"	"	
Cobalt	9.2	2.0	"	"	"	"	"	"	
Copper	22	1.0	"	"	"	"	"	"	
Lead	4.7	3.0	"	"	"	"	"	"	
Molybdenum	ND	5.0	"	"	"	"	"	"	
Nickel	56	2.0	"	"	"	"	"	"	
Selenium	ND	5.0	"	"	"	"	"	"	
Thallium	ND	2.0	"	"	"	"	"	"	
Vanadium	27	5.0	"	"	"	"	"	"	
Zinc	52	1.0	"	"	"	"	"	"	

Cold Vapor Extraction EPA 7470/7471

Mercury	ND	0.10	mg/kg	1	9111422	11/14/19	11/15/19	EPA 7471A Soil	
---------	----	------	-------	---	---------	----------	----------	-------------------	--

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5 48 Bellarmine Ct, Suite 40 Chico CA, 95928	Project: Hamilton Union High School Project Number: 70779.01.001.003 Project Manager: Heidi Cummings	Reported: 11/27/19 11:23
--	--	-----------------------------

DD2D-0
T193941-43 (Soil)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Organochlorine Pesticides by EPA Method 8081A

alpha-BHC	ND	5.0	ug/kg	1	9111350	11/13/19	11/14/19	EPA 8081A	
gamma-BHC (Lindane)	ND	5.0	"	"	"	"	"	"	
beta-BHC	ND	5.0	"	"	"	"	"	"	
delta-BHC	ND	5.0	"	"	"	"	"	"	
Heptachlor	ND	5.0	"	"	"	"	"	"	
Aldrin	ND	5.0	"	"	"	"	"	"	
Heptachlor epoxide	ND	5.0	"	"	"	"	"	"	
gamma-Chlordane	ND	5.0	"	"	"	"	"	"	
alpha-Chlordane	ND	5.0	"	"	"	"	"	"	
Endosulfan I	ND	5.0	"	"	"	"	"	"	
4,4'-DDE	11	5.0	"	"	"	"	"	"	
Dieldrin	ND	5.0	"	"	"	"	"	"	
Endrin	ND	5.0	"	"	"	"	"	"	
4,4'-DDD	ND	5.0	"	"	"	"	"	"	
Endosulfan II	ND	5.0	"	"	"	"	"	"	
4,4'-DDT	ND	5.0	"	"	"	"	"	"	
Endrin aldehyde	ND	5.0	"	"	"	"	"	"	
Endosulfan sulfate	ND	5.0	"	"	"	"	"	"	
Methoxychlor	ND	5.0	"	"	"	"	"	"	
Endrin ketone	ND	5.0	"	"	"	"	"	"	
Toxaphene	ND	20	"	"	"	"	"	"	
Chlordane (tech)	ND	50	"	"	"	"	"	"	
Chlordane (Total)	ND	5.0	"	"	"	"	"	"	
Surrogate: Tetrachloro-meta-xylene		112 %		35-140	"	"	"	"	
Surrogate: Decachlorobiphenyl		69.0 %		35-140	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5 48 Bellarmine Ct, Suite 40 Chico CA, 95928	Project: Hamilton Union High School Project Number: 70779.01.001.003 Project Manager: Heidi Cummings	Reported: 11/27/19 11:23
--	--	-----------------------------

DD2D-0-CL
T193941-44 (Soil)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Extractable Petroleum Hydrocarbons by 8015B

C6-C12 (GRO)	ND	10	mg/kg	1	9111411	11/14/19	11/15/19	EPA 8015B	
C13-C28 (DRO)	ND	10	"	"	"	"	"	"	
C29-C40 (MORO)	25	10	"	"	"	"	"	"	
<i>Surrogate: p-Terphenyl</i>		<i>111 %</i>	<i>65-135</i>		<i>"</i>	<i>"</i>	<i>"</i>	<i>"</i>	

Metals by EPA 6010B

Antimony	ND	2.7	mg/kg	1	9111418	11/14/19	11/15/19	EPA 6010b	
Silver	ND	1.8	"	"	"	"	"	"	
Arsenic	ND	4.5	"	"	"	"	"	"	
Barium	65	0.91	"	"	"	"	"	"	
Beryllium	ND	0.91	"	"	"	"	11/15/19	"	
Cadmium	ND	1.8	"	"	"	"	11/15/19	"	
Chromium	37	1.8	"	"	"	"	"	"	
Cobalt	8.7	1.8	"	"	"	"	"	"	
Copper	21	0.91	"	"	"	"	"	"	
Lead	4.5	2.7	"	"	"	"	"	"	
Molybdenum	ND	4.5	"	"	"	"	"	"	
Nickel	54	1.8	"	"	"	"	"	"	
Selenium	ND	4.5	"	"	"	"	"	"	
Thallium	ND	1.8	"	"	"	"	"	"	
Vanadium	26	4.5	"	"	"	"	"	"	
Zinc	52	0.91	"	"	"	"	"	"	

Cold Vapor Extraction EPA 7470/7471

Mercury	ND	0.10	mg/kg	1	9111422	11/14/19	11/15/19	EPA 7471A Soil	
---------	----	------	-------	---	---------	----------	----------	-------------------	--

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5 48 Bellarmine Ct, Suite 40 Chico CA, 95928	Project: Hamilton Union High School Project Number: 70779.01.001.003 Project Manager: Heidi Cummings	Reported: 11/27/19 11:23
--	--	-----------------------------

DD2D-0-CL
T193941-44 (Soil)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Organochlorine Pesticides by EPA Method 8081A

alpha-BHC	ND	5.0	ug/kg	1	9111350	11/13/19	11/14/19	EPA 8081A	
gamma-BHC (Lindane)	ND	5.0	"	"	"	"	"	"	
beta-BHC	ND	5.0	"	"	"	"	"	"	
delta-BHC	ND	5.0	"	"	"	"	"	"	
Heptachlor	ND	5.0	"	"	"	"	"	"	
Aldrin	ND	5.0	"	"	"	"	"	"	
Heptachlor epoxide	ND	5.0	"	"	"	"	"	"	
gamma-Chlordane	ND	5.0	"	"	"	"	"	"	
alpha-Chlordane	ND	5.0	"	"	"	"	"	"	
Endosulfan I	ND	5.0	"	"	"	"	"	"	
4,4'-DDE	12	5.0	"	"	"	"	"	"	
Dieldrin	ND	5.0	"	"	"	"	"	"	
Endrin	ND	5.0	"	"	"	"	"	"	
4,4'-DDD	ND	5.0	"	"	"	"	"	"	
Endosulfan II	ND	5.0	"	"	"	"	"	"	
4,4'-DDT	ND	5.0	"	"	"	"	"	"	
Endrin aldehyde	ND	5.0	"	"	"	"	"	"	
Endosulfan sulfate	ND	5.0	"	"	"	"	"	"	
Methoxychlor	ND	5.0	"	"	"	"	"	"	
Endrin ketone	ND	5.0	"	"	"	"	"	"	
Toxaphene	ND	20	"	"	"	"	"	"	
Chlordane (tech)	ND	50	"	"	"	"	"	"	
Chlordane (Total)	ND	5.0	"	"	"	"	"	"	
Surrogate: Tetrachloro-meta-xylene		106 %		35-140	"	"	"	"	
Surrogate: Decachlorobiphenyl		57.7 %		35-140	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager

NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
11/27/19 11:23

DD3D-0
T193941-45 (Soil)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Extractable Petroleum Hydrocarbons by 8015B

C6-C12 (GRO)	ND	10	mg/kg	1	9111411	11/14/19	11/15/19	EPA 8015B	
C13-C28 (DRO)	ND	10	"	"	"	"	"	"	
C29-C40 (MORO)	16	10	"	"	"	"	"	"	
<i>Surrogate: p-Terphenyl</i>		96.0 %	65-135		"	"	"	"	

Metals by EPA 6010B

Antimony	ND	3.0	mg/kg	1	9111418	11/14/19	11/15/19	EPA 6010b	
Silver	ND	2.0	"	"	"	"	"	"	
Arsenic	ND	5.0	"	"	"	"	"	"	
Barium	62	1.0	"	"	"	"	"	"	
Beryllium	ND	1.0	"	"	"	"	"	"	
Cadmium	ND	2.0	"	"	"	"	"	"	
Chromium	35	2.0	"	"	"	"	"	"	
Cobalt	8.4	2.0	"	"	"	"	"	"	
Copper	20	1.0	"	"	"	"	"	"	
Lead	4.8	3.0	"	"	"	"	"	"	
Molybdenum	ND	5.0	"	"	"	"	"	"	
Nickel	50	2.0	"	"	"	"	"	"	
Selenium	ND	5.0	"	"	"	"	"	"	
Thallium	ND	2.0	"	"	"	"	"	"	
Vanadium	25	5.0	"	"	"	"	"	"	
Zinc	51	1.0	"	"	"	"	"	"	

Cold Vapor Extraction EPA 7470/7471

Mercury	ND	0.10	mg/kg	1	9111422	11/14/19	11/15/19	EPA 7471A Soil	
---------	----	------	-------	---	---------	----------	----------	-------------------	--

SunStar Laboratories, Inc.



Jeff Lee, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5 48 Bellarmine Ct, Suite 40 Chico CA, 95928	Project: Hamilton Union High School Project Number: 70779.01.001.003 Project Manager: Heidi Cummings	Reported: 11/27/19 11:23
--	--	-----------------------------

DD3D-0
T193941-45 (Soil)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Organochlorine Pesticides by EPA Method 8081A

alpha-BHC	ND	5.0	ug/kg	1	9111350	11/13/19	11/14/19	EPA 8081A	
gamma-BHC (Lindane)	ND	5.0	"	"	"	"	"	"	
beta-BHC	ND	5.0	"	"	"	"	"	"	
delta-BHC	ND	5.0	"	"	"	"	"	"	
Heptachlor	ND	5.0	"	"	"	"	"	"	
Aldrin	ND	5.0	"	"	"	"	"	"	
Heptachlor epoxide	ND	5.0	"	"	"	"	"	"	
gamma-Chlordane	ND	5.0	"	"	"	"	"	"	
alpha-Chlordane	ND	5.0	"	"	"	"	"	"	
Endosulfan I	ND	5.0	"	"	"	"	"	"	
4,4'-DDE	21	5.0	"	"	"	"	"	"	
Dieldrin	ND	5.0	"	"	"	"	"	"	
Endrin	ND	5.0	"	"	"	"	"	"	
4,4'-DDD	ND	5.0	"	"	"	"	"	"	
Endosulfan II	ND	5.0	"	"	"	"	"	"	
4,4'-DDT	ND	5.0	"	"	"	"	"	"	
Endrin aldehyde	ND	5.0	"	"	"	"	"	"	
Endosulfan sulfate	ND	5.0	"	"	"	"	"	"	
Methoxychlor	ND	5.0	"	"	"	"	"	"	
Endrin ketone	ND	5.0	"	"	"	"	"	"	
Toxaphene	ND	20	"	"	"	"	"	"	
Chlordane (tech)	ND	50	"	"	"	"	"	"	
Chlordane (Total)	ND	5.0	"	"	"	"	"	"	
Surrogate: Tetrachloro-meta-xylene		117 %		35-140	"	"	"	"	
Surrogate: Decachlorobiphenyl		112 %		35-140	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager

NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
11/27/19 11:23

DD4D-0
T193941-46 (Soil)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Extractable Petroleum Hydrocarbons by 8015B

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
C6-C12 (GRO)	ND	10	mg/kg	1	9111411	11/14/19	11/15/19	EPA 8015B	
C13-C28 (DRO)	ND	10	"	"	"	"	"	"	
C29-C40 (MORO)	30	10	"	"	"	"	"	"	
<i>Surrogate: p-Terphenyl</i>		114 %	65-135		"	"	"	"	

Metals by EPA 6010B

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Antimony	ND	3.0	mg/kg	1	9111418	11/14/19	11/15/19	EPA 6010b	
Silver	ND	2.0	"	"	"	"	"	"	
Arsenic	ND	5.0	"	"	"	"	"	"	
Barium	65	1.0	"	"	"	"	"	"	
Beryllium	ND	1.0	"	"	"	"	"	"	
Cadmium	ND	2.0	"	"	"	"	"	"	
Chromium	35	2.0	"	"	"	"	"	"	
Cobalt	9.1	2.0	"	"	"	"	"	"	
Copper	21	1.0	"	"	"	"	"	"	
Lead	5.2	3.0	"	"	"	"	"	"	
Molybdenum	ND	5.0	"	"	"	"	"	"	
Nickel	52	2.0	"	"	"	"	"	"	
Selenium	ND	5.0	"	"	"	"	"	"	
Thallium	ND	2.0	"	"	"	"	"	"	
Vanadium	26	5.0	"	"	"	"	"	"	
Zinc	51	1.0	"	"	"	"	"	"	

Cold Vapor Extraction EPA 7470/7471

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Mercury	ND	0.10	mg/kg	1	9111422	11/14/19	11/15/19	EPA 7471A Soil	

SunStar Laboratories, Inc.



Jeff Lee, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5 48 Bellarmine Ct, Suite 40 Chico CA, 95928	Project: Hamilton Union High School Project Number: 70779.01.001.003 Project Manager: Heidi Cummings	Reported: 11/27/19 11:23
--	--	-----------------------------

DD4D-0
T193941-46 (Soil)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Organochlorine Pesticides by EPA Method 8081A

alpha-BHC	ND	5.0	ug/kg	1	9111350	11/13/19	11/14/19	EPA 8081A	
gamma-BHC (Lindane)	ND	5.0	"	"	"	"	"	"	
beta-BHC	ND	5.0	"	"	"	"	"	"	
delta-BHC	ND	5.0	"	"	"	"	"	"	
Heptachlor	ND	5.0	"	"	"	"	"	"	
Aldrin	ND	5.0	"	"	"	"	"	"	
Heptachlor epoxide	ND	5.0	"	"	"	"	"	"	
gamma-Chlordane	ND	5.0	"	"	"	"	"	"	
alpha-Chlordane	ND	5.0	"	"	"	"	"	"	
Endosulfan I	ND	5.0	"	"	"	"	"	"	
4,4'-DDE	40	5.0	"	"	"	"	"	"	
Dieldrin	ND	5.0	"	"	"	"	"	"	
Endrin	ND	5.0	"	"	"	"	"	"	
4,4'-DDD	ND	5.0	"	"	"	"	"	"	
Endosulfan II	ND	5.0	"	"	"	"	"	"	
4,4'-DDT	ND	5.0	"	"	"	"	"	"	
Endrin aldehyde	ND	5.0	"	"	"	"	"	"	
Endosulfan sulfate	ND	5.0	"	"	"	"	"	"	
Methoxychlor	ND	5.0	"	"	"	"	"	"	
Endrin ketone	ND	5.0	"	"	"	"	"	"	
Toxaphene	ND	20	"	"	"	"	"	"	
Chlordane (tech)	ND	50	"	"	"	"	"	"	
Chlordane (Total)	ND	5.0	"	"	"	"	"	"	
Surrogate: Tetrachloro-meta-xylene		116 %		35-140	"	"	"	"	
Surrogate: Decachlorobiphenyl		89.6 %		35-140	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager

NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
11/27/19 11:23

DD4D-0-FR
T193941-47 (Soil)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Extractable Petroleum Hydrocarbons by 8015B

C6-C12 (GRO)	ND	10	mg/kg	1	9111411	11/14/19	11/15/19	EPA 8015B	
C13-C28 (DRO)	ND	10	"	"	"	"	"	"	
C29-C40 (MORO)	33	10	"	"	"	"	"	"	
<i>Surrogate: p-Terphenyl</i>		112 %	65-135		"	"	"	"	

Metals by EPA 6010B

Antimony	ND	3.0	mg/kg	1	9111418	11/14/19	11/15/19	EPA 6010b	
Silver	ND	2.0	"	"	"	"	"	"	
Arsenic	ND	5.0	"	"	"	"	"	"	
Barium	64	1.0	"	"	"	"	"	"	
Beryllium	ND	1.0	"	"	"	"	11/15/19	"	
Cadmium	ND	2.0	"	"	"	"	11/15/19	"	
Chromium	35	2.0	"	"	"	"	"	"	
Cobalt	8.8	2.0	"	"	"	"	"	"	
Copper	21	1.0	"	"	"	"	"	"	
Lead	5.5	3.0	"	"	"	"	"	"	
Molybdenum	ND	5.0	"	"	"	"	"	"	
Nickel	51	2.0	"	"	"	"	"	"	
Selenium	ND	5.0	"	"	"	"	"	"	
Thallium	ND	2.0	"	"	"	"	"	"	
Vanadium	25	5.0	"	"	"	"	"	"	
Zinc	56	1.0	"	"	"	"	"	"	

Cold Vapor Extraction EPA 7470/7471

Mercury	ND	0.10	mg/kg	1	9111422	11/14/19	11/15/19	EPA 7471A Soil	
---------	----	------	-------	---	---------	----------	----------	-------------------	--

SunStar Laboratories, Inc.



Jeff Lee, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5 48 Bellarmine Ct, Suite 40 Chico CA, 95928	Project: Hamilton Union High School Project Number: 70779.01.001.003 Project Manager: Heidi Cummings	Reported: 11/27/19 11:23
--	--	-----------------------------

DD4D-0-FR
T193941-47 (Soil)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Organochlorine Pesticides by EPA Method 8081A

alpha-BHC	ND	5.0	ug/kg	1	9111350	11/13/19	11/14/19	EPA 8081A	
gamma-BHC (Lindane)	ND	5.0	"	"	"	"	"	"	
beta-BHC	ND	5.0	"	"	"	"	"	"	
delta-BHC	ND	5.0	"	"	"	"	"	"	
Heptachlor	ND	5.0	"	"	"	"	"	"	
Aldrin	ND	5.0	"	"	"	"	"	"	
Heptachlor epoxide	ND	5.0	"	"	"	"	"	"	
gamma-Chlordane	ND	5.0	"	"	"	"	"	"	
alpha-Chlordane	ND	5.0	"	"	"	"	"	"	
Endosulfan I	ND	5.0	"	"	"	"	"	"	
4,4'-DDE	36	5.0	"	"	"	"	"	"	
Dieldrin	ND	5.0	"	"	"	"	"	"	
Endrin	ND	5.0	"	"	"	"	"	"	
4,4'-DDD	ND	5.0	"	"	"	"	"	"	
Endosulfan II	ND	5.0	"	"	"	"	"	"	
4,4'-DDT	ND	5.0	"	"	"	"	"	"	
Endrin aldehyde	ND	5.0	"	"	"	"	"	"	
Endosulfan sulfate	ND	5.0	"	"	"	"	"	"	
Methoxychlor	ND	5.0	"	"	"	"	"	"	
Endrin ketone	ND	5.0	"	"	"	"	"	"	
Toxaphene	ND	20	"	"	"	"	"	"	
Chlordane (tech)	ND	50	"	"	"	"	"	"	
Chlordane (Total)	ND	5.0	"	"	"	"	"	"	
Surrogate: Tetrachloro-meta-xylene		114 %		35-140	"	"	"	"	
Surrogate: Decachlorobiphenyl		81.8 %		35-140	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5 48 Bellarmine Ct, Suite 40 Chico CA, 95928	Project: Hamilton Union High School Project Number: 70779.01.001.003 Project Manager: Heidi Cummings	Reported: 11/27/19 11:23
--	--	-----------------------------

DD5D-0
T193941-48 (Soil)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Extractable Petroleum Hydrocarbons by 8015B

C6-C12 (GRO)	ND	10	mg/kg	1	9111411	11/14/19	11/15/19	EPA 8015B	
C13-C28 (DRO)	ND	10	"	"	"	"	"	"	
C29-C40 (MORO)	26	10	"	"	"	"	"	"	
<i>Surrogate: p-Terphenyl</i>		111 %	65-135		"	"	"	"	

Metals by EPA 6010B

Antimony	ND	3.0	mg/kg	1	9111418	11/14/19	11/15/19	EPA 6010b	
Silver	ND	2.0	"	"	"	"	"	"	
Arsenic	ND	5.0	"	"	"	"	"	"	
Barium	190	4.0	"	4	"	"	11/15/19	"	RE-01
Beryllium	ND	1.0	"	1	"	"	11/15/19	"	
Cadmium	ND	2.0	"	"	"	"	"	"	
Chromium	41	2.0	"	"	"	"	"	"	
Cobalt	9.8	2.0	"	"	"	"	"	"	
Copper	26	1.0	"	"	"	"	"	"	
Lead	6.4	3.0	"	"	"	"	"	"	
Molybdenum	ND	5.0	"	"	"	"	"	"	
Nickel	59	2.0	"	"	"	"	"	"	
Selenium	ND	5.0	"	"	"	"	"	"	
Thallium	ND	2.0	"	"	"	"	"	"	
Vanadium	30	5.0	"	"	"	"	"	"	
Zinc	77	1.0	"	"	"	"	"	"	

Cold Vapor Extraction EPA 7470/7471

Mercury	ND	0.10	mg/kg	1	9111422	11/14/19	11/15/19	EPA 7471A Soil	
---------	----	------	-------	---	---------	----------	----------	-------------------	--

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5 48 Bellarmine Ct, Suite 40 Chico CA, 95928	Project: Hamilton Union High School Project Number: 70779.01.001.003 Project Manager: Heidi Cummings	Reported: 11/27/19 11:23
--	--	-----------------------------

DD5D-0
T193941-48RE1 (Soil)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Organochlorine Pesticides by EPA Method 8081A

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
alpha-BHC	ND	5.0	ug/kg	1	9112036	11/20/19	11/26/19	EPA 8081A	
gamma-BHC (Lindane)	ND	5.0	"	"	"	"	"	"	
beta-BHC	ND	5.0	"	"	"	"	"	"	
delta-BHC	ND	5.0	"	"	"	"	"	"	
Heptachlor	ND	5.0	"	"	"	"	"	"	
Aldrin	ND	5.0	"	"	"	"	"	"	
Heptachlor epoxide	ND	5.0	"	"	"	"	"	"	
gamma-Chlordane	ND	5.0	"	"	"	"	"	"	
alpha-Chlordane	ND	5.0	"	"	"	"	"	"	
Endosulfan I	ND	5.0	"	"	"	"	"	"	
4,4'-DDE	ND	5.0	"	"	"	"	"	"	
Dieldrin	ND	5.0	"	"	"	"	"	"	
Endrin	ND	5.0	"	"	"	"	"	"	
4,4'-DDD	ND	5.0	"	"	"	"	"	"	
Endosulfan II	ND	5.0	"	"	"	"	"	"	
4,4'-DDT	ND	5.0	"	"	"	"	"	"	
Endrin aldehyde	ND	5.0	"	"	"	"	"	"	
Endosulfan sulfate	ND	5.0	"	"	"	"	"	"	
Methoxychlor	ND	5.0	"	"	"	"	"	"	
Endrin ketone	ND	5.0	"	"	"	"	"	"	
Toxaphene	ND	20	"	"	"	"	"	"	
Surrogate: Tetrachloro-meta-xylene		109 %		35-140	"	"	"	"	
Surrogate: Decachlorobiphenyl		104 %		35-140	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager

NV5 48 Bellarmine Ct, Suite 40 Chico CA, 95928	Project: Hamilton Union High School Project Number: 70779.01.001.003 Project Manager: Heidi Cummings	Reported: 11/27/19 11:23
--	--	-----------------------------

DD6D-0
T193941-49 (Soil)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Extractable Petroleum Hydrocarbons by 8015B

C6-C12 (GRO)	ND	10	mg/kg	1	9111411	11/14/19	11/15/19	EPA 8015B	
C13-C28 (DRO)	11	10	"	"	"	"	"	"	
C29-C40 (MORO)	48	10	"	"	"	"	"	"	
<i>Surrogate: p-Terphenyl</i>		117 %		65-135	"	"	"	"	

Metals by EPA 6010B

Antimony	ND	3.0	mg/kg	1	9111418	11/14/19	11/15/19	EPA 6010b	
Silver	ND	2.0	"	"	"	"	11/15/19	"	
Arsenic	ND	5.0	"	"	"	"	11/15/19	"	
Barium	200	4.0	"	4	"	"	11/15/19	"	RE-01
Beryllium	ND	1.0	"	1	"	"	11/15/19	"	
Cadmium	ND	2.0	"	"	"	"	11/15/19	"	
Chromium	40	2.0	"	"	"	"	11/15/19	"	
Cobalt	9.6	2.0	"	"	"	"	11/15/19	"	
Copper	25	1.0	"	"	"	"	11/15/19	"	
Lead	6.5	3.0	"	"	"	"	11/15/19	"	
Molybdenum	ND	5.0	"	"	"	"	"	"	
Nickel	57	2.0	"	"	"	"	11/15/19	"	
Selenium	ND	5.0	"	"	"	"	11/15/19	"	
Thallium	ND	2.0	"	"	"	"	"	"	
Vanadium	29	5.0	"	"	"	"	11/15/19	"	
Zinc	81	1.0	"	"	"	"	"	"	

Cold Vapor Extraction EPA 7470/7471

Mercury	ND	0.10	mg/kg	1	9111422	11/14/19	11/15/19	EPA 7471A Soil	
---------	----	------	-------	---	---------	----------	----------	-------------------	--

SunStar Laboratories, Inc.



Jeff Lee, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5 48 Bellarmine Ct, Suite 40 Chico CA, 95928	Project: Hamilton Union High School Project Number: 70779.01.001.003 Project Manager: Heidi Cummings	Reported: 11/27/19 11:23
--	--	-----------------------------

DD6D-0
T193941-49 (Soil)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Organochlorine Pesticides by EPA Method 8081A

alpha-BHC	ND	5.0	ug/kg	1	9111350	11/13/19	11/14/19	EPA 8081A	
gamma-BHC (Lindane)	ND	5.0	"	"	"	"	"	"	
beta-BHC	ND	5.0	"	"	"	"	"	"	
delta-BHC	ND	5.0	"	"	"	"	"	"	
Heptachlor	ND	5.0	"	"	"	"	"	"	
Aldrin	ND	5.0	"	"	"	"	"	"	
Heptachlor epoxide	ND	5.0	"	"	"	"	"	"	
gamma-Chlordane	ND	5.0	"	"	"	"	"	"	
alpha-Chlordane	ND	5.0	"	"	"	"	"	"	
Endosulfan I	ND	5.0	"	"	"	"	"	"	
4,4'-DDE	14	5.0	"	"	"	"	"	"	
Dieldrin	ND	5.0	"	"	"	"	"	"	
Endrin	ND	5.0	"	"	"	"	"	"	
4,4'-DDD	ND	5.0	"	"	"	"	"	"	
Endosulfan II	ND	5.0	"	"	"	"	"	"	
4,4'-DDT	ND	5.0	"	"	"	"	"	"	
Endrin aldehyde	ND	5.0	"	"	"	"	"	"	
Endosulfan sulfate	ND	5.0	"	"	"	"	"	"	
Methoxychlor	ND	5.0	"	"	"	"	"	"	
Endrin ketone	ND	5.0	"	"	"	"	"	"	
Toxaphene	ND	20	"	"	"	"	"	"	
Chlordane (tech)	ND	50	"	"	"	"	"	"	
Chlordane (Total)	ND	5.0	"	"	"	"	"	"	
Surrogate: Tetrachloro-meta-xylene		116 %		35-140	"	"	"	"	
Surrogate: Decachlorobiphenyl		106 %		35-140	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5 48 Bellarmine Ct, Suite 40 Chico CA, 95928	Project: Hamilton Union High School Project Number: 70779.01.001.003 Project Manager: Heidi Cummings	Reported: 11/27/19 11:23
--	--	-----------------------------

DD7D-0
T193941-50 (Soil)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Extractable Petroleum Hydrocarbons by 8015B

C6-C12 (GRO)	ND	10	mg/kg	1	9111411	11/14/19	11/15/19	EPA 8015B	
C13-C28 (DRO)	10	10	"	"	"	"	"	"	
C29-C40 (MORO)	35	10	"	"	"	"	"	"	
<i>Surrogate: p-Terphenyl</i>		<i>119 %</i>	<i>65-135</i>		"	"	"	"	

Metals by EPA 6010B

Antimony	ND	3.0	mg/kg	1	9111418	11/14/19	11/15/19	EPA 6010b	
Silver	ND	2.0	"	"	"	"	"	"	
Arsenic	ND	5.0	"	"	"	"	"	"	
Barium	190	4.0	"	4	"	"	11/15/19	"	RE-01
Beryllium	ND	1.0	"	1	"	"	11/15/19	"	
Cadmium	ND	2.0	"	"	"	"	11/15/19	"	
Chromium	38	2.0	"	"	"	"	"	"	
Cobalt	9.4	2.0	"	"	"	"	"	"	
Copper	22	1.0	"	"	"	"	"	"	
Lead	4.9	3.0	"	"	"	"	"	"	
Molybdenum	ND	5.0	"	"	"	"	"	"	
Nickel	57	2.0	"	"	"	"	"	"	
Selenium	ND	5.0	"	"	"	"	"	"	
Thallium	ND	2.0	"	"	"	"	"	"	
Vanadium	28	5.0	"	"	"	"	"	"	
Zinc	58	1.0	"	"	"	"	"	"	

Cold Vapor Extraction EPA 7470/7471

Mercury	ND	0.10	mg/kg	1	9111422	11/14/19	11/15/19	EPA 7471A Soil	
---------	----	------	-------	---	---------	----------	----------	-------------------	--

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5 48 Bellarmine Ct, Suite 40 Chico CA, 95928	Project: Hamilton Union High School Project Number: 70779.01.001.003 Project Manager: Heidi Cummings	Reported: 11/27/19 11:23
--	--	-----------------------------

DD7D-0
T193941-50 (Soil)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Organochlorine Pesticides by EPA Method 8081A

alpha-BHC	ND	5.0	ug/kg	1	9111350	11/13/19	11/14/19	EPA 8081A	
gamma-BHC (Lindane)	ND	5.0	"	"	"	"	"	"	
beta-BHC	ND	5.0	"	"	"	"	"	"	
delta-BHC	ND	5.0	"	"	"	"	"	"	
Heptachlor	ND	5.0	"	"	"	"	"	"	
Aldrin	ND	5.0	"	"	"	"	"	"	
Heptachlor epoxide	ND	5.0	"	"	"	"	"	"	
gamma-Chlordane	ND	5.0	"	"	"	"	"	"	
alpha-Chlordane	ND	5.0	"	"	"	"	"	"	
Endosulfan I	ND	5.0	"	"	"	"	"	"	
4,4'-DDE	43	5.0	"	"	"	"	"	"	
Dieldrin	ND	5.0	"	"	"	"	"	"	
Endrin	ND	5.0	"	"	"	"	"	"	
4,4'-DDD	ND	5.0	"	"	"	"	"	"	
Endosulfan II	ND	5.0	"	"	"	"	"	"	
4,4'-DDT	ND	5.0	"	"	"	"	"	"	
Endrin aldehyde	ND	5.0	"	"	"	"	"	"	
Endosulfan sulfate	ND	5.0	"	"	"	"	"	"	
Methoxychlor	ND	5.0	"	"	"	"	"	"	
Endrin ketone	ND	5.0	"	"	"	"	"	"	
Toxaphene	ND	20	"	"	"	"	"	"	
Chlordane (tech)	ND	50	"	"	"	"	"	"	
Chlordane (Total)	ND	5.0	"	"	"	"	"	"	
Surrogate: Tetrachloro-meta-xylene		126 %		35-140	"	"	"	"	
Surrogate: Decachlorobiphenyl		96.3 %		35-140	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager

NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
11/27/19 11:23

Extractable Petroleum Hydrocarbons by 8015B - Quality Control
SunStar Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 9111347 - EPA 3510C GC

Blank (9111347-BLK1)

Prepared: 11/13/19 Analyzed: 11/14/19

C6-C12 (GRO)	ND	50	ug/l							
C13-C28 (DRO)	ND	50	"							
C29-C40 (MORO)	ND	100	"							
Surrogate: <i>p</i> -Terphenyl	5900		"	4000		147	65-135			S-13

LCS (9111347-BS1)

Prepared: 11/13/19 Analyzed: 11/14/19

C13-C28 (DRO)	19400	50	ug/l	20000		97.0	75-125			
Surrogate: <i>p</i> -Terphenyl	4670		"	4000		117	65-135			

LCS Dup (9111347-BS1)

Prepared: 11/13/19 Analyzed: 11/14/19

C13-C28 (DRO)	19100	50	ug/l	20000		95.3	75-125	1.76	20	
Surrogate: <i>p</i> -Terphenyl	4820		"	4000		121	65-135			

Batch 9111411 - EPA 3550B GC

Blank (9111411-BLK1)

Prepared: 11/14/19 Analyzed: 11/15/19

C6-C12 (GRO)	ND	10	mg/kg							
C13-C28 (DRO)	ND	10	"							
C29-C40 (MORO)	ND	10	"							
Surrogate: <i>p</i> -Terphenyl	112		"	101		111	65-135			

LCS (9111411-BS1)

Prepared: 11/14/19 Analyzed: 11/15/19

C13-C28 (DRO)	510	10	mg/kg	505		102	75-125			
Surrogate: <i>p</i> -Terphenyl	114		"	101		113	65-135			

LCS Dup (9111411-BS1)

Prepared: 11/14/19 Analyzed: 11/15/19

C13-C28 (DRO)	500	10	mg/kg	505		99.7	75-125	1.88	20	
Surrogate: <i>p</i> -Terphenyl	110		"	101		109	65-135			

SunStar Laboratories, Inc.



Jeff Lee, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5	Project: Hamilton Union High School	Reported:
48 Bellarmine Ct, Suite 40	Project Number: 70779.01.001.003	11/27/19 11:23
Chico CA, 95928	Project Manager: Heidi Cummings	

Metals by EPA 6010B - Quality Control

SunStar Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 9111354 - EPA 3010A

Blank (9111354-BLK1)

Prepared: 11/13/19 Analyzed: 11/14/19

Antimony	ND	50	ug/l							
Silver	ND	50	"							
Arsenic	ND	50	"							
Barium	ND	50	"							
Beryllium	ND	50	"							
Cadmium	ND	50	"							
Chromium	ND	50	"							
Cobalt	ND	50	"							
Copper	ND	50	"							
Lead	ND	50	"							
Molybdenum	ND	50	"							
Nickel	ND	50	"							
Selenium	ND	50	"							
Thallium	ND	50	"							
Vanadium	ND	50	"							
Zinc	ND	50	"							

LCS (9111354-BS1)

Prepared: 11/13/19 Analyzed: 11/14/19

Arsenic	503	50	ug/l	500		101	75-125			
Barium	511	50	"	500		102	75-125			
Cadmium	512	50	"	500		102	75-125			
Chromium	513	50	"	500		103	75-125			
Lead	509	50	"	500		102	75-125			

Matrix Spike (9111354-MS1)

Source: T193930-01

Prepared: 11/13/19 Analyzed: 11/14/19

Arsenic	528	50	ug/l	500	ND	106	75-125			
Barium	662	50	"	500	170	98.4	75-125			QM-05
Cadmium	505	50	"	500	ND	101	75-125			
Chromium	507	50	"	500	ND	101	75-125			
Lead	494	50	"	500	ND	98.8	75-125			

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5	Project: Hamilton Union High School	Reported:
48 Bellarmine Ct, Suite 40	Project Number: 70779.01.001.003	11/27/19 11:23
Chico CA, 95928	Project Manager: Heidi Cummings	

Metals by EPA 6010B - Quality Control

SunStar Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 9111354 - EPA 3010A

Matrix Spike Dup (9111354-MSD1)

Source: T193930-01

Prepared: 11/13/19 Analyzed: 11/14/19

Arsenic	529	50	ug/l	500	ND	106	75-125	0.209	20	
Barium	656	50	"	500	170	97.3	75-125	0.860	20	QM-05
Cadmium	498	50	"	500	ND	99.7	75-125	1.23	20	
Chromium	501	50	"	500	ND	100	75-125	1.28	20	
Lead	496	50	"	500	ND	99.1	75-125	0.352	20	

Batch 9111360 - EPA 3050B

Blank (9111360-BLK1)

Prepared: 11/13/19 Analyzed: 11/14/19

Antimony	ND	3.00	mg/kg							
Arsenic	ND	5.00	"							
Barium	ND	1.00	"							
Beryllium	ND	1.00	"							
Cadmium	ND	2.00	"							
Chromium	ND	2.00	"							
Cobalt	ND	2.00	"							
Copper	ND	1.00	"							
Lead	ND	3.00	"							
Molybdenum	ND	5.00	"							
Nickel	ND	2.00	"							
Selenium	ND	5.00	"							
Silver	ND	2.00	"							
Thallium	ND	2.00	"							
Vanadium	ND	5.00	"							
Zinc	ND	1.00	"							

LCS (9111360-BS1)

Prepared: 11/13/19 Analyzed: 11/14/19

Arsenic	101	5.00	mg/kg	100		101	75-125			
Barium	102	1.00	"	100		102	75-125			
Cadmium	101	2.00	"	100		101	75-125			
Chromium	102	2.00	"	100		102	75-125			
Lead	101	3.00	"	100		101	75-125			

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5	Project: Hamilton Union High School	Reported:
48 Bellarmine Ct, Suite 40	Project Number: 70779.01.001.003	11/27/19 11:23
Chico CA, 95928	Project Manager: Heidi Cummings	

Metals by EPA 6010B - Quality Control

SunStar Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 9111360 - EPA 3050B

Matrix Spike (9111360-MS1)	Source: T193921-01			Prepared: 11/13/19 Analyzed: 11/14/19						
Arsenic	57.2	5.00	mg/kg	97.1	ND	58.9	75-125			QM-05
Barium	125	1.00	"	97.1	41.9	85.8	75-125			QM-05
Cadmium	56.6	2.00	"	97.1	0.155	58.1	75-125			QM-05
Chromium	62.6	2.00	"	97.1	3.62	60.8	75-125			QM-05
Lead	55.7	3.00	"	97.1	1.02	56.3	75-125			QM-05

Matrix Spike Dup (9111360-MSD1)	Source: T193921-01			Prepared: 11/13/19 Analyzed: 11/14/19						
Arsenic	62.0	5.00	mg/kg	97.1	ND	63.9	75-125	8.08	20	QM-05
Barium	133	1.00	"	97.1	41.9	93.4	75-125	5.71	20	QM-05
Cadmium	58.5	2.00	"	97.1	0.155	60.1	75-125	3.36	20	QM-05
Chromium	65.0	2.00	"	97.1	3.62	63.3	75-125	3.82	20	QM-05
Lead	59.5	3.00	"	97.1	1.02	60.3	75-125	6.65	20	QM-05

Batch 9111418 - EPA 3050B

Blank (9111418-BLK1)	Prepared: 11/14/19 Analyzed: 11/15/19				
Antimony	ND	3.0	mg/kg		
Silver	ND	2.0	"		
Arsenic	ND	5.0	"		
Barium	ND	1.0	"		
Beryllium	ND	1.0	"		
Cadmium	ND	2.0	"		
Chromium	ND	2.0	"		
Cobalt	ND	2.0	"		
Copper	ND	1.0	"		
Lead	ND	3.0	"		
Molybdenum	ND	5.0	"		
Nickel	ND	2.0	"		
Selenium	ND	5.0	"		
Thallium	ND	2.0	"		
Vanadium	ND	5.0	"		
Zinc	ND	1.0	"		

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager

NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
11/27/19 11:23

Metals by EPA 6010B - Quality Control

SunStar Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 9111418 - EPA 3050B

LCS (9111418-BS1)

Prepared: 11/14/19 Analyzed: 11/15/19

Arsenic	94.2	5.0	mg/kg	100		94.2	75-125			
Barium	94.4	1.0	"	100		94.4	75-125			
Cadmium	94.0	2.0	"	100		94.0	75-125			
Chromium	94.1	2.0	"	100		94.1	75-125			
Lead	94.8	3.0	"	100		94.8	75-125			

Matrix Spike (9111418-MS1)

Source: T193941-42

Prepared: 11/14/19 Analyzed: 11/15/19

Arsenic	51.2	5.0	mg/kg	96.2	ND	53.2	75-125			QM-05
Barium	119	1.0	"	96.2	69.9	50.8	75-125			QM-05
Cadmium	49.8	2.0	"	96.2	0.532	51.2	75-125			QM-05
Chromium	92.4	2.0	"	96.2	40.3	54.2	75-125			QM-05
Lead	52.2	3.0	"	96.2	4.54	49.6	75-125			QM-05

Matrix Spike Dup (9111418-MSD1)

Source: T193941-42

Prepared: 11/14/19 Analyzed: 11/15/19

Arsenic	55.3	5.0	mg/kg	98.0	ND	56.4	75-125	7.78	20	QM-05
Barium	121	1.0	"	98.0	69.9	52.3	75-125	2.05	20	QM-05
Cadmium	52.5	2.0	"	98.0	0.532	53.0	75-125	5.28	20	QM-05
Chromium	94.5	2.0	"	98.0	40.3	55.2	75-125	2.21	20	QM-05
Lead	55.7	3.0	"	98.0	4.54	52.1	75-125	6.34	20	QM-05

SunStar Laboratories, Inc.



Jeff Lee, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
11/27/19 11:23

Cold Vapor Extraction EPA 7470/7471 - Quality Control

SunStar Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 9111355 - EPA 7470A Water

Blank (9111355-BLK1)

Prepared: 11/13/19 Analyzed: 11/15/19

Mercury ND 0.50 ug/l

LCS (9111355-BS1)

Prepared: 11/13/19 Analyzed: 11/15/19

Mercury 4.71 0.50 ug/l 5.00 94.2 80-120

Matrix Spike (9111355-MS1)

Source: T193930-01

Prepared: 11/13/19 Analyzed: 11/15/19

Mercury 4.60 0.50 ug/l 5.00 ND 92.0 75-125

Matrix Spike Dup (9111355-MSD1)

Source: T193930-01

Prepared: 11/13/19 Analyzed: 11/15/19

Mercury 4.56 0.50 ug/l 5.00 ND 91.1 75-125 0.939 20

Batch 9111422 - EPA 7471A Soil

Blank (9111422-BLK1)

Prepared: 11/14/19 Analyzed: 11/15/19

Mercury ND 0.10 mg/kg

LCS (9111422-BS1)

Prepared: 11/14/19 Analyzed: 11/15/19

Mercury 0.418 0.10 mg/kg 0.410 102 80-120

Matrix Spike (9111422-MS1)

Source: T193921-01

Prepared: 11/14/19 Analyzed: 11/15/19

Mercury 0.434 0.10 mg/kg 0.410 ND 106 75-125

Matrix Spike Dup (9111422-MSD1)

Source: T193921-01

Prepared: 11/14/19 Analyzed: 11/15/19

Mercury 0.415 0.10 mg/kg 0.397 ND 105 75-125 4.42 20

SunStar Laboratories, Inc.



Jeff Lee, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5
 48 Bellarmine Ct, Suite 40
 Chico CA, 95928

Project: Hamilton Union High School
 Project Number: 70779.01.001.003
 Project Manager: Heidi Cummings

Reported:
 11/27/19 11:23

Organochlorine Pesticides by EPA Method 8081A - Quality Control

SunStar Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 9111344 - EPA 3510C GCMS/ECD

Blank (9111344-BLK1)

Prepared & Analyzed: 11/13/19

alpha-BHC	ND	1.00	ug/l							
gamma-BHC (Lindane)	ND	1.00	"							
beta-BHC	ND	1.00	"							
delta-BHC	ND	1.00	"							
Heptachlor	ND	1.00	"							
Aldrin	ND	1.00	"							
Heptachlor epoxide	ND	1.00	"							
gamma-Chlordane	ND	1.00	"							
alpha-Chlordane	ND	1.00	"							
Endosulfan I	ND	1.00	"							
4,4'-DDE	ND	1.00	"							
Dieldrin	ND	1.00	"							
Endrin	ND	1.00	"							
4,4'-DDD	ND	1.00	"							
Endosulfan II	ND	1.00	"							
4,4'-DDT	ND	1.00	"							
Endrin aldehyde	ND	1.00	"							
Endosulfan sulfate	ND	1.00	"							
Methoxychlor	ND	1.00	"							
Endrin ketone	ND	1.00	"							
Chlordane (tech)	ND	10.0	"							
Toxaphene	ND	20.0	"							

Surrogate: Tetrachloro-meta-xylene

ND 1.00 " 1.00 69.0 35-140

Surrogate: Decachlorobiphenyl

0.836 1.00 " 1.00 83.6 35-140

LCS (9111344-BS1)

Prepared & Analyzed: 11/13/19

gamma-BHC (Lindane)	4.01	1.00	ug/l	4.00		100	40-120			
Heptachlor	4.14	1.00	"	4.00		103	40-120			
Aldrin	3.66	1.00	"	4.00		91.4	40-120			
Dieldrin	4.03	1.00	"	4.00		101	40-120			
Endrin	4.21	1.00	"	4.00		105	40-120			
4,4'-DDT	4.15	1.00	"	4.00		104	40-120			

Surrogate: Tetrachloro-meta-xylene

0.805 1.00 " 1.00 80.5 35-140

Surrogate: Decachlorobiphenyl

0.876 1.00 " 1.00 87.6 35-140

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5	Project: Hamilton Union High School	Reported:
48 Bellarmine Ct, Suite 40	Project Number: 70779.01.001.003	11/27/19 11:23
Chico CA, 95928	Project Manager: Heidi Cummings	

Organochlorine Pesticides by EPA Method 8081A - Quality Control

SunStar Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 9111344 - EPA 3510C GCMS/ECD

LCS Dup (9111344-BSD1)

Prepared & Analyzed: 11/13/19

gamma-BHC (Lindane)	4.49	1.00	ug/l	4.00		112	40-120	11.3	20	
Heptachlor	4.56	1.00	"	4.00		114	40-120	9.72	20	
Aldrin	3.79	1.00	"	4.00		94.7	40-120	3.55	20	
Dieldrin	4.26	1.00	"	4.00		106	40-120	5.36	20	
Endrin	4.36	1.00	"	4.00		109	40-120	3.45	20	
4,4'-DDT	4.29	1.00	"	4.00		107	40-120	3.25	20	
Surrogate: Tetrachloro-meta-xylene	0.892		"	1.00		89.2	35-140			
Surrogate: Decachlorobiphenyl	0.793		"	1.00		79.3	35-140			

Batch 9111350 - EPA 3550 ECD/GCMS

Blank (9111350-BLK1)

Prepared: 11/13/19 Analyzed: 11/14/19

alpha-BHC	ND	5.0	ug/kg							
gamma-BHC (Lindane)	ND	5.0	"							
beta-BHC	ND	5.0	"							
delta-BHC	ND	5.0	"							
Heptachlor	ND	5.0	"							
Aldrin	ND	5.0	"							
Heptachlor epoxide	ND	5.0	"							
gamma-Chlordane	ND	5.0	"							
alpha-Chlordane	ND	5.0	"							
Endosulfan I	ND	5.0	"							
4,4'-DDE	ND	5.0	"							
Dieldrin	ND	5.0	"							
Endrin	ND	5.0	"							
4,4'-DDD	ND	5.0	"							
Endosulfan II	ND	5.0	"							
4,4'-DDT	ND	5.0	"							
Endrin aldehyde	ND	5.0	"							
Endosulfan sulfate	ND	5.0	"							
Methoxychlor	ND	5.0	"							
Endrin ketone	ND	5.0	"							
Toxaphene	ND	20	"							
Chlordane (tech)	ND	50	"							
Chlordane (Total)	ND	5.0	"							
Surrogate: Tetrachloro-meta-xylene	12.5		"	10.1		124	35-140			

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager

NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
11/27/19 11:23

Organochlorine Pesticides by EPA Method 8081A - Quality Control

SunStar Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 9111350 - EPA 3550 ECD/GCMS

Blank (9111350-BLK1)

Prepared: 11/13/19 Analyzed: 11/14/19

Surrogate: Decachlorobiphenyl 13.2 ug/kg 10.1 131 35-140

LCS (9111350-BS1)

Prepared: 11/13/19 Analyzed: 11/14/19

gamma-BHC (Lindane)	59.1	5.0	ug/kg	40.4	146	40-120				QM-12
Heptachlor	61.0	5.0	"	40.4	151	40-120				QM-12
Aldrin	54.1	5.0	"	40.4	134	40-120				QM-12
Dieldrin	58.9	5.0	"	40.4	146	40-120				QM-12
Endrin	60.4	5.0	"	40.4	149	40-120				QM-12
4,4'-DDT	53.5	5.0	"	40.4	132	33-147				
Surrogate: Tetrachloro-meta-xylene	13.0		"	10.1	128	35-140				
Surrogate: Decachlorobiphenyl	10.6		"	10.1	105	35-140				

LCS Dup (9111350-BSD1)

Prepared: 11/13/19 Analyzed: 11/14/19

gamma-BHC (Lindane)	51.6	5.0	ug/kg	40.4	128	40-120	13.6	30		QM-12
Heptachlor	53.6	5.0	"	40.4	133	40-120	12.9	30		QM-12
Aldrin	47.1	5.0	"	40.4	117	40-120	13.8	30		QM-12
Dieldrin	52.2	5.0	"	40.4	129	40-120	12.0	30		QM-12
Endrin	53.1	5.0	"	40.4	132	40-120	12.8	30		QM-12
4,4'-DDT	48.4	5.0	"	40.4	120	33-147	9.93	30		
Surrogate: Tetrachloro-meta-xylene	11.6		"	10.1	115	35-140				
Surrogate: Decachlorobiphenyl	10.5		"	10.1	104	35-140				

Batch 9112036 - EPA 3550 ECD/GCMS

Blank (9112036-BLK1)

Prepared: 11/20/19 Analyzed: 11/26/19

alpha-BHC	ND	5.0	ug/kg							
gamma-BHC (Lindane)	ND	5.0	"							
beta-BHC	ND	5.0	"							
delta-BHC	ND	5.0	"							
Heptachlor	ND	5.0	"							
Aldrin	ND	5.0	"							
Heptachlor epoxide	ND	5.0	"							
gamma-Chlordane	ND	5.0	"							
alpha-Chlordane	ND	5.0	"							
Endosulfan I	ND	5.0	"							
4,4'-DDE	ND	5.0	"							

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5 48 Bellarmine Ct, Suite 40 Chico CA, 95928	Project: Hamilton Union High School Project Number: 70779.01.001.003 Project Manager: Heidi Cummings	Reported: 11/27/19 11:23
--	--	-----------------------------

Organochlorine Pesticides by EPA Method 8081A - Quality Control

SunStar Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 9112036 - EPA 3550 ECD/GCMS

Blank (9112036-BLK1)

Prepared: 11/20/19 Analyzed: 11/26/19

Dieldrin	ND	5.0	ug/kg							
Endrin	ND	5.0	"							
4,4'-DDD	ND	5.0	"							
Endosulfan II	ND	5.0	"							
4,4'-DDT	ND	5.0	"							
Endrin aldehyde	ND	5.0	"							
Endosulfan sulfate	ND	5.0	"							
Methoxychlor	ND	5.0	"							
Endrin ketone	ND	5.0	"							
Toxaphene	ND	20	"							
Surrogate: Tetrachloro-meta-xylene	11.5		"	10.0		115	35-140			
Surrogate: Decachlorobiphenyl	11.6		"	10.0		116	35-140			QM-14

LCS (9112036-BS1)

Prepared: 11/20/19 Analyzed: 11/26/19

gamma-BHC (Lindane)	48.8	5.0	ug/kg	40.0		122	40-120			QM-14
Heptachlor	53.3	5.0	"	40.0		133	40-120			QM-14
Aldrin	43.0	5.0	"	40.0		107	40-120			
Dieldrin	47.8	5.0	"	40.0		119	40-120			
Endrin	53.2	5.0	"	40.0		133	40-120			QM-14
4,4'-DDT	72.6	5.0	"	40.0		182	33-147			QM-14
Surrogate: Tetrachloro-meta-xylene	11.5		"	10.0		115	35-140			
Surrogate: Decachlorobiphenyl	11.2		"	10.0		112	35-140			

LCS Dup (9112036-BS1)

Prepared: 11/20/19 Analyzed: 11/26/19

gamma-BHC (Lindane)	51.1	5.0	ug/kg	40.0		128	40-120	4.69	30	QM-14
Heptachlor	54.3	5.0	"	40.0		136	40-120	1.87	30	QM-14
Aldrin	44.4	5.0	"	40.0		111	40-120	3.22	30	
Dieldrin	49.5	5.0	"	40.0		124	40-120	3.55	30	QM-14
Endrin	54.2	5.0	"	40.0		136	40-120	1.86	30	QM-14
4,4'-DDT	70.1	5.0	"	40.0		175	33-147	3.53	30	QM-14
Surrogate: Tetrachloro-meta-xylene	11.9		"	10.0		119	35-140			
Surrogate: Decachlorobiphenyl	12.1		"	10.0		121	35-140			

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5
 48 Bellarmine Ct, Suite 40
 Chico CA, 95928

Project: Hamilton Union High School
 Project Number: 70779.01.001.003
 Project Manager: Heidi Cummings

Reported:
 11/27/19 11:23

Polychlorinated Biphenyls by EPA Method 8082 - Quality Control
SunStar Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 9111415 - EPA 3550 ECD/GCMS

Blank (9111415-BLK1)

Prepared & Analyzed: 11/14/19

PCB-1016	ND	10	ug/kg							
PCB-1221	ND	10	"							
PCB-1232	ND	10	"							
PCB-1242	ND	10	"							
PCB-1248	ND	10	"							
PCB-1254	ND	10	"							
PCB-1260	ND	10	"							
Surrogate: Tetrachloro-meta-xylene	9.41		"	10.0		94.1	35-140			
Surrogate: Decachlorobiphenyl	10.1		"	10.0		101	35-140			

LCS (9111415-BS1)

Prepared & Analyzed: 11/14/19

PCB-1016	97.0	10	ug/kg	100		97.0	40-130			
PCB-1260	98.0	10	"	100		98.0	40-130			
Surrogate: Tetrachloro-meta-xylene	8.88		"	10.0		88.8	35-140			
Surrogate: Decachlorobiphenyl	9.93		"	10.0		99.3	35-140			

LCS Dup (9111415-BSD1)

Prepared & Analyzed: 11/14/19

PCB-1016	92.6	10	ug/kg	100		92.6	40-130	4.59	30	
PCB-1260	91.2	10	"	100		91.2	40-130	7.24	30	
Surrogate: Tetrachloro-meta-xylene	8.98		"	10.0		89.8	35-140			
Surrogate: Decachlorobiphenyl	9.79		"	10.0		97.9	35-140			

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager

NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
11/27/19 11:23

Notes and Definitions

- S-13 Surrogate recovery outside of established control limits. The data was accepted based on valid recovery of surrogates in client samples and remaining QC including CCV.
- RE-01 Sample contained analytes with concentrations above calibration limits and was rerun at a dilution.
- QM-14 The LCS and LCSD were above acceptance criteria. The method blank and sample were ND for the analyte in question. The CCV was within acceptance criteria. No negative impact on data is expected.
- QM-12 The % recovery for this analyte was above acceptance criteria in the LCS and/or LCSD. The MB and sample(s) were ND for the analyte. The CCV(s) was within acceptance criteria. No negative impact on data is expected.
- QM-05 The spike recovery was outside acceptance limits for the MS and/or MSD due to possible matrix interference. The LCS was within acceptance criteria. The data is acceptable as no negative impact on data is expected.
- DET Analyte DETECTED
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference

SunStar Laboratories, Inc.



Jeff Lee, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

SunStar Laboratories
 25712 Commercentre Dr
 Lake Forest, CA 92630
 949-297-5020

Chain of Custody Record

Client: NV5
 Address: 48 Bellarmine Court, Ste 40, Chico, CA 95928
 Phone: 530-894-2487 Fax: 530-894-2437
 Project Manager: Heidi Cummings, heidi.cummings@NV5.com

Date: 11/12/2019
 Project Name: Hamilton Union High School
 Collector: HJCCWB Client Project #: 70779.01.001.003
 Batch #: 7192941 EDF #: _____

Sample ID	Date Sampled	Time	Sample Type	Container Type	Arsenic EPA 6010	Lead EPA 6010	OCPs EPA 8081	Laboratory ID #	Comments/Preservative	Total # of containers	
A1D-0	11/12/2019	0830	SOIL	8 oz jar	X	X		01	ICE Chest 1 of 2	1	
B1D-0	11/12/2019	0840	SOIL	8 oz jar				02		1	
C1D-0	11/12/2019	0850	SOIL	8 oz jar	X	X		03		1	
C1D-0-CL	11/12/2019	0900	SOIL	8 oz jar	X	X		04		1	
D1D-0	11/12/2019	0905	SOIL	8 oz jar				05		1	
ABCD1C-0	11/12/2019		SOIL	8 oz jar			X	06		1	
A2D-0	11/12/2019	0920	SOIL	8 oz jar				07		1	
A2D-0-FR	11/12/2019	0921	SOIL	8 oz jar				08		1	
B2D-0	11/12/2019	0935	SOIL	8 oz jar				09		1	
B-2D-0-FR	11/12/2019	0936	SOIL	8 oz jar				10		1	
C2D-0	11/12/2019	0950	SOIL	8 oz jar				11		1	
C-2D-0-FR	11/12/2019	0951	SOIL	8 oz jar				12		1	
D2D-0	11/12/2019	1005	SOIL	8 oz jar				13		1	
D-2D-0-FR	11/12/2019	1006	SOIL	8 oz jar				14		1	
ABCD2C-0	11/12/2019						X				15
ABCD2C-0-FR	11/12/2019						X			16	
Relinquished by: (signature)			Received by: (signature)			Date / Time			Total # of containers		
<i>Heidi Cummings</i> 11/21/1600			<i>ESD</i> 11/21/1600								
Relinquished by: (signature)			Received by: (signature)			Date / Time			Chain of Custody seals Y/N/N/A		
<i>ESD</i> 11/13/19 8:27			<i>[Signature]</i> 11/13/19 8:27						Seals intact: Y/N/N/A		
Relinquished by: (signature)			Received by: (signature)			Date / Time			Received good condition/cold		
<i>ESD</i> 11/13/19 8:27			<i>[Signature]</i> 11/13/19 8:27						Turn around time: 5 day		
Sample disposal instructions: Disposal @ \$2.00 each			Return to client			Pickup			Notes		
									Method 8081 report Chloroform and Technical Chloroform Please return H&K/NV5 ice chests		

Client: NV5
Address: 48 Bellarmine Court, Ste 40, Chico, CA 95928
Phone: 530-894-2487 Fax: 530-894-2437
Project Manager: Heidi Cummings, heidi.cummings@NV5.com

Date: 11/12/2019
Project Name: Hamilton Union High School
Collector: HJC/CWB Client Project #: 70779.01.001.003
Batch #: 7193941 EDF #:

Sample ID	Date Sampled	Time	Sample Type	Container Type	Arsenic EPA 6010	Lead EPA 6010	OCPs EPA 8081	Laboratory ID #	Comments/Preservative	Total # of containers
A3D-0	11/12/2019	1015	SOIL	8 oz jar				17	Ice Chest 1 of 2	
B3D-0	11/12/2019	1025	SOIL	8 oz jar	X	X	18			
B3D-0-FR	11/12/2019	1026	SOIL	8 oz jar	X	X	19			
C3D-0	11/12/2019	1040	SOIL	8 oz jar			20			
D3D-0	11/12/2019	1100	SOIL	8 oz jar	X	X	21			
ABCD3C-0	11/12/2019		SOIL					Lab to prepare ABCD3C-0 as 4:1 composite of A3D-0, B3D-0, C3D-0 and D3D-0		22
A4D-0	11/12/2019	1110	SOIL	8 oz jar				23		
B4D-0	11/12/2019	1120	SOIL	8 oz jar				24		
C4D-0	11/12/2019	1130	SOIL	8 oz jar				25		
D4D-0	11/12/2019	1140	SOIL	8 oz jar				26		
ABCD4C-0	11/12/2019		SOIL						Lab to prepare ABCD4C-0 as 4:1 composite of A4D-0, B4D-0, C4D-0 and D4D-0	27
Relinquished by: (signature) _____ Date / Time _____ Received by: (signature) _____ Date / Time _____										
Relinquished by: (signature) <i>Heidi Cummings</i> Date / Time <i>11/29/1600</i> Received by: (signature) <i>SSO</i> Date / Time <i>11/29/1600</i>										
Relinquished by: (signature) _____ Date / Time _____ Received by: (signature) _____ Date / Time _____										
Relinquished by: (signature) <i>SSO</i> Date / Time <i>11-13-19 8:27</i> Received by: (signature) <i>[Signature]</i> Date / Time <i>11-13-19 8:27</i>										
Sample disposal Instructions: Disposal @ \$2.00 each _____ Return to client _____ Pickup _____										
Turn around time: 5 day										
Total # of containers: _____ Chain of Custody seals: _____ Received good condition/cold: _____										
Notes: Method 8081 report Chlordane and Technical Chlordane Please return H&K/NV5 ice chests										
9.7° 3.0°										

Chain of Custody Record

Client: NV5
Address: 48 Bellarmine Court, Ste 40, Chico, CA 95928
Phone: 530-894-2487 Fax: 530-894-2437
Project Manager: Heidi Cummings, heidi.cummings@NV5.com

Date: 11/11/2019
Project Name: Hamilton Union High School
Collector: HJC/CWB Client Project #: 70779.01.001.003
Batch #: 7102941 EDF #: _____

Sample ID	Date Sampled	Time	Sample Type	Container Type	PCBS EAP 8082	Arsenic EPA 6010	Lead EPA 6010	OCPs EPA 8081	TPH CARBON CHAIN EPA 8260/8015	Title 22 Metals EPA	Laboratory ID #	Comments/Preservative	Total # of containers
HHS1D-2	11/11/2019	0830	SOIL	8 oz jar	X	X	X				28	ICE Chest 2092	1
HHS2D-2	11/11/2019	0915	SOIL	8 oz jar	X	X	X				29		1
HHS3D-2	11/11/2019	1015	SOIL	8 oz jar	X	X	X				30		1
HHS3D-2-FR	11/11/2019	1018	SOIL	8 oz jar	X	X	X				31		1
HHS4D-2	11/11/2019	1030	SOIL	8 oz jar	X	X	X				32		1
HHS5D-2	11/11/2019	1045	SOIL	8 oz jar	X	X	X				33		1
HHS5D-2-CL	11/11/2019	1055	SOIL	8 oz jar	X	X	X				34		1
HHS6D-2	11/11/2019	1130	SOIL	8 oz jar	X	X	X				35		1
HHS7D-2	11/11/2019	1225	SOIL	8 oz jar	X	X	X				36		1
HHS8D-2	11/11/2019	1330	SOIL	8 oz jar	X	X	X				37		1
PMT-E6D-0	11/11/2019	1505	SOIL	8 oz jar	X						38		1
PMT-E6D-0-CL	11/11/2019	1515	SOIL	8 oz jar	X						39		1
PMT-E6D-2	11/11/2019	1530	SOIL	8 oz jar	X						40		1
EB-1	11/11/2019	1500	W	POLYAMBER/NOA				X	X	X	41		5
Relinquished by: (signature) <i>Heidi Cummings</i> Date / Time 11/29/1600				Received by: (signature) <i>ESB</i> Date / Time 11/29/1600	Total # of containers		Chain of Custody seals Intact Y/N/NA		Received good condition/cold				
Relinquished by: (signature) <i>ESB</i> Date / Time 11/13/19 8:27				Received by: (signature) <i>ESB</i> Date / Time 11/13/19 8:27	Turn around time: 5 day		Method 8081 report Chlordane and Technical Chlordane		Please return H&K/NV5 ice chests		3.7c 3.0c		

Sample disposal instructions: Disposal @ \$2.00 each

Return to client _____ Pickup _____

SAMPLE RECEIVING REVIEW SHEET

Batch/Work Order #: 7193941
 Client Name: HOLDREGE & KULL - CHICO Project: HAMILTON UNION HIGH SCHOOL
 Delivered by: Client SunStar Courier GSO FedEx Other
 If Courier, Received by: _____ Date/Time Courier Received: _____
 Lab Received by: SUNNY Date/Time Lab Received: 11-13-19 / 8:27
 Total number of coolers received: 2 Thermometer ID: 50-1 Calibration due: 6/27/20

Temperature:	Cooler #1	2.5	°C +/- the CF (+ 1.2°C) =	3.7	°C corrected temperature
Temperature:	Cooler #2	1.8	°C +/- the CF (+ 1.2°C) =	3.0	°C corrected temperature
Temperature:	Cooler #3		°C +/- the CF (+ 1.2°C) =		°C corrected temperature
Temperature criteria = ≤ 6°C (no frozen containers)			Within criteria?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
If NO:					
Samples received on ice?		<input type="checkbox"/> Yes		<input type="checkbox"/> No → Complete Non-Conformance Sheet	
If on ice, samples received same day collected?		<input type="checkbox"/> Yes → Acceptable		<input type="checkbox"/> No → Complete Non-Conformance Sheet	

Custody seals intact on cooler/sample Yes No* N/A
 Sample containers intact Yes No*
 Sample labels match Chain of Custody IDs Yes No*
 Total number of containers received match COC Yes No*
 Proper containers received for analyses requested on COC Yes No*
 Proper preservative indicated on COC/containers for analyses requested Yes No* N/A
 Complete shipment received in good condition with correct temperatures, containers, labels, volumes preservatives and within method specified holding times Yes No*
 * Complete Non-Conformance Receiving Sheet if checked Cooler/Sample Review - Initials and date: SL 11-13-19

Comments: _____

WORK ORDER

T193941

Client: NV5
Project: Hamilton Union High School

Project Manager: Jeff Lee
Project Number: 70779.01.001.003

Report To:

NV5
 Heidi Cummings
 48 Bellarmine Ct, Suite 40
 Chico, CA 95928

Date Due: 11/20/19 17:00 (5 day TAT)

Received By: Sunny Lounethone

Date Received: 11/13/19 08:27

Logged In By: Sunny Lounethone

Date Logged In: 11/13/19 09:50

Samples Received at: 3°C
 Custody Seals Yes Received On Ice Yes
 Containers Intact Yes
 COC/Labels Agree Yes
 Preservation Confir Yes

Analysis	Due	TAT	Expires	Comments
T193941-01 A1D-0 [Soil] Sampled 11/12/19 08:30 (GMT-08:00) Pacific Time (US &				
6010 Individual Metals	11/20/19 15:00	5	05/10/20 08:30	As and Pb only
T193941-02 B1D-0 [Soil] Sampled 11/12/19 08:40 (GMT-08:00) Pacific Time (US &				
[NO ANALYSES]				
T193941-03 C1D-0 [Soil] Sampled 11/12/19 08:50 (GMT-08:00) Pacific Time (US &				
6010 Individual Metals	11/20/19 15:00	5	05/10/20 08:50	As and Pb only
T193941-04 C1D-0-CL [Soil] Sampled 11/12/19 09:00 (GMT-08:00) Pacific Time (US &				
6010 Individual Metals	11/20/19 15:00	5	05/10/20 09:00	As and Pb only
T193941-05 D1D-0 [Soil] Sampled 11/12/19 09:05 (GMT-08:00) Pacific Time (US &				
[NO ANALYSES]				
T193941-06 ABCD1C-0 [Soil] Sampled 11/12/19 00:00 (GMT-08:00) Pacific Time (US &				COMPOSITE 4:1 (A1D-0, B1D-0, C1D-0, D1D-0)
8081 Pesticides	11/20/19 15:00	5	11/26/19 00:00	
T193941-07 A2D-0 [Soil] Sampled 11/12/19 09:20 (GMT-08:00) Pacific Time (US &				
[NO ANALYSES]				

WORK ORDER

T193941

Client: NV5	Project Manager: Jeff Lee
Project: Hamilton Union High School	Project Number: 70779.01.001.003

Analysis	Due	TAT	Expires	Comments
T193941-08 A2D-0FR [Soil] Sampled 11/12/19 09:21 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				
T193941-09 B2D-0 [Soil] Sampled 11/12/19 09:35 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				
T193941-10 B-2D-0-FR [Soil] Sampled 11/12/19 09:36 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				
T193941-11 C2D-0 [Soil] Sampled 11/12/19 09:50 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				
T193941-12 C-2D-0-FR [Soil] Sampled 11/12/19 09:51 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				
T193941-13 D2D-0 [Soil] Sampled 11/12/19 10:05 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				
T193941-14 D-2D-0-FR [Soil] Sampled 11/12/19 10:06 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				
T193941-15 ABCD2C-0 [Soil] Sampled 11/12/19 00:00 (GMT-08:00) Pacific Time (US & 8081 Pesticides	11/20/19 15:00	5	11/26/19 00:00	COMPOSITE 4:1 (A2D-0, B2D-0, C2D-0, D2D-0)
T193941-16 ABCD2C-0-FR [Soil] Sampled 11/12/19 00:00 (GMT-08:00) Pacific Time (US & 8081 Pesticides	11/20/19 15:00	5	11/26/19 00:00	COMPOSITE 4:1 (A2D-0-FR, B2D-0-FR, C2D-0-FR, D2D-0-FR)
T193941-17 A3D-0 [Soil] Sampled 11/12/19 10:15 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				
T193941-18 B3D-0 [Soil] Sampled 11/12/19 10:25 (GMT-08:00) Pacific Time (US & 6010 Individual Metals	11/20/19 15:00	5	05/10/20 10:25	As and Pb only

WORK ORDER

T193941

Client: NV5	Project Manager: Jeff Lee
Project: Hamilton Union High School	Project Number: 70779.01.001.003

Analysis	Due	TAT	Expires	Comments
T193941-19 B3D-0-FR [Soil] Sampled 11/12/19 10:26 (GMT-08:00) Pacific Time (US &				
6010 Individual Metals	11/20/19 15:00	5	05/10/20 10:26	As and Pb only
T193941-20 C3D-0 [Soil] Sampled 11/12/19 10:40 (GMT-08:00) Pacific Time (US &				
[NO ANALYSES]				
T193941-21 D3D-0 [Soil] Sampled 11/12/19 11:00 (GMT-08:00) Pacific Time (US &				
6010 Individual Metals	11/20/19 15:00	5	05/10/20 11:00	As and Pb only
T193941-22 ABCD3C-0 [Soil] Sampled 11/12/19 00:00 (GMT-08:00) Pacific Time (US &				
8081 Pesticides	11/20/19 15:00	5	11/26/19 00:00	COMPOSITE 4:1 (A3D-0, B3D-0, C3D-0, D3D-0)
T193941-23 A4D-0 [Soil] Sampled 11/12/19 11:10 (GMT-08:00) Pacific Time (US &				
[NO ANALYSES]				
T193941-24 B4D-0 [Soil] Sampled 11/12/19 11:20 (GMT-08:00) Pacific Time (US &				
[NO ANALYSES]				
T193941-25 C4D-0 [Soil] Sampled 11/12/19 11:30 (GMT-08:00) Pacific Time (US &				
[NO ANALYSES]				
T193941-26 D4D-0 [Soil] Sampled 11/12/19 11:40 (GMT-08:00) Pacific Time (US &				
[NO ANALYSES]				
T193941-27 ABCD4C-0 [Soil] Sampled 11/12/19 00:00 (GMT-08:00) Pacific Time (US &				
8081 Pesticides	11/20/19 15:00	5	11/26/19 00:00	COMPOSITE 4:1 (A4D-0, B4D-0, C4D-0, D4D-0)
T193941-28 HHS1D-2 [Soil] Sampled 11/11/19 08:30 (GMT-08:00) Pacific Time (US &				
6010 Individual Metals	11/20/19 15:00	5	05/09/20 08:30	As and Pb only
T193941-29 HHS2D-2 [Soil] Sampled 11/11/19 09:15 (GMT-08:00) Pacific Time (US &				
6010 Individual Metals	11/20/19 15:00	5	05/09/20 09:15	As and Pb only

WORK ORDER

T193941

Client: NV5	Project Manager: Jeff Lee
Project: Hamilton Union High School	Project Number: 70779.01.001.003

Analysis	Due	TAT	Expires	Comments
T193941-30 HHS3D-2 [Soil] Sampled 11/11/19 10:15 (GMT-08:00) Pacific Time (US &				
6010 Individual Metals	11/20/19 15:00	5	05/09/20 10:15	As and Pb only
T193941-31 HHS3D-2-FR [Soil] Sampled 11/11/19 10:18 (GMT-08:00) Pacific Time (US &				
6010 Individual Metals	11/20/19 15:00	5	05/09/20 10:18	As and Pb only
T193941-32 HHS4D-2 [Soil] Sampled 11/11/19 10:30 (GMT-08:00) Pacific Time (US &				
6010 Individual Metals	11/20/19 15:00	5	05/09/20 10:30	As and Pb only
T193941-33 HHS5D-2 [Soil] Sampled 11/11/19 10:45 (GMT-08:00) Pacific Time (US &				
6010 Individual Metals	11/20/19 15:00	5	05/09/20 10:45	As and Pb only
T193941-34 HHS5D-2-CL [Soil] Sampled 11/11/19 10:55 (GMT-08:00) Pacific Time (US &				
6010 Individual Metals	11/20/19 15:00	5	05/09/20 10:55	As and Pb only
T193941-35 HHS6D-2 [Soil] Sampled 11/11/19 11:30 (GMT-08:00) Pacific Time (US &				
6010 Individual Metals	11/20/19 15:00	5	05/09/20 11:30	As and Pb only
T193941-36 HHS7D-2 [Soil] Sampled 11/11/19 12:25 (GMT-08:00) Pacific Time (US &				
6010 Individual Metals	11/20/19 15:00	5	05/09/20 12:25	As and Pb only
T193941-37 HHS8D-2 [Soil] Sampled 11/11/19 13:30 (GMT-08:00) Pacific Time (US &				
6010 Individual Metals	11/20/19 15:00	5	05/09/20 13:30	As and Pb only
T193941-38 PMT-E6D-0 [Soil] Sampled 11/11/19 15:05 (GMT-08:00) Pacific Time (US &				
8082 PCB	11/20/19 15:00	5	11/25/19 15:05	
T193941-39 PMT-E6D-0-CL [Soil] Sampled 11/11/19 15:15 (GMT-08:00) Pacific Time (US &				
8082 PCB	11/20/19 15:00	5	11/25/19 15:15	
T193941-40 PMT-E6D-2 [Soil] Sampled 11/11/19 15:30 (GMT-08:00) Pacific Time (US &				
8082 PCB	11/20/19 15:00	5	11/25/19 15:30	

WORK ORDER

T193941

Client: NV5	Project Manager: Jeff Lee
Project: Hamilton Union High School	Project Number: 70779.01.001.003

Analysis	Due	TAT	Expires	Comments
T193941-41 EB-1 [Water] Sampled 11/11/19 15:00 (GMT-08:00) Pacific Time (US &				
6010 Title 22	11/20/19 15:00	5	05/09/20 15:00	
8015 TPH-CC LLvL	11/20/19 15:00	5	11/25/19 15:00	
8081 Pesticides	11/20/19 15:00	5	11/18/19 15:00	
T193941-42 DD1D-0 [Soil] Sampled 11/11/19 13:40 (GMT-08:00) Pacific Time (US &				
6010 Title 22	11/20/19 15:00	5	05/09/20 13:40	
8015 Carbon Chain	11/20/19 15:00	5	11/25/19 13:40	
8081 Pesticides	11/20/19 15:00	5	11/25/19 13:40	
T193941-43 DD2D-0 [Soil] Sampled 11/11/19 13:45 (GMT-08:00) Pacific Time (US &				
6010 Title 22	11/20/19 15:00	5	05/09/20 13:45	
8015 Carbon Chain	11/20/19 15:00	5	11/25/19 13:45	
8081 Pesticides	11/20/19 15:00	5	11/25/19 13:45	
T193941-44 DD2D-0-CL [Soil] Sampled 11/11/19 13:50 (GMT-08:00) Pacific Time (US &				
6010 Title 22	11/20/19 15:00	5	05/09/20 13:50	
8015 Carbon Chain	11/20/19 15:00	5	11/25/19 13:50	
8081 Pesticides	11/20/19 15:00	5	11/25/19 13:50	
T193941-45 DD3D-0 [Soil] Sampled 11/11/19 14:05 (GMT-08:00) Pacific Time (US &				
6010 Title 22	11/20/19 15:00	5	05/09/20 14:05	
8015 Carbon Chain	11/20/19 15:00	5	11/25/19 14:05	
8081 Pesticides	11/20/19 15:00	5	11/25/19 14:05	
T193941-46 DD4D-0 [Soil] Sampled 11/11/19 14:10 (GMT-08:00) Pacific Time (US &				
6010 Title 22	11/20/19 15:00	5	05/09/20 14:10	
8015 Carbon Chain	11/20/19 15:00	5	11/25/19 14:10	
8081 Pesticides	11/20/19 15:00	5	11/25/19 14:10	
T193941-47 DD4D-0-FR [Soil] Sampled 11/11/19 14:15 (GMT-08:00) Pacific Time (US &				
6010 Title 22	11/20/19 15:00	5	05/09/20 14:15	
8015 Carbon Chain	11/20/19 15:00	5	11/25/19 14:15	
8081 Pesticides	11/20/19 15:00	5	11/25/19 14:15	

WORK ORDER

T193941

Client: NV5	Project Manager: Jeff Lee
Project: Hamilton Union High School	Project Number: 70779.01.001.003

Analysis	Due	TAT	Expires	Comments
T193941-48 DD5D-0 [Soil] Sampled 11/11/19 14:25 (GMT-08:00) Pacific Time (US &				
6010 Title 22	11/20/19 15:00	5	05/09/20 14:25	
8015 Carbon Chain	11/20/19 15:00	5	11/25/19 14:25	
8081 Pesticides	11/20/19 15:00	5	11/25/19 14:25	
T193941-49 DD6D-0 [Soil] Sampled 11/11/19 14:35 (GMT-08:00) Pacific Time (US &				
6010 Title 22	11/20/19 15:00	5	05/09/20 14:35	
8015 Carbon Chain	11/20/19 15:00	5	11/25/19 14:35	
8081 Pesticides	11/20/19 15:00	5	11/25/19 14:35	
T193941-50 DD7D-0 [Soil] Sampled 11/11/19 15:00 (GMT-08:00) Pacific Time (US &				
6010 Title 22	11/20/19 15:00	5	05/09/20 15:00	
8015 Carbon Chain	11/20/19 15:00	5	11/25/19 15:00	
8081 Pesticides	11/20/19 15:00	5	11/25/19 15:00	

Analysis groups included in this work order	
<i>6010 Title 22</i>	
subgroup 6010B T22	7470/71 Hg



25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

27 November 2019

Heidi Cummings

NV5

48 Bellarmine Ct, Suite 40

Chico, CA 95928

RE: Hamilton Union High School

Enclosed are the results of analyses for samples received by the laboratory on 11/15/19 08:34. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Jeff Lee

Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5
 48 Bellarmine Ct, Suite 40
 Chico CA, 95928

Project: Hamilton Union High School
 Project Number: 70779.01.001.003
 Project Manager: Heidi Cummings

Reported:
 11/27/19 09:57

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
C5D-0	T193979-05	Soil	11/12/19 13:00	11/15/19 08:34
ABCD5C-0	T193979-09	Soil	11/12/19 00:00	11/15/19 08:34
ABCD5C-0-CL	T193979-10	Soil	11/12/19 00:00	11/15/19 08:34
ABCD6C-0	T193979-15	Soil	11/12/19 00:00	11/15/19 08:34
A7D-0	T193979-16	Soil	11/12/19 14:45	11/15/19 08:34
A7D-0-CL	T193979-18	Soil	11/12/19 14:55	11/15/19 08:34
D7D-0	T193979-23	Soil	11/12/19 15:30	11/15/19 08:34
D7D-0-FR	T193979-24	Soil	11/12/19 15:31	11/15/19 08:34
ABCD7C-0	T193979-25	Soil	11/12/19 00:00	11/15/19 08:34
ABCD7C-0-FR	T193979-26	Soil	11/12/19 00:00	11/15/19 08:34
C8D-0	T193979-29	Soil	11/12/19 16:05	11/15/19 08:34
ABCD8C-0	T193979-31	Soil	11/12/19 00:00	11/15/19 08:34

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager

NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
11/27/19 09:57

DETECTIONS SUMMARY

Sample ID:	C5D-0	Laboratory ID:	T193979-05			
Analyte	Result	Reporting Limit	Units	Method	Notes	
Lead	5.10	3.00	mg/kg	EPA 6010b		

Sample ID:	ABCD5C-0	Laboratory ID:	T193979-09			
Analyte	Result	Reporting Limit	Units	Method	Notes	
4,4'-DDE	0.0066	0.0050	mg/kg	EPA 8081A		

Sample ID:	ABCD5C-0-CL	Laboratory ID:	T193979-10			
Analyte	Result	Reporting Limit	Units	Method	Notes	
4,4'-DDE	0.0070	0.0050	mg/kg	EPA 8081A		

Sample ID:	ABCD6C-0	Laboratory ID:	T193979-15			
------------	----------	----------------	------------	--	--	--

No Results Detected

Sample ID:	A7D-0	Laboratory ID:	T193979-16			
Analyte	Result	Reporting Limit	Units	Method	Notes	
Lead	5.35	3.00	mg/kg	EPA 6010b		

Sample ID:	A7D-0-CL	Laboratory ID:	T193979-18			
Analyte	Result	Reporting Limit	Units	Method	Notes	
Lead	5.35	3.00	mg/kg	EPA 6010b		

SunStar Laboratories, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager

NV5	Project: Hamilton Union High School	
48 Bellarmine Ct, Suite 40	Project Number: 70779.01.001.003	Reported:
Chico CA, 95928	Project Manager: Heidi Cummings	11/27/19 09:57

Sample ID: D7D-0	Laboratory ID: T193979-23				
Analyte	Result	Reporting Limit	Units	Method	Notes
Lead	5.75	3.00	mg/kg	EPA 6010b	

Sample ID: D7D-0-FR	Laboratory ID: T193979-24				
Analyte	Result	Reporting Limit	Units	Method	Notes
Lead	5.61	3.00	mg/kg	EPA 6010b	

Sample ID: ABCD7C-0	Laboratory ID: T193979-25				
No Results Detected					

Sample ID: ABCD7C-0-FR	Laboratory ID: T193979-26				
No Results Detected					

Sample ID: C8D-0	Laboratory ID: T193979-29				
Analyte	Result	Reporting Limit	Units	Method	Notes
Lead	4.95	2.73	mg/kg	EPA 6010b	

Sample ID: ABCD8C-0	Laboratory ID: T193979-31				
No Results Detected					



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5 48 Bellarmine Ct, Suite 40 Chico CA, 95928	Project: Hamilton Union High School Project Number: 70779.01.001.003 Project Manager: Heidi Cummings	Reported: 11/27/19 09:57
--	--	-----------------------------

C5D-0
T193979-05 (Soil)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 6010B

Arsenic	ND	5.00	mg/kg	1	9111532	11/15/19	11/18/19	EPA 6010b	
Lead	5.10	3.00	"	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager

NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
11/27/19 09:57

ABCD5C-0
T193979-09 (Soil)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Organochlorine Pesticides by EPA Method 8081A

alpha-BHC	ND	0.0050	mg/kg	1	9111517	11/15/19	11/18/19	EPA 8081A	
gamma-BHC (Lindane)	ND	0.0050	"	"	"	"	"	"	
beta-BHC	ND	0.0050	"	"	"	"	"	"	
delta-BHC	ND	0.0050	"	"	"	"	"	"	
Heptachlor	ND	0.0050	"	"	"	"	"	"	
Aldrin	ND	0.0050	"	"	"	"	"	"	
Heptachlor epoxide	ND	0.0050	"	"	"	"	"	"	
gamma-Chlordane	ND	0.0050	"	"	"	"	"	"	
alpha-Chlordane	ND	0.0050	"	"	"	"	"	"	
Endosulfan I	ND	0.0050	"	"	"	"	"	"	
4,4'-DDE	0.0066	0.0050	"	"	"	"	"	"	
Dieldrin	ND	0.0050	"	"	"	"	"	"	
Endrin	ND	0.0050	"	"	"	"	"	"	
4,4'-DDD	ND	0.0050	"	"	"	"	"	"	
Endosulfan II	ND	0.0050	"	"	"	"	"	"	
4,4'-DDT	ND	0.0050	"	"	"	"	"	"	
Endrin aldehyde	ND	0.0050	"	"	"	"	"	"	
Endosulfan sulfate	ND	0.0050	"	"	"	"	"	"	
Methoxychlor	ND	0.0050	"	"	"	"	"	"	
Endrin ketone	ND	0.0050	"	"	"	"	"	"	
Toxaphene	ND	0.020	"	"	"	"	"	"	
Chlordane (tech)	ND	0.050	"	"	"	"	"	"	
Chlordane (Total)	ND	0.0050	"	"	"	"	"	"	
Surrogate: Tetrachloro-meta-xylene		103 %		35-140	"	"	"	"	
Surrogate: Decachlorobiphenyl		109 %		35-140	"	"	"	"	

SunStar Laboratories, Inc.



Jeff Lee, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5 48 Bellarmine Ct, Suite 40 Chico CA, 95928	Project: Hamilton Union High School Project Number: 70779.01.001.003 Project Manager: Heidi Cummings	Reported: 11/27/19 09:57
--	--	-----------------------------

ABCD5C-0-CL
T193979-10 (Soil)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Organochlorine Pesticides by EPA Method 8081A

alpha-BHC	ND	0.0050	mg/kg	1	9111517	11/15/19	11/18/19	EPA 8081A	
gamma-BHC (Lindane)	ND	0.0050	"	"	"	"	"	"	
beta-BHC	ND	0.0050	"	"	"	"	"	"	
delta-BHC	ND	0.0050	"	"	"	"	"	"	
Heptachlor	ND	0.0050	"	"	"	"	"	"	
Aldrin	ND	0.0050	"	"	"	"	"	"	
Heptachlor epoxide	ND	0.0050	"	"	"	"	"	"	
gamma-Chlordane	ND	0.0050	"	"	"	"	"	"	
alpha-Chlordane	ND	0.0050	"	"	"	"	"	"	
Endosulfan I	ND	0.0050	"	"	"	"	"	"	
4,4'-DDE	0.0070	0.0050	"	"	"	"	"	"	
Dieldrin	ND	0.0050	"	"	"	"	"	"	
Endrin	ND	0.0050	"	"	"	"	"	"	
4,4'-DDD	ND	0.0050	"	"	"	"	"	"	
Endosulfan II	ND	0.0050	"	"	"	"	"	"	
4,4'-DDT	ND	0.0050	"	"	"	"	"	"	
Endrin aldehyde	ND	0.0050	"	"	"	"	"	"	
Endosulfan sulfate	ND	0.0050	"	"	"	"	"	"	
Methoxychlor	ND	0.0050	"	"	"	"	"	"	
Endrin ketone	ND	0.0050	"	"	"	"	"	"	
Toxaphene	ND	0.020	"	"	"	"	"	"	
Chlordane (tech)	ND	0.050	"	"	"	"	"	"	
Chlordane (Total)	ND	0.0050	"	"	"	"	"	"	
Surrogate: Tetrachloro-meta-xylene		89.0 %		35-140	"	"	"	"	
Surrogate: Decachlorobiphenyl		113 %		35-140	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5 48 Bellarmine Ct, Suite 40 Chico CA, 95928	Project: Hamilton Union High School Project Number: 70779.01.001.003 Project Manager: Heidi Cummings	Reported: 11/27/19 09:57
--	--	-----------------------------

ABCD6C-0
T193979-15 (Soil)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Organochlorine Pesticides by EPA Method 8081A

alpha-BHC	ND	0.0050	mg/kg	1	9111517	11/15/19	11/18/19	EPA 8081A	
gamma-BHC (Lindane)	ND	0.0050	"	"	"	"	"	"	
beta-BHC	ND	0.0050	"	"	"	"	"	"	
delta-BHC	ND	0.0050	"	"	"	"	"	"	
Heptachlor	ND	0.0050	"	"	"	"	"	"	
Aldrin	ND	0.0050	"	"	"	"	"	"	
Heptachlor epoxide	ND	0.0050	"	"	"	"	"	"	
gamma-Chlordane	ND	0.0050	"	"	"	"	"	"	
alpha-Chlordane	ND	0.0050	"	"	"	"	"	"	
Endosulfan I	ND	0.0050	"	"	"	"	"	"	
4,4'-DDE	ND	0.0050	"	"	"	"	"	"	
Dieldrin	ND	0.0050	"	"	"	"	"	"	
Endrin	ND	0.0050	"	"	"	"	"	"	
4,4'-DDD	ND	0.0050	"	"	"	"	"	"	
Endosulfan II	ND	0.0050	"	"	"	"	"	"	
4,4'-DDT	ND	0.0050	"	"	"	"	"	"	
Endrin aldehyde	ND	0.0050	"	"	"	"	"	"	
Endosulfan sulfate	ND	0.0050	"	"	"	"	"	"	
Methoxychlor	ND	0.0050	"	"	"	"	"	"	
Endrin ketone	ND	0.0050	"	"	"	"	"	"	
Toxaphene	ND	0.020	"	"	"	"	"	"	
Chlordane (tech)	ND	0.050	"	"	"	"	"	"	
Chlordane (Total)	ND	0.0050	"	"	"	"	"	"	
Surrogate: Tetrachloro-meta-xylene		85.9 %		35-140	"	"	"	"	
Surrogate: Decachlorobiphenyl		93.9 %		35-140	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5 48 Bellarmine Ct, Suite 40 Chico CA, 95928	Project: Hamilton Union High School Project Number: 70779.01.001.003 Project Manager: Heidi Cummings	Reported: 11/27/19 09:57
--	--	-----------------------------

A7D-0
T193979-16 (Soil)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 6010B

Arsenic	ND	5.00	mg/kg	1	9111532	11/15/19	11/18/19	EPA 6010b	
Lead	5.35	3.00	"	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5 48 Bellarmine Ct, Suite 40 Chico CA, 95928	Project: Hamilton Union High School Project Number: 70779.01.001.003 Project Manager: Heidi Cummings	Reported: 11/27/19 09:57
--	--	-----------------------------

A7D-0-CL
T193979-18 (Soil)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 6010B

Arsenic	ND	5.00	mg/kg	1	9111532	11/15/19	11/18/19	EPA 6010b	
Lead	5.35	3.00	"	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5 48 Bellarmine Ct, Suite 40 Chico CA, 95928	Project: Hamilton Union High School Project Number: 70779.01.001.003 Project Manager: Heidi Cummings	Reported: 11/27/19 09:57
--	--	-----------------------------

D7D-0
T193979-23 (Soil)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 6010B

Arsenic	ND	5.00	mg/kg	1	9112523	11/25/19	11/26/19	EPA 6010b	
Lead	5.75	3.00	"	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5 48 Bellarmine Ct, Suite 40 Chico CA, 95928	Project: Hamilton Union High School Project Number: 70779.01.001.003 Project Manager: Heidi Cummings	Reported: 11/27/19 09:57
--	--	-----------------------------

D7D-0-FR
T193979-24 (Soil)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 6010B

Arsenic	ND	5.00	mg/kg	1	9111532	11/15/19	11/18/19	EPA 6010b	
Lead	5.61	3.00	"	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5 48 Bellarmine Ct, Suite 40 Chico CA, 95928	Project: Hamilton Union High School Project Number: 70779.01.001.003 Project Manager: Heidi Cummings	Reported: 11/27/19 09:57
--	--	-----------------------------

ABCD7C-0
T193979-25 (Soil)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Organochlorine Pesticides by EPA Method 8081A

alpha-BHC	ND	0.0050	mg/kg	1	9111517	11/15/19	11/18/19	EPA 8081A	
gamma-BHC (Lindane)	ND	0.0050	"	"	"	"	"	"	
beta-BHC	ND	0.0050	"	"	"	"	"	"	
delta-BHC	ND	0.0050	"	"	"	"	"	"	
Heptachlor	ND	0.0050	"	"	"	"	"	"	
Aldrin	ND	0.0050	"	"	"	"	"	"	
Heptachlor epoxide	ND	0.0050	"	"	"	"	"	"	
gamma-Chlordane	ND	0.0050	"	"	"	"	"	"	
alpha-Chlordane	ND	0.0050	"	"	"	"	"	"	
Endosulfan I	ND	0.0050	"	"	"	"	"	"	
4,4'-DDE	ND	0.0050	"	"	"	"	"	"	
Dieldrin	ND	0.0050	"	"	"	"	"	"	
Endrin	ND	0.0050	"	"	"	"	"	"	
4,4'-DDD	ND	0.0050	"	"	"	"	"	"	
Endosulfan II	ND	0.0050	"	"	"	"	"	"	
4,4'-DDT	ND	0.0050	"	"	"	"	"	"	
Endrin aldehyde	ND	0.0050	"	"	"	"	"	"	
Endosulfan sulfate	ND	0.0050	"	"	"	"	"	"	
Methoxychlor	ND	0.0050	"	"	"	"	"	"	
Endrin ketone	ND	0.0050	"	"	"	"	"	"	
Toxaphene	ND	0.020	"	"	"	"	"	"	
Chlordane (tech)	ND	0.050	"	"	"	"	"	"	
Chlordane (Total)	ND	0.0050	"	"	"	"	"	"	
Surrogate: Tetrachloro-meta-xylene		56.1 %		35-140	"	"	"	"	
Surrogate: Decachlorobiphenyl		95.3 %		35-140	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5 48 Bellarmine Ct, Suite 40 Chico CA, 95928	Project: Hamilton Union High School Project Number: 70779.01.001.003 Project Manager: Heidi Cummings	Reported: 11/27/19 09:57
--	--	-----------------------------

ABCD7C-0-FR
T193979-26 (Soil)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Organochlorine Pesticides by EPA Method 8081A

alpha-BHC	ND	0.0050	mg/kg	1	9111517	11/15/19	11/18/19	EPA 8081A	
gamma-BHC (Lindane)	ND	0.0050	"	"	"	"	"	"	
beta-BHC	ND	0.0050	"	"	"	"	"	"	
delta-BHC	ND	0.0050	"	"	"	"	"	"	
Heptachlor	ND	0.0050	"	"	"	"	"	"	
Aldrin	ND	0.0050	"	"	"	"	"	"	
Heptachlor epoxide	ND	0.0050	"	"	"	"	"	"	
gamma-Chlordane	ND	0.0050	"	"	"	"	"	"	
alpha-Chlordane	ND	0.0050	"	"	"	"	"	"	
Endosulfan I	ND	0.0050	"	"	"	"	"	"	
4,4'-DDE	ND	0.0050	"	"	"	"	"	"	
Dieldrin	ND	0.0050	"	"	"	"	"	"	
Endrin	ND	0.0050	"	"	"	"	"	"	
4,4'-DDD	ND	0.0050	"	"	"	"	"	"	
Endosulfan II	ND	0.0050	"	"	"	"	"	"	
4,4'-DDT	ND	0.0050	"	"	"	"	"	"	
Endrin aldehyde	ND	0.0050	"	"	"	"	"	"	
Endosulfan sulfate	ND	0.0050	"	"	"	"	"	"	
Methoxychlor	ND	0.0050	"	"	"	"	"	"	
Endrin ketone	ND	0.0050	"	"	"	"	"	"	
Toxaphene	ND	0.020	"	"	"	"	"	"	
Chlordane (tech)	ND	0.050	"	"	"	"	"	"	
Chlordane (Total)	ND	0.0050	"	"	"	"	"	"	
Surrogate: Tetrachloro-meta-xylene		43.3 %		35-140	"	"	"	"	
Surrogate: Decachlorobiphenyl		83.0 %		35-140	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5 48 Bellarmine Ct, Suite 40 Chico CA, 95928	Project: Hamilton Union High School Project Number: 70779.01.001.003 Project Manager: Heidi Cummings	Reported: 11/27/19 09:57
--	--	-----------------------------

C8D-0
T193979-29 (Soil)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 6010B

Arsenic	ND	4.55	mg/kg	1	9111532	11/15/19	11/18/19	EPA 6010b	
Lead	4.95	2.73	"	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5 48 Bellarmine Ct, Suite 40 Chico CA, 95928	Project: Hamilton Union High School Project Number: 70779.01.001.003 Project Manager: Heidi Cummings	Reported: 11/27/19 09:57
--	--	-----------------------------

ABCD8C-0
T193979-31 (Soil)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Organochlorine Pesticides by EPA Method 8081A

alpha-BHC	ND	0.0050	mg/kg	1	9111517	11/15/19	11/18/19	EPA 8081A	
gamma-BHC (Lindane)	ND	0.0050	"	"	"	"	"	"	
beta-BHC	ND	0.0050	"	"	"	"	"	"	
delta-BHC	ND	0.0050	"	"	"	"	"	"	
Heptachlor	ND	0.0050	"	"	"	"	"	"	
Aldrin	ND	0.0050	"	"	"	"	"	"	
Heptachlor epoxide	ND	0.0050	"	"	"	"	"	"	
gamma-Chlordane	ND	0.0050	"	"	"	"	"	"	
alpha-Chlordane	ND	0.0050	"	"	"	"	"	"	
Endosulfan I	ND	0.0050	"	"	"	"	"	"	
4,4'-DDE	ND	0.0050	"	"	"	"	"	"	
Dieldrin	ND	0.0050	"	"	"	"	"	"	
Endrin	ND	0.0050	"	"	"	"	"	"	
4,4'-DDD	ND	0.0050	"	"	"	"	"	"	
Endosulfan II	ND	0.0050	"	"	"	"	"	"	
4,4'-DDT	ND	0.0050	"	"	"	"	"	"	
Endrin aldehyde	ND	0.0050	"	"	"	"	"	"	
Endosulfan sulfate	ND	0.0050	"	"	"	"	"	"	
Methoxychlor	ND	0.0050	"	"	"	"	"	"	
Endrin ketone	ND	0.0050	"	"	"	"	"	"	
Toxaphene	ND	0.020	"	"	"	"	"	"	
Chlordane (tech)	ND	0.050	"	"	"	"	"	"	
Chlordane (Total)	ND	0.0050	"	"	"	"	"	"	
Surrogate: Tetrachloro-meta-xylene		45.3 %		35-140	"	"	"	"	
Surrogate: Decachlorobiphenyl		84.8 %		35-140	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5	Project: Hamilton Union High School	Reported:
48 Bellarmine Ct, Suite 40	Project Number: 70779.01.001.003	11/27/19 09:57
Chico CA, 95928	Project Manager: Heidi Cummings	

Metals by EPA 6010B - Quality Control
SunStar Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 9111532 - EPA 3050B

Blank (9111532-BLK1)			Prepared: 11/15/19 Analyzed: 11/18/19							
Antimony	ND	3.00	mg/kg							
Arsenic	ND	5.00	"							
Barium	ND	1.00	"							
Beryllium	ND	1.00	"							
Cadmium	ND	2.00	"							
Chromium	ND	2.00	"							
Cobalt	ND	2.00	"							
Copper	ND	1.00	"							
Lead	ND	3.00	"							
Molybdenum	ND	5.00	"							
Nickel	ND	2.00	"							
Selenium	ND	5.00	"							
Silver	ND	2.00	"							
Thallium	ND	2.00	"							
Vanadium	ND	5.00	"							
Zinc	ND	1.00	"							

LCS (9111532-BS1)			Prepared: 11/15/19 Analyzed: 11/18/19							
Arsenic	97.4	5.00	mg/kg	100		97.4	75-125			
Barium	98.5	1.00	"	100		98.5	75-125			
Cadmium	98.5	2.00	"	100		98.5	75-125			
Chromium	98.3	2.00	"	100		98.3	75-125			
Lead	99.5	3.00	"	100		99.5	75-125			

Matrix Spike (9111532-MS1)			Source: T193974-24		Prepared: 11/15/19 Analyzed: 11/18/19					
Arsenic	73.0	5.00	mg/kg	99.0		73.7	75-125			QM-05
Barium	114	1.00	"	99.0		115	75-125			QM-05
Cadmium	70.4	2.00	"	99.0		71.1	75-125			QM-05
Chromium	82.1	2.00	"	99.0		82.9	75-125			QM-05
Lead	76.9	3.00	"	99.0		77.7	75-125			QM-05

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5	Project: Hamilton Union High School	
48 Bellarmine Ct, Suite 40	Project Number: 70779.01.001.003	Reported:
Chico CA, 95928	Project Manager: Heidi Cummings	11/27/19 09:57

Metals by EPA 6010B - Quality Control

SunStar Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 911532 - EPA 3050B

Matrix Spike Dup (911532-MSD1)

Source: T193974-24

Prepared: 11/15/19 Analyzed: 11/18/19

Arsenic	66.9	5.00	mg/kg	93.5		71.6	75-125	8.64	20	QM-05
Barium	96.5	1.00	"	93.5		103	75-125	16.7	20	QM-05
Cadmium	63.8	2.00	"	93.5		68.2	75-125	9.89	20	QM-05
Chromium	72.8	2.00	"	93.5		77.9	75-125	11.9	20	QM-05
Lead	68.9	3.00	"	93.5		73.8	75-125	11.0	20	QM-05

Batch 9112523 - EPA 3050B

Blank (9112523-BLK1)

Prepared: 11/25/19 Analyzed: 11/26/19

Antimony	ND	3.00	mg/kg							
Arsenic	ND	5.00	"							
Barium	ND	1.00	"							
Beryllium	ND	1.00	"							
Cadmium	ND	2.00	"							
Chromium	ND	2.00	"							
Cobalt	ND	2.00	"							
Copper	ND	1.00	"							
Lead	ND	3.00	"							
Molybdenum	ND	5.00	"							
Nickel	ND	2.00	"							
Selenium	ND	5.00	"							
Silver	ND	2.00	"							
Thallium	ND	2.00	"							
Vanadium	ND	5.00	"							
Zinc	ND	1.00	"							
Aluminum	ND	10.0	"							
Manganese	ND	10.0	"							
Iron	ND	10.0	"							

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5	Project: Hamilton Union High School	Reported:
48 Bellarmine Ct, Suite 40	Project Number: 70779.01.001.003	11/27/19 09:57
Chico CA, 95928	Project Manager: Heidi Cummings	

Metals by EPA 6010B - Quality Control

SunStar Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 9112523 - EPA 3050B

LCS (9112523-BS1)

Prepared: 11/25/19 Analyzed: 11/26/19

Arsenic	95.8	5.00	mg/kg	100		95.8	75-125			
Barium	95.8	1.00	"	100		95.8	75-125			
Cadmium	95.7	2.00	"	100		95.7	75-125			
Chromium	95.5	2.00	"	100		95.5	75-125			
Lead	95.7	3.00	"	100		95.7	75-125			

Matrix Spike (9112523-MS1)

Source: T193979-23

Prepared: 11/25/19 Analyzed: 11/26/19

Arsenic	61.3	5.00	mg/kg	93.5	ND	65.6	75-125			QM-05
Barium	140	1.00	"	93.5		149	75-125			QM-05
Cadmium	57.4	2.00	"	93.5		61.5	75-125			QM-05
Chromium	106	2.00	"	93.5		113	75-125			QM-05
Lead	59.0	3.00	"	93.5	5.75	57.0	75-125			QM-05

Matrix Spike Dup (9112523-MSD1)

Source: T193979-23

Prepared: 11/25/19 Analyzed: 11/26/19

Arsenic	70.4	5.00	mg/kg	100	ND	70.4	75-125	13.7	20	QM-05
Barium	156	1.00	"	100		156	75-125	11.4	20	QM-05
Cadmium	66.6	2.00	"	100		66.6	75-125	14.7	20	QM-05
Chromium	121	2.00	"	100		121	75-125	13.4	20	QM-05
Lead	68.6	3.00	"	100	5.75	62.8	75-125	14.9	20	QM-05

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5
 48 Bellarmine Ct, Suite 40
 Chico CA, 95928

Project: Hamilton Union High School
 Project Number: 70779.01.001.003
 Project Manager: Heidi Cummings

Reported:
 11/27/19 09:57

Organochlorine Pesticides by EPA Method 8081A - Quality Control

SunStar Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 9111517 - EPA 3550 ECD/GCMS

Blank (9111517-BLK1)

Prepared: 11/15/19 Analyzed: 11/18/19

alpha-BHC	ND	0.0050	mg/kg							
gamma-BHC (Lindane)	ND	0.0050	"							
beta-BHC	ND	0.0050	"							
delta-BHC	ND	0.0050	"							
Heptachlor	ND	0.0050	"							
Aldrin	ND	0.0050	"							
Heptachlor epoxide	ND	0.0050	"							
gamma-Chlordane	ND	0.0050	"							
alpha-Chlordane	ND	0.0050	"							
Endosulfan I	ND	0.0050	"							
4,4'-DDE	ND	0.0050	"							
Dieldrin	ND	0.0050	"							
Endrin	ND	0.0050	"							
4,4'-DDD	ND	0.0050	"							
Endosulfan II	ND	0.0050	"							
4,4'-DDT	ND	0.0050	"							
Endrin aldehyde	ND	0.0050	"							
Endosulfan sulfate	ND	0.0050	"							
Methoxychlor	ND	0.0050	"							
Endrin ketone	ND	0.0050	"							
Toxaphene	ND	0.020	"							
Chlordane (tech)	ND	0.050	"							
Chlordane (Total)	ND	0.0050	"							
Surrogate: Tetrachloro-meta-xylene	0.00916		"	0.0101		90.6	35-140			
Surrogate: Decachlorobiphenyl	0.0143		"	0.0101		141	35-140			S-GC

LCS (9111517-BS1)

Prepared: 11/15/19 Analyzed: 11/19/19

gamma-BHC (Lindane)	0.0430	0.0050	mg/kg	0.0404		106	40-120			
Heptachlor	0.0432	0.0050	"	0.0404		107	40-120			
Aldrin	0.0391	0.0050	"	0.0404		96.8	40-120			
Dieldrin	0.0434	0.0050	"	0.0404		108	40-120			
Endrin	0.0438	0.0050	"	0.0404		109	40-120			
4,4'-DDT	0.0417	0.0050	"	0.0404		103	33-147			
Surrogate: Tetrachloro-meta-xylene	0.0100		"	0.0101		99.2	35-140			
Surrogate: Decachlorobiphenyl	0.0110		"	0.0101		109	35-140			

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5	Project: Hamilton Union High School	
48 Bellarmine Ct, Suite 40	Project Number: 70779.01.001.003	Reported:
Chico CA, 95928	Project Manager: Heidi Cummings	11/27/19 09:57

Organochlorine Pesticides by EPA Method 8081A - Quality Control

SunStar Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 9111517 - EPA 3550 ECD/GCMS

LCS Dup (9111517-BSD1)

Prepared: 11/15/19 Analyzed: 11/19/19

gamma-BHC (Lindane)	0.0415	0.0050	mg/kg	0.0404		103	40-120	3.54	30	
Heptachlor	0.0428	0.0050	"	0.0404		106	40-120	0.838	30	
Aldrin	0.0400	0.0050	"	0.0404		98.9	40-120	2.19	30	
Dieldrin	0.0462	0.0050	"	0.0404		114	40-120	6.26	30	
Endrin	0.0466	0.0050	"	0.0404		115	40-120	6.06	30	
4,4'-DDT	0.0455	0.0050	"	0.0404		113	33-147	8.74	30	
Surrogate: Tetrachloro-meta-xylene	0.00892		"	0.0101		88.4	35-140			
Surrogate: Decachlorobiphenyl	0.0121		"	0.0101		120	35-140			

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
11/27/19 09:57

Notes and Definitions

- S-GC Surrogate recovery outside of established control limits. The data was accepted based on valid recovery of the remaining surrogate(s).
- QM-05 The spike recovery was outside acceptance limits for the MS and/or MSD due to possible matrix interference. The LCS was within acceptance criteria. The data is acceptable as no negative impact on data is expected.
- DET Analyte DETECTED
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager

Chain of Custody Record

1193979

Client: NV5
Address: 48 Bellarmine Court, Ste 40, Chico, CA 95928
Phone: 530-894-2487 Fax: 530-894-2437
Project Manager: Heidi Cummings, heidi.cummings@NV5.com

Date: 11/14/2019
Project Name: Hamilton Union High School
Collector: HJC/CWB Client Project #: 70779.01.001.003
Batch #: _____ EDF #: _____

Sample ID	Date Sampled	Time	Sample Type	Container Type	Arsenic EPA 6010	Lead EPA 6010	OCPs EPA 8081	Laboratory ID #	Comments/Preservative	Total # of containers
ASD-0	11/12/2019	1220	SOIL	8 oz jar				01		1
ASD-0-CL	11/12/2019	1236	SOIL	8 oz jar				02		1
B5D-0	11/12/2019	#245	SOIL	8 oz jar				03		1
B5D-0-CL	11/12/2019	1250	SOIL	8 oz jar				04		1
C5D-0	11/12/2019	1300	SOIL	8 oz jar	X			05		1
C5D-0-CL	11/12/2019	1310	SOIL	8 oz jar				06		1
D5D-0	11/12/2019	1325	SOIL	8 oz jar				07		1
D5D-0-CL	11/12/2019	1330	SOIL	8 oz jar				08		1
									Lab to prepare ABCD5C-0 as 4:1 composite of ASD-0, B5D-0, C5D-0 and D5D-0	
									Lab to prepare ABCD5C-0-CL as 4:1 composite of ASD-0-CL, B5D-0-CL, C5D-0-CL and D5D-0-CL	
A6D-0	11/12/2019	1355	SOIL	8 oz jar			X			1
B6D-0	11/12/2019	1410	SOIL	8 oz jar						1
C6D-0	11/12/2019	1420	SOIL	8 oz jar						1
D6D-0	11/12/2019	1435	SOIL	8 oz jar						1
ABCD6C-0	11/12/2019		SOIL				X		Lab to prepare ABCD5C-0 as 4:1 composite of ASD-0, B5D-0, C5D-0 and D5D-0	1
Relinquished by: (signature) _____ Date / Time <u>11/14/19 1606</u> Received by: (signature) <u>GSO</u> Date / Time <u>11/14/19 1606</u> Relinquished by: (signature) _____ Date / Time _____ Received by: (signature) _____ Date / Time _____ Relinquished by: (signature) <u>GSO 11-15-19 8:34</u> Date / Time _____ Received by: (signature) _____ Date / Time _____										
Sample disposal instructions: Disposal @ \$2.00 each _____ Return to client _____ Pickup _____ Turn around time: <u>5 day</u>										
Total # of containers _____ Chain of Custody seals <u>Y</u> Seals intact? <u>Y</u> Received good condition/cold <u>2-82</u> Notes: Method 8081 report Chloridane and Technical Chloridane Please return H&K/NV5 ice chests										

SunStar Laboratories
 25712 Commercentre Dr
 Lake Forest, CA 92630
 949-297-5020

Chain of Custody Record

REVISED

7193979

Client: NVS
 Address: 48 Bellamine Court, Ste 40, Chico, CA 95928
 Phone: 530-894-2487 Fax: 530-894-2437
 Project Manager: Heidi Cummings, heidi.cummings@NVS.com

Date: 11/14/2019
 Project Name: Hamilton Union High School
 Collector: HJC/GWB Client Project #: 70779.01.001.003
 Batch #: _____ EDF #: _____

Sample ID	Date Sampled	Time	Sample Type	Container Type	Arsenic EPA 6010	Lead EPA 6010	OCPs EPA 8081				Laboratory ID #	Comments/Preservative	Total # of containers
ASD-0	11/12/2019	1220	SOIL	8 oz jar							01		1
ASD-0-CL	11/12/2019	1230	SOIL	8 oz jar							02		1
BSD-0	11/12/2019	1245	SOIL	8 oz jar							03		1
BSD-0-CL	11/12/2019	1250	SOIL	8 oz jar							04		1
CSD-0	11/12/2019	1300	SOIL	8 oz jar	X	X					05		1
CSD-0-CL	11/12/2019	1310	SOIL	8 oz jar							06		1
DSD-0	11/12/2019	1325	SOIL	8 oz jar							07		1
DSD-0-CL	11/12/2019	1330	SOIL	8 oz jar							08		1
ASD-0	11/12/2019	1355	SOIL	8 oz jar									1
BSD-0	11/12/2019	1410	SOIL	8 oz jar									1
CSD-0	11/12/2019	1420	SOIL	8 oz jar									1
DSD-0	11/12/2019	1470	SOIL	8 oz jar									1
ABCD6C-0	11/12/2019		SOIL				X					Lab to prepare ABCD6C-0 as 4:1 composite of ASD-0, BSD-0, CSD-0 and DSD-0	1
Relinquished by: (signature) _____ Date / Time <u>11/14/19 1600</u>			Received by: (signature) <u>GSO</u>	Date / Time <u>11/14/19 1608</u>	Total # of containers Chain of Custody sealed Seals intact: <u>Y/N/A</u> Received good condition/cold							Notes Method 8081 report Chlordane and Technical Chlordane Please return H&K/NV5 ice chests	
Relinquished by: (signature) <u>GSO</u> Date / Time <u>11/15/19 8:34</u>			Received by: (signature) _____ Date / Time <u>11/15/19 8:34</u>		Turn around time: <u>5 day</u>								

Sample disposal instructions: Disposal @ \$2.00 each

Return to client _____ Pickup _____

09
10
15

SunStar Laboratories
25712 Commercentre Dr
Lake Forest, CA 92630
949-297-5020

Chain of Custody Record

19979

Client: NV5

Address: 48 Bellarmine Court, Ste 40, Chico, CA 95928

Phone: 530-894-2487 Fax: 530-894-2437

Project Manager: Heidi Cummings, heidi.cummings@NV5.com

Date: 11/14/2019

Project Name: Hamilton Union High School

Collector: HJC/CWB Client Project #: 70779.01.001.003

Batch #: EDF #:

Sample ID	Date Sampled	Time	Sample Type	Container Type	Arsenic EPA 6010	Lead EPA 6010	OCPs EPA 8081	Laboratory ID #	Comments/Preservative	Total # of
ATD-0	11/12/2019	1445	SOIL	8 oz jar	X	X		16		1
ATD-0-FR	11/12/2019	1446	SOIL	8 oz jar				17		1
ATD-0-CL	11/12/2019	1455	SOIL	8 oz jar	X	X		18		1
B7D-0	11/12/2019	1525	SOIL	8 oz jar				19		1
B7D-0-FR	11/12/2019	1526	SOIL	8 oz jar				20		1
C7D-0	11/12/2019	1515	SOIL	8 oz jar				21		1
C7D-0-FR	11/12/2019	1516	SOIL	8 oz jar				22		1
D7D-0	11/12/2019	1530	SOIL	8 oz jar				23		1
D7D-0-FR	11/12/2019	1531	SOIL	8 oz jar	X	X		24		1
										25
										26
Relinquished by: (signature)	Date / Time	Received by: (signature)	Date / Time	Received by: (signature)	Date / Time	Lab to prepare ABCD7C-0 as 4:1 composite of ATD-0, B7D-0, C7D-0 and D7D-0				
Relinquished by: (signature)	11/14/16 1600	Received by: (signature)	11/14/16 1600	Received by: (signature)	11/14/16 1600	Lab to prepare ABCD7C-0-FR as 4:1 composite of ATD-0-FR, B7D-0-FR, C7D-0-FR and D7D-0-FR				
Relinquished by: (signature)	11-15-19 8:34	Received by: (signature)	11-15-19 8:34	Received by: (signature)	11-15-19 8:34	Total # of containers				
						Chain of Custody seals				
						Seals intact				
						Received good condition/cool				
						Turn around time:				
						5 day				
Sample disposal instructions: Disposal @ \$2.00 each										
Return to client										Pickup
Notes										
Method 8081 report Chlordane and Technical Chlordane										
Please return H&K/NV5 ice chests										

SAMPLE RECEIVING REVIEW SHEET

Batch/Work Order #: 7193979
 Client Name: NV5 Project: HAMILTON UNION HIGH SCHOOL
 Delivered by: Client SunStar Courier GSO FedEx Other
 If Courier, Received by: _____ Date/Time Courier Received: _____
 Lab Received by: SUNNY Date/Time Lab Received: 11-15-19 / 8:34
 Total number of coolers received: 1 Thermometer ID: SC-1 Calibration due to: 6/27/20

Temperature: Cooler #1 <u>1.6</u>	°C +/- the CF (+ 1.2°C) = <u>2.8</u>	°C corrected temperature
Temperature: Cooler #2	°C +/- the CF (+ 1.2°C) =	°C corrected temperature
Temperature: Cooler #3	°C +/- the CF (+ 1.2°C) =	°C corrected temperature
Temperature criteria = ≤ 6°C (no frozen containers)	Within criteria?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
If NO:		
Samples received on ice?	<input type="checkbox"/> Yes	<input type="checkbox"/> No → Complete Non-Conformance Sheet
If on ice, samples received same day collected?	<input type="checkbox"/> Yes → Acceptable	<input type="checkbox"/> No → Complete Non-Conformance Sheet

- Custody seals intact on cooler/sample Yes No* N/A
- Sample containers intact Yes No*
- Sample labels match Chain of Custody IDs Yes No*
- Total number of containers received match COC Yes No*
- Proper containers received for analyses requested on COC Yes No*
- Proper preservative indicated on COC/containers for analyses requested Yes No* N/A
- Complete shipment received in good condition with correct temperatures, containers, labels, volumes preservatives and within method specified holding times Yes No*

* Complete Non-Conformance Receiving Sheet if checked Cooler/Sample Review - Initials and date: SL 11-15-19

Comments: _____

WORK ORDER

T193979

Client: NV5

Project Manager: Jeff Lee

Project: Hamilton Union High School

Project Number: 70779.01.001.003

Report To:

NV5
 Heidi Cummings
 48 Bellarmine Ct, Suite 40
 Chico, CA 95928

Date Due: 11/22/19 17:00 (5 day TAT)

Received By: Sunny Lounethone

Date Received: 11/15/19 08:34

Logged In By: Sunny Lounethone

Date Logged In: 11/15/19 11:17

Samples Received at: **2.8°C**
 Custody Seals Yes Received On Ice Yes
 Containers Intact Yes
 COC/Labels Agree Yes
 Preservation Confir No

Analysis	Due	TAT	Expires	Comments
----------	-----	-----	---------	----------

T193979-01 A5D-0 [Soil] Sampled 11/12/19 12:20 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				
---	--	--	--	--

T193979-02 A5D-0-CL [Soil] Sampled 11/12/19 12:30 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				
--	--	--	--	--

T193979-03 B5D-0 [Soil] Sampled 11/12/19 12:45 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				
---	--	--	--	--

T193979-04 B5D-0-CL [Soil] Sampled 11/12/19 12:50 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				
--	--	--	--	--

T193979-05 C5D-0 [Soil] Sampled 11/12/19 13:00 (GMT-08:00) Pacific Time (US & 6010 Individual Metals	11/22/19 15:00	5	05/10/20 13:00	As and Pb only
--	----------------	---	----------------	----------------

T193979-06 C5D-0-CL [Soil] Sampled 11/12/19 13:10 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				
--	--	--	--	--

T193979-07 D5D-0 [Soil] Sampled 11/12/19 13:25 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				
---	--	--	--	--

WORK ORDER

T193979

Client: NV5	Project Manager: Jeff Lee
Project: Hamilton Union High School	Project Number: 70779.01.001.003

Analysis	Due	TAT	Expires	Comments
T193979-08 D5D-0-CL [Soil] Sampled 11/12/19 13:30 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				
T193979-09 ABCD5C-0 [Soil] Sampled 11/12/19 00:00 (GMT-08:00) Pacific Time (US & 8081 Pesticides	11/22/19 15:00	5	11/26/19 00:00	COMPOSITE 4:1 (A5D-0, B5D-0, C5D-0, D5D-0) Chlorodane and Technical Chlorodane
T193979-10 ABCD5C-0-CL [Soil] Sampled 11/12/19 00:00 (GMT-08:00) Pacific Time (US & 8081 Pesticides	11/22/19 15:00	5	11/26/19 00:00	COMPOSITE 4:1 (A5D-0-CL, B5D-0-CL, C5D-0-CL, D5D-0-CL) Chlorodane and Technical Chlorodane
T193979-11 A6D-0 [Soil] Sampled 11/12/19 13:55 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				
T193979-12 B6D-0 [Soil] Sampled 11/12/19 14:10 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				
T193979-13 C6D-0 [Soil] Sampled 11/12/19 14:20 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				
T193979-14 D6D-0 [Soil] Sampled 11/12/19 14:35 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				
T193979-15 ABCD6C-0 [Soil] Sampled 11/12/19 00:00 (GMT-08:00) Pacific Time (US & 8081 Pesticides	11/22/19 15:00	5	11/26/19 00:00	COMPOSITE 4:1 (A6D-0, B6D-0, C6D-0, D6D-0) Chlorodane and Technical Chlorodane
T193979-16 A7D-0 [Soil] Sampled 11/12/19 14:45 (GMT-08:00) Pacific Time (US & 6010 Individual Metals	11/22/19 15:00	5	05/10/20 14:45	As and Pb only
T193979-17 A7D-0-FR [Soil] Sampled 11/12/19 14:46 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				
T193979-18 A7D-0-CL [Soil] Sampled 11/12/19 14:55 (GMT-08:00) Pacific Time (US & 6010 Individual Metals	11/22/19 15:00	5	05/10/20 14:55	As and Pb only

WORK ORDER

T193979

Client: NV5	Project Manager: Jeff Lee
Project: Hamilton Union High School	Project Number: 70779.01.001.003

Analysis	Due	TAT	Expires	Comments
T193979-19 B7D-0 [Soil] Sampled 11/12/19 15:05 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				
T193979-20 B7D-0-FR [Soil] Sampled 11/12/19 15:06 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				
T193979-21 C7D-0 [Soil] Sampled 11/12/19 15:15 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				
T193979-22 C7D-0-FR [Soil] Sampled 11/12/19 15:16 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				
T193979-23 D7D-0 [Soil] Sampled 11/12/19 15:30 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				
T193979-24 D7D-0-FR [Soil] Sampled 11/12/19 15:31 (GMT-08:00) Pacific Time (US &				
6010 Individual Metals	11/22/19 15:00	5	05/10/20 15:31	As and Pb only
T193979-25 ABCD7C-0 [Soil] Sampled 11/12/19 00:00 (GMT-08:00) Pacific Time (US &				
8081 Pesticides	11/22/19 15:00	5	11/26/19 00:00	Chlorodane and Technical Chlorodane
T193979-26 ABCD7C-0-FR [Soil] Sampled 11/12/19 00:00 (GMT-08:00) Pacific Time (US &				
8081 Pesticides	11/22/19 15:00	5	11/26/19 00:00	Chlorodane and Technical Chlorodane
T193979-27 A8D-0 [Soil] Sampled 11/12/19 15:45 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				
T193979-28 B8D-0 [Soil] Sampled 11/12/19 15:55 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				
T193979-29 C8D-0 [Soil] Sampled 11/12/19 16:05 (GMT-08:00) Pacific Time (US &				
6010 Individual Metals	11/22/19 15:00	5	05/10/20 16:05	As and Pb only

WORK ORDER

T193979

Client: NV5	Project Manager: Jeff Lee
Project: Hamilton Union High School	Project Number: 70779.01.001.003

Analysis	Due	TAT	Expires	Comments
T193979-30 D8D-0 [Soil] Sampled 11/12/19 16:15 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				
T193979-31 ABCD8C-0 [Soil] Sampled 11/12/19 00:00 (GMT-08:00) Pacific Time (US & 8081 Pesticides	11/22/19 15:00	5	11/26/19 00:00	COMPOSITE 4:1 (A8D-0, B8D-0, C8D-0, D8D-0) Chlorodane and Technical Chlorodane



25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

21 November 2019

Heidi Cummings

NV5

48 Bellarmine Ct, Suite 40

Chico, CA 95928

RE: Hamilton Union High School

Enclosed are the results of analyses for samples received by the laboratory on 11/15/19 08:34. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Jeff Lee

Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5
 48 Bellarmine Ct, Suite 40
 Chico CA, 95928

Project: Hamilton Union High School
 Project Number: 70779.01.001.003
 Project Manager: Heidi Cummings

Reported:
 11/21/19 09:25

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
E2D-0	T193981-03	Soil	11/13/19 09:25	11/15/19 08:34
EF1EF2C-0	T193981-05	Soil	11/13/19 00:00	11/15/19 08:34
F3D-0	T193981-08	Soil	11/13/19 10:00	11/15/19 08:34
F3D-0-FR	T193981-10	Soil	11/13/19 10:01	11/15/19 08:34
EF3EF4C-0	T193981-15	Soil	11/13/19 00:00	11/15/19 08:34
EF3EF4C-0-CL	T193981-16	Soil	11/13/19 00:00	11/15/19 08:34
E5D-0	T193981-17	Soil	11/13/19 11:30	11/15/19 08:34
EFGH5C-0	T193981-21	Soil	11/13/19 00:00	11/15/19 08:34
H6D-0	T193981-25	Soil	11/13/19 13:10	11/15/19 08:34
EFGH6C-0	T193981-26	Soil	11/13/19 00:00	11/15/19 08:34
EB-2	T193981-27	Water	11/13/19 15:00	11/15/19 08:34
EB-3	T193981-28	Water	11/13/19 15:00	11/15/19 08:34
F7D-0	T193981-30	Soil	11/13/19 13:30	11/15/19 08:34
EFGH7C-0	T193981-33	Soil	11/13/19 00:00	11/15/19 08:34
H8D-0	T193981-40	Soil	11/13/19 15:25	11/15/19 08:34
EFGH8C-0	T193981-42	Soil	11/13/19 00:00	11/15/19 08:34
EFGH8C-0-CL	T193981-43	Soil	11/13/19 00:00	11/15/19 08:34

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager

NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
11/21/19 09:25

DETECTIONS SUMMARY

Sample ID:	E2D-0	Laboratory ID:	T193981-03			
Analyte	Result	Reporting Limit	Units	Method	Notes	
Lead	4.92	3.00	mg/kg	EPA 6010b		
Sample ID:	EF1EF2C-0	Laboratory ID:	T193981-05			
Analyte	Result	Reporting Limit	Units	Method	Notes	
4,4'-DDE	9.0	5.0	ug/kg	EPA 8081A		
Sample ID:	F3D-0	Laboratory ID:	T193981-08			
Analyte	Result	Reporting Limit	Units	Method	Notes	
Lead	5.46	3.00	mg/kg	EPA 6010b		
Sample ID:	F3D-0-FR	Laboratory ID:	T193981-10			
Analyte	Result	Reporting Limit	Units	Method	Notes	
Lead	5.42	2.73	mg/kg	EPA 6010b		
Sample ID:	EF3EF4C-0	Laboratory ID:	T193981-15			
Analyte	Result	Reporting Limit	Units	Method	Notes	
4,4'-DDE	8.2	5.0	ug/kg	EPA 8081A		
Sample ID:	EF3EF4C-0-CL	Laboratory ID:	T193981-16			
Analyte	Result	Reporting Limit	Units	Method	Notes	
4,4'-DDE	11	5.0	ug/kg	EPA 8081A		

SunStar Laboratories, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager

NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
11/21/19 09:25

Sample ID: EFGH7C-0

Laboratory ID: T193981-33

Analyte	Result	Reporting		Units	Method	Notes
		Limit				
4,4'-DDE	8.3	5.0		ug/kg	EPA 8081A	

Sample ID: H8D-0

Laboratory ID: T193981-40

Analyte	Result	Reporting		Units	Method	Notes
		Limit				
Lead	5.84	3.00		mg/kg	EPA 6010b	

Sample ID: EFGH8C-0

Laboratory ID: T193981-42

Analyte	Result	Reporting		Units	Method	Notes
		Limit				
4,4'-DDE	6.6	5.0		ug/kg	EPA 8081A	

Sample ID: EFGH8C-0-CL

Laboratory ID: T193981-43

Analyte	Result	Reporting		Units	Method	Notes
		Limit				
4,4'-DDE	5.3	5.0		ug/kg	EPA 8081A	

SunStar Laboratories, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager

NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
11/21/19 09:25

**E2D-0
T193981-03 (Soil)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	--------------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 6010B

Arsenic	ND	5.00	mg/kg	1	9111532	11/15/19	11/18/19	EPA 6010b	
Lead	4.92	3.00	"	"	"	"	"	"	

SunStar Laboratories, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5 48 Bellarmine Ct, Suite 40 Chico CA, 95928	Project: Hamilton Union High School Project Number: 70779.01.001.003 Project Manager: Heidi Cummings	Reported: 11/21/19 09:25
--	--	-----------------------------

EF1EF2C-0
T193981-05 (Soil)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Organochlorine Pesticides by EPA Method 8081A

alpha-BHC	ND	5.0	ug/kg	1	9111517	11/15/19	11/18/19	EPA 8081A	
gamma-BHC (Lindane)	ND	5.0	"	"	"	"	"	"	
beta-BHC	ND	5.0	"	"	"	"	"	"	
delta-BHC	ND	5.0	"	"	"	"	"	"	
Heptachlor	ND	5.0	"	"	"	"	"	"	
Aldrin	ND	5.0	"	"	"	"	"	"	
Heptachlor epoxide	ND	5.0	"	"	"	"	"	"	
gamma-Chlordane	ND	5.0	"	"	"	"	"	"	
alpha-Chlordane	ND	5.0	"	"	"	"	"	"	
Endosulfan I	ND	5.0	"	"	"	"	"	"	
4,4'-DDE	9.0	5.0	"	"	"	"	"	"	
Dieldrin	ND	5.0	"	"	"	"	"	"	
Endrin	ND	5.0	"	"	"	"	"	"	
4,4'-DDD	ND	5.0	"	"	"	"	"	"	
Endosulfan II	ND	5.0	"	"	"	"	"	"	
4,4'-DDT	ND	5.0	"	"	"	"	"	"	
Endrin aldehyde	ND	5.0	"	"	"	"	"	"	
Endosulfan sulfate	ND	5.0	"	"	"	"	"	"	
Methoxychlor	ND	5.0	"	"	"	"	"	"	
Endrin ketone	ND	5.0	"	"	"	"	"	"	
Toxaphene	ND	20	"	"	"	"	"	"	
Chlordane (tech)	ND	50	"	"	"	"	"	"	
Chlordane (Total)	ND	5.0	"	"	"	"	"	"	
Surrogate: Tetrachloro-meta-xylene		55.5 %		35-140	"	"	"	"	
Surrogate: Decachlorobiphenyl		101 %		35-140	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5 48 Bellarmine Ct, Suite 40 Chico CA, 95928	Project: Hamilton Union High School Project Number: 70779.01.001.003 Project Manager: Heidi Cummings	Reported: 11/21/19 09:25
--	--	-----------------------------

F3D-0
T193981-08 (Soil)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 6010B

Arsenic	ND	5.00	mg/kg	1	9111532	11/15/19	11/18/19	EPA 6010b	
Lead	5.46	3.00	"	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5 48 Bellarmine Ct, Suite 40 Chico CA, 95928	Project: Hamilton Union High School Project Number: 70779.01.001.003 Project Manager: Heidi Cummings	Reported: 11/21/19 09:25
--	--	------------------------------------

F3D-0-FR
T193981-10 (Soil)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 6010B

Arsenic	ND	4.55	mg/kg	1	9111532	11/15/19	11/18/19	EPA 6010b	
Lead	5.42	2.73	"	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5 48 Bellarmine Ct, Suite 40 Chico CA, 95928	Project: Hamilton Union High School Project Number: 70779.01.001.003 Project Manager: Heidi Cummings	Reported: 11/21/19 09:25
--	--	-----------------------------

EF3EF4C-0
T193981-15 (Soil)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Organochlorine Pesticides by EPA Method 8081A

alpha-BHC	ND	5.0	ug/kg	1	9111517	11/15/19	11/18/19	EPA 8081A	
gamma-BHC (Lindane)	ND	5.0	"	"	"	"	"	"	
beta-BHC	ND	5.0	"	"	"	"	"	"	
delta-BHC	ND	5.0	"	"	"	"	"	"	
Heptachlor	ND	5.0	"	"	"	"	"	"	
Aldrin	ND	5.0	"	"	"	"	"	"	
Heptachlor epoxide	ND	5.0	"	"	"	"	"	"	
gamma-Chlordane	ND	5.0	"	"	"	"	"	"	
alpha-Chlordane	ND	5.0	"	"	"	"	"	"	
Endosulfan I	ND	5.0	"	"	"	"	"	"	
4,4'-DDE	8.2	5.0	"	"	"	"	"	"	
Dieldrin	ND	5.0	"	"	"	"	"	"	
Endrin	ND	5.0	"	"	"	"	"	"	
4,4'-DDD	ND	5.0	"	"	"	"	"	"	
Endosulfan II	ND	5.0	"	"	"	"	"	"	
4,4'-DDT	ND	5.0	"	"	"	"	"	"	
Endrin aldehyde	ND	5.0	"	"	"	"	"	"	
Endosulfan sulfate	ND	5.0	"	"	"	"	"	"	
Methoxychlor	ND	5.0	"	"	"	"	"	"	
Endrin ketone	ND	5.0	"	"	"	"	"	"	
Toxaphene	ND	20	"	"	"	"	"	"	
Chlordane (tech)	ND	50	"	"	"	"	"	"	
Chlordane (Total)	ND	5.0	"	"	"	"	"	"	
Surrogate: Tetrachloro-meta-xylene		53.7 %		35-140	"	"	"	"	
Surrogate: Decachlorobiphenyl		96.4 %		35-140	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5 48 Bellarmine Ct, Suite 40 Chico CA, 95928	Project: Hamilton Union High School Project Number: 70779.01.001.003 Project Manager: Heidi Cummings	Reported: 11/21/19 09:25
--	--	-----------------------------

EF3EF4C-0-CL
T193981-16 (Soil)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Organochlorine Pesticides by EPA Method 8081A

alpha-BHC	ND	5.0	ug/kg	1	9111517	11/15/19	11/18/19	EPA 8081A	
gamma-BHC (Lindane)	ND	5.0	"	"	"	"	"	"	
beta-BHC	ND	5.0	"	"	"	"	"	"	
delta-BHC	ND	5.0	"	"	"	"	"	"	
Heptachlor	ND	5.0	"	"	"	"	"	"	
Aldrin	ND	5.0	"	"	"	"	"	"	
Heptachlor epoxide	ND	5.0	"	"	"	"	"	"	
gamma-Chlordane	ND	5.0	"	"	"	"	"	"	
alpha-Chlordane	ND	5.0	"	"	"	"	"	"	
Endosulfan I	ND	5.0	"	"	"	"	"	"	
4,4'-DDE	11	5.0	"	"	"	"	"	"	
Dieldrin	ND	5.0	"	"	"	"	"	"	
Endrin	ND	5.0	"	"	"	"	"	"	
4,4'-DDD	ND	5.0	"	"	"	"	"	"	
Endosulfan II	ND	5.0	"	"	"	"	"	"	
4,4'-DDT	ND	5.0	"	"	"	"	"	"	
Endrin aldehyde	ND	5.0	"	"	"	"	"	"	
Endosulfan sulfate	ND	5.0	"	"	"	"	"	"	
Methoxychlor	ND	5.0	"	"	"	"	"	"	
Endrin ketone	ND	5.0	"	"	"	"	"	"	
Toxaphene	ND	20	"	"	"	"	"	"	
Chlordane (tech)	ND	50	"	"	"	"	"	"	
Chlordane (Total)	ND	5.0	"	"	"	"	"	"	
Surrogate: Tetrachloro-meta-xylene		82.7 %		35-140	"	"	"	"	
Surrogate: Decachlorobiphenyl		85.1 %		35-140	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5 48 Bellarmine Ct, Suite 40 Chico CA, 95928	Project: Hamilton Union High School Project Number: 70779.01.001.003 Project Manager: Heidi Cummings	Reported: 11/21/19 09:25
--	--	-----------------------------

E5D-0
T193981-17 (Soil)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 6010B

Arsenic	ND	5.00	mg/kg	1	9111532	11/15/19	11/18/19	EPA 6010b	
Lead	5.67	3.00	"	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5 48 Bellarmine Ct, Suite 40 Chico CA, 95928	Project: Hamilton Union High School Project Number: 70779.01.001.003 Project Manager: Heidi Cummings	Reported: 11/21/19 09:25
--	--	-----------------------------

EFGH5C-0
T193981-21 (Soil)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Organochlorine Pesticides by EPA Method 8081A

alpha-BHC	ND	5.0	ug/kg	1	9111517	11/15/19	11/18/19	EPA 8081A	
gamma-BHC (Lindane)	ND	5.0	"	"	"	"	"	"	
beta-BHC	ND	5.0	"	"	"	"	"	"	
delta-BHC	ND	5.0	"	"	"	"	"	"	
Heptachlor	ND	5.0	"	"	"	"	"	"	
Aldrin	ND	5.0	"	"	"	"	"	"	
Heptachlor epoxide	ND	5.0	"	"	"	"	"	"	
gamma-Chlordane	ND	5.0	"	"	"	"	"	"	
alpha-Chlordane	ND	5.0	"	"	"	"	"	"	
Endosulfan I	ND	5.0	"	"	"	"	"	"	
4,4'-DDE	7.7	5.0	"	"	"	"	"	"	
Dieldrin	ND	5.0	"	"	"	"	"	"	
Endrin	ND	5.0	"	"	"	"	"	"	
4,4'-DDD	ND	5.0	"	"	"	"	"	"	
Endosulfan II	ND	5.0	"	"	"	"	"	"	
4,4'-DDT	ND	5.0	"	"	"	"	"	"	
Endrin aldehyde	ND	5.0	"	"	"	"	"	"	
Endosulfan sulfate	ND	5.0	"	"	"	"	"	"	
Methoxychlor	ND	5.0	"	"	"	"	"	"	
Endrin ketone	ND	5.0	"	"	"	"	"	"	
Toxaphene	ND	20	"	"	"	"	"	"	
Chlordane (tech)	ND	50	"	"	"	"	"	"	
Chlordane (Total)	ND	5.0	"	"	"	"	"	"	
Surrogate: Tetrachloro-meta-xylene		68.6 %		35-140	"	"	"	"	
Surrogate: Decachlorobiphenyl		97.8 %		35-140	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5 48 Bellarmine Ct, Suite 40 Chico CA, 95928	Project: Hamilton Union High School Project Number: 70779.01.001.003 Project Manager: Heidi Cummings	Reported: 11/21/19 09:25
--	--	-----------------------------

H6D-0
T193981-25 (Soil)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 6010B

Arsenic	ND	5.00	mg/kg	1	9111532	11/15/19	11/18/19	EPA 6010b	
Lead	5.90	3.00	"	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5 48 Bellarmine Ct, Suite 40 Chico CA, 95928	Project: Hamilton Union High School Project Number: 70779.01.001.003 Project Manager: Heidi Cummings	Reported: 11/21/19 09:25
--	--	-----------------------------

EFGH6C-0
T193981-26 (Soil)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Organochlorine Pesticides by EPA Method 8081A

alpha-BHC	ND	5.0	ug/kg	1	9111517	11/15/19	11/18/19	EPA 8081A	
gamma-BHC (Lindane)	ND	5.0	"	"	"	"	"	"	
beta-BHC	ND	5.0	"	"	"	"	"	"	
delta-BHC	ND	5.0	"	"	"	"	"	"	
Heptachlor	ND	5.0	"	"	"	"	"	"	
Aldrin	ND	5.0	"	"	"	"	"	"	
Heptachlor epoxide	ND	5.0	"	"	"	"	"	"	
gamma-Chlordane	ND	5.0	"	"	"	"	"	"	
alpha-Chlordane	ND	5.0	"	"	"	"	"	"	
Endosulfan I	ND	5.0	"	"	"	"	"	"	
4,4'-DDE	8.5	5.0	"	"	"	"	"	"	
Dieldrin	ND	5.0	"	"	"	"	"	"	
Endrin	ND	5.0	"	"	"	"	"	"	
4,4'-DDD	ND	5.0	"	"	"	"	"	"	
Endosulfan II	ND	5.0	"	"	"	"	"	"	
4,4'-DDT	ND	5.0	"	"	"	"	"	"	
Endrin aldehyde	ND	5.0	"	"	"	"	"	"	
Endosulfan sulfate	ND	5.0	"	"	"	"	"	"	
Methoxychlor	ND	5.0	"	"	"	"	"	"	
Endrin ketone	ND	5.0	"	"	"	"	"	"	
Toxaphene	ND	20	"	"	"	"	"	"	
Chlordane (tech)	ND	50	"	"	"	"	"	"	
Chlordane (Total)	ND	5.0	"	"	"	"	"	"	
Surrogate: Tetrachloro-meta-xylene		65.5 %		35-140	"	"	"	"	
Surrogate: Decachlorobiphenyl		93.1 %		35-140	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager

NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
11/21/19 09:25

EB-2

T193981-27 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 6010B

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Antimony	ND	50	ug/l	1	9111527	11/15/19	11/19/19	EPA 6010b	
Silver	ND	50	"	"	"	"	"	"	
Arsenic	ND	50	"	"	"	"	"	"	
Barium	ND	50	"	"	"	"	"	"	
Beryllium	ND	50	"	"	"	"	"	"	
Cadmium	ND	50	"	"	"	"	"	"	
Chromium	ND	50	"	"	"	"	"	"	
Cobalt	ND	50	"	"	"	"	"	"	
Copper	ND	50	"	"	"	"	"	"	
Lead	ND	50	"	"	"	"	"	"	
Molybdenum	ND	50	"	"	"	"	"	"	
Nickel	ND	50	"	"	"	"	"	"	
Selenium	ND	50	"	"	"	"	"	"	
Thallium	ND	50	"	"	"	"	"	"	
Vanadium	ND	50	"	"	"	"	"	"	
Zinc	ND	50	"	"	"	"	"	"	

Cold Vapor Extraction EPA 7470/7471

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Mercury	ND	0.50	ug/l	1	9111529	11/15/19	11/20/19	EPA 7470A Water	

Organochlorine Pesticides by EPA Method 8081A

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
alpha-BHC	ND	1.00	ug/l	1	9111825	11/18/19	11/19/19	EPA 8081A	
gamma-BHC (Lindane)	ND	1.00	"	"	"	"	"	"	
beta-BHC	ND	1.00	"	"	"	"	"	"	
delta-BHC	ND	1.00	"	"	"	"	"	"	
Heptachlor	ND	1.00	"	"	"	"	"	"	
Aldrin	ND	1.00	"	"	"	"	"	"	
Heptachlor epoxide	ND	1.00	"	"	"	"	"	"	
gamma-Chlordane	ND	1.00	"	"	"	"	"	"	
alpha-Chlordane	ND	1.00	"	"	"	"	"	"	
Endosulfan I	ND	1.00	"	"	"	"	"	"	
4,4'-DDE	ND	1.00	"	"	"	"	"	"	

SunStar Laboratories, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5 48 Bellarmine Ct, Suite 40 Chico CA, 95928	Project: Hamilton Union High School Project Number: 70779.01.001.003 Project Manager: Heidi Cummings	Reported: 11/21/19 09:25
--	--	-----------------------------

EB-2
T193981-27 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Organochlorine Pesticides by EPA Method 8081A

Dieldrin	ND	1.00	ug/l	1	9111825	11/18/19	11/19/19	EPA 8081A	
Endrin	ND	1.00	"	"	"	"	"	"	
4,4'-DDD	ND	1.00	"	"	"	"	"	"	
Endosulfan II	ND	1.00	"	"	"	"	"	"	
4,4'-DDT	ND	1.00	"	"	"	"	"	"	
Endrin aldehyde	ND	1.00	"	"	"	"	"	"	
Endosulfan sulfate	ND	1.00	"	"	"	"	"	"	
Methoxychlor	ND	1.00	"	"	"	"	"	"	
Endrin ketone	ND	1.00	"	"	"	"	"	"	
Toxaphene	ND	20.0	"	"	"	"	"	"	
Chlordane (tech)	ND	10.0	"	"	"	"	"	"	
Surrogate: Tetrachloro-meta-xylene		78.5 %		35-140	"	"	"	"	
Surrogate: Decachlorobiphenyl		85.6 %		35-140	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager

NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
11/21/19 09:25

EB-3

T193981-28 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 6010B

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Antimony	ND	50	ug/l	1	9111527	11/15/19	11/19/19	EPA 6010b	
Silver	ND	50	"	"	"	"	"	"	
Arsenic	ND	50	"	"	"	"	"	"	
Barium	ND	50	"	"	"	"	"	"	
Beryllium	ND	50	"	"	"	"	"	"	
Cadmium	ND	50	"	"	"	"	"	"	
Chromium	ND	50	"	"	"	"	"	"	
Cobalt	ND	50	"	"	"	"	"	"	
Copper	ND	50	"	"	"	"	"	"	
Lead	ND	50	"	"	"	"	"	"	
Molybdenum	ND	50	"	"	"	"	"	"	
Nickel	ND	50	"	"	"	"	"	"	
Selenium	ND	50	"	"	"	"	"	"	
Thallium	ND	50	"	"	"	"	"	"	
Vanadium	ND	50	"	"	"	"	"	"	
Zinc	ND	50	"	"	"	"	"	"	

Cold Vapor Extraction EPA 7470/7471

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Mercury	ND	0.50	ug/l	1	9111529	11/15/19	11/20/19	EPA 7470A Water	

Organochlorine Pesticides by EPA Method 8081A

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
alpha-BHC	ND	1.00	ug/l	1	9111825	11/18/19	11/19/19	EPA 8081A	
gamma-BHC (Lindane)	ND	1.00	"	"	"	"	"	"	
beta-BHC	ND	1.00	"	"	"	"	"	"	
delta-BHC	ND	1.00	"	"	"	"	"	"	
Heptachlor	ND	1.00	"	"	"	"	"	"	
Aldrin	ND	1.00	"	"	"	"	"	"	
Heptachlor epoxide	ND	1.00	"	"	"	"	"	"	
gamma-Chlordane	ND	1.00	"	"	"	"	"	"	
alpha-Chlordane	ND	1.00	"	"	"	"	"	"	
Endosulfan I	ND	1.00	"	"	"	"	"	"	
4,4'-DDE	ND	1.00	"	"	"	"	"	"	

SunStar Laboratories, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager

NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
11/21/19 09:25

EB-3

T193981-28 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Organochlorine Pesticides by EPA Method 8081A

Dieldrin	ND	1.00	ug/l	1	9111825	11/18/19	11/19/19	EPA 8081A	
Endrin	ND	1.00	"	"	"	"	"	"	
4,4'-DDD	ND	1.00	"	"	"	"	"	"	
Endosulfan II	ND	1.00	"	"	"	"	"	"	
4,4'-DDT	ND	1.00	"	"	"	"	"	"	
Endrin aldehyde	ND	1.00	"	"	"	"	"	"	
Endosulfan sulfate	ND	1.00	"	"	"	"	"	"	
Methoxychlor	ND	1.00	"	"	"	"	"	"	
Endrin ketone	ND	1.00	"	"	"	"	"	"	
Toxaphene	ND	20.0	"	"	"	"	"	"	
Chlordane (tech)	ND	10.0	"	"	"	"	"	"	
Surrogate: Tetrachloro-meta-xylene		75.5 %		35-140	"	"	"	"	
Surrogate: Decachlorobiphenyl		85.8 %		35-140	"	"	"	"	

SunStar Laboratories, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5 48 Bellarmine Ct, Suite 40 Chico CA, 95928	Project: Hamilton Union High School Project Number: 70779.01.001.003 Project Manager: Heidi Cummings	Reported: 11/21/19 09:25
--	--	-----------------------------

F7D-0
T193981-30 (Soil)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 6010B

Arsenic	ND	5.00	mg/kg	1	9111532	11/15/19	11/18/19	EPA 6010b	
Lead	5.17	3.00	"	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5 48 Bellarmine Ct, Suite 40 Chico CA, 95928	Project: Hamilton Union High School Project Number: 70779.01.001.003 Project Manager: Heidi Cummings	Reported: 11/21/19 09:25
--	--	-----------------------------

EFGH7C-0
T193981-33 (Soil)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Organochlorine Pesticides by EPA Method 8081A

alpha-BHC	ND	5.0	ug/kg	1	9111517	11/15/19	11/18/19	EPA 8081A	
gamma-BHC (Lindane)	ND	5.0	"	"	"	"	"	"	
beta-BHC	ND	5.0	"	"	"	"	"	"	
delta-BHC	ND	5.0	"	"	"	"	"	"	
Heptachlor	ND	5.0	"	"	"	"	"	"	
Aldrin	ND	5.0	"	"	"	"	"	"	
Heptachlor epoxide	ND	5.0	"	"	"	"	"	"	
gamma-Chlordane	ND	5.0	"	"	"	"	"	"	
alpha-Chlordane	ND	5.0	"	"	"	"	"	"	
Endosulfan I	ND	5.0	"	"	"	"	"	"	
4,4'-DDE	8.3	5.0	"	"	"	"	"	"	
Dieldrin	ND	5.0	"	"	"	"	"	"	
Endrin	ND	5.0	"	"	"	"	"	"	
4,4'-DDD	ND	5.0	"	"	"	"	"	"	
Endosulfan II	ND	5.0	"	"	"	"	"	"	
4,4'-DDT	ND	5.0	"	"	"	"	"	"	
Endrin aldehyde	ND	5.0	"	"	"	"	"	"	
Endosulfan sulfate	ND	5.0	"	"	"	"	"	"	
Methoxychlor	ND	5.0	"	"	"	"	"	"	
Endrin ketone	ND	5.0	"	"	"	"	"	"	
Toxaphene	ND	20	"	"	"	"	"	"	
Chlordane (tech)	ND	50	"	"	"	"	"	"	
Chlordane (Total)	ND	5.0	"	"	"	"	"	"	
Surrogate: Tetrachloro-meta-xylene		54.5 %		35-140	"	"	"	"	
Surrogate: Decachlorobiphenyl		81.4 %		35-140	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5 48 Bellarmine Ct, Suite 40 Chico CA, 95928	Project: Hamilton Union High School Project Number: 70779.01.001.003 Project Manager: Heidi Cummings	Reported: 11/21/19 09:25
--	--	-----------------------------

H8D-0
T193981-40 (Soil)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 6010B

Arsenic	ND	5.00	mg/kg	1	9111532	11/15/19	11/18/19	EPA 6010b	
Lead	5.84	3.00	"	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5 48 Bellarmine Ct, Suite 40 Chico CA, 95928	Project: Hamilton Union High School Project Number: 70779.01.001.003 Project Manager: Heidi Cummings	Reported: 11/21/19 09:25
--	--	-----------------------------

EFGH8C-0
T193981-42 (Soil)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Organochlorine Pesticides by EPA Method 8081A

alpha-BHC	ND	5.0	ug/kg	1	9111517	11/15/19	11/18/19	EPA 8081A	
gamma-BHC (Lindane)	ND	5.0	"	"	"	"	"	"	
beta-BHC	ND	5.0	"	"	"	"	"	"	
delta-BHC	ND	5.0	"	"	"	"	"	"	
Heptachlor	ND	5.0	"	"	"	"	"	"	
Aldrin	ND	5.0	"	"	"	"	"	"	
Heptachlor epoxide	ND	5.0	"	"	"	"	"	"	
gamma-Chlordane	ND	5.0	"	"	"	"	"	"	
alpha-Chlordane	ND	5.0	"	"	"	"	"	"	
Endosulfan I	ND	5.0	"	"	"	"	"	"	
4,4'-DDE	6.6	5.0	"	"	"	"	"	"	
Dieldrin	ND	5.0	"	"	"	"	"	"	
Endrin	ND	5.0	"	"	"	"	"	"	
4,4'-DDD	ND	5.0	"	"	"	"	"	"	
Endosulfan II	ND	5.0	"	"	"	"	"	"	
4,4'-DDT	ND	5.0	"	"	"	"	"	"	
Endrin aldehyde	ND	5.0	"	"	"	"	"	"	
Endosulfan sulfate	ND	5.0	"	"	"	"	"	"	
Methoxychlor	ND	5.0	"	"	"	"	"	"	
Endrin ketone	ND	5.0	"	"	"	"	"	"	
Toxaphene	ND	20	"	"	"	"	"	"	
Chlordane (tech)	ND	50	"	"	"	"	"	"	
Chlordane (Total)	ND	5.0	"	"	"	"	"	"	
Surrogate: Tetrachloro-meta-xylene		82.1 %		35-140	"	"	"	"	
Surrogate: Decachlorobiphenyl		104 %		35-140	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5 48 Bellarmine Ct, Suite 40 Chico CA, 95928	Project: Hamilton Union High School Project Number: 70779.01.001.003 Project Manager: Heidi Cummings	Reported: 11/21/19 09:25
--	--	-----------------------------

EFGH8C-0-CL
T193981-43 (Soil)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Organochlorine Pesticides by EPA Method 8081A

alpha-BHC	ND	5.0	ug/kg	1	9111517	11/15/19	11/18/19	EPA 8081A	
gamma-BHC (Lindane)	ND	5.0	"	"	"	"	"	"	
beta-BHC	ND	5.0	"	"	"	"	"	"	
delta-BHC	ND	5.0	"	"	"	"	"	"	
Heptachlor	ND	5.0	"	"	"	"	"	"	
Aldrin	ND	5.0	"	"	"	"	"	"	
Heptachlor epoxide	ND	5.0	"	"	"	"	"	"	
gamma-Chlordane	ND	5.0	"	"	"	"	"	"	
alpha-Chlordane	ND	5.0	"	"	"	"	"	"	
Endosulfan I	ND	5.0	"	"	"	"	"	"	
4,4'-DDE	5.3	5.0	"	"	"	"	"	"	
Dieldrin	ND	5.0	"	"	"	"	"	"	
Endrin	ND	5.0	"	"	"	"	"	"	
4,4'-DDD	ND	5.0	"	"	"	"	"	"	
Endosulfan II	ND	5.0	"	"	"	"	"	"	
4,4'-DDT	ND	5.0	"	"	"	"	"	"	
Endrin aldehyde	ND	5.0	"	"	"	"	"	"	
Endosulfan sulfate	ND	5.0	"	"	"	"	"	"	
Methoxychlor	ND	5.0	"	"	"	"	"	"	
Endrin ketone	ND	5.0	"	"	"	"	"	"	
Toxaphene	ND	20	"	"	"	"	"	"	
Chlordane (tech)	ND	50	"	"	"	"	"	"	
Chlordane (Total)	ND	5.0	"	"	"	"	"	"	
Surrogate: Tetrachloro-meta-xylene		63.0 %		35-140	"	"	"	"	
Surrogate: Decachlorobiphenyl		90.1 %		35-140	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5	Project: Hamilton Union High School	Reported:
48 Bellarmine Ct, Suite 40	Project Number: 70779.01.001.003	11/21/19 09:25
Chico CA, 95928	Project Manager: Heidi Cummings	

Metals by EPA 6010B - Quality Control
SunStar Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 9111527 - EPA 3010A

Blank (9111527-BLK1)				Prepared: 11/15/19 Analyzed: 11/19/19						
Antimony	ND	50	ug/l							
Silver	ND	50	"							
Arsenic	ND	50	"							
Barium	ND	50	"							
Beryllium	ND	50	"							
Cadmium	ND	50	"							
Chromium	ND	50	"							
Cobalt	ND	50	"							
Copper	ND	50	"							
Lead	ND	50	"							
Molybdenum	ND	50	"							
Nickel	ND	50	"							
Selenium	ND	50	"							
Thallium	ND	50	"							
Vanadium	ND	50	"							
Zinc	ND	50	"							

LCS (9111527-BS1)

LCS (9111527-BS1)				Prepared: 11/15/19 Analyzed: 11/19/19						
Arsenic	525	50	ug/l	500	105	75-125				
Barium	538	50	"	500	108	75-125				
Cadmium	543	50	"	500	109	75-125				
Chromium	539	50	"	500	108	75-125				
Lead	525	50	"	500	105	75-125				

Batch 9111532 - EPA 3050B

Blank (9111532-BLK1)				Prepared: 11/15/19 Analyzed: 11/18/19						
Antimony	ND	3.00	mg/kg							
Arsenic	ND	5.00	"							
Barium	ND	1.00	"							
Beryllium	ND	1.00	"							
Cadmium	ND	2.00	"							
Chromium	ND	2.00	"							
Cobalt	ND	2.00	"							
Copper	ND	1.00	"							
Lead	ND	3.00	"							

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5	Project: Hamilton Union High School	Reported:
48 Bellarmine Ct, Suite 40	Project Number: 70779.01.001.003	11/21/19 09:25
Chico CA, 95928	Project Manager: Heidi Cummings	

Metals by EPA 6010B - Quality Control

SunStar Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 9111532 - EPA 3050B

Blank (9111532-BLK1)

Prepared: 11/15/19 Analyzed: 11/18/19

Molybdenum	ND	5.00	mg/kg							
Nickel	ND	2.00	"							
Selenium	ND	5.00	"							
Silver	ND	2.00	"							
Thallium	ND	2.00	"							
Vanadium	ND	5.00	"							
Zinc	ND	1.00	"							

LCS (9111532-BS1)

Prepared: 11/15/19 Analyzed: 11/18/19

Arsenic	97.4	5.00	mg/kg	100		97.4	75-125			
Barium	98.5	1.00	"	100		98.5	75-125			
Cadmium	98.5	2.00	"	100		98.5	75-125			
Chromium	98.3	2.00	"	100		98.3	75-125			
Lead	99.5	3.00	"	100		99.5	75-125			

Matrix Spike (9111532-MS1)

Source: T193974-24

Prepared: 11/15/19 Analyzed: 11/18/19

Arsenic	73.0	5.00	mg/kg	99.0		73.7	75-125			QM-05
Barium	114	1.00	"	99.0		115	75-125			QM-05
Cadmium	70.4	2.00	"	99.0		71.1	75-125			QM-05
Chromium	82.1	2.00	"	99.0		82.9	75-125			QM-05
Lead	76.9	3.00	"	99.0		77.7	75-125			QM-05

Matrix Spike Dup (9111532-MSD1)

Source: T193974-24

Prepared: 11/15/19 Analyzed: 11/18/19

Arsenic	66.9	5.00	mg/kg	93.5		71.6	75-125	8.64	20	QM-05
Barium	96.5	1.00	"	93.5		103	75-125	16.7	20	QM-05
Cadmium	63.8	2.00	"	93.5		68.2	75-125	9.89	20	QM-05
Chromium	72.8	2.00	"	93.5		77.9	75-125	11.9	20	QM-05
Lead	68.9	3.00	"	93.5		73.8	75-125	11.0	20	QM-05

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5	Project: Hamilton Union High School	
48 Bellarmine Ct, Suite 40	Project Number: 70779.01.001.003	Reported:
Chico CA, 95928	Project Manager: Heidi Cummings	11/21/19 09:25

Cold Vapor Extraction EPA 7470/7471 - Quality Control

SunStar Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 9111529 - EPA 7470A Water

Blank (9111529-BLK1)				Prepared: 11/15/19 Analyzed: 11/20/19						
Mercury	ND	0.50	ug/l							
LCS (9111529-BS1)				Prepared: 11/15/19 Analyzed: 11/20/19						
Mercury	4.42	0.50	ug/l	5.00		88.5	80-120			
Matrix Spike (9111529-MS1)				Source: T193981-27 Prepared: 11/15/19 Analyzed: 11/20/19						
Mercury	4.10	0.50	ug/l	5.00	ND	81.9	75-125			
Matrix Spike Dup (9111529-MSD1)				Source: T193981-27 Prepared: 11/15/19 Analyzed: 11/20/19						
Mercury	4.22	0.50	ug/l	5.00	ND	84.4	75-125	2.91	20	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5	Project: Hamilton Union High School	Reported:
48 Bellarmine Ct, Suite 40	Project Number: 70779.01.001.003	11/21/19 09:25
Chico CA, 95928	Project Manager: Heidi Cummings	

Organochlorine Pesticides by EPA Method 8081A - Quality Control

SunStar Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 9111517 - EPA 3550 ECD/GCMS

Blank (9111517-BLK1)

Prepared: 11/15/19 Analyzed: 11/18/19

alpha-BHC	ND	5.0	ug/kg							
gamma-BHC (Lindane)	ND	5.0	"							
beta-BHC	ND	5.0	"							
delta-BHC	ND	5.0	"							
Heptachlor	ND	5.0	"							
Aldrin	ND	5.0	"							
Heptachlor epoxide	ND	5.0	"							
gamma-Chlordane	ND	5.0	"							
alpha-Chlordane	ND	5.0	"							
Endosulfan I	ND	5.0	"							
4,4'-DDE	ND	5.0	"							
Dieldrin	ND	5.0	"							
Endrin	ND	5.0	"							
4,4'-DDD	ND	5.0	"							
Endosulfan II	ND	5.0	"							
4,4'-DDT	ND	5.0	"							
Endrin aldehyde	ND	5.0	"							
Endosulfan sulfate	ND	5.0	"							
Methoxychlor	ND	5.0	"							
Endrin ketone	ND	5.0	"							
Toxaphene	ND	20	"							
Chlordane (tech)	ND	50	"							
Chlordane (Total)	ND	5.0	"							

Surrogate: Tetrachloro-meta-xylene	9.16		"	10.1		90.6	35-140			
Surrogate: Decachlorobiphenyl	14.3		"	10.1		141	35-140			S-GC

LCS (9111517-BS1)

Prepared: 11/15/19 Analyzed: 11/19/19

gamma-BHC (Lindane)	43.0	5.0	ug/kg	40.4		106	40-120			
Heptachlor	43.2	5.0	"	40.4		107	40-120			
Aldrin	39.1	5.0	"	40.4		96.8	40-120			
Dieldrin	43.4	5.0	"	40.4		108	40-120			
Endrin	43.8	5.0	"	40.4		109	40-120			
4,4'-DDT	41.7	5.0	"	40.4		103	33-147			
Surrogate: Tetrachloro-meta-xylene	10.0		"	10.1		99.2	35-140			
Surrogate: Decachlorobiphenyl	11.0		"	10.1		109	35-140			

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5	Project: Hamilton Union High School	Reported:
48 Bellarmine Ct, Suite 40	Project Number: 70779.01.001.003	11/21/19 09:25
Chico CA, 95928	Project Manager: Heidi Cummings	

Organochlorine Pesticides by EPA Method 8081A - Quality Control

SunStar Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 9111517 - EPA 3550 ECD/GCMS

LCS Dup (9111517-BSD1)

Prepared: 11/15/19 Analyzed: 11/19/19

gamma-BHC (Lindane)	41.5	5.0	ug/kg	40.4	103	40-120	3.54	30	
Heptachlor	42.8	5.0	"	40.4	106	40-120	0.838	30	
Aldrin	40.0	5.0	"	40.4	98.9	40-120	2.19	30	
Dieldrin	46.2	5.0	"	40.4	114	40-120	6.26	30	
Endrin	46.6	5.0	"	40.4	115	40-120	6.06	30	
4,4'-DDT	45.5	5.0	"	40.4	113	33-147	8.74	30	
Surrogate: Tetrachloro-meta-xylene	8.92		"	10.1	88.4	35-140			
Surrogate: Decachlorobiphenyl	12.1		"	10.1	120	35-140			

Batch 9111825 - EPA 3510C GCMS/ECD

Blank (9111825-BLK1)

Prepared: 11/18/19 Analyzed: 11/19/19

alpha-BHC	ND	1.00	ug/l						
gamma-BHC (Lindane)	ND	1.00	"						
beta-BHC	ND	1.00	"						
delta-BHC	ND	1.00	"						
Heptachlor	ND	1.00	"						
Aldrin	ND	1.00	"						
Heptachlor epoxide	ND	1.00	"						
gamma-Chlordane	ND	1.00	"						
alpha-Chlordane	ND	1.00	"						
Endosulfan I	ND	1.00	"						
4,4'-DDE	ND	1.00	"						
Dieldrin	ND	1.00	"						
Endrin	ND	1.00	"						
4,4'-DDD	ND	1.00	"						
Endosulfan II	ND	1.00	"						
4,4'-DDT	ND	1.00	"						
Endrin aldehyde	ND	1.00	"						
Endosulfan sulfate	ND	1.00	"						
Methoxychlor	ND	1.00	"						
Endrin ketone	ND	1.00	"						
Chlordane (tech)	ND	10.0	"						
Toxaphene	ND	20.0	"						
Surrogate: Tetrachloro-meta-xylene	ND		"	1.00	82.3	35-140			
Surrogate: Decachlorobiphenyl	0.965		"	1.00	96.5	35-140			

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

NV5
 48 Bellarmine Ct, Suite 40
 Chico CA, 95928

Project: Hamilton Union High School
 Project Number: 70779.01.001.003
 Project Manager: Heidi Cummings

Reported:
 11/21/19 09:25

Organochlorine Pesticides by EPA Method 8081A - Quality Control

SunStar Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 9111825 - EPA 3510C GCMS/ECD

LCS (9111825-BS1)

Prepared: 11/18/19 Analyzed: 11/19/19

gamma-BHC (Lindane)	3.79	1.00	ug/l	4.00		94.6	40-120			
Heptachlor	3.79	1.00	"	4.00		94.7	40-120			
Aldrin	3.41	1.00	"	4.00		85.2	40-120			
Dieldrin	4.05	1.00	"	4.00		101	40-120			
Endrin	4.24	1.00	"	4.00		106	40-120			
4,4'-DDT	4.15	1.00	"	4.00		104	40-120			
Surrogate: Tetrachloro-meta-xylene	0.737		"	1.00		73.7	35-140			
Surrogate: Decachlorobiphenyl	0.928		"	1.00		92.8	35-140			

LCS Dup (9111825-BSD1)

Prepared: 11/18/19 Analyzed: 11/19/19

gamma-BHC (Lindane)	4.28	1.00	ug/l	4.00		107	40-120	12.2	20	
Heptachlor	4.26	1.00	"	4.00		106	40-120	11.7	20	
Aldrin	3.96	1.00	"	4.00		99.0	40-120	15.0	20	
Dieldrin	4.45	1.00	"	4.00		111	40-120	9.33	20	
Endrin	4.59	1.00	"	4.00		115	40-120	7.84	20	
4,4'-DDT	4.42	1.00	"	4.00		110	40-120	6.31	20	
Surrogate: Tetrachloro-meta-xylene	0.866		"	1.00		86.6	35-140			
Surrogate: Decachlorobiphenyl	0.978		"	1.00		97.8	35-140			

SunStar Laboratories, Inc.

Jeff Lee, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

NV5
48 Bellarmine Ct, Suite 40
Chico CA, 95928

Project: Hamilton Union High School
Project Number: 70779.01.001.003
Project Manager: Heidi Cummings

Reported:
11/21/19 09:25

Notes and Definitions

- S-GC Surrogate recovery outside of established control limits. The data was accepted based on valid recovery of the remaining surrogate(s).
- QM-05 The spike recovery was outside acceptance limits for the MS and/or MSD due to possible matrix interference. The LCS was within acceptance criteria. The data is acceptable as no negative impact on data is expected.
- DET Analyte DETECTED
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference

SunStar Laboratories, Inc.



Jeff Lee, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Chain of Custody Record

SunStar Laboratories
 25712 Commerce Centre Dr
 Lake Forest, CA 92630
 949-297-5020

Client: NV5
 Address: 48 Bellamine Court, Ste 40, Chico, CA 95928
 Phone: 530-894-2487 Fax: 530-894-2437
 Project Manager: Heidi Cummings, heidi.cummings@NV5.com

Date: 11/14/2019
 Project Name: Hamilton Union High School
 Collector: HJC/CWB Client Project #: 70779.01.001.003
 Batch #: 793981 EDF #: _____

Sample ID	Date Sampled	Time	Sample Type	Container Type	Arsenic EPA 6010	Lead EPA 6010	OCPs EPA 8081	Lab to prepare EF-1/EF-2C-0 as 4:1 composite of E1D-0, F1D-0, E2D-0 and F2D-0	Laboratory ID #	Comments/Preservative	Total # of
E1D-0	11/13/2019	0850	SOIL	8 oz jar					01		1
F1D-0	11/13/2019	0900	SOIL	8 oz jar					02		1
E2D-0	11/13/2019	0925	SOIL	8 oz jar	X	X			03		1
F2D-0	11/13/2019	0915	SOIL	8 oz jar					04		1
E3D-0	11/13/2019	0940	SOIL	8 oz jar					06		1
E3D-0-CL	11/13/2019	0945	SOIL	8 oz jar					07		1
F3D-0	11/13/2019	1000	SOIL	8 oz jar	X	X			08		1
F3D-0-CL	11/13/2019	1005	SOIL	8 oz jar					09		1
F3D-0-FR	11/13/2019	1001	SOIL	8 oz jar	X	X			10		1
E4D-0	11/13/2019	1050	SOIL	8 oz jar					11		1
E4D-0-CL	11/13/2019	1105	SOIL	8 oz jar					12		1
F4D-0	11/13/2019	1025	SOIL	8 oz jar					13		1
F4D-0-CL	11/13/2019	1035	SOIL	8 oz jar					14		1
Relinquished by: (signature) <u>[Signature]</u> Date / Time <u>11/14/19 1600</u>					Received by: (signature) <u>GSO</u> Date / Time <u>11/14/19 1600</u>		Total # of containers		Notes		
Relinquished by: (signature) <u>GSO</u> Date / Time <u>11-15-19 8:34</u>					Received by: (signature) <u>[Signature]</u> Date / Time <u>11-15-19 8:34</u>		Chain of Custody seals <u>N/A</u>		Method 8081 report Chlordane and Technical Chlordane		
Relinquished by: (signature) _____ Date / Time _____					Received by: (signature) _____ Date / Time _____		Seals intact? <u>N/A</u>		Please return H&K/NV5 ice chests		

Sample disposal instructions: Disposal @ \$2.00 each _____

Return to client _____ Pickup _____

Turn around time: **5 day**

Method 8081 report Chlordane and Technical Chlordane
 Please return H&K/NV5 ice chests

SunStar Laboratories
 25712 Commercentre Dr
 Lake Forest, CA 92630
 949-297-5020

Chain of Custody Record

Client: NV5
 Address: 48 Bellarmine Court, Ste 40, Chico, CA 95928
 Phone: 530-894-2487 Fax: 530-894-2437
 Project Manager: Heidi Cummings, heidi.cummings@NV5.com

Date: 11/14/2019
 Project Name: Hamilton Union High School
 Collector: HJC/CWB Client Project #: 70779.01.001.003
 Batch #: ~~7998~~ 79981 EDF #:

Sample ID	Date Sampled	Time	Sample Type	Container Type	Arsenic EPA 6010	Lead EPA 6010	OCPs EPA 8081	Title 22 Metals	Laboratory ID #	Comments/Preservative	Total # of
E5D-0	11/13/2019	1130	SOIL	8 oz jar	X					Lab to prepare EF3EF4C-0-CL as 4:1 composite of E3D-0-CL, F3D-0-CL, E4D-0-CL and F4D-0-	17
F5D-0	11/13/2019	1140	SOIL	8 oz jar							18
G5D-0	11/13/2019	1155	SOIL	8 oz jar							19
H5D-0	11/13/2019	1210	SOIL	8 oz jar							20
E6D-0	11/13/2019	1230	SOIL	8 oz jar			X			Lab to prepare EF6GH5C-0 as 4:1 composite of E5D-0, F5D-0, G5D-0 and H5D-0	22
F6D-0	11/13/2019	1240	SOIL	8 oz jar							23
G6D-0	11/13/2019	1255	SOIL	8 oz jar							24
H6D-0	11/13/2019	1310	SOIL	8 oz jar	X						25
EB-2	11/12/2019	1500	Water	Amber, plastic			X				27
EB-3	11/13/2019	1500	Water	Amber, plastic			X				28
Relinquished by: (signature)	Date / Time		Received by: (signature)	Date / Time	Total # of containers		Chain of Custody seals		Notes		
<i>Heidi Cummings</i>	11/14/19	1600	<i>GSO</i>	11/14/19	1600	0	0	0	0	Method 8081 report Chloroform and Technical Chloroform	
Relinquished by: (signature)	Date / Time		Received by: (signature)	Date / Time	Received good condition/cold				Please return H&K/NV5 Ice chests		
<i>GSO</i>	11-15-19	8:34	<i>Heidi Cummings</i>	11-15-19	8:34	2	2	2	2		25
Relinquished by: (signature)	Date / Time		Received by: (signature)	Date / Time	Turn around time:						
					5 day						

Sample disposal instructions: Disposal @ \$2.00 each

Return to client

Pickup

Client: NV5
Address: 48 Bellamine Court, Ste 40, Chico, CA 95928
Phone: 530-894-2487 Fax: 530-894-2437
Project Manager: Heidi Cummings, heidi.cummings@NV5.com

Date: 11/14/2019
Project Name: Hamilton Union High School
Collector: HJGCWB Client Project #: 70779.01.001.003
Batch #: 7192981 EDF #: _____

Sample ID	Date Sampled	Time	Sample Type	Container Type	Arsenic EPA 6010	Lead EPA 6010	OCPs EPA 8081	Laboratory ID #	Comments/Preservative	Total # of
E7D-0	11/13/2019	1320	SOIL	8 oz jar	X	X		29		1
F7D-0	11/13/2019	1330	SOIL	8 oz jar				30		1
G7D-0	11/13/2019	1345	SOIL	8 oz jar				31		1
H7D-0	11/13/2019	1400	SOIL	8 oz jar			X	32		1
E8D-0	11/13/2019	1415	SOIL	8 oz jar				34		1
F8D-0-CL	11/13/2019	1425	SOIL	8 oz jar				35		1
F8D-0	11/13/2019	1435	SOIL	8 oz jar				36		1
F8D-0-CL	11/13/2019	1445	SOIL	8 oz jar				37		1
G8D-0	11/13/2019	1500	SOIL	8 oz jar				38		1
G8D-0-CL	11/13/2019	1510	SOIL	8 oz jar				39		1
H8D-0	11/13/2019	1525	SOIL	8 oz jar	X	X		40		1
H8D-0-CL	11/13/2019	1535	SOIL	8 oz jar			X	41		1
Relinquished by: (signature) <u>[Signature]</u> Date / Time <u>11/14/19 1600</u>					Received by: (signature) <u>[Signature]</u> Date / Time <u>11/14/19 1600</u>					
Relinquished by: (signature) <u>[Signature]</u> Date / Time <u>11/15/19 8:34</u>					Received by: (signature) <u>[Signature]</u> Date / Time <u>11/15/19 8:34</u>					
Relinquished by: (signature) <u>[Signature]</u> Date / Time _____					Received by: (signature) _____ Date / Time _____					
Sample disposal instructions: Disposal @ \$2.00 each _____					Return to client _____	Pickup _____				
Total # of containers _____					Chain of Custody seals _____	Seals intact <input checked="" type="checkbox"/> N/A				
Received good condition/cold _____					Turn around time: <u>5 day</u>					
Notes: Method 8081 report Chlordane and Technical Chlordane Please return H&K/NV5 ice chests										

SAMPLE RECEIVING REVIEW SHEET

Batch/Work Order #: 7193981
 Client Name: NV5 Project: HAMILTON UNION HIGH SCHOOL
 Delivered by: Client SunStar Courier GSO FedEx Other
 If Courier, Received by: _____ Date/Time Courier Received: _____
 Lab Received by: SUNNY Date/Time Lab Received: 11-15-19 / 8:34
 Total number of coolers received: 1 Thermometer ID: SC-1 Calibration due: 6/27/20

Temperature: Cooler #1	1.3	°C +/- the CF (+ 1.2°C) =	2.5	°C corrected temperature
Temperature: Cooler #2		°C +/- the CF (+ 1.2°C) =		°C corrected temperature
Temperature: Cooler #3		°C +/- the CF (+ 1.2°C) =		°C corrected temperature
Temperature criteria = ≤ 6°C (no frozen containers)		Within criteria?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
If NO:				
Samples received on ice?		<input type="checkbox"/> Yes	<input type="checkbox"/> No → Complete Non-Conformance Sheet	
If on ice, samples received same day collected?		<input type="checkbox"/> Yes → Acceptable	<input type="checkbox"/> No → Complete Non-Conformance Sheet	

Custody seals intact on cooler/sample Yes No* N/A
 Sample containers intact Yes No*
 Sample labels match Chain of Custody IDs Yes No*
 Total number of containers received match COC Yes No*
 Proper containers received for analyses requested on COC Yes No*
 Proper preservative indicated on COC/containers for analyses requested Yes No* N/A
 Complete shipment received in good condition with correct temperatures, containers, labels, volumes preservatives and within method specified holding times Yes No*

* Complete Non-Conformance Receiving Sheet if checked Cooler/Sample Review - Initials and date: SL 11-15-19

Comments: _____

WORK ORDER

T193981

Client: NV5	Project Manager: Jeff Lee
Project: Hamilton Union High School	Project Number: 70779.01.001.003

Report To:

NV5
 Heidi Cummings
 48 Bellarmine Ct, Suite 40
 Chico, CA 95928

Date Due: 11/22/19 17:00 (5 day TAT)

Received By: Sunny Lounethone

Date Received: 11/15/19 08:34

Logged In By: Sunny Lounethone

Date Logged In: 11/15/19 11:57

Samples Received at:	2.5°C		
Custody Seals	Yes	Received On Ice	Yes
Containers Intact	Yes		
COC/Labels Agree	Yes		
Preservation Confir	No		

Analysis	Due	TAT	Expires	Comments
T193981-01 E1D-0 [Soil] Sampled 11/13/19 08:50 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				
T193981-02 F1D-0 [Soil] Sampled 11/13/19 09:00 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				
T193981-03 E2D-0 [Soil] Sampled 11/13/19 09:25 (GMT-08:00) Pacific Time (US & 6010 Individual Metals	11/22/19 15:00	5	05/11/20 09:25	As and Pb only
T193981-04 F2D-0 [Soil] Sampled 11/13/19 09:15 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				
T193981-05 EF1EF2C-0 [Soil] Sampled 11/13/19 00:00 (GMT-08:00) Pacific Time (US & 8081 Pesticides	11/22/19 15:00	5	11/27/19 00:00	COMPOSITE 4:1 (E1D-0, F1D-0, E2D-0, F2D-0)
T193981-06 E3D-0 [Soil] Sampled 11/13/19 09:40 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				
T193981-07 E3D-0-CL [Soil] Sampled 11/13/19 09:45 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				

WORK ORDER

T193981

Client: NV5	Project Manager: Jeff Lee
Project: Hamilton Union High School	Project Number: 70779.01.001.003

Analysis	Due	TAT	Expires	Comments
T193981-08 F3D-0 [Soil] Sampled 11/13/19 10:00 (GMT-08:00) Pacific Time (US &				
6010 Individual Metals	11/22/19 15:00	5	05/11/20 10:00	As and Pb only
T193981-09 F3D-0-CL [Soil] Sampled 11/13/19 10:05 (GMT-08:00) Pacific Time (US &				
[NO ANALYSES]				
T193981-10 F3D-0-FR [Soil] Sampled 11/13/19 10:01 (GMT-08:00) Pacific Time (US &				
6010 Individual Metals	11/22/19 15:00	5	05/11/20 10:01	As and Pb only
T193981-11 E4D-0 [Soil] Sampled 11/13/19 10:50 (GMT-08:00) Pacific Time (US &				
[NO ANALYSES]				
T193981-12 E4D-0-CL [Soil] Sampled 11/13/19 11:05 (GMT-08:00) Pacific Time (US &				
[NO ANALYSES]				
T193981-13 F4D-0 [Soil] Sampled 11/13/19 10:25 (GMT-08:00) Pacific Time (US &				
[NO ANALYSES]				
T193981-14 F4D-0-CL [Soil] Sampled 11/13/19 10:35 (GMT-08:00) Pacific Time (US &				
[NO ANALYSES]				
T193981-15 EF3EF4C-0 [Soil] Sampled 11/13/19 00:00 (GMT-08:00) Pacific Time (US &				
8081 Pesticides	11/22/19 15:00	5	11/27/19 00:00	COMPOSITE 4:1 (E3D-0, F3D-0, E4D-0, F4D-0)
T193981-16 EF3EF4C-0-CL [Soil] Sampled 11/13/19 00:00 (GMT-08:00) Pacific Time (US &				
8081 Pesticides	11/22/19 15:00	5	11/27/19 00:00	COMPOSITE 4:1 (E3D-0-CL, F3D-0-CL, E4D-0-CL, F4D-0-CL)
T193981-17 E5D-0 [Soil] Sampled 11/13/19 11:30 (GMT-08:00) Pacific Time (US &				
6010 Individual Metals	11/22/19 15:00	5	05/11/20 11:30	As and Pb only
T193981-18 F5D-0 [Soil] Sampled 11/13/19 11:40 (GMT-08:00) Pacific Time (US &				
[NO ANALYSES]				

WORK ORDER

T193981

Client: NV5	Project Manager: Jeff Lee
Project: Hamilton Union High School	Project Number: 70779.01.001.003

Analysis	Due	TAT	Expires	Comments
T193981-19 G5D-0 [Soil] Sampled 11/13/19 11:55 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				
T193981-20 H5D-0 [Soil] Sampled 11/13/19 12:10 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				
T193981-21 EFGH5C-0 [Soil] Sampled 11/13/19 00:00 (GMT-08:00) Pacific Time (US & COMPOSITE 4:1 (E5D-0, F5D-0, G5D-0, H5D-0)				
8081 Pesticides	11/22/19 15:00	5	11/27/19 00:00	
T193981-22 E6D-0 [Soil] Sampled 11/13/19 12:30 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				
T193981-23 F6D-0 [Soil] Sampled 11/13/19 12:40 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				
T193981-24 G6D-0 [Soil] Sampled 11/13/19 12:55 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				
T193981-25 H6D-0 [Soil] Sampled 11/13/19 13:10 (GMT-08:00) Pacific Time (US & 6010 Individual Metals				
	11/22/19 15:00	5	05/11/20 13:10	As and Pb only
T193981-26 EFGH6C-0 [Soil] Sampled 11/13/19 00:00 (GMT-08:00) Pacific Time (US & COMPOSITE 4:1 (E6D-0, F6D-0, G6D-0, H6D-0)				
8081 Pesticides	11/22/19 15:00	5	11/27/19 00:00	
T193981-27 EB-2 [Water] Sampled 11/13/19 15:00 (GMT-08:00) Pacific Time (US & 6010 Title 22				
	11/22/19 15:00	5	05/11/20 15:00	
8081 Pesticides	11/22/19 15:00	5	11/20/19 15:00	
T193981-28 EB-3 [Water] Sampled 11/13/19 15:00 (GMT-08:00) Pacific Time (US & 6010 Title 22				
	11/22/19 15:00	5	05/11/20 15:00	
8081 Pesticides	11/22/19 15:00	5	11/20/19 15:00	

WORK ORDER

T193981

Client: NV5	Project Manager: Jeff Lee
Project: Hamilton Union High School	Project Number: 70779.01.001.003

Analysis	Due	TAT	Expires	Comments
T193981-29 E7D-0 [Soil] Sampled 11/13/19 13:20 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				
T193981-30 F7D-0 [Soil] Sampled 11/13/19 13:30 (GMT-08:00) Pacific Time (US & 6010 Individual Metals				
	11/22/19 15:00	5	05/11/20 13:30	As and Pb only
T193981-31 G7D-0 [Soil] Sampled 11/13/19 13:45 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				
T193981-32 H7D-0 [Soil] Sampled 11/13/19 14:00 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				
T193981-33 EFGH7C-0 [Soil] Sampled 11/13/19 00:00 (GMT-08:00) Pacific Time (US & 8081 Pesticides				
	11/22/19 15:00	5	11/27/19 00:00	COMPOSITE 4:1 (E7D-0, F7D-0, G7D-0, H7D-0)
T193981-34 E8D-0 [Soil] Sampled 11/13/19 14:15 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				
T193981-35 E8D-0-CL [Soil] Sampled 11/13/19 14:25 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				
T193981-36 F8D-0 [Soil] Sampled 11/13/19 14:35 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				
T193981-37 F8D-0-CL [Soil] Sampled 11/13/19 14:45 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				
T193981-38 G8D-0 [Soil] Sampled 11/13/19 15:00 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				
T193981-39 G8D-0-CL [Soil] Sampled 11/13/19 15:10 (GMT-08:00) Pacific Time (US & [NO ANALYSES]				

WORK ORDER

T193981

Client: NV5	Project Manager: Jeff Lee
Project: Hamilton Union High School	Project Number: 70779.01.001.003

Analysis	Due	TAT	Expires	Comments
T193981-40 H8D-0 [Soil] Sampled 11/13/19 15:25 (GMT-08:00) Pacific Time (US &				
6010 Individual Metals	11/22/19 15:00	5	05/11/20 15:25	As and Pb only
T193981-41 H8D-0-CL [Soil] Sampled 11/13/19 15:35 (GMT-08:00) Pacific Time (US &				
[NO ANALYSES]				
T193981-42 EFGH8C-0 [Soil] Sampled 11/13/19 00:00 (GMT-08:00) Pacific Time (US &				
8081 Pesticides	11/22/19 15:00	5	11/27/19 00:00	COMPOSITE 4:1 (E8D-0, F8D-0, G8D-0, H8D-0)
T193981-43 EFGH8C-0-CL [Soil] Sampled 11/13/19 00:00 (GMT-08:00) Pacific Time (US &				
8081 Pesticides	11/22/19 15:00	5	11/27/19 00:00	COMPOSITE 4:1 (E8D-0-CL, F8D-0-CL, G8D-0-CL, H8D-0-CL)

Analysis groups included in this work order

6010 Title 22

subgroup 6010B T22 7470/71 Hg

APPENDIX C

Data Quality Assessment

DATA QUALITY ASSESSMENT

Quality assurance and quality control (QA/QC) measures were incorporated into the Preliminary Endangerment Assessment (PEA) to monitor field and laboratory procedures and make sure that data of a known quality were produced. The QA/QC measures included analysis of QA/QC samples and internal laboratory QA/QC procedures and data evaluation. In addition, field standard operating procedures were followed to ensure that sample integrity was maintained.

QA/QC samples included field replicates and co-located samples. Analytical results for the PEA QA/QC samples are presented in the laboratory reports contained in Appendix B. Field and laboratory replicate analyses are discussed below in the section on Accuracy and Precision.

Internal laboratory QA/QC procedures were implemented in accordance with the requirements of each analytical method and as specified in the United States Environmental Protection Agency (USEPA) document SW-846, *Test Methods for Evaluating Solid Waste, Physical/Chemical Methods*. Internal laboratory QA/QC methods included method blanks, surrogates, matrix spike and matrix spike duplicates (MS/MSD), laboratory control samples (LCS) and LCS duplicates (LCSD), and instrument calibration checks, as specified by the analytical method.

Laboratory data sets, including QA/QC samples, were evaluated to make sure that data are of an acceptable quality for use in the PEA. The data evaluation was based upon data quality indicators including accuracy, precision, method detection and reporting limits (MDLs and RLs), completeness, representativeness and comparability. The evaluation was conducted in general accordance with guidelines set forth in the USEPA National Functional Guidelines.

Results of the data evaluation indicate that the data generated are of acceptable quality for use in the PEA and screening level human health risk assessment (HHRA). None of the data were unusable based on the data evaluation, except the original data for arsenic. A summary of the data evaluation is presented below.

DATA REVIEW AND VALIDATION

Field personnel were responsible for following NV5's sampling and documentation procedures to facilitate the collection of defensible and justifiable data. Responsibilities for data review and validation are outlined below:

- Field data review and validation was performed by Craig Bourne, a qualified environmental professional, and was overseen by Heidi Cummings, the project manager.
- Laboratory data review and validation were performed by a chemist or laboratory analyst as described in the laboratory quality assurance programs, as summarized in the laboratory reports (Appendix B). Data failing to meet the laboratory acceptance criteria were flagged with a qualifier identifying the associated problem in the laboratory report.
- Secondary validation for field data and review of laboratory quality control reports was performed by the project manager.

ACCURACY AND PRECISION

Accuracy and precision were evaluated by assessing laboratory hold times, internal laboratory QA/QC results and field duplicate analyses. Results are as follows:

- SunStar Work Order 193941f: Samples DD5D-0, DD6D-0, and DD7D-0 contained analytes above calibration limits and were rerun at a dilution. Reporting limits for OCPs in sample DD5D-0 were raised to account for dilution necessary due to high levels of interfering compounds and/or matrix effect. Surrogate recovery was outside of established control limits. The data was accepted based on valid recovery of surrogates in client samples and remaining QC including continuing calibration verification (CCV).
- SunStar Work Order 193979f: Surrogate recovery was outside of established control limits. The data was accepted based on valid recovery of the remaining surrogate(s).
- SunStar Work Order 193981f: Surrogate recovery was outside of established control limits. The data was accepted based on valid recovery of the remaining surrogate(s).
- SunStar Work Order 194029f: No qualifiers.

These flags do not signify a negative impact on data usability.

The relative percent difference was calculated to assess the variance between the normal field samples and their corresponding field replicate and/or co-located samples. A concentration equal to one half the reporting limit was used for those samples that were reported as not detected. Only normal and replicate or co-located samples with detections were evaluated. The relative percent difference was calculated using the following formula:

$$\text{Relative Percent Difference (RPD)} = \frac{(|x - y|)}{((x + y)/2)} \quad (1)$$

Where:

- x = concentration of normal sample
- y = concentration of QA/QC sample

Sample Name	Analyte	Result	Detection Limit	Reporting Limit	Units	Sample Type	Relative Percent Difference
USEPA Method 6010B & 6020							
A7D-0	Arsenic	5.9	0.0025	0.25	mg/kg	NS	
A7D-0-CL	Arsenic	5.7	0.0025	0.25	mg/kg	CL	3.4
A7D-0	Lead	5.35	0.01	3	mg/kg	NS	
A7D-0-CL	Lead	5.35	0.01	3	mg/kg	CL	0.0
B3D-0	Arsenic	5.3	0.0025	0.25	mg/kg	NS	
B3D-0-FR	Arsenic	5.0	0.0025	0.25	mg/kg	FR	5.8
B3D-0	Lead	4.67	0.01	3	mg/kg	NS	
B3D-0-FR	Lead	4.28	0.01	3	mg/kg	FR	8.7
C1D-0	Arsenic	4.7	0.0025	0.25	mg/kg	NS	

Sample Name	Analyte	Result	Detection Limit	Reporting Limit	Units	Sample Type	Relative Percent Difference
USEPA Method 6010B & 6020 continued							
C1D-0-CL	Arsenic	4.8	0.0025	0.25	mg/kg	CL	2.1
C1D-0	Lead	4.33	0.01	3	mg/kg	NS	
C1D-0-CL	Lead	4.72	0.01	3	mg/kg	CL	8.6
D7D-0	Arsenic	6.4	0.0025	0.25	mg/kg	NS	
D7D-0-FR	Arsenic	5.2	0.0025	0.25	mg/kg	FR	20.7
D7D-0	Lead	5.75	0.01	3	mg/kg	NS	
D7D-0-FR	Lead	5.61	0.01	3	mg/kg	FR	2.5
F3D-0	Arsenic	5.5	0.0025	0.25	mg/kg	NS	
F3D-0-FR	Arsenic	5.4	0.0025	0.25	mg/kg	FR	1.8
F3D-0	Lead	5.46	0.01	3	mg/kg	NS	
F3D-0-FR	Lead	5.42	0.01	3	mg/kg	FR	0.7
HHS3D-2	Arsenic	4.7	0.0025	0.25	mg/kg	NS	
HHS3D-2-FR	Arsenic	5.2	0.0025	0.25	mg/kg	FR	10.1
HHS3D-2	Lead	4.07	0.01	3	mg/kg	NS	
HHS3D-2-FR	Lead	3.74	0.01	3	mg/kg	FR	8.5
HHS5D-2	Arsenic	4.7	0.0025	0.25	mg/kg	NS	
HHS5D-2-CL	Arsenic	4.6	0.0025	0.25	mg/kg	CL	2.2
HHS5D-2	Lead	3.72	0.01	3	mg/kg	NS	
HHS5D-2-CL	Lead	4.07	0.01	3	mg/kg	CL	9.0
DD2D-0	Arsenic	5.3	0.0025	0.25	mg/kg	NS	
DD2D-0-CL	Arsenic	4.8	0.0025	0.25	mg/kg	CL	9.9
DD2D-0	Barium	65	0.3	1	mg/kg	NS	
DD2D-0-CL	Barium	65	0.3	1	mg/kg	CL	0.0
DD2D-0	Cadmium	0.51J	0.1	2	mg/kg	NS	
DD2D-0-CL	Cadmium	0.48J	0.1	2	mg/kg	CL	6.1
DD2D-0	Chromium	40	0.1	2	mg/kg	NS	
DD2D-0-CL	Chromium	37	0.1	2	mg/kg	CL	7.8
DD2D-0	Cobalt	9.2	0.2	2	mg/kg	NS	
DD2D-0-CL	Cobalt	8.7	0.2	2	mg/kg	CL	5.6
DD2D-0	Copper	22	0.2	1	mg/kg	NS	
DD2D-0-CL	Copper	21	0.2	1	mg/kg	CL	4.7
DD2D-0	Lead	4.7	1	3	mg/kg	NS	
DD2D-0-CL	Lead	4.5	1	3	mg/kg	CL	4.3
DD2D-0	Nickel	56	0.3	2	mg/kg	NS	
DD2D-0-CL	Nickel	54	0.3	2	mg/kg	CL	3.6
DD2D-0	Vanadium	27	0.3	5	mg/kg	NS	
DD2D-0-CL	Vanadium	26	0.3	5	mg/kg	CL	3.8

Sample Name	Analyte	Result	Detection Limit	Reporting Limit	Units	Sample Type	Relative Percent Difference
USEPA Method 6010B & 6020 continued							
DD2D-0	Zinc	52	0.1	1	mg/kg	NS	
DD2D-0-CL	Zinc	52	0.1	1	mg/kg	CL	0.0
DD4D-0	Arsenic	5.8	0.0025	0.25	mg/kg	NS	
DD4D-0-FR	Arsenic	5.5	0.0025	0.25	mg/kg	FR	5.3
DD4D-0	Barium	65	0.3	1	mg/kg	NS	
DD4D-0-FR	Barium	64	0.3	1	mg/kg	FR	1.6
DD4D-0	Cadmium	0.50J	0.1	2	mg/kg	NS	
DD4D-0-FR	Cadmium	0.48J	0.1	2	mg/kg	FR	4.1
DD4D-0	Chromium	35	0.1	2	mg/kg	NS	
DD4D-0-FR	Chromium	35	0.1	2	mg/kg	FR	0.0
DD4D-0	Cobalt	9.1	0.2	2	mg/kg	NS	
DD4D-0-FR	Cobalt	8.8	0.2	2	mg/kg	FR	3.4
DD4D-0	Copper	21	0.2	1	mg/kg	NS	
DD4D-0-FR	Copper	21	0.2	1	mg/kg	FR	0.0
DD4D-0	Lead	5.2	1	3	mg/kg	NS	
DD4D-0-FR	Lead	5.5	1	3	mg/kg	FR	5.6
DD4D-0	Nickel	52	0.3	2	mg/kg	NS	
DD4D-0-FR	Nickel	51	0.3	2	mg/kg	FR	1.9
DD4D-0	Vanadium	26	0.3	5	mg/kg	NS	
DD4D-0-FR	Vanadium	25	0.3	5	mg/kg	FR	3.9
DD4D-0	Zinc	51	0.1	1	mg/kg	NS	
DD4D-0-FR	Zinc	56	0.1	1	mg/kg	FR	9.3
USEPA Method 8015B							
DD2D-0	DRO	2.9J	1.6	10	mg/kg	NS	
DD2D-0-CL	DRO	5.4J	1.6	10	mg/kg	CL	60.2
DD2D-0	MORO	17	4.2	10	mg/kg	NS	
DD2D-0-CL	MORO	25	4.2	10	mg/kg	CL	38.1
DD4D-0	DRO	5.6J	1.6	10	mg/kg	NS	
DD4D-0-FR	DRO	5.2J	1.6	10	mg/kg	FR	7.4
DD4D-0	MORO	30	4.2	10	mg/kg	NS	
DD4D-0-FR	MORO	33	4.2	10	mg/kg	FR	9.5
USEPA Method 8081A							
ABCD2C-0	4,4'-DDE	11	1.5	5	µg/kg	NS	
ABCD2C-0-FR	4,4'-DDE	8.7	1.5	5	µg/kg	FR	23.4
ABCD5C-0	4,4'-DDE	6.6	1.5	5	µg/kg	NS	
ABCD5C-0-CL	4,4'-DDE	7.0	1.5	5	µg/kg	CL	5.9
ABCD7C-0	4,4'-DDE	ND	1.5	5	µg/kg	NS	

Sample Name	Analyte	Result	Detection Limit	Reporting Limit	Units	Sample Type	Relative Percent Difference
USEPA Method 8081A (Concluded)							
ABCD7C-0-FR	4,4'-DDE	ND	1.5	5	µg/kg	FR	0.0
EF3EF4C-0	4,4'-DDE	8.2	1.5	5	µg/kg	NS	
EF3EF4C-0-CL	4,4'-DDE	11	1.5	5	µg/kg	CL	29.2
EFGH8C-0	4,4'-DDE	6.6	1.5	5	µg/kg	NS	
EFGH8C-0-CL	4,4'-DDE	5.3	1.5	5	µg/kg	CL	21.8
DD2D-0	4,4'-DDE	11	1.5	5	µg/kg	NS	
DD2D-0-CL	4,4'-DDE	12	1.5	5	µg/kg	CL	8.7
DD4D-0	4,4'-DDE	40	1.5	5	µg/kg	NS	
DD4D-0-FR	4,4'-DDE	36	1.5	5	µg/kg	FR	10.5
USEPA = United States Environmental Protection Agency mg/kg = milligram per kilogram ND = Not detected µg/kg = micrograms per kilogram J = estimated value; between method detection limit and reporting limit <u>Sample Type:</u> NS = normal sample CL = co-located FR = field replicate							

High RPD values calculated for field replicate and co-located sample pairs are representative of the heterogeneous contaminant distribution in soil at the site.

Thus, the overall precision is generally considered acceptable, with the understanding that variability exists within small distances (co-located samples) and within small sample quantities (field replicate samples).

EVALUATION OF BLANKS

Equipment blank analysis provides an indication of whether contamination was introduced into the PEA sample set. One equipment blank sample was collected during each day of soil sampling. On November 11, 2019, the equipment blank (EB-1) was analyzed for Title 22 Metals by USEPA Methods 6010B and 7470A, OCPs by USEPA Method 8081A and TPH by USEPA Method 8015B. No analytes were detected in the sample at concentrations greater than their respective MDLs. On November 12 and 13, 2019, the equipment blanks (EB-2 and EB-3) were analyzed for Title 22 Metals by USEPA Methods 6010B and 7470A and for OCPs by USEPA Method 8081A. No analytes were detected in the samples at concentrations greater than their respective MDLs. Based on the equipment blank results there is low potential for cross contamination due to insufficient equipment decontamination.

SENSITIVITY

Laboratory analytical methods were selected so that the laboratory method detection limits were less than the applicable regulatory screening criteria (i.e. the DTSC-SLs and USEPA RSLs), and thus are acceptable for use in the PEA screening evaluation.

Total arsenic in soil was originally analyzed using EPA Method 6010B with a practical quantitation limit (PQL; also referred to as reporting limit, or RL) of 5 mg/kg. The PQL did not meet the project data quality objectives, and therefore the EPA 6010B data were rejected, and the analysis was repeated using EPA Method 6020 with a PQL of 0.25 mg/kg.

COMPLETENESS

Completeness is an evaluation of the sampling results with respect to usable versus rejected data. No data was rejected based on the data evaluation. The data set completeness is therefore considered satisfactory for all analyses.

REPRESENTATIVENESS AND COMPARABILITY

Representativeness expresses the degree to which sample data accurately and precisely represent the characteristics of a population, variations in parameters at a sampling point, or an environmental condition that they are intended to represent. NV5 and the contract laboratories addressed the representativeness of data by consistent application of established field and laboratory procedures.

Sample holding times were verified and chain-of-custody forms were checked for completeness. Temperature of samples was measured upon receipt by the laboratory, when applicable. Laboratory blank samples were evaluated for the presence of contaminants. No significant discrepancies were identified.

The comparability objective determines whether analytical conditions are sufficiently uniform for each analytical run to ensure that all reported data will be consistent. Comparability is addressed by using similar analytical methods from one investigation to the next.


Representativeness and comparability for the samples are addressed by the correct implementation of procedures set forth in the DTSC approved Work Plan (NV5, 2019). The sampling and analysis were conducted in general accordance with the Work Plan.

APPENDIX D


Summary Statistics

	A
1	As
2	5.4
3	5.9
4	5.7
5	5.3
6	5
7	4.7
8	4.8
9	4.1
10	5.5
11	4.7
12	6.4
13	5.2
14	4.9
15	6
16	5.5
17	5.4
18	4.7
19	5.6
20	5.8
21	5
22	5.4
23	4.7
24	5.2
25	3.6
26	4.7
27	4.6
28	5.1
29	4.9
30	5.7
31	4.4
32	5.3
33	4.8
34	4.3
35	5.8
36	5.5
37	6.7
38	5.7
39	5.7

Box Plot for As



Q-Q Plot for As



As
N = 38
Mean = 5.203
Sd = 0.627
Slope = 0.635
Intercept = 5.203
Correlation, R = 0.99

□ Best Fit Line

	A	B	C	D	E	F	G	H	I	J	K	L
1					Outlier Tests for Selected Uncensored Variables							
2	User Selected Options											
3	Date/Time of Computation			ProUCL 5.11/29/2020 7:43:35 PM								
4				From File	WorkSheet.xls							
5				Full Precision	OFF							
6												
7												
8	Rosner's Outlier Test for As											
9												
10												
11	Mean			5.203								
12	Standard Deviation			0.627								
13	Number of data			38								
14	Number of suspected outliers			1								
15												
16				Potential	Obs.	Test	Critical	Critical				
17	#	Mean	sd	outlier	Number	value	value (5%)	value (1%)				
18	1	5.203	0.618	3.6	24	2.592	3.01	3.36				
19												
20	For 5% Significance Level, there is no Potential Outlier											
21												
22	For 1% Significance Level, there is no Potential Outlier											
23												

	A	B	C	D	E	F	G	H	I	J	K	L
1				Background Statistics for Uncensored Full Data Sets								
2	User Selected Options											
3	Date/Time of Computation			ProUCL 5.11/29/2020 7:44:24 PM								
4	From File			WorkSheet.xls								
5	Full Precision			OFF								
6	Confidence Coefficient			95%								
7	Coverage			95%								
8	New or Future K Observations			1								
9	Number of Bootstrap Operations			2000								
10												
11	As											
12												
13	General Statistics											
14	Total Number of Observations				38		Number of Distinct Observations				21	
15	Minimum				3.6		First Quartile				4.725	
16	Second Largest				6.4		Median				5.25	
17	Maximum				6.7		Third Quartile				5.675	
18	Mean				5.203		SD				0.627	
19	Coefficient of Variation				0.12		Skewness				-0.0883	
20	Mean of logged Data				1.642		SD of logged Data				0.124	
21												
22	Critical Values for Background Threshold Values (BTVs)											
23	Tolerance Factor K (For UTL)				2.132		d2max (for USL)				2.846	
24												
25	Normal GOF Test											
26	Shapiro Wilk Test Statistic				0.987		Shapiro Wilk GOF Test					
27	5% Shapiro Wilk Critical Value				0.938		Data appear Normal at 5% Significance Level					
28	Lilliefors Test Statistic				0.0797		Lilliefors GOF Test					
29	5% Lilliefors Critical Value				0.142		Data appear Normal at 5% Significance Level					
30	Data appear Normal at 5% Significance Level											
31												
32	Background Statistics Assuming Normal Distribution											
33	95% UTL with 95% Coverage				6.539		90% Percentile (z)				6.006	
34	95% UPL (t)				6.274		95% Percentile (z)				6.233	
35	95% USL				6.986		99% Percentile (z)				6.66	
36												
37	Gamma GOF Test											
38	A-D Test Statistic				0.305		Anderson-Darling Gamma GOF Test					
39	5% A-D Critical Value				0.746		Detected data appear Gamma Distributed at 5% Significance Level					
40	K-S Test Statistic				0.0845		Kolmogorov-Smirnov Gamma GOF Test					
41	5% K-S Critical Value				0.143		Detected data appear Gamma Distributed at 5% Significance Level					
42	Detected data appear Gamma Distributed at 5% Significance Level											
43												
44	Gamma Statistics											
45	k hat (MLE)				68.81		k star (bias corrected MLE)				63.4	

	A	B	C	D	E	F	G	H	I	J	K	L
46	Theta hat (MLE)					0.0756	Theta star (bias corrected MLE)					0.0821
47	nu hat (MLE)					5230	nu star (bias corrected)					4818
48	MLE Mean (bias corrected)					5.203	MLE Sd (bias corrected)					0.653
49												
50	Background Statistics Assuming Gamma Distribution											
51	95% Wilson Hilferty (WH) Approx. Gamma UPL					6.338	90% Percentile					6.056
52	95% Hawkins Wixley (HW) Approx. Gamma UPL					6.347	95% Percentile					6.322
53	95% WH Approx. Gamma UTL with 95% Coverage					6.649	99% Percentile					6.842
54	95% HW Approx. Gamma UTL with 95% Coverage					6.666						
55	95% WH USL					7.198	95% HW USL					7.231
56												
57	Lognormal GOF Test											
58	Shapiro Wilk Test Statistic					0.976	Shapiro Wilk Lognormal GOF Test					
59	5% Shapiro Wilk Critical Value					0.938	Data appear Lognormal at 5% Significance Level					
60	Lilliefors Test Statistic					0.091	Lilliefors Lognormal GOF Test					
61	5% Lilliefors Critical Value					0.142	Data appear Lognormal at 5% Significance Level					
62	Data appear Lognormal at 5% Significance Level											
63												
64	Background Statistics assuming Lognormal Distribution											
65	95% UTL with 95% Coverage					6.721	90% Percentile (z)					6.051
66	95% UPL (t)					6.379	95% Percentile (z)					6.329
67	95% USL					7.341	99% Percentile (z)					6.885
68												
69	Nonparametric Distribution Free Background Statistics											
70	Data appear Normal at 5% Significance Level											
71												
72	Nonparametric Upper Limits for Background Threshold Values											
73	Order of Statistic, r					38	95% UTL with 95% Coverage					6.7
74	Approx, f used to compute achieved CC					2	Approximate Actual Confidence Coefficient achieved by UTL					0.858
75							Approximate Sample Size needed to achieve specified CC					59
76	95% Percentile Bootstrap UTL with 95% Coverage					6.7	95% BCA Bootstrap UTL with 95% Coverage					6.7
77	95% UPL					6.415	90% Percentile					5.83
78	90% Chebyshev UPL					7.107	95% Percentile					6.06
79	95% Chebyshev UPL					7.97	99% Percentile					6.589
80	95% USL					6.7						
81												
82	Note: The use of USL tends to yield a conservative estimate of BTV, especially when the sample size starts exceeding 20.											
83	Therefore, one may use USL to estimate a BTV only when the data set represents a background data set free of outliers											
84	and consists of observations collected from clean unimpacted locations.											
85	The use of USL tends to provide a balance between false positives and false negatives provided the data											
86	represents a background data set and when many onsite observations need to be compared with the BTV.											
87												

	A	B	C	D	E	F	G	H	I	J	K	L				
1	UCL Statistics for Uncensored Full Data Sets															
2																
3	User Selected Options															
4	Date/Time of Computation			ProUCL 5.11/29/2020 7:44:45 PM												
5	From File			WorkSheet.xls												
6	Full Precision			OFF												
7	Confidence Coefficient			95%												
8	Number of Bootstrap Operations			2000												
9																
10																
11	As															
12																
13	General Statistics															
14	Total Number of Observations				38				Number of Distinct Observations				21			
15									Number of Missing Observations				0			
16	Minimum				3.6				Mean				5.203			
17	Maximum				6.7				Median				5.25			
18	SD				0.627				Std. Error of Mean				0.102			
19	Coefficient of Variation				0.12				Skewness				-0.0883			
20																
21	Normal GOF Test															
22	Shapiro Wilk Test Statistic				0.987				Shapiro Wilk GOF Test							
23	5% Shapiro Wilk Critical Value				0.938				Data appear Normal at 5% Significance Level							
24	Lilliefors Test Statistic				0.0797				Lilliefors GOF Test							
25	5% Lilliefors Critical Value				0.142				Data appear Normal at 5% Significance Level							
26	Data appear Normal at 5% Significance Level															
27																
28	Assuming Normal Distribution															
29	95% Normal UCL						95% UCLs (Adjusted for Skewness)									
30	95% Student's-t UCL				5.374				95% Adjusted-CLT UCL (Chen-1995)				5.368			
31									95% Modified-t UCL (Johnson-1978)				5.374			
32																
33	Gamma GOF Test															
34	A-D Test Statistic				0.305				Anderson-Darling Gamma GOF Test							
35	5% A-D Critical Value				0.746				Detected data appear Gamma Distributed at 5% Significance Level							
36	K-S Test Statistic				0.0845				Kolmogorov-Smirnov Gamma GOF Test							
37	5% K-S Critical Value				0.143				Detected data appear Gamma Distributed at 5% Significance Level							
38	Detected data appear Gamma Distributed at 5% Significance Level															
39																
40	Gamma Statistics															
41	k hat (MLE)				68.81				k star (bias corrected MLE)				63.4			
42	Theta hat (MLE)				0.0756				Theta star (bias corrected MLE)				0.0821			
43	nu hat (MLE)				5230				nu star (bias corrected)				4818			
44	MLE Mean (bias corrected)				5.203				MLE Sd (bias corrected)				0.653			
45									Approximate Chi Square Value (0.05)				4658			

	A	B	C	D	E	F	G	H	I	J	K	L
46	Adjusted Level of Significance					0.0434	Adjusted Chi Square Value					4651
47												
48	Assuming Gamma Distribution											
49	95% Approximate Gamma UCL (use when $n \geq 50$)					5.382	95% Adjusted Gamma UCL (use when $n < 50$)					5.389
50												
51	Lognormal GOF Test											
52	Shapiro Wilk Test Statistic					0.976	Shapiro Wilk Lognormal GOF Test					
53	5% Shapiro Wilk Critical Value					0.938	Data appear Lognormal at 5% Significance Level					
54	Lilliefors Test Statistic					0.091	Lilliefors Lognormal GOF Test					
55	5% Lilliefors Critical Value					0.142	Data appear Lognormal at 5% Significance Level					
56	Data appear Lognormal at 5% Significance Level											
57												
58	Lognormal Statistics											
59	Minimum of Logged Data					1.281	Mean of logged Data					1.642
60	Maximum of Logged Data					1.902	SD of logged Data					0.124
61												
62	Assuming Lognormal Distribution											
63	95% H-UCL					5.388	90% Chebyshev (MVUE) UCL					5.517
64	95% Chebyshev (MVUE) UCL					5.659	97.5% Chebyshev (MVUE) UCL					5.857
65	99% Chebyshev (MVUE) UCL					6.244						
66												
67	Nonparametric Distribution Free UCL Statistics											
68	Data appear to follow a Discernible Distribution at 5% Significance Level											
69												
70	Nonparametric Distribution Free UCLs											
71	95% CLT UCL					5.37	95% Jackknife UCL					5.374
72	95% Standard Bootstrap UCL					5.368	95% Bootstrap-t UCL					5.377
73	95% Hall's Bootstrap UCL					5.372	95% Percentile Bootstrap UCL					5.361
74	95% BCA Bootstrap UCL					5.374						
75	90% Chebyshev(Mean, Sd) UCL					5.508	95% Chebyshev(Mean, Sd) UCL					5.646
76	97.5% Chebyshev(Mean, Sd) UCL					5.837	99% Chebyshev(Mean, Sd) UCL					6.214
77												
78	Suggested UCL to Use											
79	95% Student's-t UCL					5.374						
80												
81	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
82	Recommendations are based upon data size, data distribution, and skewness.											
83	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
84	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
85												
86	Note: For highly negatively-skewed data, confidence limits (e.g., Chen, Johnson, Lognormal, and Gamma) may not be											
87	reliable. Chen's and Johnson's methods provide adjustments for positively skewed data sets.											
88												

APPENDIX E

Risk Assessment

Table E1. Toxicity Values

Hamilton Union High School Expansion
Hamilton City, Glenn County, California

Analyte	CAS No.	RfDo (mg/kg-day)		RfDi (mg/kg-day)			SFo (mg/kg-day) ⁻¹		SFi (mg/kg-day) ⁻¹			ABS
		value	source	RfCi (mg/m ³)	source	value	value	source	IUR (ug/m ³) ⁻¹	source	value	
Arsenic, inorganic	7440-38-2	3.5E-06	OEHHA	1.5E-05	OEHHA	3.8E-06	9.5E+00	OEHHA PHG	4.3E-03	IRIS	1.7E+01	0.03
Barium	7440-39-3	2.0E-01	IRIS	5.0E-04	HEAST	1.3E-04	--	--	--	--	--	0.01
Cadmium	7440-43-9	1.0E-03	IRIS	1.0E-05	ATSDR	2.5E-06	--	--	4.2E-03	OEHHA	1.7E+01	0.001
Chromium (III), insoluble salts	16065-83-1	1.5E+00	IRIS	--	--	--	--	--	--	--	--	0.01
Cobalt	7440-48-4	3.0E-04	PPRTV	6.0E-06	PPRTV	1.5E-06	--	--	9.0E-03	PPRTV	3.6E+01	0.01
Copper	7440-50-8	4.0E-02	HEAST	--	--	--	--	--	--	--	--	0.01
Lead and compounds	7439-92-1	Lead is evaluated using the LeadSpread 8 model (DTSC, 2011 Sept)										
Mercury, elemental	7439-97-6	1.6E-04	OEHHA	3.0E-05	OEHHA	7.5E-06	--	--	--	--	--	0.01
Nickel, soluble salts	7440-02-0	1.1E-02	OEHHA	1.4E-05	OEHHA	3.5E-06	--	--	2.6E-04	OEHHA	1.0E+00	0.01
Vanadium and compounds	7440-62-2	5.0E-03	RSL	1.0E-04	ATSDR	2.5E-05	--	--	--	--	--	0.01
Zinc and compounds	7440-66-6	3.0E-01	IRIS	--	--	--	--	--	--	--	--	0.01
4,4-DDE	72-55-9	3.0E-04	PPRTV	1.2E-03	R(PPRTV)	3.0E-04	3.4E-01	IRIS	9.7E-05	OEHHA	3.9E-01	0.05

Notes:

ABS = dermal absorption fraction (PEA Guidance Manual, Appendix A, Table 2)

ATSDR = Agency for Toxic Substances and Disease Registry

Conversions per Supplemental Guidance to RAGS: Region 4 Bulletins Human Health Risk Assessment (US EPA, November 1995), with updated body weight (DTSC, 2014)

HEAST = US EPA Office of Research and Development, Health Effects Assessment Summary Tables

IRIS = US EPA Integrated Risk Information System (<http://www.epa.gov/iris/>)

IUR = inhalation unit risk

OEHHA = CalEPA Office of Environmental Health Hazard Assessment

PPRTV = Provisional Peer Reviewed Toxicity Values, US EPA OSWER Office of Superfund Remediation Technology Innovation (OSRTI)

R = extrapolated from an oral toxicity value

RfCi = reference concentration for inhalation exposure

RfDi = reference dose for chronic inhalation exposure: $RfDi [mg/kg-day] = RfCi [mg/m^3] * (20 m^3/day) * (80 kg)^{-1}$

RfDo = reference dose for chronic oral exposure

RSL = USEPA Region IX RSL user guide Section 5: Value is based on IRIS oral RfD for Vanadium Pentoxide, factoring out the molecular weight (MW) of the oxide ion.

SFi = cancer slope factor for inhalation exposure: $SFi [(mg/kg-day)^{-1}] = IUR [(ug/m^3)^{-1}] * (10^3 ug/mg) * (80 kg) * (20m^3/day)^{-1}$.

SFo = cancer slope factor for oral exposure

* Appendix PPRTV Screen (see USEPA FAQ #27, <http://www.epa.gov/region9/superfund/prg/>)

Table E2 - Summary of Risk/Hazard Calculations for Standard Exposure Scenario (Unrestricted Land Use), Entire Site, All Detected Constituents

Hamilton Union High School Expansion
Hamilton City, Glenn County, California

Analyte	EPC Source	RfDo (mg/kg-day)	RfDi (mg/kg-day)	Sfo (mg/kg-day) ⁻¹	Sfi (mg/kg-day) ⁻¹	ABS	Cs (mg/kg)	Ca (mg/m ³)	Hazard _{soil}	Hazard _{air}	Hazard, soil + air	Risk _{soil}	Risk _{air}	Risk, soil + air
Arsenic	Max Detect	3.5E-06	3.8E-06	9.5E+00	1.7E+01	0.03	6.7	4.93E-09	1.68E+01	8.40E-04	1.68E+01	6.18E-05	1.04E-08	6.18E-05
Barium	Max Detect	2.0E-01	1.3E-04	--	--	0.01	200	1.47E-07	1.32E-02	7.52E-04	1.39E-02			0.00E+00
Cadmium	Max Detect	1.0E-03	2.5E-06	--	1.7E+01	0.00	0.57	4.19E-10	7.31E-03	1.07E-04	7.42E-03		8.68E-10	8.68E-10
Chromium	Max Detect	1.5E+00	--	--	--	0.01	41	3.01E-08	3.60E-04		3.60E-04			0.00E+00
Cobalt	Max Detect	3.0E-04	1.5E-06	--	3.6E+01	0.01	9.8	7.21E-09	4.30E-01	3.07E-03	4.33E-01		3.20E-08	3.20E-08
Copper	Max Detect	4.0E-02	--	--	--	0.01	26	1.91E-08	8.55E-03		8.55E-03			0.00E+00
Mercury	Max Detect	1.6E-04	7.5E-06	--	--	0.01	0.036	2.65E-11	2.96E-03	3.27E-02	3.56E-02			0.00E+00
Nickel	Max Detect	1.1E-02	3.5E-06	--	1.0E+00	0.01	59	4.34E-08	7.06E-02	7.92E-03	7.85E-02		5.56E-09	5.56E-09
Vanadium	Max Detect	5.0E-03	2.5E-05	--	--	0.01	30	2.21E-08	7.89E-02	5.64E-04	7.95E-02			0.00E+00
Zinc	Max Detect	3.0E-01	--	--	--	0.01	81	5.96E-08	3.55E-03		3.55E-03			0.00E+00
4,4-DDE	Max Detect	3.0E-04	3.0E-04	3.4E-01	3.9E-01	0.05	4.3E-05	3.16E-14	1.37E-06	6.74E-11	1.37E-06	1.52E-11	1.51E-15	1.52E-11
TOTAL									1.74E+01	4.59E-02	1.7E+01	6.18E-05	4.89E-08	6.2E-05

Notes:

1 Cadmium hazard evaluated per HHRA Note 3 (DTSC, 2016) considering 26-year adult exposure

ABS = dermal absorption fraction (PEA Guidance Manual, Appendix A, Table 2)

Hazard Index excluding arsenic: 6.6E-01 Risk excluding Arsenic: 3.8E-08

Ca [mg/m³] = air concentration = Cs [mg/kg] * (PEF [m³/kg])⁻¹

Arsenic Hazard Quotient: 1.7E+01 Arsenic Risk: 6.2E-05

Cs [mg/kg] = soil concentration

ND = not detected

NL = not listed in reviewed toxicological data sources

RfDo = reference dose for chronic oral exposure

RfDi = reference dose for chronic inhalation exposure

Sfo = standard oral slope factor

Sfi = standard inhalation slope factor

UCL = upper confidence limit

Parameter	Value, child	Value, adult	Units	Reference
ATc, averaging time (carcinog)	70	70	yr	HERO HHRA Note No. 1 (DTSC, 2014)
ATnc, averaging time (non-car)	6	20	yr	HERO HHRA Note No. 1 (DTSC, 2014)
EFs, exposure frequency (inge)	350	350	days/yr	HERO HHRA Note No. 1 (DTSC, 2014)
EFd, exposure frequency (derr)	350	100	days/yr	PEA Guidance Manual
EFi, exposure frequency (inhal)	350	350	days/yr	HERO HHRA Note No. 1 (DTSC, 2014)
ED, exposure duration	6	20	yr	HERO HHRA Note No. 1 (DTSC, 2014)
ET, exposure time	24	24	hr/day	HERO HHRA Note No. 3 (DTSC, 2016)
IRs, soil ingestion rate	200	100	mg/day	HERO HHRA Note No. 1 (DTSC, 2014)
IRa, inhalation rate	10	20	m ³ /day	HERO HHRA Note No. 1 (DTSC, 2014)
BW, body weight	15	80	kg	HERO HHRA Note No. 1 (DTSC, 2014)
SA, exposed skin surface area	2,900	6,032	cm ²	HERO HHRA Note No. 1 (DTSC, 2014)
AF, adherence factor	0.2	0.07	mg/cm ²	HERO HHRA Note No. 1 (DTSC, 2014)
PEF, particulate emission fact	1.360E+09	1.360E+09	m ³ /kg	HERO HHRA Note No. 1 (DTSC, 2014)

PEA Guidance Manual = Preliminary Endangerment Assessment Guidance Manual (DTSC, June 1999)

Human-Exposure-Based Screening Numbers Developed to Aid Estimation of Cleanup Costs for Contaminated Soil (OEHHA, November 2004, revised January 2005)

HERO Human Health Risk Assessment Note No. 1, Recommended DTSC Default Exposure Factors for Use in Risk Assessment, DTSC, September 30, 2014.

LEAD RISK ASSESSMENT SPREADSHEET 8
CALIFORNIA DEPARTMENT OF TOXIC SUBSTANCES CONTROL

Click here for ABBREVIATED INSTRUCTIONS FOR LEADSPREAD 8

INPUT	
MEDIUM	LEVEL
Lead in Soil/Dust (ug/g)	5.9
Respirable Dust (ug/m ³)	1.5

EXPOSURE PARAMETERS		
	units	children
Days per week	days/wk	7
Geometric Standard Deviation		1.6
Blood lead level of concern (ug/dl)		1
Skin area, residential	cm ²	2900
Soil adherence	ug/cm ²	200
Dermal uptake constant	(ug/dl)/(ug/day)	0.0001
Soil ingestion	mg/day	100
Soil ingestion, pica	mg/day	200
Ingestion constant	(ug/dl)/(ug/day)	0.16
Bioavailability	unitless	0.44
Breathing rate	m ³ /day	6.8
Inhalation constant	(ug/dl)/(ug/day)	0.192

Click here for REFERENCES

OUTPUT					
Percentile Estimate of Blood Pb (ug/dl)					
	50th	90th	95th	98th	99th
BLOOD Pb, CHILD	0.0	0.1	0.1	0.1	0.1
BLOOD Pb, PICA CHILD	0.1	0.2	0.2	0.2	0.2

PATHWAYS						
CHILDREN	typical			with pica		
	Pathway contribution			Pathway contribution		
	PEF	ug/dl	percent	PEF	ug/dl	percent
Soil Contact	5.8E-5	0.00	1%		0.00	0%
Soil Ingestion	7.0E-3	0.04	99%	1.4E-2	0.08	100%
Inhalation	2.0E-6	0.00	0%		0.00	0%

MODIFIED VERSION OF USEPA ADULT LEAD MODEL

CALCULATIONS OF BLOOD LEAD CONCENTRATIONS (PbBs) AND PRELIMINARY REMEDIATION GOAL (PRG)

EDIT RED CELL

Variable	Description of Variable	Units	
PbS	Soil lead concentration	ug/g or ppm	5.9
$R_{\text{fetal/maternal}}$	Fetal/maternal PbB ratio	--	0.9
BKSF	Biokinetic Slope Factor	ug/dL per ug/day	0.4
GSD_i	Geometric standard deviation PbB	--	1.8
PbB_0	Baseline PbB	ug/dL	0.0
IR_S	Soil ingestion rate (including soil-derived indoor dust)	g/day	0.050
$AF_{S,D}$	Absorption fraction (same for soil and dust)	--	0.12
$EF_{S,D}$	Exposure frequency (same for soil and dust)	days/yr	250
$AT_{S,D}$	Averaging time (same for soil and dust)	days/yr	365
PbB_{adult}	PbB of adult worker, geometric mean	ug/dL	0.0
$PbB_{\text{fetal}, 0.90}$	90th percentile PbB among fetuses of adult workers	ug/dL	0.0
PbB_t	Target PbB level of concern (e.g., 10 ug/dL)	ug/dL	1.0
$P(PbB_{\text{fetal}} > PbB_t)$	Probability that fetal PbB > PbB_t, assuming lognormal distribution	%	0.0%

PRG90

318

[Click here for REFERENCES](#)

A P P E N D I X D

NOISE AND VIBRATION
TECHNICAL REPORT



Fundamentals of Noise

NOISE

Noise is most often defined as unwanted sound; whether it is loud, unpleasant, unexpected, or otherwise undesirable. Although sound can be easily measured, the perception of noise and the physical response to sound complicate the analysis of its impact on people. People judge the relative magnitude of sound sensation in subjective terms such as “noisiness” or “loudness.”

Noise Descriptors

The following are brief definitions of terminology used in this chapter:

- **Sound.** A disturbance created by a vibrating object, which, when transmitted by pressure waves through a medium such as air, is capable of being detected by a receiving mechanism, such as the human ear or a microphone.
- **Noise.** Sound that is loud, unpleasant, unexpected, or otherwise undesirable.
- **Decibel (dB).** A unitless measure of sound, expressed on a logarithmic scale and with respect to a defined reference sound pressure. The standard reference pressure is 20 micropascals (20 μPa).
- **A-Weighted Decibel (dBA).** An overall frequency-weighted sound level in decibels that approximates the frequency response of the human ear.
- **Equivalent Continuous Noise Level (L_{eq}); also called the Energy-Equivalent Noise Level.** The value of an equivalent, steady sound level which, in a stated time period (often over an hour) and at a stated location, has the same A-weighted sound energy as the time-varying sound. Thus, the L_{eq} metric is a single numerical value that represents the equivalent amount of variable sound energy received by a receptor over the specified duration.
- **Statistical Sound Level (L_n).** The sound level that is exceeded “n” percent of time during a given sample period. For example, the L_{50} level is the statistical indicator of the time-varying noise signal that is exceeded 50 percent of the time (during each sampling period); that is, half of the sampling time, the changing noise levels are above this value and half of the time they are below it. This is called the “median sound level.” The L_{10} level, likewise, is the value that is exceeded 10 percent of the time (i.e., near the maximum) and this is often known as the “intrusive sound level.” The L_{90} is the sound level exceeded 90 percent of the time and is often considered the “effective background level” or “residual noise level.”
- **Maximum Sound Level (L_{max}).** The highest RMS sound level measured during the measurement period.
- **Root Mean Square Sound Level (RMS).** The square root of the average of the square of the sound pressure over the measurement period.

- **Day-Night Sound Level (L_{dn} or DNL).** The energy-average of the A-weighted sound levels occurring during a 24-hour period, with 10 dB added to the sound levels occurring during the period from 10:00 PM to 7:00 AM.
- **Community Noise Equivalent Level (CNEL).** The energy average of the A-weighted sound levels occurring during a 24-hour period, with 5 dB added from 7:00 PM to 10:00 PM and 10 dB from 10:00 PM to 7:00 AM. NOTE: For general community/environmental noise, CNEL and L_{dn} values rarely differ by more than 1 dB (with the CNEL being only slightly more restrictive – that is, higher than the L_{dn} value). As a matter of practice, L_{dn} and CNEL values are interchangeable and are treated as equivalent in this assessment.
- **Peak Particle Velocity (PPV).** The peak rate of speed at which soil particles move (e.g., inches per second) due to ground vibration.
- **Sensitive Receptor.** Noise- and vibration-sensitive receptors include land uses where quiet environments are necessary for enjoyment and public health and safety. Residences, schools, motels and hotels, libraries, religious institutions, hospitals, and nursing homes are examples.

Characteristics of Sound

When an object vibrates, it radiates part of its energy in the form of a pressure wave. Sound is that pressure wave transmitted through the air. Technically, airborne sound is a rapid fluctuation or oscillation of air pressure above and below atmospheric pressure that creates sound waves.

Sound can be described in terms of amplitude (loudness), frequency (pitch), or duration (time). Loudness or amplitude is measured in dB, frequency or pitch is measured in Hertz [Hz] or cycles per second, and duration or time variations is measured in seconds or minutes.

Amplitude

Unlike linear units such as inches or pounds, decibels are measured on a logarithmic scale. Because of the physical characteristics of noise transmission and perception, the relative loudness of sound does not closely match the actual amounts of sound energy. Table 1 presents the subjective effect of changes in sound pressure levels. Ambient sounds generally range from 30 dBA (very quiet) to 100 dBA (very loud). Changes of 1 to 3 dB are detectable under quiet, controlled conditions, and changes of less than 1 dB are usually not discernible (even under ideal conditions). A 3 dB change in noise levels is considered the minimum change that is detectable with human hearing in outside environments. A change of 5 dB is readily discernible to most people in an exterior environment, and a 10 dB change is perceived as a doubling (or halving) of the sound.

Table 1 Noise Perceptibility

Change in dB	Noise Level
± 3 dB	Threshold of human perceptibility
± 5 dB	Clearly noticeable change in noise level
± 10 dB	Half or twice as loud
± 20 dB	Much quieter or louder

Source: Bies, David A. and Colin H. Hansen. 2009. *Engineering Noise Control: Theory and Practice*. 4th ed. New York: Spon Press.

Frequency

The human ear is not equally sensitive to all frequencies. Sound waves below 16 Hz are not heard at all, but are “felt” more as a vibration. Similarly, though people with extremely sensitive hearing can hear sounds as high as 20,000 Hz, most people cannot hear above 15,000 Hz. In all cases, hearing acuity falls off rapidly above about 10,000 Hz and below about 200 Hz.

When describing sound and its effect on a human population, A-weighted (dBA) sound levels are typically used to approximate the response of the human ear. The A-weighted noise level has been found to correlate well with people’s judgments of the “noisiness” of different sounds and has been used for many years as a measure of community and industrial noise. Although the A-weighted scale and the energy-equivalent metric are commonly used to quantify the range of human response to individual events or general community sound levels, the degree of annoyance or other response also depends on several other perceptibility factors, including:

- Ambient (background) sound level
- General nature of the existing conditions (e.g., quiet rural or busy urban)
- Difference between the magnitude of the sound event level and the ambient condition
- Duration of the sound event
- Number of event occurrences and their repetitiveness
- Time of day that the event occurs

Duration

Time variation in noise exposure is typically expressed in terms of a steady-state energy level equal to the energy content of the time varying period (called L_{eq}), or alternately, as a statistical description of the sound level that is exceeded over some fraction of a given observation period. For example, the L_{50} noise level represents the noise level that is exceeded 50 percent of the time; half the time the noise level exceeds this level and half the time the noise level is less than this level. This level is also representative of the level that is exceeded 30 minutes in an hour. Similarly, the L_2 , L_8 and L_{25} values represent the noise levels that are exceeded 2, 8, and 25 percent of the time or 1, 5, and 15 minutes per hour, respectively. These “n” values are typically used to demonstrate compliance for stationary noise sources with many cities’ noise ordinances. Other values typically noted during a noise survey are the L_{min} and L_{max} . These values represent the minimum and maximum root-mean-square noise levels obtained over the measurement period, respectively.

Because community receptors are more sensitive to unwanted noise intrusion during the evening and at night, state law and many local jurisdictions use an adjusted 24-hour noise descriptor called the Community Noise Equivalent Level (CNEL) or Day-Night Noise Level (L_{dn}). The CNEL descriptor requires that an artificial increment (or “penalty”) of 5 dBA be added to the actual noise level for the hours from 7:00 PM to 10:00 PM and 10 dBA for the hours from 10:00 PM to 7:00 AM. The L_{dn} descriptor uses the same methodology except that there is no artificial increment added to the hours between 7:00 PM and 10:00 PM. Both descriptors give roughly the same 24-hour level, with the CNEL being only slightly more restrictive (i.e., higher). The CNEL or L_{dn} metrics are commonly applied to the assessment of roadway and airport-related noise sources.

Sound Propagation

Sound dissipates exponentially with distance from the noise source. This phenomenon is known as “spreading loss.” For a single-point source, sound levels decrease by approximately 6 dB for each doubling of distance from the source (conservatively neglecting ground attenuation effects, air absorption factors, and barrier shielding). For example, if a backhoe at 50 feet generates 84 dBA, at 100 feet the noise level would be 79 dBA, and at 200 feet it would be 73 dBA. This drop-off rate is appropriate for noise generated by on-site operations from stationary equipment or activity at a project site. If noise is produced by a line source, such as highway traffic, the sound decreases by 3 dB for each doubling of distance over a reflective (“hard site”) surface such as concrete or asphalt. Line source noise in a relatively flat environment with ground-level absorptive vegetation decreases by an additional 1.5 dB for each doubling of distance.

Psychological and Physiological Effects of Noise

Physical damage to human hearing begins at prolonged exposure to noise levels higher than 85 dBA. Exposure to high noise levels affects the entire system, with prolonged noise exposure in excess of 75 dBA increasing body tensions, thereby affecting blood pressure and functions of the heart and the nervous system. Extended periods of noise exposure above 90 dBA results in permanent cell damage, which is the main driver for employee hearing protection regulations in the workplace. For community environments, the ambient or background noise problem is widespread, through generally worse in urban areas than in outlying, less-developed areas. Elevated ambient noise levels can result in noise interference (e.g., speech interruption/masking, sleep disturbance, disturbance of concentration) and cause annoyance. Since most people do not routinely work with decibels or A-weighted sound levels, it is often difficult to appreciate what a given sound pressure level number means. To help relate noise level values to common experience, Table 2 shows typical noise levels from familiar sources.

Table 2 **Typical Noise Levels**

Common Outdoor Activities	Noise Level (dBA)	Common Indoor Activities
Onset of physical discomfort	120+	
	110	Rock Band (near amplification system)
Jet Flyover at 1,000 feet		
	100	
Gas Lawn Mower at three feet		
	90	
Diesel Truck at 50 feet, at 50 mph		Food Blender at 3 feet
	80	Garbage Disposal at 3 feet
Noisy Urban Area, Daytime		
	70	Vacuum Cleaner at 10 feet
Commercial Area		Normal speech at 3 feet
Heavy Traffic at 300 feet	60	
		Large Business Office
Quiet Urban Daytime	50	Dishwasher Next Room
Quiet Urban Nighttime	40	Theater, Large Conference Room (background)
Quiet Suburban Nighttime		
	30	Library
Quiet Rural Nighttime		Bedroom at Night, Concert Hall (background)
	20	
		Broadcast/Recording Studio
	10	
Lowest Threshold of Human Hearing	0	Lowest Threshold of Human Hearing

Source: California Department of Transportation (Caltrans). 2013, September. Technical Noise Supplement ("TeNS").

Vibration Fundamentals

Vibration is an oscillatory motion through a solid medium in which the motion's amplitude can be described in terms of displacement, velocity, or acceleration. Vibration is normally associated with activities stemming from operations of railroads or vibration-intensive stationary sources, but can also be associated with construction equipment such as jackhammers, pile drivers, and hydraulic hammers. As with noise, vibration can be described by both its amplitude and frequency. Vibration displacement is the distance that a point on a surface moves away from its original static position; velocity is the instantaneous speed that a point on a surface moves; and acceleration is the rate of change of the speed. Each of these descriptors can be used to correlate vibration to human response, building damage, and acceptable equipment vibration levels. During construction, the operation of construction equipment can cause groundborne vibration. During the operational phase of a project, receptors may be subject to levels of vibration that can cause annoyance due to noise generated from vibration of a structure or items within a structure.

Vibration amplitudes are usually described in terms of either the peak particle velocity (PPV) or the root mean square (RMS) velocity. PPV is the maximum instantaneous peak of the vibration signal and RMS is the

square root of the average of the squared amplitude of the signal. PPV is more appropriate for evaluating potential building damage and RMS is typically more suitable for evaluating human response.

As with airborne sound, annoyance with vibrational energy is a subjective measure, depending on the level of activity and the sensitivity of the individual. To sensitive individuals, vibrations approaching the threshold of perception can be annoying. Persons accustomed to elevated ambient vibration levels, such as in an urban environment, may tolerate higher vibration levels. Table 3 displays the human response and the effects on buildings resulting from continuous vibration (in terms of various levels of PPV).

Table 3 Human Reaction to Typical Vibration Levels

Vibration Level, PPV (in/sec)	Human Reaction	Effect on Buildings
0.006–0.019	Threshold of perception, possibility of intrusion	Vibrations unlikely to cause damage of any type
0.08	Vibrations readily perceptible	Recommended upper level of vibration to which ruins and ancient monuments should be subjected
0.10	Level at which continuous vibration begins to annoy people	Virtually no risk of “architectural” (i.e. not structural) damage to normal buildings
0.20	Vibrations annoying to people in buildings	Threshold at which there is a risk to “architectural” damage to normal dwelling – houses with plastered walls and ceilings
0.4–0.6	Vibrations considered unpleasant by people subjected to continuous vibrations and unacceptable to some people walking on bridges	Vibrations at a greater level than normally expected from traffic, but would cause “architectural” damage and possibly minor structural damage

Source: California Department of Transportation (Caltrans). 2013, September. Transportation and Construction Vibration Guidance Manual.

LOCAL REGULATIONS AND STANDARDS



Two storm drain maintenance districts and a County Service Area have been formed in Glenn County to dispose of storm waters. These entities are described below.

Storm Drain Maintenance District #1.

Storm Drain Maintenance District #1 has an independent Board of Directors and staff, and provides service to an area southeast of Orland. The District maintains a natural drain (which runs southeast through the District) as needed.

North Willows County Service Area (formerly Storm Drain Maintenance District #2).

North Willows County Service Area provides service to an area northeast of Willows. This CSA, which is administered by the County Public Works Department, maintains natural drains and a pipeline system with a pump. The CSA has three long-range plans under consideration:

- Diversion of some drainage west of I-5.
- Development of standby power for the pumps.

Storm Drain Maintenance District #3.

Storm Drain Maintenance District #3 is governed by the Board of Supervisors and provides service to an area located between the Kanawha Water District and the Willows Airport. The District is administered by the County Public Works Department, which maintains a natural drain that traverses the area. The water then drains east across the south end of the Willows Airport. The Kanawha Water District cooperates with the District to maintain the drain (Glenn County General Plan, Land Use Element, 1985).

3.6 EXISTING NOISE ENVIRONMENT

The State Noise Element Guidelines require that major noise sources within the county be identified and quantified by preparing generalized noise contours for current and



projected conditions. Significant noise sources in Glenn County include traffic on major roadways and highways, railroad operations, airports, and representative industrial activities and fixed noise sources. Please refer to Appendix D for definitions of acoustical terminology used in this Section.

Noise modeling techniques and noise measurements were used to develop generalized L_{dn} noise contours for the major roadways, railroads and fixed noise sources, where practical, in Glenn County for existing (1991) conditions.

Noise modeling techniques use source-specific data including average levels of activity, hours of operation, seasonal fluctuations, and average levels of noise from source operations. Modeling methods have been developed for a number of environmental noise sources including roadways, railroad line operations, railroad yard operations, industrial plants and airports. Such methods produce reliable results as long as data inputs and assumptions are valid. The modeling methods used closely follow recommendations made by the State Office of Noise Control, and were supplemented where appropriate by field-measured noise level data to account for local conditions. The noise exposure contours are based upon annual average conditions. Because local topography, vegetation or intervening structures may significantly affect noise exposure at a particular location, the noise contours should not be considered site-specific.

A community noise survey was conducted to describe existing noise levels in noise-sensitive areas within Glenn County so that noise level performance standards could be developed to maintain an acceptable noise environment.

3.6.1 Roadways

The Federal Highway Administration (FHWA) Highway Traffic Noise Prediction Model (FHWA-RD-77-108) was used to develop L_{dn} contours for all highways and major roadways in the unincorporated portion of Glenn County. The FHWA Model is the analytical method presently favored for traffic noise prediction by most State and local agencies, including Caltrans. The current version of the model is based upon the California Vehicle Noise (CALVENO) noise emission factors for automobiles, medium trucks, and heavy trucks, with consideration given to vehicle volume, speed, roadway configuration, distance to the receiver and the acoustical characteristics of the site. The FHWA Model



predicts hourly L_{eq} values for free-flowing traffic conditions, and is generally considered to be accurate within 1.5 dB. To predict L_{dn} values, it is necessary to determine the hourly distribution of traffic for a typical 24-hour day and to adjust the traffic volume input data to yield an equivalent hourly traffic volume.

Short-term (15-minute) traffic noise measurements and concurrent traffic counts were conducted for traffic on Interstate 5 and State Routes 162, 45 and 32 (see Figure 3-1) on May 23-24, 1991. The noise measurements were made to evaluate the noise exposure due to traffic on those roadways. The purpose of the traffic noise level measurements was to determine the accuracy of the FHWA model in describing the existing noise environment at the site. Noise measurement results were compared to the FHWA model results by entering the observed traffic volumes, speed and distance as inputs to the FHWA model.

Traffic data representing annual average traffic volumes for existing conditions were obtained from Caltrans and Dowling Associates traffic consultants as summarized in Appendix E. Day/night traffic distribution and truck mix were based upon Caltrans and file data. Using these data and the FHWA methodology, traffic noise levels as defined by L_{dn} were calculated for existing (1990) traffic volumes. Distances from the centerlines of selected roadways to the L_{dn} contours are summarized in Table 3-1. These calculations do not include consideration of shielding caused by local buildings or topographical features, so the distances reported in Table 3-1 are worst-case estimates of noise exposure along roadways in the county.

Existing traffic volumes were not available for all major county roads. However, Figure 3-2, prepared using the FHWA Model, may be used to estimate the distance to the 60 dB L_{dn} contour for projected volumes of arterial traffic. For arterial traffic, the predicted distance to the 60 dB L_{dn} contour is determined by the Average Daily Traffic Volume (ADT) and the posted speed limit. L_{dn} contours derived from Figure 3-2 are only indicators of potential noise conflicts, requiring more detailed analysis to determine traffic noise levels at any given location.




FIGURE 1
NOISE MONITORING SITES

- △ : 24-Hour
- : Short-term
- : Traffic
- : Railroad

FIGURE 3-1



TABLE 3-1
TRAFFIC NOISE CONTOUR DATA
DISTANCE (FEET) FROM CENTER OF ROADWAY
TO L_{dn} CONTOURS*



Segment	Description	Existing	
		60 dB	65 dB
Interstate 5:			
1	Colusa County Line to S.R. 162	752	349
2	S.R. 162 to County Road 33	872	405
3	County Road 33 to S.R. 32	766	355
4	S.R. 32 to Tehama County Line	750	348
State Route 32:			
5	I-5 to County Road South	163	75
6	County Road South to S.R. 45 S	212	99
7	S.R. 45 S to Butte County Line	228	106
State Route 45:			
8	Colusa County Line to S.R. 162 E	116	54
9	S.R. 162 E to County Line 56	97	45
10	County Road 56 to S.R. 162 W	97	45
11	S.R. 162 W to County Road 29	101	47
12	County Road 29 to S.R. 32	391	182
State Route 162:			
13	County Road 307 to County Road 306 N	36	17
14	County Road 306 N to County Road 306 S	49	23
15	County Road 306 S to I-5	92	43
16	I-5 to Willows City Limit West	199	92
17	Willows City Limit East to County Road P	101	47
18	County Road P to S.R. 45 N	71	33

Instrumentation included Larson Davis Laboratories (LDL) Models 800B and 700B integrating sound level meters which were calibrated in the field before measurements to ensure measurement accuracy.

Source: Brown-Buntin Associates

FIGURE 3-2

Distance to 60 dB Ldn Contour Arterial Traffic



FHWA RD-77-108





3.6.2 Railroads

Railroad activity in Glenn County includes freight trains on the Southern Pacific Transportation Company (SPTCo) trackage which travels north/south through the county. In addition, there are two spurs from the mainline which service the Holly Sugar Corporation in Hamilton City and the Manville Building Insulation Plant located west of the City of Willows.

SPTCo officials at the SPTCo Northern Train Dispatchers Office report that approximately five operations per day occur on the mainline through the county. The trains are distributed on a random basis throughout the day. Approximately one train per day serves the Holly Sugar Corporation and one train per week uses the Manville Plant spur. There are no reported Amtrak operations through the County.

Railroad noise measurements were conducted within the county on June 5-6, 1991 for a 24-hour period. The measurements were conducted to determine the contribution of SPTCo railroad operations to the area noise environment. The monitoring site was located approximately 50 feet from the centerline of the tracks.

The purpose of the noise level measurements was to determine a typical sound exposure level (SEL) for railroad line operations in the county, accounting for the effects of local topography, climate, travel speed and other factors which may affect noise generation. The data thus derived could then be compared to other file data for railroad operational noise levels to better describe the railroad noise environment as it affects the area noise environment, and an annual average L_{dn} could be calculated. Locomotive noise was the major contributor to railroad noise levels as defined by SEL. At 50 feet from the tracks, the average SEL for freight train operations was observed to be 101.0 dB, and the average maximum (L_{max}) measured sound level was 85.3 dB.

Based upon the noise level data and methods of calculation described in Table 3-2, the L_{dn} at a distance of 50 feet from the railroad track centerline is 65 dB. Predicted distances to the 60 and 65 dB L_{dn} contours are shown in Table 3-2.

TABLE 3-2 RAILROAD NOISE: SOUTHERN PACIFIC TRANSPORTATION COMPANY	
Distance to L _{dn} Contour*	
60 dB	65 dB
108 feet	50 feet

- * Instrumentation consisted of a Larson Davis Laboratories (LDL) 700B integrating sound level meter, calibrated before use with an LDL CA250 acoustical calibrator.

To determine the distances to the 60 and 65 dB railroad L_{dn} contours, it was necessary to calculate the L_{dn} for typical freight train operations. This was done using the measured SEL value and above-described number and distribution of daily freight train operations. The L_{dn} contribution may be calculated as follows:

$$L_{dn} = \overline{SEL} + 10 \log N_{eq} - 49.4 \text{ dB, where:}$$

\overline{SEL} is the mean SEL of the event, N_{eq} is the sum of the number of daytime events (7 a.m. to 10 p.m.) per day plus ten times the number of nighttime events (10 p.m. to 7 a.m.) per day, and 49.4 is 10 log the number of seconds per day.

Source: Brown-Buntin Associates



3.6.3 Fixed Noise Sources

The production of noise is a result of many industrial processes, even when the best available noise control technology is applied. Noise exposures within industrial facilities are controlled by Federal and State employee health and safety regulations (OSHA and Cal-OSHA), but exterior noise levels may exceed locally acceptable standards. Commercial, recreational and public service facility activities can also produce noise which affects adjacent sensitive land uses.

The following descriptions of existing fixed noise sources in Glenn County are intended to be representative of the relative noise impacts of such uses, and to identify specific noise sources which should be considered in the review of development proposals.

Glenn Growers Rice Drying Facility:

Rice is one of the major crops produced in Glenn County. Glenn Growers is located in Four Corners, and is one of a number of rice drying industrial facilities within Glenn County. Charles Keeney of Glenn Growers indicated that the plant operates from 8:00 a.m. to 5:00 p.m. five days per week. However, during the period from September 15 to November 1, the plant is in full operation, operating 24 hours per day, seven days per week.

The primary noise sources associated with the Glenn Growers operation, and most grain drying facilities, are elevators, screw conveyors and dryer motors. When the field work was conducted for the Glenn County General Plan, the Glenn Growers facility was not in full operation. However, file data from the PIRMI rice drying plant in Woodland collected during October 1987 indicates that the average noise level of a rice drying operation when the blowers and conveyors are operating is 70.5 dB at a distance of approximately 50 feet from the facility. The projected location to the 50 dB L_{eq} noise level contour associated with rice drying facilities is approximately 100 feet.



Manville Industrial Facility:

The Manville industrial facility, which is located west of the City of Willows, produces home insulation materials. According to Ronald Greenberg of Manville, the facility operates 24 hours per day, 365 days per year. The major noise sources include large fans which are used for manufacturing, truck traffic to and from the site (approximately 70 heavy trucks per day), and the railroad spur which accommodates one train per week.

Using the FHWA model, the L_{dn} associated with the truck traffic to and from the site is 59.3 dB at a distance of 50 feet from the access road. This is based upon an average of 70 heavy trucks per day (140 one-way trips), at an average speed of 35 mph, and a day/night split of 85%/15%.

Noise level data was collected from the Manville plant on May 23, 1991. The average sound level associated with the industrial processing was 57.5 dB at a distance of approximately 750 feet. The primary noise source was blowers. The approximate location of the 50 dB L_{eq} contour for industrial processing at the Manville plant is approximately 1,775 feet.

Holly Sugar Corporation:

The Holly Sugar Corporation is located on East 1st Street in Hamilton City. Discussions with Norman Bates, the factory manager at Holly Sugar Corporation, indicate that the major noise sources are associated with truck traffic, conveyor systems, centrifugal units housed inside on-site buildings, heavy equipment and the train which serves the plant once per day. The Holly Sugar Corporation operates on a seasonal basis, with the peak seasons occurring approximately six months during a year. During peak operations, the plant operates 24 hours per day; during the non-peak seasons, the plant operates eight hours per day.

During the time of the field investigations, there were no evident noise sources associated with the Holly Sugar plant processing. The plant manager did not give an indication on the amount of truck traffic to and from the site, and therefore an L_{dn} value associated with the truck traffic was not calculated.



Although there are no noise level data for the Holly Sugar Corporation, it should be noted that this facility could potentially produce noise levels which could be considered unacceptable at nearby noise sensitive receivers.

Sand and Gravel Operations:

There are numerous rock and sand and gravel operations located in Glenn County. The operations include the Baldwin Contracting Company Stony Creek Sand and Gravel Plant, Valley Rock Products Inc., and Martin Sand and Gravel. These facilities typically operate between the hours of 8:00 a.m. and 5:00 p.m. The primary noise sources associated with sand and gravel operations include truck traffic to and from the site, front loaders, warning beepers, belly scrapers, conveyors, and jaw and cone crushers.

The overall noise level associated with these types of operations will vary based upon the size of the operation. It should be noted that these types of operations are not considered to be compatible with noise sensitive land uses.

Miscellaneous Farming Operations:

Farming operations are common throughout Glenn County, especially on the Valley floor. Some of the more common noise sources associated with farming operations include tractors, harvesting equipment and spray equipment. Examples of noise levels produced by such equipment are shown in Table 3-3.

The noise levels described in Table 3-3 do not include all types of farm equipment, but represent a range of levels which may be expected. A general rule is that a diesel engine will produce noise levels of 75-85 dB at approximately 50 feet. Although farming operations occasionally generate a significant noise level, such levels generally do not last more than a few hours at a given location unless a stationary piece of equipment such as a pump motor (or engine) is involved. It should be noted that nighttime operation of farming equipment adjacent to residential areas may be perceived as annoying, particularly if sleep is disrupted.



TABLE 3-3
TYPICAL NOISE LEVELS
ASSOCIATED WITH FARM EQUIPMENT

Equipment	Distance (feet)	Sound Level, dB
Diesel Wheel Tractor		
-with Disc	150	72-75
-with Furrow	50	69-79
Weed Sprayer (1-cylinder)	50	74-75
Aero Fan 391 Speed Sprayer	200	74-76

Source: Brown-Buntin Associates, Inc.

Airport Noise

There are two airports located within Glenn County, the Willows Glenn County Airport and the Orland Haigh Field Airport.

- Willows Glenn County Airport:

The Willows Glenn County Airport is a public use airport which is operated by Glenn County. According to the 1990 California Aviation System Plan, there are 56 based aircraft at the airport with a total of 30,000 annual operations. The airport has two runways with headings of 13/31 and 16/34 and runway lengths of 4210 feet and 4506 feet respectively.

Glenn County adopted a Comprehensive Airport Land Use Plan (CLUP) in May 1990. The CLUP states that there are 49 airplanes and two helicopters based at the Willows Glenn County Airport. There has been virtually no



growth at the airport since 1978. However, the CLUP anticipates that, as the Willows area grows, the number of aircraft will increase. Existing and future (Year 2000) 60 dB CNEL contours were developed by Wadell Engineering for the CLUP. These CNEL contours are shown in Figure 3-3.

- Orland Haigh Field Airport:

The Orland Haigh Field Airport is a public use airport which is operated by Glenn County. According to the 1990 California Aviation System Plan, there are 75 based aircraft at the airport with a total of 20,000 annual operations. The airport has one runway with a heading of 15/33 and a runway length of 5160 feet.


Glenn County adopted a Comprehensive Airport Land Use Plan (CLUP) in February 1991. The CLUP states that in 1988 there were 55 aircraft based at the Orland Haigh Field Airport, with the majority of aircraft being single-engine airplanes. The CLUP forecasts a total of 80 based aircraft at the Orland Haigh Field Airport in the year 2008. Existing (Year 1988) 55 dB CNEL, and future (Year 2008) 55 and 60 dB CNEL contours were developed by Hodges and Shutt for the CLUP. These CNEL contours are shown in Figure 3-4.

- Crop Dusters:

Glenn County staff has expressed concern about the noise associated with crop dusting activities. Aerial application aircraft are frequently used to spray crops or to spread seed or fertilizers. There are many types of fixed or rotary wing aircraft used for aerial application, including aircraft with radial and turbine engines, and 2- or 3-bladed propellers. Most of the noise impacts generated by aerial application aircraft occur as the result of propeller noise and the low altitude at which the aircraft are typically flown. One of the most widely used aerial application aircraft in the Glenn County area is the Grumman Ag Cat.

FIGURE 3-3

Willows Glenn County Airport Current & Year 2000 60 dB CNEL Noise Contours




SOURCE: WADELL ENGINEERING




FIGURE 3-4

ORLAND HAIGH FIELD AIRPORT CURRENT AND YEAR 2000 60 dB CNEL NOISE CONTOURS



EXISTING - 1988



PROJECTED - 2008

..... Typical Flight Tracks

0 2,000
Scale in Feet



SOURCE: HODGES & SHUTT





To characterize noise impacts associated with aerial application aircraft, file data was utilized which was collected for the Grumman Ag Cat aircraft at Alta Airport in Tulare County. Consultation with aerial application aircraft operators, field observations, and noise measurements indicated that it was not practical, nor representative of perceived noise impacts, to prepare CNEL contours for frequent operations by aerial application aircraft. This is because aerial application operations generally follow the shortest possible route to the application site at a minimal altitude, meaning that there are no typical flight tracks. Typical "ferry" altitudes range from 50 to 150 feet based upon information previously collected from crop dusting companies.

Noise level data collected at the Alta Airport in Tulare County for Ag Cat operations indicate that sideline noise levels at a distance of 1000 feet during departures were about 78 dB L_{max} and 85 dB SEL. Noise levels directly overhead with an estimated altitude of 150 feet were about 103 dB L_{max} and 106 dB SEL.


Crop dusting activities generally occur during the early morning hours, when people may be sleeping. Single event noise levels from aircraft arrivals, departures and overflights may cause sleep disturbance at nearby residences. The noise level at which a sleep stage change or interruption occurs is highly individualized. A person's level of sleep is dependent on many factors including fatigue, exhaustion, stress, room temperature, bed comfort and noise level in the room. For these reasons, a single number criterion for the evaluation of sleep interference has not been established.

According to the Noise Effects Handbook published by the National Association of Noise Control Officials, behavioral awakening will most likely occur with noise levels of 70 dB or above. However, duration of the noise exposure, background noise levels and type of sound generated by the source are all important factors.

Criteria pertaining to sleep disturbance are displayed in Figure 3-5. These graphs, which were adapted from a summary and analysis of experimental sleep data as related to noise exposure, show the relationship between


FIGURE 3-5

Probability Of A Noise Induced Sleep Stage Change



Source: NANCO Noise Effects Handbook

Probability Of A Noise Induced Awakening



Source: NANCO Noise Effects Handbook





frequency of response (disruption or awakening) and the sound level of an intrusive noise.

3.6.4 Community Noise Survey

A community noise survey was conducted to document noise exposure in areas of the county containing noise sensitive land uses. For that purpose, noise sensitive land uses in Glenn County were considered to include residential areas, parks, schools and rural areas. Noise monitoring sites were selected to be representative of typical conditions in the county.

Short-term noise monitoring was conducted on May 23-24, 1991. Each site was monitored three different times during the day and night so that valid estimates of L_{dn} could be prepared. Two long-term noise monitoring sites were established in Glenn County to record day-night statistical trends. The data collected included the L_{eq} and other statistical descriptors. Noise monitoring sites, measured noise levels and estimated L_{dn} values at each site are summarized in Table 3-4. Monitoring sites are shown by Figure 3-1.

The community noise survey results indicate that typical noise levels in noise sensitive areas of Glenn County are in the range of 48 dB to 60 dB L_{dn} . Noise from traffic on local roadways and neighborhood activities is the controlling factor for background noise levels in the majority of the county. However, in the predominantly agricultural areas, farming equipment, crop dusting activities and the sound of crickets during the evening and nighttime hours were major contributors to background noise levels. In general, the areas of the Glenn County which contain noise sensitive uses are relatively quiet.

The 24-hour noise monitoring data in Figure 3-6 show that ambient noise levels reach a minimum during the hours of 1:00 to 5:00 a.m., increasing during the daytime hours as a function of increased traffic and other human activities.

TABLE 3-4
SUMMARY OF MEASURED NOISE LEVELS AND ESTIMATED
DAY-NIGHT AVERAGE LEVELS (L_{dn}) IN AREAS
CONTAINING NOISE SENSITIVE LAND USES**

Site	Location	Date	Time	Sound Level, dB					
				L ₉₀	L ₅₀	L ₁₀	L _{eq}	L _{max}	Est. L _{dn}
1	*Near Jensen Park	5/23/91	10:0017:	48.0	52.0	56.0	53.5	66.5	59.8 dB
		5/23/91	00	49.0	53.0	57.0	55.0	71.5	
		5/24/91	0:00	39.0	42.0	48.0	45.0	55.5	
2	*Near Roosevelt Avenue	5/23/91	11:00	34.0	39.0	51.0	47.5	65.5	54.2 dB
		5/23/91	18:00	37.0	41.0	51.0	48.0	70.0	
		5/14/91	1:00	30.0	33.0	47.0	42.5	56.0	
3	Spence Park	5/23/91	11:40	41.0	43.0	49.0	47.0	64.0	52.5 dB
		5/23/91	22:00	42.0	45.0	47.0	46.0	61.0	
		5/24/91	11:28	41.0	44.0	48.0	46.0	65.5	
4	Road 25 & Road C	5/23/91	12:17	30.0	34.0	40.0	36.5	47.0	51.9 dB
		5/23/91	22:26	41.0	43.0	44.0	42.5	45.0	
		5/24/91	12:29	30.0	36.0	49.0	54.5	77.0	
5	Road 200 & 306	5/23/91	13:23	26.0	29.0	37.0	51.0	75.0	51.9 dB
		5/23/915/24	22:58	41.0	42.0	43.0	42.5	44.0	
		/91	10:31	26.0	31.0	41.0	52.0	75.0	

TABLE 3-4
SUMMARY OF MEASURED NOISE LEVELS AND ESTIMATED
DAY-NIGHT AVERAGE LEVELS (L_{dn}) IN AREAS
CONTAINING NOISE SENSITIVE LAND USES**

Site	Location	Date	Time	Sound Level, dB					
				L_{90}	L_{50}	L_{10}	L_{eq}	L_{max}	Est. L_{dn}
6	Elk Creek	5/23/91	14:06	36.0	38.0	53.0	52.0	70.0	58.5 dB
		5/23/91	23:21	46.0	47.0	48.0	47.0	48.0	
		5/24/91	9:54	38.0	40.0	53.0	52.5	72.0	
7	Fruto Road & Road 303	5/23/91	15:31	31.0	38.0	45.0	41.5	57.5	50.9 dB
		5/23/91	23:37	40.0	45.0	46.0	45.0	49.0	
		5/24/91	9:28	31.0	35.0	39.0	36.5	51.0	
8	Road B & Road 60	5/23/91	16:10	33.0	40.0	44.0	51.5	74.5	50.0 dB
		5/23/91	23:50	41.0	42.0	43.0	41.5	44.0	
		5/24/91	8:12	34.0	36.0	40.0	38.5	54.5	
9	Road P	5/23/91	11:00	39.0	42.0	51.0	54.3	75.7	54.1 dB
		5/23/91	23:50	46.0	47.0	48.0	47.5	50.5	
		5/24/91	8:12	47.0	49.0	53.0	52.4	67.8	
10	Road 50	5/23/91	11:40	35.0	39.0	56.0	53.2	70.3	54.4 dB
		5/23/91	23:20	43.0	45.0	46.0	46.6	60.0	
		5/24/91	8:40	38.0	41.0	53.0	51.0	64.5	
11	Open Field East of S.R. 45 Approximately @ Road 37	5/23/91	12:25	35.0	38.0	45.0	41.5	53.0	53.2 dB
		5/23/91	22:50	46.0	47.0	48.0	47.2	50.0	
		5/24/91	8:40	34.0	39.0	48.0	44.2	61.0	

TABLE 3-4
SUMMARY OF MEASURED NOISE LEVELS AND ESTIMATED
DAY-NIGHT AVERAGE LEVELS (L_{dn}) IN AREAS
CONTAINING NOISE SENSITIVE LAND USES**

Site	Location	Date	Time	Sound Level, dB					
				L_{90}	L_{50}	L_{10}	L_{eq}	L_{max}	Est. L_{dn}
12	South of Intersection of Road 24 and Road V.	5/23/91	13:12	28.0	36.0	48.0	42.7	51.0	58.8 dB
		5/23/91	22:20	51.0	53.0	54.0	53.0	55.8	
		5/24/91	9:55	40.0	43.0	48.0	44.9	53.3	
13	4th and Los Robles in Hamilton City	5/23/91	13:35	36.0	39.0	46.0	46.3	63.0	48.7 dB
		5/23/91	22:00	28.0	36.0	41.0	38.9	52.8	
		5/24/92	10:20	42.0	45.0	50.0	50.1	69.0	

* 24-hour monitoring site


** Community noise monitoring systems were calibrated with acoustical calibrators in the field prior to use. The systems comply with all pertinent requirements of the American National Standards Institute (ANSI) for Type I sound level meters.

The L_{90} values shown in Table 3-4 represent background noise levels, where there are typically no identifiable local noise sources. The L_{50} values represent median noise levels. The L_{eq} values in Table 3-4 represent the average noise energy during the sample periods, and show the effects of brief noisy periods. The L_{eq} values were the basis of the estimated L_{dn} values. L_{max} values show the maximum noise levels observed during the samples, and were typically due to passing cars, farming equipment or aircraft overflights.

Source: Brown-Buntin Associates


FIGURE 3-6

Hourly Noise Levels South of Willows



May 23-24, 1991
Ldn = 59.8 dB

Hourly Noise Levels North of Orland



May 23-24, 1991
Ldn = 54.2 dB



15.560.100 Noise

A. Maximum sound emissions for any use shall not exceed equivalent sound pressure levels in decibels, A-weighted scale, for any one hour as stipulated in Table B. These maximums are applicable beyond any property lines of the property containing the noise. (Note: Equivalent sound pressure level (Leq) is a measure of the sound level for any one hour. It is the energy average of all the various sounds emitted from the source during the hour. A-weighted scale is used to adjust sound measurements to simulate the sensitivity of the human ear.)

Table B Maximum One-hour Equivalent Sound Pressure Levels (A-Weighted - dBA)

Receiving Property Zoning District

Time of Day:	Residential:	Commercial:	Industrial:
7:00 - 10:00 p.m.	55	60	65
10:00 - 7:00 a.m.	45	55	60

***NOTE:** The residential category also includes all resource zoning districts.

B. In the event the receiving property or receptor is a dwelling, hospital, school, library or nursing home, even though it may be other wise zoned for commercial or industrial and related uses, maximum one-hour equivalent sound pressure received shall be as indicated in Table C.

Table C Maximum One-hour Equivalent Sound Pressure Levels (A-Weighted - dBA)

Time of Day:	Level:
7:00 - 10:00 p.m.	57
10:00 - 7:00 a.m.	50

C. Noises of Short Duration.

For noises of short duration or impulsive character, such as hammering, maximum one-hour sound pressure levels permitted beyond the property of origin shall be seven decibels less than those listed in Table C.

D. Noises of Unusual Periodic Character.

For noises of unusual periodic character, such as humming, screeching and pure tones, the median octave band sound pressure levels as indicated in Table D shall not be exceeded beyond the property of origin when the receiving property is zoned residential or is occupied by a dwelling, hospital, school, library, or nursing home.

Table D Medial Octave Band Sound Pressure Levels Octave Band Center
 Frequency, Hz: 7:00 a.m. to 10:00 p.m.: 10:00 p.m. to 7:00 a.m.:

31.5	68	65
63	65	62
25	61	56
250	55	50
500	52	46
1,000	46	43
2,000	46	40
4,000	43	37
8,000	40	34

E. Additional Allowance. When the receiving property is zoned commercial or industrial and is not a dwelling, hospital, school, library or nursing home, an additional sound decibel emission above the pressure levels specified in Table D above shall be permitted as indicated in Table E.

Table E Additional Allowance

Receiving Property Zone: Additional Decibels Allowed:

Commercial 5

Industrial 10

F. Exemptions. Local noise standards set forth in this section do not apply to the following situations and sources of noise provided standard, reasonable practices are being followed:

1. Emergency equipment operated on an irregular or unscheduled basis;
2. Warning devices operated continuously for no more than five minutes;
3. Bells, chimes or carillons;
4. Nonelectronically amplified sounds at sporting, amusement and entertainment events;
5. Construction site sounds between 7:00 a.m. and 7:00 p.m.;
6. Lawn and plant care machinery fitted with correctly functioning sound suppression equipment and operated between 7:00 a.m. and 8:00 p.m.;
7. Aircraft when subject to federal or state regulations;
8. Agricultural equipment when operated on property zoned for agricultural activities.


G. Exceptions. Upon written application from the owner or operator of an industrial or commercial noise source, the director or planning commission, as part of a use permit approval, may conditionally authorize exceptions to local noise emission standards in the following situations:

1. Infrequent noise;
2. Noise levels at or anywhere beyond the property lines of the property of origin when exceeded by an exempt noise, as listed in subsection (E) of this section, in the same location;
3. If after applying best available control technology (BACT), a use existing prior to the effective date of the ordinance codified in this chapter, is unable to conform to the standards established by this section.

(Ord. 1183 § 2, 2006)


AMBIENT NOISE MONITORING RESULTS

**Noise Levels at LT-1
6th Street, Hamilton, CA
Tuesday, October 15 - Wednesday, October 16, 2019**



CNEL = 74 dBA

**Noise Levels at LT-2
Canal Street, Hamilton, CA
Tuesday, October 15 - Wednesday, October 16, 2019**



CNEL = 71 dBA

TRAFFIC NOISE INCREASE CALCULATIONS

Segment	Existing No Project	Existing With Project		Project Noise Increase
Canal Road - North of 6th Street	407	530		1.15
Canal Road - South of 6th Street	323	377		0.67
6th Street - East of Canal Road	1252	1315		0.21
6th Street - West of Canal Road	924	930		0.03

A P P E N D I X E

TRAFFIC ANALYSIS
MEMORANDUM



MEMORANDUM

DATE October 31, 2019

TO Hamilton Unified School District

ADDRESS 620 Canal Street, Hamilton City, California 95951

CONTACT Mike Cannon, Hamilton Unified School District

FROM Fernando Sotelo, PE, PTP

SUBJECT **Hamilton High School Site Expansion – Traffic Analysis**

PROJECT NUMBER HASD-02.0

This memorandum summarizes the findings of the traffic analysis we conducted for the proposed Hamilton High School Site Expansion project in Hamilton City, Glenn County, California. It includes a description of the project, existing traffic conditions and evaluates potential traffic impacts with the project. The study has been prepared under the supervision of a licensed traffic engineer consistent with methodologies used to evaluate traffic impacts by the California Department of Transportation (Caltrans). Our research and findings are documented in this technical memorandum.

Project Location and Description

Hamilton Unified School District (“District” or “HUSD”) intends to modernize existing Hamilton High School located at 620 Canal Street in Hamilton City, Glenn County, California and expand the existing footprint of the school to accommodate the development of new school facilities. As part of the project, the District would acquire an approximately 48-acre portion of a property adjacent to the existing school; construct new playing fields, a gymnasium and parking lot on the expanded site; modernize existing buildings and plan future construction and of new school buildings and parking areas.

The project would increase student capacity from 290¹ to 540, which is an increase of 250 students. The project is anticipated to occur into two phases. Phase I involves the acquisition of the 48-acre parcel and during this phase the District proposes developing a new playing fields, building a new parking area, and constructing a 20,000 SF Gymnasium. Utilities infrastructure would be modernized as well. For the new parking lot, the District plans on building a 90-stall parking lot and student drop-off lane on the western boundary of the site, north of the existing campus, would be developed in Phase I. The lot would be accessed via Canal Street. Phase I is anticipated to span 2 to 5 years.

¹California Department of Education. 2018-2019 Enrollment by Grade: Hamilton High Report.
<https://dq.cde.ca.gov/dataquest/dqcensus/enrgrdlevels.aspx?aggllevel=School&year=2018-19&cds=11765621133701>

The District would expand Hamilton High School to accommodate approximately 250 additional students, for a future total of capacity of approximately 540 students. The expansion would total 68,500 SF of new facilities and 75,000 SF of new circulation and parking.

The vicinity of the site is a predominantly agricultural community. There is active farmland bordering the site to the north. Single-family homes with a few commercial and light industrial properties are located across West 6th Street, south of the site. The site is bounded by State Route 45 (Canal Street) to the west, State Route 32 (6th Street) to the south, Ella Barkley High School (an alternative education high school) to the east, and the expansion site to the north.

Applicable Regulations

GLENN COUNTY STANDARDS

The Glenn County General Plan states that the County seeks to maintain a level of service (LOS) “C” for all road segments and signalized intersections within the County. A peak hour level of service “D” or “E” may be allowed if proposed mitigation measures to reduce the traffic impact is proven impractical due topography, environmental impacts, or other significant factors. LOS “F” is unacceptable under all conditions (Glenn County 1993).

CALTRANS STANDARDS

Caltrans’ guidelines are in the process of being updated to address new CEQA requirements to evaluate transportation impacts based on VMT. The latest version of Caltrans’ Guide for the Preparation of Traffic Impact Studies² states that Caltrans endeavors to maintain a target LOS at the transition between “C” and “D” on State facilities, however, Caltrans acknowledges that this may not always be feasible and recommends that the lead agencies consult with Caltrans to determine the appropriate target LOS for their facilities. As Glenn County utilizes a target LOS “C” for all roadway segments and intersections in the County, LOS C is utilized as the acceptable LOS.

Existing Conditions

ROADWAYS AND INTERSECTION

Regional access is provided by State Route 45 (SR-45), also known as Canal Street and State Route 32 (SR-32), also known as 6th Street. Glenn County General Plan classifies 6th Street as an undivided, two-lane roadway rural minor collector roadway with a posted speed limit of 35 miles per hour. Canal Street is an undivided, two-lane roadway described as a rural minor collector in the Glenn County General Plan³ with a posted speed limit of 40 miles per hour.

According to the functional classifications from the California Highway System⁴, SR-45 north of 6th Street is classified as a Major Collector, and south of 6th Street SR-45 is classified as a Minor Arterial. 6th Street is classified as an Other Principal Arterial. Parking is generally not permitted along both sides of 6th Street and Canal Street.

Roadway capacity is generally limited by the ability to move vehicles through intersections. A level of service (LOS) is a standard performance measurement to describe the operating characteristics of a street system in terms of the

² State of California Department of Transportation, 2002, *Guide for the Preparation of Traffic Impact Studies*.

³ Policy Plan Glenn County General Plan, Glenn County Board of Supervisors, June 1993.

⁴ <https://dot.ca.gov/programs/research-innovation-system-information/office-of-highway-system-information-performance>

level of congestion or delay experienced by motorists. Service levels range from A through F, which relate to traffic conditions from best (uncongested, free-flowing conditions) to worst (total breakdown with stop-and-go operation). The methodology used to assess the operation of a signalized intersection is based on the Highway Capacity Manual (HCM). The intersection LOS analysis is based on the traffic volumes observed during the peak hour conditions. The peak hours selected for analysis are the highest volumes that occur in four consecutive 15-minute periods from 7 to 9 am, from 2 to 3:30 pm, and from 4 to 6 pm on weekdays. The HCM 6th Edition presents LOS in terms of control delay (in seconds per vehicle). Table 1, *Intersection Level of Service Descriptions*, describes the level of service concept and the operating conditions expected under each level of service for signalized intersections.

Table 1 Intersection Level of Service Descriptions

LOS	DESCRIPTION	SIGNALIZED
A	Level of Service A occurs when progression is extremely favorable and most vehicles arrive during the green phase. Most vehicles do not stop at all. Short cycle lengths may also contribute to low delay.	0 to 10.00
B	Level of Service B generally occurs with good progression and/or short cycle lengths. More vehicles stop than for Level of Service A, causing higher levels of average total delay.	10.01 to 20.00
C	Level of Service C generally results when there is fair progression and/or longer cycle lengths. Individual cycle failures may begin to appear in this level. The number of vehicles stopping is significant at this level, although many still pass through the intersection without stopping.	20.01 to 35.00
D	Level of Service D generally results in noticeable congestion. Longer delays may result from some combination of unfavorable progression, long cycle lengths, or high volume to capacity ratios. Many vehicles stop, and the proportion of vehicles not stopping declines. Individual cycle failures are noticeable.	35.01 to 55.00
E	Level of Service E is considered to be the limit of acceptable delay. These high delay values generally indicate poor progression, long cycle lengths, and high volume to capacity ratios. Individual cycle failures are frequent occurrences.	55.01 to 80.00
F	Level of Service F is considered to be unacceptable to most drivers. This condition often occurs with oversaturation, i.e., when arrival flow rates exceed the capacity of the intersection. It may also occur at high volume to capacity ratios below 1.00 with many individual cycle failures. Poor progression and long cycle lengths may also be major contributing causes to such delay levels.	80.01 and up

Source: HCM 6th Edition

To review existing traffic conditions and determine potential traffic impacts with the project, intersection turn movement counts were taken at the intersections of Canal Street at 6th Street. The counts were taken on Wednesday and Thursday, September 11 and 12, 2019, while schools were in session. The existing AM, midday and PM peak hour count worksheets are provided in Attachment A. The intersection operations analysis results are summarized in Table 2, *Existing Peak Hour Intersection Levels of Service*. The study area intersection currently operates at an acceptable LOS during the peak hours. Intersection LOS calculation worksheets for existing conditions are provided in Attachment A. The software PTV Vistro 7 was used to determine the LOS at the study area intersection.

Table 2 Existing Peak Hour Intersection Levels of Service

Intersection	AM Peak Hour		School Dismissal Hour		PM Peak Hour	
	Delay (sec/veh)	LOS	Delay (sec/veh)	LOS	Delay (sec/veh)	LOS
1. Canal Street and 6 th Street	21.63	C	24.68	C	27.21	C

Notes: LOS calculation worksheets in Attachment B.

AM peak hour is from 7 to 9 am, school dismissal from 2 to 3:30 PM, and the PM peak hour from 2 to 4 pm.

BICYCLE AND PEDESTRIAN AND TRANSIT

The infrastructure for pedestrian and bicycle travel in the vicinity of the project site has not been fully developed; sidewalks are not continuous, and no bicycle lanes have been marked. However, the project would include dedicated bicycle lanes along the western perimeter of the site and 20 new bicycle parking spaces would be provided as part of Phase I of the project. Pedestrian access to the school would continue to be via sidewalks along Canal Street. There will also be pedestrian access to the southern area of the school through the existing Hamilton High School.

Public transit is provided by Glenn Ride which runs seven round trips every weekday and three round trip on Saturday from Willows to Willows to Chico with enroute service to Artois, Orland and Hamilton City. Weekday hours of operation are approximately 5:15 am to 8:13 pm while Saturday service operates from 8:00 am to 7:23 pm. The closest bus stop located 5th Street and Los Robles Avenue, approximately 0.18 miles from the school.

Future Traffic With Project

PROJECT TRIP GENERATION

The trip generation for the existing and uses were calculated based on rates in the Institute of Transportation Engineer's (ITE) Trip Generation Manual, 10th edition. Trip generation for the existing and project is based on trips for land use code 530, High School.

Table 3, *Trip Generation Rates*, and Table 4, *Project Trip Generation*, show the trip generation rates and estimate vehicle trips for the existing conditions in the AM peak hour, PM peak hour, and student dismissal hour. For this project, ITE Land Use "High School" has been utilized to reflect the operation of the existing school site and evaluate the potential impacts of increasing the school's capacity by 250 students. With the increase associated with the project, the high school generate up to 508 weekday daily trips. The project would generate 130 trips (87 inbound and 43 outbound) during the AM peak hour; 35 trips (17 inbound and 18 outbound) during the PM peak hour, and 82 trips (26 inbound and 56 outbound) during the student dismissal hour.

Table 3 Trip Generation Rates

LAND USE	ITE LAND USE CODE	UNIT ¹	TRIP GENERATION RATES ¹									
			DAILY	AM PEAK HOUR			PM PEAK HOUR			STUDENT DISMISSAL HOUR		
				IN	OUT	TOTAL	IN	OUT	TOTAL	IN	OUT	TOTAL
High School	530	Students	2.03	0.35	0.17	0.52	0.07	0.07	0.14	0.11	0.22	0.33

¹ Trip generation rates per the ITE Trip Generation Manual 10th Edition.

Table 4 Project Trip Generation

LAND USE	STUDENTS	PROJECT TRIP GENERATION									
		DAILY	AM PEAK HOUR			PM PEAK HOUR			STUDENT DISMISSAL HOUR		
			IN	OUT	TOTAL	IN	OUT	TOTAL	IN	OUT	TOTAL
Hamilton High School	250	508	87	43	130	17	18	35	26	56	82

TRIP DISTRIBUTION

The project will be primarily accessed via Canal Street and 6th Street. Primary vehicular access to the site and the parking and student drop off area would be via driveways on Canal Street. The project would also include a secondary vehicular and emergency access through the existing campus to facilities on the new property, and on Canal Street at the northern boundary of the site. Based on a review of the existing traffic patterns in the area, site access, land uses and roadway functional classifications in the area, it is anticipated that the majority of the project trips will reach the site from the south via Canal Street and from the east via 6th Street. It is anticipated that approximately 5% of the trips originate from the north and approximately 5% from the west. The project volumes are presented in Attachment B.

FUTURE TRAFFIC CONDITIONS

As shown in Figure 3-6, primary vehicular access to the site and the proposed parking areas would be via Canal Street, the drop-off area would be provided off-street in a one-way loop with vehicles arriving from the south and departing via the north driveway to minimize turn movements and conflicts. The project would also include secondary vehicular and emergency access through the existing campus to proposed facilities on the new property, and on Canal Street at the northern boundary of the site. Canal Street is a 2-lane road with speed limits of 40 miles per hour, the existing traffic volumes in the peak hours and school dismissal hour range from 307 to 407 vehicles per hour. The road segment in the vicinity of the school is a straight segment with no view obstructions. As a school zone, the limit is reduced to 25 miles per hour in the vicinity of the school when children are present. Due to the low volumes and speeds on Canal Street, and because most traffic arrives from the south and departures back to the south, no turn restrictions on access driveways would be required.

The calculated intersection operations for Existing Plus Project traffic conditions are shown in Table 5, *Existing Plus Project Peak Hour Intersection Levels of Service*. Under Existing Plus Project conditions, there would be a small increase in delay at the study intersection during the AM and PM peak hours and student dismissal hours. The study intersection would continue to operate at an acceptable LOS C. No significant traffic impacts would occur with the project at the key intersection of Canal Street at 6th Street. The intersection volumes under Existing Plus Project AM and PM peak hours and student dismissal hours are provided in Attachment B.

Table 5 - Existing Plus Project Peak Hour Intersection Levels of Service

Intersection	AM Peak Hour		School Dismissal Hour		PM Peak Hour	
	Delay (sec/veh)	LOS	Delay (sec/veh)	LOS	Delay (sec/veh)	LOS
1. Canal Street and 6 th Street	27.11	C	24.67	C	27.25	C

Notes: LOS calculation worksheets in Attachment B.

AM peak hour is from 7 to 9 am, school dismissal from 2 to 3:30 PM, and the PM peak hour from 2 to 4 pm.

Vehicles Miles Travelled

On September 27, 2013, SB 743 was signed into law. SB 743 started a process that could fundamentally change transportation impact analysis as part of CEQA compliance. These changes include the elimination of auto delay, level of service (LOS), and other similar measures of vehicular capacity or traffic congestion as a basis for determining significant impacts in many parts of California (if not statewide). As part of the updated CEQA Guidelines, the new criteria “shall promote the reduction of greenhouse gas emissions, the development of multimodal transportation networks, and a diversity of land uses” (Public Resources Code Section 21099(b)(1)). On January 20, 2016, OPR released revisions to its CEQA guidelines for the implementation of SB743. Final review and rulemaking for the new guidelines were completed in December 28, 2018 when the California Natural Resource Agency certified and adopted the CEQA Guidelines update package, including guidelines section implementing Senate Bill 743. OPR allows agencies an opt-in period to adopt the guidelines; they become mandatory on July 1, 2020. Vehicle miles traveled (VMT) is an indicator of the travel levels on the roadway system by motor vehicles. It corresponds to the number of vehicles multiplied by the distance traveled in a given period over a geographical area. In other words, VMT is a function of (1) number of daily trips and (2) the average trip length (VMT= daily trips x average trip length). Glenn County has not implemented VMT metrics yet and currently uses the established LOS criteria.

Furthermore, the project would serve the existing and future residents within its attendance boundary and the modernization of the school campus is expected to accommodate the anticipated demand for the school. There is currently no school within a close proximity of the project site within the school district and residents would have to travel a longer distance to attend the existing nearby schools if the project is not implemented. Therefore, the project would result in an increase in VMT if the Modified Project is not implemented. The project would not alter traffic patterns in the area; therefore, impacts of the project regarding VMT would be less than significant.

Conclusion

This analysis reviewed potential impacts due to project trips to the Canal Street and 6th Street intersection near the project. Project-generated traffic would not result in the study intersection deteriorating to an unacceptable level of service. Therefore, the project would not result in a substantial traffic impact, and no mitigation measures would be required.

References










Institute of Transportation Engineers (ITE). 2017. Trip Generation Manual. 10th edition.

ATTACHMENT A: Intersection Turn Movement Counts

LOCATION: Canal St -- 6th St
CITY/STATE: Hamilton City, CA

QC JOB #: 15064401
DATE: Thu, Sep 12 2019

Peak-Hour: 7:15 AM -- 8:15 AM
Peak 15-Min: 7:45 AM -- 8:00 AM



15-Min Count Period Beginning At	Canal St (Northbound)				Canal St (Southbound)				6th St (Eastbound)				6th St (Westbound)				Total	Hourly Totals
	Left	Thru	Right	U	Left	Thru	Right	U	Left	Thru	Right	U	Left	Thru	Right	U		
7:00 AM	8	4	14	0	32	7	0	0	0	96	2	0	15	52	9	0	239	
7:15 AM	4	7	22	0	40	5	0	0	0	148	7	0	24	71	16	0	344	
7:30 AM	13	10	15	0	57	4	1	0	2	143	12	0	15	94	16	0	382	
7:45 AM	9	38	21	0	33	11	6	0	6	136	8	0	14	93	31	0	406	1371
8:00 AM	6	19	25	0	45	17	7	0	4	101	5	0	12	48	32	0	321	1453
8:15 AM	7	15	19	0	32	5	0	0	1	99	3	0	11	57	14	0	263	1372
8:30 AM	8	11	17	0	30	10	1	0	0	99	6	0	11	39	14	0	246	1236
8:45 AM	8	1	15	0	23	7	1	0	2	73	5	0	9	60	11	0	215	1045










Peak 15-Min Flowrates	Northbound				Southbound				Eastbound				Westbound				Total	
	Left	Thru	Right	U	Left	Thru	Right	U	Left	Thru	Right	U	Left	Thru	Right	U		
All Vehicles	36	152	84	0	132	44	24	0	24	544	32	0	56	372	124	0	1624	
Heavy Trucks	4	0	8		4	0	0		0	36	12		12	52	8		136	
Pedestrians	0	0	0		0	0	0		0	0	0		0	68	0		68	
Bicycles	0	0	0		0	0	0		0	0	0		0	0	0		0	
Railroad																		
Stopped Buses																		

Comments:

LOCATION: Canal St -- 6th St
CITY/STATE: Hamilton City, CA

QC JOB #: 15064404
DATE: Wed, Sep 11 2019

Peak-Hour: 2:30 PM -- 3:30 PM
Peak 15-Min: 3:15 PM -- 3:30 PM












15-Min Count Period Beginning At	Canal St (Northbound)				Canal St (Southbound)				6th St (Eastbound)				6th St (Westbound)				Total	Hourly Totals	
	Left	Thru	Right	U	Left	Thru	Right	U	Left	Thru	Right	U	Left	Thru	Right	U			
2:00 PM	9	9	17	0	19	6	0	0	12	66	3	0	8	76	22	0	247		
2:15 PM	11	16	25	0	15	2	1	0	4	74	4	0	13	79	19	0	263		
2:30 PM	12	12	22	0	25	6	1	0	2	107	8	0	15	105	23	0	338		
2:45 PM	7	7	23	0	15	8	1	0	3	88	4	0	7	101	26	0	290	1138	
3:00 PM	6	11	22	0	23	9	6	0	4	70	6	0	16	86	25	0	284	1175	
3:15 PM	6	21	19	0	45	18	7	0	6	77	6	0	10	106	25	0	346	1258	
Peak 15-Min Flowrates	Northbound				Southbound				Eastbound				Westbound				Total		
	Left	Thru	Right	U	Left	Thru	Right	U	Left	Thru	Right	U	Left	Thru	Right	U			
All Vehicles	24	84	76	0	180	72	28	0	24	308	24	0	40	424	100	0	1384		
Heavy Trucks	4	4	8		12	0	4		4	12	4		4	52	4		112		
Pedestrians		0				0				0				72			72		
Bicycles	0	0	0		0	0	0		0	0	0		0	0	0		0		
Railroad																			
Stopped Buses																			

Comments:

LOCATION: Canal St -- 6th St
CITY/STATE: Hamilton City, CA

QC JOB #: 15064402
DATE: Wed, Sep 11 2019

Peak-Hour: 4:45 PM -- 5:45 PM
Peak 15-Min: 5:00 PM -- 5:15 PM



15-Min Count Period Beginning At	Canal St (Northbound)				Canal St (Southbound)				6th St (Eastbound)				6th St (Westbound)				Total	Hourly Totals
	Left	Thru	Right	U	Left	Thru	Right	U	Left	Thru	Right	U	Left	Thru	Right	U		
4:00 PM	13	5	23	0	37	12	5	0	3	93	7	0	11	116	24	0	349	
4:15 PM	12	12	24	0	22	7	2	0	1	104	2	0	13	114	36	0	349	
4:30 PM	16	8	29	0	30	4	0	0	1	92	2	0	17	127	26	0	352	
4:45 PM	16	8	23	0	25	8	0	0	0	84	4	0	15	140	34	0	357	1407
5:00 PM	14	20	26	0	26	3	0	0	0	97	6	0	13	144	34	0	383	1441
5:15 PM	20	11	26	0	21	4	1	0	0	87	4	0	12	136	43	0	365	1457
5:30 PM	17	11	23	0	14	1	2	0	0	91	6	0	12	149	41	0	367	1472
5:45 PM	13	9	14	0	12	5	1	0	0	75	1	0	15	134	28	0	307	1422
Peak 15-Min Flowrates	Northbound				Southbound				Eastbound				Westbound				Total	
	Left	Thru	Right	U	Left	Thru	Right	U	Left	Thru	Right	U	Left	Thru	Right	U		
All Vehicles	56	80	104	0	104	12	0	0	0	388	24	0	52	576	136	0	1532	
Heavy Trucks	8	8	8		4	0	0		0	20	4		12	20	4		88	
Pedestrians	0	0	0		0	0	0		0	0	0		0	0	0		0	
Bicycles	0	0	0		0	0	0		0	0	0		0	0	0		0	
Railroad																		
Stopped Buses																		

Comments:



ATTACHMENT B: LOS Worksheets, Traffic Volumes and Intersection Lane Configurations

Intersection Level Of Service Report
Intersection 1: Canal Road @ 6th Street

Control Type:	Signalized	Delay (sec / veh):	21.6
Analysis Method:	HCM 6th Edition	Level Of Service:	C
Analysis Period:	15 minutes	Volume to Capacity (v/c):	0.674

Intersection Setup

Name	Northbound			Southbound			6th Street Eastbound			6th Street Westbound		
Approach	Northbound			Southbound			Eastbound			Westbound		
Lane Configuration												
Turning Movement	Left	Thru	Right	Left	Thru	Right	Left	Thru	Right	Left	Thru	Right
Lane Width [ft]	12.00	12.00	12.00	12.00	12.00	12.00	18.27	18.27	10.14	11.75	12.23	12.23
No. of Lanes in Pocket	0	0	1	0	0	0	1	0	0	1	0	0
Pocket Length [ft]	100.00	100.00	100.00	100.00	100.00	100.00	122.39	100.00	100.00	87.41	100.00	100.00
Speed [mph]	30.00			30.00			25.00			55.00		
Grade [%]	0.00			0.00			0.00			0.00		
Curb Present	No			No			No			No		
Crosswalk	Yes			Yes			No			Yes		

Volumes

Name	Northbound			Southbound			6th Street Eastbound			6th Street Westbound		
Base Volume Input [veh/h]	32	74	83	175	37	14	12	528	32	65	306	95
Base Volume Adjustment Factor	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
Heavy Vehicles Percentage [%]	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00
Growth Factor	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
In-Process Volume [veh/h]	0	0	0	0	0	0	0	0	0	0	0	0
Site-Generated Trips [veh/h]	0	0	0	0	0	0	0	0	0	0	0	0
Diverted Trips [veh/h]	0	0	0	0	0	0	0	0	0	0	0	0
Pass-by Trips [veh/h]	0	0	0	0	0	0	0	0	0	0	0	0
Existing Site Adjustment Volume [veh/h]	0	0	0	0	0	0	0	0	0	0	0	0
Other Volume [veh/h]	0	0	0	0	0	0	0	0	0	0	0	0
Right-Turn on Red Volume [veh/h]	0	0	0	0	0	0	0	0	0	0	0	0
Total Hourly Volume [veh/h]	32	74	83	175	37	14	12	528	32	65	306	95
Peak Hour Factor	0.8900	0.8900	0.8900	0.8900	0.8900	0.8900	0.8900	0.8900	0.8900	0.8900	0.8900	0.8900
Other Adjustment Factor	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
Total 15-Minute Volume [veh/h]	9	21	23	49	10	4	3	148	9	18	86	27
Total Analysis Volume [veh/h]	36	83	93	197	42	16	13	593	36	73	344	107
Presence of On-Street Parking	No		No	No		No	No		No	No		No
On-Street Parking Maneuver Rate [/h]	0	0	0	0	0	0	0	0	0	0	0	0
Local Bus Stopping Rate [/h]	0	0	0	0	0	0	0	0	0	0	0	0
v_do, Outbound Pedestrian Volume crossing	0			0			0			0		
v_di, Inbound Pedestrian Volume crossing	0			0			0			0		
v_co, Outbound Pedestrian Volume crossing	0			27			0			0		
v_ci, Inbound Pedestrian Volume crossing	0			0			0			27		
v_ab, Corner Pedestrian Volume [ped/h]	0			0			0			0		
Bicycle Volume [bicycles/h]	0			0			0			0		

Intersection Settings

Located in CBD	Yes
Signal Coordination Group	-
Cycle Length [s]	70
Coordination Type	Time of Day Pattern Isolated
Actuation Type	Fully actuated
Offset [s]	0.0
Offset Reference	LeadGreen
Permissive Mode	SingleBand
Lost time [s]	0.00

Phasing & Timing

Control Type	Permiss	Permiss	Permiss	Permiss	Permiss	Permiss	Protecte	Permiss	Permiss	Protecte	Permiss	Permiss
Signal Group	0	8	0	0	4	0	5	2	0	1	6	0
Auxiliary Signal Groups												
Lead / Lag	-	-	-	-	-	-	Lead	-	-	Lead	-	-
Minimum Green [s]	0	5	0	0	5	0	5	5	0	5	5	0
Maximum Green [s]	0	30	0	0	30	0	30	30	0	30	30	0
Amber [s]	0.0	3.0	0.0	0.0	3.0	0.0	3.0	3.0	0.0	3.0	3.0	0.0
All red [s]	0.0	1.0	0.0	0.0	1.0	0.0	1.0	1.0	0.0	1.0	1.0	0.0
Split [s]	0	25	0	0	25	0	9	25	0	20	36	0
Vehicle Extension [s]	0.0	3.0	0.0	0.0	3.0	0.0	3.0	3.0	0.0	3.0	3.0	0.0
Walk [s]	0	5	0	0	5	0	0	5	0	0	5	0
Pedestrian Clearance [s]	0	16	0	0	10	0	0	16	0	0	18	0
Rest In Walk		No			No			No			No	
I1, Start-Up Lost Time [s]	0.0	2.0	0.0	0.0	2.0	0.0	2.0	2.0	0.0	2.0	2.0	0.0
I2, Clearance Lost Time [s]	0.0	2.0	0.0	0.0	2.0	0.0	2.0	2.0	0.0	2.0	2.0	0.0
Minimum Recall		No			No		No	No		No	No	
Maximum Recall		No			No		No	No		No	No	
Pedestrian Recall		No			No		No	No		No	No	
Detector Location [ft]	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Detector Length [ft]	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
I, Upstream Filtering Factor	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00

Exclusive Pedestrian Phase

Pedestrian Signal Group	0
Pedestrian Walk [s]	0
Pedestrian Clearance [s]	0

Lane Group Calculations

Lane Group	C	R	C	L	C	L	C
C, Cycle Length [s]	70	70	70	70	70	70	70
L, Total Lost Time per Cycle [s]	4.00	4.00	4.00	4.00	4.00	4.00	4.00
l1_p, Permitted Start-Up Lost Time [s]	2.00	0.00	2.00	0.00	0.00	0.00	0.00
l2, Clearance Lost Time [s]	2.00	2.00	2.00	2.00	2.00	2.00	2.00
g_i, Effective Green Time [s]	21	21	21	1	33	4	36
g / C, Green / Cycle	0.29	0.29	0.29	0.02	0.48	0.06	0.52
(v / s)_i Volume / Saturation Flow Rate	0.08	0.07	0.27	0.01	0.36	0.05	0.28
s, saturation flow rate [veh/h]	1576	1431	961	1667	1733	1603	1604
c, Capacity [veh/h]	529	419	373	30	827	93	831
d1, Uniform Delay [s]	18.85	18.74	26.21	34.10	15.03	32.58	11.33
k, delay calibration	0.11	0.11	0.17	0.11	0.50	0.11	0.50
l, Upstream Filtering Factor	1.00	1.00	1.00	1.00	1.00	1.00	1.00
d2, Incremental Delay [s]	0.21	0.26	3.50	9.97	6.51	13.13	2.54
d3, Initial Queue Delay [s]	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Rp, platoon ratio	1.00	1.00	1.00	1.00	1.00	1.00	1.00
PF, progression factor	1.00	1.00	1.00	1.00	1.00	1.00	1.00

Lane Group Results

X, volume / capacity	0.23	0.22	0.68	0.44	0.76	0.78	0.54
d, Delay for Lane Group [s/veh]	19.07	19.00	29.71	44.07	21.54	45.71	13.87
Lane Group LOS	B	B	C	D	C	D	B
Critical Lane Group	No	No	Yes	No	Yes	Yes	No
50th-Percentile Queue Length [veh/ln]	1.42	1.11	4.27	0.30	8.91	1.44	3.94
50th-Percentile Queue Length [ft/ln]	35.57	27.79	106.71	7.44	222.67	35.90	98.62
95th-Percentile Queue Length [veh/ln]	2.56	2.00	7.66	0.54	13.80	2.59	7.10
95th-Percentile Queue Length [ft/ln]	64.02	50.02	191.41	13.39	345.03	64.63	177.51

Movement, Approach, & Intersection Results


d_M, Delay for Movement [s/veh]	19.07	19.07	19.00	29.71	29.71	29.71	44.07	21.54	21.54	45.71	13.87	13.87
Movement LOS	B	B	B	C	C	C	D	C	C	D	B	B
d_A, Approach Delay [s/veh]	19.04			29.71			21.99			18.31		
Approach LOS	B			C			C			B		
d_I, Intersection Delay [s/veh]	21.63											
Intersection LOS	C											
Intersection V/C	0.674											

Other Modes


g_Walk,mi, Effective Walk Time [s]	9.0	9.0	0.0	9.0
M_corner, Corner Circulation Area [ft ² /ped]	0.00	0.00	0.00	0.00
M_CW, Crosswalk Circulation Area [ft ² /ped]	0.00	576.88	0.00	0.00
d_p, Pedestrian Delay [s]	26.58	26.58	0.00	26.58
I_p,int, Pedestrian LOS Score for Intersection	2.047	1.927	0.000	3.048
Crosswalk LOS	B	A	F	C
s_b, Saturation Flow Rate of the bicycle lane	2000	2000	2000	2000
c_b, Capacity of the bicycle lane [bicycles/h]	600	600	600	914
d_b, Bicycle Delay [s]	17.15	17.15	17.15	10.31
I_b,int, Bicycle LOS Score for Intersection	1.909	1.980	2.619	2.424
Bicycle LOS	A	A	B	B

Sequence


Ring 1	1	2	-	4	-	-	-	-	-	-	-	-	-	-	-	-
Ring 2	5	6	-	8	-	-	-	-	-	-	-	-	-	-	-	-
Ring 3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ring 4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-



Lane Configuration and Traffic Control



Traffic Volume - Base Volume



Intersection Level Of Service Report
Intersection 1: Canal Road @ 6th Street

Control Type:	Signalized	Delay (sec / veh):	27.1
Analysis Method:	HCM 6th Edition	Level Of Service:	C
Analysis Period:	15 minutes	Volume to Capacity (v/c):	0.698

Intersection Setup

Name	Northbound			Southbound			6th Street Eastbound			6th Street Westbound		
Approach	Northbound			Southbound			Eastbound			Westbound		
Lane Configuration	← →			↑			← →			← →		
Turning Movement	Left	Thru	Right	Left	Thru	Right	Left	Thru	Right	Left	Thru	Right
Lane Width [ft]	12.00	12.00	12.00	12.00	12.00	12.00	18.27	18.27	10.14	11.75	12.23	12.23
No. of Lanes in Pocket	0	0	1	0	0	0	1	0	0	1	0	0
Pocket Length [ft]	100.00	100.00	100.00	100.00	100.00	100.00	122.39	100.00	100.00	87.41	100.00	100.00
Speed [mph]	30.00			30.00			25.00			55.00		
Grade [%]	0.00			0.00			0.00			0.00		
Curb Present	No			No			No			No		
Crosswalk	Yes			Yes			No			Yes		

Volumes

Name	Northbound			Southbound			6th Street Eastbound			6th Street Westbound		
Base Volume Input [veh/h]	32	74	83	175	37	14	12	528	32	65	306	95
Base Volume Adjustment Factor	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
Heavy Vehicles Percentage [%]	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00
Growth Factor	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
In-Process Volume [veh/h]	0	0	0	0	0	0	0	0	0	0	0	0
Site-Generated Trips [veh/h]	0	35	0	20	19	2	4	0	0	0	0	43
Diverted Trips [veh/h]	0	0	0	0	0	0	0	0	0	0	0	0
Pass-by Trips [veh/h]	0	0	0	0	0	0	0	0	0	0	0	0
Existing Site Adjustment Volume [veh/h]	0	0	0	0	0	0	0	0	0	0	0	0
Other Volume [veh/h]	0	0	0	0	0	0	0	0	0	0	0	0
Right-Turn on Red Volume [veh/h]	0	0	0	0	0	0	0	0	0	0	0	0
Total Hourly Volume [veh/h]	32	109	83	195	56	16	16	528	32	65	306	138
Peak Hour Factor	0.8900	0.8900	0.8900	0.8900	0.8900	0.8900	0.8900	0.8900	0.8900	0.8900	0.8900	0.8900
Other Adjustment Factor	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
Total 15-Minute Volume [veh/h]	9	31	23	55	16	4	4	148	9	18	86	39
Total Analysis Volume [veh/h]	36	122	93	219	63	18	18	593	36	73	344	155
Presence of On-Street Parking	No		No	No		No	No		No	No		No
On-Street Parking Maneuver Rate [/h]	0	0	0	0	0	0	0	0	0	0	0	0
Local Bus Stopping Rate [/h]	0	0	0	0	0	0	0	0	0	0	0	0
v_do, Outbound Pedestrian Volume crossing	0			27			0			0		
v_di, Inbound Pedestrian Volume crossing m	0			0			0			27		
v_co, Outbound Pedestrian Volume crossing	0			0			0			0		
v_ci, Inbound Pedestrian Volume crossing mi	0			0			0			0		
v_ab, Corner Pedestrian Volume [ped/h]	0			0			0			0		
Bicycle Volume [bicycles/h]	0			0			0			0		

Intersection Settings

Located in CBD	Yes
Signal Coordination Group	-
Cycle Length [s]	70
Coordination Type	Time of Day Pattern Isolated
Actuation Type	Fully actuated
Offset [s]	0.0
Offset Reference	LeadGreen
Permissive Mode	SingleBand
Lost time [s]	0.00

Phasing & Timing

Control Type	Permiss	Permiss	Permiss	Permiss	Permiss	Permiss	Protecte	Permiss	Permiss	Protecte	Permiss	Permiss
Signal Group	0	6	0	0	2	0	3	8	0	7	4	0
Auxiliary Signal Groups												
Lead / Lag	-	-	-	-	-	-	Lead	-	-	Lead	-	-
Minimum Green [s]	0	5	0	0	5	0	5	5	0	5	5	0
Maximum Green [s]	0	30	0	0	30	0	30	30	0	30	30	0
Amber [s]	0.0	3.0	0.0	0.0	3.0	0.0	3.0	3.0	0.0	3.0	3.0	0.0
All red [s]	0.0	1.0	0.0	0.0	1.0	0.0	1.0	1.0	0.0	1.0	1.0	0.0
Split [s]	0	25	0	0	25	0	12	25	0	20	33	0
Vehicle Extension [s]	0.0	3.0	0.0	0.0	3.0	0.0	3.0	3.0	0.0	3.0	3.0	0.0
Walk [s]	0	5	0	0	5	0	0	5	0	0	5	0
Pedestrian Clearance [s]	0	16	0	0	10	0	0	16	0	0	18	0
Rest In Walk		No			No			No			No	
I1, Start-Up Lost Time [s]	0.0	2.0	0.0	0.0	2.0	0.0	2.0	2.0	0.0	2.0	2.0	0.0
I2, Clearance Lost Time [s]	0.0	2.0	0.0	0.0	2.0	0.0	2.0	2.0	0.0	2.0	2.0	0.0
Minimum Recall		No			No		No	No		No	No	
Maximum Recall		No			No		No	No		No	No	
Pedestrian Recall		No			No		No	No		No	No	
Detector Location [ft]	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Detector Length [ft]	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
I, Upstream Filtering Factor	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00

Exclusive Pedestrian Phase

Pedestrian Signal Group	0
Pedestrian Walk [s]	0
Pedestrian Clearance [s]	0

Lane Group Calculations

Lane Group	C	R	C	L	C	L	C
C, Cycle Length [s]	70	70	70	70	70	70	70
L, Total Lost Time per Cycle [s]	4.00	4.00	4.00	4.00	4.00	4.00	4.00
l1_p, Permitted Start-Up Lost Time [s]	2.00	0.00	2.00	0.00	0.00	0.00	0.00
l2, Clearance Lost Time [s]	2.00	2.00	2.00	2.00	2.00	2.00	2.00
g_i, Effective Green Time [s]	27	27	27	2	27	4	30
g / C, Green / Cycle	0.38	0.38	0.38	0.02	0.39	0.06	0.43
(v / s)_i Volume / Saturation Flow Rate	0.10	0.07	0.29	0.01	0.36	0.05	0.32
s, saturation flow rate [veh/h]	1582	1431	1035	1667	1733	1603	1578
c, Capacity [veh/h]	666	545	484	38	675	93	670
d1, Uniform Delay [s]	14.81	14.35	21.23	33.84	20.53	32.58	16.97
k, delay calibration	0.50	0.50	0.50	0.11	0.29	0.11	0.18
l, Upstream Filtering Factor	1.00	1.00	1.00	1.00	1.00	1.00	1.00
d2, Incremental Delay [s]	0.84	0.68	5.88	8.81	14.46	13.13	2.79
d3, Initial Queue Delay [s]	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Rp, platoon ratio	1.00	1.00	1.00	1.00	1.00	1.00	1.00
PF, progression factor	1.00	1.00	1.00	1.00	1.00	1.00	1.00

Lane Group Results

X, volume / capacity	0.24	0.17	0.62	0.47	0.93	0.78	0.74
d, Delay for Lane Group [s/veh]	15.65	15.03	27.12	42.65	34.99	45.71	19.77
Lane Group LOS	B	B	C	D	C	D	B
Critical Lane Group	No	No	Yes	No	Yes	Yes	No
50th-Percentile Queue Length [veh/ln]	1.75	1.02	4.91	0.39	11.79	1.44	5.73
50th-Percentile Queue Length [ft/ln]	43.87	25.38	122.67	9.78	294.79	35.90	143.36
95th-Percentile Queue Length [veh/ln]	3.16	1.83	8.54	0.70	17.42	2.59	9.66
95th-Percentile Queue Length [ft/ln]	78.96	45.68	213.49	17.60	435.58	64.63	241.54

Movement, Approach, & Intersection Results


d_M, Delay for Movement [s/veh]	15.65	15.65	15.03	27.12	27.12	27.12	42.65	34.99	34.99	45.71	19.77	19.77
Movement LOS	B	B	B	C	C	C	D	C	C	D	B	B
d_A, Approach Delay [s/veh]	15.42			27.12			35.21			23.08		
Approach LOS	B			C			D			C		
d_I, Intersection Delay [s/veh]	27.11											
Intersection LOS	C											
Intersection V/C	0.698											

Other Modes

g_Walk,mi, Effective Walk Time [s]	9.0	9.0	0.0	9.0
M_corner, Corner Circulation Area [ft ² /ped]	0.00	0.00	0.00	0.00
M_CW, Crosswalk Circulation Area [ft ² /ped]	0.00	530.92	0.00	0.00
d_p, Pedestrian Delay [s]	26.58	26.58	0.00	26.58
I_p,int, Pedestrian LOS Score for Intersection	2.067	1.994	0.000	3.121
Crosswalk LOS	B	A	F	C
s_b, Saturation Flow Rate of the bicycle lane	2000	2000	2000	2000
c_b, Capacity of the bicycle lane [bicycles/h]	600	600	600	829
d_b, Bicycle Delay [s]	17.15	17.15	17.15	12.01
I_b,int, Bicycle LOS Score for Intersection	1.974	2.055	2.627	2.503
Bicycle LOS	A	B	B	B


Sequence

Ring 1	-	2	3	4	-	-	-	-	-	-	-	-	-	-	-	-
Ring 2	-	6	7	8	-	-	-	-	-	-	-	-	-	-	-	-
Ring 3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ring 4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-




Lane Configuration and Traffic Control

Microsoft product screen shot reprinted with permission from Microsoft Corporation.



Traffic Volume - Future Total Volume



**Intersection Level Of Service Report
Intersection 1: Canal Road @ 6th Street**

Control Type:	Signalized	Delay (sec / veh):	24.7
Analysis Method:	HCM 6th Edition	Level Of Service:	C
Analysis Period:	15 minutes	Volume to Capacity (v/c):	0.495

Intersection Setup

Name	Northbound			Southbound			6th Street Eastbound			6th Street Westbound		
Approach	Northbound			Southbound			Eastbound			Westbound		
Lane Configuration	← →			↑			← →			← →		
Turning Movement	Left	Thru	Right	Left	Thru	Right	Left	Thru	Right	Left	Thru	Right
Lane Width [ft]	12.00	12.00	12.00	12.00	12.00	12.00	18.27	18.27	10.14	11.75	12.23	12.23
No. of Lanes in Pocket	0	0	1	0	0	0	1	0	0	1	0	0
Pocket Length [ft]	100.00	100.00	100.00	100.00	100.00	100.00	122.39	100.00	100.00	87.41	100.00	100.00
Speed [mph]	30.00			30.00			25.00			55.00		
Grade [%]	0.00			0.00			0.00			0.00		
Curb Present	No			No			No			No		
Crosswalk	Yes			Yes			No			Yes		

Volumes

Name	Northbound			Southbound			6th Street Eastbound			6th Street Westbound		
Base Volume Input [veh/h]	31	51	86	108	41	15	15	342	24	48	398	99
Base Volume Adjustment Factor	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
Heavy Vehicles Percentage [%]	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00
Growth Factor	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
In-Process Volume [veh/h]	0	0	0	0	0	0	0	0	0	0	0	0
Site-Generated Trips [veh/h]	0	0	0	0	0	0	0	0	0	0	0	0
Diverted Trips [veh/h]	0	0	0	0	0	0	0	0	0	0	0	0
Pass-by Trips [veh/h]	0	0	0	0	0	0	0	0	0	0	0	0
Existing Site Adjustment Volume [veh/h]	0	0	0	0	0	0	0	0	0	0	0	0
Other Volume [veh/h]	0	0	0	0	0	0	0	0	0	0	0	0
Right-Turn on Red Volume [veh/h]	0	0	0	0	0	0	0	0	0	0	0	0
Total Hourly Volume [veh/h]	31	51	86	108	41	15	15	342	24	48	398	99
Peak Hour Factor	0.9100	0.9100	0.9100	0.9100	0.9100	0.9100	0.9100	0.9100	0.9100	0.9100	0.9100	0.9100
Other Adjustment Factor	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
Total 15-Minute Volume [veh/h]	9	14	24	30	11	4	4	94	7	13	109	27
Total Analysis Volume [veh/h]	34	56	95	119	45	16	16	376	26	53	437	109
Presence of On-Street Parking	No		No	No		No	No		No	No		No
On-Street Parking Maneuver Rate [/h]	0	0	0	0	0	0	0	0	0	0	0	0
Local Bus Stopping Rate [/h]	0	0	0	0	0	0	0	0	0	0	0	0
v_do, Outbound Pedestrian Volume crossing	0			0			0			0		
v_di, Inbound Pedestrian Volume crossing m	0			0			0			0		
v_co, Outbound Pedestrian Volume crossing	0			0			0			0		
v_ci, Inbound Pedestrian Volume crossing mi	0			0			0			0		
v_ab, Corner Pedestrian Volume [ped/h]	0			0			0			0		
Bicycle Volume [bicycles/h]	0			0			0			0		

Intersection Settings

Located in CBD	Yes
Signal Coordination Group	-
Cycle Length [s]	70
Coordination Type	Time of Day Pattern Isolated
Actuation Type	Fully actuated
Offset [s]	0.0
Offset Reference	LeadGreen
Permissive Mode	SingleBand
Lost time [s]	0.00

Phasing & Timing

Control Type	Permiss	Permiss	Permiss	Permiss	Permiss	Permiss	Protecte	Permiss	Permiss	Protecte	Permiss	Permiss
Signal Group	0	6	0	0	2	0	3	8	0	7	4	0
Auxiliary Signal Groups												
Lead / Lag	-	-	-	-	-	-	Lead	-	-	Lead	-	-
Minimum Green [s]	0	5	0	0	5	0	5	5	0	5	5	0
Maximum Green [s]	0	30	0	0	30	0	30	30	0	30	30	0
Amber [s]	0.0	3.0	0.0	0.0	3.0	0.0	3.0	3.0	0.0	3.0	3.0	0.0
All red [s]	0.0	1.0	0.0	0.0	1.0	0.0	1.0	1.0	0.0	1.0	1.0	0.0
Split [s]	0	25	0	0	25	0	9	35	0	10	36	0
Vehicle Extension [s]	0.0	3.0	0.0	0.0	3.0	0.0	3.0	3.0	0.0	3.0	3.0	0.0
Walk [s]	0	5	0	0	5	0	0	5	0	0	5	0
Pedestrian Clearance [s]	0	16	0	0	10	0	0	16	0	0	18	0
Rest In Walk		No			No			No			No	
I1, Start-Up Lost Time [s]	0.0	2.0	0.0	0.0	2.0	0.0	2.0	2.0	0.0	2.0	2.0	0.0
I2, Clearance Lost Time [s]	0.0	2.0	0.0	0.0	2.0	0.0	2.0	2.0	0.0	2.0	2.0	0.0
Minimum Recall		No			No		No	No		No	No	
Maximum Recall		No			No		No	No		No	No	
Pedestrian Recall		No			No		No	No		No	No	
Detector Location [ft]	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Detector Length [ft]	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
I, Upstream Filtering Factor	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00

Exclusive Pedestrian Phase

Pedestrian Signal Group	0
Pedestrian Walk [s]	0
Pedestrian Clearance [s]	0

Lane Group Calculations

Lane Group	C	R	C	L	C	L	C
C, Cycle Length [s]	70	70	70	70	70	70	70
L, Total Lost Time per Cycle [s]	4.00	4.00	4.00	4.00	4.00	4.00	4.00
l1_p, Permitted Start-Up Lost Time [s]	2.00	0.00	2.00	0.00	0.00	0.00	0.00
l2, Clearance Lost Time [s]	2.00	2.00	2.00	2.00	2.00	2.00	2.00
g_i, Effective Green Time [s]	31	31	31	1	24	3	26
g / C, Green / Cycle	0.44	0.44	0.44	0.02	0.34	0.05	0.37
(v / s)_i Volume / Saturation Flow Rate	0.06	0.07	0.15	0.01	0.23	0.03	0.34
s, saturation flow rate [veh/h]	1491	1431	1204	1667	1731	1603	1626
c, Capacity [veh/h]	730	632	617	35	587	76	595
d1, Uniform Delay [s]	11.54	11.70	14.11	33.94	19.94	32.89	21.22
k, delay calibration	0.50	0.50	0.50	0.11	0.11	0.11	0.21
l, Upstream Filtering Factor	1.00	1.00	1.00	1.00	1.00	1.00	1.00
d2, Incremental Delay [s]	0.35	0.50	1.19	9.18	1.42	10.70	10.90
d3, Initial Queue Delay [s]	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Rp, platoon ratio	1.00	1.00	1.00	1.00	1.00	1.00	1.00
PF, progression factor	1.00	1.00	1.00	1.00	1.00	1.00	1.00

Lane Group Results

X, volume / capacity	0.12	0.15	0.29	0.46	0.68	0.69	0.92
d, Delay for Lane Group [s/veh]	11.88	12.20	15.30	43.12	21.36	43.58	32.12
Lane Group LOS	B	B	B	D	C	D	C
Critical Lane Group	No	No	Yes	Yes	No	No	Yes
50th-Percentile Queue Length [veh/ln]	0.83	0.90	2.02	0.35	5.58	1.02	8.64
50th-Percentile Queue Length [ft/ln]	20.67	22.45	50.59	8.85	139.43	25.59	216.08
95th-Percentile Queue Length [veh/ln]	1.49	1.62	3.64	0.64	9.45	1.84	13.46
95th-Percentile Queue Length [ft/ln]	37.21	40.41	91.07	15.92	236.25	46.05	336.62

Movement, Approach, & Intersection Results

d_M, Delay for Movement [s/veh]	11.88	11.88	12.20	15.30	15.30	15.30	43.12	21.36	21.36	43.58	32.12	32.12
Movement LOS	B	B	B	B	B	B	D	C	C	D	C	C
d_A, Approach Delay [s/veh]	12.04			15.30			22.20			33.13		
Approach LOS	B			B			C			C		
d_I, Intersection Delay [s/veh]	24.68											
Intersection LOS	C											
Intersection V/C	0.495											

Other Modes


g_Walk,mi, Effective Walk Time [s]	9.0	9.0	9.0	9.0
M_corner, Corner Circulation Area [ft ² /ped]	0.00	0.00	0.00	0.00
M_CW, Crosswalk Circulation Area [ft ² /ped]	0.00	0.00	0.00	0.00
d_p, Pedestrian Delay [s]	26.58	26.58	26.58	26.58
I_p,int, Pedestrian LOS Score for Intersection	2.029	1.880	0.000	2.807
Crosswalk LOS	B	A	F	C
s_b, Saturation Flow Rate of the bicycle lane	2000	2000	2000	2000
c_b, Capacity of the bicycle lane [bicycles/h]	600	600	886	914
d_b, Bicycle Delay [s]	17.15	17.15	10.86	10.31
I_b,int, Bicycle LOS Score for Intersection	1.865	1.857	2.249	2.548
Bicycle LOS	A	A	B	B

Sequence


Ring 1	-	2	3	4	-	-	-	-	-	-	-	-	-	-	-	-
Ring 2	-	6	7	8	-	-	-	-	-	-	-	-	-	-	-	-
Ring 3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ring 4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-



Lane Configuration and Traffic Control



Traffic Volume - Future Total Volume



Intersection Level Of Service Report
Intersection 1: Canal Road @ 6th Street

Control Type:	Signalized	Delay (sec / veh):	24.7
Analysis Method:	HCM 6th Edition	Level Of Service:	C
Analysis Period:	15 minutes	Volume to Capacity (v/c):	0.554

Intersection Setup

Name	Northbound			Southbound			6th Street Eastbound			6th Street Westbound		
Approach	Northbound			Southbound			Eastbound			Westbound		
Lane Configuration	← ↑ →			↑			← ↑ →			← ↑ →		
Turning Movement	Left	Thru	Right	Left	Thru	Right	Left	Thru	Right	Left	Thru	Right
Lane Width [ft]	12.00	12.00	12.00	12.00	12.00	12.00	18.27	18.27	10.14	11.75	12.23	12.23
No. of Lanes in Pocket	0	0	1	0	0	0	1	0	0	1	0	0
Pocket Length [ft]	100.00	100.00	100.00	100.00	100.00	100.00	122.39	100.00	100.00	87.41	100.00	100.00
Speed [mph]	30.00			30.00			25.00			55.00		
Grade [%]	0.00			0.00			0.00			0.00		
Curb Present	No			No			No			No		
Crosswalk	Yes			Yes			No			Yes		

Volumes

Name	Northbound			Southbound			6th Street Eastbound			6th Street Westbound		
Base Volume Input [veh/h]	31	51	86	108	41	15	15	342	24	48	398	99
Base Volume Adjustment Factor	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
Heavy Vehicles Percentage [%]	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00
Growth Factor	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
In-Process Volume [veh/h]	0	0	0	0	0	0	0	0	0	0	0	0
Site-Generated Trips [veh/h]	0	12	0	27	23	3	1	0	0	0	0	13
Diverted Trips [veh/h]	0	0	0	0	0	0	0	0	0	0	0	0
Pass-by Trips [veh/h]	0	0	0	0	0	0	0	0	0	0	0	0
Existing Site Adjustment Volume [veh/h]	0	0	0	0	0	0	0	0	0	0	0	0
Other Volume [veh/h]	0	0	0	0	0	0	0	0	0	0	0	0
Right-Turn on Red Volume [veh/h]	0	0	0	0	0	0	0	0	0	0	0	0
Total Hourly Volume [veh/h]	31	63	86	135	64	18	16	342	24	48	398	112
Peak Hour Factor	0.9100	0.9100	0.9100	0.9100	0.9100	0.9100	0.9100	0.9100	0.9100	0.9100	0.9100	0.9100
Other Adjustment Factor	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
Total 15-Minute Volume [veh/h]	9	17	24	37	18	5	4	94	7	13	109	31
Total Analysis Volume [veh/h]	34	69	95	148	70	20	18	376	26	53	437	123
Presence of On-Street Parking	No		No	No		No	No		No	No		No
On-Street Parking Maneuver Rate [/h]	0	0	0	0	0	0	0	0	0	0	0	0
Local Bus Stopping Rate [/h]	0	0	0	0	0	0	0	0	0	0	0	0
v_do, Outbound Pedestrian Volume crossing	0			0			0			0		
v_di, Inbound Pedestrian Volume crossing m	0			0			0			0		
v_co, Outbound Pedestrian Volume crossing	0			0			0			0		
v_ci, Inbound Pedestrian Volume crossing mi	0			0			0			0		
v_ab, Corner Pedestrian Volume [ped/h]	0			0			0			0		
Bicycle Volume [bicycles/h]	0			0			0			0		

Intersection Settings

Located in CBD	Yes
Signal Coordination Group	-
Cycle Length [s]	70
Coordination Type	Time of Day Pattern Isolated
Actuation Type	Fully actuated
Offset [s]	0.0
Offset Reference	LeadGreen
Permissive Mode	SingleBand
Lost time [s]	0.00

Phasing & Timing

Control Type	Permiss	Permiss	Permiss	Permiss	Permiss	Permiss	Protecte	Permiss	Permiss	Protecte	Permiss	Permiss
Signal Group	0	6	0	0	2	0	3	8	0	7	4	0
Auxiliary Signal Groups												
Lead / Lag	-	-	-	-	-	-	Lead	-	-	Lead	-	-
Minimum Green [s]	0	5	0	0	5	0	5	5	0	5	5	0
Maximum Green [s]	0	30	0	0	30	0	30	30	0	30	30	0
Amber [s]	0.0	3.0	0.0	0.0	3.0	0.0	3.0	3.0	0.0	3.0	3.0	0.0
All red [s]	0.0	1.0	0.0	0.0	1.0	0.0	1.0	1.0	0.0	1.0	1.0	0.0
Split [s]	0	25	0	0	25	0	9	35	0	10	36	0
Vehicle Extension [s]	0.0	3.0	0.0	0.0	3.0	0.0	3.0	3.0	0.0	3.0	3.0	0.0
Walk [s]	0	5	0	0	5	0	0	5	0	0	5	0
Pedestrian Clearance [s]	0	16	0	0	10	0	0	16	0	0	18	0
Rest In Walk		No			No			No			No	
I1, Start-Up Lost Time [s]	0.0	2.0	0.0	0.0	2.0	0.0	2.0	2.0	0.0	2.0	2.0	0.0
I2, Clearance Lost Time [s]	0.0	2.0	0.0	0.0	2.0	0.0	2.0	2.0	0.0	2.0	2.0	0.0
Minimum Recall		No			No		No	No		No	No	
Maximum Recall		No			No		No	No		No	No	
Pedestrian Recall		No			No		No	No		No	No	
Detector Location [ft]	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Detector Length [ft]	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
I, Upstream Filtering Factor	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00

Exclusive Pedestrian Phase

Pedestrian Signal Group	0
Pedestrian Walk [s]	0
Pedestrian Clearance [s]	0

Lane Group Calculations

Lane Group	C	R	C	L	C	L	C
C, Cycle Length [s]	70	70	70	70	70	70	70
L, Total Lost Time per Cycle [s]	4.00	4.00	4.00	4.00	4.00	4.00	4.00
l1_p, Permitted Start-Up Lost Time [s]	2.00	0.00	2.00	0.00	0.00	0.00	0.00
l2, Clearance Lost Time [s]	2.00	2.00	2.00	2.00	2.00	2.00	2.00
g_i, Effective Green Time [s]	30	30	30	2	25	3	26
g / C, Green / Cycle	0.43	0.43	0.43	0.02	0.35	0.05	0.38
(v / s)_i Volume / Saturation Flow Rate	0.07	0.07	0.20	0.01	0.23	0.03	0.35
s, saturation flow rate [veh/h]	1494	1431	1205	1667	1731	1603	1620
c, Capacity [veh/h]	712	616	602	38	607	76	608
d1, Uniform Delay [s]	12.11	12.17	15.50	33.84	19.26	32.89	20.91
k, delay calibration	0.50	0.50	0.50	0.11	0.11	0.11	0.23
l, Upstream Filtering Factor	1.00	1.00	1.00	1.00	1.00	1.00	1.00
d2, Incremental Delay [s]	0.43	0.53	1.94	8.81	1.25	10.70	11.71
d3, Initial Queue Delay [s]	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Rp, platoon ratio	1.00	1.00	1.00	1.00	1.00	1.00	1.00
PF, progression factor	1.00	1.00	1.00	1.00	1.00	1.00	1.00

Lane Group Results

X, volume / capacity	0.14	0.15	0.40	0.47	0.66	0.69	0.92
d, Delay for Lane Group [s/veh]	12.53	12.71	17.44	42.65	20.51	43.58	32.62
Lane Group LOS	B	B	B	D	C	D	C
Critical Lane Group	No	No	Yes	Yes	No	No	Yes
50th-Percentile Queue Length [veh/ln]	0.98	0.92	2.92	0.39	5.44	1.02	8.94
50th-Percentile Queue Length [ft/ln]	24.55	23.08	73.04	9.78	135.98	25.59	223.59
95th-Percentile Queue Length [veh/ln]	1.77	1.66	5.26	0.70	9.26	1.84	13.85
95th-Percentile Queue Length [ft/ln]	44.18	41.55	131.47	17.60	231.60	46.05	346.20

Movement, Approach, & Intersection Results

d_M, Delay for Movement [s/veh]	12.53	12.53	12.71	17.44	17.44	17.44	42.65	20.51	20.51	43.58	32.62	32.62
Movement LOS	B	B	B	B	B	B	D	C	C	D	C	C
d_A, Approach Delay [s/veh]	12.62			17.44			21.46			33.57		
Approach LOS	B			B			C			C		
d_I, Intersection Delay [s/veh]	24.67											
Intersection LOS	C											
Intersection V/C	0.554											

Other Modes


g_Walk,mi, Effective Walk Time [s]	9.0	9.0	0.0	9.0
M_corner, Corner Circulation Area [ft ² /ped]	0.00	0.00	0.00	0.00
M_CW, Crosswalk Circulation Area [ft ² /ped]	0.00	0.00	0.00	0.00
d_p, Pedestrian Delay [s]	26.58	26.58	0.00	26.58
I_p,int, Pedestrian LOS Score for Intersection	2.042	1.922	0.000	2.874
Crosswalk LOS	B	A	F	C
s_b, Saturation Flow Rate of the bicycle lane	2000	2000	2000	2000
c_b, Capacity of the bicycle lane [bicycles/h]	600	600	886	914
d_b, Bicycle Delay [s]	17.15	17.15	10.86	10.31
I_b,int, Bicycle LOS Score for Intersection	1.886	1.952	2.253	2.571
Bicycle LOS	A	A	B	B

Sequence


Ring 1	-	2	3	4	-	-	-	-	-	-	-	-	-	-	-	-
Ring 2	-	6	7	8	-	-	-	-	-	-	-	-	-	-	-	-
Ring 3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ring 4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-



Lane Configuration and Traffic Control



Traffic Volume - Future Total Volume



Intersection Level Of Service Report
Intersection 1: Canal Road @ 6th Street

Control Type:	Signalized	Delay (sec / veh):	27.2
Analysis Method:	HCM 6th Edition	Level Of Service:	C
Analysis Period:	15 minutes	Volume to Capacity (v/c):	0.568

Intersection Setup

Name	Canal Rd			Canal Rd			6th Street			6th Street		
Approach	Northbound			Southbound			Eastbound			Westbound		
Lane Configuration	← →			↑			← →			← →		
Turning Movement	Left	Thru	Right	Left	Thru	Right	Left	Thru	Right	Left	Thru	Right
Lane Width [ft]	12.00	12.00	12.00	12.00	12.00	12.00	18.27	18.27	10.14	11.75	12.23	12.23
No. of Lanes in Pocket	0	0	1	0	0	0	1	0	0	1	0	0
Pocket Length [ft]	100.00	100.00	100.00	100.00	100.00	100.00	122.39	100.00	100.00	87.41	100.00	100.00
Speed [mph]	30.00			30.00			25.00			55.00		
Grade [%]	0.00			0.00			0.00			0.00		
Curb Present	No			No			No			No		
Crosswalk	Yes			Yes			No			Yes		

Volumes

Name	Canal Rd			Canal Rd			6th Street			6th Street		
Base Volume Input [veh/h]	67	50	98	86	16	3	0	359	20	52	569	152
Base Volume Adjustment Factor	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
Heavy Vehicles Percentage [%]	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00
Growth Factor	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
In-Process Volume [veh/h]	0	0	0	0	0	0	0	0	0	0	0	0
Site-Generated Trips [veh/h]	0	0	0	0	0	0	0	0	0	0	0	0
Diverted Trips [veh/h]	0	0	0	0	0	0	0	0	0	0	0	0
Pass-by Trips [veh/h]	0	0	0	0	0	0	0	0	0	0	0	0
Existing Site Adjustment Volume [veh/h]	0	0	0	0	0	0	0	0	0	0	0	0
Other Volume [veh/h]	0	0	0	0	0	0	0	0	0	0	0	0
Right-Turn on Red Volume [veh/h]	0	0	0	0	0	0	0	0	0	0	0	0
Total Hourly Volume [veh/h]	67	50	98	86	16	3	0	359	20	52	569	152
Peak Hour Factor	0.9600	0.9600	0.9600	0.9600	0.9600	0.9600	0.9600	0.9600	0.9600	0.9600	0.9600	0.9600
Other Adjustment Factor	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
Total 15-Minute Volume [veh/h]	17	13	26	22	4	1	0	93	5	14	148	40
Total Analysis Volume [veh/h]	70	52	102	90	17	3	0	374	21	54	593	158
Presence of On-Street Parking	No		No	No		No	No		No	No		No
On-Street Parking Maneuver Rate [/h]	0	0	0	0	0	0	0	0	0	0	0	0
Local Bus Stopping Rate [/h]	0	0	0	0	0	0	0	0	0	0	0	0
v_do, Outbound Pedestrian Volume crossing	0			0			0			18		
v_di, Inbound Pedestrian Volume crossing m	0			18			0			0		
v_co, Outbound Pedestrian Volume crossing	0			0			0			0		
v_ci, Inbound Pedestrian Volume crossing mi	0			0			0			0		
v_ab, Corner Pedestrian Volume [ped/h]	0			0			0			0		
Bicycle Volume [bicycles/h]	0			0			0			0		

Intersection Settings

Located in CBD	Yes
Signal Coordination Group	-
Cycle Length [s]	70
Coordination Type	Time of Day Pattern Isolated
Actuation Type	Fully actuated
Offset [s]	0.0
Offset Reference	LeadGreen
Permissive Mode	SingleBand
Lost time [s]	0.00

Phasing & Timing

Control Type	Permiss	Permiss	Permiss	Permiss	Permiss	Permiss	Protecte	Permiss	Permiss	Protecte	Permiss	Permiss
Signal Group	0	6	0	0	2	0	3	8	0	7	4	0
Auxiliary Signal Groups												
Lead / Lag	-	-	-	-	-	-	Lead	-	-	Lead	-	-
Minimum Green [s]	0	5	0	0	5	0	5	5	0	5	5	0
Maximum Green [s]	0	30	0	0	30	0	30	30	0	30	30	0
Amber [s]	0.0	3.0	0.0	0.0	3.0	0.0	3.0	3.0	0.0	3.0	3.0	0.0
All red [s]	0.0	1.0	0.0	0.0	1.0	0.0	1.0	1.0	0.0	1.0	1.0	0.0
Split [s]	0	25	0	0	25	0	9	35	0	10	36	0
Vehicle Extension [s]	0.0	3.0	0.0	0.0	3.0	0.0	3.0	3.0	0.0	3.0	3.0	0.0
Walk [s]	0	5	0	0	5	0	0	5	0	0	5	0
Pedestrian Clearance [s]	0	16	0	0	10	0	0	16	0	0	18	0
Rest In Walk		No			No			No			No	
I1, Start-Up Lost Time [s]	0.0	2.0	0.0	0.0	2.0	0.0	2.0	2.0	0.0	2.0	2.0	0.0
I2, Clearance Lost Time [s]	0.0	2.0	0.0	0.0	2.0	0.0	2.0	2.0	0.0	2.0	2.0	0.0
Minimum Recall		No			No		No	No		No	No	
Maximum Recall		No			No		No	No		No	No	
Pedestrian Recall		No			No		No	No		No	No	
Detector Location [ft]	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Detector Length [ft]	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
I, Upstream Filtering Factor	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00

Exclusive Pedestrian Phase

Pedestrian Signal Group	0
Pedestrian Walk [s]	0
Pedestrian Clearance [s]	0

Lane Group Calculations

Lane Group	C	R	C	L	C	L	C
C, Cycle Length [s]	70	70	70	70	70	70	70
L, Total Lost Time per Cycle [s]	4.00	4.00	4.00	4.00	4.00	4.00	4.00
l1_p, Permitted Start-Up Lost Time [s]	2.00	0.00	2.00	0.00	0.00	0.00	0.00
l2, Clearance Lost Time [s]	2.00	2.00	2.00	2.00	2.00	2.00	2.00
g_i, Effective Green Time [s]	24	24	24	0	31	3	34
g / C, Green / Cycle	0.34	0.34	0.34	0.00	0.44	0.05	0.49
(v / s)_i Volume / Saturation Flow Rate	0.08	0.07	0.10	0.00	0.23	0.03	0.46
s, saturation flow rate [veh/h]	1459	1431	1064	1667	1734	1603	1615
c, Capacity [veh/h]	581	490	458	1	762	75	785
d1, Uniform Delay [s]	16.36	16.30	19.17	0.00	14.26	32.92	17.31
k, delay calibration	0.50	0.50	0.50	0.11	0.11	0.11	0.37
l, Upstream Filtering Factor	1.00	1.00	1.00	1.00	1.00	1.00	1.00
d2, Incremental Delay [s]	0.82	0.96	1.24	0.00	0.55	12.06	19.13
d3, Initial Queue Delay [s]	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Rp, platoon ratio	1.00	1.00	1.00	1.00	1.00	1.00	1.00
PF, progression factor	1.00	1.00	1.00	1.00	1.00	1.00	1.00

Lane Group Results

X, volume / capacity	0.21	0.21	0.24	0.00	0.52	0.72	0.96
d, Delay for Lane Group [s/veh]	17.19	17.26	20.41	0.00	14.81	44.98	36.44
Lane Group LOS	B	B	C	A	B	D	D
Critical Lane Group	No	No	Yes	No	No	No	Yes
50th-Percentile Queue Length [veh/ln]	1.44	1.22	1.49	0.00	4.32	1.06	12.53
50th-Percentile Queue Length [ft/ln]	36.09	30.53	37.16	0.00	108.03	26.58	313.13
95th-Percentile Queue Length [veh/ln]	2.60	2.20	2.68	0.00	7.73	1.91	18.33
95th-Percentile Queue Length [ft/ln]	64.96	54.96	66.89	0.00	193.25	47.85	458.23

Movement, Approach, & Intersection Results

d_M, Delay for Movement [s/veh]	17.19	17.19	17.26	20.41	20.41	20.41	0.00	14.81	14.81	44.98	36.44	36.44
Movement LOS	B	B	B	C	C	C	A	B	B	D	D	D
d_A, Approach Delay [s/veh]	17.22			20.41			14.81			37.01		
Approach LOS	B			C			B			D		
d_I, Intersection Delay [s/veh]	27.21											
Intersection LOS	C											
Intersection V/C	0.568											

Other Modes


g_Walk,mi, Effective Walk Time [s]	9.0	9.0	0.0	9.0
M_corner, Corner Circulation Area [ft ² /ped]	0.00	0.00	0.00	0.00
M_CW, Crosswalk Circulation Area [ft ² /ped]	0.00	793.23	0.00	0.00
d_p, Pedestrian Delay [s]	26.58	26.58	0.00	26.58
I_p,int, Pedestrian LOS Score for Intersection	2.032	1.860	0.000	2.874
Crosswalk LOS	B	A	F	C
s_b, Saturation Flow Rate of the bicycle lane	2000	2000	2000	2000
c_b, Capacity of the bicycle lane [bicycles/h]	600	600	886	914
d_b, Bicycle Delay [s]	17.15	17.15	10.86	10.31
I_b,int, Bicycle LOS Score for Intersection	1.929	1.741	2.211	2.888
Bicycle LOS	A	A	B	C

Sequence


Ring 1	-	2	3	4	-	-	-	-	-	-	-	-	-	-	-	-
Ring 2	-	6	7	8	-	-	-	-	-	-	-	-	-	-	-	-
Ring 3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ring 4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-



Lane Configuration and Traffic Control



Traffic Volume - Future Total Volume



Intersection Level Of Service Report
Intersection 1: Canal Road @ 6th Street

Control Type:	Signalized	Delay (sec / veh):	27.2
Analysis Method:	HCM 6th Edition	Level Of Service:	C
Analysis Period:	15 minutes	Volume to Capacity (v/c):	0.595

Intersection Setup

Name	Canal Rd			Canal Rd			6th Street			6th Street		
Approach	Northbound			Southbound			Eastbound			Westbound		
Lane Configuration	← →			↑			← →			← →		
Turning Movement	Left	Thru	Right	Left	Thru	Right	Left	Thru	Right	Left	Thru	Right
Lane Width [ft]	12.00	12.00	12.00	12.00	12.00	12.00	18.27	18.27	10.14	11.75	12.23	12.23
No. of Lanes in Pocket	0	0	1	0	0	0	1	0	0	1	0	0
Pocket Length [ft]	100.00	100.00	100.00	100.00	100.00	100.00	122.39	100.00	100.00	87.41	100.00	100.00
Speed [mph]	30.00			30.00			25.00			55.00		
Grade [%]	0.00			0.00			0.00			0.00		
Curb Present	No			No			No			No		
Crosswalk	Yes			Yes			No			Yes		

Volumes

Name	Canal Rd			Canal Rd			6th Street			6th Street		
Base Volume Input [veh/h]	67	50	98	86	16	3	0	359	20	52	569	152
Base Volume Adjustment Factor	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
Heavy Vehicles Percentage [%]	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00
Growth Factor	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
In-Process Volume [veh/h]	0	0	0	0	0	0	0	0	0	0	0	0
Site-Generated Trips [veh/h]	0	8	0	8	8	1	1	0	0	0	0	8
Diverted Trips [veh/h]	0	0	0	0	0	0	0	0	0	0	0	0
Pass-by Trips [veh/h]	0	0	0	0	0	0	0	0	0	0	0	0
Existing Site Adjustment Volume [veh/h]	0	0	0	0	0	0	0	0	0	0	0	0
Other Volume [veh/h]	0	0	0	0	0	0	0	0	0	0	0	0
Right-Turn on Red Volume [veh/h]	0	0	0	0	0	0	0	0	0	0	0	0
Total Hourly Volume [veh/h]	67	58	98	94	24	4	1	359	20	52	569	160
Peak Hour Factor	0.9600	0.9600	0.9600	0.9600	0.9600	0.9600	0.9600	0.9600	0.9600	0.9600	0.9600	0.9600
Other Adjustment Factor	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
Total 15-Minute Volume [veh/h]	17	15	26	24	6	1	0	93	5	14	148	42
Total Analysis Volume [veh/h]	70	60	102	98	25	4	1	374	21	54	593	167
Presence of On-Street Parking	No		No	No		No	No		No	No		No
On-Street Parking Maneuver Rate [/h]	0	0	0	0	0	0	0	0	0	0	0	0
Local Bus Stopping Rate [/h]	0	0	0	0	0	0	0	0	0	0	0	0
v_do, Outbound Pedestrian Volume crossing	0			0			0			18		
v_di, Inbound Pedestrian Volume crossing m	0			18			0			0		
v_co, Outbound Pedestrian Volume crossing	0			0			0			0		
v_ci, Inbound Pedestrian Volume crossing mi	0			0			0			0		
v_ab, Corner Pedestrian Volume [ped/h]	0			0			0			0		
Bicycle Volume [bicycles/h]	0			0			0			0		

Intersection Settings

Located in CBD	Yes
Signal Coordination Group	-
Cycle Length [s]	70
Coordination Type	Time of Day Pattern Isolated
Actuation Type	Fully actuated
Offset [s]	0.0
Offset Reference	LeadGreen
Permissive Mode	SingleBand
Lost time [s]	0.00

Phasing & Timing

Control Type	Permiss	Permiss	Permiss	Permiss	Permiss	Permiss	Protecte	Permiss	Permiss	Protecte	Permiss	Permiss
Signal Group	0	6	0	0	2	0	3	8	0	7	4	0
Auxiliary Signal Groups												
Lead / Lag	-	-	-	-	-	-	Lead	-	-	Lead	-	-
Minimum Green [s]	0	5	0	0	5	0	5	5	0	5	5	0
Maximum Green [s]	0	30	0	0	30	0	30	30	0	30	30	0
Amber [s]	0.0	3.0	0.0	0.0	3.0	0.0	3.0	3.0	0.0	3.0	3.0	0.0
All red [s]	0.0	1.0	0.0	0.0	1.0	0.0	1.0	1.0	0.0	1.0	1.0	0.0
Split [s]	0	25	0	0	25	0	10	36	0	9	35	0
Vehicle Extension [s]	0.0	3.0	0.0	0.0	3.0	0.0	3.0	3.0	0.0	3.0	3.0	0.0
Walk [s]	0	5	0	0	5	0	0	5	0	0	5	0
Pedestrian Clearance [s]	0	16	0	0	10	0	0	16	0	0	18	0
Rest In Walk		No			No			No			No	
I1, Start-Up Lost Time [s]	0.0	2.0	0.0	0.0	2.0	0.0	2.0	2.0	0.0	2.0	2.0	0.0
I2, Clearance Lost Time [s]	0.0	2.0	0.0	0.0	2.0	0.0	2.0	2.0	0.0	2.0	2.0	0.0
Minimum Recall		No			No		No	No		No	No	
Maximum Recall		No			No		No	No		No	No	
Pedestrian Recall		No			No		No	No		No	No	
Detector Location [ft]	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Detector Length [ft]	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
I, Upstream Filtering Factor	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00

Exclusive Pedestrian Phase

Pedestrian Signal Group	0
Pedestrian Walk [s]	0
Pedestrian Clearance [s]	0

Lane Group Calculations

Lane Group	C	R	C	L	C	L	C
C, Cycle Length [s]	70	70	70	70	70	70	70
L, Total Lost Time per Cycle [s]	4.00	4.00	4.00	4.00	4.00	4.00	4.00
l1_p, Permitted Start-Up Lost Time [s]	2.00	0.00	2.00	0.00	0.00	0.00	0.00
l2, Clearance Lost Time [s]	2.00	2.00	2.00	2.00	2.00	2.00	2.00
g_i, Effective Green Time [s]	23	23	23	0	31	3	34
g / C, Green / Cycle	0.33	0.33	0.33	0.00	0.45	0.05	0.49
(v / s)_i Volume / Saturation Flow Rate	0.09	0.07	0.12	0.00	0.23	0.03	0.47
s, saturation flow rate [veh/h]	1456	1431	1032	1667	1734	1603	1613
c, Capacity [veh/h]	566	479	437	3	776	75	794
d1, Uniform Delay [s]	16.86	16.69	20.25	34.92	13.85	32.93	17.06
k, delay calibration	0.50	0.50	0.50	0.11	0.11	0.11	0.38
l, Upstream Filtering Factor	1.00	1.00	1.00	1.00	1.00	1.00	1.00
d2, Incremental Delay [s]	0.94	1.02	1.68	71.24	0.52	12.29	19.29
d3, Initial Queue Delay [s]	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Rp, platoon ratio	1.00	1.00	1.00	1.00	1.00	1.00	1.00
PF, progression factor	1.00	1.00	1.00	1.00	1.00	1.00	1.00

Lane Group Results

X, volume / capacity	0.23	0.21	0.29	0.38	0.51	0.72	0.96
d, Delay for Lane Group [s/veh]	17.80	17.70	21.94	106.16	14.37	45.22	36.35
Lane Group LOS	B	B	C	F	B	D	D
Critical Lane Group	No	No	Yes	Yes	No	No	Yes
50th-Percentile Queue Length [veh/ln]	1.57	1.24	1.80	0.07	4.25	1.07	12.66
50th-Percentile Queue Length [ft/ln]	39.33	31.00	45.06	1.73	106.17	26.67	316.40
95th-Percentile Queue Length [veh/ln]	2.83	2.23	3.24	0.12	7.63	1.92	18.49
95th-Percentile Queue Length [ft/ln]	70.79	55.79	81.11	3.11	190.66	48.01	462.26

Movement, Approach, & Intersection Results

d_M, Delay for Movement [s/veh]	17.80	17.80	17.70	21.94	21.94	21.94	106.16	14.37	14.37	45.22	36.35	36.35
Movement LOS	B	B	B	C	C	C	F	B	B	D	D	D
d_A, Approach Delay [s/veh]	17.76			21.94			14.60			36.94		
Approach LOS	B			C			B			D		
d_I, Intersection Delay [s/veh]	27.25											
Intersection LOS	C											
Intersection V/C	0.595											

Other Modes


g_Walk,mi, Effective Walk Time [s]	9.0	9.0	0.0	9.0
M_corner, Corner Circulation Area [ft ² /ped]	0.00	0.00	0.00	0.00
M_CW, Crosswalk Circulation Area [ft ² /ped]	0.00	780.29	0.00	0.00
d_p, Pedestrian Delay [s]	26.58	26.58	0.00	26.58
I_p,int, Pedestrian LOS Score for Intersection	2.037	1.877	0.000	2.895
Crosswalk LOS	B	A	F	C
s_b, Saturation Flow Rate of the bicycle lane	2000	2000	2000	2000
c_b, Capacity of the bicycle lane [bicycles/h]	600	600	914	886
d_b, Bicycle Delay [s]	17.15	17.15	10.31	10.86
I_b,int, Bicycle LOS Score for Intersection	1.942	1.769	2.213	2.903
Bicycle LOS	A	A	B	C

Sequence

Ring 1	-	2	3	4	-	-	-	-	-	-	-	-	-	-	-	-
Ring 2	-	6	7	8	-	-	-	-	-	-	-	-	-	-	-	-
Ring 3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ring 4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-



Lane Configuration and Traffic Control



Traffic Volume - Future Total Volume

