## Tube Feeding Authorization and Action Plan Student's Name Date of Birth School District/School Fax Number This form provides health care provider and parental authorization for medical treatment to be provided during school hours. Both the prescribing health care provider and the parent/legal guardian are required to complete this document before the services can be provided. Any alteration of the form invalidates the authorization. Note: Physician's orders are required for all medical procedures administered at school. Please have your child's physician complete this portion of the form and return it to the school or have them fax it to the District Health Services or school nurse. The following section is to be completed by the prescribing physician or health care provider: The student named in this document is under my medical supervision for the diagnosis described below. I have prescribed the following treatment that is necessary to be given during school hours for the child's health or safety. I am also aware that the prescribed treatment may be administered by trained and delegated unlicensed assistive personnel (UAP). Diagnosis for which tube feeding will be required in school: Type of appliance placed: ☐Peg/ Long G-Tube ☐Low Profile G-Tube Button ☐GJ-Tube ☐J-Tube ☐Other, describe: Type of formula: Venting as needed: Amount of water flush: Time(s) of tube feeding syringe water flush: Time(s) of formula feedings and amount: (If homemade blended formula, please specify minimum and maximum per feed) Tube feeding method: □G-Tube □J-Tube □Gravity bag bolus □Syringe bolus Mechanical pump: □Bolus □Continuous Frequency: Is student allowed oral feedings? ☐Yes ☐No If yes, Type: Side effects to be reported: Stoma Preservation Plan Prompt attention is important if a gastrointestinal feeding tube becomes dislodged. The tract can narrow or close in less then one (1) hour if it is not preserved. Do not use the G-tube or Foley catheter for feedings or medications until placement is verified by the parent. If stoma is < 8 weeks old, placement must be verified by provider and stoma preservation may only be performed by a RN. School nurse or trained/delegated personnel will preserve the stoma: Using a G-tube: use new or dislodged balloon G-tube (Mic-Key) if available and undamaged. Deflate balloon, lubricate shaft with water-soluble lubricant if available (such as Surgilube) and insert into gastrostomy site. DO NOT INFLATE THE BALLOON. Secure in place with medical tape. Using a Foley Catheter: Use Foley catheter of the same diameter (French) or one size smaller than patient's dislodged G-tube. Lubricate the shaft with water-soluble lubricant if available and insert approximately 2-4 inches into gastrostomy site. DO NOT INFLATE THE BALLOON. Secure in place with medical tape. Provider's Name (Print): \_\_\_\_\_ Phone Number: \_\_\_\_\_ Provider's Signature: Parent/Guardian Signature: School Nurse's Signature: Parent/Legal Guardian Consent The following section is to be completed by the parent/legal guardian: I authorize this procedure to be performed by the school nurse or the delegatee as directed above. I agree to provide the needed supplies for the procedure and understand that new forms must be completed annually or with any changes in the student's health status. By signing this document, I give permission for the nurse or delegatee to administer this procedure as prescribed and give my permission for this Health Care Provider to share information about this procedure with the Registered Nurse or delegatee. Should the G-Tube become dislodged, I will be immediately contacted by school personnel. Parent/Guardian Name: Relationship: Business phone: Emergency phone: