



November 07, 2024

Glenn Kulinski
OHM BOCES Clinton Central School District
75 Chenango Ave.
Clinton, NY 13323

RE: Project: HIGH SCHOOL
Pace Project No.: 70319301

Dear Glenn Kulinski:

Enclosed are the analytical results for sample(s) received by the laboratory between October 26, 2024 and October 28, 2024. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Melville

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Alexandria Correa
alexandria.correa@pacelabs.com
516-370-6000
Project Manager

Enclosures

cc: Joseph Barretta, OHM BOCES Clinton Central School
District
OHM BOCES Safety Services, OHM BOCES Clinton
Central School District



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



CERTIFICATIONS

Project: HIGH SCHOOL

Pace Project No.: 70319301

Pace Analytical Services, LLC - Melville, NY

575 Broad Hollow Rd, Melville, NY 11747

Connecticut Certification #: PH-0435

Delaware Certification # NY 10478

Maryland Certification #: 208

Massachusetts Certification #: M-NY026

New Hampshire Certification #: 2987

New Jersey Certification #: NY158

New York Certification #: 10478 Primary Accrediting Body

Pennsylvania Certification #: 68-00350

Rhode Island Certification #: LAO00340

Texas Certification #: T104704582

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HIGH SCHOOL

Pace Project No.: 70319301

Sample: C-10 DFL		Lab ID: 70319301001	Collected: 10/24/24 08:13	Received: 10/26/24 07:50	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	3.9	ug/L	1.0	1		11/01/24 11:49	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HIGH SCHOOL
Pace Project No.: 70319301

Sample: C-10 DFR		Lab ID: 70319301002		Collected: 10/24/24 08:14		Received: 10/26/24 07:50		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	3.5	ug/L	1.0	1		11/01/24 11:58	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: HIGH SCHOOL
Pace Project No.: 70319301

Sample: H 159 DFR		Lab ID: 70319301003		Collected: 10/24/24 08:10		Received: 10/26/24 07:50		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.3	ug/L	1.0	1		11/01/24 12:00	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: HIGH SCHOOL
Pace Project No.: 70319301

Sample: H 159 DFL		Lab ID: 70319301004		Collected: 10/24/24 08:09		Received: 10/26/24 07:50		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	2.1	ug/L	1.0	1		11/01/24 12:01	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: HIGH SCHOOL

Pace Project No.: 70319301

Sample: 149 BS DFR		Lab ID: 70319301005		Collected: 10/24/24 06:32		Received: 10/26/24 07:50		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.4	ug/L	1.0	1		11/01/24 12:03	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HIGH SCHOOL
Pace Project No.: 70319301

Sample: 149 BS DFL		Lab ID: 70319301006		Collected: 10/24/24 06:31		Received: 10/26/24 07:50		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	2.2	ug/L	1.0	1		11/01/24 12:04	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: HIGH SCHOOL
Pace Project No.: 70319301

Sample: 140 SC-S		Lab ID: 70319301007		Collected: 10/24/24 06:22		Received: 10/26/24 07:50		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	5.5	ug/L	1.0	1		11/01/24 12:08	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: HIGH SCHOOL

Pace Project No.: 70319301

Sample: 186D CR-S		Lab ID: 70319301008		Collected: 10/24/24 06:25		Received: 10/26/24 07:50		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.8	ug/L	1.0	1		11/01/24 12:17	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: HIGH SCHOOL
Pace Project No.: 70319301

Sample: 186E FR-S		Lab ID: 70319301009		Collected: 10/24/24 06:27		Received: 10/26/24 07:50		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.3	ug/L	1.0	1		11/01/24 12:22	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: HIGH SCHOOL
Pace Project No.: 70319301

Sample: 148 -S		Lab ID: 70319301010		Collected: 10/24/24 08:05		Received: 10/26/24 07:50		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	5.9	ug/L	1.0	1		11/01/24 12:27	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: HIGH SCHOOL
Pace Project No.: 70319301

Sample: 244 IC		Lab ID: 70319301011		Collected: 10/24/24 08:06		Received: 10/26/24 07:50		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		11/01/24 14:42	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: HIGH SCHOOL
Pace Project No.: 70319301

Sample: 149 A DF R		Lab ID: 70319301012		Collected: 10/24/24 08:02		Received: 10/26/24 07:50		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		11/01/24 14:47	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: HIGH SCHOOL
Pace Project No.: 70319301

Sample: 149 A DF L		Lab ID: 70319301013		Collected: 10/24/24 08:00		Received: 10/26/24 07:50		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		11/01/24 14:48	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: HIGH SCHOOL
Pace Project No.: 70319301

Sample: CH-DF		Lab ID: 70319301014		Collected: 10/24/24 06:17		Received: 10/26/24 07:50		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		11/01/24 14:50	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: HIGH SCHOOL
Pace Project No.: 70319301

Sample: CH-BF		Lab ID: 70319301015		Collected: 10/24/24 06:18		Received: 10/26/24 07:50		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		11/01/24 14:51	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: HIGH SCHOOL
Pace Project No.: 70319301

Sample: 136-3B LF		Lab ID: 70319301016		Collected: 10/24/24 06:10		Received: 10/26/24 07:50		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		11/01/24 14:53	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: HIGH SCHOOL
Pace Project No.: 70319301

Sample: 136-3B RF		Lab ID: 70319301017		Collected: 10/24/24 06:09		Received: 10/26/24 07:50		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.2	ug/L	1.0	1		11/01/24 15:24	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: HIGH SCHOOL
Pace Project No.: 70319301

Sample: 136 SNS		Lab ID: 70319301018		Collected: 10/24/24 06:15		Received: 10/26/24 07:50		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.5	ug/L	1.0	1		11/01/24 15:26	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: HIGH SCHOOL
Pace Project No.: 70319301

Sample: 136 SI L		Lab ID: 70319301019		Collected: 10/24/24 06:13		Received: 10/26/24 07:50		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		11/01/24 15:27	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: HIGH SCHOOL
Pace Project No.: 70319301

Sample: 136 S2 R		Lab ID: 70319301020		Collected: 10/24/24 06:14		Received: 10/26/24 07:50		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.3	ug/L	1.0	1		11/01/24 15:29	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: HIGH SCHOOL
Pace Project No.: 70319301

Sample: 149 GS DFL		Lab ID: 70319301021		Collected: 10/24/24 06:35		Received: 10/26/24 07:50		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	7.6	ug/L	1.0	1		11/01/24 15:31	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: HIGH SCHOOL
Pace Project No.: 70319301

Sample: BFR -BF		Lab ID: 70319301022		Collected: 10/24/24 06:40		Received: 10/26/24 07:50		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		11/01/24 15:32	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: HIGH SCHOOL
Pace Project No.: 70319301

Sample: BFR -DF		Lab ID: 70319301023		Collected: 10/24/24 06:41		Received: 10/26/24 07:50		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		11/01/24 15:34	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: HIGH SCHOOL
Pace Project No.: 70319301

Sample: 136 HS		Lab ID: 70319301024	Collected: 10/24/24 06:12	Received: 10/28/24 15:47	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/01/24 17:03	7439-92-1	

REPORT OF LABORATORY ANALYSIS



QUALITY CONTROL DATA

Project: HIGH SCHOOL

Pace Project No.: 70319301

QC Batch:	368909	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville
Associated Lab Samples:	70319301001, 70319301002, 70319301003, 70319301004, 70319301005, 70319301006, 70319301007, 70319301008, 70319301009, 70319301010		

METHOD BLANK:	1926664	Matrix:	Water
Associated Lab Samples:	70319301001, 70319301002, 70319301003, 70319301004, 70319301005, 70319301006, 70319301007, 70319301008, 70319301009, 70319301010		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	11/01/24 11:42	

LABORATORY CONTROL SAMPLE:	1926665					
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	50.2	100	85-115	

MATRIX SPIKE SAMPLE:		1926667					
		70319300002	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
Lead	ug/L	3.8	50	52.3	97	70-130	

MATRIX SPIKE SAMPLE:	1926669						
		70319301001	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
Lead	ug/L	3.9	50	52.4	97	70-130	

SAMPLE DUPLICATE: 1926666					
		70319300002	Dup		
Parameter	Units	Result	Result	RPD	Qualifiers
Lead	ug/L	3.8	3.7	2	

SAMPLE DUPLICATE: 1926668					
		70319301001	Dup		
Parameter	Units	Result	Result	RPD	Qualifiers
Lead	ug/L	3.9	3.9	1	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: HIGH SCHOOL

Pace Project No.: 70319301

QC Batch: 368936

Analysis Method: EPA 200.8

QC Batch Method: EPA 200.8

Analysis Description: 200.8 MET No Prep Drinking Water

Laboratory: Pace Analytical Services - Melville

Associated Lab Samples: 70319301011, 70319301012, 70319301013, 70319301014, 70319301015, 70319301016

METHOD BLANK: 1926738

Matrix: Water

Associated Lab Samples: 70319301011, 70319301012, 70319301013, 70319301014, 70319301015, 70319301016

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	11/01/24 14:05	

LABORATORY CONTROL SAMPLE: 1926739

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	51.5	103	85-115	

MATRIX SPIKE SAMPLE: 1926741

Parameter	Units	70319299016 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	1.8	50	50.1	97	70-130	

MATRIX SPIKE SAMPLE: 1926743

Parameter	Units	70319299017 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	1.7	50	51.3	99	70-130	

SAMPLE DUPLICATE: 1926740

Parameter	Units	70319299016 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	1.8	1.8	1	

SAMPLE DUPLICATE: 1926742

Parameter	Units	70319299017 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	1.7	1.7	0	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: HIGH SCHOOL

Pace Project No.: 70319301

QC Batch: 368938

Analysis Method: EPA 200.8

QC Batch Method: EPA 200.8

Analysis Description: 200.8 MET No Prep Drinking Water

Laboratory: Pace Analytical Services - Melville

Associated Lab Samples: 70319301017, 70319301018, 70319301019, 70319301020, 70319301021, 70319301022, 70319301023

METHOD BLANK: 1926748

Matrix: Water

Associated Lab Samples: 70319301017, 70319301018, 70319301019, 70319301020, 70319301021, 70319301022, 70319301023

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	11/01/24 14:55	

LABORATORY CONTROL SAMPLE: 1926749

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	50.8	102	85-115	

MATRIX SPIKE SAMPLE: 1926751

Parameter	Units	70319311001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	3.1	50	52.0	98	70-130	

MATRIX SPIKE SAMPLE: 1926753

Parameter	Units	70319311002 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	1.6	50	51.1	99	70-130	

SAMPLE DUPLICATE: 1926750

Parameter	Units	70319311001 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	3.1	3.2	2	

SAMPLE DUPLICATE: 1926752

Parameter	Units	70319311002 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	1.6	1.6	4	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: HIGH SCHOOL

Pace Project No.: 70319301

QC Batch: 368965

Analysis Method: EPA 200.8

QC Batch Method: EPA 200.8

Analysis Description: 200.8 MET No Prep Drinking Water

Laboratory: Pace Analytical Services - Melville

Associated Lab Samples: 70319301024

METHOD BLANK: 1926897

Matrix: Water

Associated Lab Samples: 70319301024

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	11/01/24 16:32	

LABORATORY CONTROL SAMPLE: 1926898

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	49.5	99	85-115	

MATRIX SPIKE SAMPLE: 1926900

Parameter	Units	70319196002 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	66.5	133	70-130	M1

MATRIX SPIKE SAMPLE: 1926902

Parameter	Units	70319196003 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	71.8	144	70-130	M1

SAMPLE DUPLICATE: 1926899

Parameter	Units	70319196002 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		

SAMPLE DUPLICATE: 1926901

Parameter	Units	70319196003 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALIFIERS

Project: HIGH SCHOOL
Pace Project No.: 70319301

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.
ND - Not Detected at or above adjusted reporting limit.
TNTC - Too Numerous To Count
J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.
MDL - Adjusted Method Detection Limit.
PQL - Practical Quantitation Limit.
RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.
S - Surrogate
1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.
Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.
LCS(D) - Laboratory Control Sample (Duplicate)
MS(D) - Matrix Spike (Duplicate)
DUP - Sample Duplicate
RPD - Relative Percent Difference
NC - Not Calculable.
SG - Silica Gel - Clean-Up
U - Indicates the compound was analyzed for, but not detected.
N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.
Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.
Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.
TNI - The NELAC Institute.

ANALYTE QUALIFIERS

M1 Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: HIGH SCHOOL

Pace Project No.: 70319301

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
70319301001	C-10 DFL	EPA 200.8	368909		
70319301002	C-10 DFR	EPA 200.8	368909		
70319301003	H 159 DFR	EPA 200.8	368909		
70319301004	H 159 DFL	EPA 200.8	368909		
70319301005	149 BS DFR	EPA 200.8	368909		
70319301006	149 BS DFL	EPA 200.8	368909		
70319301007	140 SC-S	EPA 200.8	368909		
70319301008	186D CR-S	EPA 200.8	368909		
70319301009	186E FR-S	EPA 200.8	368909		
70319301010	148 -S	EPA 200.8	368909		
70319301011	244 IC	EPA 200.8	368936		
70319301012	149 A DF R	EPA 200.8	368936		
70319301013	149 A DF L	EPA 200.8	368936		
70319301014	CH-DF	EPA 200.8	368936		
70319301015	CH-BF	EPA 200.8	368936		
70319301016	136-3B LF	EPA 200.8	368936		
70319301017	136-3B RF	EPA 200.8	368938		
70319301018	136 SNS	EPA 200.8	368938		
70319301019	136 SI L	EPA 200.8	368938		
70319301020	136 S2 R	EPA 200.8	368938		
70319301021	149 GS DFL	EPA 200.8	368938		
70319301022	BFR -BF	EPA 200.8	368938		
70319301023	BFR -DF	EPA 200.8	368938		
70319301024	136 HS	EPA 200.8	368965		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

LAB USE ONLY- Affix Workorder/Login Label Here

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

Company Name: OHM Boces, Clinton CSD
Street Address: 75 Chenango Ave N, Clinton, NY 13323

Customer Project #: Clinton CSD
Project Name: High School

Site Collection Info/Facility ID (as applicable):

Contact/Report To: Greg Kulinski
Phone #:
E-Mail: gkulinski@ccs.edu
Cc E-Mail:

Invoice To: Greg Kulinski
Invoice E-Mail:

Purchase Order # (if applicable):
Quote #:

Time Zone Collected: [] AK [] PT [] MT [] CT [X] ET
Data Deliverables:

[] Level II [] Level III [] Level IV
[] EQUIS
[] Other

Rush (Pre-approval required):
[] 2 Day [] 3 day [] 5 day [] Other
Date Results Requested: Standard 10 business day

Field Filtered (if applicable): [] Yes [] No
Analysis:

County / State origin of sample(s): New York

Regulatory Program (DW, RCRA, etc.) as applicable: NY Lead in School DW

DW PWSID # or WW Permit # as applicable:

Field Filtered (if applicable): [] Yes [] No
Analysis:

Matrix Codes (insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Other (OT), Surface Water (SW), Sediment (SD), Sludge (SL), Caulk

Customer Sample ID	Matrix *	Comp / Grab	Collected (or Composite Start) Date	Time	Composite End Date	Time	Res. CL2	Number & Type of Containers Plastic	Glass	200.8 Drinking Water (Pb only)
244 IC	DW	G	10/24/24	0804				1		X
149 A DF R	DW	G	10/24/24	0802				1		X
149 A DF L	DW	G	10/24/24	0800				1		X
CH - DF	DW	G	10/24/24	0617				1		X
CH - BF	DW	G	10/24/24	0618				1		X
136-3B LF	DW	G	10/24/24	0610				1		X
136-3B RF	DW	G	10/24/24	0609				1		X
136 SNVS	DW	G	10/24/24	0615				1		X
136 HS	DW	G	10/24/24	0612				1		X
136 SI (L)	DW	G	10/24/24	0613				1		X

Customer Remarks / Special Conditions / Possible Hazards:

Lead

Collected By: Janelle Snider
Printed Name: Janelle Snider
Signature:

Received by/Company: (Signature) *Greg Kulinski*
Date/Time: 10/25/24 14:15

Received by/Company: (Signature) *Greg Kulinski*
Date/Time: 10/25/24 14:15

Received by/Company: (Signature) *Greg Kulinski*
Date/Time: 10/26/24 7:50

Received by/Company: (Signature) *Greg Kulinski*
Date/Time: 10/26/24 7:50

Additional Instructions from Pace:

Copiers: 1
Thermometer ID: 10001
Correction Factor (°C): 1.3
Obs. Temp. (°C): 17.4
Corrected Temp. (°C): 17.7

Tracking Number:

Date/Time: 10/25/24 14:15

Date/Time: 10/25/24 14:15

Date/Time: 10/26/24 7:50

Date/Time: 10/26/24 7:50

Delivered by: [] In-Person [] Courier
[] FedEx [] UPS [] Other

Page: 2 of 3

Submittal

ENV-FRM-CORQ-0019_v01_082123 ©



Scan QR Code for instructions

Company Name:	OHM Boces Clinton CSD	Contact/Report To:	Greg Kulinski
Street Address:	75 Chenango Ave N, Clinton, NY 13323	Phone #:	
		E-Mail:	gkulinski@ccs.edu
		Cc E-Mail:	
Customer Project #:		Invoice To:	Greg Kulinski
Project Name:	Clinton CSD	Invoice E-Mail:	
Site Collection Info/Facility ID (as applicable):		Purchase Order # (if applicable):	
		Quote #:	

Time Zone Collected: [] AK [] PT [] MT [] CT [] ET	County / State origin of sample(s):	New York
Data Deliverables:	Regulatory Program (DW, RCRA, etc.) as applicable: NY Lead in School DW	
[] Level II [] Level III [] Level IV	Rush (pre-approval required):	DW PWSID # or WW Permit # as applicable:
[] EQUIS	[] 2 Day [] 3 day [] 5 day [] Other _____	
[] Other _____	Date Requested: Standard 10 business day	Field Filtered (if applicable): [] Yes [] No
	Results Analysis:	

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Other (OT), Surface Water (SW), Sediment (SED), Sludge (SL), Caulk

[illegible]

Customer Remarks / Special Conditions / Possible Hazards:	Collected By:
Lead	Printed Name: Janelle Snider Signature:
Relinquished By/Company: (Signature)	Received By/Company: (Signature)
Date/Time:	Date/Time:
Relinquished By/Company: (Signature)	Received By/Company: (Signature)
Date/Time:	Date/Time:
Relinquished By/Company: (Signature)	Received By/Company: (Signature)
Date/Time:	Date/Time:
Relinquished By/Company: (Signature)	Received By/Company: (Signature)
Date/Time:	Date/Time:

Client: OHM Boxes..Clinton Profile #: 10569

Use Point Number Spreadsheet ☐ Multiday Project ☐

Work ID: High School of Add SCLOGFD to first sample for field charge ☐

COC Page

COC	Matrix	VG9U	VG9C	VG9H	VG9S	VG9T	DG9Y	DG9P	DG9A	DG6T	DG9S	AG34	AG3S	AG4E	AG3T	AG2R	AG1T	AG1H	AG1A	AG5U	AG44	CG1U	WG90	WG40	BP4U	BP3U	BP2U	BP1U	BP3S	BP2S	BP4N	BP3N	BP2N	BP3C	BP3T	BP3S	BP3R	BP1Z	BP1N	BP1B	SP6T	WR	WG2U	WG5U	WG6U	WGDV	ZPLC	IGN	WP	TEDL	BGIH	LLHG	BGIN	IOC	SOC
-----	--------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	----	------	------	------	------	------	-----	----	------	------	------	------	-----	-----

Container Codes

	Glass	Plastic
WG9U	40mL unpres clear vial	BP4U 125mL unpres amber glass
VG9C	40mL Ascorbic-HCl clear vial	AG3U 250mL unpres amber glass
VG9H	40mL HCl clear vial	AG2U 500mL unpres amber glass
VG9S	40mL Sulfuric clear vial	AG1U 1liter unpres amber glass
VG9T	40mL Na Thiosulfate vial	AG3A Ammonium Cl 250mL bottle
DG9Y	40mL Citrate-Na Thiosulfate	AG2S 125mL H2O4 amber glass
DG9P	40mL Citrate-Na Thiosulfate	AG4E 250mL Na Thio amber glass
DG9G	40mL Citrate-Na Thiosulfate	AG3T 250mL Na Thio amber glass
DG9A	40mL Citrate-Na Thiosulfate	AG2R Na Sulfite 500mL (blue Cap)
DG6T	Na Thio 60mL Vial	AG1T Na Thiosulfate 1L bottle
DG9S	Ammonium Cl/CuSO4 40mL	AG1H 1L HCl amber glass
CG1U	1L Unpres Jar (Con Ed)	AG1A 1L Ammonium Chloride
WG9O	8oz clear soil jar	AG3U 100mL unpres Amber Glass
WG4O	4oz clear soil jar	AG4A Ammonium Cl 120mL bottle
		BP1N 1L HNO3 plastic
		BP1B Na Thiosulfate Amber Bottle

Misc.	
SP5T	120mL Coriorm Na Thio
R	Terracore Kit
WG2U	2oz Unreserved Jar
WG2U	4oz Unreserved Jar
WG2U	8oz Unreserved Jar
WG2U	16oz Unreserved Jar
ZPLC	Ziplock Bag
TEDL	Tedlar Bag
BG1H	1L HCL Clear Glass
GN	General
WP	Wipe
LLHG	Low Level Hg Bottles
BG1N	1L HNO3 Clear Glass

IOC	
BP1U	1L unreserved plastic
BP3N*	250mL HNO3 plastic
BP3C	250mL Sodium Hydroxide
AG2U	500mL unpres amber glass
BP3U	250mL unreserved plastic

* Can also be a BP4N

SOC	
VG9T	40mL Na Thio amber vial
DG9A	40mL Ascorbic acid/maleic Acid vials
DG9Y	Citrate/Na Thiosulfate 40mL
DG6T	Na Thiosulfate 60mL vial
DG6M	MonoChloride/Na Thio 60mL
AG3U	250mL unpres amber glass
AG3T	Na Thiosulfate 250mL bottle
BP1B	Na Thiosulfate Amber bottle
AG1T	Na Thiosulfate 1L Amber
AG1A	525.3 Chemical Blend

Matrix	
WT	Water
SL	Solid
NAL	Non-aqueous Liquid
OL	Oil
WP	Wipe
DW	Drinking Water

Sender Initials AD

Additional Comments

WO#: 70319301

PM: ALC Due Date: 11/06/24

CLIENT: ClintonCSD

Effective Date:

WO#: 70319301

Client Name:

CLINTON CSD

Project

PM: ALC

Due Date: 11/06/24

CLIENT: ClintonCSD

Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☐ Client ☐ Commercial ☒ Pac ☐ Other

Tracking #:

Custody Seal on Cooler/Box Present: ☐ Yes ☒ No Seals intact: ☐ Yes ☒ No Temperature Blank Present: ☐ Yes ☒ NoPacking Material: ☐ Bubble Wrap ☐ Bubble Bags ☐ Ziplo ☐ Non ☐ Other Type of Ice: Wet Blue NoneThermometer Used: T4211 Correction Factor: 0.2 Samples on ice, cooling process has begunCooler Temperature(°C): 17.4 Cooler Temperature Corrected(°C): 17.4 Date/Time 5035A kits placed in freezer

Temp should be above freezing to 6.0°C

USDA Regulated Soil ☒ N/A, water sample)Did samples originate in a quarantine zone within the United States: AL, AR, CA, FL, GA, ID, LA, MS, NC, NM, NY, OK, OR, SC, TN, TX, or VA (check map)? ☐ Yes ☒ NoDid samples originate from a foreign source including Hawaii and Puerto Rico)? ☐ Yes ☒ No

If Yes to either question, fill out a Regulated Soil Checklist (ENV-FRM-MELV-0076) and include with SCUR/COC paperwork.

Date and Initials of person examining contents:

	COMMENTS:
Chain of Custody Present: ☒ Yes ☐ No	1.
Chain of Custody Filled Out: ☒ Yes ☐ No	2.
Chain of Custody Relinquished: ☒ Yes ☐ No	3.
Sampler Name & Signature on COC: ☒ Yes ☐ No ☐ N/A	4.
Samples Arrived within Hold Time: ☒ Yes ☐ No	5.
Short Hold Time Analysis (<72hr): ☐ Yes ☒ No	6.
Rush Turn Around Time Requested ☐ Yes ☒ No	7.
Sufficient Volume: (Triple volume provided for MS/MSD) ☒ Yes ☐ No	8.
Correct Containers Used: ☒ Yes ☐ No	9.
-Pace Containers Used: ☒ Yes ☐ No	
Containers Intact: ☒ Yes ☐ No	10.
Filtered volume received for Dissolved tests ☐ Yes ☐ No ☒ N/A	11. Note: if sediment is visible in the dissolved container.
Sample Labels match COC: ☐ Yes ☒ No	12.
-Includes date/time/ID/Analysis Matrix: <u>SL</u> <u>WT</u> <u>OIL</u> <u>OTHER</u>	

Date and Initials of person checking preservation:

All containers needing preservation have been ☐ Yes ☐ No ☒ N/A	13. ☐ HNO ₃ ☐ H ₂ SO ₄ ☐ NaOH ☐ HCl
pH paper Lot # <u>213624</u>	Sample #
All containers needing preservation are found to be in compliance with method recommendation? (HNO ₃ , H ₂ SO ₄ , HCl, NaOH>9 Sulfide, ☒ Yes ☐ No ☐ N/A NAOH>12 Cyanide)	
Exceptions: VOA, Coliform, TOC/DOC, Oil and Grease, DRO/8015 (water).	
Per Method, VOA pH is checked after analysis	
Samples checked for dechlorination: ☐ Yes ☐ No ☒ N/A	14.
KI starch test strips Lot #	
Residual chlorine strips Lot #	Positive for Res. Chlorine? Y N
SM 4500 CN samples checked for sul ☐ Yes ☐ No ☒ N/A	15.
Lead Acetate Strips Lot #	Positive for Sulfide? Y N
Headspace in ALK Bottle (>6mm): ☐ Yes ☐ No ☒ N/A	16.
Headspace in VOA Vials (>6mm): ☐ Yes ☐ No ☒ N/A	
Trip Blank Present: ☐ Yes ☐ No ☒ N/A	17.
Trip Blank Custody Seals Present ☐ Yes ☐ No ☒ N/A	

Client Notification/ Resolution:

Field Data Required?

Y / N

Person Contacted:

Date/Time:

Comments/ Resolution:

* PM (Project Manager) review (which includes the SCUR) is documented electronically in LIMS.