



November 07, 2024

Glenn Kulinski
OHM BOCES Clinton Central School District
75 Chenango Ave.
Clinton, NY 13323

RE: Project: MIDDLE SCHOOL
Pace Project No.: 70319299

Dear Glenn Kulinski:

Enclosed are the analytical results for sample(s) received by the laboratory on October 26, 2024. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Melville

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in cursive script that reads 'Alexandria Correa'.

Alexandria Correa
alexandria.correa@pacelabs.com
516-370-6000
Project Manager

Enclosures

cc: Joseph Barretta, OHM BOCES Clinton Central School
District
OHM BOCES Safety Services, OHM BOCES Clinton
Central School District



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



CERTIFICATIONS

Project: MIDDLE SCHOOL

Pace Project No.: 70319299

Pace Analytical Services, LLC - Melville, NY

575 Broad Hollow Rd, Melville, NY 11747

Connecticut Certification #: PH-0435

Delaware Certification # NY 10478

Maryland Certification #: 208

Massachusetts Certification #: M-NY026

New Hampshire Certification #: 2987

New Jersey Certification #: NY158

New York Certification #: 10478 Primary Accrediting Body

Pennsylvania Certification #: 68-00350

Rhode Island Certification #: LAO00340

Texas Certification #: T104704582

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: MIDDLE SCHOOL
Pace Project No.: 70319299

Sample: 206 S1		Lab ID: 70319299001		Collected: 10/24/24 07:03		Received: 10/26/24 07:50		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		11/01/24 11:28	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: MIDDLE SCHOOL
Pace Project No.: 70319299

Sample: 206 S2		Lab ID: 70319299002		Collected: 10/24/24 07:04		Received: 10/26/24 07:50		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.2	ug/L	1.0	1		11/01/24 11:29	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: MIDDLE SCHOOL

Pace Project No.: 70319299

Sample: 206 S3		Lab ID: 70319299003		Collected: 10/24/24 07:05		Received: 10/26/24 07:50		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.1	ug/L	1.0	1		11/01/24 11:32	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: MIDDLE SCHOOL
Pace Project No.: 70319299

Sample: 206 S4		Lab ID: 70319299004		Collected: 10/24/24 07:06		Received: 10/26/24 07:50		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.2	ug/L	1.0	1		11/01/24 11:34	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: MIDDLE SCHOOL
Pace Project No.: 70319299

Sample: HA 215 DF		Lab ID: 70319299005		Collected: 10/24/24 07:08		Received: 10/26/24 07:50		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		11/01/24 11:35	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: MIDDLE SCHOOL
Pace Project No.: 70319299

Sample: HA 215 BF		Lab ID: 70319299006		Collected: 10/24/24 07:09		Received: 10/26/24 07:50		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		11/01/24 11:40	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: MIDDLE SCHOOL
Pace Project No.: 70319299

Sample: 219 S		Lab ID: 70319299007		Collected: 10/24/24 07:11		Received: 10/26/24 07:50		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	3.2	ug/L	1.0	1		11/01/24 11:53	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: MIDDLE SCHOOL
Pace Project No.: 70319299

Sample: HA 105 DF		Lab ID: 70319299008		Collected: 10/24/24 06:45		Received: 10/26/24 07:50		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		11/01/24 12:06	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: MIDDLE SCHOOL
Pace Project No.: 70319299

Sample: HA 105 BF		Lab ID: 70319299009		Collected: 10/24/24 06:46		Received: 10/26/24 07:50		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		11/01/24 12:09	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: MIDDLE SCHOOL
Pace Project No.: 70319299

Sample: 3114 DFL		Lab ID: 70319299010		Collected: 10/24/24 07:25		Received: 10/26/24 07:50		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.7	ug/L	1.0	1		11/01/24 12:11	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: MIDDLE SCHOOL
Pace Project No.: 70319299

Sample: 3114 DFR		Lab ID: 70319299011		Collected: 10/24/24 07:26		Received: 10/26/24 07:50		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.4	ug/L	1.0	1		11/01/24 12:12	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: MIDDLE SCHOOL
Pace Project No.: 70319299

Sample: 3105 DFL		Lab ID: 70319299012		Collected: 10/24/24 07:23		Received: 10/26/24 07:50		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.6	ug/L	1.0	1		11/01/24 12:19	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: MIDDLE SCHOOL
Pace Project No.: 70319299

Sample: 3105 DFR		Lab ID: 70319299013		Collected: 10/24/24 07:24		Received: 10/26/24 07:50		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.1	ug/L	1.0	1		11/01/24 12:20	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: MIDDLE SCHOOL
Pace Project No.: 70319299

Sample: 3123 DFL		Lab ID: 70319299014		Collected: 10/24/24 07:29		Received: 10/26/24 07:50		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	2.5	ug/L	1.0	1		11/01/24 12:23	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: MIDDLE SCHOOL
Pace Project No.: 70319299

Sample: 3123 DFR		Lab ID: 70319299015		Collected: 10/24/24 07:30		Received: 10/26/24 07:50		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	2.6	ug/L	1.0	1		11/01/24 12:25	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: MIDDLE SCHOOL
Pace Project No.: 70319299

Sample: 3140 DFL		Lab ID: 70319299016		Collected: 10/24/24 07:39		Received: 10/26/24 07:50		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.8	ug/L	1.0	1		11/01/24 14:11	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: MIDDLE SCHOOL
Pace Project No.: 70319299

Sample: 3140 DFR		Lab ID: 70319299017		Collected: 10/24/24 07:40		Received: 10/26/24 07:50		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.7	ug/L	1.0	1		11/01/24 14:15	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: MIDDLE SCHOOL
Pace Project No.: 70319299

Sample: 3156 DFL		Lab ID: 70319299018		Collected: 10/24/24 07:42		Received: 10/26/24 07:50		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		11/01/24 14:20	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: MIDDLE SCHOOL
Pace Project No.: 70319299

Sample: 3156 DFR		Lab ID: 70319299019		Collected: 10/24/24 07:43		Received: 10/26/24 07:50		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		11/01/24 14:21	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: MIDDLE SCHOOL
Pace Project No.: 70319299

Sample: 3156 DFL BS		Lab ID: 70319299020		Collected: 10/24/24 07:48		Received: 10/26/24 07:50		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.7	ug/L	1.0	1		11/01/24 14:23	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: MIDDLE SCHOOL
Pace Project No.: 70319299

Sample: 3156 DFR BS		Lab ID: 70319299021		Collected: 10/24/24 07:49		Received: 10/26/24 07:50		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		11/01/24 14:28	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: MIDDLE SCHOOL
Pace Project No.: 70319299

Sample: 106 1 S		Lab ID: 70319299022		Collected: 10/24/24 06:49		Received: 10/26/24 07:50		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.7	ug/L	1.0	1		11/01/24 14:29	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: MIDDLE SCHOOL
Pace Project No.: 70319299

Sample: HA 115 DF		Lab ID: 70319299023		Collected: 10/24/24 06:52		Received: 10/26/24 07:50		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		11/01/24 14:31	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: MIDDLE SCHOOL
Pace Project No.: 70319299

Sample: HA 115 BF		Lab ID: 70319299024		Collected: 10/24/24 06:53		Received: 10/26/24 07:50		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		11/01/24 14:32	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: MIDDLE SCHOOL
Pace Project No.: 70319299

Sample: HB 206 DF		Lab ID: 70319299025		Collected: 10/24/24 06:58		Received: 10/26/24 07:50		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		11/01/24 14:34	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: MIDDLE SCHOOL
Pace Project No.: 70319299

Sample: HB 206 BF		Lab ID: 70319299026		Collected: 10/24/24 07:00		Received: 10/26/24 07:50		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		11/01/24 14:36	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: MIDDLE SCHOOL
Pace Project No.: 70319299

Sample: 3213 S		Lab ID: 70319299027		Collected: 10/24/24 07:13		Received: 10/26/24 07:50		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	76.0	ug/L	1.0	1		11/01/24 14:37	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: MIDDLE SCHOOL
Pace Project No.: 70319299

Sample: V32 09 LDF		Lab ID: 70319299028		Collected: 10/24/24 07:17		Received: 10/26/24 07:50		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.3	ug/L	1.0	1		11/01/24 14:39	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: MIDDLE SCHOOL
Pace Project No.: 70319299

Sample: V32 09 RDF		Lab ID: 70319299029		Collected: 10/24/24 07:18		Received: 10/26/24 07:50		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.3	ug/L	1.0	1		11/01/24 14:40	7439-92-1		

REPORT OF LABORATORY ANALYSIS



QUALITY CONTROL DATA

Project: MIDDLE SCHOOL
Pace Project No.: 70319299

QC Batch: 368904 Analysis Method: EPA 200.8
QC Batch Method: EPA 200.8 Analysis Description: 200.8 MET No Prep Drinking Water
Laboratory: Pace Analytical Services - Melville
Associated Lab Samples: 70319299001, 70319299002, 70319299003, 70319299004, 70319299005, 70319299006

METHOD BLANK: 1926651 Matrix: Water
Associated Lab Samples: 70319299001, 70319299002, 70319299003, 70319299004, 70319299005, 70319299006

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	11/01/24 10:52	

LABORATORY CONTROL SAMPLE: 1926652

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	50.5	101	85-115	

MATRIX SPIKE SAMPLE: 1926654

Parameter	Units	70319199034 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	0.84J	50	49.6	97	70-130	

MATRIX SPIKE SAMPLE: 1926656

Parameter	Units	70319199035 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	0.83J	50	48.6	95	70-130	

SAMPLE DUPLICATE: 1926653

Parameter	Units	70319199034 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	0.84J	<1.0		

SAMPLE DUPLICATE: 1926655

Parameter	Units	70319199035 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	0.83J	<1.0		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: MIDDLE SCHOOL

Pace Project No.: 70319299

QC Batch:	368909	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville
Associated Lab Samples:	70319299007, 70319299008, 70319299009, 70319299010, 70319299011, 70319299012, 70319299013, 70319299014, 70319299015		

METHOD BLANK:	1926664	Matrix:	Water
Associated Lab Samples:	70319299007, 70319299008, 70319299009, 70319299010, 70319299011, 70319299012, 70319299013, 70319299014, 70319299015		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	11/01/24 11:42	

LABORATORY CONTROL SAMPLE:	1926665					
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	50.2	100	85-115	

MATRIX SPIKE SAMPLE:		1926667					
		70319300002	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
Lead	ug/L	3.8	50	52.3	97	70-130	

MATRIX SPIKE SAMPLE:	1926669						
		70319301001	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
Lead	ug/L	3.9	50	52.4	97	70-130	

SAMPLE DUPLICATE: 1926666					
Parameter	Units	70319300002 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	3.8	3.7	2	

SAMPLE DUPLICATE: 1926668					
		70319301001	Dup		
Parameter	Units	Result	Result	RPD	Qualifiers
Lead	ug/L	3.9	3.9	1	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: MIDDLE SCHOOL
Pace Project No.: 70319299

QC Batch:	368936	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville
Associated Lab Samples:	70319299016, 70319299017, 70319299018, 70319299019, 70319299020, 70319299021, 70319299022, 70319299023, 70319299024, 70319299025, 70319299026, 70319299027, 70319299028, 70319299029		

METHOD BLANK: 1926738 Matrix: Water
Associated Lab Samples: 70319299016, 70319299017, 70319299018, 70319299019, 70319299020, 70319299021, 70319299022, 70319299023, 70319299024, 70319299025, 70319299026, 70319299027, 70319299028, 70319299029

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	11/01/24 14:05	

LABORATORY CONTROL SAMPLE: 1926739

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	51.5	103	85-115	

MATRIX SPIKE SAMPLE: 1926741

Parameter	Units	70319299016 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	1.8	50	50.1	97	70-130	

MATRIX SPIKE SAMPLE: 1926743

Parameter	Units	70319299017 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	1.7	50	51.3	99	70-130	

SAMPLE DUPLICATE: 1926740

Parameter	Units	70319299016 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	1.8	1.8	1	

SAMPLE DUPLICATE: 1926742

Parameter	Units	70319299017 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	1.7	1.7	0	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALIFIERS

Project: MIDDLE SCHOOL

Pace Project No.: 70319299

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: MIDDLE SCHOOL

Pace Project No.: 70319299

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
70319299001	206 S1	EPA 200.8	368904		
70319299002	206 S2	EPA 200.8	368904		
70319299003	206 S3	EPA 200.8	368904		
70319299004	206 S4	EPA 200.8	368904		
70319299005	HA 215 DF	EPA 200.8	368904		
70319299006	HA 215 BF	EPA 200.8	368904		
70319299007	219 S	EPA 200.8	368909		
70319299008	HA 105 DF	EPA 200.8	368909		
70319299009	HA 105 BF	EPA 200.8	368909		
70319299010	3114 DFL	EPA 200.8	368909		
70319299011	3114 DFR	EPA 200.8	368909		
70319299012	3105 DFL	EPA 200.8	368909		
70319299013	3105 DFR	EPA 200.8	368909		
70319299014	3123 DFL	EPA 200.8	368909		
70319299015	3123 DFR	EPA 200.8	368909		
70319299016	3140 DFL	EPA 200.8	368936		
70319299017	3140 DFR	EPA 200.8	368936		
70319299018	3156 DFL	EPA 200.8	368936		
70319299019	3156 DFR	EPA 200.8	368936		
70319299020	3156 DFL BS	EPA 200.8	368936		
70319299021	3156 DFR BS	EPA 200.8	368936		
70319299022	106 1 S	EPA 200.8	368936		
70319299023	HA 115 DF	EPA 200.8	368936		
70319299024	HA 115 BF	EPA 200.8	368936		
70319299025	HB 206 DF	EPA 200.8	368936		
70319299026	HB 206 BF	EPA 200.8	368936		
70319299027	3213 S	EPA 200.8	368936		
70319299028	V32 09 LDF	EPA 200.8	368936		
70319299029	V32 09 RDF	EPA 200.8	368936		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace® Location Requested (City/State):
Pace Analytical Long Island NY
575 Broad Hollow Rd, Melville, NY 11747

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAB USE ONLY- Affix Workorder/Login Label Here



Scan QR Code for instructions

Company Name:	OHM Boces, Clinton CSD
Street Address:	75 Chenango Ave N, Clinton, NY 13323
Customer Project #:	
Project Name:	Clinton CSD
Site Collection Info/Facility ID (as applicable):	Middle School

Time Zone Collected:	☐ AK ☐ PT ☐ MT ☐ CT ☒ ET
Data Deliverables:	Regulatory Program (DW, RCRA, etc.) as applicable: NY Lead in School DW
☐ Level II ☐ Level III ☐ Level IV	
☐ EQUIS	
☐ Other:	

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Other (OT), Surface Water (SW), Sediment (SED), Sludge (SL), Caulk

Customer Sample ID	Matrix *	Comp / Grab	Collected		Composite End	Res. CL2	Number & Type of Containers		200.8 Drinking Water (Pb only)
			Date	Time			Plastic	Glass	
HA 105 DF	DW	G	10/24/2024	0746			1		X
3114 DFL	DW	G	10/24/2024	0725			1		X
3105 DFL	DW	G	10/24/2024	0726			1		X
3165 DFL	DW	G	10/24/24	0723			1		X
3123 DFL	DW	G	10/24/24	0721			1		X
3123 DFL	DW	G	10/24/24	0729			1		X
3140 DFL	DW	G	10/24/24	0730			1		X
3140 DFL	DW	G	10/24/24	0739			1		X
3140 DFL	DW	G	10/24/24	0740			1		X
3156 DFL	DW	G	10/24/24	0742			1		X

Customer Remarks / Special Conditions / Possible Hazards:	Collected By: Janelle Snider Printed Name: Janelle Snider Signature:
Relinquished by/Company (Signature):	Date/Time: 10/25/24 14:15
Relinquished by/Company (Signature):	Date/Time: 10/25 14:35
Relinquished by/Company (Signature):	Date/Time: 10-26-24 7:50
Relinquished by/Company (Signature):	Date/Time:

Specify Container Size **	**Container Size: (1) 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL vial, (7) Encore, (8) TerraCore, (9) Other
Identify Container Preservative Type***	*** Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sol. Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other
Analysis Requested	

Proj. Mgr:	Jack Germano
AcctNum / Client ID:	
Table #:	
Profile / Template:	10567
Prelog / Bottle Ord. ID:	
Lab Use Only	
Preservation non-conformance identified for sample:	

Additional Instructions from Pace®:									
# Coolers:	Thermometer ID:	Correction Factor (°C):	Obs. Temp. (°C):	Corrected Temp. (°C):					
	10221	+3	17.4	17.5					
					Tracking Number:				
					10221				
					Date/Time: 10/25				
					Date/Time: 10/25				
					Date/Time: 10/26/2024 7:50				
					Date/Time:				
					Date/Time:				

Delivered by:	☐ In-Person ☐ Courier
	☐ FedEx ☐ UPS ☐ Other
Page:	2 of 4

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAB USE ONLY- Affix Workorder/Login Label Here



Scan QR Code for instructions

Company Name: OHM Boces, Clinton CSD Street Address: 75 Chenango Ave N, Clinton, NY 13323	Contact/Report To: Greg Kulinski Phone #: _____ E-Mail: gkulinski@ccs.edu Cc E-Mail: _____
Customer Project #: Clinton CSD Project Name:	Invoice To: Greg Kulinski Invoice E-Mail: _____ Purchase Order # (if applicable): _____ Quote #: _____
Site Collection Info/Facility ID (as applicable): Middle School	County / State origin of sample(s): New York
Time Zone Collected: [] AK [] PT [] MT [] CT [X] ET	Regulatory Program (DW, RCRA, etc.) as applicable: NY Lead in School DW
Data Deliverables: [] Level II [] Level III [] Level IV [] EQUIS [] Other _____	Rush (Pre-approval required): [] 2 Day [] 3 day [] 5 day [] Other _____ Date Results Requested: Standard 10 business day
* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (PI), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Other (OT), Surface Water (SW), Sediment (SED), Sludge (SL), Caulk	DW PWSID # or WW Permit # as applicable: Field Filtered (if applicable): [] Yes [] No Analysis: _____
Customer Sample ID V3209 RDE	Matrix * DW
	Comp / Grab G
	Collected (for Composite Start) Date: 10/24/24 Time: 07:18
	Composite End Date: _____ Time: _____
	Res. CL2
	Number & Type of Containers Plastic: 1 Glass: 1
Customer Remarks / Special Conditions / Possible Hazards:	Collected By: Printed Name: Janelle Snider Signature: _____
Lead	Signature:
Relinquished by/Company: (Signature)	Date/Time: 10/25 14:15
Relinquished by/Company: (Signature)	Date/Time: 10/25 14:25
Relinquished by/Company: (Signature)	Date/Time: 10-26-24 7:50
Relinquished by/Company: (Signature)	Date/Time:

Additional Instructions from Page 0:		# Coolers: 77211 Thermometer ID: 43 Correction Factor (°C): 13.7 Obs. Temp. (°C): 13.7 Corrected Temp. (°C): 13.7	
Date/Time: 10/25 14:15 Tracking Number:		Delivered by: [] In-Person [] Courier [] FedEx [] UPS [] Other	
Date/Time: 10/26/2014 7:50		Page: 4 of 4	

Client Name:

Clinton CSD

Project #

WO#: 70319299

Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☐ Client ☐ Commercial ☒ Parcel ☐ Other

PM: ALC

Due Date: 11/06/24

CLIENT: ClintonCSD

Tracking #:

Custody Seal on Cooler/Box Present: ☐ Yes ☒ No Seals intact: ☐ Yes ☒ No Temperature Blank Present: ☐ Yes ☒ NoPacking Material: ☐ Bubble Wrap ☐ Bubble Bags ☒ Ziplo ☐ None ☐ Other Type of Ice: ☒ Wet ☐ Blue ☐ NoneThermometer Used: TH211 Correction Factor: +0.3 ☒ Samples on ice, cooling process has begunCooler Temperature (°C): 12.4 Cooler Temperature Corrected (°C): 12.7 Date/Time 5035A kits placed in freezer

Temp should be above freezing to 5.0°C

USDA Regulated Soil (☒ N/A, water sample)Did samples originate in a quarantine zone within the United States: AL, AR, CA, FL, GA, ID, LA, MS, NC, NM, NY, OK, OR, SC, TN, TX, or VA (check map)? ☐ Yes ☒ NoDid samples originate from a foreign source including Hawaii and Puerto Rico? ☐ Yes ☒ No

If Yes to either question, fill out a Regulated Soil Checklist (ENV-FRM-MELV-0076) and include with SCUR/COC paperwork.

Date and Initials of person examining contents:

	COMMENTS:
Chain of Custody Present: ☒ Yes ☐ No	1.
Chain of Custody Filled Out: ☒ Yes ☐ No	2.
Chain of Custody Relinquished: ☒ Yes ☐ No	3.
Sampler Name & Signature on COC: ☒ Yes ☐ No ☐ N/A	4.
Samples Arrived within Hold Time: ☒ Yes ☐ No	5.
Short Hold Time Analysis (<72hr): ☐ Yes ☒ No	6.
Rush Turn Around Time Requested ☐ Yes ☒ No	7.
Sufficient Volume: (Triple volume provided for MS/MSD) ☒ Yes ☐ No	8.
Correct Containers Used: ☒ Yes ☐ No	9.
-Pace Containers Used: ☒ Yes ☐ No	10.
Containers Intact: ☒ Yes ☐ No	11.
Filtered volume received for Dissolved tests ☐ Yes ☒ No	12.
Sample Labels match COC: ☒ Yes ☐ No	
-Includes date/time/ID/Analysis Matrix: <u>SL</u> <u>WT</u> <u>OIL</u> <u>OTHER</u>	

Date and Initials of person checking preservation:

All containers needing preservation have been pH paper Lot # <u>203624</u>	13.	☐ HNO ₃ ☐ H ₂ SO ₄ ☐ NaOH ☐ HCl
All containers needing preservation are found to be in compliance with method recommendation? (HNO ₃ , H ₂ SO ₄ , HCl, NaOH > 9 Sulfide, ☒ Yes ☐ No ☐ N/A NAOH > 12 Cyanide)	Sample #	
Exceptions: VOA, Coliform, TOC/DOC, Oil and Grease, DRO/8015 (water). Per Method, VOA pH is checked after analysis	Initial when completed:	Lot # of added preservative:
Samples checked for dechlorination: ☐ Yes ☐ No ☒ N/A	14.	Date/Time preservative added:
KI starch test strips Lot #	Positive for Res. Chlorine?	Y N
Residual chlorine strips Lot #	15.	
SM 4500 CN samples checked for sul ☐ Yes ☐ No ☒ N/A	Positive for Sulfide?	Y N
Lead Acetate Strips Lot #	16.	
Headspace in ALK Bottle (>6mm): ☐ Yes ☐ No ☒ N/A	17.	
Headspace in VOA Vials (>6mm): ☐ Yes ☐ No ☒ N/A		
Trip Blank Present: ☐ Yes ☐ No ☒ N/A		
Trip Blank Custody Seals Present ☐ Yes ☐ No ☒ N/A		

Client Notification/ Resolution:

Field Data Required?

Y / N

Person Contacted:

Date/Time:

Comments/ Resolution:

* PM (Project Manager) review (which includes the SCUR) is documented electronically in LIMS.