

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077
 Telephone: 856-858-4800 Fax:856-786-5974
 EMSL-CIN-01

EMSL Order ID: 012432729
LIMS Reference ID: AC32729
EMSL Customer ID: EPIC62

Attention: James Eberts
 Epic Environmental Services, LLC [EPIC62]
 80 Fork Bridge Road
 Pittsgrove, NJ 08318
 (856) 205-1077
 jeberts@epicenviro.com

Project Name: Wildwood Highschool
Customer PO: NJ-DOE 24-2329
EMSL Sales Rep: Justin Monturano
Received: 10/03/2024 12:00
Reported: 10/17/2024 17:00

Analytical Results

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
---------	--------	---	----	----	-------	--------------------	--------------------	------------------	-------------------------

Sample: WILD-FB Lims Reference ID: AC32729-01 Matrix: Drinking Water Sampled: 09/28/24 06:30:00

Metals

Lead	ND		1	1.00	µg/L	10/14/24 11:25	10/15/24 12:59	PL	EPA 200.8 (DA)/EPA 200.8
------	----	--	---	------	------	----------------	----------------	----	--------------------------

Sample: WILD-SO-01-Nurse Lims Reference ID: AC32729-02 Matrix: Drinking Water Sampled: 09/28/24 06:33:00

Metals

Lead	2.73		1	1.00	µg/L	10/14/24 11:25	10/15/24 13:06	PL	EPA 200.8 (DA)/EPA 200.8
------	------	--	---	------	------	----------------	----------------	----	--------------------------

Sample: WILD-KC-01-Kit1 Lims Reference ID: AC32729-04 Matrix: Drinking Water Sampled: 09/28/24 06:36:00

Metals

Lead	ND		1	1.00	µg/L	10/14/24 11:25	10/15/24 13:08	PL	EPA 200.8 (DA)/EPA 200.8
------	----	--	---	------	------	----------------	----------------	----	--------------------------

Sample: WILD-KC-01-Kit2 Lims Reference ID: AC32729-06 Matrix: Drinking Water Sampled: 09/28/24 06:36:00

Metals

Lead	2.25		1	1.00	µg/L	10/14/24 11:25	10/15/24 13:10	PL	EPA 200.8 (DA)/EPA 200.8
------	------	--	---	------	------	----------------	----------------	----	--------------------------

Sample: WILD-SO-01-112 Lims Reference ID: AC32729-08 Matrix: Drinking Water Sampled: 09/28/24 06:39:00

Metals

Lead	ND		1	1.00	µg/L	10/14/24 11:25	10/15/24 13:12	PL	EPA 200.8 (DA)/EPA 200.8
------	----	--	---	------	------	----------------	----------------	----	--------------------------

Sample: WILD-IM-01-112 Lims Reference ID: AC32729-10 Matrix: Drinking Water Sampled: 09/28/24 06:41:00

Metals

Lead	ND		1	1.00	µg/L	10/14/24 11:25	10/15/24 13:19	PL	EPA 200.8 (DA)/EPA 200.8
------	----	--	---	------	------	----------------	----------------	----	--------------------------

Sample: WILD-WC-01-Hall5 Lims Reference ID: AC32729-11 Matrix: Drinking Water Sampled: 09/28/24 06:43:00

Metals

Lead	ND		1	1.00	µg/L	10/14/24 11:25	10/15/24 13:21	PL	EPA 200.8 (DA)/EPA 200.8
------	----	--	---	------	------	----------------	----------------	----	--------------------------

Sample: WILD-TL-01-TCHLG 1 Lims Reference ID: AC32729-12 Matrix: Drinking Water Sampled: 09/28/24 06:43:00

Metals

Lead	4.51		1	1.00	µg/L	10/14/24 11:25	10/15/24 13:23	PL	EPA 200.8 (DA)/EPA 200.8
------	------	--	---	------	------	----------------	----------------	----	--------------------------

Sample: WILD-WC-02-Hall2 Lims Reference ID: AC32729-14 Matrix: Drinking Water Sampled: 09/28/24 06:47:00

Metals

Lead	ND		1	1.00	µg/L	10/14/24 11:25	10/15/24 13:26	PL	EPA 200.8 (DA)/EPA 200.8
------	----	--	---	------	------	----------------	----------------	----	--------------------------

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077
 Telephone: 856-858-4800 Fax:856-786-5974
 EMSL-CIN-01

EMSL Order ID: 012432729
LIMS Reference ID: AC32729
EMSL Customer ID: EPIC62

Attention: James Eberts
 Epic Environmental Services, LLC [EPIC62]
 80 Fork Bridge Road
 Pittsgrove, NJ 08318
 (856) 205-1077
 jeberts@epicenviro.com

Project Name: Wildwood Highschool
Customer PO: NJ-DOE 24-2329
EMSL Sales Rep: Justin Monturano
Received: 10/03/2024 12:00
Reported: 10/17/2024 17:00

Analytical Results (Continued)

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
Sample: WILD-BF-02-Hall2 Lims Reference ID: AC32729-15 Matrix: Drinking Water Sampled: 09/28/24 06:47:00									
Metals									
Lead	ND		1	1.00	µg/L	10/14/24 11:25	10/15/24 13:28	PL	EPA 200.8 (DA)/EPA 200.8
Sample: WILD-WC-03-Hall4 Lims Reference ID: AC32729-16 Matrix: Drinking Water Sampled: 09/28/24 06:48:00									
Metals									
Lead	ND		1	1.00	µg/L	10/14/24 11:25	10/15/24 13:30	PL	EPA 200.8 (DA)/EPA 200.8
Sample: WILD-BBF-03-Hall4 Lims Reference ID: AC32729-17 Matrix: Drinking Water Sampled: 09/28/24 06:48:00									
Metals									
Lead	ND		1	1.00	µg/L	10/14/24 11:25	10/15/24 13:37	PL	EPA 200.8 (DA)/EPA 200.8
Sample: WILD-WC-01-Hall6 Lims Reference ID: AC32729-18 Matrix: Drinking Water Sampled: 09/28/24 06:50:00									
Metals									
Lead	ND		1	1.00	µg/L	10/14/24 11:25	10/15/24 13:39	PL	EPA 200.8 (DA)/EPA 200.8
Sample: WILD-BF-01-Hall6 Lims Reference ID: AC32729-19 Matrix: Drinking Water Sampled: 09/28/24 06:51:00									
Metals									
Lead	ND		1	1.00	µg/L	10/14/24 11:25	10/15/24 13:52	PL	EPA 200.8 (DA)/EPA 200.8
Sample: WILD-WC-03-Hall3 Lims Reference ID: AC32729-20 Matrix: Drinking Water Sampled: 09/28/24 06:54:00									
Metals									
Lead	ND		1	1.00	µg/L	10/14/24 11:25	10/15/24 13:54	PL	EPA 200.8 (DA)/EPA 200.8
Sample: WILD-WC-01-Hall2 Lims Reference ID: AC32729-21 Matrix: Drinking Water Sampled: 09/28/24 06:56:00									
Metals									
Lead	ND		1	1.00	µg/L	10/14/24 11:25	10/15/24 13:56	PL	EPA 200.8 (DA)/EPA 200.8
Sample: WILD-BF-01-Hall2 Lims Reference ID: AC32729-22 Matrix: Drinking Water Sampled: 09/28/24 06:56:00									
Metals									
Lead	ND		1	1.00	µg/L	10/14/24 11:25	10/15/24 13:58	PL	EPA 200.8 (DA)/EPA 200.8
Sample: WILD-WC-03-Hall1 Lims Reference ID: AC32729-23 Matrix: Drinking Water Sampled: 09/28/24 06:58:00									
Metals									
Lead	ND		1	1.00	µg/L	10/14/24 11:25	10/15/24 14:01	PL	EPA 200.8 (DA)/EPA 200.8

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077
 Telephone: 856-858-4800 Fax:856-786-5974
 EMSL-CIN-01

EMSL Order ID: 012432729
LIMS Reference ID: AC32729
EMSL Customer ID: EPIC62

Attention: James Eberts
 Epic Environmental Services, LLC [EPIC62]
 80 Fork Bridge Road
 Pittsgrove, NJ 08318
 (856) 205-1077
 jeberts@epicenviro.com

Project Name: Wildwood Highschool

Customer PO: NJ-DOE 24-2329
EMSL Sales Rep: Justin Monturano
Received: 10/03/2024 12:00
Reported: 10/17/2024 17:00

Certified Analyses included in this Report

Analyte	Certifications
EPA 200.8 in Drinking Water	
Lead	NJDEP

List of Certifications

Code	Description	Number	Expires
PADEP	Pennsylvania Department of Environmental Protection	68-00367	11/30/2024
NYSDOH	New York State Department of Health	10872	04/01/2025
NJDEP	New Jersey Department of Environmental Protection	03036	06/30/2025
MADEP	Massachusetts Department of Environmental Protection	M-NJ337	06/30/2025
CTDPH	Connecticut Department of Public Health	PH-0270	06/23/2026
California ELAP	California Water Boards	1877	06/30/2025
AIHA LAP	EMSL Analytical, Inc. Cinnaminson, NJ AIHA-LAP, LLC-ELLAP Accredited	100194	01/01/2025
A2LA	A2LA Environmental Certificate	2845.01	07/31/2026

Please see the specific Field of Testing (FOT) on www.emsl.com for a complete listing of parameters for which EMSL is certified.



EMSL Analytical, Inc.

200 Route 130, Cinnaminson, NJ, 08077
Telephone: 856-858-4800 Fax:856-786-5974
EMSL-CIN-01

EMSL Order ID: 012432729
LIMS Reference ID: AC32729
EMSL Customer ID: EPIC62

Attention: James Eberts
Epic Environmental Services, LLC [EPIC62]
80 Fork Bridge Road
Pittsgrove, NJ 08318
(856) 205-1077
jeberts@epicenviro.com

Project Name: Wildwood Highschool

Customer PO: NJ-DOE 24-2329
EMSL Sales Rep: Justin Monturano
Received: 10/03/2024 12:00
Reported: 10/17/2024 17:00

Notes and Definitions

Item	Definition
(Dig)	For metals analysis, sample was digested.
[2C]	Reported from the second channel in dual column analysis.
DF	Dilution Factor
MDL	Method Detection Limit.
ND	Analyte was NOT DETECTED at or above the detection limit.
NR	Spike/Surrogate showed no recovery.
Q	Qualifier
RL	Reporting Limit
Wet	Sample is not dry weight corrected.

Measurement of uncertainty and any applicable definitions of method modifications are available upon request. Per EPA NLLAP policy, sample results are not blank corrected.

Owen McKenna Laboratory Manager or other approved signatory

EMSL maintains liability limited to cost of analysis. Interpretation and use of test results are the responsibility of the client. This report relates only to the samples reported above, and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. The report reflects the samples as received. Results are generated from the field sampling data (sampling volumes and areas, locations, etc.) provided by the client on the Chain of Custody. Samples are within quality control criteria and met method specifications unless otherwise noted.



EMSL ANALYTICAL, INC.
LABORATORY PRODUCTS - ITALIANO
EMSL ANALYTICAL, INC.
LABORATORY PRODUCTS - ITALIANO

AC32729

**Environmental Chemistry
Chain of Custody
EMSL Order Number (Lab Use Only):**

EMSL Analytical, Inc.
200 Route 130 North
Cinnaminson, NJ 08077
PHONE: 1-800-220-3675
FAX: (856) 786-5974

Report To Contact Name: James Eberts
Company Name: Epic Environmental Services, LLC
Street: 80 Fork Bridge Road
City: Pittsgrove State/Province: NJ Zip/Postal Code: 08318
Phone: 856-205-1077 Fax: 856-205-1077

Bill To Company: Epic Environmental Services, LLC
Attention To: James Eberts / Timothy Eberts
Street: 80 Fork Bridge Road
City: Pittsgrove State/Province: NJ Zip/Postal Code: 08318
Phone: 856-205-1077 Fax: 856-205-1077

Project Name: Wildwood High School
U.S. State where Samples Collected: NJ
Email Results To: jeberts@epicenviro.com; teberts@epicenviro.com
Purchase Order: NJ-DOE (24-2329)
Number of Samples In Shipment: 44
Date of Shipment: 10/2/2017

Sample for Compliance? Yes No If yes, NPDES? Other (Specify):
Samples Collected by: EMSL Client check one
Standard Turnaround Time: 2 Weeks The following TATs are subject to lab approval: 1 Week 4 Days 3 Days 2 Days 1 Day
Samples Received Chilled (Y/N)
Failure to complete will hinder processing of samples
List Test(s) Needed

Client Sample ID	Comp	Grab	Collect Date/Time	Matrix	Preservative	EPA 200.8 Total Lead	Field pH	Field pH Test Time	Field Temp. Deg C	Field Temp. Test Time	Comments
WILD -FB	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0630	W=Water S=Soil A=Air SL=Sludge O=Other	1=HCL 2=HNO3 3=H2SO4 4=ICE 5=Other	X					
SO-01 -NURSE	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0633	W		X					
↓ (Flush)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0634	W		X					
KC-01 -KIT 1	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0636	W		X					
↓ (Flush)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0637	W		X					
Released By (Signature)			Date & Time			Received By			Date & Time		
<i>Jan. Jeff</i>			10/3/24			<i>Colleen Paladino</i>			10/3/24 12PM		

Please indicate reporting requirements: Results Only Results and QC Reduced Deliverables Disk Deliverable Other _____
Instructions or Comments: Note: Field pH and Field Temperature are tested on the same day as the date of sample collection.
Analyze FIRST DRAW Samples. Analyze FLUSH samples if corresponding First Draw result is above 15.5 ppb
Analyze FIRST DRAW Samples. Analyze FLUSH samples if corresponding First Draw result is above 15.5 ppb

(Lab) Received Temperature: _____ °C

WILD-
↑



EMSL ANALYTICAL, INC.
LABORATORY PRODUCTS TRAINING
EMSL ANALYTICAL, INC.
LABORATORY PRODUCTS TRAINING

Environmental Chemistry
Chain of Custody
EMSL Order Number (Lab Use Only):
AC32729

PHONE:
FAX:

Additional Pages of the Chain of Custody are only necessary if needed for additional sample information

Client Sample ID	Comp	Grab	Collect Date/Time	Matrix W=Water S=Soil A=Air SL=Sludge O=Other	Preservative 1=HCL 2=HNO3 3=H2SO4 4=ICE 5=Other	EPA 200. 8	List Test(s) Needed				Comments	
							Field pH	Field pH Test Time	Field Temp Deg C	Field Temp Test Time		
WILD-KC-01-KIT2	<input type="checkbox"/>	<input type="checkbox"/>	9/28/24	W	2							
↓ (Flush)	<input type="checkbox"/>	<input type="checkbox"/>	0637	W								
SO-01-112	<input type="checkbox"/>	<input type="checkbox"/>	0639	W								
↓ (Flush)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0640	W								
IM-01-112	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0641	W								
WC-01-HALL5	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0643	W								
TL-01-TCHLG(1)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0643	W								
↓ (Flush)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0644	W								
WC-02-HALL2	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0647	W								
BE-02-HALL2	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0647	W								
WC-03-HALL4	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0648	W								
BE-03-HALL4	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0648	W								
WC-01-HALL6	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0650	W								
BE-01-HALL6	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0651	W								
WC-03-HALL3	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0654	W								
WC-01-HALL2	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0656	W								
BE-01-HALL2	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0656	W								

(Lab) Received Temperature: _____ °C



EMSL ANALYTICAL, INC.
LABORATORY PRODUCTS DIVISION
EMSL ANALYTICAL, INC.
LABORATORY PRODUCTS DIVISION

AC32729

**Environmental Chemistry
Chain of Custody**
EMSL Order Number (Lab Use Only):

PHONE:
FAX:

Additional Pages of the Chain of Custody are only necessary if needed for additional sample information

Client Sample ID	Comp	Grab	Collect Date/Time	Matrix W=Water S=Soil A=Air O=Sludge O=Other	Preservative 1=HCL 2=HNO3 3=H2SO4 4=ICE 5=Other	EPA 200.8	List Tests) Needed				Comments	
							Field pH	Field pH Test Time	Field Temp Deg C	Field Temp Test Time		
WC-03-HALL 1	<input type="checkbox"/>	<input type="checkbox"/>	9/28/24	W	2	8						
WC-01-HALL 1	<input type="checkbox"/>	<input type="checkbox"/>	0700	W								
WC-03-HALL 2	<input type="checkbox"/>	<input type="checkbox"/>	0701	W								
BF-03-HALL 2	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0701	W								
SO-01-GRILL	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0704	W								
↓ (Flush)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0705	W								
WC-01-GRILL	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0706	W								
SO-02-OFFICE	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0709	W								
↓ (Flush)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0710	W								
WC-01-HALL 4	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0712	W								
BF-01-HALL 4	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0712	W								
WC-01-HALL 3	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0713	W								
LM-01-TRAIN	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0714	W								
SO-01-TRAIN	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0715	W								
↓ (Flush)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0716	W								
WC-01-BOYLE	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0717	W								
SO-01-BOYLE	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0718	W								

(Lab) Received Temperature: _____ °C



EMSL ANALYTICAL, INC.
LABORATORY / PRODUCTS / TRAINING
EMSL ANALYTICAL, INC.
LABORATORY / PRODUCTS / TRAINING

Environmental Chemistry
Chain of Custody
EMSL Order Number (Lab Use Only):
AC32729

PHONE:
FAX:

Additional Pages of the Chain of Custody are only necessary if needed for additional sample information

Client Sample ID	Failure to complete will hinder processing of samples		Collect Date/Time	Matrix W=Water S=Soil A=Air SL=Sludge O=Other	Preservative 1=HCL 2=HNO3 3=H2SO4 4=ICE 5=Other	EPA 200. 8	List Test(s) Needed				Comments	
	Comp	Grab					Field pH	Field pH Test Time	Field Temp Deg C	Field Temp Test Time		
SO-01-80/02 (Flush)	<input type="checkbox"/>	<input type="checkbox"/>	9/28/24 0719	W	2							
WC-02 - WGT	<input type="checkbox"/>	<input type="checkbox"/>	0720	W								
BE-02 - WGT	<input type="checkbox"/>	<input type="checkbox"/>	0721	W								
SO-02 - WGT	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0722	W								
SO-02 (Flush)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0723	W								
	<input type="checkbox"/>	<input checked="" type="checkbox"/>		W								
	<input type="checkbox"/>	<input checked="" type="checkbox"/>		W								
	<input type="checkbox"/>	<input checked="" type="checkbox"/>		W								
	<input type="checkbox"/>	<input checked="" type="checkbox"/>		W								
	<input type="checkbox"/>	<input checked="" type="checkbox"/>		W								
	<input type="checkbox"/>	<input checked="" type="checkbox"/>		W								
	<input type="checkbox"/>	<input checked="" type="checkbox"/>		W								
	<input type="checkbox"/>	<input checked="" type="checkbox"/>		W								
	<input type="checkbox"/>	<input checked="" type="checkbox"/>		W								
	<input type="checkbox"/>	<input checked="" type="checkbox"/>		W								
	<input type="checkbox"/>	<input checked="" type="checkbox"/>		W								
	<input type="checkbox"/>	<input checked="" type="checkbox"/>		W								
	<input type="checkbox"/>	<input checked="" type="checkbox"/>		W								
	<input type="checkbox"/>	<input checked="" type="checkbox"/>		W								

WILD - done

(Lab) Received Temperature: _____ °C