



December 10, 2024

Brian Arias  
Jeff-Lewis BOCES\_Watertown Central School  
District  
532 S. Massey Street  
Watertown, NY 13601

RE: Project: SHERMAN ELEMENTARY SCHOOL  
Pace Project No.: 70324398

Dear Brian Arias:

Enclosed are the analytical results for sample(s) received by the laboratory on November 26, 2024. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Melville

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Michelle Cohen  
michelle.cohen@pacelabs.com  
516-370-6000  
Project Manager

Enclosures

cc: Ray Filley, Jeff-Lewis BOCES\_Watertown Central School  
District  
Tiffany Oconnor, Jeff-Lewis BOCES\_Watertown Central  
School District  
Linda Shaw, Jeff-Lewis BOCES\_Watertown Central School  
District



## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## CERTIFICATIONS

Project: SHERMAN ELEMENTARY SCHOOL

Pace Project No.: 70324398

---

### **Pace Analytical Services, LLC - Melville, NY**

575 Broad Hollow Rd, Melville, NY 11747

Connecticut Certification #: PH-0435

Delaware Certification # NY 10478

Maryland Certification #: 208

Massachusetts Certification #: M-NY026

New Hampshire Certification #: 2987

New Jersey Certification #: NY158

New York Certification #: 10478 Primary Accrediting Body

Pennsylvania Certification #: 68-00350

Rhode Island Certification #: LAO00340

Texas Certification #: T104704582

Florida Certification #: E871198

---

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: SHERMAN ELEMENTARY SCHOOL

Pace Project No.: 70324398

Sample: 1A-CAFE		Lab ID: 70324398001	Collected: 11/22/24 06:40	Received: 11/26/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Copper	<b>2.6</b>	ug/L	2.0	1		12/09/24 12:32	7440-50-8	
Lead	<b>&lt;1.0</b>	ug/L	1.0	1		12/09/24 12:32	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: SHERMAN ELEMENTARY SCHOOL

Pace Project No.: 70324398

Sample: 1B-CAFE		Lab ID: 70324398002	Collected: 11/22/24 06:40	Received: 11/26/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Copper	<b>485</b>	ug/L	2.0	1		12/09/24 12:33	7440-50-8	
Lead	<b>&lt;1.0</b>	ug/L	1.0	1		12/09/24 12:33	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: SHERMAN ELEMENTARY SCHOOL

Pace Project No.: 70324398

Sample: 2- DF BOYS BATH L      Lab ID: 70324398003      Collected: 11/22/24 06:51      Received: 11/26/24 08:00      Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

**200.8 MET ICPMS Drinking Water**

Analytical Method: EPA 200.8  
Pace Analytical Services - Melville

Copper	<b>465</b>	ug/L	2.0	1		12/09/24 12:35	7440-50-8	
Lead	<b>&lt;1.0</b>	ug/L	1.0	1		12/09/24 12:35	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: SHERMAN ELEMENTARY SCHOOL

Pace Project No.: 70324398

Sample: 3- DF BOYS BATH R      Lab ID: 70324398004      Collected: 11/22/24 06:51      Received: 11/26/24 08:00      Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

**200.8 MET ICPMS Drinking Water**      Analytical Method: EPA 200.8  
Pace Analytical Services - Melville

Copper	<b>483</b>	ug/L	2.0	1		12/09/24 12:39	7440-50-8	
Lead	<b>&lt;1.0</b>	ug/L	1.0	1		12/09/24 12:39	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: SHERMAN ELEMENTARY SCHOOL

Pace Project No.: 70324398

Sample: 4- 105		Lab ID: 70324398005		Collected: 11/22/24 06:48	Received: 11/26/24 08:00	Matrix: Drinking Water		
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Copper	<b>507</b>	ug/L	2.0	1		12/09/24 12:41	7440-50-8	
Lead	<b>1.2</b>	ug/L	1.0	1		12/09/24 12:41	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: SHERMAN ELEMENTARY SCHOOL

Pace Project No.: 70324398

Sample: 5- 105 BUBBLER		Lab ID: 70324398006	Collected: 11/22/24 06:48	Received: 11/26/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Copper	<b>626</b>	ug/L	2.0	1		12/09/24 12:42	7440-50-8	
Lead	<b>&lt;1.0</b>	ug/L	1.0	1		12/09/24 12:42	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.





### ANALYTICAL RESULTS

Project: SHERMAN ELEMENTARY SCHOOL

Pace Project No.: 70324398

Sample: 6- CLINIC		Lab ID: 70324398007	Collected: 11/22/24 06:47	Received: 11/26/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Copper	<b>819</b>	ug/L	2.0	1		12/09/24 12:44	7440-50-8	
Lead	<b>4.3</b>	ug/L	1.0	1		12/09/24 12:44	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: SHERMAN ELEMENTARY SCHOOL

Pace Project No.: 70324398

Sample: 7- R106 Lab ID: 70324398008 Collected: 11/22/24 06:50 Received: 11/26/24 08:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

**200.8 MET ICPMS Drinking Water**

Analytical Method: EPA 200.8  
Pace Analytical Services - Melville

Copper	<b>650</b>	ug/L	2.0	1		12/09/24 12:46	7440-50-8	
Lead	<b>4.2</b>	ug/L	1.0	1		12/09/24 12:46	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: SHERMAN ELEMENTARY SCHOOL

Pace Project No.: 70324398

Sample: 8- R107		Lab ID: 70324398009	Collected: 11/22/24 06:47	Received: 11/26/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Copper	<b>676</b>	ug/L	2.0	1		12/09/24 12:47	7440-50-8	
Lead	<b>6.1</b>	ug/L	1.0	1		12/09/24 12:47	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: SHERMAN ELEMENTARY SCHOOL

Pace Project No.: 70324398

Sample: 10-R107 BUBBLER		Lab ID: 70324398010	Collected: 11/22/24 06:47	Received: 11/26/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Copper	<b>621</b>	ug/L	2.0	1		12/09/24 12:49	7440-50-8	
Lead	<b>1.9</b>	ug/L	1.0	1		12/09/24 12:49	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: SHERMAN ELEMENTARY SCHOOL

Pace Project No.: 70324398

Sample: 11-R108		Lab ID: 70324398011	Collected: 11/22/24 06:45	Received: 11/26/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Copper	<b>268</b>	ug/L	2.0	1		12/09/24 12:50	7440-50-8	
Lead	<b>1.6</b>	ug/L	1.0	1		12/09/24 12:50	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: SHERMAN ELEMENTARY SCHOOL

Pace Project No.: 70324398

Sample: 12-R108 BUBBLER		Lab ID: 70324398012	Collected: 11/22/24 06:45	Received: 11/26/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Copper	<b>247</b>	ug/L	2.0	1		12/09/24 12:52	7440-50-8	
Lead	<b>&lt;1.0</b>	ug/L	1.0	1		12/09/24 12:52	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: SHERMAN ELEMENTARY SCHOOL

Pace Project No.: 70324398

Sample: 13- DFF 611215 BATH -L Lab ID: 70324398013 Collected: 11/22/24 06:41 Received: 11/26/24 08:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

**200.8 MET ICPMS Drinking Water**

Analytical Method: EPA 200.8  
Pace Analytical Services - Melville

Copper	<b>363</b>	ug/L	2.0	1		12/09/24 12:54	7440-50-8	
Lead	<b>&lt;1.0</b>	ug/L	1.0	1		12/09/24 12:54	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: SHERMAN ELEMENTARY SCHOOL

Pace Project No.: 70324398

Sample: 14-DF 611215 BATH R      Lab ID: 70324398014      Collected: 11/22/24 06:41      Received: 11/26/24 08:00      Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

**200.8 MET ICPMS Drinking Water**

Analytical Method: EPA 200.8  
Pace Analytical Services - Melville

Copper	<b>417</b>	ug/L	2.0	1		12/09/24 12:58	7440-50-8	
Lead	<b>&lt;1.0</b>	ug/L	1.0	1		12/09/24 12:58	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.





### ANALYTICAL RESULTS

Project: SHERMAN ELEMENTARY SCHOOL

Pace Project No.: 70324398

Sample: 15-R109 Lab ID: 70324398015 Collected: 11/22/24 06:46 Received: 11/26/24 08:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

**200.8 MET ICPMS Drinking Water**

Analytical Method: EPA 200.8  
Pace Analytical Services - Melville

Copper	<b>261</b>	ug/L	2.0	1		12/09/24 13:00	7440-50-8	
Lead	<b>3.0</b>	ug/L	1.0	1		12/09/24 13:00	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: SHERMAN ELEMENTARY SCHOOL

Pace Project No.: 70324398

Sample: 16-R109 BUBBLER		Lab ID: 70324398016	Collected: 11/22/24 06:46	Received: 11/26/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Copper	<b>238</b>	ug/L	2.0	1		12/09/24 13:01	7440-50-8	
Lead	<b>2.8</b>	ug/L	1.0	1		12/09/24 13:01	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: SHERMAN ELEMENTARY SCHOOL

Pace Project No.: 70324398

Sample: 17-R104 Lab ID: 70324398017 Collected: 11/22/24 06:55 Received: 11/26/24 08:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

**200.8 MET ICPMS Drinking Water** Analytical Method: EPA 200.8  
Pace Analytical Services - Melville

Copper	<b>289</b>	ug/L	2.0	1		12/09/24 13:06	7440-50-8	M1
Lead	<b>1.3</b>	ug/L	1.0	1		12/09/24 13:06	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: SHERMAN ELEMENTARY SCHOOL

Pace Project No.: 70324398

Sample: 18-R104 BUBBLER Lab ID: 70324398018 Collected: 11/22/24 06:55 Received: 11/26/24 08:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

**200.8 MET ICPMS Drinking Water**

Analytical Method: EPA 200.8  
Pace Analytical Services - Melville

Copper	351	ug/L	2.0	1		12/09/24 13:10	7440-50-8	M1
Lead	<1.0	ug/L	1.0	1		12/09/24 13:10	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: SHERMAN ELEMENTARY SCHOOL

Pace Project No.: 70324398

Sample: 19- R103		Lab ID: 70324398019	Collected: 11/22/24 06:56	Received: 11/26/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Copper	<b>365</b>	ug/L	2.0	1		12/09/24 13:18	7440-50-8	
Lead	<b>1.3</b>	ug/L	1.0	1		12/09/24 13:18	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: SHERMAN ELEMENTARY SCHOOL

Pace Project No.: 70324398

Sample: 20- R103 BUBBLER Lab ID: 70324398020 Collected: 11/22/24 06:56 Received: 11/26/24 08:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

**200.8 MET ICPMS Drinking Water**

Analytical Method: EPA 200.8  
Pace Analytical Services - Melville

Copper	<b>445</b>	ug/L	2.0	1		12/09/24 13:19	7440-50-8	
Lead	<b>&lt;1.0</b>	ug/L	1.0	1		12/09/24 13:19	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: SHERMAN ELEMENTARY SCHOOL

Pace Project No.: 70324398

Sample: 21- TEACHERS ROOM		Lab ID: 70324398021	Collected: 11/22/24 07:01	Received: 11/26/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Copper	<b>819</b>	ug/L	2.0	1		12/09/24 13:21	7440-50-8	
Lead	<b>&lt;1.0</b>	ug/L	1.0	1		12/09/24 13:21	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: SHERMAN ELEMENTARY SCHOOL

Pace Project No.: 70324398

Sample: **21B-TEACHERS RM BUBBLER** Lab ID: **70324398022** Collected: 11/22/24 07:01 Received: 11/26/24 08:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Copper	<b>836</b>	ug/L	2.0	1		12/09/24 13:22	7440-50-8	
Lead	<b>1.2</b>	ug/L	1.0	1		12/09/24 13:22	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.





### ANALYTICAL RESULTS

Project: SHERMAN ELEMENTARY SCHOOL

Pace Project No.: 70324398

Sample: 22-R102 Lab ID: 70324398023 Collected: 11/22/24 07:02 Received: 11/26/24 08:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

**200.8 MET ICPMS Drinking Water**

Analytical Method: EPA 200.8  
Pace Analytical Services - Melville

Copper	<b>469</b>	ug/L	2.0	1		12/09/24 13:24	7440-50-8	
Lead	<b>&lt;1.0</b>	ug/L	1.0	1		12/09/24 13:24	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: SHERMAN ELEMENTARY SCHOOL

Pace Project No.: 70324398

Sample: 23-R102 BUBBLER Lab ID: 70324398024 Collected: 11/22/24 07:02 Received: 11/26/24 08:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

**200.8 MET ICPMS Drinking Water**

Analytical Method: EPA 200.8  
Pace Analytical Services - Melville

Copper	<b>696</b>	ug/L	2.0	1		12/09/24 13:26	7440-50-8	
Lead	<b>&lt;1.0</b>	ug/L	1.0	1		12/09/24 13:26	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: SHERMAN ELEMENTARY SCHOOL

Pace Project No.: 70324398

Sample: 24-R101 Lab ID: 70324398025 Collected: 11/22/24 07:03 Received: 11/26/24 08:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

**200.8 MET ICPMS Drinking Water**

Analytical Method: EPA 200.8  
Pace Analytical Services - Melville

Copper	<b>428</b>	ug/L	2.0	1		12/09/24 13:27	7440-50-8	
Lead	<b>1.2</b>	ug/L	1.0	1		12/09/24 13:27	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: SHERMAN ELEMENTARY SCHOOL

Pace Project No.: 70324398

Sample: 25-R101 BUBBLER		Lab ID: 70324398026	Collected: 11/22/24 07:03	Received: 11/26/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Copper	<b>622</b>	ug/L	2.0	1		12/09/24 13:29	7440-50-8	
Lead	<b>&lt;1.0</b>	ug/L	1.0	1		12/09/24 13:29	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: SHERMAN ELEMENTARY SCHOOL

Pace Project No.: 70324398

Sample: 26-R 205 Lab ID: 70324398027 Collected: 11/22/24 07:21 Received: 11/26/24 08:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

**200.8 MET ICPMS Drinking Water**

Analytical Method: EPA 200.8  
Pace Analytical Services - Melville

Copper	<b>486</b>	ug/L	2.0	1		12/09/24 13:30	7440-50-8	
Lead	<b>7.3</b>	ug/L	1.0	1		12/09/24 13:30	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: SHERMAN ELEMENTARY SCHOOL

Pace Project No.: 70324398

Sample: 27-R 205 BUBBLER      Lab ID: 70324398028      Collected: 11/22/24 07:21      Received: 11/26/24 08:00      Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

**200.8 MET ICPMS Drinking Water**

Analytical Method: EPA 200.8  
Pace Analytical Services - Melville

Copper	<b>597</b>	ug/L	2.0	1		12/09/24 13:35	7440-50-8	
Lead	<b>3.0</b>	ug/L	1.0	1		12/09/24 13:35	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: SHERMAN ELEMENTARY SCHOOL

Pace Project No.: 70324398

Sample: 28-DF BOYS 2ND FL Lab ID: 70324398029 Collected: 11/22/24 07:15 Received: 11/26/24 08:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

**200.8 MET ICPMS Drinking Water** Analytical Method: EPA 200.8  
Pace Analytical Services - Melville

Copper	<b>327</b>	ug/L	2.0	1		12/09/24 13:36	7440-50-8	
Lead	<b>&lt;1.0</b>	ug/L	1.0	1		12/09/24 13:36	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: SHERMAN ELEMENTARY SCHOOL

Pace Project No.: 70324398

Sample: 29- DF BOYS 2ND FL R      Lab ID: 70324398030      Collected: 11/22/24 07:15      Received: 11/26/24 08:00      Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

**200.8 MET ICPMS Drinking Water**      Analytical Method: EPA 200.8  
Pace Analytical Services - Melville

Copper	<b>600</b>	ug/L	2.0	1		12/09/24 13:38	7440-50-8	
Lead	<b>3.0</b>	ug/L	1.0	1		12/09/24 13:38	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.





### ANALYTICAL RESULTS

Project: SHERMAN ELEMENTARY SCHOOL

Pace Project No.: 70324398

Sample: 30- R206 Lab ID: 70324398031 Collected: 11/22/24 07:18 Received: 11/26/24 08:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

**200.8 MET ICPMS Drinking Water** Analytical Method: EPA 200.8  
Pace Analytical Services - Melville

Copper	335	ug/L	2.0	1		12/09/24 13:39	7440-50-8	
Lead	<1.0	ug/L	1.0	1		12/09/24 13:39	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: SHERMAN ELEMENTARY SCHOOL

Pace Project No.: 70324398

Sample: 31- R206 BUBBLER		Lab ID: 70324398032	Collected: 11/22/24 07:18	Received: 11/26/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Copper	<b>581</b>	ug/L	2.0	1		12/09/24 13:41	7440-50-8	
Lead	<b>4.5</b>	ug/L	1.0	1		12/09/24 13:41	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: SHERMAN ELEMENTARY SCHOOL

Pace Project No.: 70324398

Sample: 32-R 207      Lab ID: 70324398033      Collected: 11/22/24 07:14      Received: 11/26/24 08:00      Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

**200.8 MET ICPMS Drinking Water**

Analytical Method: EPA 200.8  
Pace Analytical Services - Melville

Copper	<b>455</b>	ug/L	2.0	1		12/09/24 13:43	7440-50-8	
Lead	<b>13.3</b>	ug/L	1.0	1		12/09/24 13:43	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: SHERMAN ELEMENTARY SCHOOL

Pace Project No.: 70324398

Sample: 33 -R207 BUBBLER		Lab ID: 70324398034	Collected: 11/22/24 07:14	Received: 11/26/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Copper	<b>464</b>	ug/L	2.0	1		12/09/24 13:44	7440-50-8	
Lead	<b>9.8</b>	ug/L	1.0	1		12/09/24 13:44	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: SHERMAN ELEMENTARY SCHOOL

Pace Project No.: 70324398

Sample: 34-R209		Lab ID: 70324398035	Collected: 11/22/24 07:14	Received: 11/26/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Copper	<b>345</b>	ug/L	2.0	1		12/09/24 13:46	7440-50-8	
Lead	<b>11.3</b>	ug/L	1.0	1		12/09/24 13:46	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: SHERMAN ELEMENTARY SCHOOL

Pace Project No.: 70324398

Sample: 35- R209 BUBBLER Lab ID: 70324398036 Collected: 11/22/24 07:14 Received: 11/26/24 08:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

**200.8 MET ICPMS Drinking Water** Analytical Method: EPA 200.8  
Pace Analytical Services - Melville

Copper	<b>360</b>	ug/L	2.0	1		12/09/24 13:47	7440-50-8	
Lead	<b>8.7</b>	ug/L	1.0	1		12/09/24 13:47	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: SHERMAN ELEMENTARY SCHOOL

Pace Project No.: 70324398

Sample: 36-R210 Lab ID: 70324398037 Collected: 11/22/24 07:11 Received: 11/26/24 08:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

**200.8 MET ICPMS Drinking Water** Analytical Method: EPA 200.8  
Pace Analytical Services - Melville

Copper	<b>531</b>	ug/L	2.0	1		12/09/24 13:55	7440-50-8	M1
Lead	<b>3.0</b>	ug/L	1.0	1		12/09/24 13:55	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: SHERMAN ELEMENTARY SCHOOL

Pace Project No.: 70324398

Sample: 37- R210 BUBBLER		Lab ID: 70324398038	Collected: 11/22/24 07:11	Received: 11/26/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Copper	<b>712</b>	ug/L	2.0	1		12/09/24 13:59	7440-50-8	M1
Lead	<b>2.6</b>	ug/L	1.0	1		12/09/24 13:59	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.





### ANALYTICAL RESULTS

Project: SHERMAN ELEMENTARY SCHOOL

Pace Project No.: 70324398

Sample: 38- DF GIRLS 2ND FL Lab ID: 70324398039 Collected: 11/22/24 07:08 Received: 11/26/24 08:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

**200.8 MET ICPMS Drinking Water**

Analytical Method: EPA 200.8  
Pace Analytical Services - Melville

Copper	<b>481</b>	ug/L	2.0	1		12/09/24 14:04	7440-50-8	
Lead	<b>&lt;1.0</b>	ug/L	1.0	1		12/09/24 14:04	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: SHERMAN ELEMENTARY SCHOOL

Pace Project No.: 70324398

Sample: 39-DF 611215 2ND FLR Lab ID: 70324398040 Collected: 11/22/24 07:08 Received: 11/26/24 08:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

200.8 MET ICPMS Drinking Water

Analytical Method: EPA 200.8  
Pace Analytical Services - Melville

Copper	521	ug/L	2.0	1		12/09/24 14:05	7440-50-8	
Lead	<1.0	ug/L	1.0	1		12/09/24 14:05	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: SHERMAN ELEMENTARY SCHOOL

Pace Project No.: 70324398

Sample: 40-R 211	Lab ID: 70324398041	Collected: 11/22/24 07:09	Received: 11/26/24 08:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Copper	<b>450</b>	ug/L	2.0	1		12/09/24 14:07	7440-50-8	
Lead	<b>2.1</b>	ug/L	1.0	1		12/09/24 14:07	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: SHERMAN ELEMENTARY SCHOOL

Pace Project No.: 70324398

Sample: 41-R211 BUBBLER		Lab ID: 70324398042	Collected: 11/22/24 07:09	Received: 11/26/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Copper	<b>605</b>	ug/L	2.0	1		12/09/24 14:11	7440-50-8	
Lead	<b>&lt;1.0</b>	ug/L	1.0	1		12/09/24 14:11	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: SHERMAN ELEMENTARY SCHOOL

Pace Project No.: 70324398

Sample: 42- MUSIC RM		Lab ID: 70324398043	Collected: 11/22/24 07:22	Received: 11/26/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Copper	<b>618</b>	ug/L	2.0	1		12/09/24 14:13	7440-50-8	
Lead	<b>1.8</b>	ug/L	1.0	1		12/09/24 14:13	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: SHERMAN ELEMENTARY SCHOOL

Pace Project No.: 70324398

Sample: 43- MUSIC RM		Lab ID: 70324398044	Collected: 11/22/24 07:22	Received: 11/26/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Copper	<b>553</b>	ug/L	2.0	1		12/09/24 14:15	7440-50-8	
Lead	<b>&lt;1.0</b>	ug/L	1.0	1		12/09/24 14:15	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: SHERMAN ELEMENTARY SCHOOL

Pace Project No.: 70324398

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>Sample: 44-R 202</b>		<b>Lab ID: 70324398045</b>		Collected: 11/22/24 07:25	Received: 11/26/24 08:00	Matrix: Drinking Water		
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Copper	<b>574</b>	ug/L	2.0	1		12/09/24 14:16	7440-50-8	
Lead	<b>2.6</b>	ug/L	1.0	1		12/09/24 14:16	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: SHERMAN ELEMENTARY SCHOOL

Pace Project No.: 70324398

Sample: 45- R 202 BUBBLER      Lab ID: 70324398046      Collected: 11/22/24 07:25      Received: 11/26/24 08:00      Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

**200.8 MET ICPMS Drinking Water**      Analytical Method: EPA 200.8  
Pace Analytical Services - Melville

Copper	<b>641</b>	ug/L	2.0	1		12/09/24 14:18	7440-50-8	
Lead	<b>&lt;1.0</b>	ug/L	1.0	1		12/09/24 14:18	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.





### ANALYTICAL RESULTS

Project: SHERMAN ELEMENTARY SCHOOL

Pace Project No.: 70324398

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>Sample: 46-R201</b>								
<b>Lab ID: 70324398047</b>								
Collected: 11/22/24 07:26								
Received: 11/26/24 08:00								
Matrix: Drinking Water								
<b>200.8 MET ICPMS Drinking Water</b>								
Analytical Method: EPA 200.8								
Pace Analytical Services - Melville								
Copper	<b>453</b>	ug/L	2.0	1		12/09/24 14:19	7440-50-8	
Lead	<b>1.6</b>	ug/L	1.0	1		12/09/24 14:19	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: SHERMAN ELEMENTARY SCHOOL

Pace Project No.: 70324398

Sample: 47- R201 BUBBLER Lab ID: 70324398048 Collected: 11/22/24 07:26 Received: 11/26/24 08:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

**200.8 MET ICPMS Drinking Water**

Analytical Method: EPA 200.8  
Pace Analytical Services - Melville

Copper	491	ug/L	2.0	1		12/09/24 14:21	7440-50-8	
Lead	<1.0	ug/L	1.0	1		12/09/24 14:21	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



**QUALITY CONTROL DATA**

Project: SHERMAN ELEMENTARY SCHOOL

Pace Project No.: 70324398

QC Batch:	374436	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville
Associated Lab Samples:	70324398001, 70324398002, 70324398003, 70324398004, 70324398005, 70324398006, 70324398007, 70324398008, 70324398009, 70324398010, 70324398011, 70324398012, 70324398013, 70324398014, 70324398015, 70324398016		

METHOD BLANK:	1960861	Matrix:	Water
Associated Lab Samples:	70324398001, 70324398002, 70324398003, 70324398004, 70324398005, 70324398006, 70324398007, 70324398008, 70324398009, 70324398010, 70324398011, 70324398012, 70324398013, 70324398014, 70324398015, 70324398016		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Copper	ug/L	<2.0	2.0	12/09/24 12:14	
Lead	ug/L	<1.0	1.0	12/09/24 12:14	

LABORATORY CONTROL SAMPLE:	1960862					
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Copper	ug/L	50	52.6	105	85-115	
Lead	ug/L	50	51.6	103	85-115	

MATRIX SPIKE SAMPLE:	1960864						
Parameter	Units	70324395068 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Copper	ug/L	445	50	488	88	70-130	
Lead	ug/L	<1.0	50	50.7	100	70-130	

MATRIX SPIKE SAMPLE:	1960866						
Parameter	Units	70324395069 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Copper	ug/L	379	50	371	-15	70-130	M1
Lead	ug/L	6.3	50	56.3	100	70-130	

SAMPLE DUPLICATE:	1960863					
Parameter	Units	70324395068 Result	Dup Result	RPD	Qualifiers	
Copper	ug/L	445	451	1		
Lead	ug/L	<1.0	<1.0			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



### QUALITY CONTROL DATA

Project: SHERMAN ELEMENTARY SCHOOL

Pace Project No.: 70324398

SAMPLE DUPLICATE: 1960865

Parameter	Units	70324395069 Result	Dup Result	RPD	Qualifiers
Copper	ug/L	379	344	9	
Lead	ug/L	6.3	6.0	5	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: SHERMAN ELEMENTARY SCHOOL

Pace Project No.: 70324398

QC Batch: 374438 Analysis Method: EPA 200.8
QC Batch Method: EPA 200.8 Analysis Description: 200.8 MET No Prep Drinking Water
Laboratory: Pace Analytical Services - Melville
Associated Lab Samples: 70324398017, 70324398018, 70324398019, 70324398020, 70324398021, 70324398022, 70324398023, 70324398024, 70324398025, 70324398026, 70324398027, 70324398028, 70324398029, 70324398030, 70324398031, 70324398032, 70324398033, 70324398034, 70324398035, 70324398036

METHOD BLANK: 1960872 Matrix: Water
Associated Lab Samples: 70324398017, 70324398018, 70324398019, 70324398020, 70324398021, 70324398022, 70324398023, 70324398024, 70324398025, 70324398026, 70324398027, 70324398028, 70324398029, 70324398030, 70324398031, 70324398032, 70324398033, 70324398034, 70324398035, 70324398036

Table with 6 columns: Parameter, Units, Blank Result, Reporting Limit, Analyzed, Qualifiers. Rows for Copper and Lead.

LABORATORY CONTROL SAMPLE: 1960873
Table with 7 columns: Parameter, Units, Spike Conc., LCS Result, LCS % Rec, % Rec Limits, Qualifiers. Rows for Copper and Lead.

MATRIX SPIKE SAMPLE: 1960875
Table with 8 columns: Parameter, Units, 70324398017 Result, Spike Conc., MS Result, MS % Rec, % Rec Limits, Qualifiers. Rows for Copper and Lead.

MATRIX SPIKE SAMPLE: 1960877
Table with 8 columns: Parameter, Units, 70324398018 Result, Spike Conc., MS Result, MS % Rec, % Rec Limits, Qualifiers. Rows for Copper and Lead.

SAMPLE DUPLICATE: 1960874
Table with 6 columns: Parameter, Units, 70324398017 Result, Dup Result, RPD, Qualifiers. Rows for Copper and Lead.

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



### QUALITY CONTROL DATA

Project: SHERMAN ELEMENTARY SCHOOL

Pace Project No.: 70324398

SAMPLE DUPLICATE: 1960876

Parameter	Units	70324398018 Result	Dup Result	RPD	Qualifiers
Copper	ug/L	351	351	0	
Lead	ug/L	<1.0	<1.0		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



**QUALITY CONTROL DATA**

Project: SHERMAN ELEMENTARY SCHOOL

Pace Project No.: 70324398

QC Batch:	374471	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville
Associated Lab Samples:	70324398037, 70324398038, 70324398039, 70324398040, 70324398041, 70324398042, 70324398043, 70324398044, 70324398045, 70324398046, 70324398047, 70324398048		

METHOD BLANK:	1961014	Matrix:	Water
Associated Lab Samples:	70324398037, 70324398038, 70324398039, 70324398040, 70324398041, 70324398042, 70324398043, 70324398044, 70324398045, 70324398046, 70324398047, 70324398048		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Copper	ug/L	<2.0	2.0	12/09/24 13:49	
Lead	ug/L	<1.0	1.0	12/09/24 13:49	

LABORATORY CONTROL SAMPLE: 1961015

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Copper	ug/L	50	51.8	104	85-115	
Lead	ug/L	50	52.2	104	85-115	

MATRIX SPIKE SAMPLE: 1961017

Parameter	Units	70324398037 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Copper	ug/L	531	50	543	23	70-130	M1
Lead	ug/L	3.0	50	64.3	123	70-130	

MATRIX SPIKE SAMPLE: 1961019

Parameter	Units	70324398038 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Copper	ug/L	712	50	688	-49	70-130	M1
Lead	ug/L	2.6	50	66.6	128	70-130	

SAMPLE DUPLICATE: 1961016

Parameter	Units	70324398037 Result	Dup Result	RPD	Qualifiers
Copper	ug/L	531	528	1	
Lead	ug/L	3.0	3.0	0	

SAMPLE DUPLICATE: 1961018

Parameter	Units	70324398038 Result	Dup Result	RPD	Qualifiers
Copper	ug/L	712	681	4	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



### QUALITY CONTROL DATA

Project: SHERMAN ELEMENTARY SCHOOL

Pace Project No.: 70324398

SAMPLE DUPLICATE: 1961018

Parameter	Units	70324398038 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	2.6	2.6	0	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.





## QUALIFIERS

Project: SHERMAN ELEMENTARY SCHOOL

Pace Project No.: 70324398

---

### DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

### ANALYTE QUALIFIERS

M1 Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: SHERMAN ELEMENTARY SCHOOL

Pace Project No.: 70324398

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
70324398001	1A-CAFE	EPA 200.8	374436		
70324398002	1B-CAFE	EPA 200.8	374436		
70324398003	2- DF BOYS BATH L	EPA 200.8	374436		
70324398004	3- DF BOYS BATH R	EPA 200.8	374436		
70324398005	4- 105	EPA 200.8	374436		
70324398006	5- 105 BUBBLER	EPA 200.8	374436		
70324398007	6- CLINIC	EPA 200.8	374436		
70324398008	7- R106	EPA 200.8	374436		
70324398009	8- R107	EPA 200.8	374436		
70324398010	10-R107 BUBBLER	EPA 200.8	374436		
70324398011	11-R108	EPA 200.8	374436		
70324398012	12-R108 BUBBLER	EPA 200.8	374436		
70324398013	13- DFF 611215 BATH -L	EPA 200.8	374436		
70324398014	14-DF 611215 BATH R	EPA 200.8	374436		
70324398015	15-R109	EPA 200.8	374436		
70324398016	16-R109 BUBBLER	EPA 200.8	374436		
70324398017	17-R104	EPA 200.8	374438		
70324398018	18-R104 BUBBLER	EPA 200.8	374438		
70324398019	19- R103	EPA 200.8	374438		
70324398020	20- R103 BUBBLER	EPA 200.8	374438		
70324398021	21- TEACHERS ROOM	EPA 200.8	374438		
70324398022	21B-TEACHERS RM BUBBLER	EPA 200.8	374438		
70324398023	22-R102	EPA 200.8	374438		
70324398024	23-R102 BUBBLER	EPA 200.8	374438		
70324398025	24-R101	EPA 200.8	374438		
70324398026	25-R101 BUBBLER	EPA 200.8	374438		
70324398027	26-R 205	EPA 200.8	374438		
70324398028	27-R 205 BUBBLER	EPA 200.8	374438		
70324398029	28-DF BOYS 2ND FL	EPA 200.8	374438		
70324398030	29- DF BOYS 2ND FL R	EPA 200.8	374438		
70324398031	30- R206	EPA 200.8	374438		
70324398032	31- R206 BUBBLER	EPA 200.8	374438		
70324398033	32-R 207	EPA 200.8	374438		
70324398034	33 -R207 BUBBLER	EPA 200.8	374438		
70324398035	34-R209	EPA 200.8	374438		
70324398036	35- R209 BUBBLER	EPA 200.8	374438		
70324398037	36-R210	EPA 200.8	374471		
70324398038	37- R210 BUBBLER	EPA 200.8	374471		
70324398039	38- DF GIRLS 2ND FL	EPA 200.8	374471		
70324398040	39-DF 611215 2ND FLR	EPA 200.8	374471		
70324398041	40-R 211	EPA 200.8	374471		
70324398042	41-R211 BUBBLER	EPA 200.8	374471		
70324398043	42- MUSIC RM	EPA 200.8	374471		
70324398044	43- MUSIC RM	EPA 200.8	374471		
70324398045	44-R 202	EPA 200.8	374471		
70324398046	45- R 202 BUBBLER	EPA 200.8	374471		
70324398047	46-R201	EPA 200.8	374471		
70324398048	47- R201 BUBBLER	EPA 200.8	374471		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



### QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: SHERMAN ELEMENTARY SCHOOL

Pace Project No.: 70324398

---

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
--------	-----------	-----------------	----------	-------------------	------------------

---

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

Company Name: Jefferson Lewis BOCES\_Watertown CSD  
 Street Address: 1351 Washington Street, Watertown NY 13601

Customer Project #: 08215607  
 Project Name: SHERMAN ELEMENTARY & HOUL

Site Collection Info/Facility ID (as applicable):

Contact/Report To: Brian Arias  
 Phone #: 315-661-4351  
 E-Mail: [barias@watertowncsd.org](mailto:barias@watertowncsd.org)  
 Cc E-Mail:

Invoice To: Brian Arias  
 Invoice E-Mail: [barias@watertowncsd.org](mailto:barias@watertowncsd.org)

Purchase Order # (if applicable):  
 Quote #:

County / State origin of sample(s): New York

Regulatory Program (DW, RCRA, etc.) as applicable: NY Lead in School DW  
 DW PWSID # or WW Permit # as applicable:  
 Rush (Pre-approval required):  
 ( ) 2 Day ( ) 3 day ( ) 5 day ( ) Other  
 Date Results Requested: Standard 10 business day  
 Analysts:

\* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Other (OT), Surface Water (SW), Sediment (SED), Sludge (SL), Caulk

Customer Sample ID	Matrix *	Collected		Res. CL2	Number & Type of Containers	Plastic	Glass
		Date	Time				
1A - CAFE	DW	G	11/22/24	646	1		
1B - CAFE				640			
2 - DF BOYS BATH L				651			
3 - DF BOYS BATH R				651			
4 - 105				648			
5 - 105 BUBBLER				648			
6 - CLINIC				647			
7 - R106				650			
9 - R017 R107				647			
10 - R107 BUBBLER				647			

Additional Instructions from Pace\*:  
 Collected By: Thomas Rankin  
 Printed Name: Thomas Rankin  
 Signature:

Received by/Company (Signature):  
 Received by/Company (Signature):  
 Received by/Company (Signature):  
 Received by/Company (Signature):

Date/Time: 11/25/24 13:35  
 Date/Time: 11/25/24 14:00  
 Date/Time: 11/26/24 8:00  
 Date/Time:

Tracking Number:  
 Delivered by: ( ) In-Person ( ) Courier  
 ( ) FedEx ( ) UPS ( ) Other  
 Page: 1 of 8

**CHAIN-OF-CUSTODY Analytical Request Document**  
 Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

WO#: 70324398  
  
 70324398

\*\*Container Size: (1) 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL, (7) EriCore, (8) TerraCore, (9) Other  
 Identify Container Preservative Type\*\*\*  
 \*\*\* Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NH4SO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) Mech, (11) Other  
 Analysis Requested

Lab Use Only  
 Proj. Mgr: Randy Budhu  
 AcctNum / Client ID:  
 Table #:  
 Profile / Template:  
 Prelog / Bottle Ord. ID:  
 Sample Comment  
 Preservation non-conformance identified for sample:

200.8 Drinking Water (Pb only)

2/5

LAB USE ONLY - Affix Workorder/Login Label Here

### CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields



Scan QR Code for instructions

**Pace**  
 Pace Analytical Long Island NY  
 575 Broad Hollow Rd, Melville, NY 11747

Company Name: Jefferson Lewis BOCES\_Watertown CSD  
 Street Address: 1351 Washington Street, Watertown NY 13601

Contact/Report To: Brian Arias  
 Phone #: 315-661-4351  
 E-Mail: [barias@watertowncso.org](mailto:barias@watertowncso.org)  
 Cc E-Mail:

Customer Project #: 08215607  
 Project Name: *Sherman elementary school*

Site Collection Info/Facility ID (as applicable):

Time Zone Collected: ( ) AK ( ) PT ( ) MT ( ) CT (X) ET

Data Deliverables:  
 ( ) Level II ( ) Level III ( ) Level IV  
 ( ) EQUIS  
 ( ) Other: \_\_\_\_\_

Rush (Pre-approval required):  
 ( ) 12 Day ( ) 3 day ( ) 15 day ( ) Other: \_\_\_\_\_  
 Date Results Requested: Standard 10 business day

Field Filtered (if applicable): ( ) Yes ( ) No

Analysis:

County / State origin of sample(s): New York

Regulatory Program (DW, RCRA, etc.) as applicable: NY Lead in School DW

DW PWSID # or WW Permit # as applicable:

Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Other (OT), Surface Water (SW), Sediment (SED), Sludge (SL), Caulk

Customer Sample ID

Matrix \*  
 DW  
 G

Comp / Grab  
 G

Collected (or Composite Start) Date Time  
 11/22/24 6:45  
 6:45  
 6:41  
 6:46  
 6:46  
 6:55  
 6:55  
 6:56  
 6:56

Res. CLZ  
 1

Number & Type of Containers  
 Plastic Glass  
 1

Customer Sample ID	Matrix *	Comp / Grab	Collected (or Composite Start) Date Time	Res. CLZ	Number & Type of Containers Plastic Glass	Additional Instructions from Pace*
11 - R108	DW	G	11/22/24 6:45		1	
12 - R108 Rubber			6:45			
13 - DF GIRLS BATH - L			6:41			
14 - DF GIRLS BATH - R			6:46			
15 - R109			6:46			
16 - R104 Rubber			6:55			
17 - R104			6:55			
18 - R104 Rubber			6:56			
19 - R103			6:56			
20 - R103 Rubber			6:56			

200.8 Drinking Water (Pb only) X

Proj. Mgr: Randy Budhu  
 AcctNum / Client ID:  
 Table #:  
 Profile / Template:  
 X  
 Pregl / Bottle Ord. ID:

Sample Comment

Preservation non-conformance identified for sample:

Customer Remarks / Special Conditions / Possible Hazards:  
 Lead

Collected By: Thomas Rankin  
 Printed Name: Thomas Rankin  
 Signature:

Received by/Company (Signature):  
 11/23/24 13:35 Pace  
 11/25 14:00  
 11/26 8:00

Date/Time

Tracking Number:  
 1125 13:35  
 11/26 4:00  
 11/26 8:00

Date/Time

Delivered by: ( ) In-Person ( ) Courier  
 ( ) FedEx ( ) UPS ( ) Other

Page: 2 of 12

**Company Name:** Jefferson Lewis BOCES Watertown CSD  
**Street Address:** 1351 Washington Street, Watertown NY 13601

**Contact/Report To:** Brian Arias  
**Phone #:** 315-661-4351  
**E-Mail:** barias@watertowncsd.org  
**Cc E-Mail:**

**Invoice To:** Brian Arias  
**Invoice E-Mail:** barias@watertowncsd.org

**Purchase Order # (if applicable):**  
**Quote #:**

**Customer Project #:** 08215604  
**Project Name:** SHERMAN ELEMENTARY SCHOOL

**Site Collection Info/Facility ID (as applicable):**

**Time Zone Collected:** [ ] AK [ ] PT [ ] MT [ ] CT [X] ET

**Data Deliverables:**  
 [ ] Level II [ ] Level III [ ] Level IV  
 [ ] EQUIS  
 [ ] Other

**Rush (Pre-approval required):**  
 [ ] 2 Day [ ] 3 day [ ] 5 day [ ] Other  
**Date Results Requested:** Standard 10 business day

**Field Filtered (if applicable):** [ ] Yes [ ] No  
**Analysis:**

**Country / State origin of sample(s):** New York

**Regulatory Program (DW, RCRA, etc.) as applicable:** NY Lead in School DW


Customer Sample ID	Matrix *	Comp / Grab	Collected		Composite End Date	Time	Res. CL2		Number & Type of Containers	Preservation non-conformance identified for sample.
			Date	Time			Plastic	Glass		
21- Teachers Room	DW	G	11/22/24	7:01					1	
21B - Teachers Rm Rubber				7:01						
22 - R102				7:02						
23 - R102 Bubble				7:02						
24 - R101				7:03						
25 - R101 Bubble				7:03						
26 - R205				7:21						
27 - R205 Bubble				7:21						
28 - DF Boys and R2				7:05						
29 - DF Boys and R2 R				7:15						

**Additional Instructions from Pace\*:**

**Collected By:** Thomas Rankin  
**Printed Name:** Thomas Rankin  
**Signature:**

Requisition #/Company (Signature)	Date/Time	Received by/Company (Signature)	Date/Time
<i>[Signature]</i>	11/25/24 13:35	<i>[Signature]</i>	11/25 13:35
<i>[Signature]</i>	11/25 14:00	<i>[Signature]</i>	11/25 13:55
<i>[Signature]</i>	11/26 8:00	<i>[Signature]</i>	11/26 24:00
<i>[Signature]</i>		<i>[Signature]</i>	

**LAB USE ONLY - Affix Workorder/Login Label Here**



Scan QR Code for instructions

**Specify Container Size \*\***

**Identify Container Preservative Type \*\*\***

**Analysis Requested**

**Proj. Mgr:** Randy Budhu  
**AcctNum / Client ID:**  
**Table #:**  
**Profile / Template:**  
**Pralog / Bottle Ord. ID:**

**Sample Comment**

**200.8 Drinking Water (Pb only)**

**Additional Instructions from Pace\*:**

**# Coolers:** Thermometer ID: Obs. Temp. (°C) Correction Factor (°C) Corrected Temp. (°C)

**Tracking Number:**

**Delivered by:** [ ] In-Person [ ] Courier [ ] FedEx [ ] UPS [ ] Other

**Page:** 7 of 18



LAB USE ONLY - Affix Workorder/Login Label Here

Scan QR Code for instructions

**Pace**  
 Pace Analytical Long Island NY  
 575 Broad Hollow Rd, Melville, NY 11747

### CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

Pace\* Location Requested (City/State):  
 Pace Analytical Long Island NY  
 575 Broad Hollow Rd, Melville, NY 11747

Company Name: Jefferson Lewis BOGES\_ Watertown CSD  
 Street Address: 1351 Washington Street, Watertown NY 13601

Contact/Report To: Brian Arias  
 Phone #: 315-661-4351  
 E-Mail: [barias@watertowncsd.org](mailto:barias@watertowncsd.org)  
 Ct. E-Mail:

Invoice To: Brian Arias  
 Invoice E-Mail: [barias@watertowncsd.org](mailto:barias@watertowncsd.org)

Purchase Order # (if applicable):  
 Quote #:

Site Collection Info/Facility ID (as applicable):  
 Project Name: *SHEEMAN ELEMENTARY SCHOOL*

Customer Project #: *05213007*

Time Zone Collected: [ ] AK [ ] MT [ ] CT [X] ET

Data Deliverables:  
 [ ] Level II [ ] Level III [ ] Level IV  
 [ ] EQUIS  
 [ ] Other:

Specify Container Size \*\*

Identify Container Preservative Type\*\*\*

Analysis Requested

\*\* Container Size: (1) 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL vial, (7) EnCore, (8) TerraCore, (9) Other

\*\*\* Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other

Proj. Mgr:  
 Randy Budhu  
 AcctNum / Client ID:  
 Table #:  
 Profile / Template:  
 Prelog / Bottle Ord. ID:  
 Sample Comment

Regulatory Program (DW, RCRA, etc.) as applicable: NY Lead in School DW

Rush (Pre-approval required):  
 [ ] 1-2 Day [ ] 3 day [ ] 5 day [ ] Other

Date Results Requested:  
 Standard 10 business day

Field Filtered (if applicable): [ ] Yes [ ] No

Analysis:

200.8 Drinking Water (Pb only)

Customer Sample ID	Matrix *	Comp / Grab	Collected		Res. CLZ	Number & Type of Containers	Preservation non-conformance identified for sample
			Date	Time			
30 - R206	DW	G	11/22/24	7:18		1	
31 - R206 bubble				7:18			
32 - R207				7:14			
33 - R207 bubble				7:14			
34 - R209				7:14			
35 - R209 bubble				7:14			
36 - R210				7:11			
37 - R210 bubble				7:11			
38 - DE GIRLS and FI				7:08			
39 - DE GIRLS and FI R				7:08			

Additional Instructions from Pace\*:

Collected By: Thomas Rankin  
 Printed Name: Thomas Rankin  
 Signature:

# Coolers: Thermometer ID: Correction Factor (°C): Obs. Temp. (°C) Corrected Temp. (°C)

Tracking Number:  
 Date/Time: 11/25 13:35  
 Delivered by: [ ] In-Person [ ] Courier  
 [ ] FedEx [ ] UPS [ ] Other  
 Page: 4 of 18

Received by/Company (Signature):  
 Date/Time: 11/25 13:35  
 Received by/Company (Signature):  
 Date/Time: 11/26 4:00  
 Received by/Company (Signature):  
 Date/Time: 11/26 24:00



LAB USE ONLY - Affix Workorder/Login Label Here

Scan QR Code for instructions

### CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

Pace® Location Requested (City/State):  
 Pace Analytical Long Island NY  
 575 Broad Hollow Rd, Melville, NY 11747

Company Name: **Jefferson Lewis BOCES Watertown CSD**  
 Street Address: **1351 Washington Street, Watertown NY 13601**

Contact/Report To: **Brian Arias**  
 Phone #: **315-661-4351**  
 E-Mail: [barrias@watertowncsd.org](mailto:barrias@watertowncsd.org)  
 Cc E-Mail:

Invoice To: **Brian Arias**  
 Invoice E-Mail: [barrias@watertowncsd.org](mailto:barrias@watertowncsd.org)  
 Purchase Order # (if applicable):  
 Quote #:

County / State origin of sample(s): **New York**

Regulatory Program (DW, RCRA, etc.) as applicable: **NY Lead in School DW**

Rush (Pre-approval required):  
 1-2 Day  3 day  5 day  Other

Date Results Requested: **Standard 10 business day**

Field Filtered (if applicable):  Yes  No  
 Analysis:

\* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Other (OT), Surface Water (SW), Sediment (SED), Sludge (SL), Caulk

Time Zone Collected:	[ ] AK	[ ] MT	[ ] CT	[X] ET
Data Deliverables:	[ ] Level II	[ ] Level III	[ ] Level IV	[ ] EQUIS
Site Collection Info/Facility ID (as applicable):	<p>Customer Project #: <b>0621567</b>            Project Name: <b>Sherrymay Elementary School</b></p>			
Specify Container Size **	<p>** Container Size: (1) 1L, (2) 500ml, (3) 250ml, (4) 125ml, (5) 100ml, (6) 40ml vial, (7) EnCore, (8) TerraCore, (9) Other</p>			
Identify Container Preservative Type ***	<p>*** Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other</p>			
Analysis Requested	<p>Proj. Mgr:  <b>Randy Budhu</b>            Acct/Num / Client ID:            Table #:            Profile / Template:            Prelog / Bottle Ord. ID:</p>			
Lab Use Only	<p>Preservation non-conformance identified for</p>			
Sample Comment	<p>200.8 Drinking Water (Pb only)</p>			

Customer Sample ID	Matrix *	Comp / Grab	Collected		Res. CL2	Composite End		Number & Type of Containers
			Date	Time		Date	Time	
40 - R 211	DW	G	11/25	7:09				1 Plastic
41 - R 211 Bubblez				7:01				1 Plastic
42 - MUSIC RM				7:22				1 Plastic
43 - MUSIC RM				7:22				1 Plastic
44 - R 202				7:25				1 Plastic
45 - R 202 Bubblez				7:25				1 Plastic
46 - R 201				7:26				1 Plastic
47 - R 201 Bubble				7:26				1 Plastic

Customer Remarks / Special Conditions / Possible Hazards:	Collected By:	Printed Name: Thomas Rankin	Signature:
Lead			
Received by/Company: (Signature)	Date/Time: 11/25/20	13:35	
Received by/Company: (Signature)	Date/Time: 11/25	14:08	
Received by/Company: (Signature)	Date/Time: 11/26/20	8:00	
Received by/Company: (Signature)	Date/Time:		





**WO#: 70324398**

Client Name: WATERTOWN

Project #

PM: MC1

Due Date: 12/12/24

Courier:  Fed Ex  UPS  USPS  Client  Commercial  Pac  Other

CLIENT: WATERTOWN

Tracking #:

Custody Seal on Cooler/Box Present:  Yes  No Seals intact:  Yes  No Temperature Blank Present:  Yes  No  
 Packing Material:  Bubble Wrap  Bubble Bags  Ziploc  None  Other Type of Ice: Wet Blue  None

Thermometer Used: TH211 Correction Factor: +0  Samples on ice, cooling process has begun  
 Cooler Temperature (°C): 16.8 Cooler Temperature Corrected (°C): 16.8 Date/Time 5035A kits placed in freezer \_\_\_\_\_

Temp should be above freezing to 6.0°C

USDA Regulated Soil (  N/A, water sample)

Did samples originate in a quarantine zone within the United States: AL, AR, CA, FL, GA, ID, LA, MS, NC, NM, NY, OK, OR, SC, TN, TX, or VA (check map)?  Yes  No

Did samples originate from a foreign source including Hawaii and Puerto Rico)?  Yes  No

If Yes to either question, fill out a Regulated Soil Checklist (ENV-FRM-MELV-0076) and include with SCUR/COC paperwork.

Date and Initials of person examining contents: AEB 11/26/24

	COMMENTS:
Chain of Custody Present: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	1.
Chain of Custody Filled Out: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	2.
Chain of Custody Relinquished: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	3.
Sampler Name & Signature on COC: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
Short Hold Time Analysis (<72hr): <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume: (Triple volume provided for MS/MSD) <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	8.
Correct Containers Used: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
-Pace Containers Used: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Containers Intact: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	11.
Filtered volume received for Dissolved tests <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11. Note: if sediment is visible in the dissolved container.
Sample Labels match COC: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	12.
-Includes date/time/ID/Analysis Matrix: SL <input checked="" type="checkbox"/> WTI <input type="checkbox"/> OIL <input type="checkbox"/> OTHER	

Date and Initials of person checking preservation: AEB 11/26/24

All containers needing preservation have been <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13. <input type="checkbox"/> HNO <sub>3</sub> <input type="checkbox"/> H <sub>2</sub> SO <sub>4</sub> <input type="checkbox"/> NaOH <input type="checkbox"/> HCl
pH paper Lot # <u>213624</u>	Sample #
All containers needing preservation are found to be in compliance with method recommendation? (HNO <sub>3</sub> , H <sub>2</sub> SO <sub>4</sub> , HCl, NaOH>9 Sulfide, <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A NAOH>12 Cyanide)	Initial when completed: _____ Lot # of added preservative: _____ Date/Time preservative added: _____
Exceptions: VOA, Coliform, TOC/DOC, Oil and Grease, DRO/8015 (water). Per Method, VOA pH is checked after analysis	
Samples checked for dechlorination: <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	14. Positive for Res. Chlorine? Y N
KI starch test strips Lot #	
Residual chlorine strips Lot #	
SM 4500 CN samples checked for sul <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	15. Positive for Sulfide? Y N
Lead Acetate Strips Lot #	
Headspace in ALK Bottle (>6mm): <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	16.
Headspace in VOA Vials (>6mm): <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Trip Blank Present: <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	17.
Trip Blank Custody Seals Present <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	

Client Notification/ Resolution:

Field Data Required? Y / N

Person Contacted:

Date/Time:

Comments/ Resolution:

\* PM (Project Manager) review (which includes the SCUR) is documented electronically in LIMS.