



December 10, 2024

Brian Arias
Jeff-Lewis BOCES_Watertown Central School
District
532 S. Massey Street
Watertown, NY 13601

RE: Project: WATERTOWN HIGH SCHOOL
Pace Project No.: 70324400

Dear Brian Arias:

Enclosed are the analytical results for sample(s) received by the laboratory on November 26, 2024. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Melville

REVISION 1: Report re-issued 12/10/24 to update analyte list.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Michelle Cohen
michelle.cohen@pacelabs.com
516-370-6000
Project Manager

Enclosures

cc: Ray Filley, Jeff-Lewis BOCES_Watertown Central School
District
Tiffany Oconnor, Jeff-Lewis BOCES_Watertown Central
School District
Linda Shaw, Jeff-Lewis BOCES_Watertown Central School
District



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



CERTIFICATIONS

Project: WATERTOWN HIGH SCHOOL

Pace Project No.: 70324400

Pace Analytical Services, LLC - Melville, NY

575 Broad Hollow Rd, Melville, NY 11747

Connecticut Certification #: PH-0435

Delaware Certification # NY 10478

Maryland Certification #: 208

Massachusetts Certification #: M-NY026

New Hampshire Certification #: 2987

New Jersey Certification #: NY158

New York Certification #: 10478 Primary Accrediting Body

Pennsylvania Certification #: 68-00350

Rhode Island Certification #: LAO00340

Texas Certification #: T104704582

Florida Certification #: E871198

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: WATERTOWN HIGH SCHOOL

Pace Project No.: 70324400

Sample: 1-GIRLS GYM LOCKER DF Lab ID: 70324400001 Collected: 11/20/24 05:59 Received: 11/26/24 08:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		12/09/24 14:22	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: WATERTOWN HIGH SCHOOL

Pace Project No.: 70324400

Sample: 2-BOYS GYM LOCKER DF Lab ID: 70324400002 Collected: 11/20/24 05:54 Received: 11/26/24 08:00 Matrix: Drinking Water								
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water								
Analytical Method: EPA 200.8 Pace Analytical Services - Melville								
Lead	7.5	ug/L	1.0	1		12/09/24 14:24	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: WATERTOWN HIGH SCHOOL

Pace Project No.: 70324400

Sample: 3-BOYS POOL LOCKER DF Lab ID: 70324400003 Collected: 11/20/24 06:13 Received: 11/26/24 08:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.4	ug/L	1.0	1		12/09/24 14:26	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: WATERTOWN HIGH SCHOOL

Pace Project No.: 70324400

Sample: 4-GIRLS POOL LOCKER DF Lab ID: 70324400004 Collected: 11/20/24 06:04 Received: 11/26/24 08:00 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	10.3	ug/L	1.0	1		12/09/24 14:30	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: WATERTOWN HIGH SCHOOL

Pace Project No.: 70324400

Sample: 5-SPORT ICE		Lab ID: 70324400005	Collected: 11/20/24 06:10	Received: 11/26/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		12/09/24 14:32	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: WATERTOWN HIGH SCHOOL

Pace Project No.: 70324400

Sample: 6-DF 112		Lab ID: 70324400006	Collected: 11/20/24 06:15	Received: 11/26/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	1.2	ug/L	1.0	1		12/09/24 14:33	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: WATERTOWN HIGH SCHOOL

Pace Project No.: 70324400

Sample: 7-DF OUTSIDE GYM		Lab ID: 70324400007	Collected: 11/20/24 06:07	Received: 11/26/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		12/09/24 14:35	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: WATERTOWN HIGH SCHOOL

Pace Project No.: 70324400

Sample: 8-DF 105		Lab ID: 70324400008	Collected: 11/20/24 06:07	Received: 11/26/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	6.5	ug/L	1.0	1		12/09/24 14:37	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: WATERTOWN HIGH SCHOOL

Pace Project No.: 70324400

Sample: 9-DF 226		Lab ID: 70324400009	Collected: 11/20/24 06:15	Received: 11/26/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		12/09/24 14:41	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: WATERTOWN HIGH SCHOOL

Pace Project No.: 70324400

Sample: 10-DF 222		Lab ID: 70324400010	Collected: 11/20/24 06:16	Received: 11/26/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	25.3	ug/L	1.0	1		12/09/24 14:48	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: WATERTOWN HIGH SCHOOL

Pace Project No.: 70324400

Sample: 11-DF 219		Lab ID: 70324400011	Collected: 11/20/24 06:18	Received: 11/26/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	11.9	ug/L	1.0	1		12/09/24 14:53	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: WATERTOWN HIGH SCHOOL

Pace Project No.: 70324400

Sample: 12-CLINIC NURSE		Lab ID: 70324400012	Collected: 11/20/24 06:20	Received: 11/26/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	5.2	ug/L	1.0	1		12/09/24 14:54	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: WATERTOWN HIGH SCHOOL

Pace Project No.: 70324400

Sample: 13-DF ROOM		Lab ID: 70324400013	Collected: 11/20/24 06:21	Received: 11/26/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	8.4	ug/L	1.0	1		12/09/24 14:56	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: WATERTOWN HIGH SCHOOL

Pace Project No.: 70324400

Sample: 14-DF AUDITORIUM		Lab ID: 70324400014	Collected: 11/20/24 06:23	Received: 11/26/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		12/09/24 14:57	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: WATERTOWN HIGH SCHOOL

Pace Project No.: 70324400

Sample: 15-LIBRARY		Lab ID: 70324400015	Collected: 11/20/24 06:24	Received: 11/26/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	3.8	ug/L	1.0	1		12/09/24 14:59	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: WATERTOWN HIGH SCHOOL

Pace Project No.: 70324400

Sample: 16-DF GUIDANCE		Lab ID: 70324400016	Collected: 11/20/24 06:25	Received: 11/26/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	46.0	ug/L	1.0	1		12/09/24 15:01	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: WATERTOWN HIGH SCHOOL

Pace Project No.: 70324400

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
Sample: 17-FACULTY CAFE								
Lab ID: 70324400017								
Collected: 11/20/24 06:26								
Received: 11/26/24 08:00								
Matrix: Drinking Water								
200.8 MET ICPMS Drinking Water								
Analytical Method: EPA 200.8								
Pace Analytical Services - Melville								
Lead	19.4	ug/L	1.0	1		12/09/24 15:02	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: WATERTOWN HIGH SCHOOL

Pace Project No.: 70324400

Sample: 18-CAFE A		Lab ID: 70324400018	Collected: 11/20/24 06:27	Received: 11/26/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	2.3	ug/L	1.0	1		12/09/24 15:07	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: WATERTOWN HIGH SCHOOL

Pace Project No.: 70324400

Sample: 19-CAFE B		Lab ID: 70324400019	Collected: 11/20/24 06:36	Received: 11/26/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		12/09/24 15:08	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: WATERTOWN HIGH SCHOOL

Pace Project No.: 70324400

Sample: 20-DF 206		Lab ID: 70324400020	Collected: 11/20/24 06:37	Received: 11/26/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		12/09/24 15:10	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: WATERTOWN HIGH SCHOOL

Pace Project No.: 70324400

Sample: 21-K1 KETTLE LEFT		Lab ID: 70324400021	Collected: 11/20/24 06:29	Received: 11/26/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	1.7	ug/L	1.0	1		12/09/24 15:11	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: WATERTOWN HIGH SCHOOL

Pace Project No.: 70324400

Sample: 22-K2 KETTLE RIGHT		Lab ID: 70324400022	Collected: 11/20/24 06:29	Received: 11/26/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	1.2	ug/L	1.0	1		12/09/24 15:13	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: WATERTOWN HIGH SCHOOL

Pace Project No.: 70324400

Sample: 23-K3 ISLAND SINK		Lab ID: 70324400023	Collected: 11/20/24 06:32	Received: 11/26/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	6.7	ug/L	1.0	1		12/09/24 15:15	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: WATERTOWN HIGH SCHOOL

Pace Project No.: 70324400

Sample: 24-K4 2 BAY SINK		Lab ID: 70324400024	Collected: 11/20/24 06:32	Received: 11/26/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	1.2	ug/L	1.0	1		12/09/24 15:16	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: WATERTOWN HIGH SCHOOL

Pace Project No.: 70324400

Sample: 25-K5 2 BAY SINK		Lab ID: 70324400025	Collected: 11/20/24 06:32	Received: 11/26/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	1.2	ug/L	1.0	1		12/09/24 15:18	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: WATERTOWN HIGH SCHOOL

Pace Project No.: 70324400

Sample: 26-KICE		Lab ID: 70324400026	Collected: 11/20/24 06:34	Received: 11/26/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		12/09/24 15:19	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: WATERTOWN HIGH SCHOOL

Pace Project No.: 70324400

Sample: 27-ROOM 203		Lab ID: 70324400027	Collected: 11/20/24 06:35	Received: 11/26/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	2.0	ug/L	1.0	1		12/09/24 15:21	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: WATERTOWN HIGH SCHOOL

Pace Project No.: 70324400

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
Sample: 28-ROOM 205		Lab ID: 70324400028		Collected: 11/20/24 06:36	Received: 11/26/24 08:00	Matrix: Drinking Water		
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.7	ug/L	1.0	1		12/09/24 15:25	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: WATERTOWN HIGH SCHOOL

Pace Project No.: 70324400

Sample: 29-ROOM 206		Lab ID: 70324400029		Collected: 11/20/24 06:37	Received: 11/26/24 08:00	Matrix: Drinking Water		
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		12/09/24 15:58	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: WATERTOWN HIGH SCHOOL

Pace Project No.: 70324400

Sample: 30-DF 329		Lab ID: 70324400030	Collected: 11/20/24 06:45	Received: 11/26/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	7.5	ug/L	1.0	1		12/09/24 16:05	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: WATERTOWN HIGH SCHOOL

Pace Project No.: 70324400

Sample: 31-DF 326		Lab ID: 70324400031	Collected: 11/20/24 06:46	Received: 11/26/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	11.6	ug/L	1.0	1		12/09/24 16:10	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: WATERTOWN HIGH SCHOOL

Pace Project No.: 70324400

Sample: 32-DF 322		Lab ID: 70324400032	Collected: 11/20/24 06:47	Received: 11/26/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	11.7	ug/L	1.0	1		12/09/24 16:11	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: WATERTOWN HIGH SCHOOL

Pace Project No.: 70324400

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
Sample: 33-ADJACENT TO 317 Lab ID: 70324400033 Collected: 11/20/24 06:47 Received: 11/26/24 08:00 Matrix: Drinking Water								
200.8 MET ICPMS Drinking Water								
Analytical Method: EPA 200.8 Pace Analytical Services - Melville								
Lead	<1.0	ug/L	1.0	1		12/09/24 16:13	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: WATERTOWN HIGH SCHOOL

Pace Project No.: 70324400

Sample: 36-DF 311		Lab ID: 70324400034	Collected: 11/20/24 06:50	Received: 11/26/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	30.9	ug/L	1.0	1		12/09/24 16:15	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: WATERTOWN HIGH SCHOOL

Pace Project No.: 70324400

Sample: 37-HOME EC		Lab ID: 70324400035	Collected: 11/20/24 06:55	Received: 11/26/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		12/09/24 16:16	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: WATERTOWN HIGH SCHOOL

Pace Project No.: 70324400

Sample: 38-HOME EC		Lab ID: 70324400036	Collected: 11/20/24 06:55	Received: 11/26/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	3.8	ug/L	1.0	1		12/09/24 16:21	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: WATERTOWN HIGH SCHOOL

Pace Project No.: 70324400

Sample: 39-HOME EC		Lab ID: 70324400037	Collected: 11/20/24 06:57	Received: 11/26/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	1.4	ug/L	1.0	1		12/09/24 16:22	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: WATERTOWN HIGH SCHOOL

Pace Project No.: 70324400

Sample: 40-HOME EC		Lab ID: 70324400038	Collected: 11/20/24 07:01	Received: 11/26/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	1.5	ug/L	1.0	1		12/09/24 16:24	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: WATERTOWN HIGH SCHOOL

Pace Project No.: 70324400

QC Batch:	374471	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville
Associated Lab Samples:	70324400001, 70324400002, 70324400003, 70324400004, 70324400005, 70324400006, 70324400007, 70324400008		

METHOD BLANK:	1961014	Matrix:	Water
Associated Lab Samples:	70324400001, 70324400002, 70324400003, 70324400004, 70324400005, 70324400006, 70324400007, 70324400008		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	12/09/24 13:49	

LABORATORY CONTROL SAMPLE:		1961015				
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	52.2	104	85-115	

MATRIX SPIKE SAMPLE:		1961017					
Parameter	Units	70324398037 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	3.0	50	64.3	123	70-130	

MATRIX SPIKE SAMPLE:		1961019					
Parameter	Units	70324398038 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	2.6	50	66.6	128	70-130	

SAMPLE DUPLICATE:		1961016				
Parameter	Units	70324398037 Result	Dup Result	RPD	Qualifiers	
Lead	ug/L	3.0	3.0	0		

SAMPLE DUPLICATE:		1961018				
Parameter	Units	70324398038 Result	Dup Result	RPD	Qualifiers	
Lead	ug/L	2.6	2.6	0		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: WATERTOWN HIGH SCHOOL

Pace Project No.: 70324400

QC Batch:	374472	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville
Associated Lab Samples:	70324400009, 70324400010, 70324400011, 70324400012, 70324400013, 70324400014, 70324400015, 70324400016, 70324400017, 70324400018, 70324400019, 70324400020, 70324400021, 70324400022, 70324400023, 70324400024, 70324400025, 70324400026, 70324400027, 70324400028		

METHOD BLANK:	1961023	Matrix:	Water
Associated Lab Samples:	70324400009, 70324400010, 70324400011, 70324400012, 70324400013, 70324400014, 70324400015, 70324400016, 70324400017, 70324400018, 70324400019, 70324400020, 70324400021, 70324400022, 70324400023, 70324400024, 70324400025, 70324400026, 70324400027, 70324400028		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	12/09/24 14:38	

LABORATORY CONTROL SAMPLE:	1961024					
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	51.6	103	85-115	

MATRIX SPIKE SAMPLE:	1961026						
Parameter	Units	70324400009 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	63.8	127	70-130	

MATRIX SPIKE SAMPLE:	1961028						
Parameter	Units	70324400010 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	25.3	50	79.8	109	70-130	

SAMPLE DUPLICATE:	1961025				
Parameter	Units	70324400009 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		

SAMPLE DUPLICATE:	1961027				
Parameter	Units	70324400010 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	25.3	26.3	4	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: WATERTOWN HIGH SCHOOL

Pace Project No.: 70324400

QC Batch:	374490	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville
Associated Lab Samples:	70324400029, 70324400030, 70324400031, 70324400032, 70324400033, 70324400034, 70324400035, 70324400036, 70324400037, 70324400038		

METHOD BLANK:	1961128	Matrix:	Water
Associated Lab Samples:	70324400029, 70324400030, 70324400031, 70324400032, 70324400033, 70324400034, 70324400035, 70324400036, 70324400037, 70324400038		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	12/09/24 15:55	

LABORATORY CONTROL SAMPLE:	1961129					
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	51.0	102	85-115	

MATRIX SPIKE SAMPLE:	1961131						
Parameter	Units	70324400029 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	51.4	101	70-130	

MATRIX SPIKE SAMPLE:	1961133						
Parameter	Units	70324400030 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	7.5	50	56.3	98	70-130	

SAMPLE DUPLICATE:	1961130					
Parameter	Units	70324400029 Result	Dup Result	RPD	Qualifiers	
Lead	ug/L	<1.0	<1.0			

SAMPLE DUPLICATE:	1961132					
Parameter	Units	70324400030 Result	Dup Result	RPD	Qualifiers	
Lead	ug/L	7.5	7.5	0		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALIFIERS

Project: WATERTOWN HIGH SCHOOL

Pace Project No.: 70324400

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: WATERTOWN HIGH SCHOOL

Pace Project No.: 70324400

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
70324400001	1-GIRLS GYM LOCKER DF	EPA 200.8	374471		
70324400002	2-BOYS GYM LOCKER DF	EPA 200.8	374471		
70324400003	3-BOYS POOL LOCKER DF	EPA 200.8	374471		
70324400004	4-GIRLS POOL LOCKER DF	EPA 200.8	374471		
70324400005	5-SPORT ICE	EPA 200.8	374471		
70324400006	6-DF 112	EPA 200.8	374471		
70324400007	7-DF OUTSIDE GYM	EPA 200.8	374471		
70324400008	8-DF 105	EPA 200.8	374471		
70324400009	9-DF 226	EPA 200.8	374472		
70324400010	10-DF 222	EPA 200.8	374472		
70324400011	11-DF 219	EPA 200.8	374472		
70324400012	12-CLINIC NURSE	EPA 200.8	374472		
70324400013	13-DF ROOM	EPA 200.8	374472		
70324400014	14-DF AUDITORIUM	EPA 200.8	374472		
70324400015	15-LIBRARY	EPA 200.8	374472		
70324400016	16-DF GUIDANCE	EPA 200.8	374472		
70324400017	17-FACULTY CAFE	EPA 200.8	374472		
70324400018	18-CAFE A	EPA 200.8	374472		
70324400019	19-CAFE B	EPA 200.8	374472		
70324400020	20-DF 206	EPA 200.8	374472		
70324400021	21-K1 KETTLE LEFT	EPA 200.8	374472		
70324400022	22-K2 KETTLE RIGHT	EPA 200.8	374472		
70324400023	23-K3 ISLAND SINK	EPA 200.8	374472		
70324400024	24-K4 2 BAY SINK	EPA 200.8	374472		
70324400025	25-K5 2 BAY SINK	EPA 200.8	374472		
70324400026	26-KICE	EPA 200.8	374472		
70324400027	27-ROOM 203	EPA 200.8	374472		
70324400028	28-ROOM 205	EPA 200.8	374472		
70324400029	29-ROOM 206	EPA 200.8	374490		
70324400030	30-DF 329	EPA 200.8	374490		
70324400031	31-DF 326	EPA 200.8	374490		
70324400032	32-DF 322	EPA 200.8	374490		
70324400033	33-ADJACENT TO 317	EPA 200.8	374490		
70324400034	36-DF 311	EPA 200.8	374490		
70324400035	37-HOME EC	EPA 200.8	374490		
70324400036	38-HOME EC	EPA 200.8	374490		
70324400037	39-HOME EC	EPA 200.8	374490		
70324400038	40-HOME EC	EPA 200.8	374490		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.

2/14



LAB USE ONLY- Affix Workorder/Login Label Here
Scan QR Code for Instructions

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

Pace* Location Requested (City/State):
Pace Analytical Long Island NY
575 Broad Hollow Rd, Melville, NY 11747

Company Name: Jefferson Lewis BOCES Watertown CSD
Street Address: 1351 Washington Street, Watertown NY 13601

Contact/Report To: Brian Arias
Phone #: 315-661-4351
E-Mail: barias@watertowncsd.org
Cc E-Mail:

Invoice To: Brian Arias
Invoice E-Mail: barias@watertowncsd.org

Purchase Order # (if applicable):
Quote #:

County / State origin of sample(s): New York

Regulatory Program (DW, RCRA, etc.) as applicable: NY Lead in School DW

Rush (Pre-approval required):
[] 2 Day [] 3 day [] 5 day [] Other:
Date Results Requested: Standard 10 business day
Analysis:

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Other (OT), Surface Water (SW), Sediment (SED), Sludge (SL), Caulk

Customer Sample ID	Matrix *	Collected		Res. CL2	Number & Type of Containers	Plastic	Glass	Sample Comment
		Comp / Grab	Composite Start					
11 - DF 219	DW	G	11/26/18		1			X
12 - CLINIC NURSE			6/20					
13 - DF NCC			6/21					
14 - DF AUDITORIUM			6/23					
15 - LIBRARY			6/24					
16 - DF GUIDANCE			6/25					
17 - FACULTY CAFE			6/26					
18 - CAFE A			6/27					
19 - CAFE B			6/26					
20 - DF 206			6/27					

Additional Instructions from Pace*:

Coolers: Thermometer ID: Correction Factor (°C): Obs. Temp. (°C): Corrected Temp. (°C):

Collected By: Thomas Rankin
Printed Name: Thomas Rankin
Signature:

Received by/Company: (Signature) *Chris Pace*
Date/Time: 11/25 13:35

Received by/Company: (Signature) *Paul Lane*
Date/Time: 11/26 4:00

Received by/Company: (Signature) *William DeJ...*
Date/Time: 11/26 8:00

Received by/Company: (Signature)


Tracking Number: 1125 13:35

Delivered by: [] In-Person [] Courier
[] FedEx [] UPS [] Other

Page: 18 of 19

ENV-FRM-CORQ-0019_V01_082123 ©

LAB USE ONLY - Affix Workorder/Login Label Here



Scan QR Code for instructions

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

Pace* Location Requested (City/State):
 Pace Analytical Long Island NY
 575 Broad Hollow Rd, Melville, NY 11747

Company Name: Jefferson Lewis BOCES, Watertown CSD
 Street Address: 1351 Washington Street, Watertown NY 13601

Contact/Report To: Brian Arias
 Phone #: 315-661-4351
 E-Mail: barias@watertowncsd.org
 Cc E-Mail:

Invoice To: Brian Arias
 Invoice E-Mail: barias@watertowncsd.org

Purchase Order # (if applicable):
 Quote #:

Customer Project #: 08215607
 Project Name: WATERTOWN TIGHT SCHOOL

Site Collection Info/Facility ID (as applicable):

Time Zone Collected: [] AK [] PT [] MT [] CT [X] ET

Data Deliverables:

[] Level II [] Level III [] Level IV
 [] EQUIS
 [] Other:

Regulatory Program (DW, RCRA, etc.) as applicable: NY Lead in School DW

Rush (Pre-approval required):
 [] 12 Day [] 3 day [] 5 day [] Other: _____
 Field Filtered (if applicable): [] Yes [] No
 Date Results Requested: Standard 10 business day

Analysis:
 DW PWSID # or VW Permit # as applicable:
 DW PWSID # or WW Permit # as applicable:

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Other (OT), Surface Water (SW), Sediment (SED), Sludge (SL), Caulk

Customer Sample ID	Matrix *	Collected (or Composite Start)		Composite End		Res. CL2	Number & Type of Containers	Preservation non-conformance identified for sample
		Date	Time	Date	Time			
21- K1 KETTLE LEFT	DW	11/20/24	6:29				1	
22- K2 KETTLE RIGHT			6:29					
23- K3 ISLANDSINK			6:32					
24- K4 Z BAYSINK			6:32					
25- K5 Z BAYSINK			6:32					
26- KICE			6:34					
27- ROOM 203			6:35					
28- ROOM 205			6:36					
29- ROOM 206			6:37					
30- DE 329			6:45					

Additional Instructions from Pace*:

Collected By: Thomas Rankin
 Printed Name: Thomas Rankin
 Signature:

Coolers: _____ Thermometer ID: _____ Correction Factor (°C): _____ Obs. Temp. (°C): _____ Corrected Temp. (°C): _____

Tracking Number: 1125 / 1335

Delivered by: [] In-Person [] Courier
 [] FedEx [] UPS [] Other

Date/Time: 11/26 4:00

Date/Time: 11/26 8:00

Date/Time: 11/26 8:00

Date/Time: 11/26 8:00

Pace
 Pace Analytical Long Island NY
 575 Broad Hollow Rd, Melville, NY 11747

CHAIN-OF-CUSTODY Analytical Request Document
 Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAB USE ONLY- Affix Workorder/Login Label Here

Company Name: Jefferson Lewis BOCES, Watertown CSD
 Street Address: 1351 Washington Street, Watertown NY 13601

Contact/Report To: Brian Arias
 Phone #: 315-661-4351
 E-Mail: barias@watertowncscd.org
 Cc E-Mail:

Customer Project #: 08215607
 Project Name: WATERTOWN HGH SCHOOL
 Site Collection Info/Facility ID (as applicable):

Time Zone Collected: [] AK [] MT [] CT [X] ET
 Data Deliverables:
 [] Level II [] Level III [] Level IV
 [] EQUIS
 [] Other:

County / State origin of sample(s): New York
 Regulatory Program (DW, RCRA, etc.) as applicable: NY Lead in School DW
 Rush (Pre-approval required):
 [] 2 Day [] 3 day [] 5 day [] Other:
 Date Results Requested: Standard 10 business day
 Field Filtered (if applicable): [] Yes [] No
 Analyte:

Specify Container Size **
 Identify Container Preservative Type***
 Analysis Requested

Matrix *
 Comp / Grab
 Date (or Composite Start)
 Time
 Composite End
 Date
 Res. CLZ
 Number & Type of Containers
 Plastic Glass

Matrix *
 Comp / Grab
 Date (or Composite Start)
 Time
 Composite End
 Date
 Res. CLZ
 Number & Type of Containers
 Plastic Glass

Preservation non-conformance identified for sample

Customer Sample ID	Matrix *	Comp / Grab	Date (or Composite Start)	Time	Composite End	Date	Res. CLZ	Number & Type of Containers	Plastic	Glass
31- DF 326	DW	G	12/16/20	6:46				1		
32- DF 322				6:47						
33- adjacent to 317				6:47						
34- DF 308 R. 1202a										
36- DF 311				15:50						
37- home ec				15:55						
38- home ec				15:55						
39- home ec				15:57						
40- home ec				16:01						

Prof. Mgr: Randy Budhu
 AcctNum / Client ID:
 Table #:
 Profile / Template:
 Prelog / Bottle Ord. ID:
 Sample Comment

Additional Instructions from Pace*
 # Coolers: Thermometer ID: Correction Factor (°C): Obs. Temp. (°C) Corrected Temp. (°C)
 Tracking Number:
 Date/Time: 11/25 13:35
 Delivered by: [] In-Person [] Courier
 Date/Time: 11/25 14:00
 [] FedEx [] UPS [] Other
 Date/Time: 11/25 8:30
 Page: 49 of

Effective Date:

WO#: 70324400

Client Name: WABERTOWN

Project #

PM: MC1

Due Date: 12/12/24

Courier: Fed Ex UPS USPS Client Commercial Pacd Other

CLIENT: WATERTOWN

Tracking #:

Custody Seal on Cooler/Box Present: Yes No Seals intact: Yes No Temperature Blank Present: Yes No
Packing Material: Bubble Wrap Bubble Bags Ziploc Non Other Type of Ice: Wet Blue None

Thermometer Used: TH211 Correction Factor: +0 Samples on ice, cooling process has begun
Cooler Temperature (C): 16.8 Cooler Temperature Corrected (C): 16.8 Date/Time 5035A kits placed in freezer

Temp should be above freezing to 6.0C

USDA Regulated Soil (N/A, water sample)

Did samples originate in a quarantine zone within the United States: AL, AR, CA, FL, GA, ID, LA, MS, NC, NM, NY, OK, OR, SC, TN, TX, or VA (check map)? Yes No

Did samples originate from a foreign source including Hawaii and Puerto Rico? Yes No

If Yes to either question, fill out a Regulated Soil Checklist (ENV-FRM-MELV-0076) and include with SCUR/COC paperwork.

Date and Initials of person examining contents: AEB 11/26/24

Table with 12 rows and 2 columns: Item description and Initials/Status. Includes Chain of Custody Present, Chain of Custody Filled Out, Chain of Custody Relinquished, Sampler Name & Signature on COC, Samples Arrived within Hold Time, Short Hold Time Analysis (<72hr), Rush Turn Around Time Requested, Sufficient Volume, Correct Containers Used, Containers Intact, Filtered volume received for Dissolved tests, Sample Labels match COC.

Date and Initials of person checking preservation: AEB 11/26/24

Table with 13 rows and 2 columns: Item description and Initials/Status. Includes All containers needing preservation have been, pH paper Lot # 213624, All containers needing preservation are found to be in compliance with method recommendation?, Exceptions: VOA, Coliform, TOC/DOC, Oil and Grease, DRO/8015 (water), Per Method, VOA pH is checked after analysis, Samples checked for dechlorination, KI starch test strips Lot #, Residual chlorine strips Lot #, SM 4500 CN samples checked for sul, Lead Acetate Strips Lot #, Headspace in ALK Bottle (>6mm), Headspace in VOA Vials (>6mm), Trip Blank Present, Trip Blank Custody Seals Present.

Client Notification/ Resolution:

Field Data Required? Y / N

Person Contacted:

Date/Time:

Comments/ Resolution:

* PM (Project Manager) review (which includes the SCUR) is documented electronically in LIMS.