

- 1. Read the IAQ
  Backgrounder and the Background
  Information for this checklist.
- 2. Keep the
  Background
  Information and
  make a copy of
  the checklist for
  future reference.
- 3. Complete the Checklist.
  - Check the "yes,"
     "no," or
     "not applicable"
     box beside each
     item. (A "no"
     response requires
     further attention.)
  - Make comments in the "Notes" section as necessary.
- 4. Return the checklist portion of this document to the IAQ Coordinator.

# **Building and Grounds Maintenance Checklist**

Name	Jason T	Sotelho	1 Ton B.	ingham
School:	Groton	M:ddle	School	
Room or	Area:		Date Completed:	7/18/24
Signature	:			

1.	BUILDING MAINTENANCE SUPPLIES	Yes, No	N/Δ
la.	Developed appropriate procedures and stocked supplies for spill control		۵
	Reviewed supply labels		
1c.	Ensured that air from chemical and trash storage areas vents to the outdoors		۵
1 d <sub>±</sub>	Stored chemical products and supplies in sealed, clearly labeled containers	d j ]	a
le.	Researched and selected the safest products available	<b>3</b>	
1 f.	Ensured that supplies are being used according to manufacturers' instructions		
	Ensured that chemicals, chemical-containing wastes, and containers are disposed of according to manufacturers' instructions		
	Substituted less- or non-hazardous materials (where possible)		ч
l i:	Scheduled work involving odorous or hazardous chemicals for periods when the school is unoccupied	<b>a</b>	Ð
lj.	Ventilated affected areas during and after the use of odorous or hazardous chemicals		٦
2.	GROUNDS MAINTENANCE SUPPLIES		
2a.	Stored grounds maintenance supplies in appropriate area(s)	3/ ]	
	Ensured that supplies are used and stored according to manufacturers' instructions		
2c.	Established and followed procedures to minimize exposure to fumes from supplies	<b></b>	а
2d.	Reviewed and followed manufacturers' guidelines for maintenance	,,,,,, <b>3</b> , 3 ,	
2e.	Replaced portable gas cans with low-emission cans	3 ]	
2f.	containers	<b>9</b>	۵
2g.	Ensured that chemicals, chemical-containing wastes, and containers are disposed of according to manufacturers' instructions	<b>3</b>	
3.	DUST CONTROL		
3a.			
3b.			
3c.	1 1 2 1		
	Wrapped feather dusters with a dust cloth		3
3e.	Cleaned air return grilles and air supply vents	<b>3</b> / ]	$\Box$

, á. 4b.	Established and followed schedule for vacuuming and mopping floors	<b>3</b>	N/A 	
5.	DRAIN TRAPS			WE I I SI
5a. 5b.	Poured water down floor drains once per week (about 1 quart of water)			6 0
	Flushed toilets once each week (if not used regularly)			
6.	MOISTURE, LEAKS, AND SPILLS			
	Checked for moldy odors	🎤 🗅		
	Inspected ceiling tiles, floors, and walls for leaks or discoloration (may indicate periodic leaks)	<b>a</b>	٥	
	Checked areas where moisture is commonly generated (e.g., kitchens, locker rooms, and bathrooms)	<b>.</b>		
6d.	Checked that windows, windowsills, and window frames are free of condensate	<b>a</b>		
6e.	Checked that indoor surfaces of exterior walls and cold water pipes are free of condensate			
6f.	Ensured the following areas are free from signs of leaks and water damage	e:	_	
	Indoor areas near known roof or wall leaks	2 J		
-5	Walls around leaky or broken windows  Floors and ceilings under plumbing			
)	Duct interiors near humidifiers, cooling coils, and outdoor air intakes	9	٦	
7.	COMBUSTION APPLIANCES			
	Checked for odors from combustion appliances			
7b.	Checked appliances for backdrafting (using chemical smoke)	<u>9</u> / ]		
	Inspected exhaust components for leaks, disconnections, or deterioration.  Inspected flue components for corrosion and soot		3	
8.	PEST CONTROL			
8a.	Completed the Integrated Pest Management Checklist	<b>2</b> / 🗆		





- Read the IAQ Backgrounder and the Background Information for this checklist.
- 2. Keep the
  Background
  Information and
  make a copy of
  the checklist for
  future reference.
- 3. Complete the Checklist.
  - Check the "yes,"
     "no," or
     "not applicable"
     box beside each
     item. (A "no"
     response
     requires further
     attention.)
  - Make comments in the "Notes" section as necessary.
- 4. Return the checklist portion of this document to the IAQ Coordinator.

# **Waste Management Checklist**

Name: Ton Brigher
School: Covoton Muddle School
Room or Area: July - wide Date Completed: Nov 15, 2024
Signature: 7 73 d

1.	WASTE MANAGEMENT	s l'	No	N/A
la.	Ensured that waste containers are appropriate for use (for example, food waste containers should have lids)	,		
1b.	Ensured that waste containers are lined			
lc.	Ensured that waste from art, science, vocational classes, etc., are handled separately	•		٦
1 d.	Labeled recycling bins clearly	,		
le.	Ensured number of bins and dumpsters is adequate			
1f.	Ensured appropriate location of dumpsters (i.e., away from air intakes, doors, and operable windows in relation to prevailing winds)	,		
lg.	Ensured waste containers are emptied regularly	/		
1h.	Ensured appropriate waste removal schedule	,		
1i.	Ensured waste is stored in a well-ventilated room	,		
1j.	Ensured any exhaust fans in the room are operating properly	/		
1k.	Checked waste storage areas for odors, contaminants, or signs of vermin			



- 1. Read the IAQ
  Backgrounder and the Background
  Information for this checklist.
- 2. Keep the
  Background
  Information and
  make a copy of
  this checklist for
  each ventilation
  unit in your school,
  as well as a
  copy for future
  reference.
- 3. Complete the Checklist.
  - Check the "yes," "no," or "not applicable" box beside each item. (A "no" response requires further attention.)
  - Make comments in the "Notes" section as necessary.
- 4. Return the checklist portion of this document to the IAQ Coordinator.

# **Ventilation Checklist**




Na	me: DAVID Zuzurskie		
Scl	nool: Grofon Middle School		
Un	it Ventilator/AHU No:		
	-1 /	4	
Ro	om or Area: Date Completed: 7/10/20	-	-
Sig	gnature:		
1.	OUTDOOR AIR INTAKES		
la.	1	_	N/A
	example, a fire escape floor plan)	<b>A</b>	
Ib.	Ensured that the ventilation system was on and operating in "occupied" mode		
		_	_
AC	TIVITY 1: OBSTRUCTIONS		
lc.	Ensured that outdoor air intakes are clear of obstructions, debris, clogs,		_
1 1	or covers		
Id.	Installed corrective devices as necessary (e.g., if snowdrifts or leaves frequently block an intake)		⊐
AC	TIVITY 2: POLLUTANT SOURCES		
le.	Checked ground-level intakes for pollutant sources (dumpsters, loading docks, and bus-idling areas) □		æ
1 f.			
	toilet, or laboratory exhaust fans; puddles; and mist from air-conditioning cooling towers)		٦
1σ	Resolved any problems with pollutant sources located near outdoor air		_
. 6.	intakes (e.g., relocated dumpster or extended exhaust pipe)		Þ
	TIVITY 3: AIRFLOW	-0	
	Obtained chemical smoke (or a small piece of tissue paper or light plastic)		u D
11.	Confirmed that outdoor air is entering the intake appropriately	• 🗆	
2.	SYSTEM CLEANLINESS		
AC	TIVITY 4: AIR FILTERS		
2a.	Replaced filters per maintenance schedule		
	Shut off ventilation system fans while replacing filters (prevents dirt from	_	_
•	blowing downstream)		
	Vacuumed filter areas before installing new filters.	. ப	J
∠a.	Confirmed proper fit of filters to prevent air from bypassing (flowing around) the air filter		
2e.	Confirmed proper installation of filters (correct direction for airflow)		

# 2. SYSTEM CLEANLINESS (continued)

	IC'	TIVITY 5: DRAIN PANS			
				No	
		accumulating)			
	2h.	Checked drain pans for mold and mildew			
	AC'	TIVITY 6: COILS			
	2i.	Ensured that heating and cooling coils are clean			
	Δ <i>C</i> ′	FIVITY 7: AIR-HANDLING UNITS, UNIT VENTILATORS			
		Ensured that the interior of air-handling unit(s) or unit ventilator			
		(air-mixing chamber and fan blades) is clean			
	2k.	Ensured that ducts are clean	1		
	AC'	TIVITY 8: MECHANICAL ROOMS			
		Checked mechanical room for unsanitary conditions, leaks, and spills	1		
		Ensured that mechanical rooms and air-mixing chambers are free of trash,			
		chemical products, and supplies	Ì		
	3.	CONTROLS FOR OUTDOOR AIR SUPPLY			
		Ensured that air dampers are at least partially open (minimum position)	ì		
		Ensured that minimum position provides adequate outdoor air		•	
	<i>J</i> 0.	for occupants	1		
	)				
i	AC'	TIVITY 9: CONTROLS INFORMATION			
	3c.	Obtained and reviewed all design inside/outside temperature and humidity			
		requirements, controls specifications, as-built mechanical drawings,			_
		and controls operations manuals (often uniquely designed)	I		_
	AC'	TIVITY 10: CLOCKS, TIMERS, SWITCHES			
	3d.	Turned summer-winter switches to the correct position	i		_
		Set time clocks appropriately	l.		_
	3f.	Ensured that settings fit the actual schedule of building use (including			_
		night/weekend use)	L		
		TIVITY 11: CONTROL COMPONENTS			
	3g.	Ensured appropriate system pressure by testing line pressure at both the		_	_
		occupied (day) setting and the unoccupied (night) setting		u	7
		Checked that the line dryer prevents moisture buildup	1	Ц	×
	3i.	Replaced control system filters at the compressor inlet based on the			
		compressor manufacturer's recommendation (for example, when you blow down the tank)	i		X
	3j.	Set the line pressure at each thermostat and damper actuator at the proper			(-
	٥).	level (no leakage or obstructions)	)		7
	. ~	THE WITH A CAUTE OF A PARTY OF THE PARTY OF			
		TIVITY 12: OUTDOOR AIR DAMPERS  For your defeat the contribute and depend on its residue for increasting.	in.		_
		Ensured that the outdoor air damper is visible for inspection	V	J	_
	J.	for inspection	À		Ξ
	3m.	Ensured that air temperature in the indoor area(s) served by each		_	_
		outdoor air damper is within the normal operating range	ì		



NOTE: It is necessary to ensure that the damper is operating properly and within the normal range to continue.



	3. CONTROLS FOR OUTDOOR AIR SUPPLY (continued)			
-	3n. Checked that the outdoor air damper fully closes within a few minutes of shutting off appropriate air handler	Yes . D	No	N/A
-	30. Checked that the outdoor air damper opens (at least partially with no delay) when the air handler is turned on	×		
	3p. If in heating mode, checked that the outdoor air damper goes to its minimum position (without completely closing) when the room thermostat is set to 85°F	🗆		Ø
	3q. If in cooling mode, checked that the outdoor air damper goes to its minimu position (without completely closing) when the room thermostat is set to 60°F and mixed air thermostat is set to 45°F			2
-	<ul> <li>3r. If the outdoor air damper does not move, confirmed the following items:</li> <li>The damper actuator links to the damper shaft, and any linkage set screws or bolts are tight</li></ul>	🔾		RACK P
J	Proceed to Activities 13–16 if the damper seems to be operating properly.			
	ACTIVITY 13: FREEZE STATS  3s. Disconnected power to controls (for automatic reset only) to test continuity across terminals			A
	<ul><li>3t. Confirmed (if applicable) that depressing the manual reset button (usually red) trips the freeze stat (clicking sound indicates freeze stat was tripped)</li><li>3u. Assessed the feasibility of replacing all manual reset freeze-stats with</li></ul>			P
	automatic reset freeze-stats	e-stai		
	ACTIVITY 14: MIXED AIR THERMOSTATS			
	3v. Ensured that the mixed air stat for heating mode is set no higher than 65°F	)29		٦
	3w. Ensured that the mixed air stat for cooling mode is set no lower than the room thermostat setting	)a	٥	٦
	ACTIVITY 15: ECONOMIZERS  3x. Confirmed proper economizer settings based on design specifications or local practices	<b>/P</b>	٥	_
	NOTE: The dry-bulb is typically set at 65°F or lower.	,		
	<ul> <li>3y. Checked that sensor on the economizer is shielded from direct sunlight</li> <li>3z. Ensured that dampers operate properly (for outside air, return air, exhaust/relief air, and recirculated air), per the design specifications</li> </ul>		<u> </u>	0
	NOTE: Economizers use varying amounts of cool outdoor air to assist with the load of the room or rooms. There are two types of economizers, dry-bulb and en Dry-bulb economizers vary the amount of outdoor air based on outdoor temper and enthalpy economizers vary the amount of outdoor air based on outdoor ten and humidity level.	nthal <sub>j</sub> ratur	ру. e,	

## 3. CONTROLS FOR OUTDOOR AIR SUPPLY (continued) CTIVITY 16: FANS 3aa. Ensured that all fans (supply fans and associated return or relief fans) Yes No N/A that move outside air indoors continuously operate during occupied NOTE: If fan shuts off when the thermostat is satisfied, adjust control cycle as necessary to ensure sufficient outdoor air supply. 4. AIR DISTRIBUTION **ACTIVITY 17: AIR DISTRIBUTION** 4a. Ensured that supply and return air pathways in the existing ventilation system perform as required...... 4b. Ensured that passive gravity relief ventilation systems and transfer grilles between rooms and corridors are functioning NOTE: If ventilation system is closed or blocked to meet current fire codes, consult with a professional engineer for remedies. 4c. Made sure every occupied space has supply of outdoor air (mechanical NOTE: If outlets have been blocked intentionally to correct drafts or discomfort, investigate and correct the cause of the discomfort and reopen the vents. 4e. Modified the HVAC system to supply outside air to areas without an outdoor Modified existing HVAC systems to incorporate any room or zone layout 4g. Moved all barriers (for example, room dividers, large free-standing blackboards or displays, bookshelves) that could block movement of 4h. Ensured that unit ventilators are quiet enough to accommodate classroom activities ..... 4i. Ensured that classrooms are free of uncomfortable drafts produced by air from supply terminals ..... **ACTIVITY 18: PRESSURIZATION IN BUILDINGS** NOTE: To prevent infiltration of outdoor pollutants, the ventilation system is designed to maintain positive pressurization in the building. Therefore, ensure that the system, including any exhaust fans, is operating on the "occupied" cycle when doing this activity. 4j. Ensured that air flows out of the building (using chemical smoke) through windows, doors, or other cracks and holes in exterior wall (for example, 5. EXHAUST SYSTEMS **ACTIVITY 19: EXHAUST FAN OPERATION** 5a. Checked (using chemical smoke) that air flows into exhaust fan grille(s) ..... If fans are running but air is not flowing toward the exhaust intake, check for the following: Inoperable dampers

Obstructed, leaky, or disconnected ductwork
Undersized or improperly installed fan

· Broken fan belt





# 5. EXHAUST SYSTEMS (continued)

## **ACTIVITY 20: EXHAUST AIRFLOW**

NOTE: Prevent migration of indoor contaminants from areas such as bathrooms, kitchens, and labs by keeping them under negative pressure (as compared to surrounding spaces).

2			,		
	5b. Checked (using chemical smoke) that air is drawn into the room from adjacent spaces			A\N C	
Stand outside the room with the door slightly open while checking airflow high and low the door opening (see "How to Measure Airflow").					
5c. Ensured	that air is flowing toward the exhaust intake	🛭			
5d. Checke	d that the exhaust ductwork downstream of the exhaust fan (which positive pressure) is sealed and in good condition			٦	
6. QUAI	NTITY OF OUTDOOR AIR				
ACTIVITY	22: OUTDOOR AIR MEASUREMENTS AND CALCULATION	ONS			
NOTE: Refe	er to "How to Measure Airflow" for techniques.				
	red the quantity of outdoor air supplied (22a) to each ventilation	🗆	٥	7	
	ated the number of occupants served (22b) by the ventilation unit	🗅		· M	
6c. Divideo	d outdoor air supply (22a) by the number of occupants (22b) to ine the existing quantity of outdoor air supply per person (22c)			Ø	
ACTIVITY	23: ACCEPTABLE LEVELS OF OUTDOOR AIR QUANTIT	IES			
levels i	red the existing outdoor air per person (22c) to the recommended n Table 1	(re. 🗀	70		
quantit	ted problems with ventilation units that supplied inadequate ies of outdoor air to ensure that outdoor air quantities (22c) meet ommended levels in Table 1	<b>)</b> C	٦		





# Walkthrough Inspection Checklist

Name Letth	Danieluk
School 645	
Room of Area	Date Completed 5/29
Signature	

1.	GROUND LEVEL	Yes	No	N/A
la	Ensured that ventilation units operate properly			
lb	Ensured there are no obstructions blocking air intakes			
l c	and dispinings hear outdoor are intakes		$\supset$	J
l d	Determined that dumpsters are located away from doors, windows, and outdoor air intakes	V		٦
le	Checked potential sources of air contaminants near the building (chimneys, stacks, industrial plants, exhaust from nearby buildings)	1	Ε,	۲
H	Ensured that vehicles avoid idling near outdoor air intakes			
l g			7	<u>ت</u> ر
lh_		- <b>-</b>		۔ ن
1 :_	Ensured that sprinklers spray away from the building and outdoor air intakes			4
} <sub>=</sub>	Ensured that walk-off mats are used at exterior entrances and that they are cleaned regularly			Ų.
	ROOF  the on the roof, consider inspecting the HVAC units (use the Ventilation Che	eckhst	ı	
la	Ensured that the roof is in good condition			1
b:	Checked for evidence of water ponding			٦
l c	Checked that ventilation units operate properly (air flows in)		- E	٦
d.	Ensured that exhaust fans operate properly (air flows out)		. a	ال
le.	Ensured that air intakes remain open, even at minimum setting	1	ū	$\supset$
î.	Checked for nests and droppings near outdoor air intakes		$\supset$	J
5	Ensured that air from plumbing stacks and exhaust outlets flows away from outdoor air intakes		ت	
3.	ATTIC			
	Checked for evidence of roof and plumbing leaks		<u> </u>	<b>3</b>
	Checked for birds and animal nests			ġ.
٠,	GENERAL CONSIDERATIONS			
	Ensured that temperature and humidity are maintained within		/	

4b Ensured that no obstructions exist in supply and exhaust vents

4c Checked for odors
4d Checked for signs of mold and mildew growth

### Instructions

- Read the IAQ Backgrounder and the Background Information for this checklist.
- 2. Keep the
  Background
  Information and
  make a copy of
  the checklist for
  future reference.
- 3 Complete the Checklist
  - "Check the "yes,"
    "no," or
    "not applicable"
    box beside each
    item. (A "no" '
    response
    requires further
    attention.)
  - Make comments in the "Notes" section as necessary.
- 4. Return the checklist portion of this document to the IAQ Coordinator.

그는 (	Checked for signs of water damage Checked for evidence of pests and obvious food sources Noted and reviewed all concerns from school occupants	8	Mo 1	A\N C C	
5a 5b	Ensured that bothrooms and restrooms have operating exhaust fans Ensured proper drain trap maintenance. Water is poured down floor drains once per week (approx. 1 quart of water us poured into sinks at least once per week (about 2 cups of water). Toilets are flushed at least once per week.	er/ () 	X	רבם ם	
6.	MAINTENANCE SUPPLIES		/		
6b	Ensured that chemicals are used only with adequate ventilation and when building is unoccupied.  Ensured that vents in chemical and trash storage areas are operating properly.  Ensured that portable fuel containers are properly closed.  Ensured that power equipment, like snowblowers and lawn mowers, have been serviced and maintained according to manufacturers' guidelines.	4			
7.	COMBUSTION APPLIANCES		/		
7a `h 7e	Checked for combustion gas and fuel odors  Ensured that combustion appliances have flues or exhaust hoods.  Checked for leaks, disconnections, and deterioration	Z			26.
8.	OTHER		/		- NOT BEFORE
8b.	OTHER  Checked for peeling and flaking paint (if the building was built before 1980, this could be a lead hazard)  Determined date of fast radon test	5		X X	211°   18°

IE => EXHAST FROM => HEATERS UNEF -TSULCTURES

4D/E => MUCTIPAE STENS OF WATER LOACS - CEITURG, WITHOUTS 4TH PROOF

4F >> MICE IN THE OFFICE AND STOTEAGE FROM - EVICENMENTATION

5a >> NO GYHANST FANS

516 >> CUSTOTOTAL STAFF FOLLOW UP

1H >> BROWN >> BEHTING 64M

23 >> SOME SMALL TEMPLYD





- 1. Read the IAQ
  Backgrounder and the Background Information for this checklist.
- 2. Keep the
  Background
  Information and
  make a copy of
  the checklist for
  future reference.
- 3. Complete the Checklist.
  - Check the "yes,"
     "no," or
     "not applicable"
     box beside each
     item. (A "no"
     response
     requires further
     attention.)
  - Make comments in the "Notes" section as necessary.
- 4. Return the checklist portion of this document to the IAQ Coordinator.

# Integrated Pest Management Checklist

	LS VARNER
School Grofon	Middle School
Room or Area:	Date Completed: Nov 15, 2024
Signature:	

1.	OFFICIAL POLICY STATEMENT	es	No	N/A
la.	Developed or located the school's official policy statement for integrated pest management (IPM)	í	٦	٦
2.	DESIGNATING PEST MANAGEMENT ROLES			
2a. 2b.	Involved decision makers in the IPM program	á Z		
2c.	Educated students and staff (the occupants of the building) about IPM and asked them to keep their areas clean and free of clutter	á	٦	
2d.	Encouraged parents to learn about IPM practices and implement them at home	á	٦	٦
2e.	Developed a program to educate and train all IPM participants	3	_	ā
2f.	Included language about IPM into contracts with pest management professionals	7	٦	J
3.	SETTING PEST MANAGEMENT OBJECTIVES			
3a.	Set appropriate pest management objectives for school buildings (such as preventing pests from interfering with students' learning environment and preserving the integrity of the building structure)	<b>a</b>	, П	٥
3b.	Set appropriate pest management objectives for school grounds (such as providing safe playing areas and the best athletic surfaces possible)	6	٦	
4.	INSPECTING, IDENTIFYING, AND MONITORING			
4a.	Inspected all buildings and grounds for pest evidence, entry points,	ิฮ์	_	
4b.	Tood, water, and nareorage brees			0
4c.		7		ā
	Monitored to determine the extent of pest problems and to estimate pest	2		
	populations	A		
4e.	Developed plans to modify habitat (for example, exclusion, repair, and sanitation efforts) to prevent or resolve any pest problems	ZÍ	٦	۵
4f.	Established a monitoring program that consists of routine inspections to estimate pest population levels and identify evidence of pests and potential habitat	1	/ 	

5.	SETTING ACTION THRESHOLDS			
٦.	Evaluated all available data obtained through inspecting, identifying, and monitoring	_/	No □	N/A
5b.	Determined how many pests the school buildings, grounds, and occupants can tolerate		zí,	
5c.	Set action thresholds		A	
6.	PREVENTIVE STRATEGIES			
INI	DOOR SITES			
	Implemented appropriate strategies to prevent pests from inhabiting the fi  Entryways  Classrooms  Gymnasiums  Locker rooms  Offices  Staff lounges  Bathrooms  Food preparation and serving areas  Rooms with extensive plumbing  Maintenance areas  Other	বিৰিট্ন কৈ বিবাহা কৈ অ		eas:
	Implemented appropriate strategies to prevent pests from inhabiting the f  Playgrounds  Parking lots  Lawns and athletic fields  Teaching gardens or greenhouses  Loading docks  Dumpsters  Areas with ornamental shrubs and trees	ন বি ন বি বি ব		eas:
7.	PESTICIDE USE AND STORAGE			
	Explored alternative pest management methods before concluding that pesticides were necessary	<b>1</b>	ב	
	Ensured that pest management professionals integrate IPM into their pest management methods	<u>Z</u>		
7c,	Identified the least toxic, target-specific chemical (or pesticide formulation) that is the most effective to address the pest problem, preferably as baitsand granules	<u> </u>		٦
	Reviewed and followed all label instructions on pesticides and learned how to properly apply and handle these chemicals	₹	٦	
	Used spot-treatment (or bait, crack, and crevice applications) to apply pesticides whenever possible and only treated the obviously infested plants in the area			
7f.	Used protective clothing or equipment when applying pesticides		 }	J
5	inaccessible to children and non-target species	🗾		






7.	PESTICIDE USE AND STORAGE (cont.)
7h.	Locked or fastened lids of all bait boxes and placed bait away
	runway of the box

7h.	Locked or fastened lids of all bait boxes and placed bait away from the runway of the box	Yes Z	No	N/A
7i ==	Applied pesticides when occupants were not present or in areas where they would not be exposed to the chemicals	⊿	_	
7j.	Ensured that school occupants (students and staff) are notified of upcoming pesticide applications through posted notices and/or letters	🖈	3	О
	Ensured that parents are notified of upcoming pesticide applications through letters	🗹	٦	
71.	Kept copies of current pesticide labels and information on pesticides easily accessible	<u>Z</u>	٦	
	Stored pesticides off site or in areas that are locked and accessible only to designated personnel	<u>d</u>	$\Box$	
7n.	Ensured that storage areas are adequately ventilated and are located away from areas prone to flooding or where spills or leaks may contaminate			
70	the environment	<u>Z</u>		
70. 7p.	Ensured that pesticides are stored in their original containers and all lids are securely fastened	Ť	_	
7q	Ensured that air in the storage space cannot mix with the air in the central ventilation system		_	
8	EVALUATING RESULTS AND RECORD KEEPING			
8a.	management log for each property are kept	<u>t</u>		
	Ensured that pesticide records necessary to meet all state, local, and school board requirements are maintained		٦	٦
8c.	Ensured that each log book contains the following items:  • Copy of the pest management plan	1		
	Service schedules for maintenance of buildings and grounds	<b>1</b>		
	Current EPA-registered labels	Z		
	• Current Material Safety Data Sheets (MSDS) for each pesticide project.	⊅		
	Pest surveillance data sheets	🗚		
	• Diagram noting the location of pest activity, traps, and bait stations		٦	





# **Food Service Checklist**

Name: Ervit Koschmieder	
School: GMS	,
Room or Area: KITCHEN Date Completed 7/10/	24
Signature: Come I Wording	<i></i>

### Instructions

- 1. Read the IAQ
  Backgrounder and
  the Background
  Information for
  this checklist.
- 2. Keep the
  Background
  Information and
  make a copy of
  the checklist for
  future reference.
- 3. Complete the Checklist.
  - Check the "yes,"
     "no," or
     "not applicable"
     box beside each
     item. (A "no"
     response
     requires further
     attention.)
  - Make comments in the "Notes" section as necessary.
- 4. Return the checklist portion of this document to the IAQ Coordinator.

# 1. COOKING AREA

la.	Determined that local exhaust fans operate properly (note if fans are excessively noisy)	Yes . ⊒∕	No	N/A
lb.	Checked for odors near cooking, preparation, and eating areas	. 🖅	<u></u>	
lc.	Ensured that exhaust fans are used whenever cooking, washing dishes, and cleaning	. <b>9</b> /	<b>'</b> ¬	
	Determined that gas appliances function properly	3	<b>_</b>	
le,	Verified that gas appliances are vented outdoors Vested THEV. Hand	3		
	Ensured there are no combustion gas or natural gas odors, leaks, back-drafting, or headaches when gas appliances are used	🖳		٥
l g	Ensured that kitchen is clean after use FLOOR DOALNS NEO! AT DATA	0,3	J	-1
	Checked for signs of microbiological growth in the kitchen, including the upper walls and ceiling (for example, mold, slime, and algae)	- I		
11.	Selected biocides registered by EPA (if required), followed the manufacturer's directions for use, and carefully reviewed the method of application	🍑	<b>′</b> ⊐	٦
lja	Verified the kitchen is free of plumbing and ceiling leaks (signs include stains, discoloration, and damp areas)	- J/	· _	⊐
2.	FOOD HANDLING AND STORAGE			
2a.	Checked food preparation, cooking, and storage areas for signs of insects and vermin (for example, feces or remains)		· _	
2Ь.	Stored leftovers in well-sealed containers with no traces of food on outside surfaces			٦
2c.	Ensured that food preparation, cooking, and storage practices are sanitary	3⁄	^_	
2d.	Disposed of food scraps properly and removed crumbs	🖫		
2e.	school policy)			
2f.	Swept and wet mopped floors	<b></b>		
3.	WASTE MANAGEMENT			
3a.	Selected and placed waste in appropriate containers	<b>3</b>	<b>_</b> _	
3b.	Ensured that containers' lids are securely closed .] + A5. Com PACTOR.	J		
3c.	if possible	<u>-</u>	<u>_</u>	_
	Stored waste containers in a well-ventilated area	J		Э
3e.	Ensured that dumpsters are properly located (away from air intake vents, operable windows, and food service doors in relation to	<b>√</b>	· ¬	
	prevailing winds)		_	

4.	DELIVERIES		NI.	B17.6
	Instructed vendors to avoid idling their engines during deliveries	res	JAO	N/N
	Posted a sign prohibiting vehicles from idling their engines in receiving areas	_	¥	
4c.	Ensured that doors or air barriers are closed between receiving area and kitchen	3	<b>4</b>	



NEN KiTCHEN SO UP TO Code & High STANDARDS