

Building and Grounds Maintenance Checklist

		_	۰,	
				٦,
		и.		,,
•			_	
		_	•	
	-	97		

Name: Bob Shaffe	Tom Bingham
School Catherine	
Room or Area:	Date Completed: 7/18/a4
Signature:	< 100 S

1.	BUILDING MAINTENANCE SUPPLIES	V	NI-	D1/4
la.	Developed appropriate procedures and stocked supplies for spill control		ON	N/A
	Reviewed supply labels			ā
	Ensured that air from chemical and trash storage areas vents to the outdoors		٦	×
ld.	Stored chemical products and supplies in sealed, clearly labeled containers	×	٦	ū
le.	Researched and selected the safest products available	⊃		X
1 f.	instructions	💥	٦	٦
lg.	Ensured that chemicals, chemical-containing wastes, and containers are disposed of according to manufacturers' instructions	X	\Box	
lh.	, , , , , , , , , , , , , , , , , , , ,	J	\supset	X
1i	Scheduled work involving odorous or hazardous chemicals for periods when the school is unoccupied	. ×	٦	
۱j.	Ventilated affected areas during and after the use of odorous or hazardous chemicals		\Box	×
2.	GROUNDS MAINTENANCE SUPPLIES			
2a.	Stored grounds maintenance supplies in appropriate area(s)	X		
	Ensured that supplies are used and stored according to manufacturers' instructions	W	٦	٦
2c.	Established and followed procedures to minimize exposure to fumes from supplies	X	٦	
2d.	Reviewed and followed manufacturers' guidelines for maintenance		\Box	
2e.	Replaced portable gas cans with low-emission cans	X	コ	
2f.	Stored chemical products and supplies in sealed, clearly-labeled containers	×	٦	۵
2g.	Ensured that chemicals, chemical-containing wastes, and containers are disposed of according to manufacturers' instructions	×	コ	٦
3.	DUST CONTROL			
3a.	Installed and maintained barrier mats for entrances	M		
3b.		X	\supset	
3c.		X	J	
	Wrapped feather dusters with a dust cloth	X	3	
3e.	Cleaned air return grilles and air supply vents	20	\supset	

Instructions

- 1. Read the IAQ
 Backgrounder and
 the Background
 Information for
 this checklist.
- 2. Keep the
 Background
 Information and
 make a copy of
 the checklist for
 future reference.
- 3. Complete the Checklist.
 - Check the "yes,"
 "no," or
 "not applicable"
 box beside each
 item. (A "no"
 response requires
 further attention.)
 - Make comments in the "Notes" section as necessary.
- 4. Return the checklist portion of this document to the IAQ Coordinator.

.a. 4b. 4c. 5. 5a. 5b.	Established and followed schedule for vacuuming and mopping floors Cleaned spills on floors promptly (as necessary) Performed restorative maintenance (as necessary) DRAIN TRAPS Poured water down floor drains once per week (about 1 quart of water) Ran water in sinks at least once per week (about 2 cups of water) Flushed toilets once each week (if not used regularly)	XXX XXX	No DDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDD	N/A	CAUTION
6.	MOISTURE, LEAKS, AND SPILLS				
	Checked for moldy odors	X	J		
	Inspected ceiling tiles, floors, and walls for leaks or discoloration (may indicate periodic leaks)	×	\supset		
6c.	Checked areas where moisture is commonly generated (e.g., kitchens, locker rooms, and bathrooms)	×	J		
6d.	Checked that windows, windowsills, and window frames are free of condensate	X	<u></u>		
6e.	Checked that indoor surfaces of exterior walls and cold water pipes are		_	_	
6f.	free of condensate	:			
	Indoor areas near known roof or wall leaks		×		
7	Walls around leaky or broken windows	X		ם	
J	Duct interiors near humidifiers, cooling coils, and outdoor air intakes	X	٦		
7.	COMBUSTION APPLIANCES	norus.			
7a.	Checked for odors from combustion appliances	X	\Box		
	Checked appliances for backdrafting (using chemical smoke)		חחם	<u> </u>	
	Inspected flue components for corrosion and soot		_	_	
8.	PEST CONTROL				
8a.	Completed the Integrated Pest Management Checklist	×	٦		





Instructions

- 1. Read the IAQ
 Backgrounder and
 the Background
 Information for
 this checklist.
- 2. Keep the
 Background
 Information and
 make a copy of
 the checklist for
 future reference.
- 3. Complete the Checklist.
 - Check the "yes," "no," or "not applicable" box beside each item. (A "no" response requires further attention.)
 - Make comments in the "Notes" section as necessary.
- Return the checklist portion of this document to the IAQ Coordinator.

Waste Management Checklist

Name: Tom Bingl	· ·
School: CKolnas	lie
Room or Area: Fully - wid	Date Completed: 7 ov 15, 2024
Signature: Ze B	

1.	WASTE MANAGEMENT	/es	No	N/A
la.	Ensured that waste containers are appropriate for use (for example, food waste containers should have lids)			٦
1b.	Ensured that waste containers are lined	Z		
1c.	Ensured that waste from art, science, vocational classes, etc., are	/		
	handled separately			
1d.	Labeled recycling bins clearly	ZÍ,		
le.	Ensured number of bins and dumpsters is adequate	K		
lf.	Ensured appropriate location of dumpsters (i.e., away from air intakes, doors, and operable windows in relation to prevailing winds)		, 	
lg.	Ensured waste containers are emptied regularly	ď		
1h.	Ensured appropriate waste removal schedule			
1 i.	Ensured waste is stored in a well-ventilated room	ď,		
1j.	Ensured any exhaust fans in the room are operating properly	W/		
lk.	Checked waste storage areas for odors, contaminants, or signs of vermin	K		





Instructions

- 1. Read the IAQ
 Backgrounder and
 the Background
 Information for
 this checklist.
- 2. Keep the
 Background
 Information and
 make a copy of
 this checklist for
 each ventilation
 unit in your school,
 as well as a
 copy for future
 reference.
- 3. Complete the Checklist.
 - Check the "yes," "no," or "not applicable" box beside each item. (A "no" response requires further attention.)
 - Make comments in the "Notes" section as necessary.
- 4. Return the checklist portion of this document to the IAQ Coordinator.

Ventilation Checklist


Na	me CATHERINE KOLNASKI			
Sc	hool: David Zuzurshi			_
Un	nit Ventilator/AHU No:			_
1	om or Area: Date Completed: 7-10-	2	4	
1.	OUTDOOR AIR INTAKES			
la.	F (Yes	No	N/A ≵∕
1b.	Ensured that the ventilation system was on and operating in "occupied"	18	_	<u> </u>
AC	TIVITY 1: OBSTRUCTIONS			
1c.	Ensured that outdoor air intakes are clear of obstructions, debris, clogs, or covers	Á		٦
1 d.	Installed corrective devices as necessary (e.g., if snowdrifts or leaves frequently block an intake)	A	٦	Э
AC	TIVITY 2: POLLUTANT SOURCES			
1 e.	Checked ground-level intakes for pollutant sources (dumpsters, loading docks, and bus-idling areas)	2 0		\neg
1 f.	Checked rooftop intakes for pollutant sources (plumbing vents: kitchen.	-atr	_	_
	toilet, or laboratory exhaust fans; puddles; and mist from air-conditioning cooling towers)	Ø		٦
1g.	Resolved any problems with pollutant sources located near outdoor air	,	_	_
	intakes (e.g., relocated dumpster or extended exhaust pipe)	X)		
AC	TIVITY 3: AIRFLOW			
	Obtained chemical smoke (or a small piece of tissue paper or light plastic) Confirmed that outdoor air is entering the intake appropriately			***
11.	Confirmed that outdoor an is entering the intake appropriately	4	_	_
2 .	SYSTEM CLEANLINESS			
	TIVITY 4: AIR FILTERS			
	Replaced filters per maintenance schedule Shut off ventilation system fans while replacing filters (prevents dirt from	K	u	٦
	blowing downstream)	R	J	⊐
	Vacuumed filter areas before installing new filters Confirmed proper fit of filters to prevent air from bypassing (flowing	S)	Э	J
	around) the air filter	Ř		_
2e.	Confirmed proper installation of filters (correct direction for airflow)	. 7		

2. SYSTEM CLEANLINESS (continued)

	.C	TIVITY 5: DRAIN PANS			
- 2	2 f,	Ensured that drain pans slant toward the drain (to prevent water from accumulating)	Yes . 🖄	No □	N/
		Cleaned drain pans	&)		_
-	2h.	Checked drain pans for mold and mildew	X		
	_	TIVITY 6: COILS			
2	2i.	Ensured that heating and cooling coils are clean			_
		TIVITY 7: AIR-HANDLING UNITS, UNIT VENTILATORS			
1	2j .	Ensured that the interior of air-handling unit(s) or unit ventilator	45	:-	_
_	216	(air-mixing chamber and fan blades) is clean Ensured that ducts are clean			_
_	∠K.	Ensured that ducts are clean	- T	_	_
		TIVITY 8: MECHANICAL ROOMS	ħ		_
		Checked mechanical room for unsanitary conditions, leaks, and spills Ensured that mechanical rooms and air-mixing chambers are free of trash,	- ∢ I	3	_
_	∠111.	chemical products, and supplies	· Þ		_
4	3.	CONTROLS FOR OUTDOOR AIR SUPPLY			
		Ensured that air dampers are at least partially open (minimum position)	[2]		=
		Ensured that minimum position provides adequate outdoor air			
	ï	for occupants	A		_
) AC	TIVITY 9: CONTROLS INFORMATION			
		Obtained and reviewed all design inside/outside temperature and humidity			
		requirements, controls specifications, as-built mechanical drawings,	den.	_	
		and controls operations manuals (often uniquely designed)	X		-
		TIVITY 10: CLOCKS, TIMERS, SWITCHES			
		Turned summer-winter switches to the correct position			-
		Set time clocks appropriately Ensured that settings fit the actual schedule of building use (including	- 		-
•	31,	night/weekend use)	Q		_
			•		
		TIVITY 11: CONTROL COMPONENTS			
	эg.	Ensured appropriate system pressure by testing line pressure at both the occupied (day) setting and the unoccupied (night) setting			3
	3h.	Checked that the line dryer prevents moisture buildup			^
	3i.				
		compressor manufacturer's recommendation (for example, when you blow down the tank)		n	>
	3 j		****	J	-
	- , -	level (no leakage or obstructions)		J	Ĺ
	AC	TIVITY 12: OUTDOOR AIR DAMPERS			
		Ensured that the outdoor air damper is visible for inspection	≱⊤		
	jl.		×		-
	3 m	Final Formula for inspection for ins		٦	-
		outdoor air damper is within the normal operating range	4		_




NOTE: It is necessary to ensure that the damper is operating properly and within the normal range to continue



3.	CONTROLS FOR OUTDOOR AIR SUPPLY (continued)			
3n.	Checked that the outdoor air damper fully closes within a few minutes of shutting off appropriate air handler	Yes	No □	N/A
	Checked that the outdoor air damper opens (at least partially with no delay when the air handler is turned on	&	٦	
	If in heating mode, checked that the outdoor air damper goes to its minimum position (without completely closing) when the room thermostat is set to 85°F	£	٥	
	If in cooling mode, checked that the outdoor air damper goes to its minimuposition (without completely closing) when the room thermostat is set to 60°F and mixed air thermostat is set to 45°F	_	۵	٦
3r,,	 If the outdoor air damper does not move, confirmed the following items: The damper actuator links to the damper shaft, and any linkage set screws or bolts are tight Moving parts are free of impediments (e.g., rust. corrosion) Electrical wire or pneumatic tubing connects to the damper actuator The outside air thermostat(s) is functioning properly (e.g., in the right location, calibrated correctly) 	্ৰ ক্ৰৈ		_ _ _ _
Pro	oceed to Activities 13–16 if the damper seems to be operating properly.			
_	TIVITY 13: FREEZE STATS Disconnected power to controls (for automatic reset only) to test continuity across terminals	<u>'</u>	Э	٦
	Confirmed (if applicable) that depressing the manual reset button (usually red) trips the freeze stat (clicking sound indicates freeze stat was tripped)	X		٦
Зu.	Assessed the feasibility of replacing all manual reset freeze-stats with automatic reset freeze-stats	\(\bar{\pi}\)		\Box
clo	OTE: HVAC systems with water coils need protection from the cold. The freezes the outdoor air damper and disconnect the supply air when tripped. The tage is 35°F to 42°F.	e-sta typica	t may al trip	,)
AC	CTIVITY 14: MIXED AIR THERMOSTATS			
3 v.	Ensured that the mixed air stat for heating mode is set no higher than 65°F	X		٦
3w	Ensured that the mixed air stat for cooling mode is set no lower than the room thermostat setting	7		
A C	CTIVITY 15: ECONOMIZERS			
-	Confirmed proper economizer settings based on design specifications or local practices	, j	J	٦
NC	OTE: The dry-bulb is typically set at 65°F or lower.			
-	Checked that sensor on the economizer is shielded from direct sunlight Ensured that dampers operate properly (for outside air, return air, exhaust/relief air, and recirculated air), per the design specifications		0	
loa Dr an	OTE: Economizers use varying amounts of cool outdoor air to assist with the ad of the room or rooms. There are two types of economizers, dry-bulb and e y-bulb economizers vary the amount of outdoor air based on outdoor temped enthalpy economizers vary the amount of outdoor air based on outdoor tended humidity level.	e cool nthal tratur	pv. e.	

3. CONTROLS FOR OUTDOOR AIR SUPPLY (continued) CTIVITY 16: FANS 3aa. Ensured that all fans (supply fans and associated return or relief fans) that move outside air indoors continuously operate during occupied Yes No N/A NOTE: If fan shuts off when the thermostat is satisfied, adjust control cycle as necessary to ensure sufficient outdoor air supply 4. AIR DISTRIBUTION **ACTIVITY 17: AIR DISTRIBUTION** 4a. Ensured that supply and return air pathways in the existing ventilation system perform as required 4b. Ensured that passive gravity relief ventilation systems and transfer grilles between rooms and corridors are functioning NOTE: If ventilation system is closed or blocked to meet current fire codes, consult with a professional engineer for remedies. 4c. Made sure every occupied space has supply of outdoor air (mechanical system or operable windows) NOTE: If outlets have been blocked intentionally to correct drafts or discomfort, investigate and correct the cause of the discomfort and reopen the vents. 4e. Modified the HVAC system to supply outside air to areas without an outdoor a Modified existing HVAC systems to incorporate any room or zone layout П 4g. Moved all barriers (for example, room dividers, large free-standing blackboards or displays, bookshelves) that could block movement of air in the room, especially those blocking air vents 4h. Ensured that unit ventilators are quiet enough to accommodate classroom 4i. Ensured that classrooms are free of uncomfortable drafts produced by air **ACTIVITY 18: PRESSURIZATION IN BUILDINGS** NOTE: To prevent infiltration of outdoor pollutants, the ventilation system is designed to maintain positive pressurization in the building. Therefore, ensure that the system, including any exhaust fans, is operating on the "occupied" cycle when doing this activity, 4j. Ensured that air flows out of the building (using chemical smoke) through windows, doors, or other cracks and holes in exterior wall (for example, floor joints, pipe openings) 5. EXHAUST SYSTEMS **ACTIVITY 19: EXHAUST FAN OPERATION** 5a. Checked (using chemical smoke) that air flows into exhaust fan grille(s) \Box \Box $\overleftrightarrow{\mathbf{x}}$



- · Inoperable dampers
- · Obstructed, leaky, or disconnected ductwork
- · Undersized or improperly installed fan
- · Broken fan belt



5. EXHAUST SYSTEMS (continued)

ACTIVITY 20: EXHAUST AIRFLOW

NOTE: Prevent migration of indoor contaminants from areas such as bathrooms, kitchens, and labs by keeping them under negative pressure (as compared to surrounding spaces).

5b.	Checked (using chemical smoke) that air is drawn into the room from adjacent spaces			N/A
	nd outside the room with the door slightly open while checking airflow high door opening (see "How to Measure Airflow").	and l	low ii	7
5c.	Ensured that air is flowing toward the exhaust intake	X,		
	TIVITY 21: EXHAUST DUCTWORK Checked that the exhaust ductwork downstream of the exhaust fan (which i under positive pressure) is sealed and in good condition		۵	٦
6.	QUANTITY OF OUTDOOR AIR			
AC	TIVITY 22: OUTDOOR AIR MEASUREMENTS AND CALCULATION	NS		
NO	TE: Refer to "How to Measure Airflow" for techniques.			
6a.	Measured the quantity of outdoor air supplied (22a) to each ventilation unit	<u></u> _	\supset	紋
6b.	Calculated the number of occupants served (22b) by the ventilation unit under consideration		\supset	
6c.	Divided outdoor air supply (22a) by the number of occupants (22b) to determine the existing quantity of outdoor air supply per person (22c)	X)	٦	
AC	TIVITY 23: ACCEPTABLE LEVELS OF OUTDOOR AIR QUANTITI	IES		
	Compared the existing outdoor air per person (22c) to the recommended levels in Table 1		٦	٦
6e.	Corrected problems with ventilation units that supplied inadequate quantities of outdoor air to ensure that outdoor air quantities (22c) meet the recommended levels in Table 1	. A .	٦	٦





Walkthrough Inspection Checklist

Name:	CKMS Sofe School Subcommuittee
School:	CKMS
Room or A	Area: See report Date Completed: 5/20/24/5/31/2
Signature:	Chaupkinail

1. GROUND LEVEL Yes No N/A 1a. Ensured that ventilation units operate properly..... 1d. Determined that dumpsters are located away from doors, windows, and outdoor air intakes le. Checked potential sources of air contaminants near the building (chimneys, stacks, industrial plants, exhaust from nearby buildings) \Box 1g. Minimized pesticide application 1h. Ensured that there is proper drainage away from the building (including roof downspouts) 1i. Ensured that sprinklers spray away from the building and outdoor 1j. Ensured that walk-off mats are used at exterior entrances and that they are cleaned regularly 2. ROOF While on the roof, consider inspecting the HVAC units (use the Ventilation Checklist). 2a. Ensured that the roof is in good condition 2b. Checked for evidence of water ponding \Box 2c. Checked that ventilation units operate properly (air flows in) 2d. Ensured that exhaust fans operate properly (air flows out)..... 2f. Checked for nests and droppings near outdoor air intakes 2g. Ensured that air from plumbing stacks and exhaust outlets flows away 3. ATTIC 3a. Checked for evidence of roof and plumbing leaks..... 3b. Checked for birds and animal nests 4. GENERAL CONSIDERATIONS 4a. Ensured that temperature and humidity are maintained within acceptable ranges 4b. Ensured that no obstructions exist in supply and exhaust vents

Instructions

- Read the IAQ Backgrounder and the Background Information for this checklist.
- Keep the Background Information and make a copy of the checklist for future reference.
- 3. Complete the Checklist.
 - Check the "yes,"
 "no," or
 "not applicable"
 box beside each
 item. (A "no"
 response
 requires further
 attention.)
 - Make comments in the "Notes" section as necessary.
- Return the checklist portion of this document to the IAQ Coordinator.

	GENERAL CONSIDERATIONS (continued)	Yes	No	N/A
4e.	Checked for signs of water damage	7		
4f.	Checked for evidence of pests and obvious food sources	Z		
4g.	Noted and reviewed all concerns from school occupants	کهز.		
5 .	BATHROOMS AND GENERAL PLUMBING			
	Ensured that bathrooms and restrooms have operating exhaust fans Ensured proper drain trap maintenance:	X		
	Water is poured down floor drains once per week (approx. I quart of water)	P	\supset	
	Water is poured into sinks at least once per week (about 2 cups of water) Toilets are flushed at least once per week	No.		
6.	MAINTENANCE SUPPLIES			
	Ensured that chemicals are used only with adequate ventilation and when building is unoccupied	2	0	3
6b.	Ensured that vents in chemical and trash storage areas are operating	7	ū	٦
6c	properly Ensured that portable fuel containers are properly closed	. 🗖	1 0	1
6d.	Ensured that power equipment, like snowblowers and lawn mowers, have			
	been serviced and maintained according to manufacturers' guidelines	Z		J
7.	COMBUSTION APPLIANCES			
7a.	Checked for combustion gas and fuel odors	,2		J
	Ensured that combustion appliances have flues or exhaust hoods	1		
/Ć.	Checked for leaks, disconnections, and deterioration	7		
7d.	Ensured there is no soot on inside or outside of flue components		J	J
8.	OTHER			
	Checked for peeling and flaking paint (if the building was built before 1980, this could be a lead hazard)		٥	٥
8b.	Determined date of last radon test	. 🗆	1	



NOTES

Please see report for concerns

	ventilation intake	ventilation exhaust	pests	odors	mold/ mildew	ceiling tiles	peeling flaking paint	sinks/ lavatories	Notes
Foyer									
Office						water spots in outer office			
Conference		very limited air flow							
AP office									
Prin office									
	no intake in the	minimal							
SBHC		exam rm - very limited flow							
Womens						water spots			
K/1 hallway						numerous water			
Rm 1						sagging tiles			
	no intake in lavatory & closet					sagging tiles		damp floor	carpet stain, room temp inconsistent, often humid
Rm 3						water stains hear exhaust		acinp inco.	room temp inconsistent, alten humid
Rm A					İ	sagging tiles			redit tellig meditaten, otter inime
K/1 men/women						segging toes		damp floor, water damage behind	
Rm 4					1	ania mina		im sank edge leaking, damp	water fountain turned off due to leak. Room temp
Rm 5			mouse poop in		1	sagging tiles sagging tiles,		leak under rm	The state of the s
Rm 6			closet			water stains		sink, damp	room temp inconsistent, often humid
						water stains sagging tiles,			room often cold
Rm 7						water stains water stains above			classroom consistently cold
K/1 lavatory						vater stain, givcol			
Rm 8						stain, sagging			NAME OF THE RES
Rm 9						sagging tiles			temp concerns
media workroom		no exhaust				water stains in			old stain in corner
media						main lesson area	-		
EL office						water stains			
Media office						water stains water stains,	-		old water stain on wall tile near back exit
2/3 hallway						glycol stains			
Rm 10	-				-	sagging tiles,			
Rm 14	no intake	no exhaust			-	water stains	-		screen in back office window not secure
Rm 15							1		
Rm B					-	water stains in	ļ		
2/3 mens/womens	no intake	no exhaust				mens Water scales in	-		
Rm 16						water stains		ļ	Inconsistent temp
Rm 17									
Rm 18						water stain my windows			
Rm 19									
2/3 lavatory								damp floors	
Rm 20	no intake	no exhaust				water stains			leak in the corner of the room, room dusty, temp is inconsistent, often humid, carpet is worn
Rm 21						water stains			temp concerns-inconsistent

0.

	ventilation intake	ventilation exhaust	pests	odors	mold/ mildew	ceiling tiles	peeling flaking paint	sinks/ lavatories	Notes
Rm 22						water stains			
Rm 23/OT	no intake	very limited exhaust				old stains			
Rm 24/roof access									
4/5 hallway									
Rm 25						some sagging			
Rm 26									foggy window, broken seal, wind whistles through window, wasps
Rm C									
4/5 mens/womens									
Rm 27									window leak in comer, wasps
Rm 28									
Rm 29						2 glycol leaks			window leak in heavy rain
Rm 30						some sagging			
4/5 lavatory									
Rm 31									
Rm 32	no intake	no exhaust							temp inconsistent
Rm 33	no intake	no exhaust						sink doesn't drain properly	
Custodian office	no intake								
foyer lavatories						water stains			
Math Lab	no intake	по енhaust	ants in comer of room						
Special Hallway						glycol near gym lobby exit			
Music									
Art						sagging tiles, water stains			
Mens									
Gym									tan get very warm, no window in office
Loading dock									
Kitchen					develops moid on wall that abuts with in freezer				
Stage									PTO stores food on stage
Café									175





Food Service Checklist

Name:	ErmiE J. Kogchmiede
School:	CK
Room or Area:	KITCHEN Date Completed: 7/12/21
Signature:	6 - 711
	(Mus) Minn

Instructions

- 1. Read the IAQ
 Backgrounder and
 the Background
 Information for
 this checklist.
- 2. Keep the
 Background
 Information and
 make a copy of
 the checklist for
 future reference.
- 3. Complete the Checklist.
 - Check the "yes," "no," or "not applicable" box beside each item. (A "no" response requires further attention.)
 - Make comments in the "Notes" section as necessary.
- 4. Return the checklist portion of this document to the IAQ Coordinator.

1.	CO	OKING	AREA

la.	Determined that local exhaust fans operate properly (note if fans are excessively noisy)		No C	N/A
1b.	Checked for odors near cooking, preparation, and eating areas			
lc.			" []	0
le.	Verified that gas appliances are vented outdoors	Z		
1f. 1g.	Ensured there are no combustion gas or natural gas odors, leaks, backdrafting, or headaches when gas appliances are used	_	()]	<u> </u>
	Checked for signs of microbiological growth in the kitchen, including the upper walls and ceiling (for example, mold, slime, and algae)	ゴ	٦	
1i. 1j.	Selected biocides registered by EPA (if required), followed the manufacturer's directions for use, and carefully reviewed the method of application	3	² ם	ū
1).	stains, discoloration, and damp areas)	🗹	Ī	
2.	FOOD HANDLING AND STORAGE			
2a. 2b.	Checked food preparation, cooking, and storage areas for signs of insects and vermin (for example, feces or remains)		<u> </u>	
	surfaces Ensured that food preparation, cooking, and storage practices are sanitary	y	`	
	Disposed of food scraps properly and removed crumbs			
	Cleaned counters with soap and water or a disinfectant (according to school policy)		_ 	
2f.	Swept and wet mopped floors			
3.	WASTE MANAGEMENT			
	Selected and placed waste in appropriate containers Ensured that containers' lids are securely closed Separated food waste and food-contaminated items from other wastes,			
	if possible		<u>'</u> _	
3d. 3e.	Stored waste containers in a well-ventilated area Ensured that dumpsters are properly located (away from air intake vents, operable windows, and food service doors in relation to	J		
	prevailing winds)	J	, _	

4.	DELIVERIES	Yes	No	N/A
1.	Instructed vendors to avoid idling their engines during deliveries	. J		
4b.	Posted a sign prohibiting vehicles from idling their engines in receiving areas	a 🗆	3	<u> </u>
4c.	Ensured that doors or air barriers are closed between receiving area and kitchen	, I	′⊐	







Instructions

- 1. Read the IAQ

 Backgrounder and the Background Information for this checklist.
- 2. Keep the
 Background
 Information and
 make a copy of
 the checklist for
 future reference.
- 3. Complete the Checklist.
 - Check the "yes,"
 "no," or
 "not applicable"
 box beside each
 item. (A "no"
 response
 requires further
 attention.)
 - Make comments in the "Notes" section as necessary.
- Return the checklist portion of this document to the IAQ Coordinator.

Integrated Pest Management Checklist

Name: Charles 1	ARNER
School: Kolnaski	
Room or Area:	Date Completed No 15, 2024
Signature:	
	_X

1.	OFFICIAL POLICY STATEMENT	es/	No	N/A
la.	Developed or located the school's official policy statement for integrated pest management (IPM)	2	⊐	
2.	DESIGNATING PEST MANAGEMENT ROLES			
	Involved decision makers in the IPM program	☆		
	10552550	Þ	コ	Э
2d.	Encouraged parents to learn about IPM practices and implement them at home	10		٦
2e. 2f.	Developed a program to educate and train all IPM participants	⊅		
		1		
3.	SETTING PEST MANAGEMENT OBJECTIVES			
3a.	Set appropriate pest management objectives for school buildings (such as preventing pests from interfering with students' learning environment and preserving the integrity of the building structure)	1		
3b.	Set appropriate pest management objectives for school grounds (such as providing safe playing areas and the best athletic surfaces possible)	4	٦	O
4.	INSPECTING, IDENTIFYING, AND MONITORING			
4a.	food, water, and harborage sites	্ৰ	J	
4b.	Identified potential pest habitats in buildings and grounds	I		
4c.	1 1	4	٦	Ц
	Monitored to determine the extent of pest problems and to estimate pest populations	1	٦	
4e.	Developed plans to modify habitat (for example, exclusion, repair, and sanitation efforts) to prevent or resolve any pest problems	$\mathbf{z}^{'}$		Q
4f.	Established a monitoring program that consists of routine inspections to estimate pest population levels and identify evidence of pests and	1	e -	J

5.	SETTING ACTION THRESHOLDS			
Į,	Evaluated all available data obtained through inspecting, identifying, and monitoring	_/	No □	N/A
	Determined how many pests the school buildings, grounds, and occupants can tolerate		Z	
5c.	Set action thresholds		A	
6.	PREVENTIVE STRATEGIES			
INI	DOOR SITES			
	Implemented appropriate strategies to prevent pests from inhabiting the f • Entryways • Classrooms • Gymnasiums • Locker rooms • Offices • Staff lounges • Bathrooms • Food preparation and serving areas • Rooms with extensive plumbing • Maintenance areas • Other	19 17 17 18 18 18 18 18 18 18 18 18 18 18 18 18	g are	eas:
-	Implemented appropriate strategies to prevent pests from inhabiting the found of the Playgrounds Parking lots Lawns and athletic fields Teaching gardens or greenhouses Loading docks Dumpsters Areas with ornamental shrubs and trees Other			eas:
7.				
/a.	Explored alternative pest management methods before concluding that pesticides were necessary	J		
7b.	Ensured that pest management professionals integrate IPM into their pest management methods		\Box	
7c.	Identified the least toxic, target-specific chemical (or pesticide formulation) that is the most effective to address the pest problem, preferably as baitsand granules	<u>s</u>	_	٦
	Reviewed and followed all label instructions on pesticides and learned how to properly apply and handle these chemicals	1		
	Used spot-treatment (or bait, crack, and crevice applications) to apply pesticides whenever possible and only treated the obviously infested plants in the area			<u> </u>
7f.	Placed all pesticides in tamper-resistant bait boxes or locations that are		_	J
0	inaccessible to children and non-target species	<u>I</u>		





7. PESTICIDE USE AND STORAGE (cont.)

7h.	runway of the box	∂No ⊐	N/A
7i.	Applied pesticides when occupants were not present or in areas where they would not be exposed to the chemicals		
2	Ensured that school occupants (students and staff) are notified of upcoming pesticide applications through posted notices and/or letters		
	Ensured that parents are notified of upcoming pesticide applications through letters		
71.	Kept copies of current pesticide labels and information on pesticides easily accessible	\supset	
7m.	Stored pesticides off site or in areas that are locked and accessible only to designated personnel]	
	Ensured that storage areas are adequately ventilated and are located away from areas prone to flooding or where spills or leaks may contaminate the environment		
70.	Ensured that flammable liquids are stored away from ignition sources		
7p.	Ensured that pesticides are stored in their original containers and all lids are securely fastened	⊐	
7q.	Ensured that air in the storage space cannot mix with the air in the central ventilation system		
8.	EVALUATING RESULTS AND RECORD KEEPING		
8a.	Ensured that accurate, up-to-date records of IPM practices and a pest management log for each property are kept	٦	
	Ensured that pesticide records necessary to meet all state, local, and school board requirements are maintained		
8c.	Ensured that each log book contains the following items: • Copy of the pest management plan • Service schedules for maintenance of buildings and grounds • Current EPA-registered labels • Current Material Safety Data Sheets (MSDS) for each pesticide project		
	Pest surveillance data sheets Diagram noting the location of pest activity, traps, and bait stations		