

- 1. Read the IAQ
 Backgrounder and the Background
 Information for this checklist.
- 2. Keep the
 Background
 Information and
 make a copy of
 the checklist for
 future reference.
- 3. Complete the Checklist.
 - Check the "yes,"
 "no," or
 "not applicable"
 box beside each
 item. (A "no"
 response requires
 further attention.)
 - Make comments in the "Notes" section as necessary.
- 4. Return the checklist portion of this document to the IAQ Coordinator.

Building and Grounds Maintenance Checklist

Name: Bill Harris	
School: Northcast	Academy
Room or Area:	Date Completed:
Signature:	

1.	BUILDING MAINTENANCE SUPPLIES	Yes/	Nο	N/A
	Developed appropriate procedures and stocked supplies for spill control	₹		
	Reviewed supply labels Ensured that air from chemical and trash storage areas vents to	🕰	_	<u> </u>
IC.	the outdoorsthe outdoors	د	٦	
ld.	containers		, D	۵
le.	Researched and selected the safest products available	Z		
1 f.	Ensured that supplies are being used according to manufacturers' instructions	,🗹	٦	
	Ensured that chemicals, chemical-containing wastes, and containers are disposed of according to manufacturers' instructions		ī	
lh.	Substituted less- or non-hazardous materials (where possible)		\supset	
1i.	Scheduled work involving odorous or hazardous chemicals for periods when the school is unoccupied		٦	
lj.	Ventilated affected areas during and after the use of odorous or hazardous chemicals	1		
	nazardous chomicals	ATC		
2.	GROUNDS MAINTENANCE SUPPLIES	_	,	
2a.	Stored grounds maintenance supplies in appropriate area(s)	<u> </u>		
2b.	Ensured that supplies are used and stored according to manufacturers' instructions		٦	
2c.	Established and followed procedures to minimize exposure to fumes from supplies	6	۵	
2d.	Reviewed and followed manufacturers' guidelines for maintenance	_Z,	.]	
2e.	1 1 0	∡		
2f.	containers			
2g.	Ensured that chemicals, chemical-containing wastes, and containers are disposed of according to manufacturers' instructions		٦	
3.	DUST CONTROL			
2		1		
3a.	Installed and maintained barrier mats for entrances		 ,	0
3b. 3c.	Used proper dusting techniques	7		
	Wrapped feather dusters with a dust cloth		_	7
	Cleaned air return grilles and air supply vents		\supset	

+a. 4b. 4c.	Established and followed schedule for vacuuming and mopping floors Cleaned spills on floors promptly (as necessary)	4		N/A 	CAUTION
5b.	Ran water in sinks at least once per week (about 2 cups of water)	⊿ ,			
5c.	Flushed toilets once each week (if not used regularly)	4	ū		
	MOISTURE, LEAKS, AND SPILLS				
6a.	Checked for moldy odors	Z			
bb.	Inspected ceiling tiles, floors, and walls for leaks or discoloration (may indicate periodic leaks)				
6c.	Checked areas where moisture is commonly generated (e.g., kitchens, locker rooms, and bathrooms)				
6d.	Checked that windows, windowsills, and window frames are free of condensate				
6e.	Checked that indoor surfaces of exterior walls and cold water pipes are free of condensate	-			
6f.	Ensured the following areas are free from signs of leaks and water damage Indoor areas near known roof or wall leaks	ge: <u>1</u>			
7.	COMBUSTION APPLIANCES	,			
7b. 7c.	Checked for odors from combustion appliances Checked appliances for backdrafting (using chemical smoke) Inspected exhaust components for leaks, disconnections, or deterioration Inspected flue components for corrosion and soot		חחחח		
	PEST CONTROL		,		
8a.	Completed the Integrated Pest Management Checklist	Z			





- 1. Read the IAQ
 Backgrounder and
 the Background
 Information for
 this checklist.
- 2. Keep the
 Background
 Information and
 make a copy of
 the checklist for
 future reference.
- 3. Complete the Checklist.
 - Check the "yes," "no," or "not applicable" box beside each item. (A "no" response requires further attention.)
 - Make comments in the "Notes" section as necessary.
- 4. Return the checklist portion of this document to the IAQ Coordinator.

Waste Management Checklist

Name: Ton Bingles	
School: NEA	
Room or Area: Zulden - unde	Date Completed: 700 15, 3024
Signature: 7- 13	

1.	WASTE MANAGEMENT Yes	s	No	N/A
1a.	Ensured that waste containers are appropriate for use (for example, food waste containers should have lids)	/		٦
1b.	Ensured that waste containers are lined.			
lc.	Ensured that waste from art, science, vocational classes, etc., are handled separately	1		
1 d.	Labeled recycling bins clearly	,		
	Ensured number of bins and dumpsters is adequate			J
1f.	Ensured appropriate location of dumpsters (i.e., away from air intakes, doors, and operable windows in relation to prevailing winds)	,		٦
1g.	Ensured waste containers are emptied regularly			
1h.	Ensured appropriate waste removal schedule	2		3
Ii.	Ensured waste is stored in a well-ventilated room	,		
1j.	Ensured any exhaust fans in the room are operating properly	,		J
1k.	Checked waste storage areas for odors, contaminants, or signs of vermin			





- 1. Read the IAQ
 Backgrounder and the Background
 Information for this checklist.
- 2. Keep the
 Background
 Information and
 make a copy of
 this checklist for
 each ventilation
 unit in your school,
 as well as a
 copy for future
 reference.
- 3. Complete the Checklist.
 - Check the "yes,"
 "no," or
 "not applicable"
 box beside each
 item. (A "no"
 response
 requires further
 attention.)
 - Make comments in the "Notes" section as necessary.
- Return the checklist portion of this document to the IAQ Coordinator.

Ventilation Checklist

Na	me: MOKTHEAST /+CADE MY			_
Sci	hool: DAVID Zuznishie			_
Un	it Ventilator/AHU No.			_
	om or Area: Date Completed: 7-10-	- 2	4	
1.	OUTDOOR AIR INTAKES			
la.	Marked locations of all outdoor air intakes on a small floor plan (for example, a fire escape floor plan)	Yes □	No □	N/A
1b.	Ensured that the ventilation system was on and operating in "occupied" mode	×		٦
AC	TIVITY 1: OBSTRUCTIONS			
1c.	Ensured that outdoor air intakes are clear of obstructions, debris, clogs, or covers	×	٦	٦
ld.	Installed corrective devices as necessary (e.g., if snowdrifts or leaves frequently block an intake)	X	٦	٦
AC	TIVITY 2: POLLUTANT SOURCES			
le:	Checked ground-level intakes for pollutant sources (dumpsters. loading docks, and bus-idling areas)	X		_
1 f.	Checked rooftop intakes for pollutant sources (plumbing vents; kitchen, toilet, or laboratory exhaust fans; puddles; and mist from			
	air-conditioning cooling towers)	×		
lg,	Resolved any problems with pollutant sources located near outdoor air intakes (e.g., relocated dumpster or extended exhaust pipe)	X	٦	J
AC	TIVITY 3: AIRFLOW			
	Obtained chemical smoke (or a small piece of tissue paper or light plastic) Confirmed that outdoor air is entering the intake appropriately		0	
2.	SYSTEM CLEANLINESS			
AC	TIVITY 4: AIR FILTERS			
	Replaced filters per maintenance schedule	X	.]	
2b.	Shut off ventilation system fans while replacing filters (prevents dirt from blowing downstream)	×		_
2c.	Vacuumed filter areas before installing new filters	X		٦
	Confirmed proper fit of filters to prevent air from bypassing (flowing around) the air filter	3		٦
2e.	Confirmed proper installation of filters (correct direction for airflow)	×		

2. SYSTEM CLEANLINESS (continued)

.C	TIVITY 5: DRAIN PANS			
	Ensured that drain pans slant toward the drain (to prevent water from accumulating)			
2g. 2h.	Cleaned drain pans Checked drain pans for mold and mildew	.X		
AC'	TIVITY 6: COILS			
	Ensured that heating and cooling coils are clean	.X		
	TIVITY 7: AIR-HANDLING UNITS, UNIT VENTILATORS			
,	Ensured that the interior of air-handling unit(s) or unit ventilator (air-mixing chamber and fan blades) is clean		ם	
∠K,	Ensured that ducts are clean		_	_
	TIVITY 8: MECHANICAL ROOMS Checked mechanical room for unsanitary conditions, leaks, and spills	Ø		
2m.	Ensured that mechanical rooms and air-mixing chambers are free of trash, chemical products, and supplies			
3.	CONTROLS FOR OUTDOOR AIR SUPPLY			
	Ensured that air dampers are at least partially open (minimum position)	×		
3b.	Ensured that minimum position provides adequate outdoor air for occupants	×		=
AC	TIVITY 9: CONTROLS INFORMATION			
	Obtained and reviewed all design inside/outside temperature and humidity requirements, controls specifications, as-built mechanical drawings, and controls operations manuals (often uniquely designed)		٦	
AC	TIVITY 10: CLOCKS, TIMERS, SWITCHES			
3d. 3e.	Turned summer-winter switches to the correct position	- X		
3f.	Ensured that settings fit the actual schedule of building use (including night/weekend use)			
10	TIVITY 11: CONTROL COMPONENTS			
	Ensured appropriate system pressure by testing line pressure at both the			
3h.	occupied (day) setting and the unoccupied (night) setting		2	<u> </u>
3i.	Replaced control system filters at the compressor inlet based on the compressor manufacturer's recommendation (for example, when you			
	blow down the tank)	🗆		X
3j.	Set the line pressure at each thermostat and damper actuator at the proper level (no leakage or obstructions)	122		\$
AC	TIVITY 12: OUTDOOR AIR DAMPERS			
3k.	Ensured that the outdoor air damper is visible for inspection	_ X		J
- 1 ·	for inspection	x		_
3 m	Ensured that air temperature in the indoor area(s) served by each outdoor air damper is within the normal operating range	¥		-



NOTE: It is necessary to ensure that the damper is operating properly and within the normal range to continue



3.	CONTROLS FOR OUTDOOR AIR SUPPLY (continued)			
3n:	Checked that the outdoor air damper fully closes within a few minutes of shutting off appropriate air handler		No □	N/A
30,	Checked that the outdoor air damper opens (at least partially with no delay) when the air handler is turned on)		٦
	If in heating mode, checked that the outdoor air damper goes to its minimum position (without completely closing) when the room thermostat is set to 85°F	, Ø	٦	٦
	If in cooling mode, checked that the outdoor air damper goes to its minimu position (without completely closing) when the room thermostat is set to 60°F and mixed air thermostat is set to 45°F.			٦
3r,	 If the outdoor air damper does not move, confirmed the following items: The damper actuator links to the damper shaft, and any linkage set screws or bolts are tight	<u> </u>		
Pro	oceed to Activities 13–16 if the damper seems to be operating properly.			
	TIVITY 13: FREEZE STATS Disconnected power to controls (for automatic reset only) to test continuity across terminals	, 	٦	٦
	Confirmed (if applicable) that depressing the manual reset button (usually red) trips the freeze stat (clicking sound indicates freeze stat was tripped)	<u> </u>		٦
3u.	Assessed the feasibility of replacing all manual reset freeze-stats with automatic reset freeze-stats	A		٦
clo	TE: HVAC systems with water coils need protection from the cold. The freezo se the outdoor air damper and disconnect the supply air when tripped. The t tige is 35°F to 42°F.			
AC	CTIVITY 14: MIXED AIR THERMOSTATS			
	Ensured that the mixed air stat for heating mode is set no higher than 65°F	. X		٦
3w	Ensured that the mixed air stat for cooling mode is set no lower than the room thermostat setting	X		٦
	CTIVITY 15: ECONOMIZERS Confirmed proper economizer settings based on design specifications or local practices	. KĮ		٦
NC	OTE: The dry-bulb is typically set at 65°F or lower.			
	Checked that sensor on the economizer is shielded from direct sunlight Ensured that dampers operate properly (for outside air, return air, exhaust/relief air, and recirculated air), per the design specifications			_ _
loa Dr an	OTE: Economizers use varying amounts of cool outdoor air to assist with the ad of the room or rooms. There are two types of economizers, dry-bulb and early-bulb economizers vary the amount of outdoor air based on outdoor temped enthalpy economizers vary the amount of outdoor air based on outdoor tends of humidity level	nthal ratur	py. e.	

3. CONTROLS FOR OUTDOOR AIR SUPPLY (continued) CTIVITY 16: FANS 3aa. Ensured that all fans (supply fans and associated return or relief fans) Yes No N/A that move outside air indoors continuously operate during occupied NOTE. If fan shuts off when the thermostat is satisfied, adjust control cycle as necessary to ensure sufficient outdoor air supply 4. AIR DISTRIBUTION **ACTIVITY 17: AIR DISTRIBUTION** 4a. Ensured that supply and return air pathways in the existing ventilation system perform as required 4b. Ensured that passive gravity relief ventilation systems and transfer grilles NOTE: If ventilation system is closed or blocked to meet current fire codes, consult with a professional engineer for remedies. 4c. Made sure every occupied space has supply of outdoor air (mechanical system or operable windows) NOTE: If outlets have been blocked intentionally to correct drafts or discomfort, investigate and correct the cause of the discomfort and reopen the vents. 4e. Modified the HVAC system to supply outside air to areas without an outdoor Modified existing HVAC systems to incorporate any room or zone layout and population changes 4g. Moved all barriers (for example, room dividers, large free-standing blackboards or displays, bookshelves) that could block movement of air in the room, especially those blocking air vents 4h. Ensured that unit ventilators are quiet enough to accommodate classroom activities 4i. Ensured that classrooms are free of uncomfortable drafts produced by air from supply terminals **ACTIVITY 18: PRESSURIZATION IN BUILDINGS** NOTE: To prevent infiltration of outdoor pollutants, the ventilation system is designed to maintain positive pressurization in the building. Therefore, ensure that the system, including any exhaust fans, is operating on the "occupied" cycle when doing this activity. 4j. Ensured that air flows out of the building (using chemical smoke) through windows, doors, or other cracks and holes in exterior wall (for example, 5. EXHAUST SYSTEMS **ACTIVITY 19: EXHAUST FAN OPERATION** 5a. Checked (using chemical smoke) that air flows into exhaust fan grille(s) If fans are running but air is not flowing toward the exhaust intake, check for the following:

· Inoperable dampers

Broken fan belt

Obstructed, leaky, or disconnected ductwork
Undersized or improperly installed fan




5. EXHAUST SYSTEMS (continued)

ACTIVITY 20: EXHAUST AIRFLOW

NOTE: Prevent migration of indoor contaminants from areas such as bathrooms, kitchens, and labs by keeping them under negative pressure (as compared to surrounding spaces).

5b.	(No	N/A
	adjacent spaces	. 🖵		4
	nd outside the room with the door slightly open while checking airflow high door opening (see "How to Measure Airflow").	and l	ow ir	l
5c.	Ensured that air is flowing toward the exhaust intake	X	3	
AC	TIVITY 21: EXHAUST DUCTWORK Checked that the exhaust ductwork downstream of the exhaust fan (which i under positive pressure) is sealed and in good condition	S	۵	٦
6.	QUANTITY OF OUTDOOR AIR			
AC	TIVITY 22: OUTDOOR AIR MEASUREMENTS AND CALCULATIO	NS		
NO	TE: Refer to "How to Measure Airflow" for techniques.			
6a.	Measured the quantity of outdoor air supplied (22a) to each ventilation unit	, <u> </u>	\Box	
6b.	Calculated the number of occupants served (22b) by the ventilation unit under consideration			
6c.	Divided outdoor air supply (22a) by the number of occupants (22b) to determine the existing quantity of outdoor air supply per person (22c)	X	\supset	<u>ا</u>
	TIVITY 23: ACCEPTABLE LEVELS OF OUTDOOR AIR QUANTITI	ES		
6d.	Compared the existing outdoor air per person (22c) to the recommended levels in Table 1	X	a	
6e.	Corrected problems with ventilation units that supplied inadequate quantities of outdoor air to ensure that outdoor air quantities (22c) meet	har*	$\overline{}$	
	the recommended levels in Table 1	XI"		3





Walkthrough Inspection Checklist

Name: Stephanie Wheeler	
School: NEA	
Room or Area: Date Completed: 5/24/24	
Signature:	

1. GROUND LEVEL Yes No N/A 1b. Ensured there are no obstructions blocking air intakes...... 1c. Checked for nests and droppings near outdoor air intakes 1d. Determined that dumpsters are located away from doors, windows, and outdoor air intakes 1e. Checked potential sources of air contaminants near the building If Ensured that vehicles avoid idling near outdoor air intakes lg. Minimized pesticide application 1h. Ensured that there is proper drainage away from the building (including roof downspouts) Ensured that sprinklers spray away from the building and outdoor air intakes Ensured that walk-off mats are used at exterior entrances and that they are cleaned regularly ROOF While on the roof, consider inspecting the HVAC units (use the Ventilation Checklist). 2b. Checked for evidence of water ponding 2c. Checked that ventilation units operate properly (air flows in)...... 2e. Ensured that air intakes remain open, even at minimum setting 2g. Ensured that air from plumbing stacks and exhaust outlets flows away from outdoor air intakes 3. ATTIC 3a. Checked for evidence of roof and plumbing leaks 3b. Checked for birds and animal nests 4. GENERAL CONSIDERATIONS 4a. Ensured that temperature and humidity are maintained within acceptable ranges 4c. Checked for odors

Instructions

- Read the IAQ
 Backgrounder and
 the Background
 Information for
 this checklist.
- 2. Keep the
 Background
 Information and
 make a copy of
 the checklist for
 future reference.
- 3. Complete the Checklist.
 - Check the "yes,"
 "no," or
 "not applicable"
 box beside each
 item. (A "no"
 response
 requires further
 attention.)
 - Make comments in the "Notes" section as necessary.
- Return the checklist portion of this document to the IAQ Coordinator.

4e. 4f. 4g. 5.	Checked for signs of water damage			N/A a a a a a a a a a a a a a a a a a a a	
6.	MAINTENANCE SUPPLIES				
6b. 6c.	Ensured that chemicals are used only with adequate ventilation and when building is unoccupied Ensured that vents in chemical and trash storage areas are operating properly Ensured that portable fuel containers are properly closed Ensured that power equipment, like snowblowers and lawn mowers, have been serviced and maintained according to manufacturers' guidelines		0 00 0		KEP FROM SCHOOL
7.	COMBUSTION APPLIANCES	,	,		()
b. 7с	Checked for combustion gas and fuel odors Ensured that combustion appliances have flues or exhaust hoods Checked for leaks, disconnections, and deterioration Ensured there is no soot on inside or outside of flue components	1		םנים	
8.	OTHER				
	Checked for peeling and flaking paint (if the building was built before 1980, this could be a lead hazard) Determined date of last radon test			ם	





- Read the IAQ
 Backgrounder and
 the Background
 Information for
 this checklist.
- 2. Keep the
 Background
 Information and
 make a copy of
 the checklist for
 future reference.
- Complete the Checklist.
 - Check the "yes,"
 "no," or
 "not applicable"
 box beside each
 item. (A "no"
 response
 requires further
 attention.)
 - Make comments in the "Notes" section as necessary.
- Return the checklist portion of this document to the IAQ Coordinator.

Integrated Pest Management Checklist

CHECKIIST			
Name: Charles VARNER			
School: Northeast Academy			
Room or Area: Date Completed: NN 15	202	24	
Signature: CL.U			= = =
1. OFFICIAL POLICY STATEMENT	Yes	No	N/
1a. Developed or located the school's official policy statement for integrated pest management (IPM)	Z	ב	
2. DESIGNATING PEST MANAGEMENT ROLES			
2a. Assigned and trained a qualified person to be the pest manager	Ø	\supset	
2b. Involved decision makers in the IPM program	A		
2c. Educated students and staff (the occupants of the building) about IPM and asked them to keep their areas clean and free of clutter	1	⊐	
2d. Encouraged parents to learn about IPM practices and implement them at home	1	⊐	
2e. Developed a program to educate and train all IPM participants	7	\supset	

3. SETTING PEST MANAGEMENT OBJECTIVES

2f. Included language about IPM into contracts with pest management

3a. Set appropriate pest management objectives for school buildings (such as preventing pests from interfering with students' learning environment and preserving the integrity of the building structure)

professionals

4. INSPECTING, IDENTIFYING, AND MONITORING

4a.	Inspected all buildings and grounds for pest evidence, entry points,		
	food, water, and harborage sites		
4b.	Identified potential pest habitats in buildings and grounds	\supset	
4c.	Pinpointed the source of any current pest problems		
	Monitored to determine the extent of pest problems and to estimate pest		
	populations		
10	Developed plans to modify habitat (for example exclusion repair and		

5.	SETTING ACTION THRESHOLDS			
d.	Evaluated all available data obtained through inspecting, identifying, and monitoring	/	No □	N/A
5b.	Determined how many pests the school buildings, grounds, and occupants can tolerate	×	a,	
5c.	Set action thresholds	<u>A</u>	A	
6.	PREVENTIVE STRATEGIES			
INI	DOOR SITES			
6ą.	Implemented appropriate strategies to prevent pests from inhabiting the fo		ig are	eas:
	• Entryways			
	• Classrooms			
	• Gymnasiums			
	• Locker rooms			
	• Offices	7	\supset	
	• Staff lounges			
	• Bathrooms			
	• Food preparation and serving areas			
	• Rooms with extensive plumbing			
	• Maintenance areas			
	• Other	<u> </u>	J	
ου	TDOOR SITES			
бb.	Implemented appropriate strategies to prevent pests from inhabiting the fo		ng are	eas:
	• Playgrounds		\supset	
	• Parking lots			
	• Lawns and athletic fields		\supset	
	Teaching gardens or greenhouses	🗷		
	Loading docks			
	• Dumpsters			
	Areas with ornamental shrubs and trees Other			
7	PESTICIDE USE AND STORAGE			
7.				
7a.	Explored alternative pest management methods before concluding that	- K		
71_	pesticides were necessary	ee 41		
/ b.	Ensured that pest management professionals integrate IPM into their pest management methods	ੂ <i>ਕ</i>	7	
70	Identified the least toxic, target-specific chemical (or pesticide		_	_
70.	formulation) that is the most effective to address the pest problem,			
	preferably as baitsand granules	<u>T</u>		
7d	Reviewed and followed all label instructions on pesticides and learned	/	r)	
7 4.	how to properly apply and handle these chemicals	_ ₹	\supset	
7e.	Used spot-treatment (or bait, crack, and crevice applications) to apply			
	pesticides whenever possible and only treated the obviously infested	1		
	plants in the area	i		
7f.	Used protective clothing or equipment when applying pesticides	<u>I</u>	\supset	
7g.		2		
J	inaccessible to children and non-target species	<u>7</u>		





7. PESTICIDE USE AND STORAGE (cont.)

7h.	Locked or fastened lids of all bait boxes and placed bait away from the runway of the box	Yes Z	o/N	N/A
7i.,	Applied pesticides when occupants were not present or in areas where they would not be exposed to the chemicals	⊿	_	
7j.	Ensured that school occupants (students and staff) are notified of upcoming pesticide applications through posted notices and/or letters	1	ב	۵
7k.	Ensured that parents are notified of upcoming pesticide applications through letters	1		
71.	Kept copies of current pesticide labels and information on pesticides easily accessible	Z	٦	٦
7m.	Stored pesticides off site or in areas that are locked and accessible only to designated personnel	Z	J	
7n	Ensured that storage areas are adequately ventilated and are located away from areas prone to flooding or where spills or leaks may contaminate the environment	ZÍ		
70.	Ensured that flammable liquids are stored away from ignition sources	7	\supset	
7p.	Ensured that pesticides are stored in their original containers and all lids are securely fastened	Ž	⊐	
7q.	Ensured that air in the storage space cannot mix with the air in the central ventilation system	ď		
8.	EVALUATING RESULTS AND RECORD KEEPING			
8a.	Ensured that accurate, up-to-date records of IPM practices and a pest management log for each property are kept	. 1	J	9
8b.	Ensured that pesticide records necessary to meet all state, local, and school board requirements are maintained			
8c.	Ensured that each log book contains the following items: • Copy of the pest management plan • Service schedules for maintenance of buildings and grounds • Current EPA-registered labels • Current Material Safety Data Sheets (MSDS) for each pesticide project	. ⊿ . ⊿		
	 Pest surveillance data sheets Diagram noting the location of pest activity, traps, and bait stations 	A		





Food Service Checklist

Name	Ervi E 5. Koschmiede
School:	NEA
Room or Area;	Kitched Date Completed: 7/12/24
Signature:	Cini I Hankin

Instructions

- Read the IAQ Backgrounder and the Background Information for this checklist.
- 2. Keep the
 Background
 Information and
 make a copy of
 the checklist for
 future reference.
- 3. Complete the Checklist.
 - Check the "yes," "no," or "not applicable" box beside each item. (A "no" response requires further attention.)
 - Make comments in the "Notes" section as necessary.
- 4. Return the checklist portion of this document to the IAQ Coordinator.

1. COOKING AREA

la.	Determined that local exhaust fans operate properly (note if fans are excessively noisy)]		N/A □
1b.	Checked for odors near cooking. preparation, and eating areas	I	\supset	
lc.	and cleaning		\hat{a}	
ld.	Determined that gas appliances function properly	1	્ર⊐	J
1e.	Verified that gas appliances are vented outdoors	🗹	\Box	
1 f.	Ensured there are no combustion gas or natural gas odors, leaks, back-drafting, or headaches when gas appliances are used		` ⊐	
lg.		3		
1 h,	the upper walls and ceiling (for example, mold, slime, and algae)	T		
li.	Selected biocides registered by EPA (if required), followed the manufacturer's directions for use, and carefully reviewed the			
	method of application		^ _	
lj.	Verified the kitchen is free of plumbing and ceiling leaks (signs include		_	_
1).	stains, discoloration, and damp areas)	J	/ _	
2.	FOOD HANDLING AND STORAGE			
2a.	Checked food preparation, cooking, and storage areas for signs of insects and vermin (for example, feces or remains)		<u>-</u>]	۵
2b.		e	~	
20	Ensured that food preparation, cooking, and storage practices are sanitary		/]	
	Disposed of food scraps properly and removed crumbs			
	Cleaned counters with soap and water or a disinfectant (according to			
	school policy)	¥		
2f.	Swept and wet mopped floors		/]	
3.	WASTE MANAGEMENT			
3a.	Selected and placed waste in appropriate containers	I	/	\Box
	Ensured that containers' lids are securely closed		\cap \supset	\Box
	Separated food waste and food-contaminated items from other wastes,		_	
	if possible	Y		
	Stored waste containers in a well-ventilated area	Y	\frown	
3e.	Ensured that dumpsters are properly located (away from air intake			

vents, operable windows, and food service doors in relation to

prevailing winds)

4.	DELIVERIES	V	NI.	BLCA
	Instructed vendors to avoid idling their engines during deliveries		No.	
4b.	Posted a sign prohibiting vehicles from idling their engines in receiving areas Ensured that doors or air barriers are closed between receiving area		3	']
4c.	Ensured that doors or air barriers are closed between receiving area and kitchen	. 1		

