

- 1. Read the IAQ
  Backgrounder and
  the Background
  Information for
  this checklist.
- 2. Keep the
  Background
  Information and
  make a copy of
  the checklist for
  future reference.
- 3. Complete the Checklist.
  - Check the "yes,"
     "no," or
     "not applicable"
     box beside each
     item. (A "no"
     response requires
     further attention.)
  - Make comments in the "Notes" section as necessary.
- 4. Return the checklist portion of this document to the IAQ Coordinator.




# **Building and Grounds Maintenance Checklist**

Name: Wendell Gaston	Tom Binghan
School: Thomas River	Magnet
Room or Area:	Date Completed:
Signature:	

1.	BUILDING MAINTENANCE SUPPLIES	Yes	NI.	NI/A
1a.	Developed appropriate procedures and stocked supplies for spill control	1	$\supset$	IV/A
1b.	Reviewed supply labels	≾		
lc.	Ensured that air from chemical and trash storage areas vents to the outdoors		٦	Ŋ
	Stored chemical products and supplies in sealed, clearly labeled containers	.,,, <b>T</b>	٦	٦
	Researched and selected the safest products available	I		
1 f.	Ensured that supplies are being used according to manufacturers' instructions		٦	0
0	Ensured that chemicals, chemical-containing wastes, and containers are disposed of according to manufacturers' instructions		$\Box$	
	Substituted less- or non-hazardous materials (where possible)	****		Y
l i	when the school is unoccupied	🗹		Э
lj.	Ventilated affected areas during and after the use of odorous or hazardous chemicals			O
2.	GROUNDS MAINTENANCE SUPPLIES			
2a.	Stored grounds maintenance supplies in appropriate area(s)	<u>A</u>	J	
2b.	Ensured that supplies are used and stored according to manufacturers' instructions	🗹	כ	а
2c.	Established and followed procedures to minimize exposure to fumes from supplies	<u> </u>	٦	٦
2d.	Reviewed and followed manufacturers' guidelines for maintenance	- P	$\supset$	
2e.	Replaced portable gas cans with low-emission cans			
2f.	Stored chemical products and supplies in sealed, clearly-labeled containers	☑		
2g	Ensured that chemicals, chemical-containing wastes, and containers are disposed of according to manufacturers' instructions	0	٦	Э
3.	DUST CONTROL			
3a.	Installed and maintained barrier mats for entrances	V		J
3b	Used high efficiency vacuum bags	₫		
3c.				
	. Wrapped feather dusters with a dust cloth			<u> </u>
3e	Cleaned air return grilles and air supply vents	10		L

а 4b.	FLOOR CLEANING  Established and followed schedule for vacuuming and mopping floors  Cleaned spills on floors promptly (as necessary)  Performed restorative maintenance (as necessary)	্র ব	<u> </u>	N/A	
5.	DRAIN TRAPS				
5b.	Poured water down floor drains once per week (about 1 quart of water)	⊻	$\Box$		
6.	MOISTURE, LEAKS, AND SPILLS				
6a.	Checked for moldy odors	<u>.</u> <u> </u>	コ		
6b.	Inspected ceiling tiles, floors, and walls for leaks or discoloration (may indicate periodic leaks)	. Y			
6c.	Checked areas where moisture is commonly generated (e.g., kitchens, locker rooms, and bathrooms)	. <b>W</b>	J		
6d	Checked that windows, windowsills, and window frames are free of condensate		⊐		
6e.	Checked that indoor surfaces of exterior walls and cold water pipes are free of condensate		<u> </u>		
6f.	Ensured the following areas are free from signs of leaks and water damage Indoor areas near known roof or wall leaks		٦	٥	
)	Walls around leaky or broken windows  Floors and ceilings under plumbing  Duct interiors near humidifiers, cooling coils, and outdoor air intakes	У	٦	0	
7.	COMBUSTION APPLIANCES				
7b. 7c.	Checked for odors from combustion appliances  Checked appliances for backdrafting (using chemical smoke)  Inspected exhaust components for leaks, disconnections, or deterioration  Inspected flue components for corrosion and soot	<u>I</u>			
8.	PEST CONTROL				
8a.	Completed the Integrated Pest Management Checklist	<u>I</u>			







- 1. Read the IAQ
  Backgrounder and
  the Background
  Information for
  this checklist.
- 2. Keep the
  Background
  Information and
  make a copy of
  the checklist for
  future reference.
- 3. Complete the Checklist.
  - Check the "yes," "no," or "not applicable" box beside each item. (A "no" response requires further attention.)
  - Make comments in the "Notes" section as necessary.
- 4. Return the checklist portion of this document to the IAQ Coordinator.

## **Waste Management Checklist**

Name: Toll Binglan
School: Thomas River
Room or Area: July - wide Date Completed: 700 15, 2024
Signature: 7 13/

1.	WASTE MANAGEMENT	Yes	No	N/A
la.	Ensured that waste containers are appropriate for use (for example, food waste containers should have lids)	🗹		<b>a</b>
1b.	Ensured that waste containers are lined	🗹		
lc.	Ensured that waste from art, science, vocational classes, etc., are handled separately	🗹		٦
1 d.	Labeled recycling bins clearly	. 0		
le.	Ensured number of bins and dumpsters is adequate	. 🗹		
1 f.	Ensured appropriate location of dumpsters (i.e., away from air intakes, doors, and operable windows in relation to prevailing winds)			
lg.	Ensured waste containers are emptied regularly	. 0		
1h.	Ensured appropriate waste removal schedule	🗹 )		
li.	Ensured waste is stored in a well-ventilated room	🗹		
1j.	Ensured any exhaust fans in the room are operating properly	🗸		
1k.	Checked waste storage areas for odors, contaminants, or signs of vermin	🗹		






- Read the IAQ
   Backgrounder and
   the Background
   Information for
   this checklist.
- 2. Keep the
  Background
  Information and
  make a copy of
  this checklist for
  each ventilation
  unit in your school,
  as well as a
  copy for future
  reference.
- 3. Complete the Checklist.
  - Check the "yes,"
     "no," or
     "not applicable"
     box beside each
     item. (A "no"
     response
     requires further
     attention.)
  - Make comments in the "Notes" section as necessary.
- 4. Return the checklist portion of this document to the IAQ Coordinator.

## **Ventilation Checklist**


Na	me: David Zuzwoli			
Sc	hool: THAMES RULY MAGNET			_
Un	nit Ventilator/AHU No:			
	om or Area.  Date Completed: 7-10-6	B	24	
518	gnature.			-
1.	OUTDOOR AIR INTAKES			
la.	Trained to detect of an electron an interior of a binary from the	∕es ⊠	No □	N/A
1 b.	Ensured that the ventilation system was on and operating in "occupied" mode	Z)		J
AC	TIVITY 1: OBSTRUCTIONS			
lc.	Ensured that outdoor air intakes are clear of obstructions, debris, clogs, or covers	<b>A</b>		2
ld.	Installed corrective devices as necessary (e.g., if snowdrifts or leaves frequently block an intake)		٦	TO S
AC	TIVITY 2: POLLUTANT SOURCES			
le.	Checked ground-level intakes for pollutant sources (dumpsters, loading		_	<b></b>
1 f.	docks, and bus-idling areas)  Checked rooftop intakes for pollutant sources (plumbing vents: kitchen,	_	_	Ç21
	toilet, or laboratory exhaust fans; puddles; and mist from air-conditioning cooling towers)	<b>Z</b>		_
lg.	Resolved any problems with pollutant sources located near outdoor air intakes (e.g., relocated dumpster or extended exhaust pipe)			ø
AC	TIVITY 3; AIRFLOW			
	Obtained chemical smoke (or a small piece of tissue paper or light plastic)		Z	$\supset$
li.	Confirmed that outdoor air is entering the intake appropriately	<b>A</b>		
2.	SYSTEM CLEANLINESS			
AC	TIVITY 4: AIR FILTERS			
			$\supset$	J
2 <b>D</b> .	Shut off ventilation system fans while replacing filters (prevents dirt from blowing downstream)	4	Э	٦
	Vacuumed filter areas before installing new filters		$\supset$	J
	Confirmed proper fit of filters to prevent air from bypassing (flowing around) the air filter		0	_
2e.	Confirmed proper installation of filters (correct direction for airflow)			J

### 2. SYSTEM CLEANLINESS (continued)

.C	TIVITY 5: DRAIN PANS			
2f.	Ensured that drain pans slant toward the drain (to prevent water from accumulating)	Yes . •	No	N/N
2g.	Cleaned drain pans			
-	Checked drain pans for mold and mildew			
	TIVITY 6: COILS			
2i.	Ensured that heating and cooling coils are clean	🗱		
	TIVITY 7: AIR-HANDLING UNITS, UNIT VENTILATORS			
2j.	Ensured that the interior of air-handling unit(s) or unit ventilator	(5)		_
	(air-mixing chamber and fan blades) is clean			
2k.	Ensured that ducts are clean	9		٦
	TIVITY 8: MECHANICAL ROOMS	300		_
	Checked mechanical room for unsanitary conditions, leaks. and spills			_
2m.	Ensured that mechanical rooms and air-mixing chambers are free of trash, chemical products, and supplies		٦	٦
3.	CONTROLS FOR OUTDOOR AIR SUPPLY			
	Ensured that air dampers are at least partially open (minimum position)	<b>a</b>	$\supset$	
3b.	Ensured that minimum position provides adequate outdoor air	<b>₽</b>	$\neg$	_
)	for occupants	<u></u>		٦
ÁC	TIVITY 9: CONTROLS INFORMATION			
3c.	Obtained and reviewed all design inside/outside temperature and humidity requirements, controls specifications, as-built mechanical drawings,			_
	and controls operations manuals (often uniquely designed)	(381		_
	TIVITY 10: CLOCKS, TIMERS, SWITCHES			
	Turned summer-winter switches to the correct position			
	Set time clocks appropriately	<b>D</b> I		ال
3f.	Ensured that settings fit the actual schedule of building use (including night/weekend use)	🕸		
10	TIVITY 11: CONTROL COMPONENTS			
	Ensured appropriate system pressure by testing line pressure at both the			
, p.	occupied (day) setting and the unoccupied (night) setting	<b>O</b>		
3h.	Checked that the line dryer prevents moisture buildup	<u> </u>		2
3i.	Replaced control system filters at the compressor inlet based on the compressor manufacturer's recommendation (for example, when you			
	blow down the tank)	□		0
3j.	Set the line pressure at each thermostat and damper actuator at the proper		$\overline{}$	af.
	level (no leakage or obstructions)			₩.
AC	TIVITY 12: OUTDOOR AIR DAMPERS			
3k.	Ensured that the outdoor air damper is visible for inspection	i 🖚		_
٦1. ر	Ensured that the recirculating relief and/or exhaust dampers are visible for inspection	<b>4</b>		_
3m	Ensured that air temperature in the indoor area(s) served by each		$\neg$	_
	outdoor air damper is within the normal operating range	(1)	_	_



NOTE. It is necessary to ensure that the damper is operating properly and within the normal range to continue



3.	CONTROLS FOR OUTDOOR AIR SUPPLY (continued)				
3n.	n. Checked that the outdoor air damper fully closes within a few minutes of shutting off appropriate air handler				
30.	Checked that the outdoor air damper opens (at least partially with no delay) when the air handler is turned on	<b>a</b>		⊐	
	If in heating mode, checked that the outdoor air damper goes to its minimum position (without completely closing) when the room thermostat is set to 85°F		٦		
3q.	If in cooling mode, checked that the outdoor air damper goes to its minimum position (without completely closing) when the room thermostat is set to 60°F and mixed air thermostat is set to 45°F		٦	⊐	
	<ul> <li>The damper actuator links to the damper shaft, and any linkage set screws or bolts are tight</li></ul>				
Pro	ceed to Activities 13–16 if the damper seems to be operating properly.				
3s.	TIVITY 13: FREEZE STATS  Disconnected power to controls (for automatic reset only) to test continuity across terminals		Ō	Ø	
OR 3t.	Confirmed (if applicable) that depressing the manual reset button (usually red) trips the freeze stat (clicking sound indicates freeze stat was tripped)		_	O	
3u.	Assessed the feasibility of replacing all manual reset freeze-stats with automatic reset freeze-stats		⊐	Œ	
clo.	TE: HVAC systems with water coils need protection from the cold. The freezese the outdoor air damper and disconnect the supply air when tripped. The type is $35^{\circ}F$ to $42^{\circ}F$ .				
AC	TIVITY 14: MIXED AIR THERMOSTATS				
3 v.	Ensured that the mixed air stat for heating mode is set no higher than 65°F	<b>E</b>		٦	
3w.	Ensured that the mixed air stat for cooling mode is set no lower than the room thermostat setting	9		$\supset$	
	CTIVITY 15: ECONOMIZERS  Confirmed proper economizer settings based on design specifications or local practices	<b>©</b>		٦	
NO	TE: The dry-bulb is typically set at $65^{\circ}F$ or lower.				
	Checked that sensor on the economizer is shielded from direct sunlight Ensured that dampers operate properly (for outside air, return air, exhaust/relief air, and recirculated air), per the design specifications				
loa Dr and	TE: Economizers use varying amounts of cool outdoor air to assist with the case of the room or rooms. There are two types of economizers, dry-bulb and entay-bulb economizers vary the amount of outdoor air based on outdoor temperadenthalpy economizers vary the amount of outdoor air based on outdoor temperadenthalpy economizers vary the amount of outdoor air based on outdoor temperadenthalpy level.	cool halj iture	ייניט פיי		

### 3. CONTROLS FOR OUTDOOR AIR SUPPLY (continued) CTIVITY 16: FANS 3aa. Ensured that all fans (supply fans and associated return or relief fans) Yes No N/A that move outside air indoors continuously operate during occupied NOTE. If fan shuts off when the thermostat is satisfied, adjust control cycle as necessary to ensure sufficient outdoor air supply. 4. AIR DISTRIBUTION **ACTIVITY 17: AIR DISTRIBUTION** 4a. Ensured that supply and return air pathways in the existing ventilation system 4b. Ensured that passive gravity relief ventilation systems and transfer grilles NOTE: If ventilation system is closed or blocked to meet current fire codes, consult with a professional engineer for remedies. 4c. Made sure every occupied space has supply of outdoor air (mechanical system or operable windows) ...... 4d. Ensured that supply and return vents are open and unblocked NOTE If outlets have been blocked intentionally to correct drafts or discomfort, investigate and correct the cause of the discomfort and reopen the vents. 4e. Modified the HVAC system to supply outside air to areas without an outdoor Modified existing HVAC systems to incorporate any room or zone layout 4g. Moved all barriers (for example, room dividers, large free-standing blackboards or displays, bookshelves) that could block movement of air in the room, especially those blocking air vents 4h. Ensured that unit ventilators are quiet enough to accommodate classroom 4i. Ensured that classrooms are free of uncomfortable drafts produced by air from supply terminals ..... **ACTIVITY 18: PRESSURIZATION IN BUILDINGS** NOTE: To prevent infiltration of outdoor pollutants, the ventilation system is designed to maintain positive pressurization in the building. Therefore, ensure that the system, including any exhaust fans, is operating on the "occupied" cycle when doing this activity. 4i. Ensured that air flows out of the building (using chemical smoke) through windows, doors, or other cracks and holes in exterior wall (for example, floor joints, pipe openings) 5. EXHAUST SYSTEMS **ACTIVITY 19: EXHAUST FAN OPERATION** 5a. Checked (using chemical smoke) that air flows into exhaust fan grille(s) ..... If fans are running but air is not flowing toward the exhaust intake, check for the following: Inoperable dampers

Obstructed, leaky, or disconnected ductwork
Undersized or improperly installed fan

· Broken fan belt





### 5. EXHAUST SYSTEMS (continued)

### **ACTIVITY 20: EXHAUST AIRFLOW**

NOTE: Prevent migration of indoor contaminants from areas such as bathrooms, kitchens, and labs by keeping them under negative pressure (as compared to surrounding spaces).

5b.	Checked (using chemical smoke) that air is drawn into the room from adjacent spaces		No □	N/A
	nd outside the room with the door slightly open while checking airflow high door opening (see "How to Measure Airflow").	and l	ow ii	1
5c.	Ensured that air is flowing toward the exhaust intake		$\supset$	3
	TIVITY 21: EXHAUST DUCTWORK  Checked that the exhaust ductwork downstream of the exhaust fan (which i under positive pressure) is sealed and in good condition		٦	٦
6.	QUANTITY OF OUTDOOR AIR			
AC	TIVITY 22: OUTDOOR AIR MEASUREMENTS AND CALCULATION	NS		
NO	TE: Refer to "How to Measure Airflow" for techniques.			
6a,	Measured the quantity of outdoor air supplied (22a) to each ventilation unit	그		•
	Calculated the number of occupants served (22b) by the ventilation unit under consideration	. <b>W</b>		Э
6c.	Divided outdoor air supply (22a) by the number of occupants (22b) to determine the existing quantity of outdoor air supply per person (22c)		$\Box$	
AC	TIVITY 23: ACCEPTABLE LEVELS OF OUTDOOR AIR QUANTIT	ŒS		
6d.	Compared the existing outdoor air per person (22c) to the recommended levels in Table 1		⊐	
6e.	Corrected problems with ventilation units that supplied inadequate quantities of outdoor air to ensure that outdoor air quantities (22c) meet the recommended levels in Table 1	2	)	





- 1. Read the IAQ
  Backgrounder and
  the Background
  Information for
  this checklist.
- 2. Keep the
  Background
  Information and
  make a copy of
  the checklist for
  future reference.
- 3. Complete the Checklist.
  - Check the "yes,"
     "no," or
     "not applicable"
     box beside each
     item. (A "no"
     response
     requires further
     attention.)
  - Make comments in the "Notes" section as necessary.
- 4. Return the checklist portion of this document to the IAQ Coordinator.

## Walkthrough Inspection Checklist

1	vame: Jamie Glordans and Katic Fe	0	30	
5	School: Thames River Magnot		0	
	Room or Area: Species Date Completed: 5 16	الا د		
1	Coom of Area: Date Completed: Date Completed:			
15	Signature			
L				
1	. GROUND LEVEL	Vac	No	NI/A
12	. Ensured that ventilation units operate properly			
	o. Ensured there are no obstructions blocking air intakes			3
	. Checked for nests and droppings near outdoor air intakes			٦
10	d. Determined that dumpsters are located away from doors, windows, and			
ı,	outdoor air intakes			J
le	c. Checked potential sources of air contaminants near the building			
If	(chimneys, stacks, industrial plants, exhaust from nearby buildings)		<u> </u>	
	. Minimized pesticide application			
-	Ensured that there is proper drainage away from the building (including		_	
	roof downspouts)		0	٦
1i	Ensured that sprinklers spray away from the building and outdoor			
	air intakes	🔾		
lj.		0		_
	they are cleaned regularly	<b>u</b>		7
2.	ROOF			
W	hile on the roof, consider inspecting the HVAC units (use the Ventilation Chec	klist		
	Ensured that the roof is in good condition			_
	Checked for evidence of water ponding			<u> </u>
	Checked that ventilation units operate properly (air flows in)		0	1
	Ensured that exhaust fans operate properly (air flows out)			1
	Ensured that air intakes remain open, even at minimum setting		<u> </u>	5
2f.				5
2g	. Ensured that air from plumbing stacks and exhaust outlets flows away			
	from outdoor air intakes	.0		コ
2	ATTIC			
3.	ATTIC			
	Checked for evidence of roof and plumbing leaks			٦
3Ь.	Checked for birds and animal nests			J
	CENEDAL CONCIDEDATIONS			
4.	GENERAL CONSIDERATIONS			
4a.	Ensured that temperature and humidity are maintained within			
	acceptable ranges			]
	Ensured that no obstructions exist in supply and exhaust vents			⊐
	Checked for odors		X	7
4d.	Checked for signs of mold and mildew growth		V	

		Se	ع	No	tes
4.	GENERAL CONSIDERATIONS (continued)			N/A	
4e	Checked for signs of water damage		XX		
4f.	Checked for evidence of pests and obvious food sources		<b>2</b> C		
4g	Noted and reviewed all concerns from school occupants	X			
5.	BATHROOMS AND GENERAL PLUMBING				
5a	Ensured that bathrooms and restrooms have operating exhaust fans	N/Z			
	Ensured proper drain trap maintenance:				- Charles
	Water is poured down floor drains once per week (approx. I quart of water				Somenotes
	Water is poured into sinks at least once per week (about 2 cups of water)		0		somenates
	Toilets are flushed at least once per week	~			
	MAINTENANCE SUPPLIES				
6a	Ensured that chemicals are used only with adequate ventilation and when building is unoccupied	X		-	
	building is unoccupied	K			
OL.	properly	70		٦	
	Ensured that portable fuel containers are properly closed	<b>X</b>	0	J	
60	1. Ensured that power equipment, like snowblowers and lawn mowers, have	Vi			
	been serviced and maintained according to manufacturers' guidelines				
7	COMBUSTION APPLIANCES				
78	Checked for combustion gas and fuel odors  Ensured that combustion appliances have flues or exhaust hoods  Checked for leaks, disconnections, and deterioration	K.	10		
71	Ensured that combustion appliances have flues or exhaust hoods	X			ESPAIGH
70		V			-30015
70	Ensured there is no soot on miside of outside of the components	X			
8	. OTHER				
8	a. Checked for peeling and flaking paint (if the building was built before	100			
Q1	1980, this could be a lead hazard)				
01	Determined date of fast radon test	7			
	IOTES GYMStorage-Rust on local by la Chirls / Boys Berthroom vents - all ve	dd	en		
L	CHOIS / Boys Burthon on un into	anto		00	delesining All mans
	2001-8		/	دا سالمشاها م	1 2 3 0 0 0 1 1 5
	ms sognoom rext to GYM-re	ak	-0	4100	wn)-+ LOORhas black
	societ (mold)				
• 1	Kitchenoffice the cracked		(	9 111	2000 PUTOCNOACH
	Tipe Kitchen dishination				Space door bearing
	and the second of				
0	Kitchen floor need deem doo !!		_		
0	Act Ropportion tile cracked cut	20r	TO	SIL	
					The second second
0	Maria & Roman				
	Art Room-tile brown Magnet Room-tiles a water day	778	19		2 of 2
9 6	ibrary tech man bak				



## Walkthrough Inspection Checklist

Name: Amber Mondhan
School: TRMS
Room or Area: Blue Floor (2) Date Completed: 5/11/24
Signature:\ \\
Signature Williams

		1. GROUND LEVEL			
	Instructions	la. Ensured that ventilation units operate properly		No	_
1.	. Read the IAQ	1b. Ensured there are no obstructions blocking air intakes			
	Backgrounder and	lc. Checked for nests and droppings near outdoor air intakes			
	the Background	1d. Determined that dumpsters are located away from doors, windows, and		_	
	Information for this checklist.	outdoor air intakes			
		le. Checked potential sources of air contaminants near the building			
2.	Keep the	(chimneys, stacks, industrial plants, exhaust from nearby buildings)			٦
	Background Information and	1f. Ensured that vehicles avoid idling near outdoor air intakes			٦
	make a copy of	lg. Minimized pesticide application	🗆		٦
	the checklist for	Ih. Ensured that there is proper drainage away from the building (including			
	future reference.	roof downspouts)		)	
3.	Complete the	li. Ensured that sprinklers spray away from the building and outdoor			_
	Checklist.	lj. Ensured that walk-off mats are used at exterior entrances and that			3
	· Check the "yes,"	they are cleaned regularly			
	"no," or				
	"not applicable"	2/ROOF			
	box beside each	White and word in the state of the state of	1 1		
	item. (A "no"	While on the roof, consider inspecting the HVAC units (use the Ventilation Che		).	
	response requires further	2a. Ensured that the roof is in good condition			٦
	attention.)	2b. Checked for evidence of water ponding			٦
	Maka anna anta	2c. Checked that ventilation units operate properly (air flows in)			٦
	<ul> <li>Make comments in the "Notes"</li> </ul>	2d. Ensured that exhaust fans operate properly (air flows out)			⊐
	section as	2e. Ensured that air intakes remain open, even at minimum setting			٦
	necessary.	2f. Checked for nests and droppings near outdoor air intakes			٦
1	Return the checklist	2g. Ensured that air from plumbing stacks and exhaust outlets flows away			_
٠.	portion of this	from outdoor air intakes	, U		
	document to the	ATTIC			
	IAQ Coordinator.				
-		/ 3a. Checked for evidence of roof and plumbing leaks			
		3b. Checked for birds and animal nests			
		4. GENERAL CONSIDERATIONS			
		4a. Ensured that temperature and humidity are maintained within	4		
		acceptable ranges			
		4b. Ensured that no obstructions exist in supply and exhaust vents			
		4c. Checked for odors			3
		4d. Checked for signs of mold and mildew growth			

4. (	GENERAL CONSIDERATIONS (continued)	Yes	No	N/A	
4e.	Checked for signs of water damage			3	
4f.	Checked for evidence of pests and obvious food sources	<b>.</b>		コ	
4g.	Noted and reviewed all concerns from school occupants			ב	
5.	BATHROOMS AND GENERAL PLUMBING	Ι,			
52	Ensured that bathrooms and restrooms have operating exhaust fans			a	
5h	Ensured proper drain trap maintenance:				- Adamson
50.	Water is poured down floor drains once per week (approx. 1 quart of water	T) 🗹	0	ם	
	Water is poured into sinks at least once per week (about 2 cups of water)	<b></b>			
	Toilets are flushed at least once per week		0		
6.	MAINTENANCE SUPPLIES				
62	Ensured that chemicals are used only with adequate ventilation and when				
Ua.	building is unoccupied			3	
6h	Ensured that vents in chemical and trash storage areas are operating				
	properly	,□			
6c.	Ensured that portable fuel containers are properly closed				
	Ensured that power equipment, like snowblowers and lawn mowers, have				
	been serviced and maintained according to manufacturers' guidelines	ם			
,	COMBUSTION APPLIANCES				
<i>J</i> .	COMBOSTION AFFLIANCES	- /			
7a.	Checked for combustion gas and fuel odors	Time V		٦,	
7b.	Ensured that combustion appliances have flues or exhaust hoods	🗅	0	T,	
7c.	Checked for leaks, disconnections, and deterioration	🗅		3/	
7d.	Ensured there is no soot on inside or outside of flue components	🗅		N	
Q	OTHER				
			,		
8a.	Checked for peeling and flaking paint (if the building was built before 1980, this could be a lead hazard)	1		7	
01	1980, this could be a lead hazard)		0	1	
86.	Determined date of last radon test	U	U	-	
D.	OTES. Possible leaky water fountain	179	IN	124	-slan leade
1/1	OLES A DOSS ON LEGGE LANGUET 1000	ha	h	PEID	venoted example

· Odor when AC comes on



## Walkthrough Inspection Checklist

Name: Jaime Bissonnette	
School: TRUS	
Room or Area: Bue Floor	Date Completed 5/16/2024
Signature: AB	
Jourse .	

	GROUND LEVEL			
X	GROUND LEVEL	Yes	No	N/A
la	. Ensured that ventilation units operate properly			٦
	b. Ensured there are no obstructions blocking air intakes			
10	Checked for nests and droppings near outdoor air intakes	🖸		
10	d. Determined that dumpsters are located away from doors, windows, and outdoor air intakes			٦
le	Checked potential sources of air contaminants near the building	3.		- 3
	(chimneys, stacks, industrial plants, exhaust from nearby buildings)	0		٦
1f				- 3
1 g				
l h	Ensured that there is proper drainage away from the building (including roof downspouts)		<b>a</b>	ュ
1 i.	and outdoor			
	air intakes		-0	)
lj.				
	they are cleaned regularly	🗖	$\supset$	)
2	ROOF			
Æ.	KOOF			
	hile on the roof, consider inspecting the HVAC units (use the Ventilation Che		)	
	Ensured that the roof is in good condition			
	. Checked for evidence of water ponding			
	Checked that ventilation units operate properly (air flows in)			J
2d	. Ensured that exhaust fans operate properly (air flows out)	🗆		
2e.	Ensured that air intakes remain open, even at minimum setting			2
2f.	Checked for nests and droppings near outdoor air intakes			
2g	Ensured that air from plumbing stacks and exhaust outlets flows away			
	from outdoor air intakes	🗆		3
_				
<i>7</i> 3.	ATTIC			
3a.	Checked for evidence of roof and plumbing leaks		a	<u> </u>
	Checked for birds and animal nests			5
			Ξ.	
4.	GENERAL CONSIDERATIONS			
4a.	Ensured that temperature and humidity are maintained within			
	acceptable ranges			
	Ensured that no obstructions exist in supply and exhaust vents			
4c.	Checked for odors	Ø		


4d. Checked for signs of mold and mildew growth ......

### Instructions

- 1. Read the IAQ

  Backgrounder and the Background Information for this checklist.
- 2. Keep the
  Background
  Information and
  make a copy of
  the checklist for
  future reference.
- 3. Complete the Checklist.
  - Check the "yes,"
     "no," or
     "not applicable"
     box beside each
     item. (A "no"
     response
     requires further
     attention.)
  - Make comments in the "Notes" section as necessary.
- 4. Return the checklist portion of this document to the IAQ Coordinator.

4.	GENERAL CONSIDERATIONS (continued)	Yes,	No I	N/A	1			1
4e	Checked for signs of water damage	9		J.		1		A
4f.	Checked for evidence of pests and obvious food sources	3		<b>3</b>		1/		
4g.	Noted and reviewed all concerns from school occupants	3		٦	H	1		
5.	BATHROOMS AND GENERAL PLUMBING		Ä.			1		
5a.	Ensured that bathrooms and restrooms have operating exhaust fans	Ø	3		1	N.		
5b.	Ensured proper drain trap maintenance:				6		low	THE STREET
	Water is poured down floor drains once per week (approx. I quart of water	) 24 10/		) )				
	Water is poured into sinks at least once per week (about 2 cups of water)  Toilets are flushed at least once per week	رق ا		3				
6.	MAINTENANCE SUPPLIES							
	Ensured that chemicals are used only with adequate ventilation and when							
Ua.	building is unoccupied							
6b.	Ensured that vents in chemical and trash storage areas are operating							
	properly							
6c.	Ensured that portable fuel containers are properly closed	🖵						
6d	Ensured that power equipment, like snowblowers and lawn mowers, have been serviced and maintained according to manufacturers' guidelines	🗅	۵	٦				
	COMBUSTION APPLIANCES							
7a.	. Checked for combustion gas and fuel odors	∀		K IS L				
7b.	Ensured that combustion appliances have flues or exhaust hoods		0	<b>I</b>				
	Checked for leaks, disconnections, and deterioration			2				
7d	Ensured there is no soot on inside or outside of flue components		u	U				
8.	OTHER							
8a	Checked for peeling and flaking paint (if the building was built before	,						
	1980. this could be a lead hazard)	<u> </u>		ر ت				
86	Determined date of last radon test	, <u></u> U		<u> </u>				
-		-					110	
N	OTES		H	0		1		
- 10	Room 117 has signs of water leak		\$ (	lam	age	by	10	ache (
	100m 111 100 01910	ţ.,			U	0	1	
-								
T	Paint Chipperl Off Walk in classe	(00)	ms					
1	and Chippe Co.						7	
N	Justy Odor When A/C operat	Les	0	2	Nac	m d	ays	
/							0	





- 1. Read the IAQ

  Backgrounder and
  the Background
  Information for
  this checklist.
- 2. Keep the
  Background
  Information and
  make a copy of
  the checklist for
  future reference.
- 3. Complete the Checklist.
  - Check the "yes,"
     "no," or
     "not applicable"
     box beside each
     item. (A "no"
     response
     requires further
     attention.)
  - Make comments in the "Notes" section as necessary.
- 4. Return the checklist portion of this document to the IAQ Coordinator.

## Walkthrough Inspection Checklist

Name: Jon Eggs	
School: TOMS	
Room or Area: Olange Hoel	Date Completed:
Signature:	
X	

1.	GROUND LEVEL	Yes	No	N/A
la.	Ensured that ventilation units operate properly			٦
16.				٦
Ic.	Checked for nests and droppings near outdoor air intakes			٦
ld.	Determined that dumpsters are located away from doors, windows, and outdoor air intakes			٦
le.	Checked potential sources of air contaminants near the building (chimneys, stacks, industrial plants, exhaust from nearby buildings)	0		٦
łf.	Ensured that vehicles avoid idling near outdoor air intakes			
lg.	Minimized pesticide application			
	Ensured that there is proper drainage away from the building (including roof downspouts)			٦
li:	air intakes		٦	٦
lj.	Ensured that walk-off mats are used at exterior entrances and that they are cleaned regularly	🗅	٦	٦
2.	ROOF			
Wh	ile on the roof, consider inspecting the HVAC units (use the Ventilation Che	cklist	)-	
2a.	Ensured that the roof is in good condition			٦
2b.	Checked for evidence of water ponding			٦
2c.	Checked that ventilation units operate properly (air flows in)			٦
2d	Ensured that exhaust fans operate properly (air flows out)			
	Ensured that air intakes remain open, even at minimum setting			
	Checked for nests and droppings near outdoor air intakes			
2g.	Ensured that air from plumbing stacks and exhaust outlets flows away from outdoor air intakes	0		٦
3.	ATTIC			
2 0	Charled for avidance of reaf and about in a land			
	Checked for evidence of roof and plumbing leaks  Checked for birds and animal nests			
JU.	Checked for ords and ainmai nests			
4.	GENERAL CONSIDERATIONS			
la.	Ensured that temperature and humidity are maintained within acceptable ranges			
₽b.	Ensured that no obstructions exist in supply and exhaust vents		0	
	Checked for odors			
	Checked for signs of mold and mildew growth			3

Sel note

7	. GENERAL CONSIDERATIONS (continued)	Yes	No I	N/A	
1	e. Checked for signs of water damage	<u>J</u>			
	f. Checked for evidence of pests and obvious food sources			7	
			2	Ation	
	5. BATHROOMS AND GENERAL PLUMBING			DIA	
	ia. Ensured that bathrooms and restrooms have operating exhaust fans		A	31/2	
	ib. Ensured proper drain trap maintenance:	ar\ 🗇			- Allenna
	Water is poured down floor drains once per week (approx. 1 quart of water Water is poured into sinks at least once per week (about 2 cups of water)			5	
	Toilets are flushed at least once per week		0	ם י	
	6. MAINTENANCE SUPPLIES				the mocks
					TIC WAS
	6a. Ensured that chemicals are used only with adequate ventilation and when building is unoccupied	🗆	а		almo colf
	6b. Ensured that vents in chemical and trash storage areas are operating				Carrie -1
	properly				COO SPAC
	6d. Ensured that power equipment, like snowblowers and lawn mowers, have	N to			
	been serviced and maintained according to manufacturers' guidelines			7	AHACCOUNTY
	7. COMBUSTION APPLIANCES				BOARD JM
	7a. Checked for combustion gas and fuel odors		D		0 0 51
	7b. Ensured that combustion appliances have flues or exhaust hoods		0		grave.
	7c. Checked for leaks, disconnections, and deterioration				
	7d. Ensured there is no soot on histae of outside of the components				# millox
	8. OTHER				K III JOO J
	8a. Checked for peeling and flaking paint (if the building was built before			_	Substance on
	1980, this could be a lead hazard)			7	Callor 10 216
	ob. Determined date of last radon test				CAMP MAIO
	Stiff womens between the maker own 209 is topical with	, ,	-2/1	15	o (ceilin)
) .	Staff womens believed the make	> 0	1	11	7.(2011)
	am 2 ag is last old wife	1			
2	10011 201 15 feeters of the	h			
	bed spedde coming from a	FIN	.01	$\Delta_{-1}$	1 717 > 14
	HOR SPANE COMING HOU	-	1		
	) in latel	ę			214
	islad		1		
	and another stan make	to.			217
J	condensation stan make	10			1.0
ني	Lowe With 17/12				215
	inconsistent tempini	Es	1	71	2 of 2
	INCOUNTY, ISUBILL	WN.	Y	07 11	A CONTRACTOR OF THE PARTY OF



## Walkthrough Inspection Checklist

Name:	Haron Russ	211		
	RMS			
Room or Area:	Oggage floor	Date Cop	pleted: 5/16/24	
Signature:	acour -	1115201/		

1.	GROUND LEVEL	Yes	No	N/A
	Ensured that ventilation units operate properly			ב
Ib.	Ensured there are no obstructions blocking air intakes			
	Checked for nests and droppings near outdoor air intakes			٦
1 d.	Determined that dumpsters are located away from doors, windows, and outdoor air intakes	🗅		٦
le.	Checked potential sources of air contaminants near the building			
-	(chimneys, stacks, industrial plants, exhaust from nearby buildings)			
1f.	8			٦
	Minimized pesticide application	🖰		٦
	Ensured that there is proper drainage away from the building (including roof downspouts)	🗖	٦	٦
	Ensured that sprinklers spray away from the building and outdoor air intakes	🗅	٥	٦
lj.	Ensured that walk-off mats are used at exterior entrances and that they are cleaned regularly		۵	٦
2.	ROOF			
Wh	ile on the roof, consider inspecting the HVAC units (use the Ventilation Ch	ecklist	)	
	Ensured that the roof is in good condition		а	- 그
	Checked for evidence of water ponding		ā	5
	Checked that ventilation units operate properly (air flows in)			3
	Ensured that exhaust fans operate properly (air flows out)			3
	Ensured that air intakes remain open, even at minimum setting			٦
	Checked for nests and droppings near outdoor air intakes		0	
2g.	Ensured that air from plumbing stacks and exhaust outlets flows away			
	from outdoor air intakes	🗆		٦
3.	ATTIC			
3a.	Checked for evidence of roof and plumbing leaks			
	Checked for birds and animal nests		٥	כ
4.	GENERAL CONSIDERATIONS			
4a.	Ensured that temperature and humidity are maintained within	1		
41	acceptable ranges		1	
	Ensured that no obstructions exist in supply and exhaust vents		10	
	Checked for signs of mold and mildew growth	1	L	7
411	Checked in Study of Inold and mildew growth	7 27 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	100	

### Instructions

- 1. Read the IAQ
  Backgrounder and
  the Background
  Information for
  this checklist.
- 2. Keep the
  Background
  Information and
  make a copy of
  the checklist for
  future reference.
- 3. Complete the Checklist.
  - "no," or
    "not applicable"
    box beside each
    item. (A "no"
    response
    requires further
    attention.)
  - Make comments in the "Notes" section as necessary.
- Return the checklist portion of this document to the IAQ Coordinator.

	GENERAL CONSIDERATIONS (continued)  Yes-No N/A	
4c.	Checked for signs of water damage	
4g.	Noted and reviewed all concerns from school occupants	
5.	BATHROOMS AND GENERAL PLUMBING	
5a. 5b.	Ensured that bathrooms and restrooms have operating exhaust fans  Ensured proper drain trap maintenance:  Water is poured down floor drains once per week (approx. I quart of water)  Water is poured into sinks at least once per week (about 2 cups of water)  Toilets are flushed at least once per week	
6.	MAINTENANCE SUPPLIES	
	Ensured that chemicals are used only with adequate ventilation and when building is unoccupied.  Ensured that vents in chemical and trash storage areas are operating	
6c, 6d,	properly  Ensured that portable fuel containers are properly closed  Ensured that power equipment, like snowblowers and lawn mowers, have been serviced and maintained according to manufacturers' guidelines	
7.	COMBUSTION APPLIANCES	
7b. 7c.	Checked for combustion gas and fuel odors	
8.	OTHER	1 chan above 1
	Checked for peeling and flaking paint (if the building was built before 1980, this could be a lead hazard)  Determined date of last radon test	water stoin above wall ball ball
-		Black sports by
N	Women's Staff hathroom water leak ceiling til	le vent room 213
	Squeaty door room 208	vent-ram 215
	Room 206 - leak marks on ceiling tiles	vater stain on tile inhallwax above
	Stained coiling tile by copier	locker 2173
	Black specks by air vent and load room 21.	2 room 210
	Black specks near vent-room 214	black speeks by vent
	1) uch real tient-romm?	2 of 2



## Walkthrough Inspection Checklist

Name: Mendell	Gasta	n Jr	
School: Thams	RIVEY	School	
Room or Area: Gean	£100	Date Completed:	May 16,2024
Signature: Ward			
orginature se save	01-		

	1.	GROUND LEVEL	Yes	No	N/A
	la.				٦
	1Ъ.				
	lc.	Checked for nests and droppings near outdoor air intakes			
		Determined that dumpsters are located away from doors, windows, and			
		outdoor air intakes			)
	le.	production of the contraction of the contraction	_	HĖ.	
		(chimneys, stacks, industrial plants, exhaust from nearby buildings)			
	lf.				
	g.				J
1	lh.	Ensured that there is proper drainage away from the building (including roof downspouts)	SK		3
1	li.		" <del>-</del>		
		air intakes	_ <b>(</b>		٦
1	ij,	Ensured that walk-off mats are used at exterior entrances and that			
		they are cleaned regularly			)
		ROOF			
ı	Whi	ile on the roof, consider inspecting the HVAC units (use the Ventilation Chec	klist,	1	
2	2a.	Ensured that the roof is in good condition	1		70
2	?b.	Checked for evidence of water ponding		<b>\( \sigma \)</b>	ב '
2	c.	Checked that ventilation units operate properly (air flows in)	.d		
2	d.	Ensured that exhaust fans operate properly (air flows out)	<b>9</b>		٦
	le.			J	٦
2	f.	Checked for nests and droppings near outdoor air intakes		र्ज	. 5
		Ensured that air from plumbing stacks and exhaust outlets flows away			
		from outdoor air intakes	.0/		٦
2		ATTIC			
3		ATTIC			
3	a.	Checked for evidence of roof and plumbing leaks		1	
3	b	Checked for birds and animal nests	.0	9	
		OFNEDAL CONCIDEDATIONS			
4	١.	GENERAL CONSIDERATIONS			
4	a.	Ensured that temperature and humidity are maintained within			
		acceptable ranges	. E		
		Ensured that no obstructions exist in supply and exhaust vents	<b>a</b>		
4	c.	Checked for odors	. T		J
4	d.	Checked for signs of mold and mildew growth		0	3

#### Instructions

- Read the IAQ
   Backgrounder and
   the Background
   Information for
   this checklist.
- 2. Keep the
  Background
  Information and
  make a copy of
  the checklist for
  future reference.
- 3. Complete the Checklist.
  - Check the "yes,"
     "no," or
     "not applicable"
     box beside each
     item. (A "no"
     response
     requires further
     attention.)
  - Make comments in the "Notes" section as necessary.
- Return the checklist portion of this document to the IAQ Coordinator.

4.	GENERAL CONSIDERATIONS (continued)	Yes	No I	N/A	
4e.	Checked for signs of water damage	_			
4f.	Checked for evidence of pests and obvious food sources		3	_	
4g.	Noted and reviewed all concerns from school occupants		3		
	DATURGORAG AND OFNEDAL DILIBADING				
5.	BATHROOMS AND GENERAL PLUMBING				
	Ensured that bathrooms and restrooms have operating exhaust fans Ensured proper drain trap maintenance:	g	٥	ב	
	Water is poured down floor drains once per week (approx. I quart of wa	iter) 🖳		J	
	Water is poured into sinks at least once per week (about 2 cups of water	) 🖳			
	Toilets are flushed at least once per week			٦	
_	MAINTENANCE SUPPLIES				
Ь.	WAINTENANCE SUPPLIES				
6a	Ensured that chemicals are used only with adequate ventilation and who	en _		11	
	building is unoccupied		П	7	
65	Ensured that vents in chemical and trash storage areas are operating properly	ď			
6с	Ensured that portable fuel containers are properly closed	ď		3	
6d	Ensured that power equipment, like snowblowers and lawn mowers, have	/e			
	been serviced and maintained according to manufacturers' guidelines	9			
7	COMBUSTION APPLIANCES				
		1			
7a	Checked for combustion gas and fuel odors	- Table 1		1	
7b	Ensured that combustion appliances have flues or exhaust hoods			3	
70	Checked for leaks, disconnections, and deterioration	······································	- D	7	
70	. Ensured there is no soot on inside or outside of flue components				
8	OTHER				
82	. Checked for peeling and flaking paint (if the building was built before			-	
	1980, this could be a lead hazard)			3	
81	Determined date of last radon test	0		D	





- 1. Read the IAQ

  Backgrounder and the Background Information for this checklist.
- 2. Keep the
  Background
  Information and
  make a copy of
  the checklist for
  future reference.
- 3. Complete the Checklist.
  - Check the "yes,"
     "no," or
     "not applicable"
     box beside each
     item. (A "no"
     response
     requires further
     attention.)
  - Make comments in the "Notes" section as necessary.
- Return the checklist portion of this document to the IAQ Coordinator.

# Integrated Pest Management Checklist

No	me: Charles VARNER			
	- · · · ·			
Ro	om or Area:  Date Completed: No. 15,  parature:	20	24	
1.	OFFICIAL POLICY STATEMENT	.,		
	Developed or located the school's official policy statement for integrated pest management (IPM)	Yes Zi	No	N/
2.	DESIGNATING PEST MANAGEMENT ROLES			
	Assigned and trained a qualified person to be the pest manager			UU
	Educated students and staff (the occupants of the building) about IPM and asked them to keep their areas clean and free of clutter	🗖	٦	
	Encouraged parents to learn about IPM practices and implement them at home	<u>T</u>	٦	
2e. 2f.	Developed a program to educate and train all IPM participants  Included language about IPM into contracts with pest management professionals	<u></u>		
3.	SETTING PEST MANAGEMENT OBJECTIVES			
3a.	Set appropriate pest management objectives for school buildings (such as preventing pests from interfering with students' learning environment and preserving the integrity of the building structure)	<u>a</u>	/ 	C
3b.	Set appropriate pest management objectives for school grounds (such as providing safe playing areas and the best athletic surfaces possible)	1	٦	Ī
4.	INSPECTING, IDENTIFYING, AND MONITORING			
4a.	Inspected all buildings and grounds for pest evidence, entry points,	-6		_
4b.	food, water, and harborage sites	<u>D</u>		[
4c.	Pinpointed the source of any current pest problems	<b>7</b>	$\supset$	Ţ
4d.		<u></u> <u>1</u>	٦	Ţ
4e.	Developed plans to modify habitat (for example, exclusion, repair, and sanitation efforts) to prevent or resolve any pest problems		ם	Ţ
4f.	Established a monitoring program that consists of routine inspections to			

estimate pest population levels and identify evidence of pests and

potential habitat .....

5.	SETTING ACTION THRESHOLDS			
a.	Evaluated all available data obtained through inspecting, identifying, and monitoring	/	No □	N/A
5b.		7	zí,	
5c.	Set action thresholds	/	A	
6.	PREVENTIVE STRATEGIES			
INI	DOOR SITES			
6a.				eas:
	• Entryways			
	• Classrooms			
	• Gymnasiums			
	• Locker rooms	19		
	• Offices		_	
	• Staff lounges			
	• Bathrooms			
	Food preparation and serving areas			
	• Rooms with extensive plumbing	0.00	_	
	Maintenance areas     Other		7	0
	• Other		_	_
ot	UTDOOR SITES			
6b.	Implemented appropriate strategies to prevent pests from inhabiting the			eas:
)	Playgrounds			
	• Parking lots			
	Lawns and athletic fields			
	Teaching gardens or greenhouses	<b>I</b>	$\Box$	
	Loading docks	<b>u</b> y		
	• Dumpsters			
	Areas with ornamental shrubs and trees			
	• Other		J	
7.	PESTICIDE USE AND STORAGE			
7a.	Explored alternative pest management methods before concluding that	1		
	pesticides were necessary	Д		
	Ensured that pest management professionals integrate IPM into their pest management methods	Z	⊐	
7c.	Identified the least toxic, target-specific chemical (or pesticide			
	formulation) that is the most effective to address the pest problem,	-	$\neg$	
<i>-</i> 1	preferably as baitsand granules			
7d	Reviewed and followed all label instructions on pesticides and learned how to properly apply and handle these chemicals		٦	
7e.	Used spot-treatment (or bait, crack, and crevice applications) to apply			
	pesticides whenever possible and only treated the obviously infested	1	_	
	plants in the area			Ü
7f.		33.555 Y		
7g	Placed all pesticides in tamper-resistant bait boxes or locations that are inaccessible to children and non-target species		ר	
	maccessione to emparen and non-target species	erente.	_	_





7.	PESTICIDE USE AND STORAGE (cont.)			
7h.	Locked or fastened lids of all bait boxes and placed bait away from the runway of the box	Yes	No	N/A
7i.	Applied pesticides when occupants were not present or in areas where they would not be exposed to the chemicals	<b>a</b>	$\supset$	
7j.	Ensured that school occupants (students and staff) are notified of upcoming pesticide applications through posted notices and/or letters	<b></b>	$\Box$	
7k.	Ensured that parents are notified of upcoming pesticide applications through letters	1	$\supset$	
71.	Kept copies of current pesticide labels and information on pesticides easily accessible	. <b>Z</b>	$\supset$	
	Stored pesticides off site or in areas that are locked and accessible only to designated personnel	<b></b>	<b>_</b>	
	Ensured that storage areas are adequately ventilated and are located away from areas prone to flooding or where spills or leaks may contaminate the environment	/		
	Ensured that flammable liquids are stored away from ignition sources Ensured that pesticides are stored in their original containers and all lids are securely fastened	. <u>A</u>	_	
7q.	Ensured that air in the storage space cannot mix with the air in the central ventilation system	. ⊅	٦	۵
8.	EVALUATING RESULTS AND RECORD KEEPING			
8a.	Ensured that accurate, up-to-date records of IPM practices and a pest management log for each property are kept	.1	٦	

• Pest surveillance data sheets

8c. Ensured that each log book contains the following items:



Yes No N/A



## **Food Service Checklist**

Name:	Emi E Koschmiedy
School:	TIZMS
Room or Area:	LITCHEN Date Completed: 7/12/24
Signature:	Civil I. Wordende

1a. Determined that local exhaust fans operate properly (note if fans are

### Instructions

- Read the IAQ
   Backgrounder and
   the Background
   Information for
   this checklist.
- 2. Keep the
  Background
  Information and
  make a copy of
  the checklist for
  future reference.
- 3. Complete the Checklist.
  - Check the "yes,"
     "no," or
     "not applicable"
     box beside each
     item. (A "no"
     response
     requires further
     attention.)
  - Make comments in the "Notes" section as necessary.
- 4. Return the checklist portion of this document to the IAQ Coordinator.

### 1. COOKING AREA

	excessively noisy)	3/	$\Box$	
1 b.	Checked for odors near cooking. preparation, and eating areas	3		
lc.	Ensured that exhaust fans are used whenever cooking, washing dishes,		,	
	and cleaning	3/		
	Determined that gas appliances function properly	<u> </u>		_
le.	0 11	<u> </u>	J	
1 f.	Ensured there are no combustion gas or natural gas odors, leaks, back-	<b>\</b>	_	
1 _	drafting, or headaches when gas appliances are used	<u> </u>	7	
		<b>1</b>	_	J
1 h.	Checked for signs of microbiological growth in the kitchen, including the upper walls and ceiling (for example, mold, slime, and algae)	7/	$\neg$	
li.	Selected biocides registered by EPA (if required), followed the	7	_	
11.	manufacturer's directions for use, and carefully reviewed the			
	method of application	<b>—</b>	$\Box$	$\Box$
1j.	Verified the kitchen is free of plumbing and ceiling leaks (signs include		,	
	stains, discoloration, and damp areas)	7/	$\supset$	
2.	FOOD HANDLING AND STORAGE			
2a.	Checked food preparation, cooking, and storage areas for signs of insects	/	7	
2a.	and vermin (for example, feces or remains)	<b></b>	ם	а
2a. 2b.	and vermin (for example, feces or remains)	<u> </u>		٦
2b.	and vermin (for example, feces or remains)	1		а 0
2b. 2c.	and vermin (for example, feces or remains)	1/4	, 	00
2b. 2c. 2d.	and vermin (for example, feces or remains)	1/4		000
2b. 2c. 2d.	and vermin (for example, feces or remains)	1/4		
2b. 2c. 2d. 2e.	and vermin (for example, feces or remains)	1/4	מישה היה היה	0 000 00
2b. 2c. 2d.	and vermin (for example, feces or remains)	1/4	ים חקח הים	
2b. 2c. 2d. 2e. 2f.	and vermin (for example, feces or remains)	1/4		
2b. 2c. 2d. 2e. 2f.	and vermin (for example, feces or remains)	1/4	. מים מים מי	
2b. 2c. 2d. 2e. 2f.	and vermin (for example, feces or remains)		ים מוְם חוֹם מוֹם מוֹם	
2b. 2c. 2d. 2e. 2f. 3.	and vermin (for example, feces or remains)		. ב, המה המה, ה	
2b. 2c. 2d. 2e. 2f. 3a.	and vermin (for example, feces or remains)		. ביי הים המים ים	000 00 00
2b. 2c. 2d. 2e. 2f. 3a. 3b. 3c.	and vermin (for example, feces or remains)		ים בם כם כם כם.	
2b. 2c. 2d. 2e. 2f. 3a. 3b. 3c. 3d.	and vermin (for example, feces or remains)		מים בנו בים בפנים.	
2b. 2c. 2d. 2e. 2f. 3a. 3b. 3c.	and vermin (for example, feces or remains)		. מים מים יים מים מים	
2b. 2c. 2d. 2e. 2f. 3a. 3b. 3c. 3d.	and vermin (for example, feces or remains)		. מים מים עמים נ	
2b. 2c. 2d. 2e. 2f. 3a. 3b. 3c. 3d.	and vermin (for example, feces or remains)		. בים בים ים כים כים	

4.	DELIVERIES	es l	Nο	N/A
Ì.	Instructed vendors to avoid idling their engines during deliveries		ĭ	Ġ
	Posted a sign prohibiting vehicles from idling their engines in receiving areas	3	V	/_
4c.	Ensured that doors or air barriers are closed between receiving area and kitchen	J/	$\leq$	



**NOTES** 

Nice receiving AVEA!