

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077  
 Telephone: 856-858-4800 Fax:cs@emsl.com  
 EMSL-CIN-01

**EMSL Order ID:** 012509387  
**LIMS Reference ID:** AD09387  
**EMSL Customer ID:** EPIC62

**Attention:** James Eberts  
 Epic Environmental Services, LLC [EPIC62]  
 80 Fork Bridge Road  
 Pittsgrove, NJ 08318  
 (856) 205-1077  
 jeberts@epicenviro.com

**Project Name:** Kingsway Regional HS - LIW  
**Customer PO:** 24-2244  
**EMSL Sales Rep:** Justin Monturano  
**Received:** 02/13/2025 11:00  
**Reported:** 03/03/2025 16:01

**Analytical Results**

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
<b>Sample: KHS-FB</b> Lims Reference ID: <b>AD09387-01</b> Matrix: <b>Drinking Water</b> <b>Sampled: 02/09/25 07:00:00</b>									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	02/18/25 12:47	02/21/25 08:49	PL	EPA 200.8 (DA)/EPA 200.8
<b>Sample: KHS-WC-BGYML</b> Lims Reference ID: <b>AD09387-02</b> Matrix: <b>Drinking Water</b> <b>Sampled: 02/09/25 07:00:00</b>									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	02/18/25 12:47	02/21/25 08:55	PL	EPA 200.8 (DA)/EPA 200.8
<b>Sample: KHS-WC-BGYMR</b> Lims Reference ID: <b>AD09387-03</b> Matrix: <b>Drinking Water</b> <b>Sampled: 02/09/25 07:00:00</b>									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	02/18/25 12:47	02/21/25 08:57	PL	EPA 200.8 (DA)/EPA 200.8
<b>Sample: KHS-WC-GGYMR</b> Lims Reference ID: <b>AD09387-04</b> Matrix: <b>Drinking Water</b> <b>Sampled: 02/09/25 07:02:00</b>									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	02/18/25 12:47	02/21/25 08:59	PL	EPA 200.8 (DA)/EPA 200.8
<b>Sample: KHS-WC-GGYML</b> Lims Reference ID: <b>AD09387-05</b> Matrix: <b>Drinking Water</b> <b>Sampled: 02/09/25 07:02:00</b>									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	02/18/25 12:47	02/21/25 09:01	PL	EPA 200.8 (DA)/EPA 200.8
<b>Sample: KHS-SO-NurseRestL</b> Lims Reference ID: <b>AD09387-06</b> Matrix: <b>Drinking Water</b> <b>Sampled: 02/09/25 07:04:00</b>									
<b>Metals</b>									
Lead	6.55		1	1.00	µg/L	02/18/25 12:47	02/21/25 09:07	PL	EPA 200.8 (DA)/EPA 200.8
<b>Sample: KHS-SO-NurseL</b> Lims Reference ID: <b>AD09387-08</b> Matrix: <b>Drinking Water</b> <b>Sampled: 02/09/25 07:06:00</b>									
<b>Metals</b>									
Lead	13.3		1	1.00	µg/L	02/18/25 12:47	02/21/25 09:08	PL	EPA 200.8 (DA)/EPA 200.8
<b>Sample: KHS-SO-NurseRestR</b> Lims Reference ID: <b>AD09387-10</b> Matrix: <b>Drinking Water</b> <b>Sampled: 02/09/25 07:08:00</b>									
<b>Metals</b>									
Lead	2.91		1	1.00	µg/L	02/18/25 12:47	02/21/25 09:10	PL	EPA 200.8 (DA)/EPA 200.8
<b>Sample: KHS-SO-NurseR</b> Lims Reference ID: <b>AD09387-12</b> Matrix: <b>Drinking Water</b> <b>Sampled: 02/09/25 07:10:00</b>									
<b>Metals</b>									
Lead	10.8		1	1.00	µg/L	02/18/25 12:47	02/21/25 09:12	PL	EPA 200.8 (DA)/EPA 200.8

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077  
 Telephone: 856-858-4800 Fax:cs@emsl.com  
 EMSL-CIN-01

**EMSL Order ID:** 012509387  
**LIMS Reference ID:** AD09387  
**EMSL Customer ID:** EPIC62

**Attention:** James Eberts  
 Epic Environmental Services, LLC [EPIC62]  
 80 Fork Bridge Road  
 Pittsgrove, NJ 08318  
 (856) 205-1077  
 jeberts@epicenviro.com

**Project Name:** Kingsway Regional HS - LIW  
**Customer PO:** 24-2244  
**EMSL Sales Rep:** Justin Monturano  
**Received:** 02/13/2025 11:00  
**Reported:** 03/03/2025 16:01

### Analytical Results (Continued)

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
Sample: KHS-SO-NurseRear Lims Reference ID: AD09387-14 Matrix: Drinking Water Sampled: 02/09/25 07:12:00									
<b>Metals</b>									
Lead	14.3		1	1.00	µg/L	02/18/25 12:47	02/21/25 09:14	PL	EPA 200.8 (DA)/EPA 200.8
Sample: KHS-SO-MediaOff Lims Reference ID: AD09387-16 Matrix: Drinking Water Sampled: 02/09/25 07:15:00									
<b>Metals</b>									
Lead	8.81		1	1.00	µg/L	02/18/25 12:47	02/21/25 09:16	PL	EPA 200.8 (DA)/EPA 200.8
Sample: KHS-WC-Hall1 Lims Reference ID: AD09387-18 Matrix: Drinking Water Sampled: 02/09/25 07:18:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	02/18/25 12:47	02/21/25 09:22	PL	EPA 200.8 (DA)/EPA 200.8
Sample: KHS-BF-Hall1 Lims Reference ID: AD09387-19 Matrix: Drinking Water Sampled: 02/09/25 07:18:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	02/18/25 12:47	02/21/25 09:24	PL	EPA 200.8 (DA)/EPA 200.8
Sample: KHS-WC-100LOBL Lims Reference ID: AD09387-20 Matrix: Drinking Water Sampled: 02/09/25 07:20:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	02/18/25 12:47	02/21/25 09:30	PL	EPA 200.8 (DA)/EPA 200.8
Sample: KHS-WC-100LOBR Lims Reference ID: AD09387-21 Matrix: Drinking Water Sampled: 02/09/25 07:20:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	02/18/25 12:47	02/21/25 09:32	PL	EPA 200.8 (DA)/EPA 200.8
Sample: KHS-WC-Hall2L Lims Reference ID: AD09387-22 Matrix: Drinking Water Sampled: 02/09/25 07:21:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	02/18/25 12:47	02/21/25 09:34	PL	EPA 200.8 (DA)/EPA 200.8
Sample: KHS-WC-HallR Lims Reference ID: AD09387-23 Matrix: Drinking Water Sampled: 02/09/25 07:22:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	02/18/25 12:47	02/21/25 09:36	PL	EPA 200.8 (DA)/EPA 200.8
Sample: KHS-SO-100FacRR Lims Reference ID: AD09387-24 Matrix: Drinking Water Sampled: 02/09/25 07:23:00									
<b>Metals</b>									
Lead	2.09		1	1.00	µg/L	02/18/25 12:47	02/21/25 09:38	PL	EPA 200.8 (DA)/EPA 200.8

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077  
 Telephone: 856-858-4800 Fax:cs@emsl.com  
 EMSL-CIN-01

**EMSL Order ID:** 012509387  
**LIMS Reference ID:** AD09387  
**EMSL Customer ID:** EPIC62

**Attention:** James Eberts  
 Epic Environmental Services, LLC [EPIC62]  
 80 Fork Bridge Road  
 Pittsgrove, NJ 08318  
 (856) 205-1077  
 jeberts@epicenviro.com

**Project Name:** Kingsway Regional HS - LIW  
**Customer PO:** 24-2244  
**EMSL Sales Rep:** Justin Monturano  
**Received:** 02/13/2025 11:00  
**Reported:** 03/03/2025 16:01

### Analytical Results (Continued)

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
Sample: KHS-WC-Hall3R Lims Reference ID: AD09387-26 Matrix: Drinking Water Sampled: 02/09/25 07:26:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	02/18/25 12:47	02/21/25 09:40	PL	EPA 200.8 (DA)/EPA 200.8
Sample: KHS-WC-Hall3L Lims Reference ID: AD09387-27 Matrix: Drinking Water Sampled: 02/09/25 07:26:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	02/18/25 12:47	02/21/25 09:42	PL	EPA 200.8 (DA)/EPA 200.8
Sample: KHS-IM-Kit Lims Reference ID: AD09387-28 Matrix: Drinking Water Sampled: 02/09/25 07:28:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	02/18/25 12:50	02/21/25 10:00	PL	EPA 200.8 (DA)/EPA 200.8
Sample: KHS-SO-Kit1 Lims Reference ID: AD09387-29 Matrix: Drinking Water Sampled: 02/09/25 07:31:00									
<b>Metals</b>									
Lead	5.49		1	1.00	µg/L	02/18/25 12:50	02/21/25 10:05	PL	EPA 200.8 (DA)/EPA 200.8
Sample: KHS-SO-Kit2 Lims Reference ID: AD09387-31 Matrix: Drinking Water Sampled: 02/09/25 07:31:00									
<b>Metals</b>									
Lead	17.3		1	1.00	µg/L	02/18/25 12:50	02/21/25 10:07	PL	EPA 200.8 (DA)/EPA 200.8
Sample: KHS-SO-Kit2 Flush Lims Reference ID: AD09387-32 Matrix: Drinking Water Sampled: 02/09/25 07:32:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	02/27/25 15:15	02/28/25 08:50	PL	EPA 200.8 (DA)/EPA 200.8
Sample: KHS-KF-Kit Lims Reference ID: AD09387-33 Matrix: Drinking Water Sampled: 02/09/25 07:31:00									
<b>Metals</b>									
Lead	6.70		1	1.00	µg/L	02/18/25 12:50	02/21/25 10:09	PL	EPA 200.8 (DA)/EPA 200.8
Sample: KHS-KF-Kit Flush Lims Reference ID: AD09387-34 Matrix: Drinking Water Sampled: 02/09/25 07:32:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	02/18/25 12:50	02/21/25 10:11	PL	EPA 200.8 (DA)/EPA 200.8
Sample: KHS-SO-Kit3 Lims Reference ID: AD09387-35 Matrix: Drinking Water Sampled: 02/09/25 07:31:00									
<b>Metals</b>									
Lead	16.0		1	1.00	µg/L	02/18/25 12:50	02/21/25 10:17	PL	EPA 200.8 (DA)/EPA 200.8

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077  
 Telephone: 856-858-4800 Fax:cs@emsl.com  
 EMSL-CIN-01

**EMSL Order ID:** 012509387  
**LIMS Reference ID:** AD09387  
**EMSL Customer ID:** EPIC62

**Attention:** James Eberts  
 Epic Environmental Services, LLC [EPIC62]  
 80 Fork Bridge Road  
 Pittsgrove, NJ 08318  
 (856) 205-1077  
 jeberts@epicenviro.com

**Project Name:** Kingsway Regional HS - LIW  
**Customer PO:** 24-2244  
**EMSL Sales Rep:** Justin Monturano  
**Received:** 02/13/2025 11:00  
**Reported:** 03/03/2025 16:01

### Analytical Results (Continued)

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
Sample: KHS-SO-Kit3B Lims Reference ID: AD09387-36 Matrix: Drinking Water Sampled: 02/09/25 07:31:00									
<b>Metals</b>									
Lead	12.0		1	1.00	µg/L	02/18/25 12:50	02/21/25 10:19	PL	EPA 200.8 (DA)/EPA 200.8
Sample: KHS-SO-Kit4 Lims Reference ID: AD09387-37 Matrix: Drinking Water Sampled: 02/09/25 07:31:00									
<b>Metals</b>									
Lead	5.94		1	1.00	µg/L	02/18/25 12:50	02/21/25 10:21	PL	EPA 200.8 (DA)/EPA 200.8
Sample: KHS-WC-CAFW Lims Reference ID: AD09387-39 Matrix: Drinking Water Sampled: 02/09/25 07:35:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	02/18/25 12:50	02/21/25 10:23	PL	EPA 200.8 (DA)/EPA 200.8
Sample: KHS-BF-CAFW Lims Reference ID: AD09387-40 Matrix: Drinking Water Sampled: 02/09/25 07:35:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	02/18/25 12:50	02/21/25 10:25	PL	EPA 200.8 (DA)/EPA 200.8
Sample: KHS-WC-Hall4R Lims Reference ID: AD09387-41 Matrix: Drinking Water Sampled: 02/09/25 07:37:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	02/18/25 12:50	02/21/25 10:27	PL	EPA 200.8 (DA)/EPA 200.8
Sample: KHS-WC-Hall4L Lims Reference ID: AD09387-42 Matrix: Drinking Water Sampled: 02/09/25 07:37:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	02/18/25 12:50	02/21/25 10:33	PL	EPA 200.8 (DA)/EPA 200.8
Sample: KHS-SO-Music Lims Reference ID: AD09387-43 Matrix: Drinking Water Sampled: 02/09/25 07:39:00									
<b>Metals</b>									
Lead	11.0		1	1.00	µg/L	02/18/25 12:50	02/21/25 10:35	PL	EPA 200.8 (DA)/EPA 200.8
Sample: KHS-SO-HOEC1 Lims Reference ID: AD09387-45 Matrix: Drinking Water Sampled: 02/09/25 07:44:00									
<b>Metals</b>									
Lead	1.37		1	1.00	µg/L	02/18/25 12:50	02/21/25 10:41	PL	EPA 200.8 (DA)/EPA 200.8
Sample: KHS-SO-HOEC2 Lims Reference ID: AD09387-47 Matrix: Drinking Water Sampled: 02/09/25 07:44:00									
<b>Metals</b>									
Lead	4.74		1	1.00	µg/L	02/18/25 12:50	02/21/25 10:43	PL	EPA 200.8 (DA)/EPA 200.8

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077  
 Telephone: 856-858-4800 Fax:cs@emsl.com  
 EMSL-CIN-01

**EMSL Order ID:** 012509387  
**LIMS Reference ID:** AD09387  
**EMSL Customer ID:** EPIC62

**Attention:** James Eberts  
 Epic Environmental Services, LLC [EPIC62]  
 80 Fork Bridge Road  
 Pittsgrove, NJ 08318  
 (856) 205-1077  
 jeberts@epicenviro.com

**Project Name:** Kingsway Regional HS - LIW  
**Customer PO:** 24-2244  
**EMSL Sales Rep:** Justin Monturano  
**Received:** 02/13/2025 11:00  
**Reported:** 03/03/2025 16:01

### Analytical Results (Continued)

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
Sample: KHS-SO-HOEC3 Lims Reference ID: AD09387-49 Matrix: Drinking Water Sampled: 02/09/25 07:44:00									
<b>Metals</b>									
Lead	8.99		1	1.00	µg/L	02/18/25 12:50	02/21/25 10:45	PL	EPA 200.8 (DA)/EPA 200.8
Sample: KHS-SO-HOEC4 Lims Reference ID: AD09387-51 Matrix: Drinking Water Sampled: 02/09/25 07:44:00									
<b>Metals</b>									
Lead	4.01		1	1.00	µg/L	02/18/25 12:50	02/21/25 10:47	PL	EPA 200.8 (DA)/EPA 200.8
Sample: KHS-SO-HOEC5 Lims Reference ID: AD09387-53 Matrix: Drinking Water Sampled: 02/09/25 07:44:00									
<b>Metals</b>									
Lead	6.08		1	1.00	µg/L	02/18/25 12:50	02/21/25 10:49	PL	EPA 200.8 (DA)/EPA 200.8
Sample: KHS-WC-Hall5 Lims Reference ID: AD09387-55 Matrix: Drinking Water Sampled: 02/09/25 07:47:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	02/18/25 12:50	02/21/25 10:50	PL	EPA 200.8 (DA)/EPA 200.8
Sample: KHS-BF-Hall5 Lims Reference ID: AD09387-56 Matrix: Drinking Water Sampled: 02/09/25 07:47:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	02/18/25 12:50	02/21/25 10:52	PL	EPA 200.8 (DA)/EPA 200.8
Sample: KHS-WC-Hall6 Lims Reference ID: AD09387-57 Matrix: Drinking Water Sampled: 02/09/25 07:49:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	02/18/25 15:19	02/21/25 11:10	PL	EPA 200.8 (DA)/EPA 200.8
Sample: KHS-BF-Hall6 Lims Reference ID: AD09387-58 Matrix: Drinking Water Sampled: 02/09/25 07:49:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	02/18/25 15:19	02/21/25 11:16	PL	EPA 200.8 (DA)/EPA 200.8
Sample: KHS-SO-318 Lims Reference ID: AD09387-59 Matrix: Drinking Water Sampled: 02/09/25 07:51:00									
<b>Metals</b>									
Lead	5.27		1	1.00	µg/L	02/18/25 15:19	02/21/25 11:18	PL	EPA 200.8 (DA)/EPA 200.8
Sample: KHS-WC-Hall7 Lims Reference ID: AD09387-61 Matrix: Drinking Water Sampled: 02/09/25 07:54:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	02/18/25 15:19	02/21/25 11:20	PL	EPA 200.8 (DA)/EPA 200.8



**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077  
 Telephone: 856-858-4800 Fax:cs@emsl.com  
 EMSL-CIN-01

**EMSL Order ID:** 012509387  
**LIMS Reference ID:** AD09387  
**EMSL Customer ID:** EPIC62

**Attention:** James Eberts  
 Epic Environmental Services, LLC [EPIC62]  
 80 Fork Bridge Road  
 Pittsgrove, NJ 08318  
 (856) 205-1077  
 jeberts@epicenviro.com

**Project Name:** Kingsway Regional HS - LIW  
**Customer PO:** 24-2244  
**EMSL Sales Rep:** Justin Monturano  
**Received:** 02/13/2025 11:00  
**Reported:** 03/03/2025 16:01

### Analytical Results (Continued)

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
Sample: KHS-BF-Hall9 Lims Reference ID: AD09387-71 Matrix: Drinking Water Sampled: 02/09/25 08:04:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	02/18/25 15:19	02/21/25 11:44	PL	EPA 200.8 (DA)/EPA 200.8
Sample: KHS-WC-Hall10FL Lims Reference ID: AD09387-72 Matrix: Drinking Water Sampled: 02/09/25 08:06:00									
<b>Metals</b>									
Lead	2.89		1	1.00	µg/L	02/18/25 15:19	02/21/25 11:46	PL	EPA 200.8 (DA)/EPA 200.8
Sample: KHS-WC-Hall10L Lims Reference ID: AD09387-73 Matrix: Drinking Water Sampled: 02/09/25 08:06:00									
<b>Metals</b>									
Lead	1.05		1	1.00	µg/L	02/18/25 15:19	02/21/25 11:52	PL	EPA 200.8 (DA)/EPA 200.8
Sample: KHS-WC-Hall10R Lims Reference ID: AD09387-74 Matrix: Drinking Water Sampled: 02/09/25 08:06:00									
<b>Metals</b>									
Lead	2.17		1	1.00	µg/L	02/18/25 15:19	02/21/25 11:54	PL	EPA 200.8 (DA)/EPA 200.8
Sample: KHS-WC-Hall10FR Lims Reference ID: AD09387-75 Matrix: Drinking Water Sampled: 02/09/25 08:06:00									
<b>Metals</b>									
Lead	1.05		1	1.00	µg/L	02/18/25 15:19	02/21/25 11:56	PL	EPA 200.8 (DA)/EPA 200.8
Sample: KHS-WC-Hall11 Lims Reference ID: AD09387-76 Matrix: Drinking Water Sampled: 02/09/25 08:08:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	02/18/25 15:19	02/21/25 11:58	PL	EPA 200.8 (DA)/EPA 200.8
Sample: KHS-BF-Hall11 Lims Reference ID: AD09387-77 Matrix: Drinking Water Sampled: 02/09/25 08:08:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	02/18/25 15:19	02/21/25 13:05	PL	EPA 200.8 (DA)/EPA 200.8
Sample: KHS-WC-Hall12 Lims Reference ID: AD09387-78 Matrix: Drinking Water Sampled: 02/09/25 08:10:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	02/18/25 15:19	02/21/25 12:02	PL	EPA 200.8 (DA)/EPA 200.8
Sample: KHS-BF-Hall12 Lims Reference ID: AD09387-79 Matrix: Drinking Water Sampled: 02/09/25 08:10:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	02/18/25 15:19	02/21/25 12:04	PL	EPA 200.8 (DA)/EPA 200.8







**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077  
Telephone: 856-858-4800 Fax:cs@emsl.com  
EMSL-CIN-01

**EMSL Order ID:** 012509387  
**LIMS Reference ID:** AD09387  
**EMSL Customer ID:** EPIC62

**Attention:** James Eberts  
Epic Environmental Services, LLC [EPIC62]  
80 Fork Bridge Road  
Pittsgrove, NJ 08318  
(856) 205-1077  
jeberts@epicenviro.com

**Project Name:** Kingsway Regional HS - LIW

**Customer PO:** 24-2244  
**EMSL Sales Rep:** Justin Monturano  
**Received:** 02/13/2025 11:00  
**Reported:** 03/03/2025 16:01

**Certified Analyses included in this Report**

Analyte	Certifications
<b>EPA 200.8 in Drinking Water</b>	
Lead	NJDEP

**List of Certifications**

Code	Description	Number	Expires
PADEP	Pennsylvania Department of Environmental Protection	68-00367	11/30/2025
NYSDOH	New York State Department of Health	10872	04/01/2025
NJDEP	New Jersey Department of Environmental Protection	03036	06/30/2025
MADEP	Massachusetts Department of Environmental Protection	M-NJ337	06/30/2025
CTDPH	Connecticut Department of Public Health	PH-0270	06/23/2026
California ELAP	California Water Boards	1877	06/30/2025
AIHA LAP	EMSL Analytical, Inc. Cinnaminson, NJ AIHA-LAP, LLC-ELLAP Accredited	100194	03/01/2025
A2LA	A2LA Environmental Certificate	2845.01	07/31/2026

Please see the specific Field of Testing (FOT) on [www.emsl.com](http://www.emsl.com) for a complete listing of parameters for which EMSL is certified.



**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077  
Telephone: 856-858-4800 Fax:cs@emsl.com  
EMSL-CIN-01

**EMSL Order ID:** 012509387  
**LIMS Reference ID:** AD09387  
**EMSL Customer ID:** EPIC62

**Attention:** James Eberts  
Epic Environmental Services, LLC [EPIC62]  
80 Fork Bridge Road  
Pittsgrove, NJ 08318  
(856) 205-1077  
jeberts@epicenviro.com

**Project Name:** Kingsway Regional HS - LIW  
  
**Customer PO:** 24-2244  
**EMSL Sales Rep:** Justin Monturano  
**Received:** 02/13/2025 11:00  
**Reported:** 03/03/2025 16:01

**Notes and Definitions**

<b>Item</b>	<b>Definition</b>
(Dig)	For metals analysis, sample was digested.
[2C]	Reported from the second channel in dual column analysis.
DA	Direct Analysis
DF	Dilution Factor
MDL	Method Detection Limit.
ND	Analyte was NOT DETECTED at or above the detection limit.
NR	Spike/Surrogate showed no recovery.
Q	Qualifier
RL	Reporting Limit
Wet	Sample is not dry weight corrected.

Measurement of uncertainty and any applicable definitions of method modifications are available upon request. Per EPA NLLAP policy, sample results are not blank corrected.

Owen McKenna Laboratory Manager or other approved signatory

EMSL maintains liability limited to cost of analysis. Interpretation and use of test results are the responsibility of the client. This report relates only to the samples reported above, and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. The report reflects the samples as received. Results are generated from the field sampling data (sampling volumes and areas, locations, etc.) provided by the client on the Chain of Custody. Samples are within quality control criteria and met method specifications unless otherwise noted.

Environmental Chemistry  
 Chain of Custody  
 EMSL Order Number (Lab Use Only):  
 ADO9587

Report To Contact Name: James Eberts  
 Company Name: Epic Environmental Services, LLC  
 Street: 80 Fork Bridge Road  
 City: Pittsgrove State/Province: NJ Zip/Postal Code: 08318  
 Phone: 856-205-1077 Fax: City: Pittsgrove State/Province: NJ Zip/Postal Code: 08318  
 Project Name: *Kingsway Regional HS-LTU* Email Results To: jeberts@epicenviro.com / teberts@epicen  
 U.S. State where Samples Collected: NJ Number of Samples in Shipment: *86* Purchase Order: *24-2244*  
 Date of Shipment: *2/13/25*  
 Sample for Compliance? Yes  No  If yes, NPDES?  Other (Specify):  
 Samples Collected by: EMSL  Client  check one  
 Standard Turnaround Time:  2 Weeks The following TATs are subject to lab approval:  1 Week  4 Days  3 Days  2 Days  1 Day  
 Failure to complete will hinder processing of samples  
 Sampled By (Signature): *Casey Lyons* List Tests(s) Needed  
 Client Sample ID Comp Grab Collect Date/Time Matrix W=Water S=Soil A=Air SL=Sludge O=Other Preservative 1=HCL 2=HNO3 3=H2SO4 4=ICE 5=Other EPA 200.8 Field pH Field pH Test Time Field Temp. Deg C Field Temp. Test Time Comments  
 KHS -FB    *2/13/25* *N/A* *W* *W* *2* *X* *Field Blanks*  
 KHS-WC-B6YML    *0700* *W* *X*  
 KHS-WC-B6YML    *0700* *W* *X*  
 KHS-WC-B6YML    *0702* *W* *X*  
 Released By (Signature) Date & Time Received By Date & Time  
*Casey Lyons* *2/13/25 10:00* *Sherrinully* *2/13/25 11:00 am*  
 Please indicate reporting requirements:  Results Only  Results and QC  Reduced Deliverables  Disk Deliverable  Other  
 Instructions or Comments: Note: Field pH and Field Temperature are tested on the same day as the date of sample collection.  
 Analyze FIRST DRAW Samples. Analyze FLUSH samples if corresponding First Draw result is above 15.5 ppb  
 (Lab) Received Temperature: \_\_\_\_\_ °C



EMSL ANALYTICAL, INC.  
LABORATORY PRODUCTS TRAINING  
EMSL ANALYTICAL, INC.  
LABORATORY PRODUCTS TRAINING

**Environmental Chemistry**  
**Chain of Custody**  
EMSL Order Number (Lab Use Only):  
AD29587

PHONE:  
FAX:

Additional Pages of the Chain of Custody are only necessary if needed for additional sample information

Client Sample ID	Comp	Grab	Collect Date/Time	Matrix W=Water S=Soil A=Air SL=Sludge O=Other	Preservative 1=HCL 2=HNO3 3=H2SO4 4=ICE 5=Other	EPA 200. 8	List Test(s) Needed				Comments									
							Field pH	Field pH Test Time	Field Temp Deg C	Field Temp Test Time										
KHS-SO-NURSERESTL ↓ (Flush)	<input type="checkbox"/>	<input type="checkbox"/>	2/9/25 0704	W	2															Flush
KHS-SO-NURSEL ↓ (Flush)	<input type="checkbox"/>	<input type="checkbox"/>	0706	W																Flush
KHS-SO-NURSERESTR ↓ (Flush)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0707	W																Flush
KHS-SO-NURSER ↓ (Flush)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0708	W																Flush
KHS-SO-NURSER ↓ (Flush)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0709	W																Flush
KHS-SO-NURSER ↓ (Flush)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0710	W																Flush
KHS-SO-NURSER ↓ (Flush)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0711	W																Flush
KHS-SO-NURSER ↓ (Flush)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0712	W																Flush
KHS-SO-MEDIAOFF ↓ (Flush)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0713	W																Flush
KHS-SO-MEDIAOFF ↓ (Flush)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0715	W																Flush
KHS-WC-HALL1 ↓ (Flush)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0716	W																Flush
KHS-WC-HALL1	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0718	W																
KHS-WC-HALL1	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0718	W																
KHS-WC-10010BL	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0720	W																
KHS-WC-10010BR	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0720	W																
KHS-WC-HALL2L	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0721	W																

(Lab) Received Temperature: \_\_\_\_\_ °C

**Environmental Chemistry**  
**Chain of Custody**  
 EMSL Order Number (Lab Use Only): 4D09387

PHONE:  
 FAX:

Additional Pages of the Chain of Custody are only necessary if needed for additional sample information

Client Sample ID	Comp	Grab	Collect Date/Time	Matrix W=Water S=Soil A=Air SL=Sludge O=Other	Preservative 1=HCL 2=HNO3 3=H2SO4 4=ICE 5=Other	EPA 200. 8	List Test(s) Needed				Comments	
							Field pH	Field pH Test Time	Field Temp Deg C	Field Temp Test Time		
KHS-WC-HALLR	<input type="checkbox"/>	<input type="checkbox"/>	2/9/25 0722	W	2							
KHS-SO-100FARR	<input type="checkbox"/>	<input type="checkbox"/>	0723	W								
↓ (Flush)	<input type="checkbox"/>	<input type="checkbox"/>	0724	W								Flush
KHS-WC-HALL3R	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0726	W								
KHS-WC-HALL3L	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0726	W								
KHS-1M-KIT	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0728	W								
KHS-SO-KIT1	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0731	W								
↓ (Flush)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0732	W								Flush
KHS-SO-KIT2	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0731	W								
↓ (Flush)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0732	W								Flush
KHS-KE-KIT	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0731	W								
↓ (Flush)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0732	W								Flush
KHS-SO-KIT3	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0731	W								
KHS-SO-KIT3B	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0731	W								Behind KIT3 sink
KHS-SO-KIT4	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0731	W								
↓ (Flush)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0732	W								Flush
KHS-WC-PAFW	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0735	W								

(Lab) Received Temperature: \_\_\_\_\_ °C



EMSL ANALYTICAL, INC.  
LABORATORY PRODUCTS TRAINING  
EMSL ANALYTICAL, INC.  
LABORATORY PRODUCTS TRAINING

**Environmental Chemistry**  
**Chain of Custody**  
EMSL Order Number (Lab Use Only):  
A009387

PHONE:  
FAX:

Additional Pages of the Chain of Custody are only necessary if needed for additional sample information

Client Sample ID	Comp	Grab	Collect Date/Time	Matrix W=Water S=Soil A=Air SL=Sludge O=Other	Preservative 1=HCL 2=HNO3 3=H2SO4 4=ICE 5=Other	EPA 200. 8	List Test(s) Needed				Comments		
							Field pH	Field pH Test Time	Field Temp Deg C	Field Temp Test Time			
KHS-BF-CAFV	<input type="checkbox"/>	<input type="checkbox"/>	2/19/25 0735	W	2								
KHS-WC-HALLR	<input type="checkbox"/>	<input type="checkbox"/>	0737	W									
KHS-WC-HALLL	<input type="checkbox"/>	<input type="checkbox"/>	0737	W									
KHS-SO-MUSIC	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0739	W									Flush
↓ (Flush)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0740	W									Flush
KHS-SO-HOEG1	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0744	W									Flush
↓ (Flush)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0745	W									Flush
KHS-SO-HOEG2	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0744	W									Flush
↓ (Flush)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0745	W									Flush
KHS-SO-HOEG3	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0744	W									Flush
↓ (Flush)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0745	W									Flush
KHS-SO-HOEG4	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0744	W									Flush
↓ (Flush)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0745	W									Flush
KHS-SO-HOEG5	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0744	W									Flush
↓ (Flush)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0745	W									Flush
KHS-WC-HALLS	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0747	W									
KHS-BF-HALLS	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0747	W									

(Lab) Received Temperature: \_\_\_\_\_ °C

**Environmental Chemistry**  
**Chain of Custody**  
EMSL Order Number (Lab Use Only):  
AD09387

PHONE:  
FAX:

Additional Pages of the Chain of Custody are only necessary if needed for additional sample information

Client Sample ID	Comp	Grab	Collect Date/Time	Matrix W=Water S=Soil A=Air SL=Sludge O=Other	Preservative 1=HCL 2=HNO3 3=H2SO4 4=ICE 5=Other	EPA 200. 8	List Test(s) Needed				Comments	
							Field pH	Field pH Test Time	Field Temp Deg C	Field Temp Test Time		
KHS-WC-HALL6	<input type="checkbox"/>	<input type="checkbox"/>	9/5/25 0744	W	2							
KHS-BF-HALL6	<input type="checkbox"/>	<input type="checkbox"/>	0749	W								
KHS-SO-318	<input type="checkbox"/>	<input type="checkbox"/>	0751	W								
↓ (Flush)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	0752	W								Flush
KHS-WC-HALL7	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0754	W								
KHS-BF-HALL7	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0754	W								
KHS-SO-TRAIN1	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0756	W								
KHS-HB-TRAIN	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0757	W								
KHS-SO-TRAIN2	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0756	W								
↓ (Flush)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	0757	W								Flush
KHS-1M-TRAIN	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0759	W								
KHS-WC-HALL8	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0800	W								
KHS-BF-HALL8	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0801	W								
KHS-WC-HALL9	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0803	W								
KHS-BF-HALL9	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0804	W								
KHS-WC-HALL10A	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0806	W								
KHS-WC-HALL10L	<input type="checkbox"/>	<input checked="" type="checkbox"/>	↓ 0806	W								

(Lab) Received Temperature: \_\_\_\_\_ °C



EMSL ANALYTICAL, INC.  
LABORATORY PRODUCTS TRAINING  
EMSL ANALYTICAL, INC.  
LABORATORY PRODUCTS TRAINING

**Environmental Chemistry**  
**Chain of Custody**  
EMSL Order Number (Lab Use Only):  
AD09387

PHONE:  
FAX:

Additional Pages of the Chain of Custody are only necessary if needed for additional sample information

Client Sample ID	Comp	Grab	Collect Date/Time	Matrix W=Water S=Soil A=Air SL=Sludge O=Other	Preservative 1=HCL 2=HNO3 3=H2SO4 4=ICE 5=Other	EPA	List Test(s) Needed				Comments													
							Field pH	Field pH Test Time	Field Temp Deg C	Field Temp Test Time														
KHS-WC-HALL10R	<input type="checkbox"/>	<input type="checkbox"/>	2/9/25 0806	W	2	200.8																		
KHS-WC-HALL10ER	<input type="checkbox"/>	<input type="checkbox"/>	0806	W																				
KHS-WC-HALL11	<input type="checkbox"/>	<input type="checkbox"/>	0808	W																				
KHS-BF-HALL11	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0808	W																				
KHS-WC-HALL12	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0810	W																				
KHS-BF-HALL12	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0810	W																				
KHS-WC-HALL13	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0812	W																				
KHS-BF-HALL13	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0812	W																				
KHS-SO-BOARD	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0814	W																				
↓ (Flush)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0815	W																				
KHS-SO-MAINT	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0823	W																				
KHS-WC-BUS	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0827	W																				
KHS-BC-TRANS	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0828	W																				
	<input type="checkbox"/>	<input checked="" type="checkbox"/>		W																				
	<input type="checkbox"/>	<input checked="" type="checkbox"/>		W																				
	<input type="checkbox"/>	<input checked="" type="checkbox"/>		W																				
	<input type="checkbox"/>	<input checked="" type="checkbox"/>		W																				

(Lab) Received Temperature: \_\_\_\_\_ °C