



December 19, 2024

Brian Arias  
Jeff-Lewis BOCES\_Watertown Central School  
District  
532 S. Massey Street  
Watertown, NY 13601

RE: Project: STARBUCK 12/5  
Pace Project No.: 70326673

Dear Brian Arias:

Enclosed are the analytical results for sample(s) received by the laboratory on December 10, 2024. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Melville

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Michelle Cohen  
michelle.cohen@pacelabs.com  
516-370-6000  
Project Manager

Enclosures

cc: Ray Filley, Jeff-Lewis BOCES\_Watertown Central School  
District  
Tiffany Oconnor, Jeff-Lewis BOCES\_Watertown Central  
School District  
Linda Shaw, Jeff-Lewis BOCES\_Watertown Central School  
District



## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## CERTIFICATIONS

Project: STARBUCK 12/5

Pace Project No.: 70326673

---

### **Pace Analytical Services, LLC - Melville, NY**

575 Broad Hollow Rd, Melville, NY 11747

Connecticut Certification #: PH-0435

Delaware Certification # NY 10478

Maryland Certification #: 208

Massachusetts Certification #: M-NY026

New Hampshire Certification #: 2987

New Jersey Certification #: NY158

New York Certification #: 10478 Primary Accrediting Body

Pennsylvania Certification #: 68-00350

Rhode Island Certification #: LAO00340

Texas Certification #: T104704582

Florida Certification #: E871198

---

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: STARBUCK 12/5

Pace Project No.: 70326673

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>Sample: 1-R16</b>								
<b>Lab ID: 70326673001</b>								
Collected: 12/05/24 07:40								
Received: 12/10/24 07:00								
Matrix: Drinking Water								
<b>200.8 MET ICPMS Drinking Water</b>								
Analytical Method: EPA 200.8								
Pace Analytical Services - Melville								
Lead	2.0	ug/L	1.0	1		12/18/24 14:16	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: STARBUCK 12/5

Pace Project No.: 70326673

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>Sample: 2-R16</b>								
<b>Lab ID: 70326673002</b>								
Collected: 12/05/24 07:40								
Received: 12/10/24 07:00								
Matrix: Drinking Water								
<b>200.8 MET ICPMS Drinking Water</b>								
Analytical Method: EPA 200.8								
Pace Analytical Services - Melville								
Lead	4.4	ug/L	1.0	1		12/18/24 14:18	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: STARBUCK 12/5

Pace Project No.: 70326673

Sample: 4-R15		Lab ID: 70326673003	Collected: 12/05/24 07:41	Received: 12/10/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>8.8</b>	ug/L	1.0	1		12/18/24 14:22	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: STARBUCK 12/5

Pace Project No.: 70326673

Sample: 5-R15		Lab ID: 70326673004	Collected: 12/05/24 07:41	Received: 12/10/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>8.1</b>	ug/L	1.0	1		12/18/24 14:30	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: STARBUCK 12/5

Pace Project No.: 70326673

Sample: 7-R14		Lab ID: 70326673005	Collected: 12/05/24 07:43	Received: 12/10/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>18.6</b>	ug/L	1.0	1		12/18/24 14:34	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: STARBUCK 12/5

Pace Project No.: 70326673

Sample: 8-R14		Lab ID: 70326673006	Collected: 12/05/24 07:43	Received: 12/10/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>4.2</b>	ug/L	1.0	1		12/18/24 14:36	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.





### ANALYTICAL RESULTS

Project: STARBUCK 12/5

Pace Project No.: 70326673

Sample: 10-DF13	Lab ID: 70326673007	Collected: 12/05/24 07:48	Received: 12/10/24 07:00	Matrix: Drinking Water					
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville								
Lead	<b>13.4</b>	ug/L	1.0	1		12/18/24 14:37	7439-92-1		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: STARBUCK 12/5

Pace Project No.: 70326673

Sample: 11-R13		Lab ID: 70326673008	Collected: 12/05/24 07:45	Received: 12/10/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>2.6</b>	ug/L	1.0	1		12/18/24 14:39	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: STARBUCK 12/5

Pace Project No.: 70326673

Sample: 12-R13	Lab ID: 70326673009	Collected: 12/05/24 07:45	Received: 12/10/24 07:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<b>3.5</b>	ug/L	1.0	1		12/18/24 14:40	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: STARBUCK 12/5

Pace Project No.: 70326673

Sample: 14-R12		Lab ID: 70326673010	Collected: 12/05/24 07:48	Received: 12/10/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	2.7	ug/L	1.0	1		12/18/24 14:45	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: STARBUCK 12/5

Pace Project No.: 70326673

Sample: 15- R12	Lab ID: 70326673011	Collected: 12/05/24 07:48	Received: 12/10/24 07:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<b>5.3</b>	ug/L	1.0	1		12/18/24 14:46	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: STARBUCK 12/5

Pace Project No.: 70326673

Sample: 17- R11		Lab ID: 70326673012	Collected: 12/05/24 07:50	Received: 12/10/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>12.1</b>	ug/L	1.0	1		12/18/24 14:48	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: STARBUCK 12/5

Pace Project No.: 70326673

Sample: 18- R11		Lab ID: 70326673013	Collected: 12/05/24 07:50	Received: 12/10/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	2.1	ug/L	1.0	1		12/18/24 14:50	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: STARBUCK 12/5

Pace Project No.: 70326673

Sample: 20- LIBRARY		Lab ID: 70326673014	Collected: 12/05/24 07:50	Received: 12/10/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>2.8</b>	ug/L	1.0	1		12/18/24 14:51	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.





### ANALYTICAL RESULTS

Project: STARBUCK 12/5

Pace Project No.: 70326673

Sample: 20A LIBRARY		Lab ID: 70326673015	Collected: 12/05/24 07:50	Received: 12/10/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>8.0</b>	ug/L	1.0	1		12/18/24 14:53	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: STARBUCK 12/5

Pace Project No.: 70326673

Sample: 21-KITCHEN		Lab ID: 70326673016	Collected: 12/05/24 07:56	Received: 12/10/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	7.6	ug/L	1.0	1		12/18/24 14:54	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: STARBUCK 12/5

Pace Project No.: 70326673

Sample: 22-DF OUTSIDE GYM		Lab ID: 70326673017	Collected: 12/05/24 07:58	Received: 12/10/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		12/18/24 14:56	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: STARBUCK 12/5

Pace Project No.: 70326673

Sample: 23-NURSE		Lab ID: 70326673018		Collected: 12/05/24 08:03	Received: 12/10/24 07:00	Matrix: Drinking Water		
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	3.1	ug/L	1.0	1		12/18/24 14:58	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: STARBUCK 12/5

Pace Project No.: 70326673

Sample: 25- DF OUTSIDE MUSIC		Lab ID: 70326673019	Collected: 12/05/24 08:03	Received: 12/10/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>6.0</b>	ug/L	1.0	1		12/18/24 14:59	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: STARBUCK 12/5

Pace Project No.: 70326673

Sample: 25B-MUSIC		Lab ID: 70326673020	Collected: 12/05/24 08:03	Received: 12/10/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>14.8</b>	ug/L	1.0	1		12/18/24 15:04	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: STARBUCK 12/5

Pace Project No.: 70326673

Sample: 25C-MUSIC		Lab ID: 70326673021	Collected: 12/05/24 08:03	Received: 12/10/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>3.8</b>	ug/L	1.0	1		12/18/24 15:05	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: STARBUCK 12/5

Pace Project No.: 70326673

Sample: 25D-MUSIC		Lab ID: 70326673022	Collected: 12/05/24 08:03	Received: 12/10/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>6.0</b>	ug/L	1.0	1		12/18/24 15:07	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.





### ANALYTICAL RESULTS

Project: STARBUCK 12/5

Pace Project No.: 70326673

Sample: 26-R7		Lab ID: 70326673023	Collected: 12/05/24 08:05	Received: 12/10/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>3.5</b>	ug/L	1.0	1		12/18/24 15:11	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: STARBUCK 12/5

Pace Project No.: 70326673

Sample: 27-R7		Lab ID: 70326673024	Collected: 12/05/24 08:05	Received: 12/10/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>3.3</b>	ug/L	1.0	1		12/18/24 15:16	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: STARBUCK 12/5

Pace Project No.: 70326673

Sample: 29-R8		Lab ID: 70326673025	Collected: 12/05/24 08:08	Received: 12/10/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>9.3</b>	ug/L	1.0	1		12/18/24 15:23	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: STARBUCK 12/5

Pace Project No.: 70326673

Sample: 30-R8		Lab ID: 70326673026	Collected: 12/05/24 08:08	Received: 12/10/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>5.3</b>	ug/L	1.0	1		12/18/24 15:25	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: STARBUCK 12/5

Pace Project No.: 70326673

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>Sample: 32-R5</b>								
<b>Lab ID: 70326673027</b>								
Collected: 12/05/24 08:10								
Received: 12/10/24 07:00								
Matrix: Drinking Water								
<b>200.8 MET ICPMS Drinking Water</b>								
Analytical Method: EPA 200.8								
Pace Analytical Services - Melville								
Lead	7.3	ug/L	1.0	1		12/18/24 15:26	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: STARBUCK 12/5

Pace Project No.: 70326673

Sample: 33-R5		Lab ID: 70326673028	Collected: 12/05/24 08:10	Received: 12/10/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>2.0</b>	ug/L	1.0	1		12/18/24 15:28	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: STARBUCK 12/5

Pace Project No.: 70326673

Sample: 34-R5	Lab ID: 70326673029	Collected: 12/05/24 08:10	Received: 12/10/24 07:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>6.4</b>	ug/L	1.0	1		12/18/24 15:30	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: STARBUCK 12/5

Pace Project No.: 70326673

Sample: 35-R6		Lab ID: 70326673030	Collected: 12/05/24 08:13	Received: 12/10/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>8.3</b>	ug/L	1.0	1		12/18/24 15:31	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.





### ANALYTICAL RESULTS

Project: STARBUCK 12/5

Pace Project No.: 70326673

Sample: 36-R6		Lab ID: 70326673031	Collected: 12/05/24 08:13	Received: 12/10/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>1.9</b>	ug/L	1.0	1		12/18/24 15:33	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: STARBUCK 12/5

Pace Project No.: 70326673

Sample: 38-R3		Lab ID: 70326673032	Collected: 12/05/24 08:14	Received: 12/10/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>2.3</b>	ug/L	1.0	1		12/18/24 15:34	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: STARBUCK 12/5

Pace Project No.: 70326673

Sample: 39-R3		Lab ID: 70326673033	Collected: 12/05/24 08:10	Received: 12/10/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>3.3</b>	ug/L	1.0	1		12/18/24 15:36	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: STARBUCK 12/5

Pace Project No.: 70326673

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>Sample: 40-R3</b>								
<b>Lab ID: 70326673034</b>								
Collected: 12/05/24 08:14								
Received: 12/10/24 07:00								
Matrix: Drinking Water								
<b>200.8 MET ICPMS Drinking Water</b>								
Analytical Method: EPA 200.8								
Pace Analytical Services - Melville								
Lead	3.4	ug/L	1.0	1		12/18/24 16:09	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: STARBUCK 12/5

Pace Project No.: 70326673

Sample: 41-R4	Lab ID: 70326673035	Collected: 12/05/24 08:16	Received: 12/10/24 07:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<b>3.2</b>	ug/L	1.0	1		12/18/24 16:10	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: STARBUCK 12/5

Pace Project No.: 70326673

Sample: 42-R4	Lab ID: 70326673036	Collected: 12/05/24 08:16	Received: 12/10/24 07:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<b>5.8</b>	ug/L	1.0	1		12/18/24 16:12	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: STARBUCK 12/5

Pace Project No.: 70326673

Sample: 43-R4	Lab ID: 70326673037	Collected: 12/05/24 08:16	Received: 12/10/24 07:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	3.7	ug/L	1.0	1		12/18/24 16:13	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: STARBUCK 12/5

Pace Project No.: 70326673

Sample: 44-R1		Lab ID: 70326673038	Collected: 12/05/24 08:18	Received: 12/10/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	1.7	ug/L	1.0	1		12/18/24 16:15	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.





### ANALYTICAL RESULTS

Project: STARBUCK 12/5

Pace Project No.: 70326673

Sample: 45-R1	Lab ID: 70326673039	Collected: 12/05/24 08:18	Received: 12/10/24 07:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<b>3.0</b>	ug/L	1.0	1		12/18/24 16:17	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: STARBUCK 12/5

Pace Project No.: 70326673

Sample: 46-R1		Lab ID: 70326673040	Collected: 12/05/24 08:18	Received: 12/10/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>4.7</b>	ug/L	1.0	1		12/18/24 16:18	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: STARBUCK 12/5

Pace Project No.: 70326673

Sample: 47-R2		Lab ID: 70326673041	Collected: 12/05/24 08:21	Received: 12/10/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	7.4	ug/L	1.0	1		12/18/24 16:20	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: STARBUCK 12/5

Pace Project No.: 70326673

Sample: 48-R2		Lab ID: 70326673042	Collected: 12/05/24 08:21	Received: 12/10/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>10.4</b>	ug/L	1.0	1		12/18/24 16:21	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: STARBUCK 12/5

Pace Project No.: 70326673

Sample: 49-R2		Lab ID: 70326673043	Collected: 12/05/24 08:21	Received: 12/10/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>2.0</b>	ug/L	1.0	1		12/18/24 16:29	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### QUALITY CONTROL DATA

Project: STARBUCK 12/5

Pace Project No.: 70326673

QC Batch: 375980

Analysis Method: EPA 200.8

QC Batch Method: EPA 200.8

Analysis Description: 200.8 MET No Prep Drinking Water

Laboratory: Pace Analytical Services - Melville

Associated Lab Samples: 70326673001, 70326673002

METHOD BLANK: 1970632

Matrix: Water

Associated Lab Samples: 70326673001, 70326673002

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	12/18/24 13:32	

LABORATORY CONTROL SAMPLE: 1970633

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	52.9	106	85-115	

MATRIX SPIKE SAMPLE: 1970635

Parameter	Units	70327476012 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	55.7	111	70-130	

MATRIX SPIKE SAMPLE: 1970637

Parameter	Units	70327476013 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	57.0	114	70-130	

SAMPLE DUPLICATE: 1970634

Parameter	Units	70327476012 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		

SAMPLE DUPLICATE: 1970636

Parameter	Units	70327476013 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



**QUALITY CONTROL DATA**

Project: STARBUCK 12/5

Pace Project No.: 70326673

QC Batch:	376010	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville
Associated Lab Samples:	70326673003, 70326673004, 70326673005, 70326673006, 70326673007, 70326673008, 70326673009, 70326673010, 70326673011, 70326673012, 70326673013, 70326673014, 70326673015, 70326673016, 70326673017, 70326673018, 70326673019, 70326673020, 70326673021, 70326673022		

METHOD BLANK:	1970725	Matrix:	Water
Associated Lab Samples:	70326673003, 70326673004, 70326673005, 70326673006, 70326673007, 70326673008, 70326673009, 70326673010, 70326673011, 70326673012, 70326673013, 70326673014, 70326673015, 70326673016, 70326673017, 70326673018, 70326673019, 70326673020, 70326673021, 70326673022		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	12/18/24 14:19	

LABORATORY CONTROL SAMPLE:	1970726					
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	54.3	109	85-115	

MATRIX SPIKE SAMPLE:	1970728						
Parameter	Units	70326673003 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	8.8	50	66.8	116	70-130	

MATRIX SPIKE SAMPLE:	1970730						
Parameter	Units	70326673004 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	8.1	50	66.9	118	70-130	

SAMPLE DUPLICATE:	1970727					
Parameter	Units	70326673003 Result	Dup Result	RPD	Qualifiers	
Lead	ug/L	8.8	8.8	0		

SAMPLE DUPLICATE:	1970729					
Parameter	Units	70326673004 Result	Dup Result	RPD	Qualifiers	
Lead	ug/L	8.1	8.1	0		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



**QUALITY CONTROL DATA**

Project: STARBUCK 12/5

Pace Project No.: 70326673

QC Batch:	376011	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville
Associated Lab Samples:	70326673023, 70326673024, 70326673025, 70326673026, 70326673027, 70326673028, 70326673029, 70326673030, 70326673031, 70326673032, 70326673033, 70326673034, 70326673035, 70326673036, 70326673037, 70326673038, 70326673039, 70326673040, 70326673041, 70326673042		

METHOD BLANK:	1970731	Matrix:	Water
Associated Lab Samples:	70326673023, 70326673024, 70326673025, 70326673026, 70326673027, 70326673028, 70326673029, 70326673030, 70326673031, 70326673032, 70326673033, 70326673034, 70326673035, 70326673036, 70326673037, 70326673038, 70326673039, 70326673040, 70326673041, 70326673042		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	12/18/24 15:08	

LABORATORY CONTROL SAMPLE:	1970732					
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	52.6	105	85-115	

MATRIX SPIKE SAMPLE:	1970734						
Parameter	Units	70326673023 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	3.5	50	61.2	115	70-130	

MATRIX SPIKE SAMPLE:	1970736						
Parameter	Units	70326673024 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	3.3	50	61.6	117	70-130	

SAMPLE DUPLICATE:	1970733					
Parameter	Units	70326673023 Result	Dup Result	RPD	Qualifiers	
Lead	ug/L	3.5	3.5	1		

SAMPLE DUPLICATE:	1970735					
Parameter	Units	70326673024 Result	Dup Result	RPD	Qualifiers	
Lead	ug/L	3.3	3.3	1		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.





**QUALITY CONTROL DATA**

Project: STARBUCK 12/5

Pace Project No.: 70326673

QC Batch:	376012	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville

Associated Lab Samples: 70326673043

METHOD BLANK: 1970740 Matrix: Water

Associated Lab Samples: 70326673043

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	12/18/24 16:23	

LABORATORY CONTROL SAMPLE: 1970741

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	52.2	104	85-115	

MATRIX SPIKE SAMPLE: 1970743

Parameter	Units	70326673043 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	2.0	50	65.4	127	70-130	

MATRIX SPIKE SAMPLE: 1970745

Parameter	Units	70326678001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	66.9	133	70-130	M1

SAMPLE DUPLICATE: 1970742

Parameter	Units	70326673043 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	2.0	2.0	0	

SAMPLE DUPLICATE: 1970744

Parameter	Units	70326678001 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



## QUALIFIERS

Project: STARBUCK 12/5

Pace Project No.: 70326673

---

### DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

### ANALYTE QUALIFIERS

M1 Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: STARBUCK 12/5

Pace Project No.: 70326673

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
70326673001	1-R16	EPA 200.8	375980		
70326673002	2-R16	EPA 200.8	375980		
70326673003	4-R15	EPA 200.8	376010		
70326673004	5-R15	EPA 200.8	376010		
70326673005	7-R14	EPA 200.8	376010		
70326673006	8-R14	EPA 200.8	376010		
70326673007	10-DF13	EPA 200.8	376010		
70326673008	11-R13	EPA 200.8	376010		
70326673009	12-R13	EPA 200.8	376010		
70326673010	14-R12	EPA 200.8	376010		
70326673011	15- R12	EPA 200.8	376010		
70326673012	17- R11	EPA 200.8	376010		
70326673013	18- R11	EPA 200.8	376010		
70326673014	20- LIBRARY	EPA 200.8	376010		
70326673015	20A LIBRARY	EPA 200.8	376010		
70326673016	21-KITCHEN	EPA 200.8	376010		
70326673017	22-DF OUTSIDE GYM	EPA 200.8	376010		
70326673018	23-NURSE	EPA 200.8	376010		
70326673019	25- DF OUTSIDE MUSIC	EPA 200.8	376010		
70326673020	25B-MUSIC	EPA 200.8	376010		
70326673021	25C-MUSIC	EPA 200.8	376010		
70326673022	25D-MUSIC	EPA 200.8	376010		
70326673023	26-R7	EPA 200.8	376011		
70326673024	27-R7	EPA 200.8	376011		
70326673025	29-R8	EPA 200.8	376011		
70326673026	30-R8	EPA 200.8	376011		
70326673027	32-R5	EPA 200.8	376011		
70326673028	33-R5	EPA 200.8	376011		
70326673029	34-R5	EPA 200.8	376011		
70326673030	35-R6	EPA 200.8	376011		
70326673031	36-R6	EPA 200.8	376011		
70326673032	38-R3	EPA 200.8	376011		
70326673033	39-R3	EPA 200.8	376011		
70326673034	40-R3	EPA 200.8	376011		
70326673035	41-R4	EPA 200.8	376011		
70326673036	42-R4	EPA 200.8	376011		
70326673037	43-R4	EPA 200.8	376011		
70326673038	44-R1	EPA 200.8	376011		
70326673039	45-R1	EPA 200.8	376011		
70326673040	46-R1	EPA 200.8	376011		
70326673041	47-R2	EPA 200.8	376011		
70326673042	48-R2	EPA 200.8	376011		
70326673043	49-R2	EPA 200.8	376012		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.

WO#: 70326673



70326673



LAI

S

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

Pace\* Location Requested (City/State):  
Pace Analytical Long Island NY  
575 Broad Hollow Rd, Melville, NY 11747

Company Name: Jefferson Lewis BOCES\_WaterTown CSD  
Street Address: 1351 Washington Street, Watertown NY 13601

Contact/Report To: Brian Arias  
Phone #: 315-661-4351  
E-Mail: [barias@watertowncsd.org](mailto:barias@watertowncsd.org)  
Cc E-Mail:

Customer Project #: 08215607  
Project Name: STARBUCK

Invoice To: Brian Arias  
Invoice E-Mail: [barias@watertowncsd.org](mailto:barias@watertowncsd.org)

Site Collection Info/Facility ID (as applicable):

Purchase Order # (if applicable):

Quote #:

County / State origin of sample(s): New York

Time Zone Collected: [ ] AK [ ] MT [ ] PT [ ] CT [X] ET

Regulatory Program (DW, RCRA, etc.) as applicable: NY Lead in School DW

Data Deliverables:  
[ ] Level II [ ] Level III [ ] Level IV  
[ ] EQUIS  
[ ] Other

Rush (Pre-approval required):  
[ ] 2 Day [ ] 3 day [ ] 5 day [ ] Other

Date Results Requested:  
Standard 10 business day

Field Filtered (if applicable): [ ] Yes [ ] No

Analysis:

DW PWSID # or WW Permit # as applicable:

\* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Other (OT), Surface Water (SW), Sediment (SED), Sludge (SL), Caulk

Analysis:

200.8 Drinking Water (Pb only)

Analysis:

Preservation non-conformance identified for

Analysis:

Proj. Mgr:

Analysis:

AccNum / Client ID:

Analysis:

Table #:

Analysis:

Profile / Template:

Analysis:

Prelog / Bottle Ord. ID:

Analysis:

Sample Comment

Analysis:

Additional Instructions from Pace\*

Analysis:

# Coolers: Thermometer ID: Correction Factor (°C): Obs. Temp. (°C) Corrected Temp. (°C)

Analysis:

Date/Time: 12/9 11:45

Analysis:

Date/Time: 12/9 12:00

Analysis:

Date/Time: 12/9 12:00

Analysis:

Date/Time: 12/9 12:00

Analysis:

Date/Time: 12/9 12:00

Analysis:

Date/Time: 12/9 12:00

Analysis:

Date/Time: 12/9 12:00

Analysis:

Date/Time: 12/9 12:00

Analysis:

Date/Time: 12/9 12:00

Analysis:

Date/Time: 12/9 12:00

Analysis:

Date/Time: 12/9 12:00

Analysis:

Date/Time: 12/9 12:00

Analysis:

Date/Time: 12/9 12:00

Analysis:

Date/Time: 12/9 12:00

Analysis:

Date/Time: 12/9 12:00

Analysis:

Date/Time: 12/9 12:00

Analysis:

Date/Time: 12/9 12:00

Analysis:

Date/Time: 12/9 12:00

Analysis:

Date/Time: 12/9 12:00

Analysis:

Date/Time: 12/9 12:00

Analysis:

Date/Time: 12/9 12:00

Analysis:

Date/Time: 12/9 12:00

Analysis:

**WO#: 70326673**  
**PM: MC1** Due Date: **12/24/24**  
**CLIENT: WATERTOWN**



**CHAIN-OF-CUSTODY Analytical Request Document**

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

Pace<sup>®</sup> Location Requested (City/State):  
 Pace Analytical Long Island NY  
 575 Broad Hollow Rd, Melville, NY 11747

Company Name: Jefferson Lewis BOCES Watertown CSD  
 Street Address: 1351 Washington Street, Watertown NY 13601

Customer Project #: 08215607  
 Project Name: Starbucks

Site Collection Info/Facility ID (as applicable):

Time Zone Collected: [ ] AK [ ] MT [ ] CT [X] ET  
 Data Deliverables: [ ] Level II [ ] Level III [ ] Level IV  
 [ ] EQUIS [ ] Other

Rush (Pre-approval required):  
 [ ] 2 Day [ ] 3 day [ ] 5 day [ ] Other

Date Results Requested: Standard 10 business day

County/State origin of sample(s): New York

Regulatory Program (DW, RCRA, etc.) as applicable: NY Lead in School DW

DW PWSID # or WW Permit # as applicable:

Field Filtered (if applicable): [ ] Yes [ ] No

Analysis:

Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Other (OT), Surface Water (SW), Sediment (SED), Sludge (SL), Caulk

Customer Sample ID	Matrix *	Collected		Res. CLZ	Number & Type of Containers	Preservation non-conformance identified for sample.
		Date	Time			
15 - R12	DW	12/16/20	748		1	
17 - R11		750				
18 - R11		750				
20 - Library		750				
20A - library		750				
21 - kitchen		750				
22 - DF outside gym		758				
23 - nurse		803				
25 - DF outside music		803				
25B - music		803				

200.8 Drinking Water (Pb only)

X

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

Additional Instructions from Pace:

Thermometer ID: Correction Factor (°C): Obs. Temp. (°C) Corrected Temp. (°C)

# Coolers: Tracking Number:

Date/Time: 12/9 11:45

Date/Time: 12/10/24 900

Date/Time: 12/10/24 900

Date/Time: 12/10/24 900

Date/Time: 12/10/24 900


Received by/Company (Signature):  
 Received by/Company (Signature):  
 Received by/Company (Signature):  
 Received by/Company (Signature):

Collected By: Thomas Rankin  
 Signature:

Date/Time: 12/9/20 1:00  
 Date/Time: 12/9 12:00  
 Date/Time: 12/9 12:00  
 Date/Time: 12/9 12:00

Relinquished by/Company (Signature):  
 Relinquished by/Company (Signature):  
 Relinquished by/Company (Signature):  
 Relinquished by/Company (Signature):





LAB USE ONLY - Affix Workorder/Login Label Here

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

Scan QR Code for instructions

**Pace**  
 Pace Analytical Long Island NY  
 575 Broad Hollow Rd, Melville, NY 11747

**CHAIN-OF-CUSTODY Analytical Request Document**

Contact/Report To: **Brian Arias**  
 Phone #: **315-661-4351**  
 E-Mail: **barias@watertowncsl.org**  
 Cc E-Mail:

Company Name: **Jefferson Lewis BOCES Watertown CSD**  
 Street Address: **1351 Washington Street, Watertown NY 13601**

Customer Project #: **08215607**  
 Project Name: **STARBUCKS**

Time Zone Collected: [ ] AK [ ] PT [ ] MT [ ] CT [X] ET  
 County / State origin of sample(s): **New York**

Regulatory Program (DW, RCRA, etc.) as applicable: **NY Lead in School DW**

Date Deliverables:  
 [ ] Level II [ ] Level III [ ] Level IV  
 [ ] EQUIS  
 [ ] Other

Rush (Pre-approval required):  
 [ ] 12 Day [ ] 3 day [ ] 15 day [ ] Other  
 Date Results Requested: **Standard 10 business day**

Field Filtered (if applicable): [ ] Yes [ ] No  
 Analysis:

Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Other (OT), Surface Water (SW), Sediment (SED), Sludge (SL), Caulk

Specify Container Size \*\*  
 Identify Container Preservative Type\*\*\*  
 Analysis requested

\*\* Container Size: (1) 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL Vial, (7) EnCore, (8) TerraCore, (9) Other  
 \*\*\* Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other

Proj. Mgr:  
**Randy Budhu**  
 AcctNum / Client ID:  
 Table #:  
 Profile / Template:  
 Prelog / Bottle Ord. ID:

Customer Sample ID	Matrix *	Comp / Grab	Collected		Res. CLZ	Number & Type of Containers	Preservation non-conformance identified for sample.
			Date	Time			
36 - R6	DW	G	12/5/24	8:13		1	200.8 Drinking Water (Pb only)
38 - R3				8:14			
39 - R3				8:16			
40 - R3				8:16			
41 - R4				8:16			
42 - R4				8:16			
43 - R4				8:18			
44 - R1				8:18			
45 - R1				8:18			
46 - R1				8:18			

Additional Instructions from Pace\*:  
 # Coolers: Thermometer ID: Correction Factor (°C): Obs. Temp. (°C) Corrected Temp. (°C)

Collected By: **Thomas Rankin**  
 Printed Name: **Thomas Rankin**  
 Signature:

Received by Company: (Signature) **Jim & Cathy**  
 Date/Time: **12/9 11:45**

Received by Company: (Signature)  
 Date/Time: **12/9 12:00**

Received by Company: (Signature) **Wesley Pace**  
 Date/Time: **12/10 7:00**

Received by Company: (Signature)  
 Date/Time:

Tracking Number:  
 Delivered by: [ ] In-Person [ ] Courier  
 [ ] FedEx [ ] UPS [ ] Other

Page: **55** of **58**

Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace\* Terms and Conditions found at <https://www.pacelabs.com/resource-library/resource/pace-terms-and-conditions/>

ENV-FRM-CORQ-0019\_v01\_082123 ©

Company Name: **Jefferson Lewis BOCES Watertown CSD**  
 Street Address: **1351 Washington Street, Watertown NY 13601**

Customer Project #: **08215607**  
 Project Name: **STARBUCKS**

Contact/Report To: **Brian Arias**  
 Phone #: **315-661-4351**  
 E-Mail: **barias@watertowncscd.org**  
 CC E-Mail:

Invoice To: **Brian Arias**  
 Invoice E-Mail: **barias@watertowncscd.org**

Purchase Order # (if applicable):  
 Quote #:

Country / State origin of sample(s): **New York**  
 Regulatory Program (DW, RCRA, etc.) as applicable: **NY Lead in School DW**  
 Rush (Pre-approval required):  
 DW PW/SID # or WW Permit # as applicable:  
 Date Results Requested: **Standard 10 business day**  
 Field Filtered (if applicable):  Yes  No  
 Analysis:

\* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Other (OT), Surface Water (SW), Sediment (SED), Sludge (SL), Caulk

Customer Sample ID	Matrix *	Collected		Res. CL2	Number & Type of Containers	Sample Comment
		Comp / Grab	Composite End			
		Date	Time		Plastic	Glass
47- R2	DW	12/12/24	821		1	
48- R2			821			
49- R2			821			

200.8 Drinking Water (Pb only) X

**CHAIN-OF-CUSTODY Analytical Request Document**  
 Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAB USE ONLY - Affix Workorder/Login Label Here



Scan QR Code for instructions

Specify Container Size \*\*  
 Identify Container Preservative Type\*\*\*  
 Analysis Requested

Proj. Mgr:  
**Randy Budhu**  
 AcctNum / Client ID:  
 Table #:  
 Profile / Template:  
 Prelog / Bottle Ord. ID:

Preservation non-conformance identified for sample.

Additional Instructions from Pace\*:  
 # Coolers: Thermometer ID: Obs. Temp. (°C) Corrected Temp. (°C)  
 Tracking Number:  
 Date/Time: 12/9 11:45  
 Date/Time:  
 Delivered by:  In-Person  Courier  
 Date/Time: 12/10/24 7:00  
 Date/Time:  
 Page: of

Customer Remarks / Special Conditions / Possible Hazards:  
 Collected By: Thomas Rankin  
 Printed Name: Thomas Rankin  
 Signature:  
 Received by/Company: (Signature) **Jim E. Cary**  
 Date/Time: 12/9/24 11:00  
 Received by/Company: (Signature)  
 Date/Time: 12/9 12:00  
 Received by/Company: (Signature) **Jim E. Cary**  
 Date/Time: 12/10 7:00  
 Received by/Company: (Signature) **Jim E. Cary**  
 Date/Time:



Client: Water-town  
 Work ID: star-buck  
 Profile #: 11952  
 COC Page \_\_\_\_\_ of \_\_\_\_\_

Use Point Number Spreadsheet  Multiday Project  
 Add SCLGFD to first sample for field charge

COC Line Item	Qty	Material	Matrix	Location
1				
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				
23				
24				
25				
26				
27				
28				
29				
30				
31				
32				
33				
34				
35				
36				
37				
38				
39				
40				
41				
42				
43				
44				
45				
46				
47				
48				
49				
50				
51				
52				
53				
54				
55				
56				
57				
58				
59				
60				
61				
62				
63				
64				
65				
66				
67				
68				
69				
70				
71				
72				
73				
74				
75				
76				
77				
78				
79				
80				
81				
82				
83				
84				
85				
86				
87				
88				
89				
90				
91				
92				
93				
94				
95				
96				
97				
98				
99				
100				

Container Codes

Code	Description	Material	Matrix
VG9U	40mL unpres. clear vial	AG4U	125mL unreserved plastic
VG9C	40mL Ascorbic+Cl clear vial	AG3U	250mL unreserved plastic
VG9H	40mL HCl clear vial	AG2U	500mL unreserved plastic
VG9S	40mL Sulfuric clear vial	AG1U	1L unreserved plastic
VG9T	40mL Na Thiosulfate vial	AG34	125mL HNO3 plastic
DG9Y	40mL Citrate-Na Thiosulfate	AG3S	250mL H2SO4 plastic
DG9P	40mL amber vial - TSP	AG4E	500mL HNO3 plastic
DG9A	Ascorbic/Malic Acid 40mL	AG3T	250mL H2SO4 plastic
DG6T	Na Thio 60mL Vial	AG2R	500mL H2SO4 plastic
DG9S	Ammonium Cl/CuSO4 40mL	AG1T	Na Thiosulfate 1L bottle
CG1U	1L Unpres. Jar (Con Ed)	AG1H	250mL Trizma
VG9C	8oz clear spill jar	AG1A	250mL Ammonium Acetate
WG4O	4oz clear spill jar	AG5U	100mL unpres Amber Glass
		BP1Z	1L NaOH, Zn Acetate
		BP1N	1L HNO3 plastic
		BP1B	Na Thiosulfate Amber Bottle

Code	Description	Material	Matrix
SP5T	120mL Coliform Na Thio		
R	Terracore Kit		
WG2U	1oz Unpreserved Jar		
WG2U	1oz Unpreserved Jar		
WG2U	1oz Unpreserved Jar		
WG2U	1oz Unpreserved Jar		
ZPLC	Ziplock Bag		
TEDL	Tedlar Bag		
BG1H	1L HCL Clear Glass		
GN	General		
WP	Wipe		
LLHG	Low Level Hg Bottles		
BG1N	1L HNO3 Clear Glasses		

Code	Description	Material	Matrix
BP1U	1L unreserved plastic	WT	Water
BP3W*	250mL HNO3 plastic	SL	Solid
BP3C	250mL Sodium Hydroxide	NAL	Non-aqueous Liquid
AG2U	500mL unpres amber glass	OL	OIL
BP3U	250mL unreserved plastic	WP	Wipe
		DW	Drinking Water

\* Can also be a BP4N

Code	Description	Material	Matrix
VG9T	40mL Na Thio amber vial		
DG9A	40mL Ascorbic acid/malic Acid vials		
DG9Y	Citrate/Na Thiosulfate 40mL		
DG6T	Na Thiosulfate 60mL vial		
DG6M	MonoChloric/Na Thio 60mL		
AG3U	250mL unpres amber glass		
AG3T	Na Thiosulfate 250mL bottle		
BP1B	Na Thiosulfate Amber bottle		
AG1T	Na Thiosulfate 1L Amber		
AG1A	525.3 Chemical Blend		

Sender Initials AE B

5 pgs of COC

Additional Comments

Effective Date:

WO#: 70326673

Client Name: WATERTOWN Project #

PM: MC1 Due Date: 12/24/24

CLIENT: WATERTOWN

Courier: Fed Ex UPS USPS Client Commercial Pac Other

Tracking #:

Custody Seal on Cooler/Box Present: Yes No Seals intact: Yes No Temperature Blank Present: Yes No

Packing Material: Bubble Wrap Bubble Bags Ziploc Non Other Type of Ice: Wet Blue None

Thermometer Used: TH211 Correction Factor: 0.0 Samples on ice, cooling process has begun

Cooler Temperature (C): 18.9 Cooler Temperature Corrected (C): 18.9 Date/Time 5035A kits placed in freezer

Temp should be above freezing to 6.0C

USDA Regulated Soil ( N/A, water sample)

Did samples originate in a quarantine zone within the United States: AL, AR, CA, FL, GA, ID, LA, MS, NC, NM, NY, OK, OR, SC, TN, TX, or VA (check map)? Yes No

Did samples originate from a foreign source including Hawaii and Puerto Rico? Yes No

If Yes to either question, fill out a Regulated Soil Checklist (ENV-FRM-MELV-0076) and include with SCUR/COC paperwork.

Date and Initials of person examining contents: 12/16/24 GJ

Table with 12 rows and 2 columns: Question/Requirement and COMMENTS. Includes items like Chain of Custody Present, Samples Arrived within Hold Time, etc.

Date and Initials of person checking preservation: 12/16/24 GJ

Table with 13 rows and 2 columns: Question/Requirement and Sample #. Includes items like All containers needing preservation have been, Samples checked for dechlorination, etc.

Client Notification/ Resolution:

Field Data Required? Y / N

Person Contacted:

Date/Time:

Comments/ Resolution:

\* PM (Project Manager) review (which includes the SCUR) is documented electronically in LIMS.