

- 1. Read the IAQ
 Backgrounder and
 the Background
 Information for
 this checklist.
- 2. Keep the
 Background
 Information and
 make a copy of
 the checklist for
 future reference.
- 3. Complete the Checklist.
 - Check the "yes,"
 "no," or
 "not applicable"
 box beside each
 item. (A "no"
 response requires
 further attention.)
 - Make comments in the "Notes" section as necessary.
- 4. Return the checklist portion of this document to the IAQ Coordinator.

Building and Grounds Maintenance Checklist

Name: Jeff Soura	
School: Bularille Consolidar	
Room or Area:	Date Completed:
Signature:	

1.	BUILDING MAINTENANCE SUPPLIES	No	N/A
1a.	Developed appropriate procedures and stocked supplies for spill control		
	Reviewed supply labels		
1c.			A
1d.	Stored chemical products and supplies in sealed, clearly labeled containers		
1e.	Researched and selected the safest products available		
1f.	Ensured that supplies are being used according to manufacturers' instructions		
1g.	Ensured that chemicals, chemical-containing wastes, and containers are disposed of according to manufacturers' instructions		۵
1h.			
1i.	Scheduled work involving odorous or hazardous chemicals for periods when the school is unoccupied	۵	
1j.	Ventilated affected areas during and after the use of odorous or hazardous chemicals		2
2.	GROUNDS MAINTENANCE SUPPLIES		
2a.	Stored grounds maintenance supplies in appropriate area(s)		
	Ensured that supplies are used and stored according to manufacturers' instructions		
2c.	Established and followed procedures to minimize exposure to fumes from supplies		
2d.	Reviewed and followed manufacturers' guidelines for maintenance		
2e.	Replaced portable gas cans with low-emission cans		
2f.	Stored chemical products and supplies in sealed, clearly-labeled containers		
2g.	Ensured that chemicals, chemical-containing wastes, and containers are disposed of according to manufacturers' instructions		
3.	DUST CONTROL		
	Installed and maintained barrier mats for entrances		
	Used high efficiency vacuum bags		
	Used proper dusting techniques		
	Wrapped feather dusters with a dust cloth		2
3e	Cleaned air return grilles and air supply vents		

4.	FLOOR CLEANING	Yes	No	N/A	
4a.	Established and followed schedule for vacuuming and mopping floors				
4b.	Cleaned spills on floors promptly (as necessary)	D			
4c.	Performed restorative maintenance (as necessary)				
5 .	DRAIN TRAPS				
5a.	Poured water down floor drains once per week (about 1 quart of water)	D			
	Ran water in sinks at least once per week (about 2 cups of water)	_			The state of the s
5c.	Flushed toilets once each week (if not used regularly)	🗾	Q		
6.	MOISTURE, LEAKS, AND SPILLS				
	Checked for moldy odors				
6b.	Inspected ceiling tiles, floors, and walls for leaks or discoloration (may				
60	indicate periodic leaks) Checked areas where moisture is commonly generated (e.g., kitchens,				
oc.	locker rooms, and bathrooms)	🗷			
6d.	Checked that windows, windowsills, and window frames are free of	•			
	condensate	. 🔎			
6e.	Checked that indoor surfaces of exterior walls and cold water pipes are				
6f	free of condensate				
UI.	Indoor areas near known roof or wall leaks				
	Walls around leaky or broken windows			Ø	
	Floors and ceilings under plumbing				
	Duct interiors near humidifiers, cooling coils, and outdoor air intakes				
7.	COMBUSTION APPLIANCES				
7a.	Checked for odors from combustion appliances	2			
7b.	Checked appliances for backdrafting (using chemical smoke)	🗖		2	
7c.	Inspected exhaust components for leaks, disconnections, or deterioration	₽			
7d.	Inspected flue components for corrosion and soot				
8.	PEST CONTROL				
8a.	Completed the Integrated Pest Management Checklist	d			



- Read the IAQ
 Backgrounder and
 the Background
 Information for
 this checklist.
- 2. Keep the
 Background
 Information and
 make a copy of
 the checklist for
 future reference.
- 3. Complete the Checklist.
 - Check the "yes,"
 "no," or
 "not applicable"
 box beside each
 item. (A "no"
 response
 requires further
 attention.)
 - Make comments in the "Notes" section as necessary.
- Return the checklist portion of this document to the IAQ Coordinator.

Waste Management Checklist

Name:	
School:	
Room or Area:	Date Completed:
Signature:	

1.	WASTE MANAGEMENT		
		No	N/A
1a.	Ensured that waste containers are appropriate for use (for example,		
	food waste containers should have lids)		
1b.	Ensured that waste containers are lined		
1c.	Ensured that waste from art, science, vocational classes, etc., are		
	handled separately		
1d.	Labeled recycling bins clearly		
le.	Ensured number of bins and dumpsters is adequate		
1 f.	Ensured appropriate location of dumpsters (i.e., away from air intakes,		
	doors, and operable windows in relation to prevailing winds)		
1g.	Ensured waste containers are emptied regularly		
1h.	Ensured appropriate waste removal schedule		
1i.	Ensured waste is stored in a well-ventilated room		
1j.	Ensured any exhaust fans in the room are operating properly		
1k.	Checked waste storage areas for odors, contaminants, or signs of vermin		



Food Service Checklist

Name: Tell Source	9
School: Balwille	Consolidated School
Room or Area:	Date Completed: 12/23/24
Signature:	est.
Signature;	The state of the s

Instructions

- Read the IAQ
 Backgrounder and the Background Information for this checklist.
- 2. Keep the
 Background
 Information and
 make a copy of
 the checklist for
 future reference.
- 3. Complete the Checklist.
 - Check the "yes,"
 "no," or
 "not applicable"
 box beside each
 item. (A "no"
 response
 requires further
 attention.)
 - Make comments in the "Notes" section as necessary.
- 4. Return the checklist portion of this document to the IAQ Coordinator.

1. COOKING AREA

1a.	Determined that local exhaust fans operate properly (note if fans are excessively noisy)		No □	N/A
1b.	Checked for odors near cooking, preparation, and eating areas			
	Ensured that exhaust fans are used whenever cooking, washing dishes, and cleaning			
1d.	Determined that gas appliances function properly			
	Verified that gas appliances are vented outdoors			
1f.	Ensured there are no combustion gas or natural gas odors, leaks, backdrafting, or headaches when gas appliances are used			
1g.	Ensured that kitchen is clean after use	1		
1h.	Checked for signs of microbiological growth in the kitchen, including the upper walls and ceiling (for example, mold, slime, and algae)	7		
1i.	Selected biocides registered by EPA (if required), followed the manufacturer's directions for use, and carefully reviewed the method of application	-		
1;	Verified the kitchen is free of plumbing and ceiling leaks (signs include		_	_
1j.	stains, discoloration, and damp areas)	í		
2.	FOOD HANDLING AND STORAGE			
2a.	Checked food preparation, cooking, and storage areas for signs of insects and vermin (for example, feces or remains)	ì		
2b.	Stored leftovers in well-sealed containers with no traces of food on outside surfaces	ì		
2c.	Ensured that food preparation, cooking, and storage practices are sanitary	r		
2d.	Disposed of food scraps properly and removed crumbs	1		
2e.	Cleaned counters with soap and water or a disinfectant (according to school policy)	r		
2f.	Swept and wet mopped floors			
		•	_	
3.	WASTE MANAGEMENT			
3a.	Selected and placed waste in appropriate containers	r		
	Ensured that containers' lids are securely closed			
3c.	Separated food waste and food-contaminated items from other wastes, if possible	ì		
3d.	Stored waste containers in a well-ventilated area		_	_
3e.	Ensured that dumpsters are properly located (away from air intake vents, operable windows, and food service doors in relation to		_	_
	prevailing winds)	ı.		

4. DELIVERIES Yes No N/A 4a. Instructed vendors to avoid idling their engines during deliveries 4b. Posted a sign prohibiting vehicles from idling their engines in receiving areas

and kitchen

4c. Ensured that doors or air barriers are closed between receiving area





- 1. Read the IAQ
 Backgrounder and
 the Background
 Information for
 this checklist.
- 2. Keep the
 Background
 Information and
 make a copy of
 the checklist for
 future reference.
- 3. Complete the Checklist.
 - Check the "yes,"
 "no," or
 "not applicable"
 box beside each
 item. (A "no"
 response
 requires further
 attention.)
 - Make comments in the "Notes" section as necessary.
- Return the checklist portion of this document to the IAQ Coordinator.

Integrated Pest Management Checklist

_				
	Tame: Teff Sonia			
S	chool: Balaville Considerted Shool			
R	oom or Area: Date Completed: 12/23/2	4		
	ignature:			
	Elleria.			-
_				
1.	OFFICIAL POLICY STATEMENT	Yes	No	N/A
la.	Developed or located the school's official policy statement for integrated	1		
	pest management (IPM)		ч	Ц
2.	DESIGNATING PEST MANAGEMENT ROLES			
2a.	Assigned and trained a qualified person to be the pest manager	Ø		
	Involved decision makers in the IPM program	A		
2c.	Educated students and staff (the occupants of the building) about IPM and asked them to keep their areas clean and free of clutter	7		
2d.	Encouraged parents to learn about IPM practices and implement them		_	_
2-	at home			
2e. 2f.	Developed a program to educate and train all IPM participants Included language about IPM into contracts with pest management	1	ш	
	professionals	Ø		
3.	SETTING PEST MANAGEMENT OBJECTIVES			
Ja.	Set appropriate pest management objectives for school buildings (such as preventing pests from interfering with students' learning environment			
01	and preserving the integrity of the building structure)	Ø		
3b.	Set appropriate pest management objectives for school grounds (such as providing safe playing areas and the best athletic surfaces possible)	7		
	providing sare playing areas and the best atmetic surfaces possible)	تعر	_	_
4.	INSPECTING, IDENTIFYING, AND MONITORING			
4a.	Inspected all buildings and grounds for pest evidence, entry points,	-1	_	
4h	food, water, and harborage sites		u	
4c.	·		<u> </u>	Ø
4d.	Monitored to determine the extent of pest problems and to estimate pest		_	
<i>1</i> =	populations Developed plans to modify habitat (for example, exclusion, repair, and	2		
-, €.	sanitation efforts) to prevent or resolve any pest problems]
4f.	Established a monitoring program that consists of routine inspections to			
	estimate pest population levels and identify evidence of pests and			

5. SETTING ACTION THRESHOLDS Yes No N/A 5a. Evaluated all available data obtained through inspecting, identifying, 5b. Determined how many pests the school buildings, grounds, and occupants can tolerate 5c. Set action thresholds 6. PREVENTIVE STRATEGIES **INDOOR SITES** 6a. Implemented appropriate strategies to prevent pests from inhabiting the following areas: • Entryways • Classrooms • Gymnasiums • Locker rooms • Offices • Staff lounges • Bathrooms • Food preparation and serving areas • Rooms with extensive plumbing Maintenance areas • Other **OUTDOOR SITES** 6b. Implemented appropriate strategies to prevent pests from inhabiting the following areas: • Playgrounds • Parking lots • Lawns and athletic fields..... • Teaching gardens or greenhouses. Z • Loading docks • Dumpsters • Areas with ornamental shrubs and trees • Other 7. PESTICIDE USE AND STORAGE 7a. Explored alternative pest management methods before concluding that pesticides were necessary 7b. Ensured that pest management professionals integrate IPM into their pest management methods 7c. Identified the least toxic, target-specific chemical (or pesticide formulation) that is the most effective to address the pest problem, preferably as baitsand granules 7d. Reviewed and followed all label instructions on pesticides and learned how to properly apply and handle these chemicals 7e. Used spot-treatment (or bait, crack, and crevice applications) to apply pesticides whenever possible and only treated the obviously infested plants in the area 7g. Placed all pesticides in tamper-resistant bait boxes or locations that are

inaccessible to children and non-target species......





7 .	PESTICIDE USE AND STORAGE (cont.)		
7h.	Locked or fastened lids of all bait boxes and placed bait away from the runway of the box	No	N/A
7i.	Applied pesticides when occupants were not present or in areas where they would not be exposed to the chemicals		
7j.	Ensured that school occupants (students and staff) are notified of upcoming pesticide applications through posted notices and/or letters		
7k.	Ensured that parents are notified of upcoming pesticide applications through letters		
71.	Kept copies of current pesticide labels and information on pesticides easily accessible	П	
7m.	Stored pesticides off site or in areas that are locked and accessible only to designated personnel	<u> </u>	
7n.	Ensured that storage areas are adequately ventilated and are located away from areas prone to flooding or where spills or leaks may contaminate		
	the environment		
7o.	Ensured that flammable liquids are stored away from ignition sources		
7p.	Ensured that pesticides are stored in their original containers and all lids are securely fastened		ø
7q.	Ensured that air in the storage space cannot mix with the air in the central ventilation system		
8.	EVALUATING RESULTS AND RECORD KEEPING		

8. EVALUATING RESULTS AND RECORD KEEPING8a. Ensured that accurate, up-to-date records of IPM practices and a pest

8b.	Ensured that pesticide records necessary to meet all state, local, and school	
	board requirements are maintained	
8c.	Ensured that each log book contains the following items:	
	• Copy of the pest management plan	
	• Service schedules for maintenance of buildings and grounds	
	• Current EPA-registered labels	
	• Current Material Safety Data Sheets (MSDS) for each pesticide project	
	• Pest surveillance data sheets	M

• Diagram noting the location of pest activity, traps, and bait stations.......

management log for each property are kept



- 1. Read the IAQ
 Backgrounder and
 the Background
 Information for
 this checklist.
- 2. Keep the
 Background
 Information and
 make a copy of
 this checklist for
 each ventilation
 unit in your school,
 as well as a
 copy for future
 reference.
- 3. Complete the Checklist.
 - Check the "yes,"
 "no," or
 "not applicable"
 box beside each
 item. (A "no"
 response
 requires further
 attention.)
 - Make comments in the "Notes" section as necessary.
- Return the checklist portion of this document to the IAQ Coordinator.

Ventilation Checklist

		_
Name: Jeff Sourg		
School: Bakerille Consolidated School		_
Unit Ventilator/AHU No:		_
Room or Area: Date Completed: 12/23/24		
Signature: Allen		
Julius Times		
1. OUTDOOR AIR INTAKES		
1a. Marked locations of all outdoor air intakes on a small floor plan (for example, a fire escape floor plan)		N/
1b. Ensured that the ventilation system was on and operating in "occupied"		
mode		
ACTIVITY 1: OBSTRUCTIONS		
1c. Ensured that outdoor air intakes are clear of obstructions, debris, clogs, or covers		
1d. Installed corrective devices as necessary (e.g., if snowdrifts or leaves		Ī
frequently block an intake)		
ACTIVITY 2: POLLUTANT SOURCES		
1e. Checked ground-level intakes for pollutant sources (dumpsters, loading		Г
docks, and bus-idling areas) 1f. Checked rooftop intakes for pollutant sources (plumbing vents; kitchen,	_	
toilet, or laboratory exhaust fans; puddles; and mist from		
air-conditioning cooling towers)		Ļ
intakes (e.g., relocated dumpster or extended exhaust pipe)		
ACTIVITY 3: AIRFLOW		
1h. Obtained chemical smoke (or a small piece of tissue paper or light plastic)		G
1i. Confirmed that outdoor air is entering the intake appropriately		
2. SYSTEM CLEANLINESS		
ACTIVITY 4: AIR FILTERS		
2a. Replaced filters per maintenance schedule		
2b. Shut off ventilation system fans while replacing filters (prevents dirt from blowing downstream)		Į
2c. Vacuumed filter areas before installing new filters		Ç
2d. Confirmed proper fit of filters to prevent air from bypassing (flowing around) the air filter.		Г
around, the air tillet	_	•

2. SYSTEM CLEANLINESS (continued)

ACTIVITY 5: DRAIN PANS Yes No N/A 2f. Ensured that drain pans slant toward the drain (to prevent water from 2g. Cleaned drain pans **ACTIVITY 6: COILS** 2i. Ensured that heating and cooling coils are clean **ACTIVITY 7: AIR-HANDLING UNITS, UNIT VENTILATORS** 2j. Ensured that the interior of air-handling unit(s) or unit ventilator (air-mixing chamber and fan blades) is clean 2k. Ensured that ducts are clean _______ **ACTIVITY 8: MECHANICAL ROOMS** 21. Checked mechanical room for unsanitary conditions, leaks, and spills 2m. Ensured that mechanical rooms and air-mixing chambers are free of trash, chemical products, and supplies 3. CONTROLS FOR OUTDOOR AIR SUPPLY 3a. Ensured that air dampers are at least partially open (minimum position) 3b. Ensured that minimum position provides adequate outdoor air for occupants ______ **ACTIVITY 9: CONTROLS INFORMATION** 3c. Obtained and reviewed all design inside/outside temperature and humidity requirements, controls specifications, as-built mechanical drawings, and controls operations manuals (often uniquely designed)...... **ACTIVITY 10: CLOCKS, TIMERS, SWITCHES** 3e. Set time clocks appropriately..... 3f. Ensured that settings fit the actual schedule of building use (including **ACTIVITY 11: CONTROL COMPONENTS** 3g. Ensured appropriate system pressure by testing line pressure at both the 3h. Checked that the line dryer prevents moisture buildup 3i. Replaced control system filters at the compressor inlet based on the compressor manufacturer's recommendation (for example, when you blow down the tank)..... Set the line pressure at each thermostat and damper actuator at the proper level (no leakage or obstructions) **ACTIVITY 12: OUTDOOR AIR DAMPERS** 3k. Ensured that the outdoor air damper is visible for inspection...... 31. Ensured that the recirculating relief and/or exhaust dampers are visible 3m. Ensured that air temperature in the indoor area(s) served by each outdoor air damper is within the normal operating range



NOTE: It is necessary to ensure that the damper is operating properly and within the normal range to continue.



3. CONTROLS FOR OUTDOOR AIR SUPPLY (continued)		
3n. Checked that the outdoor air damper fully closes within a few minutes of shutting off appropriate air handler	No	N/A
30. Checked that the outdoor air damper opens (at least partially with no delay) when the air handler is turned on		
3p. If in heating mode, checked that the outdoor air damper goes to its minimum position (without completely closing) when the room thermostat is set to 85°F		o.
3q. If in cooling mode, checked that the outdoor air damper goes to its minimum position (without completely closing) when the room thermostat is set to 60°F and mixed air thermostat is set to 45°F	0	٥
3r. If the outdoor air damper does not move, confirmed the following items:The damper actuator links to the damper shaft, and any linkage set	П	⊘ ′
screws or bolts are tight□ • Moving parts are free of impediments (e.g., rust, corrosion)□	0	Z
• Electrical wire or pneumatic tubing connects to the damper actuator□		
• The outside air thermostat(s) is functioning properly (e.g., in the right location, calibrated correctly)□		Ø
Proceed to Activities 13–16 if the damper seems to be operating properly.		
ACTIVITY 13: FREEZE STATS		
3s. Disconnected power to controls (for automatic reset only) to test continuity across terminals		
OR 3t. Confirmed (if applicable) that depressing the manual reset button (usually red) trips the freeze stat (clicking sound indicates freeze stat was tripped)	a a	
3u. Assessed the feasibility of replacing all manual reset freeze-stats with automatic reset freeze-stats		
NOTE: HVAC systems with water coils need protection from the cold. The freeze-staclose the outdoor air damper and disconnect the supply air when tripped. The typic range is 35°F to 42°F.		
ACTIVITY 14: MIXED AIR THERMOSTATS		
3v. Ensured that the mixed air stat for heating mode is set no higher than 65°F ✓		
3w. Ensured that the mixed air stat for cooling mode is set no lower than the room thermostat setting		0
ACTIVITY 15: ECONOMIZERS		
3x. Confirmed proper economizer settings based on design specifications or local practices		
NOTE: The dry-bulb is typically set at 65°F or lower.		
3y. Checked that sensor on the economizer is shielded from direct sunlight3z. Ensured that dampers operate properly (for outside air, return air,		
exhaust/relief air, and recirculated air), per the design specifications		
NOTE: Economizers use varying amounts of cool outdoor air to assist with the coo	lina	

NOTE: Economizers use varying amounts of cool outdoor air to assist with the cooling load of the room or rooms. There are two types of economizers, dry-bulb and enthalpy. Dry-bulb economizers vary the amount of outdoor air based on outdoor temperature, and enthalpy economizers vary the amount of outdoor air based on outdoor temperature and humidity level.

3. CONTROLS FOR OUTDOOR AIR SUPPLY (continued) **ACTIVITY 16: FANS** 3aa. Ensured that all fans (supply fans and associated return or relief fans) that move outside air indoors continuously operate during occupied Yes No N/A hours (even when room thermostat is satisfied) NOTE: If fan shuts off when the thermostat is satisfied, adjust control cycle as necessary to ensure sufficient outdoor air supply. 4. AIR DISTRIBUTION **ACTIVITY 17: AIR DISTRIBUTION** 4a. Ensured that supply and return air pathways in the existing ventilation system perform as required. 4b. Ensured that passive gravity relief ventilation systems and transfer grilles between rooms and corridors are functioning NOTE: If ventilation system is closed or blocked to meet current fire codes, consult with a professional engineer for remedies. 4c. Made sure every occupied space has supply of outdoor air (mechanical Z system or operable windows) NOTE: If outlets have been blocked intentionally to correct drafts or discomfort, investigate and correct the cause of the discomfort and reopen the vents. 4e. Modified the HVAC system to supply outside air to areas without an outdoor Modified existing HVAC systems to incorporate any room or zone layout and population changes 4g. Moved all barriers (for example, room dividers, large free-standing blackboards or displays, bookshelves) that could block movement of air in the room, especially those blocking air vents 4h. Ensured that unit ventilators are quiet enough to accommodate classroom activities 4i. Ensured that classrooms are free of uncomfortable drafts produced by air from supply terminals **ACTIVITY 18: PRESSURIZATION IN BUILDINGS** NOTE: To prevent infiltration of outdoor pollutants, the ventilation system is designed to maintain positive pressurization in the building. Therefore, ensure that the system, including any exhaust fans, is operating on the "occupied" cycle when doing this activity. 4j. Ensured that air flows out of the building (using chemical smoke) through windows, doors, or other cracks and holes in exterior wall (for example, 5. EXHAUST SYSTEMS **ACTIVITY 19: EXHAUST FAN OPERATION** If fans are running but air is not flowing toward the exhaust intake, check for the following: • Inoperable dampers · Obstructed, leaky, or disconnected ductwork

Undersized or improperly installed fan

· Broken fan belt






5. EXHAUST SYSTEMS (continued)

ACTIVITY 20: EXHAUST AIRFLOW

NOTE: Prevent migration of indoor contaminants from areas such as bathrooms, kits and labs by keeping them under negative pressure (as compared to surrounding space)		5,
5b. Checked (using chemical smoke) that air is drawn into the room from adjacent spaces	No	N/A
Stand outside the room with the door slightly open while checking airflow high and lethe door opening (see "How to Measure Airflow").	ow ir	ı
5c. Ensured that air is flowing toward the exhaust intake		
ACTIVITY 21: EXHAUST DUCTWORK 5d. Checked that the exhaust ductwork downstream of the exhaust fan (which is under positive pressure) is sealed and in good condition	۵	<u> </u>
6. QUANTITY OF OUTDOOR AIR		
ACTIVITY 22: OUTDOOR AIR MEASUREMENTS AND CALCULATIONS		
NOTE: Refer to "How to Measure Airflow" for techniques.		
6a. Measured the quantity of outdoor air supplied (22a) to each ventilation unit		
6b. Calculated the number of occupants served (22b) by the ventilation unit under consideration		
6c. Divided outdoor air supply (22a) by the number of occupants (22b) to determine the existing quantity of outdoor air supply per person (22c)		
ACTIVITY 23: ACCEPTABLE LEVELS OF OUTDOOR AIR QUANTITIES		
6d. Compared the existing outdoor air per person (22c) to the recommended levels in Table 1		
6e. Corrected problems with ventilation units that supplied inadequate quantities of outdoor air to ensure that outdoor air quantities (22c) meet the recommended levels in Table 1		Ø



- 1. Read the IAQ
 Backgrounder and
 the Background
 Information for
 this checklist.
- 2. Keep the
 Background
 Information and
 make a copy of
 the checklist for
 future reference.
- 3. Complete the Checklist.
 - Check the "yes," "no," or "not applicable" box beside each item. (A "no" response requires further attention.)
 - Make comments in the "Notes" section as necessary.
- Return the checklist portion of this document to the IAQ Coordinator.

Walkthrough Inspection Checklist

Name: Teff Sousa	
School: Bakeville Consolidat	ed School
	Date Completed: 12/23/24
Signature:	

1.	GROUND LEVEL	Yes	No	N/A
1a.	Ensured that ventilation units operate properly			
	Ensured there are no obstructions blocking air intakes			
	Checked for nests and droppings near outdoor air intakes			
	Determined that dumpsters are located away from doors, windows, and outdoor air intakes			
1e.	Checked potential sources of air contaminants near the building (chimneys, stacks, industrial plants, exhaust from nearby buildings)	.		
1f.	Ensured that vehicles avoid idling near outdoor air intakes	Z		
1g.	Minimized pesticide application	<u>a</u>		
1h.	Ensured that there is proper drainage away from the building (including roof downspouts)	/		
1i.	Ensured that sprinklers spray away from the building and outdoor air intakes	🗅		A
1j.	Ensured that walk-off mats are used at exterior entrances and that they are cleaned regularly	🗹		
2.	ROOF			
Wh	ile on the roof, consider inspecting the HVAC units (use the Ventilation Che	cklist).	
2b. 2c. 2d. 2e. 2f.	Ensured that the roof is in good condition Checked for evidence of water ponding Checked that ventilation units operate properly (air flows in) Ensured that exhaust fans operate properly (air flows out) Ensured that air intakes remain open, even at minimum setting Checked for nests and droppings near outdoor air intakes			
2g.	Ensured that air from plumbing stacks and exhaust outlets flows away from outdoor air intakes	,		
3.	ATTIC			
	Checked for evidence of roof and plumbing leaks			
4.	GENERAL CONSIDERATIONS			
4a.	Ensured that temperature and humidity are maintained within acceptable ranges	🛭		
4b.	Ensured that no obstructions exist in supply and exhaust vents	•	ā	
	Checked for odors	-		_
	Checked for signs of mold and mildew growth		_	

4. (GENERAL CONSIDERATIONS (continued)		Nο	N/A	1	-	3				25	25	25	75	75	
	Checked for signs of water damage	ď				3		1								
_	Noted and reviewed all concerns from school occupants BATHROOMS AND GENERAL PLUMBING					N		1	I.L.							
	Ensured that bathrooms and restrooms have operating exhaust fans			<u> </u>		Ş				Ma	A. L.					
	Water is poured down floor drains once per week (approx. 1 quart of water). Water is poured into sinks at least once per week (about 2 cups of water)															
	Toilets are flushed at least once per week (about 2 cups of water)		0													
6.	MAINTENANCE SUPPLIES															
	Ensured that chemicals are used only with adequate ventilation and when building is unoccupied	a		<u> </u>												
6b.	Ensured that vents in chemical and trash storage areas are operating properly	ď														
6c.	Ensured that portable fuel containers are properly closed	1														
6d.	Ensured that power equipment, like snowblowers and lawn mowers, have been serviced and maintained according to manufacturers' guidelines	1														
7.	COMBUSTION APPLIANCES															
7a.	Checked for combustion gas and fuel odors	0														
	Checked for leaks, disconnections, and deterioration															
			_	_												
8.	OTHER															
	Checked for peeling and flaking paint (if the building was built before 1980, this could be a lead hazard)															
8b.	Determined date of last radon test	1														