LIC 701 (8/08) (Confidential)

## PHYSICIAN'S REPORT—CHILD CARE CENTERS

(CHILD'S PRE-ADMISSION HEALTH EVALUATION) PART A - PARENT'S CONSENT (TO BE COMPLETED BY PARENT) is being studied for readiness to enter born (BIRTH DATE) (NAME OF CHILD) . This Child Care Center/School provides a program which extends from \_ (NAME OF CHILD CARE CENTER/SCHOOL) days a week. a.m./p.m. to \_\_\_\_\_ a.m./p.m. , \_\_\_ Please provide a report on above-named child using the form below. I hereby authorize release of medical information contained in this report to the above-named Child Care Center. (TODAY'S DATE) (SIGNATURE OF PARENT, GUARDIAN, OR CHILD'S AUTHORIZED REPRESENTATIVE) PART B - PHYSICIAN'S REPORT (TO BE COMPLETED BY PHYSICIAN) Problems of which you should be aware: Allergies: medicine: Hearing: insect stings: Vision: Food: Developmental: Asthma: Language/Speech: Dental: Other (Include behavioral concerns): Comments/Explanations: MEDICATION PRESCRIBED/SPECIAL ROUTINES/RESTRICTIONS FOR THIS CHILD: IMMUNIZATION HISTORY: (Fill out or enclose California Immunization Record, PM-298.) DATE EACH DOSE WAS GIVEN VACCINE 5th 4th 2nd 3rd 1st POLIO (OPV OR IPV) (DIPHTHERIA, TETANUS AND [ACELLULAR] PERTUSSIS OR TETANUS AND DIPHTHERIA ONLY) DTP/DTaP/ DT/Td (MEASLES, MUMPS, AND RUBELLA) MMR (RECURRED FOR CHILD CARE ONLY) (HAEMOPHILUS B) HIB MENINGITIS **HEPATITIS B** 1 **VARICELLA** (CHICKENPOX) SCREENING OF TB RISK FACTORS (listing on reverse side) Risk factors not present; TB skin test not required. Risk factors present; Mantoux TB skin test performed (unless previous positive skin test documented). Communicable TB disease not present. reviewed the above information with the parent/guardian. I have have not Date of Physical Exam: Physician: Date This Form Completed: \_ Address: Signature. Telephone: Physician's Assistant Nurse Practitioner Physician

## **RISK FACTORS FOR TB IN CHILDREN:**

- Have a family member or contacts with a history of confirmed or suspected TB.
- \* Are in foreign-born families and from high-prevalence countries (Asia, Africa, Central and South America).
- Live in out-of-home placements.
- Have, or are suspected to have, HIV infection.
- Live with an adult with HIV seropositivity.
- Live with an adult who has been incarcerated in the last five years.
- Live among, or are frequently exposed to, individuals who are homeless, migrant farm workers, users of street drugs, or residents in nursing homes.
- Have abnormalities on chest X-ray suggestive of TB.
- Have clinical evidence of TB.

. Consult with your local health department's TB control program on any aspects of TB prevention and treatment.