

SHELTER ISLAND SCHOOL

| FLO# | Bottle # | Field # | Collection Date | Time | Source |
|------|----------|---------|-----------------|------|--|
| 525 | 2 | 000 | 10-4-16 | 0600 | Room 1 Main sink |
| 526 | 3 | 001 | 10-4-16 | 0602 | Room 1 Bathroom sink |
| 527 | 63 | 002 | 10-4-16 | 0606 | Slop Sink Basement Workshop |
| 528 | 4 | 003 | 10-4-16 | 0608 | Room 2 Sink |
| 529 | 6 | 004 | 10-4-16 | 0610 | South Elementary Water Fountain |
| 530 | 15 | 005 | 10-4-16 | 0612 | Kitchen Middle Sink #2 |
| 531 | 16 | 006 | 10-4-16 | 0613 | Kitchen Right Sink #3 |
| 532 | 18 | 007 | 10-4-16 | 0615 | Cafeteria Hand Wash Sink |
| 533 | 30 | 008 | 10-4-16 | 0618 | Girls Bathroom Gym/Tech Area Right Sink |
| 534 | 32 | 009 | 10-4-16 | 0620 | Boys Locker Room Bathroom Sink |
| 535 | 34 | 010 | 10-4-16 | 0622 | Girls Locker Room Left Bathroom Sink |
| 536 | 35 | 011 | 10-4-16 | 0623 | Girls Locker Room Right Bathroom Sink |
| 537 | 40 | 012 | 10-4-16 | 0626 | Nurses Bathroom Sink |
| 538 | 45 | 013 | 10-4-16 | 0628 | Room 44 Lab Sink |
| 539 | 46 | 014 | 10-4-16 | 0630 | Room 44 Back Sink |
| 540 | 47 | 015 | 10-4-16 | 0632 | Custodial Closet 2nd Floor @ Science Rms |
| 541 | 49 | 016 | 10-4-16 | 0634 | Room 43 Lab Sink |
| 542 | 53 | 017 | 10-4-16 | 0636 | 2nd Floor Men's Room @ Science Rms. |
| 543 | 55 | 018 | 10-4-16 | 0638 | Girls Bathroom 3rd Floor Left Sink |
| 544 | 56 | 019 | 10-4-16 | 0639 | Girls Bathroom 3rd Floor Right Sink |
| 545 | 57 | 020 | 10-4-16 | 0642 | Custodial Closet 3rd Floor |
| 546 | 61 | 021 | 10-4-16 | 0644 | Boys Bathroom 3rd floor Right Sink |
| 547 | 65 | 022 | 10-4-16 | 0750 | Varsity Baseball Field 3rd Base Side |
| 548 | 68 | 023 | 10-4-16 | 0754 | South Little League Field 1st Base Side |

FROM:

ORIGINAL COPY

HARRY GOLDMAN WATER TESTING
PO BOX 859
MATTITUCK NY 11952

Work Order
91678

SCHD ID#5108070*
MIKE DUNNING 872# WITH ANY ?

701416

631-298-4640

Serviced By 1/9/15 NITS 2ND QTR
Schd: 08:00A-08:00A
MAP CODE - SCHD ALARM

A.F.

B A SHELTER ISLAND SCHOOL
I D MICHAEL HYNES
L R PO BOX 2015
E SHELTER ISLAND NY 11964
N S
G S


Tax Ex
Bill I

B A SHELTER ISLAND SCHOOL
D D SCHD ID#5108070*
R R 33 NORTH FERRY ROAD
V V SHELTER ISLAND NY 11964
I I
C C
S S

| ACCOUNT NUMBER | HOME PHONE | BUSINESS PHONE | REQUEST DATE | WTY | C/B | RENT | COD | CHRG | CALL FIRST | SCHEDULE DATE | SERVICE DATE |
|----------------|--------------|----------------|--------------|-----|-----|------|-----|------|------------|---------------|--------------|
| 232330 | 631-749-8302 | 631-872-5104 | 10/04/16 | | | | | X | | 10/04/16 | 10/6/16 |

| INSTALLED EQUIPMENT | INSTALL DATE | REASON FOR SERVICE CALL |
|---------------------|--------------|--|
| | | 09 HANDBASE TEST DUPLICATE TEST MM COLLECTED BY CUS 24X SAMPLES |

| PARTS AND MATERIAL USED ON CALL | | | | |
|---------------------------------|----------|---|------------|-------|
| QTY | PART NO. | DESCRIPTION | UNIT PRICE | TOTAL |
| | | ALL SAMPLES COLLECTED BY MIKE DUNNING - FIRST DRAW - 10/4/16 | | |



| DATE | DESCRIPTION |
|----------|---|
| 09/23/16 | 09 LEAD TEST ACF |
| | 09 LEAD TEST |
| 09/20/16 | NTNC SOC 13 ACF |
| | NTNC SOC 13 |
| 09/13/16 | SC DISTRIBUTION BACTER ACF FREE CHLORINE |
| | SC DISTRIBUTION BACTER FREE CHLORINE |

| PARTS TOTAL | |
|--------------------------------------|-------------------|
| CORRECTIVE MEASURES TAKEN | |
| TIME START | AM TIME PM FINISH |
| LABOR ▶ NO. HRS. | PER HR |
| TRIP CHARGE | |
| MILEAGE TOTAL _____ @ _____ PER MILE | |
| LABOR CHARGE | |
| PARTS TOTAL | |
| OTHERS TOTAL | |
| SALES TAX % _____ Exempt | |
| PREVIOUS BALANCE | |
| SERVICE RECEIVED BY / DATE | SERVICE BY / DATE |
| PLEASE PAY THIS AMOUNT ▶ | |



575 Broad Hollow Road, Melville, NY 11747

TEL: (631) 694-3040 FAX: (631) 420-8436

www.pacelabs.com

WorkOrder :

701416

Laboratory Certifications

Long Island Certification IDs

575 Broad Hollow Rd, Melville, NY 11747

New York Certification #: 10478 Primary Accrediting Body

New Jersey Certification #: NY158

Pennsylvania Certification #: 68-00350

Connecticut Certification #: PH-0435

Maryland Certification #: 208

Rhode Island Certification #: LAO00340

Massachusetts Certification #: M-NY026

New Hampshire Certification #: 2987



575 Broad Hollow Road, Melville, NY 11747
 TEL: (631) 694-3040 FAX: (631) 420-8436
www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested
 The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests requested.

Sample Information:

Type: Drinking Water
 Origin: Distribution
 Routine

Harry Goldman Water Testing
8700 Main Road
Mattituck, NY 11952

Lab No. : 701416024
Client Sample ID.: Shelter Island School

Attn To : John Scaramucci

Federal ID :

Collected : 10/04/2016 7:54 Point No

Received : 10/06/2016 2:45 Location:

Collected By : Mike Donning

Sample Comments:

South Little League Field 1st Base Side
 First Draw

Analytical Method: EPA 200.8

| Parameter(s) | Results | Qualifier | D.F. | Units | Limit | Analyzed: | Container: |
|--------------|---------|-----------|------|-------|-------|------------------|-------------|
| Lead | 92.5* | | 1 | ug/L | 15 | 10/24/2016 10:57 | 024 BP2N1/1 |

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.
 ND - Not Detected at or above adjusted reporting limit.
 J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range
 U - Indicates the compound was analyzed for, but not detected

Stu Murrell

Test results meet the requirements of NELAC unless otherwise noted.

Result(s) reported meet(s) NYS Regulatory Limit(s).
 Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.

Date Reported: 10/27/2016



575 Broad Hollow Road, Melville, NY 11747
 TEL: (631) 694-3040 FAX: (631) 420-8436
www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested
 The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests requested.

Sample Information:

Type: Drinking Water
 Origin: Distribution
 Routine

Harry Goldman Water Testing
8700 Main Road
Mattituck, NY 11952

Lab No. : 701416023
Client Sample ID.: Shelter Island School

Attn To : John Scaramucci

Federal ID :

Collected : 10/04/2016 7:50 Point No
 Received : 10/06/2016 2:45 Location:

Collected By : Mike Donning

Sample Comments:

Varsity Baseball Field 3rd Base Side
 First Draw

Analytical Method: EPA 200.8

| Parameter(s) | Results | Qualifier | D.F. | Units | Limit | Analyzed: | Container: |
|--------------|---------|-----------|------|-------|-------|------------------|-------------|
| Lead | 35.4* | | 1 | ug/L | 15 | 10/24/2016 10:54 | 023 BP2N1/1 |

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.
 ND - Not Detected at or above adjusted reporting limit.
 J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range
 U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).
 Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 10/27/2016

Stu Murrell

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747
 TEL: (631) 694-3040 FAX: (631) 420-8436
www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested
 The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests requested.

Sample Information:

Type: Drinking Water
 Origin: Distribution
 Routine

Harry Goldman Water Testing
8700 Main Road
Mattituck, NY 11952

Lab No. : 701416022
Client Sample ID.: Shelter Island School

Attn To : John Scaramucci

Federal ID :

Collected : 10/04/2016 6:44 Point No

Received : 10/06/2016 2:45 Location:

Collected By : Mike Donning

Sample Comments:

Boys Bathroom 3rd Floor Right Sink
 First Draw

Analytical Method: EPA 200.8

| Parameter(s) | Results | Qualifier | D.F. | Units | Limit | Analyzed: | Container: |
|--------------|---------|-----------|------|-------|-------|------------------|-------------|
| Lead | 8.3 | | 1 | ug/L | 15 | 10/24/2016 10:51 | 022 BP2N1/1 |

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Stu Murrell

Test results meet the requirements of NELAC unless otherwise noted.

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.

Date Reported: 10/27/2016



575 Broad Hollow Road, Melville, NY 11747
 TEL: (631) 694-3040 FAX: (631) 420-8436
www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested
 The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests requested.

Sample Information:

Type: Drinking Water
 Origin: Distribution
 Routine

Harry Goldman Water Testing
8700 Main Road
Mattituck, NY 11952

Lab No. : 701416021
Client Sample ID.: Shelter Island School

Attn To : John Scaramucci

Federal ID :

Collected : 10/04/2016 6:42 Point No

Received : 10/06/2016 2:45 Location:

Collected By : Mike Donning

Sample Comments:

Custodial Closet 3rd Floor
 First Draw

Analytical Method: EPA 200.8

| Parameter(s) | Results | Qualifier | D.F. | Units | Limit | Analyzed: | Container: |
|--------------|---------|-----------|------|-------|-------|------------------|-------------|
| Lead | 5.0 | | 1 | ug/L | 15 | 10/24/2016 10:42 | 021 BP2N1/1 |

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.
 ND - Not Detected at or above adjusted reporting limit.
 J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range
 U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).
 Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 10/27/2016

Stu Murrell

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747
 TEL: (631) 694-3040 FAX: (631) 420-8436
www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested
 The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests requested.

Sample Information:

Type: Drinking Water
 Origin: Distribution
 Routine

Harry Goldman Water Testing
8700 Main Road
Mattituck, NY 11952

Lab No. : 701416020
Client Sample ID.: Shelter Island School

Attn To : John Scaramucci

Federal ID :

Collected : 10/04/2016 6:39 Point No

Received : 10/06/2016 2:45 Location:

Collected By : Mike Donning

Sample Comments:

Girls Bathroom 3rd Floor Right Sink
 First Draw

Analytical Method: EPA 200.8

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u> | <u>Container:</u> |
|---------------------|----------------|------------------|-------------|--------------|--------------|------------------|-------------------|
| Lead | 4.9 | | 1 | ug/L | 15 | 10/24/2016 10:21 | 020 BP2N1/1 |

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.
 ND - Not Detected at or above adjusted reporting limit.
 J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range
 U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).
 Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 10/27/2016

Stu Murrell

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747
 TEL: (631) 694-3040 FAX: (631) 420-8436
www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested
 The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests requested.

Sample Information:

Type: Drinking Water
 Origin: Distribution
 Routine

Harry Goldman Water Testing
8700 Main Road
Mattituck, NY 11952

Lab No. : 701416019
Client Sample ID.: Shelter Island School

Attn To : John Scaramucci
 Federal ID :

Collected : 10/04/2016 6:38 Point No
 Received : 10/06/2016 2:45 Location:
 Collected By : Mike Donning

Sample Comments:

Girls Bathroom 3rd Floor Left Sink
 First Draw

Analytical Method: EPA 200.8

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u> | <u>Container:</u> |
|---------------------|----------------|------------------|-------------|--------------|--------------|------------------|-------------------|
| Lead | 2.6 | | 1 | ug/L | 15 | 10/24/2016 10:18 | 019 BP2N1/1 |

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.
 ND - Not Detected at or above adjusted reporting limit.
 J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range
 U - Indicates the compound was analyzed for, but not detected

Stu Murrell

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.

Result(s) reported meet(s) NYS Regulatory Limit(s).
 Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 10/27/2016



575 Broad Hollow Road, Melville, NY 11747
 TEL: (631) 694-3040 FAX: (631) 420-8436
www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested
 The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests requested.

Sample Information:

Type: Drinking Water
 Origin: Distribution
 Routine

Harry Goldman Water Testing
8700 Main Road
Mattituck, NY 11952

Lab No. : 701416018
Client Sample ID.: Shelter Island School

Attn To : John Scaramucci

Federal ID :

Collected : 10/04/2016 6:36 Point No

Received : 10/06/2016 2:45 Location:

Collected By : Mike Donning

Sample Comments:

2nd Floor Men's Room @ Science Rms

First Draw

Analytical Method: EPA 200.8

| Parameter(s) | Results | Qualifier | D.F. | Units | Limit | Analyzed: | Container: |
|--------------|---------|-----------|------|-------|-------|------------------|-------------|
| Lead | 10.4 | | 1 | ug/L | 15 | 10/24/2016 10:15 | 018 BP2N1/1 |

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Stu Murrell

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 10/27/2016



Laboratory Results

Results for the samples and analytes requested
 The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests requested.

Sample Information:

Type: Drinking Water
 Origin: Distribution
 Routine

Harry Goldman Water Testing
8700 Main Road
Mattituck, NY 11952

Lab No. : 701416017
Client Sample ID.: Shelter Island School

Attn To : John Scaramucci

Federal ID :

Collected : 10/04/2016 6:34 Point No

Received : 10/06/2016 2:45 Location:

Collected By : Mike Donning

Sample Comments:

Room 43 Lab Sink
 First Draw

| Analytical Method: EPA 200.8 | | | | | | | |
|------------------------------|---------|-----------|------|-------|-------|------------------|-------------|
| Parameter(s) | Results | Qualifier | D.F. | Units | Limit | Analyzed: | Container: |
| Lead | 45.0* | | 1 | ug/L | 15 | 10/24/2016 10:13 | 017 BP2N1/1 |

Qualifiers:

- DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.
- ND - Not Detected at or above adjusted reporting limit.
- J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range
- U - Indicates the compound was analyzed for, but not detected

Stu Murrell

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.

Result(s) reported meet(s) NYS Regulatory Limit(s).
 Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 10/27/2016



575 Broad Hollow Road, Melville, NY 11747
 TEL: (631) 694-3040 FAX: (631) 420-8436
www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested
 The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests requested.

Sample Information:

Type: Drinking Water
 Origin: Distribution
 Routine

Harry Goldman Water Testing
8700 Main Road
Mattituck, NY 11952

Lab No. : 701416016
Client Sample ID.: Shelter Island School

Attn To : John Scaramucci

Federal ID :

Collected : 10/04/2016 6:32 Point No

Received : 10/06/2016 2:45 Location:

Collected By : Mike Donning

Sample Comments:

Custodial Closet 2nd Floor @ Science Rms
 First Draw

Analytical Method: EPA 200.8

| Parameter(s) | Results | Qualifier | D.F. | Units | Limit | Analyzed: | Container: |
|--------------|---------|-----------|------|-------|-------|------------------|-------------|
| Lead | 21.2* | | 1 | ug/L | 15 | 10/24/2016 10:10 | 016 BP2N1/1 |

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.
 ND - Not Detected at or above adjusted reporting limit.
 J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range
 U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).
 Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 10/27/2016

Stu Murrell

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747
 TEL: (631) 694-3040 FAX: (631) 420-8436
www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested
 The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests requested.

Sample Information:

Type: Drinking Water
 Origin: Distribution
 Routine

Harry Goldman Water Testing
 8700 Main Road
 Mattituck, NY 11952

Lab No. : 701416015
 Client Sample ID.: Shelter Island School

Attn To : John Scaramucci

Federal ID :

Collected : 10/04/2016 6:30 Point No

Received : 10/06/2016 2:45 Location:

Collected By : Mike Donning

Sample Comments:

Room 44 Back Sink
 First Draw

Analytical Method: EPA 200.8

| Parameter(s) | Results | Qualifier | D.F. | Units | Limit | Analyzed: | Container: |
|--------------|---------|-----------|------|-------|-------|------------------|-------------|
| Lead | 6.8 | | 1 | ug/L | 15 | 10/24/2016 10:07 | 015 BP2N1/1 |

Qualifiers:

- DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.
- ND - Not Detected at or above adjusted reporting limit.
- J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range
- U - Indicates the compound was analyzed for, but not detected

Stu Murrell

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.

Result(s) reported meet(s) NYS Regulatory Limit(s).
 Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 10/27/2016



575 Broad Hollow Road, Melville, NY 11747
 TEL: (631) 694-3040 FAX: (631) 420-8436
www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested
 The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests requested.

Sample Information:

Type: Drinking Water
 Origin: Distribution
 Routine

Harry Goldman Water Testing
 8700 Main Road
 Mattituck, NY 11952

Lab No. : 701416014
Client Sample ID.: Shelter Island School

Attn To : John Scaramucci

Federal ID :

Collected : 10/04/2016 6:28 Point No

Received : 10/06/2016 2:45 Location:

Collected By : Mike Donning

Sample Comments:

Room 44 Lab Sink
 First Draw

Analytical Method: EPA 200.8

| Parameter(s) | Results | Qualifier | D.F. | Units | Limit | Analyzed: | Container: |
|--------------|---------|-----------|------|-------|-------|------------------|-------------|
| Lead | 30.8* | | 1 | ug/L | 15 | 10/24/2016 10:04 | 014 BP2N1/1 |

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.
 ND - Not Detected at or above adjusted reporting limit.
 J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range
 U - Indicates the compound was analyzed for, but not detected

Stu Murrell

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.

Result(s) reported meet(s) NYS Regulatory Limit(s).
 Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 10/27/2016



575 Broad Hollow Road, Melville, NY 11747
 TEL: (631) 694-3040 FAX: (631) 420-8436
www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested
 The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests requested.

Sample Information:

Type: Drinking Water
 Origin: Distribution
 Routine

Harry Goldman Water Testing
 8700 Main Road
 Mattituck, NY 11952

Lab No. : 701416013
Client Sample ID.: Shelter Island School

Attn To : John Scaramucci

Federal ID :

Collected : 10/04/2016 6:26 Point No

Received : 10/06/2016 2:45 Location:

Collected By : Mike Donning

Sample Comments:

Nurses Bathroom Sink
 First Draw

Analytical Method: EPA 200.8

| Parameter(s) | Results | Qualifier | D.F. | Units | Limit | Analyzed: | Container: |
|--------------|---------|-----------|------|-------|-------|------------------|-------------|
| Lead | 3.6 | | 1 | ug/L | 15 | 10/24/2016 10:01 | 013 BP2N1/1 |

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.
 ND - Not Detected at or above adjusted reporting limit.
 J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range
 U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).
 Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 10/27/2016

Stu Murrell

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747
 TEL: (631) 694-3040 FAX: (631) 420-8436
www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested
 The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests requested.

Sample Information:

Type: Drinking Water
 Origin: Distribution
 Routine

Harry Goldman Water Testing
8700 Main Road
Mattituck, NY 11952

Lab No. : 701416012
Client Sample ID.: Shelter Island School

Attn To : John Scaramucci

Federal ID :

Collected : 10/04/2016 6:23 Point No

Received : 10/06/2016 2:45 Location:

Collected By : Mike Donning

Sample Comments:

Girls Locker Room Right Bathroom Sink
 First Draw

Analytical Method: EPA 200.8

| Parameter(s) | Results | Qualifier | D.F. | Units | Limit | Analyzed: | Container: |
|--------------|---------|-----------|------|-------|-------|--------------------|-------------|
| Lead | 12.7 | | 1 | ug/L | 15 | 10/24/2016 9:58 PM | 012 BP2N1/1 |

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 10/27/2016

Stu Murrell

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747
 TEL: (631) 694-3040 FAX: (631) 420-8436
www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested
 The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests requested.

Sample Information:

Type: Drinking Water
 Origin: Distribution
 Routine

Harry Goldman Water Testing
 8700 Main Road
 Mattituck, NY 11952

Lab No. : 701416011
 Client Sample ID.: Shelter Island School

Attn To : John Scaramucci

Federal ID :

Collected : 10/04/2016 6:22 Point No

Received : 10/06/2016 2:45 Location:

Collected By : Mike Donning

Sample Comments:

Girls Locker Room Left Bathroom Sink
 First Draw

Analytical Method: EPA 200.8

| Parameter(s) | Results | Qualifier | D.F. | Units | Limit | Analyzed: | Container: |
|--------------|---------|-----------|------|-------|-------|--------------------|-------------|
| Lead | 9.9 | | 1 | ug/L | 15 | 10/24/2016 9:55 PM | 011 BP2N1/1 |

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 10/27/2016

Stu Murrell

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747
 TEL: (631) 694-3040 FAX: (631) 420-8436
www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested
 The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests requested.

Sample Information:

Type: Drinking Water
 Origin: Distribution
 Routine

Harry Goldman Water Testing
8700 Main Road
Mattituck, NY 11952

Lab No. : 701416010
Client Sample ID.: Shelter Island School

Attn To : John Scaramucci

Federal ID :

Collected : 10/04/2016 6:20 Point No

Received : 10/06/2016 2:45 Location:

Collected By : Mike Donning

Sample Comments:

Boys Locker Room Bathroom Sink
 First Draw

Analytical Method: EPA 200.8

| Parameter(s) | Results | Qualifier | D.F. | Units | Limit | Analyzed: | Container: |
|--------------|---------|-----------|------|-------|-------|--------------------|-------------|
| Lead | 10.7 | | 1 | ug/L | 15 | 10/24/2016 9:46 PM | 010 BP2N1/1 |

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.
 ND - Not Detected at or above adjusted reporting limit.
 J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range
 U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).
 Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 10/27/2016

Stu Murrell

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747
 TEL: (631) 694-3040 FAX: (631) 420-8436
www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested
 The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests requested.

Sample Information:

Type: Drinking Water
 Origin: Distribution
 Routine

Harry Goldman Water Testing
8700 Main Road
Mattituck, NY 11952

Lab No. : 701416009
Client Sample ID.: Shelter Island School

Attn To : John Scaramucci
 Federal ID :

Collected : 10/04/2016 6:18 Point No
 Received : 10/06/2016 2:45 Location:
 Collected By : Mike Donning

Sample Comments:

Girls Bathroom Gym/Tech Area Right Sink
 Right Draw

Analytical Method:EPA 200.8

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u> | <u>Container:</u> |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|-------------------|
| Lead | 40.7* | | 1 | ug/L | 15 | 10/24/2016 9:43 PM | 009 BP2N1/1 |

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.
 ND - Not Detected at or above adjusted reporting limit.
 J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range
 U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).
 Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 10/27/2016

Stu Murrell

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747
 TEL: (631) 694-3040 FAX: (631) 420-8436
www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested
 The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests requested.

Sample Information:

Type: Drinking Water
 Origin: Distribution
 Routine

Harry Goldman Water Testing
 8700 Main Road
 Mattituck, NY 11952

Lab No. : 701416008
 Client Sample ID.: Shelter Island School

Attn To : John Scaramucci
 Federal ID :

Collected : 10/04/2016 6:15 Point No
 Received : 10/06/2016 2:45 Location:
 Collected By : Mike Donning

Sample Comments:

Cafeteria Hand Wash Sink
 First Draw

Analytical Method: EPA 200.8

| Parameter(s) | Results | Qualifier | D.F. | Units | Limit | Analyzed: | Container: |
|--------------|---------|-----------|------|-------|-------|--------------------|-------------|
| Lead | 47.6* | | 1 | ug/L | 15 | 10/24/2016 9:40 PM | 008 BP2N1/1 |

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.
 ND - Not Detected at or above adjusted reporting limit.
 J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range
 U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).
 Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 10/27/2016

Stu Murrell

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



Laboratory Results

Results for the samples and analytes requested
 The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests requested.

Sample Information:

Type: Drinking Water
 Origin: Distribution
 Routine

Harry Goldman Water Testing
8700 Main Road
Mattituck, NY 11952

Lab No. : 701416007
Client Sample ID.: Shelter Island School

Attn To : John Scaramucci

Federal ID :

Collected : 10/04/2016 6:13 Point No

Received : 10/06/2016 2:45 Location:

Collected By : Mike Donning

Sample Comments:

Kitchen Right Sink #3
 First Draw

Analytical Method: EPA 200.8

| Parameter(s) | Results | Qualifier | D.F. | Units | Limit | Analyzed: | Container: |
|--------------|---------|-----------|------|-------|-------|--------------------|-------------|
| Lead | 60.9* | | 1 | ug/L | 15 | 10/24/2016 9:37 PM | 007 BP2N1/1 |

Qualifiers:

- DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.
- ND - Not Detected at or above adjusted reporting limit.
- J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range
- U - Indicates the compound was analyzed for, but not detected

Stu Murrell

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.

Result(s) reported meet(s) NYS Regulatory Limit(s).
 Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 10/27/2016



575 Broad Hollow Road, Melville, NY 11747
 TEL: (631) 694-3040 FAX: (631) 420-8436
www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested
 The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests requested.

Sample Information:

Type: Drinking Water
 Origin: Distribution
 Routine

Harry Goldman Water Testing
 8700 Main Road
 Mattituck, NY 11952

Lab No. : 701416006
Client Sample ID.: Shelter Island School

Attn To : John Scaramucci
 Federal ID :

Collected : 10/04/2016 6:12 Point No
 Received : 10/06/2016 2:45 Location:
 Collected By : Mike Donning

Sample Comments:

Kitchen Middle Sink #2
 First Draw

Analytical Method: EPA 200.8

| Parameter(s) | Results | Qualifier | D.F. | Units | Limit | Analyzed: | Container: |
|--------------|---------|-----------|------|-------|-------|--------------------|-------------|
| Lead | 2.2 | | 1 | ug/L | 15 | 10/24/2016 9:34 PM | 006 BP2N1/1 |

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.
 ND - Not Detected at or above adjusted reporting limit.
 J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range
 U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).
 Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 10/27/2016

Stu Murrell

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747
 TEL: (631) 694-3040 FAX: (631) 420-8436
www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested
 The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests requested.

Sample Information:

Type: Drinking Water
 Origin: Distribution
 Routine

Harry Goldman Water Testing
8700 Main Road
Mattituck, NY 11952

Lab No. : 701416005
Client Sample ID.: Shelter Island School

Attn To : John Scaramucci

Federal ID :

Collected : 10/04/2016 6:10 Point No

Received : 10/06/2016 2:45 Location:

Collected By : Mike Donning

Sample Comments:

South Elementary Water Fountain
 First Draw

Analytical Method: EPA 200.8

| Parameter(s) | Results | Qualifier | D.F. | Units | Limit | Analyzed: | Container: |
|--------------|---------|-----------|------|-------|-------|--------------------|-------------|
| Lead | 1.7 | | 1 | ug/L | 15 | 10/24/2016 9:32 PM | 005 BP2N1/1 |

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.
 ND - Not Detected at or above adjusted reporting limit.
 J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range
 U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).
 Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 10/27/2016

Stu Murrell

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747
 TEL: (631) 694-3040 FAX: (631) 420-8436
www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested
 The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests requested.

Sample Information:

Type: Drinking Water
 Origin: Distribution
 Routine

Harry Goldman Water Testing
8700 Main Road
Mattituck, NY 11952

Lab No. : 701416004
Client Sample ID.: Shelter Island School

Attn To : John Scaramucci
 Federal ID :

Collected : 10/04/2016 6:08 Point No
 Received : 10/06/2016 2:45 Location:

Collected By : Mike Donning

Sample Comments:

Room 2 Sink
 First Draw

Analytical Method: EPA 200.8

| Parameter(s) | Results | Qualifier | D.F. | Units | Limit | Analyzed: | Container: |
|--------------|---------|-----------|------|-------|-------|--------------------|-------------|
| Lead | 5.3 | | 1 | ug/L | 15 | 10/24/2016 9:29 PM | 004 BP2N1/1 |

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.
 ND - Not Detected at or above adjusted reporting limit.
 J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range
 U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).
 Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 10/27/2016

Stu Murrell

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747
 TEL: (631) 694-3040 FAX: (631) 420-8436
www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested
 The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests requested.

Sample Information:

Type: Drinking Water
 Origin: Distribution
 Routine

Harry Goldman Water Testing
 8700 Main Road
 Mattituck, NY 11952

Lab No. : 701416003
 Client Sample ID.: Shelter Island School

Attn To : John Scaramucci

Federal ID :

Collected : 10/04/2016 6:06 Point No

Received : 10/06/2016 2:45 Location:

Collected By : Mike Donning

Sample Comments:

Slop Sink Basement Workshop
 First Draw

Analytical Method:EPA 200.8

| Parameter(s) | Results | Qualifier | D.F. | Units | Limit | Analyzed: | Container: |
|--------------|---------|-----------|------|-------|-------|--------------------|-------------|
| Lead | 4.5 | | 1 | ug/L | 15 | 10/24/2016 9:26 PM | 003 BP2N1/1 |

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.
 ND - Not Detected at or above adjusted reporting limit.
 J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range
 U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).
 Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 10/27/2016

Stu Murrell

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747
 TEL: (631) 694-3040 FAX: (631) 420-8436
www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested
 The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests requested.

Sample Information:

Type: Drinking Water
 Origin: Distribution
 Routine

Harry Goldman Water Testing
 8700 Main Road
 Mattituck, NY 11952

Lab No. : 701416002
 Client Sample ID.: Shelter Island School

Attn To : John Scaramucci

Federal ID :

Collected : 10/04/2016 6:02 Point No

Received : 10/06/2016 2:45 Location:

Collected By : Mike Donning

Sample Comments:

Room 1 Bathroom Sink

First Draw

Analytical Method: EPA 200.8

| Parameter(s) | Results | Qualifier | D.F. | Units | Limit | Analyzed: | Container: |
|--------------|---------|-----------|------|-------|-------|--------------------|-------------|
| Lead | 3.6 | | 1 | ug/L | 15 | 10/24/2016 9:23 PM | 002 BP2N1/1 |

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).

Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 10/27/2016

Stu Murrell

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747
 TEL: (631) 694-3040 FAX: (631) 420-8436
www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested
 The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests requested.

Sample Information:

Type: Drinking Water
 Origin: Distribution
 Routine

Harry Goldman Water Testing
8700 Main Road
Mattituck, NY 11952

Lab No. : 701416001
Client Sample ID.: Shelter Island School

Attn To : John Scaramucci

Federal ID :

Collected : 10/04/2016 6:00 Point No

Received : 10/06/2016 2:45 Location:

Collected By : Mike Donning

Sample Comments:

Room 1 Main Sink
 First Draw

Analytical Method: EPA 200.8

| <u>Parameter(s)</u> | <u>Results</u> | <u>Qualifier</u> | <u>D.F.</u> | <u>Units</u> | <u>Limit</u> | <u>Analyzed:</u> | <u>Container:</u> |
|---------------------|----------------|------------------|-------------|--------------|--------------|--------------------|-------------------|
| Lead | 3.7 | M1 | 1 | ug/L | 15 | 10/24/2016 9:08 PM | 001 BP2N1/1 |

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range

U - Indicates the compound was analyzed for, but not detected

M1 - Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

Stu Murrell

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.