



Neilson Research Corporation  
245 S Grape St  
Medford, OR 97501  
TEL: (541) 770-5678 FAX: (541) 770-2901  
Website: www.nrclabs.com

January 08, 2021

John Harding  
Eagle Point School District #9  
PO Box 548  
Eagle Point, OR 97524  
TEL: (541) 830-1240  
FAX (541) 830-6375

RE: Eagle Point High School

Order No.: 20121193

Dear John Harding:

Neilson Research Corporation received 49 sample(s) on 12/22/2020 for the analyses presented in the following report.

The results relate only to the parameters tested or to the sample as received by the laboratory. This report shall not be reproduced except in full, without the written approval of Neilson Research Corporation. If you have any questions regarding these test results, please feel free to call.

Sincerely,  
Neilson Research Corporation

Tamra Schmedemann  
Senior Project Manager  
245 S Grape St  
Medford, OR 97501



Original



Neilson Research Corporation  
245 S Grape St  
Medford, OR 97501  
TEL: (541) 770-5678 FAX: (541) 770-2901  
Website: www.nrclabs.com

## Case Narrative

WO#: 20121193  
Date: 1/8/2021

---

**CLIENT:** Eagle Point School District #9

**Project:** Eagle Point High School

---

The analyses were performed according to the guidelines in the Neilson Research Corporation Quality Assurance Program. This report contains analytical results for the sample(s) as received by the laboratory.

Neilson Research Corporation certifies that this report is in compliance with the requirements of NELAP. No unusual difficulties were experienced during analysis of this batch except as noted below or qualified with data flags on the reports.

---

Original



Neilson Research Corporation  
 245 S Grape St  
 Medford, OR 97501  
 TEL: (541) 770-5678 FAX: (541) 770-2901  
 Website: www.nrclabs.com

# Analytical Report

WO#: 20121193  
 Date Reported: 1/8/2021

Eagle Point School District #9  
 PO Box 548  
 Eagle Point, OR 97524

**Lab Order:** 20121193  
**Received Date:** 12/22/2020 11:42:00 AM  
**Reported Date:** 1/8/2021 11:17:17 AM

Sample Information:

**Lab ID:** 20121193-01      Client Sample ID: Main Gym Girls Public RR #2  
 Collection Date: 12/22/2020 8:00:00 AM      Collected By: Cindy Leonardo  
 Matrix: Drinking Water      Sample Location: Main Gym Girls Public RR #2

Trace Metals by EPA 200.8 ICP-MS								Analyst: SJS
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	11.3		0.103	µg/L	1	12/24/2020	15.0	A

**Lab ID:** 20121193-02      Client Sample ID: Main Gym Girls Public RR #3  
 Collection Date: 12/22/2020 8:00:00 AM      Collected By: Cindy Leonardo  
 Matrix: Drinking Water      Sample Location: Main Gym Girls Public RR #3

Trace Metals by EPA 200.8 ICP-MS								Analyst: SJS
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	10.0		0.103	µg/L	1	12/24/2020	15.0	A

**Lab ID:** 20121193-03      Client Sample ID: Main Gym Girls Teacher Sink  
 Collection Date: 12/22/2020 8:00:00 AM      Collected By: Cindy Leonardo  
 Matrix: Drinking Water      Sample Location: Main Gym Girls Teacher Sink

Trace Metals by EPA 200.8 ICP-MS								Analyst: SJS
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	5.55		0.103	µg/L	1	12/24/2020	15.0	A

<b>QUALIFIERS</b>	* Value exceeds Maximum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	MI Recovery outside control limits due to Matrix Interference
	ND Not Detected at the Reporting Limit	PL Permit Limit
	R RPD outside accepted recovery limits	

Results are out of the EPA limits

Original



Neilson Research Corporation  
 245 S Grape St  
 Medford, OR 97501  
 TEL: (541) 770-5678 FAX: (541) 770-2901  
 Website: www.nrclabs.com

# Analytical Report

WO#: 20121193  
 Date Reported: 1/8/2021

Eagle Point School District #9  
 PO Box 548  
 Eagle Point, OR 97524

**Lab Order:** 20121193  
**Received Date:** 12/22/2020 11:42:00 AM  
**Reported Date:** 1/8/2021 11:17:17 AM

Sample Information:

**Lab ID:** 20121193-04      Client Sample ID: Main Gym DF Girls Locker  
 Collection Date: 12/22/2020 8:00:00 AM      Collected By: Cindy Leonardo  
 Matrix: Drinking Water      Sample Location: Main Gym DF Girls Locker

Trace Metals by EPA 200.8 ICP-MS								Analyst:	SJS
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	1.83		0.103	µg/L	1	12/24/2020	15.0	A	

**Lab ID:** 20121193-05      Client Sample ID: Main Gym Girls Locker Student Sink  
 Collection Date: 12/22/2020 8:00:00 AM      Collected By: Cindy Leonardo  
 Matrix: Drinking Water      Sample Location: Main Gym Girls Locker Student Sink

Trace Metals by EPA 200.8 ICP-MS								Analyst:	SJS
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	52.1	*	0.103	µg/L	1	12/24/2020	15.0	A	

**Lab ID:** 20121193-06      Client Sample ID: Main Gym Boys Locker Coach  
 Collection Date: 12/22/2020 8:00:00 AM      Collected By: Cindy Leonardo  
 Matrix: Drinking Water      Sample Location: Main Gym Boys Locker Coach

Trace Metals by EPA 200.8 ICP-MS								Analyst:	SJS
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	10.3		0.103	µg/L	1	12/24/2020	15.0	A	

<b>QUALIFIERS</b>	* Value exceeds Maximum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	MI Recovery outside control limits due to Matrix Interference
	ND Not Detected at the Reporting Limit	PL Permit Limit
	R RPD outside accepted recovery limits	

Results are out of the EPA limits

Original



Neilson Research Corporation  
 245 S Grape St  
 Medford, OR 97501  
 TEL: (541) 770-5678 FAX: (541) 770-2901  
 Website: www.nrclabs.com

# Analytical Report

WO#: 20121193  
 Date Reported: 1/8/2021

Eagle Point School District #9  
 PO Box 548  
 Eagle Point, OR 97524

**Lab Order:** 20121193  
**Received Date:** 12/22/2020 11:42:00 AM  
**Reported Date:** 1/8/2021 11:17:17 AM

Sample Information:

**Lab ID:** 20121193-07      Client Sample ID: Main Gym Boys Locker Fountain  
 Collection Date: 12/22/2020 8:00:00 AM      Collected By: Cindy Leonardo  
 Matrix: Drinking Water      Sample Location: Main Gym Boys Locker Fountain

Trace Metals by EPA 200.8 ICP-MS								Analyst: SJS
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	1.63		0.103	µg/L	1	12/24/2020	15.0	A

**Lab ID:** 20121193-08      Client Sample ID: Main Gym Boys Public RR #1  
 Collection Date: 12/22/2020 8:00:00 AM      Collected By: Cindy Leonardo  
 Matrix: Drinking Water      Sample Location: Main Gym Boys Public RR #1

Trace Metals by EPA 200.8 ICP-MS								Analyst: SJS
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	2.42		0.103	µg/L	1	12/29/2020	15.0	A

**Lab ID:** 20121193-09      Client Sample ID: Main Gym Boys Public RR #2  
 Collection Date: 12/22/2020 8:00:00 AM      Collected By: Cindy Leonardo  
 Matrix: Drinking Water      Sample Location: Main Gym Boys Public RR #2

Trace Metals by EPA 200.8 ICP-MS								Analyst: SJS
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	2.69		0.103	µg/L	1	12/29/2020	15.0	A

<b>QUALIFIERS</b>	* Value exceeds Maximum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	MI Recovery outside control limits due to Matrix Interference
	ND Not Detected at the Reporting Limit	PL Permit Limit
	R RPD outside accepted recovery limits	

Results are out of the EPA limits

Original



Neilson Research Corporation  
 245 S Grape St  
 Medford, OR 97501  
 TEL: (541) 770-5678 FAX: (541) 770-2901  
 Website: www.nrclabs.com

# Analytical Report

WO#: 20121193  
 Date Reported: 1/8/2021

Eagle Point School District #9  
 PO Box 548  
 Eagle Point, OR 97524

**Lab Order:** 20121193  
**Received Date:** 12/22/2020 11:42:00 AM  
**Reported Date:** 1/8/2021 11:17:17 AM

Sample Information:

**Lab ID:** 20121193-10      Client Sample ID: Main Gym Boys Public RR #3  
 Collection Date: 12/22/2020 8:00:00 AM      Collected By: Cindy Leonardo  
 Matrix: Drinking Water      Sample Location: Main Gym Boys Public RR #3

Trace Metals by EPA 200.8 ICP-MS								Analyst: SJS
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	4.45		0.103	µg/L	1	12/29/2020	15.0	A

**Lab ID:** 20121193-11      Client Sample ID: Stadium Boys RR #1  
 Collection Date: 12/22/2020 8:15:00 AM      Collected By: Cindy Leonardo  
 Matrix: Drinking Water      Sample Location: Stadium Boys RR #1

Trace Metals by EPA 200.8 ICP-MS								Analyst: SJS
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	0.732		0.103	µg/L	1	12/29/2020	15.0	A

**Lab ID:** 20121193-12      Client Sample ID: Stadium Boys RR #2  
 Collection Date: 12/22/2020 8:15:00 AM      Collected By: Cindy Leonardo  
 Matrix: Drinking Water      Sample Location: Stadium Boys RR #2

Trace Metals by EPA 200.8 ICP-MS								Analyst: SJS
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	0.997		0.103	µg/L	1	12/29/2020	15.0	A

<b>QUALIFIERS</b>	* Value exceeds Maximum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	MI Recovery outside control limits due to Matrix Interference
	ND Not Detected at the Reporting Limit	PL Permit Limit
	R RPD outside accepted recovery limits	

Results are out of the EPA limits

Original



Neilson Research Corporation  
 245 S Grape St  
 Medford, OR 97501  
 TEL: (541) 770-5678 FAX: (541) 770-2901  
 Website: www.nrclabs.com

# Analytical Report

WO#: 20121193  
 Date Reported: 1/8/2021

Eagle Point School District #9  
 PO Box 548  
 Eagle Point, OR 97524

**Lab Order:** 20121193  
**Received Date:** 12/22/2020 11:42:00 AM  
**Reported Date:** 1/8/2021 11:17:17 AM

Sample Information:

**Lab ID:** 20121193-13      Client Sample ID: Stadium Boys RR #3  
 Collection Date: 12/22/2020 8:15:00 AM      Collected By: Cindy Leonardo  
 Matrix: Drinking Water      Sample Location: Stadium Boys RR #3

Trace Metals by EPA 200.8 ICP-MS								Analyst:	SJS
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	1.23		0.103	µg/L	1	12/29/2020	15.0	A	

**Lab ID:** 20121193-14      Client Sample ID: Stadium Boys RR #4  
 Collection Date: 12/22/2020 8:15:00 AM      Collected By: Cindy Leonardo  
 Matrix: Drinking Water      Sample Location: Stadium Boys RR #4

Trace Metals by EPA 200.8 ICP-MS								Analyst:	SJS
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	0.765		0.103	µg/L	1	12/29/2020	15.0	A	

**Lab ID:** 20121193-15      Client Sample ID: Stadium Girls RR #1  
 Collection Date: 12/22/2020 8:15:00 AM      Collected By: Cindy Leonardo  
 Matrix: Drinking Water      Sample Location: Stadium Girls RR #1

Trace Metals by EPA 200.8 ICP-MS								Analyst:	SJS
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	1.06		0.103	µg/L	1	12/29/2020	15.0	A	

<b>QUALIFIERS</b>	* Value exceeds Maximum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	MI Recovery outside control limits due to Matrix Interference
	ND Not Detected at the Reporting Limit	PL Permit Limit
	R RPD outside accepted recovery limits	

Results are out of the EPA limits

Original



Neilson Research Corporation  
 245 S Grape St  
 Medford, OR 97501  
 TEL: (541) 770-5678 FAX: (541) 770-2901  
 Website: www.nrclabs.com

# Analytical Report

WO#: 20121193  
 Date Reported: 1/8/2021

Eagle Point School District #9  
 PO Box 548  
 Eagle Point, OR 97524

**Lab Order:** 20121193  
**Received Date:** 12/22/2020 11:42:00 AM  
**Reported Date:** 1/8/2021 11:17:17 AM

Sample Information:

**Lab ID:** 20121193-16      Client Sample ID: Stadium Girls RR #2  
 Collection Date: 12/22/2020 8:15:00 AM      Collected By: Cindy Leonardo  
 Matrix: Drinking Water      Sample Location: Stadium Girls RR #2

Trace Metals by EPA 200.8 ICP-MS								Analyst: SJS
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	1.71		0.103	µg/L	1	12/29/2020	15.0	A

**Lab ID:** 20121193-17      Client Sample ID: Stadium Girls RR #3  
 Collection Date: 12/22/2020 8:15:00 AM      Collected By: Cindy Leonardo  
 Matrix: Drinking Water      Sample Location: Stadium Girls RR #3

Trace Metals by EPA 200.8 ICP-MS								Analyst: SJS
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	1.18		0.103	µg/L	1	12/29/2020	15.0	A

**Lab ID:** 20121193-18      Client Sample ID: Stadium Girls RR #4  
 Collection Date: 12/22/2020 8:15:00 AM      Collected By: Cindy Leonardo  
 Matrix: Drinking Water      Sample Location: Stadium Girls RR #4

Trace Metals by EPA 200.8 ICP-MS								Analyst: SJS
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	1.14		0.103	µg/L	1	12/29/2020	15.0	A

<b>QUALIFIERS</b>	* Value exceeds Maximum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	MI Recovery outside control limits due to Matrix Interference
	ND Not Detected at the Reporting Limit	PL Permit Limit
	R RPD outside accepted recovery limits	

Results are out of the EPA limits

Original



Neilson Research Corporation  
 245 S Grape St  
 Medford, OR 97501  
 TEL: (541) 770-5678 FAX: (541) 770-2901  
 Website: www.nrclabs.com

# Analytical Report

WO#: 20121193  
 Date Reported: 1/8/2021

Eagle Point School District #9  
 PO Box 548  
 Eagle Point, OR 97524

**Lab Order:** 20121193  
**Received Date:** 12/22/2020 11:42:00 AM  
**Reported Date:** 1/8/2021 11:17:17 AM

Sample Information:

**Lab ID:** 20121193-19      Client Sample ID: Stadium Girls RR #5  
 Collection Date: 12/22/2020 8:15:00 AM      Collected By: Cindy Leonardo  
 Matrix: Drinking Water      Sample Location: Stadium Girls RR #5

Trace Metals by EPA 200.8 ICP-MS								Analyst:	SJS
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	1.40		0.103	µg/L	1	12/29/2020	15.0	A	

**Lab ID:** 20121193-20      Client Sample ID: Grad Coach Rm  
 Collection Date: 12/22/2020 7:25:00 AM      Collected By: Rick MacInnis  
 Matrix: Drinking Water      Sample Location: Grad Coach Rm

Trace Metals by EPA 200.8 ICP-MS								Analyst:	SJS
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	25.3	*	0.103	µg/L	1	12/29/2020	15.0	A	

**Lab ID:** 20121193-21      Client Sample ID: Art Rm #1 Sink A  
 Collection Date: 12/22/2020 7:30:00 AM      Collected By: Rick MacInnis  
 Matrix: Drinking Water      Sample Location: Art Rm #1 Sink A

Trace Metals by EPA 200.8 ICP-MS								Analyst:	SJS
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	8.29		0.103	µg/L	1	12/29/2020	15.0	A	

<b>QUALIFIERS</b>	* Value exceeds Maximum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	MI Recovery outside control limits due to Matrix Interference
	ND Not Detected at the Reporting Limit	PL Permit Limit
	R RPD outside accepted recovery limits	

Results are out of the EPA limits

Original



Neilson Research Corporation  
 245 S Grape St  
 Medford, OR 97501  
 TEL: (541) 770-5678 FAX: (541) 770-2901  
 Website: www.nrclabs.com

# Analytical Report

WO#: 20121193  
 Date Reported: 1/8/2021

Eagle Point School District #9  
 PO Box 548  
 Eagle Point, OR 97524

**Lab Order:** 20121193  
**Received Date:** 12/22/2020 11:42:00 AM  
**Reported Date:** 1/8/2021 11:17:17 AM

Sample Information:

**Lab ID:** 20121193-22      Client Sample ID: Art Rm #1 Sink B  
 Collection Date: 12/22/2020 7:30:00 AM      Collected By: Rick MacInnis  
 Matrix: Drinking Water      Sample Location: Art Rm #1 Sink B

Trace Metals by EPA 200.8 ICP-MS								Analyst: SJS
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	5.79		0.103	µg/L	1	12/29/2020	15.0	A

**Lab ID:** 20121193-23      Client Sample ID: Art Rm #2  
 Collection Date: 12/22/2020 7:30:00 AM      Collected By: Rick MacInnis  
 Matrix: Drinking Water      Sample Location: Art Rm #2

Trace Metals by EPA 200.8 ICP-MS								Analyst: SJS
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	4.74		0.103	µg/L	1	12/29/2020	15.0	A

**Lab ID:** 20121193-24      Client Sample ID: IT 2  
 Collection Date: 12/22/2020 7:40:00 AM      Collected By: Rick MacInnis  
 Matrix: Drinking Water      Sample Location: IT 2

Trace Metals by EPA 200.8 ICP-MS								Analyst: SJS
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	2.96		0.103	µg/L	1	12/29/2020	15.0	A

<b>QUALIFIERS</b>	* Value exceeds Maximum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	MI Recovery outside control limits due to Matrix Interference
	ND Not Detected at the Reporting Limit	PL Permit Limit
	R RPD outside accepted recovery limits	

Results are out of the EPA limits

Original



Neilson Research Corporation  
 245 S Grape St  
 Medford, OR 97501  
 TEL: (541) 770-5678 FAX: (541) 770-2901  
 Website: www.nrclabs.com

# Analytical Report

WO#: 20121193  
 Date Reported: 1/8/2021

Eagle Point School District #9  
 PO Box 548  
 Eagle Point, OR 97524

**Lab Order:** 20121193  
**Received Date:** 12/22/2020 11:42:00 AM  
**Reported Date:** 1/8/2021 11:17:17 AM

Sample Information:

**Lab ID:** 20121193-25      Client Sample ID: IT 3  
 Collection Date: 12/22/2020 7:50:00 AM      Collected By: Rick MacInnis  
 Matrix: Drinking Water      Sample Location: IT 3

Trace Metals by EPA 200.8 ICP-MS							Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	6.40		0.103	µg/L	1	12/29/2020	15.0	A	

**Lab ID:** 20121193-26      Client Sample ID: IT 4  
 Collection Date: 12/22/2020 7:55:00 AM      Collected By: Rick MacInnis  
 Matrix: Drinking Water      Sample Location: IT 4

Trace Metals by EPA 200.8 ICP-MS							Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	3.98		0.103	µg/L	1	12/29/2020	15.0	A	

**Lab ID:** 20121193-27      Client Sample ID: IT 1  
 Collection Date: 12/22/2020 7:55:00 AM      Collected By: Rick MacInnis  
 Matrix: Drinking Water      Sample Location: IT 1

Trace Metals by EPA 200.8 ICP-MS							Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	10.3		0.103	µg/L	1	12/29/2020	15.0	A	

<b>QUALIFIERS</b>	* Value exceeds Maximum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	MI Recovery outside control limits due to Matrix Interference
	ND Not Detected at the Reporting Limit	PL Permit Limit
	R RPD outside accepted recovery limits	

Results are out of the EPA limits

Original



Neilson Research Corporation  
 245 S Grape St  
 Medford, OR 97501  
 TEL: (541) 770-5678 FAX: (541) 770-2901  
 Website: www.nrclabs.com

# Analytical Report

WO#: 20121193  
 Date Reported: 1/8/2021

Eagle Point School District #9  
 PO Box 548  
 Eagle Point, OR 97524

**Lab Order:** 20121193  
**Received Date:** 12/22/2020 11:42:00 AM  
**Reported Date:** 1/8/2021 11:17:17 AM

Sample Information:

**Lab ID:** 20121193-28      Client Sample ID: IT 6  
 Collection Date: 12/22/2020 7:55:00 AM      Collected By: Rick MacInnis  
 Matrix: Drinking Water      Sample Location: IT 6

Trace Metals by EPA 200.8 ICP-MS							Analyst: SJS	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	4.86		0.103	µg/L	1	12/28/2020	15.0	A

**Lab ID:** 20121193-29      Client Sample ID: IT 5  
 Collection Date: 12/22/2020 7:55:00 AM      Collected By: Rick MacInnis  
 Matrix: Drinking Water      Sample Location: IT 5

Trace Metals by EPA 200.8 ICP-MS							Analyst: SJS	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	10.3		0.103	µg/L	1	12/28/2020	15.0	A

**Lab ID:** 20121193-30      Client Sample ID: Rock Hall Mens Rm Sink A  
 Collection Date: 12/22/2020 8:00:00 AM      Collected By: Rick MacInnis  
 Matrix: Drinking Water      Sample Location: Rock Hall Mens Rm Sink A

Trace Metals by EPA 200.8 ICP-MS							Analyst: SJS	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	85.7	*	0.100	µg/L	1	12/31/2020	15.0	A

<b>QUALIFIERS</b>	* Value exceeds Maximum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	MI Recovery outside control limits due to Matrix Interference
	ND Not Detected at the Reporting Limit	PL Permit Limit
	R RPD outside accepted recovery limits	

Results are out of the EPA limits

Original



Neilson Research Corporation  
 245 S Grape St  
 Medford, OR 97501  
 TEL: (541) 770-5678 FAX: (541) 770-2901  
 Website: www.nrclabs.com

# Analytical Report

WO#: 20121193  
 Date Reported: 1/8/2021

Eagle Point School District #9  
 PO Box 548  
 Eagle Point, OR 97524

**Lab Order:** 20121193  
**Received Date:** 12/22/2020 11:42:00 AM  
**Reported Date:** 1/8/2021 11:17:17 AM

Sample Information:

**Lab ID:** 20121193-31      Client Sample ID: Rock Hall Mens Rm Sink B  
 Collection Date: 12/22/2020 8:00:00 AM      Collected By: Rick MacInnis  
 Matrix: Drinking Water      Sample Location: Rock Hall Mens Rm Sink B

Trace Metals by EPA 200.8 ICP-MS								Analyst:	SJS
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	12.7		0.103	µg/L	1	12/28/2020	15.0	A	

**Lab ID:** 20121193-32      Client Sample ID: Rock Hall Womens Rm Sink A  
 Collection Date: 12/22/2020 8:00:00 AM      Collected By: Rick MacInnis  
 Matrix: Drinking Water      Sample Location: Rock Hall Womens Rm Sink A

Trace Metals by EPA 200.8 ICP-MS								Analyst:	SJS
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	45.7	*	0.100	µg/L	1	12/31/2020	15.0	A	

**Lab ID:** 20121193-33      Client Sample ID: Rock Hall Womens Rm Sink B  
 Collection Date: 12/22/2020 8:00:00 AM      Collected By: Rick MacInnis  
 Matrix: Drinking Water      Sample Location: Rock Hall Womens Rm Sink B

Trace Metals by EPA 200.8 ICP-MS								Analyst:	SJS
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	61.8	*	0.100	µg/L	1	12/31/2020	15.0	A	

<b>QUALIFIERS</b>	* Value exceeds Maximum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	MI Recovery outside control limits due to Matrix Interference
	ND Not Detected at the Reporting Limit	PL Permit Limit
	R RPD outside accepted recovery limits	

Results are out of the EPA limits

Original



Neilson Research Corporation  
 245 S Grape St  
 Medford, OR 97501  
 TEL: (541) 770-5678 FAX: (541) 770-2901  
 Website: www.nrclabs.com

# Analytical Report

WO#: 20121193  
 Date Reported: 1/8/2021

Eagle Point School District #9  
 PO Box 548  
 Eagle Point, OR 97524

**Lab Order:** 20121193  
**Received Date:** 12/22/2020 11:42:00 AM  
**Reported Date:** 1/8/2021 11:17:17 AM

Sample Information:

**Lab ID:** 20121193-34      Client Sample ID: SC4 Sink B  
 Collection Date: 12/22/2020 8:45:00 AM      Collected By: James Bowman  
 Matrix: Drinking Water      Sample Location: SC4 Sink B

Trace Metals by EPA 200.8 ICP-MS							Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	165	*	0.100	µg/L	1	12/31/2020	15.0	A	

**Lab ID:** 20121193-35      Client Sample ID: SC4 Sink C  
 Collection Date: 12/22/2020 8:45:00 AM      Collected By: James Bowman  
 Matrix: Drinking Water      Sample Location: SC4 Sink C

Trace Metals by EPA 200.8 ICP-MS							Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	65.1	*	0.100	µg/L	1	12/31/2020	15.0	A	

**Lab ID:** 20121193-36      Client Sample ID: SC4 Sink D  
 Collection Date: 12/22/2020 8:45:00 AM      Collected By: James Bowman  
 Matrix: Drinking Water      Sample Location: SC4 Sink D

Trace Metals by EPA 200.8 ICP-MS							Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	34.0	*	0.100	µg/L	1	12/31/2020	15.0	A	

<b>QUALIFIERS</b>	* Value exceeds Maximum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	MI Recovery outside control limits due to Matrix Interference
	ND Not Detected at the Reporting Limit	PL Permit Limit
	R RPD outside accepted recovery limits	

Results are out of the EPA limits

Original



Neilson Research Corporation  
 245 S Grape St  
 Medford, OR 97501  
 TEL: (541) 770-5678 FAX: (541) 770-2901  
 Website: www.nrclabs.com

# Analytical Report

WO#: 20121193  
 Date Reported: 1/8/2021

Eagle Point School District #9  
 PO Box 548  
 Eagle Point, OR 97524

**Lab Order:** 20121193  
**Received Date:** 12/22/2020 11:42:00 AM  
**Reported Date:** 1/8/2021 11:17:17 AM

Sample Information:

**Lab ID:** 20121193-37      Client Sample ID: M Staff Rm  
 Collection Date: 12/22/2020 8:50:00 AM      Collected By: James Bowman  
 Matrix: Drinking Water      Sample Location: M Staff Rm

Trace Metals by EPA 200.8 ICP-MS							Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	178	*	0.100	µg/L	1	12/31/2020	15.0	A	

**Lab ID:** 20121193-38      Client Sample ID: M Tech Rm  
 Collection Date: 12/22/2020 8:55:00 AM      Collected By: James Bowman  
 Matrix: Drinking Water      Sample Location: M Tech Rm

Trace Metals by EPA 200.8 ICP-MS							Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	47.4	*	0.103	µg/L	1	12/28/2020	15.0	A	

**Lab ID:** 20121193-39      Client Sample ID: SS 7  
 Collection Date: 12/22/2020 9:00:00 AM      Collected By: James Bowman  
 Matrix: Drinking Water      Sample Location: SS 7

Trace Metals by EPA 200.8 ICP-MS							Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	80.4	*	0.100	µg/L	1	12/29/2020	15.0	A	

<b>QUALIFIERS</b>	* Value exceeds Maximum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	MI Recovery outside control limits due to Matrix Interference
	ND Not Detected at the Reporting Limit	PL Permit Limit
	R RPD outside accepted recovery limits	

Results are out of the EPA limits

Original



Neilson Research Corporation  
 245 S Grape St  
 Medford, OR 97501  
 TEL: (541) 770-5678 FAX: (541) 770-2901  
 Website: www.nrclabs.com

# Analytical Report

WO#: 20121193  
 Date Reported: 1/8/2021

Eagle Point School District #9  
 PO Box 548  
 Eagle Point, OR 97524

**Lab Order:** 20121193  
**Received Date:** 12/22/2020 11:42:00 AM  
**Reported Date:** 1/8/2021 11:17:17 AM

Sample Information:

**Lab ID:** 20121193-40      Client Sample ID: Rock Hall Fountain A  
 Collection Date: 12/22/2020 8:10:00 AM      Collected By: James Bowman  
 Matrix: Drinking Water      Sample Location: Rock Hall Fountain A

Trace Metals by EPA 200.8 ICP-MS								Analyst: SJS
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.103	µg/L	1	12/28/2020	15.0	A

**Lab ID:** 20121193-41      Client Sample ID: Rock Hall Fountain B  
 Collection Date: 12/22/2020 8:10:00 AM      Collected By: James Bowman  
 Matrix: Drinking Water      Sample Location: Rock Hall Fountain B

Trace Metals by EPA 200.8 ICP-MS								Analyst: SJS
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.103	µg/L	1	12/28/2020	15.0	A

**Lab ID:** 20121193-42      Client Sample ID: SCI Staff Bathroom  
 Collection Date: 12/22/2020 8:10:00 AM      Collected By: James Bowman  
 Matrix: Drinking Water      Sample Location: SCI Staff Bathroom

Trace Metals by EPA 200.8 ICP-MS								Analyst: SJS
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	31.9	*	0.103	µg/L	1	12/28/2020	15.0	A

<b>QUALIFIERS</b>	* Value exceeds Maximum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	MI Recovery outside control limits due to Matrix Interference
	ND Not Detected at the Reporting Limit	PL Permit Limit
	R RPD outside accepted recovery limits	

Results are out of the EPA limits

Original



Neilson Research Corporation  
 245 S Grape St  
 Medford, OR 97501  
 TEL: (541) 770-5678 FAX: (541) 770-2901  
 Website: www.nrclabs.com

# Analytical Report

WO#: 20121193  
 Date Reported: 1/8/2021

Eagle Point School District #9  
 PO Box 548  
 Eagle Point, OR 97524

**Lab Order:** 20121193  
**Received Date:** 12/22/2020 11:42:00 AM  
**Reported Date:** 1/8/2021 11:17:17 AM

Sample Information:

**Lab ID:** 20121193-43      Client Sample ID: Office Staff Bathroom  
 Collection Date: 12/22/2020 8:15:00 AM      Collected By: James Bowman  
 Matrix: Drinking Water      Sample Location: Office Staff Bathroom

Trace Metals by EPA 200.8 ICP-MS								Analyst: SJS	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	42.3	*	0.100	µg/L	1	12/29/2020	15.0	A	

**Lab ID:** 20121193-44      Client Sample ID: Health Room Exam  
 Collection Date: 12/22/2020 8:15:00 AM      Collected By: James Bowman  
 Matrix: Drinking Water      Sample Location: Health Room Exam

Trace Metals by EPA 200.8 ICP-MS								Analyst: SJS	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	2.35		0.103	µg/L	1	12/28/2020	15.0	A	


**Lab ID:** 20121193-45      Client Sample ID: Health Bath #2  
 Collection Date: 12/22/2020 8:15:00 AM      Collected By: James Bowman  
 Matrix: Drinking Water      Sample Location: Health Bath #2

Trace Metals by EPA 200.8 ICP-MS								Analyst: SJS	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	8.62		0.100	µg/L	1	12/29/2020	15.0	A	

<b>QUALIFIERS</b>	* Value exceeds Maximum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	MI Recovery outside control limits due to Matrix Interference
	ND Not Detected at the Reporting Limit	PL Permit Limit
	R RPD outside accepted recovery limits	

Results are out of the EPA limits

Original



Neilson Research Corporation  
 245 S Grape St  
 Medford, OR 97501  
 TEL: (541) 770-5678 FAX: (541) 770-2901  
 Website: www.nrclabs.com

# Analytical Report

WO#: 20121193  
 Date Reported: 1/8/2021

Eagle Point School District #9  
 PO Box 548  
 Eagle Point, OR 97524

**Lab Order:** 20121193  
**Received Date:** 12/22/2020 11:42:00 AM  
**Reported Date:** 1/8/2021 11:17:17 AM

Sample Information:

**Lab ID:** 20121193-46      Client Sample ID: Health Bath #1  
 Collection Date: 12/22/2020 8:20:00 AM      Collected By: James Bowman  
 Matrix: Drinking Water      Sample Location: Health Bath #1

Trace Metals by EPA 200.8 ICP-MS								Analyst: SJS	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	47.5	*	0.100	µg/L	1	12/29/2020	15.0	A	

**Lab ID:** 20121193-47      Client Sample ID: Nurse Sink-Health Rm  
 Collection Date: 12/22/2020 8:20:00 AM      Collected By: James Bowman  
 Matrix: Drinking Water      Sample Location: Nurse Sink-Health Rm

Trace Metals by EPA 200.8 ICP-MS								Analyst: SJS	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	25.8	*	0.100	µg/L	1	12/29/2020	15.0	A	


**Lab ID:** 20121193-48      Client Sample ID: Office Student Mng  
 Collection Date: 12/22/2020 8:35:00 AM      Collected By: James Bowman  
 Matrix: Drinking Water      Sample Location: Office Student Mng

Trace Metals by EPA 200.8 ICP-MS								Analyst: SJS	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	2.39		0.103	µg/L	1	12/29/2020	15.0	A	

<b>QUALIFIERS</b>	* Value exceeds Maximum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	MI Recovery outside control limits due to Matrix Interference
	ND Not Detected at the Reporting Limit	PL Permit Limit
	R RPD outside accepted recovery limits	

Results are out of the EPA limits

Original



Neilson Research Corporation  
 245 S Grape St  
 Medford, OR 97501  
 TEL: (541) 770-5678 FAX: (541) 770-2901  
 Website: www.nrclabs.com

# Analytical Report

WO#: 20121193  
 Date Reported: 1/8/2021

Eagle Point School District #9  
 PO Box 548  
 Eagle Point, OR 97524

**Lab Order:** 20121193  
**Received Date:** 12/22/2020 11:42:00 AM  
**Reported Date:** 1/8/2021 11:17:17 AM

Sample Information:

**Lab ID:** 20121193-49      Client Sample ID: SC 4 Sink A  
 Collection Date: 12/22/2020 8:45:00 AM      Collected By: James Bowman  
 Matrix: Drinking Water      Sample Location: SC 4 Sink A

Trace Metals by EPA 200.8 ICP-MS							Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	771	*	1.00	µg/L	10	12/30/2020	15.0	A	

<b>QUALIFIERS</b>	* Value exceeds Maximum Contaminant Level.	C1 Sample container temperature is out of limit as specified at testcode
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	MI Recovery outside control limits due to Matrix Interference
	ND Not Detected at the Reporting Limit	PL Permit Limit
	R RPD outside accepted recovery limits	

Results are out of the EPA limits

Original



Neilson Research Corporation  
 245 S Grape St  
 Medford, OR 97501  
 TEL: (541) 770-5678 FAX: (541) 770-2901  
 Website: www.nrclabs.com

# QC SUMMARY REPORT

WO#: 20121193  
 08-Jan-21

**Client:** Eagle Point School District #9  
**Project:** Eagle Point High School

**TestCode:** LEAD\_DW

Sample ID: <b>20121193-07AMS</b>	SampType: <b>MS</b>	TestCode: <b>LEAD_DW</b>	Units: <b>µg/L</b>	Prep Date: <b>12/23/2020</b>	RunNo: <b>18016</b>						
Client ID: <b>Main Gym Boys Loc</b>	Batch ID: <b>10230</b>	TestNo: <b>E200.8</b>	<b>E200.8</b>	Analysis Date: <b>12/24/2020</b>	SeqNo: <b>261965</b>						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Lead	90.4	0.104	100	1.63	88.8	70	130				

Sample ID: <b>20121193-07AMSD</b>	SampType: <b>MSD</b>	TestCode: <b>LEAD_DW</b>	Units: <b>µg/L</b>	Prep Date: <b>12/23/2020</b>	RunNo: <b>18016</b>						
Client ID: <b>Main Gym Boys Loc</b>	Batch ID: <b>10230</b>	TestNo: <b>E200.8</b>	<b>E200.8</b>	Analysis Date: <b>12/24/2020</b>	SeqNo: <b>261966</b>						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Lead	91.0	0.104	100	1.63	89.3	70	130	90.4	0.580	20	

Sample ID: <b>MB-10230</b>	SampType: <b>MBLK</b>	TestCode: <b>LEAD_DW</b>	Units: <b>µg/L</b>	Prep Date: <b>12/23/2020</b>	RunNo: <b>18016</b>						
Client ID: <b>PBW</b>	Batch ID: <b>10230</b>	TestNo: <b>E200.8</b>	<b>E200.8</b>	Analysis Date: <b>12/24/2020</b>	SeqNo: <b>262133</b>						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Lead	ND	0.103									

Sample ID: <b>LCS-10230</b>	SampType: <b>LCS</b>	TestCode: <b>LEAD_DW</b>	Units: <b>µg/L</b>	Prep Date: <b>12/23/2020</b>	RunNo: <b>18016</b>						
Client ID: <b>LCSW</b>	Batch ID: <b>10230</b>	TestNo: <b>E200.8</b>	<b>E200.8</b>	Analysis Date: <b>12/24/2020</b>	SeqNo: <b>262134</b>						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Lead	91.8	0.104	100	0	91.8	85	115				

**Qualifiers:**  
 \* Value exceeds Maximum Contaminant Level.  
 H Holding times for preparation or analysis exceeded  
 PL Permit Limit

CI Sample container temperature is out of limit as specified at testcode  
 MI Recovery outside control limits due to Matrix Interference  
 RL Reporting Detection Limit

E Value above quantitation range  
 ND Not Detected at the Reporting Limit

Original



Neilson Research Corporation  
 245 S Grape St  
 Medford, OR 97501  
 TEL: (541) 770-5678 FAX: (541) 770-2901  
 Website: www.nrclabs.com

# QC SUMMARY REPORT

WO#: 20121193  
 08-Jan-21

**Client:** Eagle Point School District #9  
**Project:** Eagle Point High School

**TestCode:** LEAD\_DW

Sample ID: <b>MB-10246</b>	SampType: <b>MBLK</b>	TestCode: <b>LEAD_DW</b>	Units: <b>µg/L</b>	Prep Date: <b>12/28/2020</b>	RunNo: <b>18075</b>
Client ID: <b>PBW</b>	Batch ID: <b>10246</b>	TestNo: <b>E200.8</b>	<b>E200.8</b>	Analysis Date: <b>12/28/2020</b>	SeqNo: <b>263046</b>
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC LowLimit HighLimit RPD Ref Val %RPD RPDLimit Qual
Lead	ND	0.103			

Sample ID: <b>LCS-10246</b>	SampType: <b>LCS</b>	TestCode: <b>LEAD_DW</b>	Units: <b>µg/L</b>	Prep Date: <b>12/28/2020</b>	RunNo: <b>18075</b>
Client ID: <b>LCSW</b>	Batch ID: <b>10246</b>	TestNo: <b>E200.8</b>	<b>E200.8</b>	Analysis Date: <b>12/28/2020</b>	SeqNo: <b>263047</b>
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC LowLimit HighLimit RPD Ref Val %RPD RPDLimit Qual
Lead	97.8	0.104	100	0	97.8 85 115

Sample ID: <b>20121269-01AMS</b>	SampType: <b>MS</b>	TestCode: <b>LEAD_DW</b>	Units: <b>µg/L</b>	Prep Date: <b>12/28/2020</b>	RunNo: <b>18075</b>
Client ID: <b>BatchQC</b>	Batch ID: <b>10246</b>	TestNo: <b>E200.8</b>	<b>E200.8</b>	Analysis Date: <b>12/28/2020</b>	SeqNo: <b>263049</b>
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC LowLimit HighLimit RPD Ref Val %RPD RPDLimit Qual
Lead	94.9	0.104	100	0.0237	94.9 70 130

Sample ID: <b>20121269-01AMSD</b>	SampType: <b>MSD</b>	TestCode: <b>LEAD_DW</b>	Units: <b>µg/L</b>	Prep Date: <b>12/28/2020</b>	RunNo: <b>18075</b>
Client ID: <b>BatchQC</b>	Batch ID: <b>10246</b>	TestNo: <b>E200.8</b>	<b>E200.8</b>	Analysis Date: <b>12/28/2020</b>	SeqNo: <b>263050</b>
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC LowLimit HighLimit RPD Ref Val %RPD RPDLimit Qual
Lead	95.7	0.104	100	0.0237	95.7 70 130 94.9 0.819 20

**Qualifiers:**

* Value exceeds Maximum Contaminant Level.	CI Sample container temperature is out of limit as specified at testcode	E Value above quantitation range
H Holding times for preparation or analysis exceeded	MI Recovery outside control limits due to Matrix Interference	ND Not Detected at the Reporting Limit
PL Permit Limit	RL Reporting Detection Limit	

Original



Neilson Research Corporation  
 245 S Grape St  
 Medford, OR 97501  
 TEL: (541) 770-5678 FAX: (541) 770-2901  
 Website: www.nrclabs.com

# QC SUMMARY REPORT

WO#: 20121193  
 08-Jan-21

**Client:** Eagle Point School District #9  
**Project:** Eagle Point High School

**TestCode:** LEAD\_DW

Sample ID: <b>MB-10264</b>	SampType: <b>MBLK</b>	TestCode: <b>LEAD_DW</b>	Units: <b>µg/L</b>	Prep Date: <b>12/29/2020</b>	RunNo: <b>18105</b>
Client ID: <b>PBW</b>	Batch ID: <b>10264</b>	TestNo: <b>E200.8</b>	<b>E200.8</b>	Analysis Date: <b>12/29/2020</b>	SeqNo: <b>263570</b>
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC LowLimit HighLimit RPD Ref Val %RPD RPDLimit Qual
Lead	ND	0.100			

Sample ID: <b>LCS-10264</b>	SampType: <b>LCS</b>	TestCode: <b>LEAD_DW</b>	Units: <b>µg/L</b>	Prep Date: <b>12/29/2020</b>	RunNo: <b>18105</b>
Client ID: <b>LCSW</b>	Batch ID: <b>10264</b>	TestNo: <b>E200.8</b>	<b>E200.8</b>	Analysis Date: <b>12/29/2020</b>	SeqNo: <b>263571</b>
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC LowLimit HighLimit RPD Ref Val %RPD RPDLimit Qual
Lead	99.4	0.100	100	0	99.4 85 115

Sample ID: <b>20121199-75AMS</b>	SampType: <b>MS</b>	TestCode: <b>LEAD_DW</b>	Units: <b>µg/L</b>	Prep Date: <b>12/29/2020</b>	RunNo: <b>18105</b>
Client ID: <b>BatchQC</b>	Batch ID: <b>10264</b>	TestNo: <b>E200.8</b>	<b>E200.8</b>	Analysis Date: <b>12/29/2020</b>	SeqNo: <b>263581</b>
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC LowLimit HighLimit RPD Ref Val %RPD RPDLimit Qual
Lead	131	0.100	100	34.2	97.1 70 130

Sample ID: <b>20121199-75AMSD</b>	SampType: <b>MSD</b>	TestCode: <b>LEAD_DW</b>	Units: <b>µg/L</b>	Prep Date: <b>12/29/2020</b>	RunNo: <b>18105</b>
Client ID: <b>BatchQC</b>	Batch ID: <b>10264</b>	TestNo: <b>E200.8</b>	<b>E200.8</b>	Analysis Date: <b>12/29/2020</b>	SeqNo: <b>263582</b>
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC LowLimit HighLimit RPD Ref Val %RPD RPDLimit Qual
Lead	130	0.100	100	34.2	96.1 70 130 131 0.796 20

**Qualifiers:** \* Value exceeds Maximum Contaminant Level. CI Sample container temperature is out of limit as specified at testcode E Value above quantitation range  
 H Holding times for preparation or analysis exceeded MI Recovery outside control limits due to Matrix Interference ND Not Detected at the Reporting Limit  
 PL Permit Limit RL Reporting Detection Limit

Original



Neilson Research Corporation  
 245 S Grape St  
 Medford, OR 97501  
 TEL: (541) 770-5678 FAX: (541) 770-2901  
 Website: www.nrclabs.com

# QC SUMMARY REPORT

WO#: 20121193  
 08-Jan-21

**Client:** Eagle Point School District #9  
**Project:** Eagle Point High School

**TestCode:** LEAD\_DW

Sample ID: <b>MB-10248</b>	SampType: <b>MBLK</b>	TestCode: <b>LEAD_DW</b>	Units: <b>µg/L</b>	Prep Date: <b>12/28/2020</b>	RunNo: <b>18105</b>
Client ID: <b>PBW</b>	Batch ID: <b>10248</b>	TestNo: <b>E200.8</b>	<b>E200.8</b>	Analysis Date: <b>12/29/2020</b>	SeqNo: <b>263587</b>
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC LowLimit HighLimit RPD Ref Val %RPD RPDLimit Qual
Lead	ND	0.103			

Sample ID: <b>LCS-10248</b>	SampType: <b>LCS</b>	TestCode: <b>LEAD_DW</b>	Units: <b>µg/L</b>	Prep Date: <b>12/28/2020</b>	RunNo: <b>18105</b>
Client ID: <b>LCSW</b>	Batch ID: <b>10248</b>	TestNo: <b>E200.8</b>	<b>E200.8</b>	Analysis Date: <b>12/29/2020</b>	SeqNo: <b>263588</b>
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC LowLimit HighLimit RPD Ref Val %RPD RPDLimit Qual
Lead	106	0.104	100	0	106 85 115

Sample ID: <b>20121193-27AMS</b>	SampType: <b>MS</b>	TestCode: <b>LEAD_DW</b>	Units: <b>µg/L</b>	Prep Date: <b>12/28/2020</b>	RunNo: <b>18105</b>
Client ID: <b>IT 1</b>	Batch ID: <b>10248</b>	TestNo: <b>E200.8</b>	<b>E200.8</b>	Analysis Date: <b>12/29/2020</b>	SeqNo: <b>263620</b>
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC LowLimit HighLimit RPD Ref Val %RPD RPDLimit Qual
Lead	109	0.104	100	10.3	98.2 70 130

Sample ID: <b>20121193-27AMSD</b>	SampType: <b>MSD</b>	TestCode: <b>LEAD_DW</b>	Units: <b>µg/L</b>	Prep Date: <b>12/28/2020</b>	RunNo: <b>18105</b>
Client ID: <b>IT 1</b>	Batch ID: <b>10248</b>	TestNo: <b>E200.8</b>	<b>E200.8</b>	Analysis Date: <b>12/29/2020</b>	SeqNo: <b>263621</b>
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC LowLimit HighLimit RPD Ref Val %RPD RPDLimit Qual
Lead	110	0.104	100	10.3	99.5 70 130 109 1.19 20

**Qualifiers:**

* Value exceeds Maximum Contaminant Level.	CI Sample container temperature is out of limit as specified at testcode	E Value above quantitation range
H Holding times for preparation or analysis exceeded	MI Recovery outside control limits due to Matrix Interference	ND Not Detected at the Reporting Limit
PL Permit Limit	RL Reporting Detection Limit	

Original



Neilson Research Corporation  
 245 S Grape St  
 Medford, OR 97501  
 TEL: (541) 770-5678 FAX: (541) 770-2901  
 Website: www.nrclabs.com

# QC SUMMARY REPORT

WO#: 20121193  
 08-Jan-21

**Client:** Eagle Point School District #9  
**Project:** Eagle Point High School

**TestCode:** LEAD\_DW

Sample ID: <b>MB-10249</b>	SampType: <b>MBLK</b>	TestCode: <b>LEAD_DW</b>	Units: <b>µg/L</b>	Prep Date: <b>12/28/2020</b>	RunNo: <b>18105</b>						
Client ID: <b>PBW</b>	Batch ID: <b>10249</b>	TestNo: <b>E200.8</b>	<b>E200.8</b>	Analysis Date: <b>12/29/2020</b>	SeqNo: <b>263624</b>						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Lead	ND	0.103									

Sample ID: <b>LCS-10249</b>	SampType: <b>LCS</b>	TestCode: <b>LEAD_DW</b>	Units: <b>µg/L</b>	Prep Date: <b>12/28/2020</b>	RunNo: <b>18105</b>						
Client ID: <b>LCSW</b>	Batch ID: <b>10249</b>	TestNo: <b>E200.8</b>	<b>E200.8</b>	Analysis Date: <b>12/29/2020</b>	SeqNo: <b>263625</b>						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Lead	102	0.104	100	0	102	85	115				

Sample ID: <b>20121199-18AMS</b>	SampType: <b>MS</b>	TestCode: <b>LEAD_DW</b>	Units: <b>µg/L</b>	Prep Date: <b>12/28/2020</b>	RunNo: <b>18105</b>						
Client ID: <b>BatchQC</b>	Batch ID: <b>10249</b>	TestNo: <b>E200.8</b>	<b>E200.8</b>	Analysis Date: <b>12/30/2020</b>	SeqNo: <b>263646</b>						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Lead	97.3	0.104	100	0.919	96.4	70	130				

Sample ID: <b>20121199-18AMSD</b>	SampType: <b>MSD</b>	TestCode: <b>LEAD_DW</b>	Units: <b>µg/L</b>	Prep Date: <b>12/28/2020</b>	RunNo: <b>18105</b>						
Client ID: <b>BatchQC</b>	Batch ID: <b>10249</b>	TestNo: <b>E200.8</b>	<b>E200.8</b>	Analysis Date: <b>12/30/2020</b>	SeqNo: <b>263647</b>						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Lead	99.7	0.104	100	0.919	98.8	70	130	97.3	2.50	20	

**Qualifiers:**

* Value exceeds Maximum Contaminant Level.	CI Sample container temperature is out of limit as specified at testcode	E Value above quantitation range
H Holding times for preparation or analysis exceeded	MI Recovery outside control limits due to Matrix Interference	ND Not Detected at the Reporting Limit
PL Permit Limit	RL Reporting Detection Limit	

Original



Neilson Research Corporation  
 245 S Grape St  
 Medford, OR 97501  
 TEL: (541) 770-5678 FAX: (541) 770-2901  
 Website: www.nrclabs.com

# QC SUMMARY REPORT

WO#: 20121193  
 08-Jan-21

**Client:** Eagle Point School District #9  
**Project:** Eagle Point High School

**TestCode:** LEAD\_DW

Sample ID: <b>MB-10263</b>	SampType: <b>MBLK</b>	TestCode: <b>LEAD_DW</b>	Units: <b>µg/L</b>	Prep Date: <b>12/29/2020</b>	RunNo: <b>18129</b>						
Client ID: <b>PBW</b>	Batch ID: <b>10263</b>	TestNo: <b>E200.8</b>	<b>E200.8</b>	Analysis Date: <b>12/30/2020</b>	SeqNo: <b>264129</b>						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Lead	ND	0.100									

Sample ID: <b>LCS-10263</b>	SampType: <b>LCS</b>	TestCode: <b>LEAD_DW</b>	Units: <b>µg/L</b>	Prep Date: <b>12/29/2020</b>	RunNo: <b>18129</b>						
Client ID: <b>LCSW</b>	Batch ID: <b>10263</b>	TestNo: <b>E200.8</b>	<b>E200.8</b>	Analysis Date: <b>12/30/2020</b>	SeqNo: <b>264130</b>						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Lead	101	0.100	100	0	101	85	115				

Sample ID: <b>20121193-37AMS</b>	SampType: <b>MS</b>	TestCode: <b>LEAD_DW</b>	Units: <b>µg/L</b>	Prep Date: <b>12/29/2020</b>	RunNo: <b>18165</b>						
Client ID: <b>M Staff Rm</b>	Batch ID: <b>10263</b>	TestNo: <b>E200.8</b>	<b>E200.8</b>	Analysis Date: <b>12/31/2020</b>	SeqNo: <b>264660</b>						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Lead	275	0.100	100	178	96.6	70	130				E

Sample ID: <b>20121193-37AMSD</b>	SampType: <b>MSD</b>	TestCode: <b>LEAD_DW</b>	Units: <b>µg/L</b>	Prep Date: <b>12/29/2020</b>	RunNo: <b>18165</b>						
Client ID: <b>M Staff Rm</b>	Batch ID: <b>10263</b>	TestNo: <b>E200.8</b>	<b>E200.8</b>	Analysis Date: <b>12/31/2020</b>	SeqNo: <b>264661</b>						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Lead	275	0.100	100	178	96.1	70	130	275	0.171	20	E

**Qualifiers:**

* Value exceeds Maximum Contaminant Level.	CI Sample container temperature is out of limit as specified at testcode	E Value above quantitation range
H Holding times for preparation or analysis exceeded	MI Recovery outside control limits due to Matrix Interference	ND Not Detected at the Reporting Limit
PL Permit Limit	RL Reporting Detection Limit	

Original

# Sample Log-In Check List

Client Name: **EAGLEPTSCHOOL**

Work Order Number: **20121193**

RcptNo: **1**

Logged by:	<b>Sarah Spence</b>	<b>12/22/2020 11:42:00 AM</b>	<i>Sarah Spence</i>
Completed By:	<b>Katherine Crooks</b>	<b>12/23/2020 12:47:30 PM</b>	<i>Katherine Crooks</i>
Reviewed By:	<b>Naomi Orr</b>	<b>1/8/2021 10:58:55 AM</b>	<i>Naomi Orr</i>

**Chain of Custody**

1. Is Chain of Custody complete? Yes  No  Not Present   
 2. How was the sample delivered? Client

**Log In**

3. Coolers are present? Yes  No  NA   
 4. Shipping container/cooler in good condition? Yes  No   
 Custody seals intact on shipping container/cooler? Yes  No  Not Present   
 No. Seal Date: Signed By:  
 5. Was an attempt made to cool the samples? Yes  No  NA   
 6. Were all samples received at a temperature of >0° C to 6.0°C Yes  No  NA   
 7. Sample(s) in proper container(s)? Yes  No   
 8. Sufficient sample volume for indicated test(s)? Yes  No   
 9. Are samples (except VOA and ONG) properly preserved? Yes  No   
 10. Was preservative added to bottles? Yes  No  NA   
 11. Is the headspace in the VOA vials less than 1/4 inch or 6 mm? Yes  No  HNO<sub>3</sub>, pH<2  
 No VOA Vials   
 12. Were any sample containers received broken? Yes  No   
 13. Does paperwork match bottle labels? Yes  No   
 (Note discrepancies on chain of custody)  
 14. Are matrices correctly identified on Chain of Custody? Yes  No   
 15. Is it clear what analyses were requested? Yes  No   
 16. Were all holding times able to be met? Yes  No   
 (If no, notify customer for authorization.)

**Special Handling (if applicable)**

17. Was client notified of all discrepancies with this order? Yes  No  NA

Person Notified:	<input type="text"/>	Date:	<input type="text"/>
By Whom:	<input type="text"/>	Via:	<input type="checkbox"/> eMail <input type="checkbox"/> Phone <input type="checkbox"/> Fax <input type="checkbox"/> In Person
Regarding:	<input type="text"/>		
Client Instructions:	<input type="text"/>		

18. Additional remarks:

The sample submitted contained visible sediments (samples 05, 20, 22, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 37, 38, 39, 42, 43, 44, 46, 47, 49)

**Cooler Information**

Cooler No	Temp °C	Condition	Seal Intact	Seal No	Seal Date	Signed By
-----------	---------	-----------	-------------	---------	-----------	-----------

# Chain of Custody Record

This Chain of Custody is a LEGAL DOCUMENT and must be filled out accurately.

1 of 6  
Page 1 of 6  
error no  
1-6-2021

<b>Section A</b> Required Client Information	<b>Section B</b> Required Project Information	<b>Section C</b> Invoice Information	<b>Section D</b> Rush Status (Subject to Scheduling)
Company: <u>EPHS</u>	Project Name: <u>Eagle Point High School</u>	Attention:	<input checked="" type="checkbox"/> Standard 10-14 Days
Address: <u>203 North Platt</u> <u>Eagle Point OR 97524</u>	Project Number:	Company Name:	<input type="checkbox"/> 5 Business Days (50% surcharge)
Email: <u>Hardingj@eaglepnt.k12-or.us</u>	Report To:	Address:	<input type="checkbox"/> 3 Business Days (75% surcharge)
Phone: <u>541-830-6376</u> Fax:	Copy To:	P.O. #	<input type="checkbox"/> 24 - 48 hours (100% surcharge)
Collected By (Print): <u>Cindy Leonardo</u>			<input type="checkbox"/> Other _____
Collected By (Sign): <u>Cindy Leonardo CP</u>			Authorized <input type="checkbox"/> Yes <input type="checkbox"/> No
Email Report <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Mail Report <input type="checkbox"/> Yes <input type="checkbox"/> No		
Fax Report <input type="checkbox"/> Yes <input type="checkbox"/> No			

Section E Sample Information					Analysis Requested										NRC Workorder # (Lab Use Only) <u>20121178</u>			
Sample ID	Comp/Grab	Matrix*	Date Collected	Time Collected	No. of Containers											Remarks/Field Data	NRC Sample # (Lab Use Only)	
84805 main gym public R.R. #2			12-22	8:00a	1	Lead												97 01
84866 main gym " " #3			12-22	8:00a	1	✓												98 02
84819 main gym girls teacher sink			12-22	8:00a	1	✓												99 03
84852 " " drinking fm locker			12-22	8:00a	1	✓												100 04
84881 " " girls locker student			12-22	8:00a	1	✓												101 05
84788 " " boys locker coach			12-22	8:00a	1	✓												102 06
84851 " " " " fountain			12-22	8:00a	1	✓												103 07
84816 " " boys public r.r. #1			12-22	8:00a	1	✓												104 08
84875 " " " " " #2			12-22	8:00a	1	✓												105 09
84873 " " " " " #3			12-22	8:00a	1	✓												106 10

\*Matrix: DW - Drinking Water WW - Wastewater W - Water S - Soil/Solid SL - Sludge O - Oil WP - Wipe OT - Other

Section F Relinquish/Receive		Sign	Print	Date	Time
Relinquished By:	<u>Cindy Leonardo</u>		<u>Cindy Leonardo</u>	<u>12-22-20</u>	<u>10:05</u>
Received By:	<u>John Harding</u>		<u>John Harding</u>	<u>12/22</u>	<u>10:05</u>
Relinquished By:					
Received By:					
Relinquished By:	<u>John Harding</u>		<u>John Harding</u>	<u>12/22/20</u>	<u>11:42</u>
Received By Laboratory:	<u>[Signature]</u>		<u>JH</u>	<u>12/22/20</u>	<u>11:02</u>

Section G Lab Use Only	
Temp:	<u>Am b</u>
4°C +/- 2°C:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Received on Ice:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Number of Bottles Received:	<u>49</u>
pH Checked:	<u>NA</u>
COC Seals Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA
Field Blank Included:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

Received Via  UPS  FedEx  Other  Hand

Payment:  Invoice  Cash  VISA, M/C  Check # \_\_\_\_\_ Amount \_\_\_\_\_



# Chain of Custody Record

This Chain of Custody is a LEGAL DOCUMENT and must be filled out accurately.

3 of 6  
 Page 15 of 15  
 error NE  
 16-2021

<b>Section A</b> Required Client Information		<b>Section B</b> Required Project Information		<b>Section C</b> Invoice Information		<b>Section D</b> Rush Status (Subject to Scheduling)	
Company: <u>EAGLE POINT SD #9</u>		Project Name: <u>EAGLE PT HIGH SCHOOL</u>		Attention:		<input checked="" type="checkbox"/> Standard 10-14 Days	
Address: <u>203 N. PLATT</u>		Project Number:		Company Name:		<input type="checkbox"/> 5 Business Days (50% surcharge)	
<u>EAGLE POINT OR 97524</u>		Report To:		Address:		<input type="checkbox"/> 3 Business Days (75% surcharge)	
Email: <u>HARDINGJ@EAGLEPNT.K12.OR.US</u>		Copy To:		P.O. #		<input type="checkbox"/> 24 - 48 hours (100% surcharge)	
Phone: <u>541-830-6376</u> Fax:						<input type="checkbox"/> Other _____	
Collected By (Print): <u>RIK MAE INNIS</u>						Authorized <input type="checkbox"/> Yes <input type="checkbox"/> No	
Collected By (Sign): <u>RIK MAE INNIS</u>							
Email Report <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		Mail Report <input type="checkbox"/> Yes <input type="checkbox"/> No					
Fax Report <input type="checkbox"/> Yes <input type="checkbox"/> No							

Section E Sample Information					Analysis Requested										NRC Workorder # (Lab Use Only)			
Sample ID	Comp/Grab	Matrix*	Date Collected	Time Collected	No. of Containers	Lead											Remarks/Field Data	NRC Sample # (Lab Use Only)
<u>GRAB CORCH RM</u>			<u>12-22</u>	<u>7:25</u>		<input checked="" type="checkbox"/>												<u>116 20</u>
<u>ART RM #1 SINK A</u>			<u>12-22</u>	<u>7:30</u>		<input checked="" type="checkbox"/>												<u>117 21</u>
<u>ART RM #1 SINK B</u>			<u>12-22</u>	<u>7:30</u>		<input checked="" type="checkbox"/>												<u>118 22</u>
<u>ART RM 2</u>			<u>12-22</u>	<u>7:30</u>		<input checked="" type="checkbox"/>												<u>119 23</u>
<u>IT 2</u>			<u>12-22</u>	<u>7:40</u>		<input checked="" type="checkbox"/>												<u>120 24</u>
<u>IT 3</u>			<u>12-22</u>	<u>7:50</u>		<input checked="" type="checkbox"/>												<u>121 25</u>
<u>IT 4</u>			<u>12-22</u>	<u>7:55</u>		<input checked="" type="checkbox"/>												<u>122 26</u>
<u>IT 1</u>			<u>12-22</u>	<u>7:55</u>		<input checked="" type="checkbox"/>												<u>123 27</u>
<u>IT 6</u>			<u>12-22</u>	<u>7:55</u>		<input checked="" type="checkbox"/>												<u>124 28</u>
<u>IT 5</u>			<u>12-22</u>	<u>7:55</u>		<input checked="" type="checkbox"/>												<u>125 29</u>

\*Matrix: DW - Drinking Water WW - Wastewater W - Water S - Soil/Solid SL - Sludge O - Oil WP - Wipe OT - Other

Section F Relinquish/Receive		Sign	Print	Date	Time
Relinquished By:	<u>Rick Mae Innis</u>		<u>Rick Mae Innis</u>	<u>12-22-20</u>	<u>7:25 AM</u>
Received By:	<u>John Harding</u>		<u>John Harding</u>	<u>12/22</u>	<u>10:20</u>
Relinquished By:					
Received By:					
Relinquished By:	<u>John Harding</u>		<u>John Harding</u>	<u>12/22</u>	<u>11:42</u>
Received By Laboratory:	<u>JMS</u>		<u>INSPIRICE</u>	<u>12/22/2020</u>	<u>1142</u>

Section G Lab Use Only	
Temp:	<u>Amb</u>
4°C +/- 2°C:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Received on Ice:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Number of Bottles Received:	<u>49</u>
pH Checked:	<u>N/A</u>
COC Seals Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA
Field Blank Included:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

Received Via  UPS  FedEx  Other  Hand

Payment:  Invoice  Cash  VISA, M/C  Check # \_\_\_\_\_ Amount \_\_\_\_\_

# Chain of Custody Record

This Chain of Custody is a LEGAL DOCUMENT and must be filled out accurately.

4 of 6  
Page 14 of 17  
error NE  
1-6-2021

<b>Section A</b> Required Client Information		<b>Section B</b> Required Project Information		<b>Section C</b> Invoice Information		<b>Section D</b> Rush Status (Subject to Scheduling)	
Company: <u>EAGLE PT SD #9</u>		Project Name: <u>EAGLE POINT HIGH SCHOOL</u>		Attention:		<input checked="" type="checkbox"/> Standard 10-14 Days	
Address: <u>203 N. PLATT</u>		Project Number:		Company Name:		<input type="checkbox"/> 5 Business Days (50% surcharge)	
<u>EAGLE POINT OR 97574</u>		Report To:		Address:		<input type="checkbox"/> 3 Business Days (75% surcharge)	
Email: <u>HARDINGJ@EAGLEPNT.K12.OR.US</u>		Copy To:		P.O. #		<input type="checkbox"/> 24 - 48 hours (100% surcharge)	
Phone: <u>541-830-6376</u> Fax:						<input type="checkbox"/> Other _____	
Collected By (Print): <u>RIK MANN</u>						Authorized <input type="checkbox"/> Yes <input type="checkbox"/> No	
Collected By (Sign): <u>[Signature]</u>							
Email Report <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		Mail Report <input type="checkbox"/> Yes <input type="checkbox"/> No					
Fax Report <input type="checkbox"/> Yes <input type="checkbox"/> No							

Section E Sample Information					No. of Containers	Analysis Requested										Remarks/Field Data	NRC Sample # (Lab Use Only)
Sample ID	Comp/Grab	Matrix*	Date Collected	Time Collected													
<u>ROCK HALL MEN'S RM SINK A</u>			<u>12-22</u>	<u>8:00 A</u>	<u>✓</u>												
<u>2011 " " " SINK B</u>			<u>12-22</u>	<u>8:00 A</u>	<u>✓</u>												
<u>ROCK HALL WOMEN'S RM SINK A</u>			<u>12-22</u>	<u>8:00 A</u>	<u>✓</u>												
<u>" " " " SINK B</u>			<u>12-22</u>	<u>8:00 A</u>	<u>✓</u>												

20121193  
NRC Workorder # 20121178 Error  
(Lab Use Only) DN  
alaba

\*Matrix: DW - Drinking Water WW - Wastewater W - Water S - Soil/Solid SL - Sludge O - Oil WP - Wipe OT - Other

Section F		Section G	
Relinquish/Receive	Sign	Print	Lab Use Only
Relinquished By: <u>[Signature]</u>		<u>RIK MANN</u>	Temp: <u>Amb</u>
Received By: <u>[Signature]</u>		<u>John Harding</u>	4°C +/- 2°C: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Relinquished By:			Received on Ice: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Received By:			Number of Bottles Received: <u>49</u>
Relinquished By: <u>[Signature]</u>		<u>John Harding</u>	pH Checked: <u>NA</u>
Received By Laboratory: <u>[Signature]</u>		<u>JNSPERCE</u>	COC Seals Intact: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA
			Field Blank Included: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

Received Via  UPS  FedEX  Other  Hand

Payment:  Invoice  Cash  VISA, M/C  Check # \_\_\_\_\_ Amount \_\_\_\_\_



# Chain of Custody Record

This Chain of Custody is a LEGAL DOCUMENT and must be filled out accurately.

6 of 6  
 Page ~~16~~ of ~~16~~  
 error NO  
 1-6-2021

<b>Section A</b> Required Client Information		<b>Section B</b> Required Project Information		<b>Section C</b> Invoice Information		<b>Section D</b> Rush Status (Subject to Scheduling)	
Company: <u>EAGLE PT SD #9</u>		Project Name: <u>EAGLE PT. HIGH SCHOOL</u>		Attention:		<input checked="" type="checkbox"/> Standard 10-14 Days	
Address: <u>203 N. PLATT</u>		Project Number:		Company Name:		<input type="checkbox"/> 5 Business Days (50% surcharge)	
<u>EAGLE POINT OR 97524</u>		Report To:		Address:		<input type="checkbox"/> 3 Business Days (75% surcharge)	
Email: <u>HARDINGJ@EAGLEPNT.K12.OR.US</u>		Copy To:		P.O. #		<input type="checkbox"/> 24 - 48 hours (100% surcharge)	
Phone: <u>541.830.6376</u> Fax:						<input type="checkbox"/> Other _____	
Collected By (Print): <u>JAMES BOWMAN</u>						Authorized <input type="checkbox"/> Yes <input type="checkbox"/> No	
Collected By (Sign): <u>[Signature]</u>							
Email Report <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		Mail Report <input type="checkbox"/> Yes <input type="checkbox"/> No					
Fax Report <input type="checkbox"/> Yes <input type="checkbox"/> No							

Section E Sample Information					No. of Containers	Analysis Requested										NRC Workorder # (Lab Use Only)	Remarks/Field Data	NRC Sample # (Lab Use Only)
Sample ID	Comp/Grab	Matrix*	Date Collected	Time Collected		1	2	3	4	5	6	7	8	9	10			
ROCK HALL FOUNTAIN A			12-22	8:10A	Lead	✓											136	
" " " B			12-22	8:10A	Lead	✓											137	
SCI STAFF BATHRM			12-22	8:10A	Lead	✓											138	
OFFICE STAFF BATHRM			12-22	8:45A	Lead	✓											139	
HEALTH RM EXAM			12-22	8:15A	Lead	✓											140	
HEALTH BATH #2			12-22	8:15A	Lead	✓											141	
" " #1			12-22	8:20A	Lead	✓											142	
NURSE SINK-HEALTH RM			12-22	8:20A	Lead	✓											143	
OFFICE STUDENT HNG.			12-22	8:35A	Lead	✓											144	
SC 4 SINK A			12-22	8:45A	Lead	✓											145	

\*Matrix: DW - Drinking Water WW - Wastewater W - Water S - Soil/Solid SL - Sludge O - Oil WP - Wipe OT - Other

Section F Relinquish/Receive		Sign	Print	Date	Time
Relinquished By: <u>[Signature]</u>		<u>Jim Bowman</u>	<u>Jim Bowman</u>	<u>12-22</u>	<u>8:00AM</u>
Received By: <u>[Signature]</u>		<u>John Harding</u>	<u>John Harding</u>	<u>12/22</u>	<u>10:20</u>
Relinquished By: <u>[Signature]</u>		<u>John Harding</u>	<u>John Harding</u>	<u>12/22</u>	<u>11:42</u>
Received By Laboratory: <u>[Signature]</u>		<u>JHS</u>	<u>JHS</u>	<u>12/22/2020</u>	<u>11:42</u>

Section G Lab Use Only	
Temp:	<u>Am D</u>
4°C +/- 2°C:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Received on Ice:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Number of Bottles Received:	<u>49</u>
pH Checked:	<u>NA</u>
COC Seals Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA
Field Blank Included:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

Received Via  UPS  FedEX  Other  Hand

Payment:  Invoice  Cash  VISA, M/C  Check # \_\_\_\_\_ Amount \_\_\_\_\_

- B Analyte detected in the associated method blank.
- BA BOD Alternative Calculation: The initial results performed by Standard Methods did not fall within parameters of the Standard Methods calculation. An alternate approved calculation was performed using the HACH method and the value reported is an estimated concentration.
- C Sample(s) does not meet NELAP/ORELAP sample acceptance criteria. See Case Narrative.
- C1 Sample(s) does not meet NELAP/ORELAP sample acceptance criteria for temperature.
- CF Results confirmed by re-analysis.
- CU Cleanup performed as specified by method.
- D1 The diesel elution pattern for the sample is not typical.
- D2 The sample appears to be a heavier hydrocarbon range than diesel.
- D3 The sample appears to be a lighter hydrocarbon range than diesel.
- D4 Detected hydrocarbons do not have pattern and range consistent with typical petroleum products and may be due to biogenic interference.
- D5 Detected hydrocarbons in the diesel range appear to be weathered diesel.
- E Estimated value.
- ER Elevated reporting limit due to matrix. Report limits (MDLs, MRLs & PQLs) are adjusted based on variations in sample preparation amounts, analytical dilutions, and percent solids, where applicable.
- FC Fecal Coliforms: Sample(s) received past 40 CFR Part 136 specified holding time. Results reported as estimated values.
- G1 The gasoline elution pattern for the sample is not typical.
- G2 The sample appears to be a heavier hydrocarbon range than gasoline.
- G3 The sample appears to be a lighter hydrocarbon range than gasoline.
- G4 Detected hydrocarbons in the gasoline range appear to be weathered gasoline.
- HP Sample re-analysis performed outside of method specified holding time.
- HR Sample received outside of method specified holding time.
- HS Sample analyzed for volatile organics contained headspace.
- HT  At the client's request, the sample was analyzed outside of method specified holding time.
- H Analysis performed outside of method specified holding time.
- J Analyte detected below the Minimum Reporting Limit (MRL) and above the Method Detection Limit (MDL). The J flag result is an estimated value and the user should be aware that this data is of limited reliability.
- L Dissolved metals were not filtered within 15 minutes of collection per 40 CFR Part 136.
- MI Surrogate, Duplicate Sample (DUP) or Matrix Spikes recoveries are out of control limits due to matrix interference. Sample results may be biased.
- N See Case Narrative on page 2 of report.
- NLR No Legionella Recovered.
- PLR Presence of Legionella Recovered.
- Q Initial calibration verification (ICV), continuing calibration verification (CCV) or laboratory control sample (LCS) exceeded high recovery limits, but associated samples are non-detect and the sample results are not affected. Data meets EPA/NELAP requirements.
- R Relative percent difference (RPD) is outside of the accepted recovery limits.
- R1 Relative percent difference (RPD) is outside of the accepted recovery limits. However, analyses are not controlled on RPD values for sample concentrations that are less than the reporting limit.
- R3 The relative percent difference (RPD) and/or percent recovery for the duplicate (DUP) or matrix spike (MS)/matrix spike duplicate (MSD) cannot be accurately calculated due to the concentration of analyte already present in the sample.
- R4 Duplicate analysis failed due to result being at or near the method reporting limit.
- S Surrogate and/or matrix spike recovery is outside of the accepted recovery limits. Sample results may be biased.
- S1 Surrogate or matrix spike recovery is outside of control limits due to dilution necessary for analysis.
- SC Sub-contracted to another laboratory for analysis.
- SP Sample(s) were not collected per EPA Method 5035A protocols. The results are considered minimum values.
- # Value exceeds regulatory level for TCLP contaminant.
- X1 The motor oil elution pattern for the sample is not typical.
- X2 The sample appears to be a heavier hydrocarbon range than motor oil.
- X3 The sample appears to be a lighter hydrocarbon range than motor oil.
- \* Value exceeds Maximum Contaminant Level or is outside the acceptable range.