

NEILSON RESEARCH CORPORATION

Environmental Testing Laboratory

7/20/2016

Ken Gruenwald
Eagle Point School District #9
PO Box 548
Eagle Point, OR 97524
TEL: (541) 830-1240
FAX (541) 830-6375

RE: Lower Table Rock Office Lead Testing

Order No.: 1607129

Dear Ken Gruenwald:

Neilson Research Corporation received 9 sample(s) on 7/6/2016 for the analyses presented in the following report.

The results relate only to the parameters tested or to the sample as received by the laboratory. This report shall not be reproduced except in full, without the written approval of Neilson Research Corporation. If you have any questions regarding these test results, please feel free to call.

Sincerely,
Neilson Research Corporation

Alec C Smith
Project Manager

245 S Grape St • Medford, OR 97501 • (541) 770-5678
400 SE G St, Suite B • Grants Pass, OR 97526 • (541) 479-4053
www.nrclabs.com

Neilson Research Corporation

245 South Grape Street, Medford, Oregon 97501 541-770-5678 Fax 541-770-2901

Analysis Report

ORELAP 100016
EPA OR00028

CLIENT: Eagle Point School District #9
Project: Lower Table Rock Office Lead Testing
Lab Order: 1607129

Date: 20-Jul-16

CASE NARRATIVE

The analyses were performed according to the guidelines in the Neilson Research Corporation Quality Assurance Program. This report contains analytical results for the sample(s) as received by the laboratory.

Neilson Research Corporation certifies that this report is in compliance with the requirements of NELAP. No unusual difficulties were experienced during analysis of this batch except as noted below or qualified with data flags on the reports.

Neilson Research Corporation

245 South Grape Street, Medford, Oregon 97501 541-770-5678 Fax 541-770-2901

Analysis Report

ORELAP 100016
EPA OR00028

Eagle Point School District #9

PO Box 548

Eagle Point, OR 97524

Lab Order: **1607129**

NRC Sample ID: **1607129-01A**

Collection Date: **7/6/2016 7:00:00 AM**

Received Date: **7/6/2016 8:45:00 AM**

Reported Date: **7/20/2016 11:07:46 AM**

Sample Information:

Lower Table Rock Office Lead Testing

Client Sample ID: Bottle #19310

Collectors Name: Ken Gruenwald

Sample Location: A Health Sink

Source: City Water

ANALYTICAL RESULTS

Analyses	Method	NELAP Accredited	Result	Qual	MRL	Units	EPA Limit	Date Analyzed	Analyst
Lead	EPA 200.8	A	0.0206	*CF	0.000103	mg/L	0.020 AL	7/17/2016	OML

Notes: ND - Not Detected at the MRL

N.L. - No Limit

MRL - Minimum Reporting Limit

Neilson Research Corporation

245 South Grape Street, Medford, Oregon 97501 541-770-5678 Fax 541-770-2901

Analysis Report

ORELAP 100016
EPA OR00028

Eagle Point School District #9

PO Box 548

Eagle Point, OR 97524

Lab Order: **1607129**

NRC Sample ID: **1607129-02A**

Collection Date: **7/6/2016 7:00:00 AM**

Received Date: **7/6/2016 8:45:00 AM**

Reported Date: **7/20/2016 11:07:46 AM**

Sample Information:

Lower Table Rock Office Lead Testing

Client Sample ID: Bottle #19295

Collectors Name: Ken Gruenwald

Sample Location: B Mens RR Sink

Source: City Water

ANALYTICAL RESULTS

Analyses	Method	NELAP Accredited	Result	Qual	MRL	Units	EPA Limit	Date Analyzed	Analyst
Lead	EPA 200.8	A	0.00417		0.000103	mg/L	0.020 AL	7/17/2016	OML

Notes: ND - Not Detected at the MRL

N.L. - No Limit

MRL - Minimum Reporting Limit

Neilson Research Corporation

245 South Grape Street, Medford, Oregon 97501 541-770-5678 Fax 541-770-2901

Analysis Report

ORELAP 100016
EPA OR00028

Eagle Point School District #9

PO Box 548

Eagle Point, OR 97524

Lab Order: **1607129**

NRC Sample ID: **1607129-03A**

Collection Date: **7/6/2016 7:00:00 AM**

Received Date: **7/6/2016 8:45:00 AM**

Reported Date: **7/20/2016 11:07:46 AM**

Sample Information:

Lower Table Rock Office Lead Testing

Client Sample ID: Bottle #19236

Collectors Name: Ken Gruenwald

Sample Location: C Womens RR Sink

Source: City Water

ANALYTICAL RESULTS

Analyses	Method	NELAP Accredited	Result	Qual	MRL	Units	EPA Limit	Date Analyzed	Analyst
Lead	EPA 200.8	A	0.0700	*CF	0.0001	mg/L	0.020 AL	7/15/2016	OML

Notes: ND - Not Detected at the MRL

N.L. - No Limit

MRL - Minimum Reporting Limit

Neilson Research Corporation

245 South Grape Street, Medford, Oregon 97501 541-770-5678 Fax 541-770-2901

Analysis Report

ORELAP 100016
EPA OR00028

Eagle Point School District #9

PO Box 548

Eagle Point, OR 97524

Lab Order: **1607129**

NRC Sample ID: **1607129-04A**

Collection Date: **7/6/2016 7:00:00 AM**

Received Date: **7/6/2016 8:45:00 AM**

Reported Date: **7/20/2016 11:07:46 AM**

Sample Information:

Lower Table Rock Office Lead Testing

Client Sample ID: Bottle #19314

Collectors Name: Ken Gruenwald

Sample Location: D-1 W Boys RR Sink L

Source: City Water

ANALYTICAL RESULTS

Analyses	Method	NELAP Accredited	Result	Qual	MRL	Units	EPA Limit	Date Analyzed	Analyst
Lead	EPA 200.8	A	0.00495		0.000103	mg/L	0.020 AL	7/17/2016	OML

Notes: ND - Not Detected at the MRL

N.L. - No Limit

MRL - Minimum Reporting Limit

Neilson Research Corporation

245 South Grape Street, Medford, Oregon 97501 541-770-5678 Fax 541-770-2901

Analysis Report

ORELAP 100016
EPA OR00028

Eagle Point School District #9

PO Box 548

Eagle Point, OR 97524

Lab Order: **1607129**

NRC Sample ID: **1607129-05A**

Collection Date: **7/6/2016 7:00:00 AM**

Received Date: **7/6/2016 8:45:00 AM**

Reported Date: **7/20/2016 11:07:46 AM**

Sample Information:

Lower Table Rock Office Lead Testing

Client Sample ID: Bottle #19320

Collectors Name: Ken Gruenwald

Sample Location: D-2 W Boys RR Sink R

Source: City Water

ANALYTICAL RESULTS

Analyses	Method	NELAP Accredited	Result	Qual	MRL	Units	EPA Limit	Date Analyzed	Analyst
Lead	EPA 200.8	A	0.00377		0.000103	mg/L	0.020 AL	7/17/2016	OML

Notes: ND - Not Detected at the MRL

N.L. - No Limit

MRL - Minimum Reporting Limit

Neilson Research Corporation

245 South Grape Street, Medford, Oregon 97501 541-770-5678 Fax 541-770-2901

Analysis Report

ORELAP 100016
EPA OR00028

Eagle Point School District #9

PO Box 548

Eagle Point, OR 97524

Lab Order: **1607129**

NRC Sample ID: **1607129-06A**

Collection Date: **7/6/2016 7:00:00 AM**

Received Date: **7/6/2016 8:45:00 AM**

Reported Date: **7/20/2016 11:07:46 AM**

Sample Information:

Lower Table Rock Office Lead Testing

Client Sample ID: Bottle #19321

Collectors Name: Ken Gruenwald

Sample Location: E-1 W Girls RR Sink L

Source: City Water

ANALYTICAL RESULTS

Analyses	Method	NELAP Accredited	Result	Qual	MRL	Units	EPA Limit	Date Analyzed	Analyst
Lead	EPA 200.8	A	0.00434		0.000103	mg/L	0.020 AL	7/17/2016	OML

Notes: ND - Not Detected at the MRL

N.L. - No Limit

MRL - Minimum Reporting Limit

Neilson Research Corporation

245 South Grape Street, Medford, Oregon 97501 541-770-5678 Fax 541-770-2901

Analysis Report

ORELAP 100016
EPA OR00028

Eagle Point School District #9

PO Box 548

Eagle Point, OR 97524

Lab Order: **1607129**

NRC Sample ID: **1607129-07A**

Collection Date: **7/6/2016 7:00:00 AM**

Received Date: **7/6/2016 8:45:00 AM**

Reported Date: **7/20/2016 11:07:46 AM**

Sample Information:

Lower Table Rock Office Lead Testing

Client Sample ID: Bottle #19315

Collectors Name: Ken Gruenwald

Sample Location: E-2 W Girls RR Sink R

Source: City Water

ANALYTICAL RESULTS

Analyses	Method	NELAP Accredited	Result	Qual	MRL	Units	EPA Limit	Date Analyzed	Analyst
Lead	EPA 200.8	A	0.00255		0.000103	mg/L	0.020 AL	7/17/2016	OML

Notes: ND - Not Detected at the MRL

N.L. - No Limit

MRL - Minimum Reporting Limit

Neilson Research Corporation

245 South Grape Street, Medford, Oregon 97501 541-770-5678 Fax 541-770-2901

Analysis Report

ORELAP 100016
EPA OR00028

Eagle Point School District #9

PO Box 548

Eagle Point, OR 97524

Lab Order: **1607129**

NRC Sample ID: **1607129-08A**

Collection Date: **7/6/2016 7:00:00 AM**

Received Date: **7/6/2016 8:45:00 AM**

Reported Date: **7/20/2016 11:07:46 AM**

Sample Information:

Lower Table Rock Office Lead Testing

Client Sample ID: Bottle #19303

Collectors Name: Ken Gruenwald

Sample Location: F-1 Rm 13 Sink Faucet

Source: City Water

ANALYTICAL RESULTS

Analyses	Method	NELAP Accredited	Result	Qual	MRL	Units	EPA Limit	Date Analyzed	Analyst
Lead	EPA 200.8	A	0.0123		0.000103	mg/L	0.020 AL	7/17/2016	OML

Notes: ND - Not Detected at the MRL

N.L. - No Limit

MRL - Minimum Reporting Limit

Neilson Research Corporation

245 South Grape Street, Medford, Oregon 97501 541-770-5678 Fax 541-770-2901

Analysis Report

ORELAP 100016
EPA OR00028

Eagle Point School District #9

PO Box 548

Eagle Point, OR 97524

Lab Order: **1607129**

NRC Sample ID: **1607129-09A**

Collection Date: **7/6/2016 7:00:00 AM**

Received Date: **7/6/2016 8:45:00 AM**

Reported Date: **7/20/2016 11:07:46 AM**

Sample Information:

Lower Table Rock Office Lead Testing

Client Sample ID: Bottle #19307

Collectors Name: Ken Gruenwald

Sample Location: F-2 Rm 13 Sink DF

Source: City Water

ANALYTICAL RESULTS

Analyses	Method	NELAP Accredited	Result	Qual	MRL	Units	EPA Limit	Date Analyzed	Analyst
Lead	EPA 200.8	A	0.599	*S1CF	0.00103	mg/L	0.020 AL	7/18/2016	OML

Notes: ND - Not Detected at the MRL

N.L. - No Limit

MRL - Minimum Reporting Limit

Neilson Research Corporation

DATA FLAGS

B	Analyte detected in the associated method blank.
BA	BOD Alternative Calculation: The initial results performed by Standard Methods did not fall within parameters of the Standard Methods calculation. An alternate approved calculation was performed using the HACH method and the value reported is an estimated concentration.
C	Sample(s) does not meet NELAP/ORELAP sample acceptance criteria. See Case Narrative.
C1	Sample(s) does not meet NELAP/ORELAP sample acceptance criteria for temperature.
CF	Results confirmed by re-analysis.
CU	Cleanup performed as specified by method.
D1	The diesel elution pattern for the sample is not typical.
D2	The sample appears to be a heavier hydrocarbon range than diesel.
D3	The sample appears to be a lighter hydrocarbon range than diesel.
D4	Detected hydrocarbons do not have pattern and range consistent with typical petroleum products and may be due to biogenic interference.
D5	Detected hydrocarbons in the diesel range appear to be weathered diesel.
E	Estimated value.
ER	Elevated reporting limit due to matrix. Report limits (MDLs, MRLs & PQLs) are adjusted based on variations in sample preparation amounts, analytical dilutions, and percent solids, where applicable.
FC	Fecal Coliforms: Sample(s) received past 40 CFR Part 136 specified holding time. Results reported as estimated values.
G1	The gasoline elution pattern for the sample is not typical.
G2	The sample appears to be a heavier hydrocarbon range than gasoline.
G3	The sample appears to be a lighter hydrocarbon range than gasoline.
G4	Detected hydrocarbons in the gasoline range appear to be weathered gasoline.
HP	Sample re-analysis performed outside of method specified holding time.
HR	Sample received outside of method specified holding time.
HS	Sample analyzed for volatile organics contained headspace.
HT	At the client's request, the sample was analyzed outside of method specified holding time.
H	Analysis performed outside of method specified holding time.
J	Analyte detected below the Minimum Reporting Limit (MRL) and above the Method Detection Limit (MDL). The J flag result is an estimated value and the user should be aware that this data is of limited reliability.
MI	Surrogate or Matrix Spike recovery is out of control limits due to matrix interference. Sample results may be biased.
N	See Case Narrative on page 2 of report.
Q	Closing continuing calibration verification (CCV) or laboratory control sample (LCS) exceeded high recovery limits, but associated samples are non-detect and the sample results are not affected. Data meets EPA/NELAP requirements.
R	Relative percent difference (RPD) is outside of the accepted recovery limits.
R1	Relative percent difference (RPD) is outside of the accepted recovery limits. However, analyses are not controlled on RPD values for sample concentrations that are less than the reporting limit.
R3	The relative percent difference (RPD) and/or percent recovery for the duplicate (DUP) or matrix spike (MS)/matrix spike duplicate (MSD) cannot be accurately calculated due to the concentration of analyte already present in the sample.
R4	Duplicate analysis failed due to result being at or near method reporting limit.
S	Surrogate and/or matrix spike recovery is outside of the accepted recovery limits. Sample results may be biased.
S1	Surrogate or matrix spike recovery is outside of control limits due to dilution necessary for analysis.
SC	Sub-contracted to another laboratory for analysis.
SP	Sample(s) were not collected per EPA Method 5035A protocols. The results are considered minimum values.
T	Toxicity Characteristic Leaching Procedure – Sample submitted contained < 0.5% solids. If the waste contains <0.5% dry solids, the liquid portion of the waste, after filtration, is defined as the TCLP extract.
#	Value exceeds regulatory level for TCLP contaminant.
X1	The motor oil elution pattern for the sample is not typical.
X2	The sample appears to be a heavier hydrocarbon range than motor oil.
X3	The sample appears to be a lighter hydrocarbon range than motor oil.
*	Value exceeds Maximum Contaminant Level or is outside the acceptable range.

NRC SOP QA-1104/AD-3100

Revision 3

Effective Date: 6/3/16

CLIENT: Eagle Point School District #9
Work Order: 1607129
Project: Lower Table Rock Office Lead Testing

ANALYTICAL QC SUMMARY REPORT**BatchID: 35753**

Sample ID MB-35753	SampType: MBLK	TestCode: ICPMS_200.8	Units: mg/L	Prep Date: 7/11/2016	RunNo: 88498							
Client ID: ZZZZZ	Batch ID: 35753	TestNo: EPA 200.8	(EPA 200.8)	Analysis Date: 7/17/2016	SeqNo: 1325941							
Analyte	Result	MRL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	
Lead	ND	0.000103										

Sample ID LCS-35753	SampType: LCS	TestCode: ICPMS_200.8	Units: mg/L	Prep Date: 7/11/2016	RunNo: 88498							
Client ID: ZZZZZ	Batch ID: 35753	TestNo: EPA 200.8	(EPA 200.8)	Analysis Date: 7/17/2016	SeqNo: 1325942							
Analyte	Result	MRL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	
Lead	0.09819	0.000104	0.1	0	98.2	85	115					

Sample ID 1607129-09AMS	SampType: MS	TestCode: ICPMS_200.8	Units: mg/L	Prep Date: 7/11/2016	RunNo: 88503							
Client ID: Bottle #19307	Batch ID: 35753	TestNo: EPA 200.8	(EPA 200.8)	Analysis Date: 7/18/2016	SeqNo: 1326258							
Analyte	Result	MRL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	
Lead	0.6902	0.00104	0.1	0.6303	60.0	70	130				S1	

Sample ID 1607129-09AMSD	SampType: MSD	TestCode: ICPMS_200.8	Units: mg/L	Prep Date: 7/11/2016	RunNo: 88503							
Client ID: Bottle #19307	Batch ID: 35753	TestNo: EPA 200.8	(EPA 200.8)	Analysis Date: 7/18/2016	SeqNo: 1326259							
Analyte	Result	MRL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	
Lead	0.6931	0.00104	0.1	0.6303	62.8	70	130	0.6902	0.406	20	S1	

Qualifiers: E Value above quantitation range
 ND Not Detected at the Minimum Reporting Limit

H Holding times for preparation or analysis exceeded
 R RPD outside accepted recovery limits

J Analyte detected below quantitation limits
 S Spike Recovery outside accepted recovery limits

CLIENT: Eagle Point School District #9
Work Order: 1607129
Project: Lower Table Rock Office Lead Testing

ANALYTICAL QC SUMMARY REPORT**BatchID: 35777**

Sample ID	MB-35777	SampType:	MBLK	TestCode:	ICPMS_200.8	Units:	mg/L	Prep Date:	7/12/2016	RunNo:	88471		
Client ID:	ZZZZZ	Batch ID:	35777	TestNo:	EPA 200.8	(EPA 200.8)		Analysis Date:	7/15/2016	SeqNo:	1324816		
Analyte		Result		MRL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead ND 0.000100

Sample ID	LCS-35777	SampType:	LCS	TestCode:	ICPMS_200.8	Units:	mg/L	Prep Date:	7/12/2016	RunNo:	88471			
Client ID:	ZZZZZ	Batch ID:	35777	TestNo:	EPA 200.8		(EPA 200.8)	Analysis Date:	7/15/2016	SeqNo:	1324817			
Analyte		Result		MRL	SPK value	SPK Ref Val		%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead 0.09743 0.000100 0.1 0 97.4 85 115

Sample ID	1607356-01AMS	SampType:	MS	TestCode:	ICPMS_200.8	Units:	mg/L	Prep Date:	7/12/2016	RunNo:	88471		
Client ID:	ZZZZZ	Batch ID:	35777	TestNo:	EPA 200.8	(EPA 200.8)		Analysis Date:	7/15/2016	SeqNo:	1324831		
Analyte		Result		MRL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead 0.09618 0.000100 0.1 0.0003929 95.8 70 130

Sample ID	1607356-01AMSD	SampType:	MSD	TestCode:	ICPMS_200.8	Units:	mg/L	Prep Date:	7/12/2016	RunNo:	88471			
Client ID:	ZZZZZ	Batch ID:	35777	TestNo:	EPA 200.8		(EPA 200.8)	Analysis Date:	7/15/2016	SeqNo:	1324832			
Analyte		Result		MRL	SPK value	SPK Ref Val		%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead 0.09738 0.000100 0.1 0.0003929 97.0 70 130 0.09618 1.24 20

Sample ID	MB-35777	SampType:	MBLK	TestCode:	ICPMS_200.8	Units:	mg/L	Prep Date:	7/12/2016	RunNo:	88473			
Client ID:	ZZZZZ	Batch ID:	35777	TestNo:	EPA 200.8		(EPA 200.8)	Analysis Date:	7/15/2016	SeqNo:	1324969			
Analyte		Result		MRL	SPK value	SPK Ref Val		%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead ND 0.000100

Qualifiers: E Value above quantitation range
 ND Not Detected at the Minimum Reporting Limit

H Holding times for preparation or analysis exceeded
 R RPD outside accepted recovery limits

J Analyte detected below quantitation limits
 S Spike Recovery outside accepted recovery limits

CLIENT: Eagle Point School District #9
Work Order: 1607129
Project: Lower Table Rock Office Lead Testing

ANALYTICAL QC SUMMARY REPORT**BatchID: 35777**

Sample ID LCS-35777	SampType: LCS	TestCode: ICPMS_200.8	Units: mg/L	Prep Date: 7/12/2016	RunNo: 88473						
Client ID: ZZZZZ	Batch ID: 35777	TestNo: EPA 200.8	(EPA 200.8)	Analysis Date: 7/15/2016	SeqNo: 1324970						
Analyte	Result	MRL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Lead	0.09743	0.000100	0.1	0	97.4	85	115				

Sample ID 1607356-01AMS	SampType: MS	TestCode: ICPMS_200.8	Units: mg/L	Prep Date: 7/12/2016	RunNo: 88473						
Client ID: ZZZZZ	Batch ID: 35777	TestNo: EPA 200.8	(EPA 200.8)	Analysis Date: 7/15/2016	SeqNo: 1324977						
Analyte	Result	MRL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Lead	0.09618	0.000100	0.1	0.0003929	95.8	70	130				

Sample ID 1607356-01AMSD	SampType: MSD	TestCode: ICPMS_200.8	Units: mg/L	Prep Date: 7/12/2016	RunNo: 88473						
Client ID: ZZZZZ	Batch ID: 35777	TestNo: EPA 200.8	(EPA 200.8)	Analysis Date: 7/15/2016	SeqNo: 1324978						
Analyte	Result	MRL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Lead	0.09738	0.000100	0.1	0.0003929	97.0	70	130	0.09618	1.24	20	

Qualifiers: E Value above quantitation range
 ND Not Detected at the Minimum Reporting Limit

H Holding times for preparation or analysis exceeded
 R RPD outside accepted recovery limits

J Analyte detected below quantitation limits
 S Spike Recovery outside accepted recovery limits



Page 1 of 3


Section A Required Client Information		Section B Required Project Information		Section C Invoice Information		Section D Rush Status (Subject to Scheduling)	
Company:	JCS9	Project Name:	Lower Table Rock	Alert on:		<input checked="" type="checkbox"/> Standard 10-14 Days	
Address:	PO Box 548	Project Number:	Office Building	Company Name:		<input type="checkbox"/> 5 Business Days (50% surcharge)	
		Report To:		Address:		<input type="checkbox"/> 3 Business Days (75% surcharge)	
Email	kguenwaldk@eaglepoint.k12.or.us	Copy To:				<input type="checkbox"/> 24 - 48 hours (100% surcharge)	
Phone:	541 830-6377	Fax:		P.O. #		Other	
Collected By (Print):	Ken Gruenwald			Analysis Requested			
Collected By (Sign):	<i>Ken Gruenwald</i>						
Email Report	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Mail Report	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No				
Fax Report	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No						

[illegible]

Relinquished By: <u>Ken Gruenwald</u>	<u>7/6/16</u>	<u>845 AM</u>
Received By:		
Relinquished By:		
Received By:		
Relinquished By:		
Received By Laboratory: <u>Ken Gruenwald</u>	<u>7/6/16</u>	<u>8:45</u>

Temp: <u>AMBIENT</u>
$4^{\circ}\text{C} + 2^{\circ}\text{C}$: <u>Yes</u> <u>No</u>
Received on Ice: <u>Yes</u> <u>✓</u> <u>No</u>
Number of Bottles Received: <u>9</u>
pH Checked: <u>OK</u>
COC Seals Intact: <u>Yes</u> <u>No</u> <u>VNA</u>
Field Blank (n-1) det: <u>Yes</u> <u>No</u>

Payment: <input checked="" type="checkbox"/> Invoice	Cash	VISA	M/C	Check #	Amount
Received Via	UPS	FedEX	Other	<input checked="" type="checkbox"/> Hand	

Page 2 of 3

This Chain of Custody is a LEGAL DOCUMENT and must be filled out accurately

SECTION D
Rush Status (Subject to Scheduling)


Company:	JCSO 9	Project Name:	Lower Table Rock	Attention:	<input checked="" type="checkbox"/> Standard 10-14 Days
Address:	PO Box 548	Project Number:	office Building	Company Name:	<input type="checkbox"/> 5 Business Days (50% surcharge)
		Report To:		Address:	<input type="checkbox"/> 3 Business Days (75% surcharge)
Email:	gruenwaldt@coplepnt.k12.or.us	Copy To:		P.O. #	<input type="checkbox"/> 24 - 48 hours (100% surcharge)
Phone:	541 830-6377				<input type="checkbox"/> Other
	Fax:				Authorized <input type="checkbox"/> Yes <input type="checkbox"/> No
Collected By (Print):	Ken Gruenwaldt	Analysis Requested			
Collected By (Sign):	<i>[Signature]</i>				
Email Report <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Mail Report <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No				
Fax Report <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No					

Analysis Requested

[illegible]

[illegible]

Received via	UPS	FedEX	Other	Hand
Payment:	Invoice	Cash	VISA, M/C	Check #
				Amount

Page 3 of 3

This Chain of Custody is a LEGAL DOCUMENT and must be filled out accurately.

Section D
Rush Status (Subject to Scheduling)

Section E
Sample InformationSection F
Relinquish/Receiver

Received Via	UPS	FedEX	Other	Hand
Payment:	Invoice	Cash	VISA, M/C	Check #
				Amount