



Neilson Research Corporation
245 S Grape St
Medford, OR 97501
TEL: (541) 770-5678 FAX: (541) 770-2901
Website: www.nrclabs.com

December 30, 2020

John Harding
Eagle Point School District #9
PO Box 548
Eagle Point, OR 97524
TEL: (541) 830-1240
FAX: (541) 830-6375

RE: Upper Table Rock

Order No.: 20120801

Dear John Harding:

Neilson Research Corporation received 59 sample(s) on 12/15/2020 for the analyses presented in the following report.

The results relate only to the parameters tested or to the sample as received by the laboratory. This report shall not be reproduced except in full, without the written approval of Neilson Research Corporation. If you have any questions regarding these test results, please feel free to call.

Sincerely,
Neilson Research Corporation

Tamra Schmedemann
Senior Project Manager
245 S Grape St
Medford, OR 97501



Original



Neilson Research Corporation
245 S Grape St
Medford, OR 97501
TEL: (541) 770-5678 FAX: (541) 770-2901
Website: www.nrclabs.com

Case Narrative

WO#: 20120801
Date: 12/30/2020

CLIENT: Eagle Point School District #9

Project: Upper Table Rock

The analyses were performed according to the guidelines in the Neilson Research Corporation Quality Assurance Program. This report contains analytical results for the sample(s) as received by the laboratory.

Neilson Research Corporation certifies that this report is in compliance with the requirements of NELAP. No unusual difficulties were experienced during analysis of this batch except as noted below or qualified with data flags on the reports.

Original



Neilson Research Corporation
245 S Grape St
Medford, OR 97501
TEL: (541) 770-5678 FAX: (541) 770-2901
Website: www.nrclabs.com

Analytical Report

WO#: 20120801

Date Reported: 12/30/2020

Eagle Point School District #9

PO Box 548

Eagle Point, OR 97524

Lab Order: 20120801

Received Date: 12/15/2020 1:10:00 PM

Reported Date: 12/30/2020 12:51:16 PM

Sample Information:

Lab ID: 20120801-01 Client Sample ID: H-C-1
Collection Date: 12/15/2020 5:35:00 AM Collected By: Dale Newton
Matrix: Drinking Water Sample Location: H-C-1

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	1.81		0.103	µg/L	1	12/18/2020	15.0	A

Lab ID: 20120801-02 Client Sample ID: W-R-1
Collection Date: 12/15/2020 5:37:00 AM Collected By: Dale Newton
Matrix: Drinking Water Sample Location: W-R-1

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	5.50		0.103	µg/L	1	12/18/2020	15.0	A

Lab ID: 20120801-03 Client Sample ID: W-R-2
Collection Date: 12/15/2020 5:37:00 AM Collected By: Dale Newton
Matrix: Drinking Water Sample Location: W-R-2

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	1.70		0.103	µg/L	1	12/18/2020	15.0	A

QUALIFIERS	*	Value exceeds Maximum Contaminant Level.	C1	Sample container temperature is out of limit as specified at testcod
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	MI	Recovery outside control limits due to Matrix Interference
	ND	Not Detected at the Reporting Limit	PL	Permit Limit
	R	RPD outside accepted recovery limits		

Results are out of the EPA limits

Original



Neilson Research Corporation
245 S Grape St
Medford, OR 97501
TEL: (541) 770-5678 FAX: (541) 770-2901
Website: www.nrclabs.com

Analytical Report

WO#: 20120801

Date Reported: 12/30/2020

Eagle Point School District #9

PO Box 548

Eagle Point, OR 97524

Lab Order: 20120801

Received Date: 12/15/2020 1:10:00 PM

Reported Date: 12/30/2020 12:51:16 PM

Sample Information:

Lab ID: 20120801-04 Client Sample ID: SWRR-1
Collection Date: 12/15/2020 5:39:00 AM Collected By: Dale Newton
Matrix: Drinking Water Sample Location: SWRR-1

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	0.798		0.103	µg/L	1	12/18/2020	15.0	A

Lab ID: 20120801-05 Client Sample ID: SMRR-1
Collection Date: 12/15/2020 5:40:00 AM Collected By: Dale Newton
Matrix: Drinking Water Sample Location: SMRR-1

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	1.26		0.103	µg/L	1	12/18/2020	15.0	A

Lab ID: 20120801-06 Client Sample ID: K-1
Collection Date: 12/15/2020 5:45:00 AM Collected By: Dale Newton
Matrix: Drinking Water Sample Location: K-1

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	23.3	*	0.103	µg/L	1	12/18/2020	15.0	A

QUALIFIERS	*	Value exceeds Maximum Contaminant Level.	C1	Sample container temperature is out of limit as specified at testcod
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	MI	Recovery outside control limits due to Matrix Interference
	ND	Not Detected at the Reporting Limit	PL	Permit Limit
	R	RPD outside accepted recovery limits		

Results are out of the EPA limits

Original



Neilson Research Corporation
245 S Grape St
Medford, OR 97501
TEL: (541) 770-5678 FAX: (541) 770-2901
Website: www.nrclabs.com

Analytical Report

WO#: 20120801

Date Reported: 12/30/2020

Eagle Point School District #9

PO Box 548

Eagle Point, OR 97524

Lab Order: 20120801

Received Date: 12/15/2020 1:10:00 PM

Reported Date: 12/30/2020 12:51:16 PM

Sample Information:

Lab ID: 20120801-07 Client Sample ID: K-2
Collection Date: 12/15/2020 5:46:00 AM Collected By: Dale Newton
Matrix: Drinking Water Sample Location: K-2

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	6.94		0.103	µg/L	1	12/18/2020	15.0	A

Lab ID: 20120801-08 Client Sample ID: KWRR
Collection Date: 12/15/2020 5:48:00 AM Collected By: Dale Newton
Matrix: Drinking Water Sample Location: KWRR

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	2.64		0.103	µg/L	1	12/18/2020	15.0	A

Lab ID: 20120801-09 Client Sample ID: KMRR
Collection Date: 12/15/2020 5:49:00 AM Collected By: Dale Newton
Matrix: Drinking Water Sample Location: KMRR

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	1.98		0.103	µg/L	1	12/18/2020	15.0	A

QUALIFIERS	*	Value exceeds Maximum Contaminant Level.	C1	Sample container temperature is out of limit as specified at testcod
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	MI	Recovery outside control limits due to Matrix Interference
	ND	Not Detected at the Reporting Limit	PL	Permit Limit
	R	RPD outside accepted recovery limits		

Results are out of the EPA limits

Original



Neilson Research Corporation
245 S Grape St
Medford, OR 97501
TEL: (541) 770-5678 FAX: (541) 770-2901
Website: www.nrclabs.com

Analytical Report

WO#: 20120801

Date Reported: 12/30/2020

Eagle Point School District #9

PO Box 548

Eagle Point, OR 97524

Lab Order: 20120801

Received Date: 12/15/2020 1:10:00 PM

Reported Date: 12/30/2020 12:51:16 PM

Sample Information:

Lab ID: 20120801-10 Client Sample ID: PE-S
Collection Date: 12/15/2020 5:51:00 AM Collected By: Dale Newton
Matrix: Drinking Water Sample Location: PE-S

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	0.493		0.100	µg/L	1	12/19/2020	15.0	A

Lab ID: 20120801-11 Client Sample ID: A-1-S
Collection Date: 12/15/2020 6:00:00 AM Collected By: Dale Newton
Matrix: Drinking Water Sample Location: A-1-S

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	10.3		0.103	µg/L	1	12/18/2020	15.0	A

Lab ID: 20120801-12 Client Sample ID: A-1-F
Collection Date: 12/15/2020 6:01:00 AM Collected By: Dale Newton
Matrix: Drinking Water Sample Location: A-1-F

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	32.1	*	0.100	µg/L	1	12/19/2020	15.0	A

QUALIFIERS	*	Value exceeds Maximum Contaminant Level.	C1	Sample container temperature is out of limit as specified at testcod
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	MI	Recovery outside control limits due to Matrix Interference
	ND	Not Detected at the Reporting Limit	PL	Permit Limit
	R	RPD outside accepted recovery limits		

Results are out of the EPA limits

Original



Neilson Research Corporation
245 S Grape St
Medford, OR 97501
TEL: (541) 770-5678 FAX: (541) 770-2901
Website: www.nrclabs.com

Analytical Report

WO#: 20120801

Date Reported: 12/30/2020

Eagle Point School District #9

PO Box 548

Eagle Point, OR 97524

Lab Order: 20120801

Received Date: 12/15/2020 1:10:00 PM

Reported Date: 12/30/2020 12:51:16 PM

Sample Information:

Lab ID: 20120801-13 Client Sample ID: A-2-S
Collection Date: 12/15/2020 6:03:00 AM Collected By: Dale Newton
Matrix: Drinking Water Sample Location: A-2-S

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	2.05		0.103	µg/L	1	12/18/2020	15.0	A

Lab ID: 20120801-14 Client Sample ID: A-2-F
Collection Date: 12/15/2020 6:04:00 AM Collected By: Dale Newton
Matrix: Drinking Water Sample Location: A-2-F

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	9.30		0.103	µg/L	1	12/18/2020	15.0	A

Lab ID: 20120801-15 Client Sample ID: A-3-S
Collection Date: 12/15/2020 6:05:00 AM Collected By: Dale Newton
Matrix: Drinking Water Sample Location: A-3-S

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	9.28		0.103	µg/L	1	12/18/2020	15.0	A

QUALIFIERS	*	Value exceeds Maximum Contaminant Level.	C1	Sample container temperature is out of limit as specified at testcod
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	MI	Recovery outside control limits due to Matrix Interference
	ND	Not Detected at the Reporting Limit	PL	Permit Limit
	R	RPD outside accepted recovery limits		

Results are out of the EPA limits

Original



Neilson Research Corporation
245 S Grape St
Medford, OR 97501
TEL: (541) 770-5678 FAX: (541) 770-2901
Website: www.nrclabs.com

Analytical Report

WO#: 20120801

Date Reported: 12/30/2020

Eagle Point School District #9

PO Box 548

Eagle Point, OR 97524

Lab Order: 20120801

Received Date: 12/15/2020 1:10:00 PM

Reported Date: 12/30/2020 12:51:16 PM

Sample Information:

Lab ID: 20120801-16 Client Sample ID: A-3-F
Collection Date: 12/15/2020 6:05:00 AM Collected By: Dale Newton
Matrix: Drinking Water Sample Location: A-3-F

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	0.289		0.103	µg/L	1	12/18/2020	15.0	A

Lab ID: 20120801-17 Client Sample ID: A-4-S
Collection Date: 12/15/2020 6:06:00 AM Collected By: Dale Newton
Matrix: Drinking Water Sample Location: A-4-S

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	10.4		0.103	µg/L	1	12/18/2020	15.0	A

Lab ID: 20120801-18 Client Sample ID: A-4-F
Collection Date: 12/15/2020 6:07:00 AM Collected By: Dale Newton
Matrix: Drinking Water Sample Location: A-4-F

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	6.01		0.103	µg/L	1	12/18/2020	15.0	A

QUALIFIERS	*	Value exceeds Maximum Contaminant Level.	C1	Sample container temperature is out of limit as specified at testcod
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	MI	Recovery outside control limits due to Matrix Interference
	ND	Not Detected at the Reporting Limit	PL	Permit Limit
	R	RPD outside accepted recovery limits		

Results are out of the EPA limits

Original



Neilson Research Corporation
245 S Grape St
Medford, OR 97501
TEL: (541) 770-5678 FAX: (541) 770-2901
Website: www.nrclabs.com

Analytical Report

WO#: 20120801

Date Reported: 12/30/2020

Eagle Point School District #9

PO Box 548

Eagle Point, OR 97524

Lab Order: 20120801

Received Date: 12/15/2020 1:10:00 PM

Reported Date: 12/30/2020 12:51:16 PM

Sample Information:

Lab ID: 20120801-19 Client Sample ID: A-7-S
Collection Date: 12/15/2020 6:09:00 AM Collected By: Dale Newton
Matrix: Drinking Water Sample Location: A-7-S

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	1.23		0.103	µg/L	1	12/18/2020	15.0	A

Lab ID: 20120801-20 Client Sample ID: A-7-F
Collection Date: 12/15/2020 6:09:00 AM Collected By: Dale Newton
Matrix: Drinking Water Sample Location: A-7-F

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	1.59		0.103	µg/L	1	12/18/2020	15.0	A

Lab ID: 20120801-21 Client Sample ID: A-8-S
Collection Date: 12/15/2020 6:11:00 AM Collected By: Dale Newton
Matrix: Drinking Water Sample Location: A-8-S

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	5.10		0.103	µg/L	1	12/18/2020	15.0	A

QUALIFIERS	*	Value exceeds Maximum Contaminant Level.	C1	Sample container temperature is out of limit as specified at testcod
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	MI	Recovery outside control limits due to Matrix Interference
	ND	Not Detected at the Reporting Limit	PL	Permit Limit
	R	RPD outside accepted recovery limits		

Results are out of the EPA limits

Original



Neilson Research Corporation
245 S Grape St
Medford, OR 97501
TEL: (541) 770-5678 FAX: (541) 770-2901
Website: www.nrclabs.com

Analytical Report

WO#: 20120801

Date Reported: 12/30/2020

Eagle Point School District #9

PO Box 548

Eagle Point, OR 97524

Lab Order: 20120801

Received Date: 12/15/2020 1:10:00 PM

Reported Date: 12/30/2020 12:51:16 PM

Sample Information:

Lab ID: 20120801-22 Client Sample ID: A-8-F
Collection Date: 12/15/2020 6:11:00 AM Collected By: Dale Newton
Matrix: Drinking Water Sample Location: A-8-F

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	1.39		0.103	µg/L	1	12/18/2020	15.0	A

Lab ID: 20120801-23 Client Sample ID: A-9-S
Collection Date: 12/15/2020 6:13:00 AM Collected By: Dale Newton
Matrix: Drinking Water Sample Location: A-9-S

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	28.1	*	0.103	µg/L	1	12/18/2020	15.0	A

Lab ID: 20120801-24 Client Sample ID: A-9-F
Collection Date: 12/15/2020 6:13:00 AM Collected By: Dale Newton
Matrix: Drinking Water Sample Location: A-9-F

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	0.238		0.103	µg/L	1	12/18/2020	15.0	A

QUALIFIERS	*	Value exceeds Maximum Contaminant Level.	C1	Sample container temperature is out of limit as specified at testcod
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	MI	Recovery outside control limits due to Matrix Interference
	ND	Not Detected at the Reporting Limit	PL	Permit Limit
	R	RPD outside accepted recovery limits		

Results are out of the EPA limits

Original



Neilson Research Corporation
245 S Grape St
Medford, OR 97501
TEL: (541) 770-5678 FAX: (541) 770-2901
Website: www.nrclabs.com

Analytical Report

WO#: 20120801

Date Reported: 12/30/2020

Eagle Point School District #9

PO Box 548

Eagle Point, OR 97524

Lab Order: 20120801

Received Date: 12/15/2020 1:10:00 PM

Reported Date: 12/30/2020 12:51:16 PM

Sample Information:

Lab ID: 20120801-25 Client Sample ID: A-10-S
Collection Date: 12/15/2020 6:14:00 AM Collected By: Dale Newton
Matrix: Drinking Water Sample Location: A-10-S

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	10.1		0.103	µg/L	1	12/18/2020	15.0	A

Lab ID: 20120801-26 Client Sample ID: A-10-F
Collection Date: 12/15/2020 6:15:00 AM Collected By: Dale Newton
Matrix: Drinking Water Sample Location: A-10-F

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	10.9		0.103	µg/L	1	12/18/2020	15.0	A

Lab ID: 20120801-27 Client Sample ID: A-GRR-1
Collection Date: 12/15/2020 6:20:00 AM Collected By: Dale Newton
Matrix: Drinking Water Sample Location: A-GRR-1

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	1.18		0.103	µg/L	1	12/18/2020	15.0	A

QUALIFIERS	*	Value exceeds Maximum Contaminant Level.	C1	Sample container temperature is out of limit as specified at testcod
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	MI	Recovery outside control limits due to Matrix Interference
	ND	Not Detected at the Reporting Limit	PL	Permit Limit
	R	RPD outside accepted recovery limits		

Results are out of the EPA limits

Original



Neilson Research Corporation
245 S Grape St
Medford, OR 97501
TEL: (541) 770-5678 FAX: (541) 770-2901
Website: www.nrclabs.com

Analytical Report

WO#: 20120801

Date Reported: 12/30/2020

Eagle Point School District #9

PO Box 548

Eagle Point, OR 97524

Lab Order: 20120801

Received Date: 12/15/2020 1:10:00 PM

Reported Date: 12/30/2020 12:51:16 PM

Sample Information:

Lab ID: 20120801-28 Client Sample ID: A-GRR-2
Collection Date: 12/15/2020 6:21:00 AM Collected By: Dale Newton
Matrix: Drinking Water Sample Location: A-GRR-2

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	0.780		0.103	µg/L	1	12/18/2020	15.0	A

Lab ID: 20120801-29 Client Sample ID: A-GRR-3
Collection Date: 12/15/2020 6:22:00 AM Collected By: Dale Newton
Matrix: Drinking Water Sample Location: A-GRR-3

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	2.90		0.103	µg/L	1	12/18/2020	15.0	A

Lab ID: 20120801-30 Client Sample ID: H-C-2
Collection Date: 12/15/2020 6:24:00 AM Collected By: Dale Newton
Matrix: Drinking Water Sample Location: H-C-2

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	2.74		0.103	µg/L	1	12/18/2020	15.0	A

QUALIFIERS	*	Value exceeds Maximum Contaminant Level.	C1	Sample container temperature is out of limit as specified at testcod
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	MI	Recovery outside control limits due to Matrix Interference
	ND	Not Detected at the Reporting Limit	PL	Permit Limit
	R	RPD outside accepted recovery limits		

Results are out of the EPA limits

Original



Neilson Research Corporation
245 S Grape St
Medford, OR 97501
TEL: (541) 770-5678 FAX: (541) 770-2901
Website: www.nrclabs.com

Analytical Report

WO#: 20120801

Date Reported: 12/30/2020

Eagle Point School District #9

PO Box 548

Eagle Point, OR 97524

Lab Order: 20120801

Received Date: 12/15/2020 1:10:00 PM

Reported Date: 12/30/2020 12:51:16 PM

Sample Information:

Lab ID: 20120801-31 Client Sample ID: A-BRR-1
Collection Date: 12/15/2020 6:30:00 AM Collected By: Dale Newton
Matrix: Drinking Water Sample Location: A-BRR-1

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	12.9		0.103	µg/L	1	12/18/2020	15.0	A

Lab ID: 20120801-32 Client Sample ID: A-BRR-2
Collection Date: 12/15/2020 6:31:00 AM Collected By: Dale Newton
Matrix: Drinking Water Sample Location: A-BRR-2

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	0.916		0.103	µg/L	1	12/18/2020	15.0	A

Lab ID: 20120801-33 Client Sample ID: A-BRR-3
Collection Date: 12/15/2020 6:32:00 AM Collected By: Dale Newton
Matrix: Drinking Water Sample Location: A-BRR-3

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	0.808		0.100	µg/L	1	12/19/2020	15.0	A

QUALIFIERS	*	Value exceeds Maximum Contaminant Level.	C1	Sample container temperature is out of limit as specified at testcod
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	MI	Recovery outside control limits due to Matrix Interference
	ND	Not Detected at the Reporting Limit	PL	Permit Limit
	R	RPD outside accepted recovery limits		

Results are out of the EPA limits

Original



Neilson Research Corporation
245 S Grape St
Medford, OR 97501
TEL: (541) 770-5678 FAX: (541) 770-2901
Website: www.nrclabs.com

Analytical Report

WO#: 20120801

Date Reported: 12/30/2020

Eagle Point School District #9

PO Box 548

Eagle Point, OR 97524

Lab Order: 20120801

Received Date: 12/15/2020 1:10:00 PM

Reported Date: 12/30/2020 12:51:16 PM

Sample Information:

Lab ID: 20120801-34 Client Sample ID: B-BRR-1
Collection Date: 12/15/2020 6:35:00 AM Collected By: Dale Newton
Matrix: Drinking Water Sample Location: B-BRR-1

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	3.58		0.100	µg/L	1	12/19/2020	15.0	A

Lab ID: 20120801-35 Client Sample ID: B-BRR-2
Collection Date: 12/15/2020 6:36:00 AM Collected By: Dale Newton
Matrix: Drinking Water Sample Location: B-BRR-2

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	0.598		0.103	µg/L	1	12/18/2020	15.0	A

Lab ID: 20120801-36 Client Sample ID: B-BRR-3
Collection Date: 12/15/2020 6:36:00 AM Collected By: Dale Newton
Matrix: Drinking Water Sample Location: B-BRR-3

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	0.427		0.100	µg/L	1	12/19/2020	15.0	A

QUALIFIERS	*	Value exceeds Maximum Contaminant Level.	C1	Sample container temperature is out of limit as specified at testcod
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	MI	Recovery outside control limits due to Matrix Interference
	ND	Not Detected at the Reporting Limit	PL	Permit Limit
	R	RPD outside accepted recovery limits		

Results are out of the EPA limits

Original



Neilson Research Corporation
245 S Grape St
Medford, OR 97501
TEL: (541) 770-5678 FAX: (541) 770-2901
Website: www.nrclabs.com

Analytical Report

WO#: 20120801

Date Reported: 12/30/2020

Eagle Point School District #9

PO Box 548

Eagle Point, OR 97524

Lab Order: 20120801

Received Date: 12/15/2020 1:10:00 PM

Reported Date: 12/30/2020 12:51:16 PM

Sample Information:

Lab ID: 20120801-37 Client Sample ID: B-GRR-1
Collection Date: 12/15/2020 6:45:00 AM Collected By: Dale Newton
Matrix: Drinking Water Sample Location: B-GRR-1

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	2.24		0.100	µg/L	1	12/19/2020	15.0	A

Lab ID: 20120801-38 Client Sample ID: B-GRR-2
Collection Date: 12/15/2020 6:46:00 AM Collected By: Dale Newton
Matrix: Drinking Water Sample Location: B-GRR-2

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	2.08		0.103	µg/L	1	12/18/2020	15.0	A

Lab ID: 20120801-39 Client Sample ID: B-GRR-3
Collection Date: 12/15/2020 6:47:00 AM Collected By: Dale Newton
Matrix: Drinking Water Sample Location: B-GRR-3

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	0.883		0.103	µg/L	1	12/18/2020	15.0	A

QUALIFIERS	*	Value exceeds Maximum Contaminant Level.	C1	Sample container temperature is out of limit as specified at testcod
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	MI	Recovery outside control limits due to Matrix Interference
	ND	Not Detected at the Reporting Limit	PL	Permit Limit
	R	RPD outside accepted recovery limits		

Results are out of the EPA limits

Original



Neilson Research Corporation
245 S Grape St
Medford, OR 97501
TEL: (541) 770-5678 FAX: (541) 770-2901
Website: www.nrclabs.com

Analytical Report

WO#: 20120801

Date Reported: 12/30/2020

Eagle Point School District #9

PO Box 548

Eagle Point, OR 97524

Lab Order: 20120801

Received Date: 12/15/2020 1:10:00 PM

Reported Date: 12/30/2020 12:51:16 PM

Sample Information:

Lab ID: 20120801-40 Client Sample ID: B-1-S
Collection Date: 12/15/2020 6:50:00 AM Collected By: Dale Newton
Matrix: Drinking Water Sample Location: B-1-S

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	0.472		0.103	µg/L	1	12/18/2020	15.0	A

Lab ID: 20120801-41 Client Sample ID: B-1-F
Collection Date: 12/15/2020 6:50:00 AM Collected By: Dale Newton
Matrix: Drinking Water Sample Location: B-1-F

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	1.87		0.103	µg/L	1	12/18/2020	15.0	A

Lab ID: 20120801-42 Client Sample ID: B-2-S
Collection Date: 12/15/2020 6:52:00 AM Collected By: Dale Newton
Matrix: Drinking Water Sample Location: B-2-S

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	3.57		0.103	µg/L	1	12/18/2020	15.0	A

QUALIFIERS	*	Value exceeds Maximum Contaminant Level.	C1	Sample container temperature is out of limit as specified at testcod
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	MI	Recovery outside control limits due to Matrix Interference
	ND	Not Detected at the Reporting Limit	PL	Permit Limit
	R	RPD outside accepted recovery limits		

Results are out of the EPA limits

Original



Neilson Research Corporation
245 S Grape St
Medford, OR 97501
TEL: (541) 770-5678 FAX: (541) 770-2901
Website: www.nrclabs.com

Analytical Report

WO#: 20120801

Date Reported: 12/30/2020

Eagle Point School District #9

PO Box 548

Eagle Point, OR 97524

Lab Order: 20120801

Received Date: 12/15/2020 1:10:00 PM

Reported Date: 12/30/2020 12:51:16 PM

Sample Information:

Lab ID: 20120801-43 Client Sample ID: B-2-F
Collection Date: 12/15/2020 6:52:00 AM Collected By: Dale Newton
Matrix: Drinking Water Sample Location: B-2-F

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	1.56		0.103	µg/L	1	12/18/2020	15.0	A

Lab ID: 20120801-44 Client Sample ID: B-3-S
Collection Date: 12/15/2020 6:53:00 AM Collected By: Dale Newton
Matrix: Drinking Water Sample Location: B-3-S

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	6.64		0.100	µg/L	1	12/19/2020	15.0	A

Lab ID: 20120801-45 Client Sample ID: B-3-F
Collection Date: 12/15/2020 6:53:00 AM Collected By: Dale Newton
Matrix: Drinking Water Sample Location: B-3-F

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	19.7	*	0.103	µg/L	1	12/18/2020	15.0	A

QUALIFIERS	*	Value exceeds Maximum Contaminant Level.	C1	Sample container temperature is out of limit as specified at testcod
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	MI	Recovery outside control limits due to Matrix Interference
	ND	Not Detected at the Reporting Limit	PL	Permit Limit
	R	RPD outside accepted recovery limits		

Results are out of the EPA limits

Original



Neilson Research Corporation
245 S Grape St
Medford, OR 97501
TEL: (541) 770-5678 FAX: (541) 770-2901
Website: www.nrclabs.com

Analytical Report

WO#: 20120801

Date Reported: 12/30/2020

Eagle Point School District #9

PO Box 548

Eagle Point, OR 97524

Lab Order: 20120801

Received Date: 12/15/2020 1:10:00 PM

Reported Date: 12/30/2020 12:51:16 PM

Sample Information:

Lab ID: 20120801-46 Client Sample ID: B-4-S
Collection Date: 12/15/2020 6:55:00 AM Collected By: Dale Newton
Matrix: Drinking Water Sample Location: B-4-S

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	1.35		0.103	µg/L	1	12/18/2020	15.0	A

Lab ID: 20120801-47 Client Sample ID: B-4-F
Collection Date: 12/15/2020 6:56:00 AM Collected By: Dale Newton
Matrix: Drinking Water Sample Location: B-4-F

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	4.79		0.103	µg/L	1	12/18/2020	15.0	A

Lab ID: 20120801-48 Client Sample ID: B-7-S
Collection Date: 12/15/2020 6:58:00 AM Collected By: Dale Newton
Matrix: Drinking Water Sample Location: B-7-S

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	1.31		0.103	µg/L	1	12/18/2020	15.0	A

QUALIFIERS	*	Value exceeds Maximum Contaminant Level.	C1	Sample container temperature is out of limit as specified at testcod
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	MI	Recovery outside control limits due to Matrix Interference
	ND	Not Detected at the Reporting Limit	PL	Permit Limit
	R	RPD outside accepted recovery limits		

Results are out of the EPA limits

Original



Neilson Research Corporation
245 S Grape St
Medford, OR 97501
TEL: (541) 770-5678 FAX: (541) 770-2901
Website: www.nrclabs.com

Analytical Report

WO#: 20120801

Date Reported: 12/30/2020

Eagle Point School District #9

PO Box 548

Eagle Point, OR 97524

Lab Order: 20120801

Received Date: 12/15/2020 1:10:00 PM

Reported Date: 12/30/2020 12:51:16 PM

Sample Information:

Lab ID: 20120801-49 Client Sample ID: B-7-F
Collection Date: 12/15/2020 7:00:00 AM Collected By: Dale Newton
Matrix: Drinking Water Sample Location: B-7-F

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	1.31		0.103	µg/L	1	12/18/2020	15.0	A

Lab ID: 20120801-50 Client Sample ID: B-8-S
Collection Date: 12/15/2020 7:10:00 AM Collected By: Dale Newton
Matrix: Drinking Water Sample Location: B-8-S

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	1.62		0.103	µg/L	1	12/18/2020	15.0	A

Lab ID: 20120801-51 Client Sample ID: B-8-F
Collection Date: 12/15/2020 7:11:00 AM Collected By: Dale Newton
Matrix: Drinking Water Sample Location: B-8-F

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	2.26		0.103	µg/L	1	12/18/2020	15.0	A

QUALIFIERS	*	Value exceeds Maximum Contaminant Level.	C1	Sample container temperature is out of limit as specified at testcod
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	MI	Recovery outside control limits due to Matrix Interference
	ND	Not Detected at the Reporting Limit	PL	Permit Limit
	R	RPD outside accepted recovery limits		

Results are out of the EPA limits

Original



Neilson Research Corporation
245 S Grape St
Medford, OR 97501
TEL: (541) 770-5678 FAX: (541) 770-2901
Website: www.nrclabs.com

Analytical Report

WO#: 20120801

Date Reported: 12/30/2020

Eagle Point School District #9
PO Box 548
Eagle Point, OR 97524

Lab Order: 20120801
Received Date: 12/15/2020 1:10:00 PM
Reported Date: 12/30/2020 12:51:16 PM

Sample Information:

Lab ID: 20120801-52 **Client Sample ID:** B-9-S
Collection Date: 12/15/2020 7:12:00 AM **Collected By:** Dale Newton
Matrix: Drinking Water **Sample Location:** B-9-S

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	1.72		0.103	µg/L	1	12/18/2020	15.0	A

Lab ID: 20120801-53 **Client Sample ID:** B-9-F
Collection Date: 12/15/2020 7:12:00 AM **Collected By:** Dale Newton
Matrix: Drinking Water **Sample Location:** B-9-F

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	0.687		0.103	µg/L	1	12/18/2020	15.0	A

Lab ID: 20120801-54 **Client Sample ID:** B-10-S
Collection Date: 12/15/2020 7:14:00 AM **Collected By:** Dale Newton
Matrix: Drinking Water **Sample Location:** B-10-S

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	1.14		0.103	µg/L	1	12/18/2020	15.0	A

QUALIFIERS	*	Value exceeds Maximum Contaminant Level.	C1	Sample container temperature is out of limit as specified at testcod
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	MI	Recovery outside control limits due to Matrix Interference
	ND	Not Detected at the Reporting Limit	PL	Permit Limit
	R	RPD outside accepted recovery limits		

Results are out of the EPA limits

Original



Neilson Research Corporation
245 S Grape St
Medford, OR 97501
TEL: (541) 770-5678 FAX: (541) 770-2901
Website: www.nrclabs.com

Analytical Report

WO#: 20120801

Date Reported: 12/30/2020

Eagle Point School District #9

PO Box 548

Eagle Point, OR 97524

Lab Order: 20120801

Received Date: 12/15/2020 1:10:00 PM

Reported Date: 12/30/2020 12:51:16 PM

Sample Information:

Lab ID: 20120801-55 Client Sample ID: B-10-F
Collection Date: 12/15/2020 7:15:00 AM Collected By: Dale Newton
Matrix: Drinking Water Sample Location: B-10-F

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	2.71		0.103	µg/L	1	12/18/2020	15.0	A

Lab ID: 20120801-56 Client Sample ID: GRR Play
Collection Date: 12/15/2020 7:17:00 AM Collected By: Dale Newton
Matrix: Drinking Water Sample Location: GRR Play

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	1.24		0.103	µg/L	1	12/18/2020	15.0	A

Lab ID: 20120801-57 Client Sample ID: BRR Play
Collection Date: 12/15/2020 7:18:00 AM Collected By: Dale Newton
Matrix: Drinking Water Sample Location: BRR Play

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	0.281		0.103	µg/L	1	12/18/2020	15.0	A

QUALIFIERS	*	Value exceeds Maximum Contaminant Level.	C1	Sample container temperature is out of limit as specified at testcod
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	MI	Recovery outside control limits due to Matrix Interference
	ND	Not Detected at the Reporting Limit	PL	Permit Limit
	R	RPD outside accepted recovery limits		

Results are out of the EPA limits

Original



Neilson Research Corporation
245 S Grape St
Medford, OR 97501
TEL: (541) 770-5678 FAX: (541) 770-2901
Website: www.nrclabs.com

Analytical Report

WO#: 20120801

Date Reported: 12/30/2020

Eagle Point School District #9

PO Box 548

Eagle Point, OR 97524

Lab Order: 20120801

Received Date: 12/15/2020 1:10:00 PM

Reported Date: 12/30/2020 12:51:16 PM

Sample Information:

Lab ID: 20120801-58 Client Sample ID: Gym F-1
Collection Date: 12/15/2020 7:20:00 AM Collected By: Dale Newton
Matrix: Drinking Water Sample Location: Gym F-1

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS			
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	44.5	*	0.103	µg/L	1	12/18/2020	15.0	A	

Lab ID: 20120801-59 Client Sample ID: Gym F-2
Collection Date: 12/15/2020 7:21:00 AM Collected By: Dale Newton
Matrix: Drinking Water Sample Location: Gym F-2

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS			
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	15.7	*	0.103	µg/L	1	12/18/2020	15.0	A	

QUALIFIERS	*	Value exceeds Maximum Contaminant Level.	C1	Sample container temperature is out of limit as specified at testcod
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	MI	Recovery outside control limits due to Matrix Interference
	ND	Not Detected at the Reporting Limit	PL	Permit Limit
	R	RPD outside accepted recovery limits		

Results are out of the EPA limits

Original



Neilson Research Corporation
245 S Grape St
Medford, OR 97501
TEL: (541) 770-5678 FAX: (541) 770-2901
Website: www.nrclabs.com

QC SUMMARY REPORT

WO#: 20120801
30-Dec-20

Client: Eagle Point School District #9

Project: Upper Table Rock

TestCode: LEAD_DW

Sample ID: MB-10127	SampType: MBLK	TestCode: LEAD_DW	Units: µg/L	Prep Date: 12/17/2020	RunNo: 17871						
Client ID: PBW	Batch ID: 10127	TestNo: E200.8	E200.8	Analysis Date: 12/18/2020	SeqNo: 259288						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Lead	ND	0.103									

Sample ID: LCS-10127	SampType: LCS	TestCode: LEAD_DW	Units: µg/L	Prep Date: 12/17/2020	RunNo: 17871						
Client ID: LCSW	Batch ID: 10127	TestNo: E200.8	E200.8	Analysis Date: 12/18/2020	SeqNo: 259289						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Lead	98.3	0.104	100	0	98.3	85	115				

Sample ID: 20120801-01AMS	SampType: MS	TestCode: LEAD_DW	Units: µg/L	Prep Date: 12/17/2020	RunNo: 17871						
Client ID: H-C-1	Batch ID: 10127	TestNo: E200.8	E200.8	Analysis Date: 12/18/2020	SeqNo: 259293						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Lead	98.7	0.104	100	1.81	96.8	70	130				

Sample ID: 20120801-01AMSD	SampType: MSD	TestCode: LEAD_DW	Units: µg/L	Prep Date: 12/17/2020	RunNo: 17871						
Client ID: H-C-1	Batch ID: 10127	TestNo: E200.8	E200.8	Analysis Date: 12/18/2020	SeqNo: 259294						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Lead	99.4	0.104	100	1.81	97.5	70	130	98.7	0.695	20	

Qualifiers:

* Value exceeds Maximum Contaminant Level.
H Holding times for preparation or analysis exceeded
PL Permit Limit

C1 Sample container temperature is out of limit as specified at testcode
MI Recovery outside control limits due to Matrix Interference
RL Reporting Detection Limit

E Value above quantitation range
ND Not Detected at the Reporting Limit

Original



Neilson Research Corporation
245 S Grape St
Medford, OR 97501
TEL: (541) 770-5678 FAX: (541) 770-2901
Website: www.nrclabs.com

QC SUMMARY REPORT

WO#: 20120801
30-Dec-20

Client: Eagle Point School District #9

Project: Upper Table Rock

TestCode: LEAD_DW

Sample ID: MB-10128	SampType: MBLK	TestCode: LEAD_DW	Units: µg/L	Prep Date: 12/17/2020	RunNo: 17871
Client ID: PBW	Batch ID: 10128	TestNo: E200.8	E200.8	Analysis Date: 12/18/2020	SeqNo: 259316
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC LowLimit HighLimit RPD Ref Val %RPD RPDLimit Qual

Lead ND 0.103

Sample ID: LCS-10128	SampType: LCS	TestCode: LEAD_DW	Units: µg/L	Prep Date: 12/17/2020	RunNo: 17871
Client ID: LCSW	Batch ID: 10128	TestNo: E200.8	E200.8	Analysis Date: 12/18/2020	SeqNo: 259317
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC LowLimit HighLimit RPD Ref Val %RPD RPDLimit Qual

Lead 97.2 0.104 100 0 97.2 85 115

Sample ID: 20120801-21AMS	SampType: MS	TestCode: LEAD_DW	Units: µg/L	Prep Date: 12/17/2020	RunNo: 17871
Client ID: A-8-S	Batch ID: 10128	TestNo: E200.8	E200.8	Analysis Date: 12/18/2020	SeqNo: 259319
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC LowLimit HighLimit RPD Ref Val %RPD RPDLimit Qual

Lead 99.7 0.104 100 5.10 94.6 70 130

Sample ID: 20120801-21AMSD	SampType: MSD	TestCode: LEAD_DW	Units: µg/L	Prep Date: 12/17/2020	RunNo: 17871
Client ID: A-8-S	Batch ID: 10128	TestNo: E200.8	E200.8	Analysis Date: 12/18/2020	SeqNo: 259320
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC LowLimit HighLimit RPD Ref Val %RPD RPDLimit Qual

Lead 99.1 0.104 100 5.10 94.0 70 130 99.7 0.586 20

Qualifiers: * Value exceeds Maximum Contaminant Level. C1 Sample container temperature is out of limit as specified at testcode E Value above quantitation range
H Holding times for preparation or analysis exceeded MI Recovery outside control limits due to Matrix Interference ND Not Detected at the Reporting Limit
PL Permit Limit RL Reporting Detection Limit

Original



Neilson Research Corporation
245 S Grape St
Medford, OR 97501
TEL: (541) 770-5678 FAX: (541) 770-2901
Website: www.nrclabs.com

QC SUMMARY REPORT

WO#: 20120801
30-Dec-20

Client: Eagle Point School District #9

Project: Upper Table Rock

TestCode: LEAD_DW

Sample ID: MB-10135	SampType: MBLK	TestCode: LEAD_DW	Units: µg/L	Prep Date: 12/18/2020	RunNo: 17871
Client ID: PBW	Batch ID: 10135	TestNo: E200.8	E200.8	Analysis Date: 12/18/2020	SeqNo: 259344
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC LowLimit HighLimit RPD Ref Val %RPD RPDLimit Qual

Lead ND 0.103

Sample ID: LCS-10135	SampType: LCS	TestCode: LEAD_DW	Units: µg/L	Prep Date: 12/18/2020	RunNo: 17871
Client ID: LCSW	Batch ID: 10135	TestNo: E200.8	E200.8	Analysis Date: 12/18/2020	SeqNo: 259345
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC LowLimit HighLimit RPD Ref Val %RPD RPDLimit Qual

Lead 96.6 0.104 100 0 96.6 85 115

Sample ID: 20120801-46AMS	SampType: MS	TestCode: LEAD_DW	Units: µg/L	Prep Date: 12/18/2020	RunNo: 17871
Client ID: B-4-S	Batch ID: 10135	TestNo: E200.8	E200.8	Analysis Date: 12/18/2020	SeqNo: 259347
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC LowLimit HighLimit RPD Ref Val %RPD RPDLimit Qual

Lead 95.1 0.104 100 1.35 93.8 70 130

Sample ID: 20120801-46AMSD	SampType: MSD	TestCode: LEAD_DW	Units: µg/L	Prep Date: 12/18/2020	RunNo: 17871
Client ID: B-4-S	Batch ID: 10135	TestNo: E200.8	E200.8	Analysis Date: 12/18/2020	SeqNo: 259348
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC LowLimit HighLimit RPD Ref Val %RPD RPDLimit Qual

Lead 97.7 0.104 100 1.35 96.4 70 130 95.1 2.71 20

Qualifiers:

* Value exceeds Maximum Contaminant Level.
H Holding times for preparation or analysis exceeded
PL Permit Limit

C1 Sample container temperature is out of limit as specified at testcode
MI Recovery outside control limits due to Matrix Interference
RL Reporting Detection Limit

E Value above quantitation range
ND Not Detected at the Reporting Limit

Original



Neilson Research Corporation
245 S Grape St
Medford, OR 97501
TEL: (541) 770-5678 FAX: (541) 770-2901
Website: www.nrclabs.com

QC SUMMARY REPORT

WO#: 20120801
30-Dec-20

Client: Eagle Point School District #9

Project: Upper Table Rock

TestCode: LEAD_DW

Sample ID: MB-10142	SampType: MBLK	TestCode: LEAD_DW	Units: µg/L	Prep Date: 12/18/2020	RunNo: 17903						
Client ID: PBW	Batch ID: 10142	TestNo: E200.8	E200.8	Analysis Date: 12/19/2020	SeqNo: 259877						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Lead	ND	0.100									

Sample ID: LCS-10142	SampType: LCS	TestCode: LEAD_DW	Units: µg/L	Prep Date: 12/18/2020	RunNo: 17903						
Client ID: LCSW	Batch ID: 10142	TestNo: E200.8	E200.8	Analysis Date: 12/19/2020	SeqNo: 259878						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Lead	198	0.100	200	0	99.0	85	115				

Sample ID: 20120794-03AMS	SampType: MS	TestCode: LEAD_DW	Units: µg/L	Prep Date: 12/18/2020	RunNo: 17903						
Client ID: BatchQC	Batch ID: 10142	TestNo: E200.8	E200.8	Analysis Date: 12/19/2020	SeqNo: 259880						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Lead	254	0.100	200	68.2	92.7	70	130				E

Sample ID: 20120794-03AMSD	SampType: MSD	TestCode: LEAD_DW	Units: µg/L	Prep Date: 12/18/2020	RunNo: 17903						
Client ID: BatchQC	Batch ID: 10142	TestNo: E200.8	E200.8	Analysis Date: 12/19/2020	SeqNo: 259881						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Lead	261	0.100	200	68.2	96.6	70	130	254	3.02	20	E

Qualifiers:

* Value exceeds Maximum Contaminant Level.
H Holding times for preparation or analysis exceeded
PL Permit Limit

C1 Sample container temperature is out of limit as specified at testcode
MI Recovery outside control limits due to Matrix Interference
RL Reporting Detection Limit

E Value above quantitation range
ND Not Detected at the Reporting Limit

Original

Sample Log-In Check List

Client Name: **EAGLEPTSCHOOL**

Work Order Number: **20120801**

RcptNo: **1**

Logged by: **Naomi Orr** **12/15/2020 1:10:00 PM**

Completed By: **Krizzle Calip** **12/16/2020 8:23:24 AM**

Reviewed By: **Naomi Orr** **12/30/2020 8:44:46 AM**

Chain of Custody

1. Is Chain of Custody complete? Yes ☒ No ☐ Not Present ☐
2. How was the sample delivered? Client

Log In

3. Coolers are present? Yes ☐ No ☐ NA ☒
4. Shipping container/cooler in good condition? Yes ☒ No ☐
Custody seals intact on shipping container/cooler? Yes ☐ No ☐ Not Present ☒
No. Seal Date: Signed By:
5. Was an attempt made to cool the samples? Yes ☐ No ☐ NA ☒
6. Were all samples received at a temperature of $>0^{\circ}\text{C}$ to 6.0°C ? Yes ☐ No ☐ NA ☒
7. Sample(s) in proper container(s)? Yes ☒ No ☐
8. Sufficient sample volume for indicated test(s)? Yes ☒ No ☐
9. Are samples (except VOA and ONG) properly preserved? Yes ☒ No ☐
10. Was preservative added to bottles? Yes ☒ No ☐ NA ☐
11. Is the headspace in the VOA vials less than 1/4 inch or 6 mm? Yes ☐ No ☐ HNO₃ pH<2
No VOA Vials ☒
12. Were any sample containers received broken? Yes ☐ No ☒
13. Does paperwork match bottle labels? Yes ☒ No ☐
(Note discrepancies on chain of custody)
14. Are matrices correctly identified on Chain of Custody? Yes ☒ No ☐
15. Is it clear what analyses were requested? Yes ☒ No ☐
16. Were all holding times able to be met? Yes ☒ No ☐
(If no, notify customer for authorization.)

Special Handling (if applicable)

17. Was client notified of all discrepancies with this order? Yes ☐ No ☐ NA ☒

Person Notified: Date:
By Whom: Via: ☐ eMail ☐ Phone ☐ Fax ☐ In Person
Regarding:
Client Instructions:

18. Additional remarks:

The sample submitted was tan in color (fraction 08, 10, 12, 31, 33, 34, 36, and 44), and contained visible sediments (fraction 07, 09, 29, 31, and 58).

Cooler Information

Cooler No	Temp °C	Condition	Seal Intact	Seal No	Seal Date	Signed By
-----------	---------	-----------	-------------	---------	-----------	-----------

Chain of Custody Record

This Chain of Custody is a LEGAL DOCUMENT and must be filled out accurately.

Page 4 of 6
1 of 6
enr nr
12-15-2020

Section A Required Client Information

Company: Eaglepoint Sch Dist. 9
Address: 203 N. Platt
Eaglepoint OR, 97524
Email: HardingJ@eaglepoint.k12.or.us
Phone: 530-6376 Fax: _____
Collected By (Print): Dale Newton
Collected By (Sign): Dale Newton
Email Report ☒ Yes ☐ No Mail Report ☐ Yes ☐ No
Fax Report ☐ Yes ☐ No

Section B Required Project Information

Project Name: Upper Table Rock
Project Number: _____
Report To: _____
Copy To: _____

Section C Invoice Information

Attention: _____
Company Name: _____
Address: _____
P.O. # _____

Section D Rush Status (Subject to Scheduling)

☒ Standard 10-14 Days
☐ 5 Business Days (50% surcharge)
☐ 3 Business Days (75% surcharge)
☐ 24 - 48 hours (100% surcharge)
☐ Other _____
Authorized ☐ Yes ☐ No

Section E Sample Information

Sample ID	Comp/Grab	Matrix*	Date Collected	Time Collected	No. of Containers	Analysis Requested										NRC Workorder # (Lab Use Only)	NRC Sample # (Lab Use Only)
H-C-1 85251			12-15	535A	1	X										20120801	01
W-R-1 85330			12-15	537A	1	X											02
W-R-2 85302			12-15	537A	1	X											03
SWRR-1 85295			12-15	539A	1	X											04
SmRR-1 85291			12-15	540A	1	X											05
K-1 85364			12-15	545A	1	X											06
K-2 85225			12-15	546A	1	X											07
KWRR- 85357			12-15	548A	1	X											08
KMRR- 85249			12-15	549A	1	X											09
PE-S 85261			12-15	551A	1	X											10

*Matrix: DW - Drinking Water WW - Wastewater W - Water S - Soil/Solid SL - Sludge O - Oil WP - Wipe OT - Other

Section F Relinquish/Receive

Relinquish/Receive	Sign	Print	Date	Time
Relinquished By: <u>Dale Newton</u>		<u>Dale Newton</u>	<u>12-15</u>	<u>12:10</u>
Received By: <u>John Harding</u>		<u>John Harding</u>	<u>12/15</u>	<u>12:10</u>
Relinquished By: <u>John Harding</u>		<u>John Harding</u>	<u>12/15</u>	<u>1:10</u>
Received By: _____		_____	_____	_____
Relinquished By: <u>Dale</u>		<u>Naomi Orr</u>	<u>12-15-2010</u>	<u>13:10</u>
Received By Laboratory: _____		_____	_____	_____

Section G Lab Use Only

Temp: amb
4°C +/- 2°C: ☐ Yes ☒ No
Received on Ice: ☐ Yes ☒ No
Number of Bottles Received: 84
pH Checked: N/A
COC Seals Intact: ☐ Yes ☒ No
Field Blank Included: ☐ Yes ☒ No

Received Via ☐ UPS ☐ FedEx ☐ Other ☒ Hand

Payment: ☒ Invoice ☐ Cash ☐ VISA, M/C ☐ Check # _____ Amount _____

Chain of Custody Record

This Chain of Custody is a LEGAL DOCUMENT and must be filled out accurately.

2 of 6
Page 5 of 9
error no
12-15-2020

Section A

Required Client Information

Company: Eagle Point Sch Dist 9
Address: 203 N. Platt
Eagle Point OR 97524
Email: Harding@EaglePnt.k12.or.us
Phone: 830-6376 Fax:
Collected By (Print): Dale Newton
Collected By (Sign): Dale Newton
Email Report ☒ Yes ☐ No Mail Report ☐ Yes ☐ No
Fax Report ☐ Yes ☐ No

Section B

Required Project Information

Project Name: Upper Table Rock
Project Number:
Report To:
Copy To:

Section C

Invoice Information

Attention:
Company Name:
Address:
P.O. #

Section D

Rush Status (Subject to Scheduling)

☒ Standard 10-14 Days
☐ 5 Business Days (50% surcharge)
☐ 3 Business Days (75% surcharge)
☐ 24 - 48 hours (100% surcharge)
☐ Other
Authorized ☐ Yes ☐ No

Analysis Requested

Section E

Sample Information

Sample ID	Comp/Grab	Matrix*	Date Collected	Time Collected	No. of Containers	Analysis Requested	NRC Workorder # (Lab Use Only)	Remarks/Field Data	NRC Sample # (Lab Use Only)
A-1-S	85274		12-15	6:00A	1	X			
A-1-F	85279		12-15	6:01A	1	X			
A-2-S	85320		12-15	6:03A	1	X			
A-2-F	85284		12-15	6:04A	1	X			
A-3-S	85328		12-15	6:05A	1	X			
A-3-F	85301		12-15	6:05A	1	X			
A-4-S	85248		12-15	6:06A	1	X			
A-4-F	85222		12-15	6:07A	1	X			
A-7-S	85252		12-15	6:09A	1	X			
A-7-F	85280		12-15	6:09A	1	X			

*Matrix: DW - Drinking Water WW - Wastewater W - Water S - Soil/Solid SL - Sludge O - Oil WP - Wipe OT - Other

Section F

Relinquish/Receive

Relinquished By:	Sign	Print	Date	Time
Relinquished By: <u>Dale Newton</u>		<u>Dale Newton</u>	<u>12-15</u>	<u>12:10</u>
Received By: <u>John Harding</u>		<u>John Harding</u>	<u>12/15</u>	<u>12:10</u>
Relinquished By: <u>John Harding</u>		<u>John Harding</u>	<u>12/15</u>	<u>1:10</u>
Received By:				
Relinquished By:				
Received By Laboratory: <u>Neomi Orr</u>		<u>Neomi Orr</u>	<u>12-15-2020</u>	<u>13:10</u>

Section G

Lab Use Only

Temp: Amb
4°C +/- 2°C: ☐ Yes ☒ No
Received on Ice: ☐ Yes ☒ No
Number of Bottles Received: 84
pH Checked: N/A
COC Seals Intact: ☐ Yes ☒ No ☒ NA
Field Blank Included: ☐ Yes ☒ No

Received Via ☐ UPS ☐ FedEx ☒ Other ☒ Hand

Payment: ☒ Invoice ☐ Cash ☐ VISA, M/C ☐ Check # ☐ Amount ☐



**NEILSON
RESEARCH
CORPORATION**
Environmental Testing Laboratory
245 South Grape Street * Medford, OR 97501
(541) 770-5678 Fax (541) 770-2901

Chain of Custody Record

This Chain of Custody is a LEGAL DOCUMENT and must be filled out accurately.

3 of 6
Page 6 of 9
error NO
12-15-2020

Section A

Required Client Information

Company: Eaglepoint Sch. Dist 9
Address: 203 N. Platt
Eagle Point OR, 97524
Email: Hardingj@eaglepnt.k12.or.us
Phone: 830-6376 Fax: _____
Collected By (Print): Dale Newton
Collected By (Sign): Dale Newton
Email Report ☒ Yes ☐ No Mail Report ☐ Yes ☐ No
Fax Report ☐ Yes ☐ No

Section B

Required Project Information

Project Name: _____
Project Number: _____
Report To: _____
Copy To: _____
P.O. # _____

Section C

Invoice Information

Attention: _____
Company Name: _____
Address: _____
P.O. # _____

Section D

Rush Status (Subject to Scheduling)

☒ Standard 10-14 Days
☐ 5 Business Days (50% surcharge)
☐ 3 Business Days (75% surcharge)
☐ 24 - 48 hours (100% surcharge)
Other _____
Authorized ☐ Yes ☐ No

Analysis Requested

Section E

Sample Information

Sample ID	Comp/Grab	Matrix*	Date Collected	Time Collected	No. of Containers	Analysis Requested										NRC Workorder # (Lab Use Only) <u>20120801</u>	
																Remarks/Field Data	NRC Sample # (Lab Use Only)
A-8-S	85239		12-15	611A	1	X											21
A-8-F	85256		12-15	611A	1	X											22
A-9-S	85312		12-15	613A	1	X											23
A-9-F	85238		12-15	613A	1	X											24
A-10-S	85338		12-15	614A	1	X											25
A-10-F	85334		12-15	615A	1	X											26
A-GR-1	85326		12-15	620A	1	X											27
A-GR-2	85253		12-15	621A	1	X											28
A-GR-3	85318		12-15	622A	1	X											29
H-C-2	85317		12-15	624A	1	X											30

*Matrix: DW - Drinking Water WW - Wastewater W - Water S - Soil/Solid SL - Sludge O - Oil WP - Wipe OT - Other

Section F

Relinquish/Receive

Relinquish/Receive	Sign	Print	Date	Time
Relinquished By: <u>Dale Newton</u>		<u>Dale Newton</u>	<u>12-15</u>	<u>12:10</u>
Received By: <u>John Harding</u>		<u>John Harding</u>	<u>12/15</u>	<u>12:10</u>
Relinquished By: <u>John Harding</u>		<u>John Harding</u>	<u>12/15</u>	<u>1:10</u>
Received By: _____		_____	_____	_____
Relinquished By: _____		_____	_____	_____
Received By Laboratory: <u>Nuomi Orr</u>		<u>Nuomi Orr</u>	<u>12-15-2020</u>	<u>13:10</u>

Section G

Lab Use Only

Temp: Amb
4°C +/- 2°C: ☐ Yes ☒ No
Received on Ice: ☐ Yes ☒ No
Number of Bottles Received: 84
pH Checked: N/A
COC Seals Intact: ☐ Yes ☒ No
Field Blank Included: ☐ Yes ☒ No
Received Via ☐ UPS ☐ FedEx ☐ Other ☒ Hand
Payment: ☒ Invoice ☐ Cash ☐ VISA, M/C ☐ Check # _____ Amount _____



Environmental Testing Laboratory
245 South Grape Street * Medford, OR 97501
(541) 770-5678 fax (541) 770-2901

Chain of Custody Record

This Chain of Custody is a LEGAL DOCUMENT and must be filled out accurately.

4 of 6
Page 7 of 9
error NO
12-15-2020

Section A

Required Client Information

Company: Eagle Point Sch Dist 9
Address: 203 N. Platt
Eaglepoint OR, 97524
Email: Hardingj@eaglept.k12.or.us
Phone: 836-6376 Fax: _____
Collected By (Print): Dale Newton
Collected By (Sign): Dale Newton
Email Report ☒ Yes ☐ No Mail Report ☐ Yes ☐ No
Fax Report ☐ Yes ☐ No

Section B

Required Project Information

Project Name: Upper Table Rock
Project Number: _____
Report To: _____
Copy To: _____

Section C

Invoice Information

Attention: _____
Company Name: _____
Address: _____
P.O. # _____

Section D

Rush Status (Subject to Scheduling)

☒ Standard 10-14 Days
☐ 5 Business Days (50% surcharge)
☐ 3 Business Days (75% surcharge)
☐ 24 - 48 hours (100% surcharge)
☐ Other _____
Authorized ☐ Yes ☐ No

Section E

Sample Information

Sample ID	Comp/Grab	Matrix*	Date Collected	Time Collected	No. of Containers	Analysis Requested										NRC Workorder # (Lab Use Only) <u>20120801</u>	
																Remarks/Field Data	NRC Sample # (Lab Use Only)
A-BRR-1 85241			12-15	630 A	1	X											31
A-BRR-2 85246			12-15	631 A	1	X											32
A-BRR-3 85287			12-15	632 A	1	X											33
B-BRR-1 85297			12-15	635 A	1	X											34
B-BRR-2 85305			12-15	636 A	1	X											35
B-BRR-3 85307			12-15	636 A	1	X											36
B-GRR-1 85235			12-15	645 A	1	X											37
B-GRR-2 85321			12-15	646 A	1	X											38
B-GRR-3 85286			12-15	647	1	X											39

*Matrix: DW - Drinking Water WW - Wastewater W - Water S - Soil/Solid SL - Sludge O - Oil WP - Wipe OT - Other

Section F

Relinquish/Receive

Relinquished By:	Sign	Print	Date	Time
<u>Dale Newton</u>		<u>Dale Newton</u>	<u>12-15</u>	<u>12:10</u>
<u>John Harding</u>		<u>John Harding</u>	<u>12/15</u>	<u>12:10</u>
<u>John Harding</u>		<u>John Harding</u>	<u>12/15</u>	<u>1:10</u>
Received By:				
Relinquished By:				
Received By Laboratory:		<u>Naomi Orr</u>	<u>12-15-20</u>	<u>13:10</u>

Section G

Lab Use Only

Temp: Amb
4°C +/- 2°C: ☐ Yes ☒ No
Received on Ice: ☐ Yes ☒ No
Number of Bottles Received: 84
pH Checked: N/A
COC Seals Intact: ☐ Yes ☒ No
Field Blank Included: ☐ Yes ☒ No

Received Via ☐ UPS ☐ FedEx ☐ Other ☒ Hand

Payment: ☒ Invoice ☐ Cash ☐ VISA, M/C ☐ Check # _____ Amount _____

error
NO
12-15-2020

Chain of Custody Record

This Chain of Custody is a LEGAL DOCUMENT and must be filled out accurately.

5 of 6
Page 8 of A
error NB
12-15-2020

Section A

Required Client Information

Company: Eagle Point School Dist 9
Address: 203 N. Platt
Eagle Point OR, 97524
Email: Hardingj@eaglepoint.k12.or.us
Phone: 830-6376 Fax:
Collected By (Print): Dale Newton
Collected By (Sign): Dale Newton
Email Report ☒ Yes ☐ No Mail Report ☐ Yes ☐ No
Fax Report ☐ Yes ☐ No

Section B

Required Project Information

Project Name: Copper Table Rock
Project Number:
Report To:
Copy To:

Section C

Invoice Information

Attention:
Company Name:
Address:
P.O. #

Section D

Rush Status (Subject to Scheduling)

☒ Standard 10-14 Days
☐ 5 Business Days (50% surcharge)
☐ 3 Business Days (75% surcharge)
☐ 24 - 48 hours (100% surcharge)
☐ Other
Authorized ☐ Yes ☐ No

Section E

Sample Information

Sample ID	Comp/Grab	Matrix*	Date Collected	Time Collected	No. of Containers	Analysis Requested										NRC Workorder # (Lab Use Only) <u>20120801</u>	
																Remarks/Field Data	NRC Sample # (Lab Use Only)
B-1-S	85296		12-15	650 A	1	X											40
B-1-F	85226		12-15	650 A	1	X											41
B-2-S	85276		12-15	652 A	1	X											42
B-2-F	85324		12-15	652 A	1	X											43
B-3-S	85311		12-15	653 A	1	X											44
B-3-F	85240		12-15	653 A	1	X											45
B-4-S	85309		12-15	655 A	1	X											46
B-4-F	85308		12-15	656 A	1	X											47
B-7-S	85242		12-15	658 A	1	X											48
B-7-F	85339		12-15	700 A	1	X											49

*Matrix: DW - Drinking Water WW - Wastewater W - Water S - Soil/Solid SL - Sludge O - Oil WP - Wipe OT - Other

Section F

Relinquish/Receive

Relinquished By:	Sign	Print	Date	Time
Relinquished By: <u>Dale Newton</u>		<u>Dale Newton</u>	<u>12-15</u>	<u>12:10</u>
Received By: <u>John Harding</u>		<u>John Harding</u>	<u>12/15</u>	<u>12:10</u>
Relinquished By: <u>John Harding</u>		<u>John Harding</u>	<u>12/15</u>	<u>1:10</u>
Received By:				
Relinquished By:				
Received By Laboratory: <u>Naomi Orr</u>		<u>Naomi Orr</u>	<u>12-15-20</u>	<u>1310</u>

Section G

Lab Use Only

Temp: Amb
4°C +/- 2°C: ☐ Yes ☒ No
Received on Ice: ☐ Yes ☒ No
Number of Bottles Received: 84
pH Checked: N/A
COC Seals Intact: ☐ Yes ☒ No
Field Blank Included: ☐ Yes ☒ No

Received Via ☐ UPS ☐ FedEx ☐ Other ☒ Hand

Payment: ☒ Invoice ☐ Cash ☐ VISA, M/C ☐ Check # ☐ Amount ☐

Chain of Custody Record

This Chain of Custody is a LEGAL DOCUMENT and must be filled out accurately.

6 of 6
Page 9 of 9
error NG
12-15-2020

Section A

Required Client Information

Company: Eagle Point School Dist 9
Address: 203 N. Platt
Eagle Point, OR 97524
Email: Harding@eaglept.k12.or.us
Phone: 830-6376 Fax: _____
Collected By (Print): Dale Newton
Collected By (Sign): Dale Newton
Email Report ☒ Yes ☐ No Mail Report ☐ Yes ☐ No
Fax Report ☐ Yes ☐ No

Section B

Required Project Information

Project Name: Upper Table Rock
Project Number: _____
Report To: _____
Copy To: _____

Section C

Invoice Information

Attention: _____
Company Name: _____
Address: _____
P.O. # _____

Section D

Rush Status (Subject to Scheduling)

☒ Standard 10-14 Days
☐ 5 Business Days (50% surcharge)
☐ 3 Business Days (75% surcharge)
☐ 24 - 48 hours (100% surcharge)
Other _____
Authorized ☐ Yes ☐ No

Section E

Sample Information

Sample ID	Comp/Grab	Matrix*	Date Collected	Time Collected	No. of Containers	Analysis Requested										NRC Workorder # (Lab Use Only)	Remarks/Field Data	NRC Sample # (Lab Use Only)
B-8-S 85262			12-15	7:10	1	X												80
B-8-F 85553			12-15	7:11	1	X												81
B-9-S 85569			12-15	7:12	1	X												82
B-9-F 85576			12-15	7:12	1	X												83
B-10-S 85551			12-15	7:14	1	X												84
B-10-F 85565			12-15	7:15	1	X												85
GRR Play 85319			12-15	7:17	1	X												86
BBR Play 85266			12-15	7:18	1	X												87
Gym F-1-85290			12-15	7:20	1	X												88
Gym F-2-85250			12-15	7:21	1	X												89

*Matrix: DW - Drinking Water WW - Wastewater W - Water S - Soil/Solid SL - Sludge O - Oil WP - Wipe OT - Other

Section F

Relinquish/Receive

Relinquished By:	Sign	Print	Date	Time
Relinquished By: <u>Dale Newton</u>		<u>Dale Newton</u>	<u>12-15</u>	<u>12:10</u>
Received By: <u>John Harding</u>		<u>John Harding</u>	<u>12/15</u>	<u>12:10</u>
Relinquished By: <u>John Harding</u>		<u>John Harding</u>	<u>12/15</u>	<u>1:10</u>
Received By: _____				
Relinquished By: <u>Naomi Orr</u>		<u>Naomi Orr</u>	<u>12-15-2020</u>	<u>1310</u>
Received By Laboratory: _____				

Section G

Lab Use Only

Temp: amb
4°C +/- 2°C: ☐ Yes ☒ No
Received on Ice: ☐ Yes ☒ No
Number of Bottles Received: 84
pH Checked: N/A
COC Seals Intact: ☐ Yes ☐ No ☒ N/A
Field Blank Included: ☐ Yes ☒ No
Received Via ☐ UPS ☐ FedEx ☐ Other ☒ Hand
Payment: ☒ Invoice ☐ Cash ☐ VISA, M/C ☐ Check # _____ Amount _____

-
- B Analyte detected in the associated method blank.
 - BA BOD Alternative Calculation: The initial results performed by Standard Methods did not fall within parameters of the Standard Methods calculation. An alternate approved calculation was performed using the HACH method and the value reported is an estimated concentration.
 - C Sample(s) does not meet NELAP/ORELAP sample acceptance criteria. See Case Narrative.
 - C1 Sample(s) does not meet NELAP/ORELAP sample acceptance criteria for temperature.
 - CF Results confirmed by re-analysis.
 - CU Cleanup performed as specified by method.
 - D1 The diesel elution pattern for the sample is not typical.
 - D2 The sample appears to be a heavier hydrocarbon range than diesel.
 - D3 The sample appears to be a lighter hydrocarbon range than diesel.
 - D4 Detected hydrocarbons do not have pattern and range consistent with typical petroleum products and may be due to biogenic interference.
 - D5 Detected hydrocarbons in the diesel range appear to be weathered diesel.
 - E Estimated value.
 - ER Elevated reporting limit due to matrix. Report limits (MDLs, MRLs & PQLs) are adjusted based on variations in sample preparation amounts, analytical dilutions, and percent solids, where applicable.
 - FC Fecal Coliforms: Sample(s) received past 40 CFR Part 136 specified holding time. Results reported as estimated values.
 - G1 The gasoline elution pattern for the sample is not typical.
 - G2 The sample appears to be a heavier hydrocarbon range than gasoline.
 - G3 The sample appears to be a lighter hydrocarbon range than gasoline.
 - G4 Detected hydrocarbons in the gasoline range appear to be weathered gasoline.
 - HP Sample re-analysis performed outside of method specified holding time.
 - HR Sample received outside of method specified holding time.
 - HS Sample analyzed for volatile organics contained headspace.
 - HT ☐ At the client's request, the sample was analyzed outside of method specified holding time.
 - H Analysis performed outside of method specified holding time.
 - J Analyte detected below the Minimum Reporting Limit (MRL) and above the Method Detection Limit (MDL). The J flag result is an estimated value and the user should be aware that this data is of limited reliability.
 - L Dissolved metals were not filtered within 15 minutes of collection per 40 CFR Part 136.
 - MI Surrogate, Duplicate Sample (DUP) or Matrix Spikes recoveries are out of control limits due to matrix interference. Sample results may be biased.
 - N See Case Narrative on page 2 of report.
 - NLR No Legionella Recovered.
 - PLR Presence of Legionella Recovered.
 - Q Initial calibration verification (ICV), continuing calibration verification (CCV) or laboratory control sample (LCS) exceeded high recovery limits, but associated samples are non-detect and the sample results are not affected. Data meets EPA/NELAP requirements.
 - R Relative percent difference (RPD) is outside of the accepted recovery limits.
 - R1 Relative percent difference (RPD) is outside of the accepted recovery limits. However, analyses are not controlled on RPD values for sample concentrations that are less than the reporting limit.
 - R3 The relative percent difference (RPD) and/or percent recovery for the duplicate (DUP) or matrix spike (MS)/matrix spike duplicate (MSD) cannot be accurately calculated due to the concentration of analyte already present in the sample.
 - R4 Duplicate analysis failed due to result being at or near the method reporting limit.
 - S Surrogate and/or matrix spike recovery is outside of the accepted recovery limits. Sample results may be biased.
 - S1 Surrogate or matrix spike recovery is outside of control limits due to dilution necessary for analysis.
 - SC Sub-contracted to another laboratory for analysis.
 - SP Sample(s) were not collected per EPA Method 5035A protocols. The results are considered minimum values.
 - # Value exceeds regulatory level for TCLP contaminant.
 - X1 The motor oil elution pattern for the sample is not typical.
 - X2 The sample appears to be a heavier hydrocarbon range than motor oil.
 - X3 The sample appears to be a lighter hydrocarbon range than motor oil.
 - * Value exceeds Maximum Contaminant Level or is outside the acceptable range.