



Neilson Research Corporation  
245 S Grape St  
Medford, OR 97501  
TEL: (541) 770-5678 FAX: (541) 770-2901  
Website: [www.nrclabs.com](http://www.nrclabs.com)

December 30, 2020

John Harding  
Eagle Point School District #9  
PO Box 548  
Eagle Point, OR 97524  
TEL: (541) 830-1240  
FAX: (541) 830-6375

RE: WMMS

Order No.: 20120813

Dear John Harding:

Neilson Research Corporation received 58 sample(s) on 12/15/2020 for the analyses presented in the following report.

The results relate only to the parameters tested or to the sample as received by the laboratory. This report shall not be reproduced except in full, without the written approval of Neilson Research Corporation. If you have any questions regarding these test results, please feel free to call.

Sincerely,  
Neilson Research Corporation

Tamra Schmedemann  
Senior Project Manager  
245 S Grape St  
Medford, OR 97501



Original



Neilson Research Corporation  
245 S Grape St  
Medford, OR 97501  
TEL: (541) 770-5678 FAX: (541) 770-2901  
Website: [www.nrclabs.com](http://www.nrclabs.com)

## Case Narrative

WO#: 20120813  
Date: 12/30/2020

---

**CLIENT:** Eagle Point School District #9

**Project:** WMMS

---

The analyses were performed according to the guidelines in the Neilson Research Corporation Quality Assurance Program. This report contains analytical results for the sample(s) as received by the laboratory.

Neilson Research Corporation certifies that this report is in compliance with the requirements of NELAP. No unusual difficulties were experienced during analysis of this batch except as noted below or qualified with data flags on the reports.

---

Original



Neilson Research Corporation  
245 S Grape St  
Medford, OR 97501  
TEL: (541) 770-5678 FAX: (541) 770-2901  
Website: www.nrclabs.com

## Analytical Report

WO#: 20120813

Date Reported: 12/30/2020

Eagle Point School District #9

PO Box 548

Eagle Point, OR 97524

Lab Order: 20120813

Received Date: 12/15/2020 12:55:00 PM

Reported Date: 12/30/2020 1:04:14 PM

Sample Information:

Lab ID: 20120813-01 Client Sample ID: A-1 WF  
Collection Date: 12/15/2020 7:30:00 AM Collected By: Paul Wilmot  
Matrix: Drinking Water Sample Location: A-1 WF

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	0.787		0.103	µg/L	1	12/18/2020	15.0	A

Lab ID: 20120813-02 Client Sample ID: A-2 WF  
Collection Date: 12/15/2020 7:30:00 AM Collected By: Paul Wilmot  
Matrix: Drinking Water Sample Location: A-2 WF

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	1.90		0.103	µg/L	1	12/18/2020	15.0	A

Lab ID: 20120813-03 Client Sample ID: B-1 WF  
Collection Date: 12/15/2020 7:35:00 AM Collected By: Paul Wilmot  
Matrix: Drinking Water Sample Location: B-1 WF

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	0.621		0.103	µg/L	1	12/18/2020	15.0	A

QUALIFIERS	*	Value exceeds Maximum Contaminant Level.	C1	Sample container temperature is out of limit as specified at testcode
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	MI	Recovery outside control limits due to Matrix Interference
	ND	Not Detected at the Reporting Limit	PL	Permit Limit
	R	RPD outside accepted recovery limits		

Original



Neilson Research Corporation  
245 S Grape St  
Medford, OR 97501  
TEL: (541) 770-5678 FAX: (541) 770-2901  
Website: www.nrclabs.com

## Analytical Report

WO#: 20120813

Date Reported: 12/30/2020

Eagle Point School District #9

PO Box 548

Eagle Point, OR 97524

Lab Order: 20120813

Received Date: 12/15/2020 12:55:00 PM

Reported Date: 12/30/2020 1:04:14 PM

Sample Information:

Lab ID: 20120813-04 Client Sample ID: B-2 WF  
Collection Date: 12/15/2020 7:35:00 AM Collected By: Paul Wilmot  
Matrix: Drinking Water Sample Location: B-2 WF

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	0.734		0.103	µg/L	1	12/18/2020	15.0	A

Lab ID: 20120813-05 Client Sample ID: C-1 WF  
Collection Date: 12/15/2020 7:37:00 AM Collected By: Paul Wilmot  
Matrix: Drinking Water Sample Location: C-1 WF

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	3.55		0.103	µg/L	1	12/18/2020	15.0	A

Lab ID: 20120813-06 Client Sample ID: D-1 WF  
Collection Date: 12/15/2020 9:56:00 AM Collected By: Paul Wilmot  
Matrix: Drinking Water Sample Location: D-1 WF

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	1.12		0.103	µg/L	1	12/18/2020	15.0	A

QUALIFIERS	*	Value exceeds Maximum Contaminant Level.	C1	Sample container temperature is out of limit as specified at testcode
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	MI	Recovery outside control limits due to Matrix Interference
	ND	Not Detected at the Reporting Limit	PL	Permit Limit
	R	RPD outside accepted recovery limits		

Original



Neilson Research Corporation  
245 S Grape St  
Medford, OR 97501  
TEL: (541) 770-5678 FAX: (541) 770-2901  
Website: www.nrclabs.com

## Analytical Report

WO#: 20120813  
Date Reported: 12/30/2020

Eagle Point School District #9  
PO Box 548  
Eagle Point, OR 97524

**Lab Order:** 20120813  
**Received Date:** 12/15/2020 12:55:00 PM  
**Reported Date:** 12/30/2020 1:04:14 PM

Sample Information:

**Lab ID:** 20120813-07 **Client Sample ID:** E-1 WF  
**Collection Date:** 12/15/2020 7:41:00 AM **Collected By:** Paul Wilmot  
**Matrix:** Drinking Water **Sample Location:** E-1 WF

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	1.65		0.103	µg/L	1	12/18/2020	15.0	A

**Lab ID:** 20120813-08 **Client Sample ID:** F-1 WF  
**Collection Date:** 12/15/2020 7:45:00 AM **Collected By:** Paul Wilmot  
**Matrix:** Drinking Water **Sample Location:** F-1 WF

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	4.13		0.103	µg/L	1	12/18/2020	15.0	A

**Lab ID:** 20120813-09 **Client Sample ID:** G-1 WF  
**Collection Date:** 12/15/2020 7:46:00 AM **Collected By:** Paul Wilmot  
**Matrix:** Drinking Water **Sample Location:** G-1 WF

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	4.46		0.103	µg/L	1	12/18/2020	15.0	A

QUALIFIERS	*	Value exceeds Maximum Contaminant Level.	C1	Sample container temperature is out of limit as specified at testcode
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	MI	Recovery outside control limits due to Matrix Interference
	ND	Not Detected at the Reporting Limit	PL	Permit Limit
	R	RPD outside accepted recovery limits		

Original



Neilson Research Corporation  
245 S Grape St  
Medford, OR 97501  
TEL: (541) 770-5678 FAX: (541) 770-2901  
Website: www.nrclabs.com

## Analytical Report

WO#: 20120813

Date Reported: 12/30/2020

Eagle Point School District #9

PO Box 548

Eagle Point, OR 97524

Lab Order: 20120813

Received Date: 12/15/2020 12:55:00 PM

Reported Date: 12/30/2020 1:04:14 PM

Sample Information:

Lab ID: 20120813-10 Client Sample ID: H-1 WF  
Collection Date: 12/15/2020 7:50:00 AM Collected By: Paul Wilmot  
Matrix: Drinking Water Sample Location: H-1 WF

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	7.39		0.103	µg/L	1	12/18/2020	15.0	A

Lab ID: 20120813-11 Client Sample ID: I-1 WF  
Collection Date: 12/15/2020 7:52:00 AM Collected By: Paul Wilmot  
Matrix: Drinking Water Sample Location: I-1 WF

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	0.848		0.103	µg/L	1	12/18/2020	15.0	A

Lab ID: 20120813-12 Client Sample ID: I-2 WF  
Collection Date: 12/15/2020 7:52:00 AM Collected By: Paul Wilmot  
Matrix: Drinking Water Sample Location: I-2 WF

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	0.919		0.103	µg/L	1	12/18/2020	15.0	A

QUALIFIERS	*	Value exceeds Maximum Contaminant Level.	C1	Sample container temperature is out of limit as specified at testcode
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	MI	Recovery outside control limits due to Matrix Interference
	ND	Not Detected at the Reporting Limit	PL	Permit Limit
	R	RPD outside accepted recovery limits		

Original



Neilson Research Corporation  
245 S Grape St  
Medford, OR 97501  
TEL: (541) 770-5678 FAX: (541) 770-2901  
Website: www.nrclabs.com

## Analytical Report

WO#: 20120813

Date Reported: 12/30/2020

Eagle Point School District #9

PO Box 548

Eagle Point, OR 97524

Lab Order: 20120813

Received Date: 12/15/2020 12:55:00 PM

Reported Date: 12/30/2020 1:04:14 PM

Sample Information:

Lab ID: 20120813-13 Client Sample ID: 1-1 S  
Collection Date: 12/15/2020 7:57:00 AM Collected By: Paul Wilmot  
Matrix: Drinking Water Sample Location: 1-1 S

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	2.02		0.103	µg/L	1	12/18/2020	15.0	A

Lab ID: 20120813-14 Client Sample ID: 2-1 S  
Collection Date: 12/15/2020 7:58:00 AM Collected By: Paul Wilmot  
Matrix: Drinking Water Sample Location: 2-1 S

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	4.27		0.103	µg/L	1	12/18/2020	15.0	A

Lab ID: 20120813-15 Client Sample ID: 3-1 S  
Collection Date: 12/15/2020 8:00:00 AM Collected By: Paul Wilmot  
Matrix: Drinking Water Sample Location: 3-1 S

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	1.58		0.103	µg/L	1	12/18/2020	15.0	A

QUALIFIERS	*	Value exceeds Maximum Contaminant Level.	C1	Sample container temperature is out of limit as specified at testcode
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	MI	Recovery outside control limits due to Matrix Interference
	ND	Not Detected at the Reporting Limit	PL	Permit Limit
	R	RPD outside accepted recovery limits		

Original



Neilson Research Corporation  
245 S Grape St  
Medford, OR 97501  
TEL: (541) 770-5678 FAX: (541) 770-2901  
Website: www.nrclabs.com

## Analytical Report

WO#: 20120813  
Date Reported: 12/30/2020

Eagle Point School District #9  
PO Box 548  
Eagle Point, OR 97524

Lab Order: 20120813  
Received Date: 12/15/2020 12:55:00 PM  
Reported Date: 12/30/2020 1:04:14 PM

Sample Information:

Lab ID: 20120813-16 Client Sample ID: 3-2 S  
Collection Date: 12/15/2020 8:00:00 AM Collected By: Paul Wilmot  
Matrix: Drinking Water Sample Location: 3-2 S

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	4.59		0.103	µg/L	1	12/18/2020	15.0	A

Lab ID: 20120813-17 Client Sample ID: 4-1 S  
Collection Date: 12/15/2020 8:02:00 AM Collected By: Paul Wilmot  
Matrix: Drinking Water Sample Location: 4-1 S

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	1.40		0.103	µg/L	1	12/18/2020	15.0	A

Lab ID: 20120813-18 Client Sample ID: 4-2 S  
Collection Date: 12/15/2020 8:02:00 AM Collected By: Paul Wilmot  
Matrix: Drinking Water Sample Location: 4-2 S

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	3.51		0.103	µg/L	1	12/18/2020	15.0	A

QUALIFIERS	*	Value exceeds Maximum Contaminant Level.	C1	Sample container temperature is out of limit as specified at testcode
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	MI	Recovery outside control limits due to Matrix Interference
	ND	Not Detected at the Reporting Limit	PL	Permit Limit
	R	RPD outside accepted recovery limits		

Original





Neilson Research Corporation  
245 S Grape St  
Medford, OR 97501  
TEL: (541) 770-5678 FAX: (541) 770-2901  
Website: www.nrclabs.com

## Analytical Report

WO#: 20120813

Date Reported: 12/30/2020

Eagle Point School District #9

PO Box 548

Eagle Point, OR 97524

Lab Order: 20120813

Received Date: 12/15/2020 12:55:00 PM

Reported Date: 12/30/2020 1:04:14 PM

Sample Information:

Lab ID: 20120813-19 Client Sample ID: 5-1 S  
Collection Date: 12/15/2020 8:05:00 AM Collected By: Paul Wilmot  
Matrix: Drinking Water Sample Location: 5-1 S

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	2.76		0.103	µg/L	1	12/18/2020	15.0	A

Lab ID: 20120813-20 Client Sample ID: 6-1 S  
Collection Date: 12/15/2020 8:05:00 AM Collected By: Paul Wilmot  
Matrix: Drinking Water Sample Location: 6-1 S


Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	2.59		0.103	µg/L	1	12/18/2020	15.0	A

Lab ID: 20120813-21 Client Sample ID: 7-1 S  
Collection Date: 12/15/2020 8:10:00 AM Collected By: Paul Wilmot  
Matrix: Drinking Water Sample Location: 7-1 S

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	1.80		0.103	µg/L	1	12/18/2020	15.0	A

QUALIFIERS	*	Value exceeds Maximum Contaminant Level.	C1	Sample container temperature is out of limit as specified at testcode
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	MI	Recovery outside control limits due to Matrix Interference
	ND	Not Detected at the Reporting Limit	PL	Permit Limit
	R	RPD outside accepted recovery limits		

Original



Neilson Research Corporation  
245 S Grape St  
Medford, OR 97501  
TEL: (541) 770-5678 FAX: (541) 770-2901  
Website: www.nrclabs.com

## Analytical Report

WO#: 20120813

Date Reported: 12/30/2020

Eagle Point School District #9

PO Box 548

Eagle Point, OR 97524

Lab Order: 20120813

Received Date: 12/15/2020 12:55:00 PM

Reported Date: 12/30/2020 1:04:14 PM

Sample Information:

Lab ID: 20120813-22 Client Sample ID: 7-2 S  
Collection Date: 12/15/2020 8:10:00 AM Collected By: Paul Wilmot  
Matrix: Drinking Water Sample Location: 7-2 S

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	1.46		0.103	µg/L	1	12/18/2020	15.0	A

Lab ID: 20120813-23 Client Sample ID: 7-3 S  
Collection Date: 12/15/2020 8:10:00 AM Collected By: Paul Wilmot  
Matrix: Drinking Water Sample Location: 7-3 S

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	2.35		0.103	µg/L	1	12/18/2020	15.0	A

Lab ID: 20120813-24 Client Sample ID: 8-7 KS  
Collection Date: 12/15/2020 8:20:00 AM Collected By: Paul Wilmot  
Matrix: Drinking Water Sample Location: 8-7 KS

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	6.72		0.103	µg/L	1	12/18/2020	15.0	A

QUALIFIERS	*	Value exceeds Maximum Contaminant Level.	C1	Sample container temperature is out of limit as specified at testcode
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	MI	Recovery outside control limits due to Matrix Interference
	ND	Not Detected at the Reporting Limit	PL	Permit Limit
	R	RPD outside accepted recovery limits		

Original



Neilson Research Corporation  
245 S Grape St  
Medford, OR 97501  
TEL: (541) 770-5678 FAX: (541) 770-2901  
Website: www.nrclabs.com

## Analytical Report

WO#: 20120813  
Date Reported: 12/30/2020

Eagle Point School District #9  
PO Box 548  
Eagle Point, OR 97524

Lab Order: 20120813  
Received Date: 12/15/2020 12:55:00 PM  
Reported Date: 12/30/2020 1:04:14 PM

Sample Information:

Lab ID: 20120813-25 Client Sample ID: 8-2 KS  
Collection Date: 12/15/2020 8:20:00 AM Collected By: Paul Wilmot  
Matrix: Drinking Water Sample Location: 8-2 KS

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	10.5		0.103	µg/L	1	12/18/2020	15.0	A

Lab ID: 20120813-26 Client Sample ID: 8-3 KS  
Collection Date: 12/15/2020 8:20:00 AM Collected By: Paul Wilmot  
Matrix: Drinking Water Sample Location: 8-3 KS

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	5.40		0.103	µg/L	1	12/18/2020	15.0	A

Lab ID: 20120813-27 Client Sample ID: 8-4 KS  
Collection Date: 12/15/2020 8:20:00 AM Collected By: Paul Wilmot  
Matrix: Drinking Water Sample Location: 8-4 KS

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	3.17		0.103	µg/L	1	12/18/2020	15.0	A

QUALIFIERS	*	Value exceeds Maximum Contaminant Level.	C1	Sample container temperature is out of limit as specified at testcode
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	MI	Recovery outside control limits due to Matrix Interference
	ND	Not Detected at the Reporting Limit	PL	Permit Limit
	R	RPD outside accepted recovery limits		

Original



Neilson Research Corporation  
245 S Grape St  
Medford, OR 97501  
TEL: (541) 770-5678 FAX: (541) 770-2901  
Website: www.nrclabs.com

## Analytical Report

WO#: 20120813

Date Reported: 12/30/2020

Eagle Point School District #9

PO Box 548

Eagle Point, OR 97524

Lab Order: 20120813

Received Date: 12/15/2020 12:55:00 PM

Reported Date: 12/30/2020 1:04:14 PM

Sample Information:

Lab ID: 20120813-28 Client Sample ID: 8-5 KS  
Collection Date: 12/15/2020 8:20:00 AM Collected By: Paul Wilmot  
Matrix: Drinking Water Sample Location: 8-5 KS

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	4.36		0.103	µg/L	1	12/18/2020	15.0	A

Lab ID: 20120813-29 Client Sample ID: 8-6 KS  
Collection Date: 12/15/2020 8:20:00 AM Collected By: Paul Wilmot  
Matrix: Drinking Water Sample Location: 8-6 KS

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	1.50		0.103	µg/L	1	12/18/2020	15.0	A

Lab ID: 20120813-30 Client Sample ID: 9-1 S  
Collection Date: 12/15/2020 9:14:00 AM Collected By: Paul Wilmot  
Matrix: Drinking Water Sample Location: 9-1 S

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	1.93		0.103	µg/L	1	12/18/2020	15.0	A

QUALIFIERS	*	Value exceeds Maximum Contaminant Level.	C1	Sample container temperature is out of limit as specified at testcode
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	MI	Recovery outside control limits due to Matrix Interference
	ND	Not Detected at the Reporting Limit	PL	Permit Limit
	R	RPD outside accepted recovery limits		

Original



Neilson Research Corporation  
245 S Grape St  
Medford, OR 97501  
TEL: (541) 770-5678 FAX: (541) 770-2901  
Website: www.nrclabs.com

## Analytical Report

WO#: 20120813

Date Reported: 12/30/2020

Eagle Point School District #9

PO Box 548

Eagle Point, OR 97524

Lab Order: 20120813

Received Date: 12/15/2020 12:55:00 PM

Reported Date: 12/30/2020 1:04:14 PM

Sample Information:

Lab ID: 20120813-31 Client Sample ID: 9-2 S  
Collection Date: 12/15/2020 9:14:00 AM Collected By: Paul Wilmot  
Matrix: Drinking Water Sample Location: 9-2 S

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	2.80		0.103	µg/L	1	12/18/2020	15.0	A

Lab ID: 20120813-32 Client Sample ID: 9-3 S  
Collection Date: 12/15/2020 9:14:00 AM Collected By: Paul Wilmot  
Matrix: Drinking Water Sample Location: 9-3 S

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	2.11		0.103	µg/L	1	12/18/2020	15.0	A

Lab ID: 20120813-33 Client Sample ID: 10-1 S  
Collection Date: 12/15/2020 9:16:00 AM Collected By: Paul Wilmot  
Matrix: Drinking Water Sample Location: 10-1 S

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	5.65		0.103	µg/L	1	12/18/2020	15.0	A

QUALIFIERS	*	Value exceeds Maximum Contaminant Level.	C1	Sample container temperature is out of limit as specified at testcode
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	MI	Recovery outside control limits due to Matrix Interference
	ND	Not Detected at the Reporting Limit	PL	Permit Limit
	R	RPD outside accepted recovery limits		

Original



Neilson Research Corporation  
245 S Grape St  
Medford, OR 97501  
TEL: (541) 770-5678 FAX: (541) 770-2901  
Website: www.nrclabs.com

## Analytical Report

WO#: 20120813

Date Reported: 12/30/2020

Eagle Point School District #9

PO Box 548

Eagle Point, OR 97524

Lab Order: 20120813

Received Date: 12/15/2020 12:55:00 PM

Reported Date: 12/30/2020 1:04:14 PM

Sample Information:

Lab ID: 20120813-34 Client Sample ID: 10-2 S  
Collection Date: 12/15/2020 9:16:00 AM Collected By: Paul Wilmot  
Matrix: Drinking Water Sample Location: 10-2 S

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	2.75		0.103	µg/L	1	12/18/2020	15.0	A

Lab ID: 20120813-35 Client Sample ID: 10-3 S  
Collection Date: 12/15/2020 9:16:00 AM Collected By: Paul Wilmot  
Matrix: Drinking Water Sample Location: 10-3 S

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	1.81		0.103	µg/L	1	12/18/2020	15.0	A

Lab ID: 20120813-36 Client Sample ID: 11-1 S  
Collection Date: 12/15/2020 9:21:00 AM Collected By: Paul Wilmot  
Matrix: Drinking Water Sample Location: 11-1 S

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	0.916		0.103	µg/L	1	12/18/2020	15.0	A

QUALIFIERS	*	Value exceeds Maximum Contaminant Level.	C1	Sample container temperature is out of limit as specified at testcode
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	MI	Recovery outside control limits due to Matrix Interference
	ND	Not Detected at the Reporting Limit	PL	Permit Limit
	R	RPD outside accepted recovery limits		

Original



Neilson Research Corporation  
245 S Grape St  
Medford, OR 97501  
TEL: (541) 770-5678 FAX: (541) 770-2901  
Website: www.nrclabs.com

## Analytical Report

WO#: 20120813

Date Reported: 12/30/2020

Eagle Point School District #9

PO Box 548

Eagle Point, OR 97524

Lab Order: 20120813

Received Date: 12/15/2020 12:55:00 PM

Reported Date: 12/30/2020 1:04:14 PM

Sample Information:

Lab ID: 20120813-37 Client Sample ID: 12-1 S  
Collection Date: 12/15/2020 9:25:00 AM Collected By: Paul Wilmot  
Matrix: Drinking Water Sample Location: 12-1 S

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	1.87		0.103	µg/L	1	12/18/2020	15.0	A

Lab ID: 20120813-38 Client Sample ID: 13-1 S  
Collection Date: 12/15/2020 9:25:00 AM Collected By: Paul Wilmot  
Matrix: Drinking Water Sample Location: 13-1 S

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	1.87		0.103	µg/L	1	12/18/2020	15.0	A

Lab ID: 20120813-39 Client Sample ID: 14-1 S  
Collection Date: 12/15/2020 9:28:00 AM Collected By: Paul Wilmot  
Matrix: Drinking Water Sample Location: 14-1 S

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	1.15		0.103	µg/L	1	12/18/2020	15.0	A

QUALIFIERS	*	Value exceeds Maximum Contaminant Level.	C1	Sample container temperature is out of limit as specified at testcode
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	MI	Recovery outside control limits due to Matrix Interference
	ND	Not Detected at the Reporting Limit	PL	Permit Limit
	R	RPD outside accepted recovery limits		

Original



Neilson Research Corporation  
245 S Grape St  
Medford, OR 97501  
TEL: (541) 770-5678 FAX: (541) 770-2901  
Website: www.nrclabs.com

## Analytical Report

WO#: 20120813  
Date Reported: 12/30/2020

Eagle Point School District #9  
PO Box 548  
Eagle Point, OR 97524

**Lab Order:** 20120813  
**Received Date:** 12/15/2020 12:55:00 PM  
**Reported Date:** 12/30/2020 1:04:14 PM

Sample Information:

**Lab ID:** 20120813-40 **Client Sample ID:** 15-1 S  
**Collection Date:** 12/15/2020 9:32:00 AM **Collected By:** Paul Wilmot  
**Matrix:** Drinking Water **Sample Location:** 15-1 S

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	2.33		0.103	µg/L	1	12/18/2020	15.0	A

**Lab ID:** 20120813-41 **Client Sample ID:** 16-1 S  
**Collection Date:** 12/15/2020 9:35:00 AM **Collected By:** Paul Wilmot  
**Matrix:** Drinking Water **Sample Location:** 16-1 S

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	1.04		0.103	µg/L	1	12/18/2020	15.0	A

**Lab ID:** 20120813-42 **Client Sample ID:** 16-2 S  
**Collection Date:** 12/15/2020 9:35:00 AM **Collected By:** Paul Wilmot  
**Matrix:** Drinking Water **Sample Location:** 16-2 S

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	5.20		0.103	µg/L	1	12/18/2020	15.0	A

QUALIFIERS	*	Value exceeds Maximum Contaminant Level.	C1	Sample container temperature is out of limit as specified at testcode
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	MI	Recovery outside control limits due to Matrix Interference
	ND	Not Detected at the Reporting Limit	PL	Permit Limit
	R	RPD outside accepted recovery limits		

Original





Neilson Research Corporation  
245 S Grape St  
Medford, OR 97501  
TEL: (541) 770-5678 FAX: (541) 770-2901  
Website: www.nrclabs.com

## Analytical Report

WO#: 20120813  
Date Reported: 12/30/2020

Eagle Point School District #9  
PO Box 548  
Eagle Point, OR 97524

**Lab Order:** 20120813  
**Received Date:** 12/15/2020 12:55:00 PM  
**Reported Date:** 12/30/2020 1:04:14 PM

Sample Information:

**Lab ID:** 20120813-43 **Client Sample ID:** 16-3 S  
**Collection Date:** 12/15/2020 9:35:00 AM **Collected By:** Paul Wilmot  
**Matrix:** Drinking Water **Sample Location:** 16-3 S

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	2.83		0.103	µg/L	1	12/18/2020	15.0	A

**Lab ID:** 20120813-44 **Client Sample ID:** 17-1 S  
**Collection Date:** 12/15/2020 9:38:00 AM **Collected By:** Paul Wilmot  
**Matrix:** Drinking Water **Sample Location:** 17-1 S

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	3.68		0.103	µg/L	1	12/18/2020	15.0	A

**Lab ID:** 20120813-45 **Client Sample ID:** 17-2 S  
**Collection Date:** 12/15/2020 9:38:00 AM **Collected By:** Paul Wilmot  
**Matrix:** Drinking Water **Sample Location:** 17-2 S

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	6.85		0.103	µg/L	1	12/18/2020	15.0	A

QUALIFIERS	*	Value exceeds Maximum Contaminant Level.	C1	Sample container temperature is out of limit as specified at testcode
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	MI	Recovery outside control limits due to Matrix Interference
	ND	Not Detected at the Reporting Limit	PL	Permit Limit
	R	RPD outside accepted recovery limits		

Original



Neilson Research Corporation  
245 S Grape St  
Medford, OR 97501  
TEL: (541) 770-5678 FAX: (541) 770-2901  
Website: www.nrclabs.com

## Analytical Report

WO#: 20120813  
Date Reported: 12/30/2020

Eagle Point School District #9  
PO Box 548  
Eagle Point, OR 97524

Lab Order: 20120813  
Received Date: 12/15/2020 12:55:00 PM  
Reported Date: 12/30/2020 1:04:14 PM

Sample Information:

Lab ID: 20120813-46 Client Sample ID: 17-3 S  
Collection Date: 12/15/2020 9:38:00 AM Collected By: Paul Wilmot  
Matrix: Drinking Water Sample Location: 17-3 S

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	3.74		0.103	µg/L	1	12/18/2020	15.0	A

Lab ID: 20120813-47 Client Sample ID: 18-7 S  
Collection Date: 12/15/2020 9:55:00 AM Collected By: Paul Wilmot  
Matrix: Drinking Water Sample Location: 18-7 S

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	0.766		0.103	µg/L	1	12/20/2020	15.0	A

Lab ID: 20120813-48 Client Sample ID: 18-2 S  
Collection Date: 12/15/2020 9:55:00 AM Collected By: Paul Wilmot  
Matrix: Drinking Water Sample Location: 18-2 S

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	1.24		0.103	µg/L	1	12/18/2020	15.0	A

QUALIFIERS	*	Value exceeds Maximum Contaminant Level.	C1	Sample container temperature is out of limit as specified at testcode
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	MI	Recovery outside control limits due to Matrix Interference
	ND	Not Detected at the Reporting Limit	PL	Permit Limit
	R	RPD outside accepted recovery limits		

Original



Neilson Research Corporation  
245 S Grape St  
Medford, OR 97501  
TEL: (541) 770-5678 FAX: (541) 770-2901  
Website: www.nrclabs.com

## Analytical Report

WO#: 20120813

Date Reported: 12/30/2020

Eagle Point School District #9

PO Box 548

Eagle Point, OR 97524

Lab Order: 20120813

Received Date: 12/15/2020 12:55:00 PM

Reported Date: 12/30/2020 1:04:14 PM

Sample Information:

Lab ID: 20120813-49 Client Sample ID: 19-1 S  
Collection Date: 12/15/2020 10:00:00 AM Collected By: Paul Wilmot  
Matrix: Drinking Water Sample Location: 19-1 S

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	1.32		0.103	µg/L	1	12/18/2020	15.0	A

Lab ID: 20120813-50 Client Sample ID: 20-1 S  
Collection Date: 12/15/2020 9:59:00 AM Collected By: Paul Wilmot  
Matrix: Drinking Water Sample Location: 20-1 S

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	1.27		0.103	µg/L	1	12/18/2020	15.0	A

Lab ID: 20120813-51 Client Sample ID: 21-1 S  
Collection Date: 12/15/2020 10:05:00 AM Collected By: Paul Wilmot  
Matrix: Drinking Water Sample Location: 21-1 S

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	1.16		0.103	µg/L	1	12/18/2020	15.0	A

QUALIFIERS	*	Value exceeds Maximum Contaminant Level.	C1	Sample container temperature is out of limit as specified at testcode
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	MI	Recovery outside control limits due to Matrix Interference
	ND	Not Detected at the Reporting Limit	PL	Permit Limit
	R	RPD outside accepted recovery limits		

Original



Neilson Research Corporation  
245 S Grape St  
Medford, OR 97501  
TEL: (541) 770-5678 FAX: (541) 770-2901  
Website: www.nrclabs.com

## Analytical Report

WO#: 20120813

Date Reported: 12/30/2020

Eagle Point School District #9

PO Box 548

Eagle Point, OR 97524

Lab Order: 20120813

Received Date: 12/15/2020 12:55:00 PM

Reported Date: 12/30/2020 1:04:14 PM

Sample Information:

Lab ID: 20120813-52 Client Sample ID: 22-1 S  
Collection Date: 12/15/2020 10:08:00 AM Collected By: Paul Wilmot  
Matrix: Drinking Water Sample Location: 22-1 S

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	6.84		0.103	µg/L	1	12/19/2020	15.0	A

Lab ID: 20120813-53 Client Sample ID: 22-2 S  
Collection Date: 12/15/2020 10:08:00 AM Collected By: Paul Wilmot  
Matrix: Drinking Water Sample Location: 22-2 S

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	4.54		0.103	µg/L	1	12/19/2020	15.0	A

Lab ID: 20120813-54 Client Sample ID: 22-3 S  
Collection Date: 12/15/2020 10:08:00 AM Collected By: Paul Wilmot  
Matrix: Drinking Water Sample Location: 22-3 S

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	1.06		0.103	µg/L	1	12/19/2020	15.0	A

QUALIFIERS	*	Value exceeds Maximum Contaminant Level.	C1	Sample container temperature is out of limit as specified at testcode
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	MI	Recovery outside control limits due to Matrix Interference
	ND	Not Detected at the Reporting Limit	PL	Permit Limit
	R	RPD outside accepted recovery limits		

Original



Neilson Research Corporation  
245 S Grape St  
Medford, OR 97501  
TEL: (541) 770-5678 FAX: (541) 770-2901  
Website: www.nrclabs.com

## Analytical Report

WO#: 20120813

Date Reported: 12/30/2020

Eagle Point School District #9

PO Box 548

Eagle Point, OR 97524

Lab Order: 20120813

Received Date: 12/15/2020 12:55:00 PM

Reported Date: 12/30/2020 1:04:14 PM

Sample Information:

Lab ID: 20120813-55 Client Sample ID: 23-1 S  
Collection Date: 12/15/2020 10:10:00 AM Collected By: Paul Wilmot  
Matrix: Drinking Water Sample Location: 23-1 S

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	2.23		0.103	µg/L	1	12/19/2020	15.0	A

Lab ID: 20120813-56 Client Sample ID: 23-2 S  
Collection Date: 12/15/2020 10:10:00 AM Collected By: Paul Wilmot  
Matrix: Drinking Water Sample Location: 23-2 S

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	1.66		0.103	µg/L	1	12/19/2020	15.0	A

Lab ID: 20120813-57 Client Sample ID: 23-3 S  
Collection Date: 12/15/2020 10:10:00 AM Collected By: Paul Wilmot  
Matrix: Drinking Water Sample Location: 23-3 S

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	3.44		0.103	µg/L	1	12/19/2020	15.0	A

QUALIFIERS	*	Value exceeds Maximum Contaminant Level.	C1	Sample container temperature is out of limit as specified at testcode
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	MI	Recovery outside control limits due to Matrix Interference
	ND	Not Detected at the Reporting Limit	PL	Permit Limit
	R	RPD outside accepted recovery limits		

Original



Neilson Research Corporation  
245 S Grape St  
Medford, OR 97501  
TEL: (541) 770-5678 FAX: (541) 770-2901  
Website: www.nrclabs.com

## Analytical Report

WO#: 20120813

Date Reported: 12/30/2020

Eagle Point School District #9

PO Box 548

Eagle Point, OR 97524

**Lab Order:** 20120813

**Received Date:** 12/15/2020 12:55:00 PM

**Reported Date:** 12/30/2020 1:04:14 PM

Sample Information:

**Lab ID:** 20120813-58

Client Sample ID: 24-1 S

Collection Date: 12/15/2020 10:12:00 AM

Collected By: Paul Wilmot

Matrix: Drinking Water

Sample Location: 24-1 S

Trace Metals by EPA 200.8 ICP-MS						Analyst: SJS		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	1.55		0.103	µg/L	1	12/19/2020	15.0	A

QUALIFIERS	*	Value exceeds Maximum Contaminant Level.	C1	Sample container temperature is out of limit as specified at testcode
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	MI	Recovery outside control limits due to Matrix Interference
	ND	Not Detected at the Reporting Limit	PL	Permit Limit
	R	RPD outside accepted recovery limits		

Original



Neilson Research Corporation  
245 S Grape St  
Medford, OR 97501  
TEL: (541) 770-5678 FAX: (541) 770-2901  
Website: www.nrclabs.com

## QC SUMMARY REPORT

WO#: 20120813  
30-Dec-20

Client: Eagle Point School District #9  
Project: WMMS

TestCode: LEAD\_DW

Sample ID: <b>MB-10135</b>	SampType: <b>MBLK</b>	TestCode: <b>LEAD_DW</b>	Units: <b>µg/L</b>	Prep Date: <b>12/18/2020</b>	RunNo: <b>17871</b>						
Client ID: <b>PBW</b>	Batch ID: <b>10135</b>	TestNo: <b>E200.8</b>	<b>E200.8</b>	Analysis Date: <b>12/18/2020</b>	SeqNo: <b>259344</b>						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Lead	ND	0.103									

Sample ID: <b>LCS-10135</b>	SampType: <b>LCS</b>	TestCode: <b>LEAD_DW</b>	Units: <b>µg/L</b>	Prep Date: <b>12/18/2020</b>	RunNo: <b>17871</b>						
Client ID: <b>LCSW</b>	Batch ID: <b>10135</b>	TestNo: <b>E200.8</b>	<b>E200.8</b>	Analysis Date: <b>12/18/2020</b>	SeqNo: <b>259345</b>						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Lead	96.6	0.104	100	0	96.6	85	115				

Sample ID: <b>20120801-46AMS</b>	SampType: <b>MS</b>	TestCode: <b>LEAD_DW</b>	Units: <b>µg/L</b>	Prep Date: <b>12/18/2020</b>	RunNo: <b>17871</b>						
Client ID: <b>BatchQC</b>	Batch ID: <b>10135</b>	TestNo: <b>E200.8</b>	<b>E200.8</b>	Analysis Date: <b>12/18/2020</b>	SeqNo: <b>259347</b>						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Lead	95.1	0.104	100	1.35	93.8	70	130				

Sample ID: <b>20120801-46AMSD</b>	SampType: <b>MSD</b>	TestCode: <b>LEAD_DW</b>	Units: <b>µg/L</b>	Prep Date: <b>12/18/2020</b>	RunNo: <b>17871</b>						
Client ID: <b>BatchQC</b>	Batch ID: <b>10135</b>	TestNo: <b>E200.8</b>	<b>E200.8</b>	Analysis Date: <b>12/18/2020</b>	SeqNo: <b>259348</b>						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Lead	97.7	0.104	100	1.35	96.4	70	130	95.1	2.71	20	

Qualifiers: C1 Sample container temperature is out of limit as specified at testcode  
ND Not Detected at the Reporting Limit

H Holding times for preparation or analysis exceeded  
PL Permit Limit

MI Recovery outside control limits due to Matrix In  
RL Reporting Detection Limit

Original



Neilson Research Corporation  
245 S Grape St  
Medford, OR 97501  
TEL: (541) 770-5678 FAX: (541) 770-2901  
Website: www.nrclabs.com

## QC SUMMARY REPORT

WO#: 20120813  
30-Dec-20

Client: Eagle Point School District #9  
Project: WMMS

TestCode: LEAD\_DW

Sample ID: <b>MB-10136</b>	SampType: <b>MBLK</b>	TestCode: <b>LEAD_DW</b>	Units: <b>µg/L</b>	Prep Date: <b>12/18/2020</b>	RunNo: <b>17890</b>						
Client ID: <b>PBW</b>	Batch ID: <b>10136</b>	TestNo: <b>E200.8</b>	<b>E200.8</b>	Analysis Date: <b>12/18/2020</b>	SeqNo: <b>259381</b>						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Lead	ND	0.103									

Sample ID: <b>LCS-10136</b>	SampType: <b>LCS</b>	TestCode: <b>LEAD_DW</b>	Units: <b>µg/L</b>	Prep Date: <b>12/18/2020</b>	RunNo: <b>17890</b>						
Client ID: <b>LCSW</b>	Batch ID: <b>10136</b>	TestNo: <b>E200.8</b>	<b>E200.8</b>	Analysis Date: <b>12/18/2020</b>	SeqNo: <b>259382</b>						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Lead	101	0.104	100	0	101	85	115				

Sample ID: <b>20120813-07AMS</b>	SampType: <b>MS</b>	TestCode: <b>LEAD_DW</b>	Units: <b>µg/L</b>	Prep Date: <b>12/18/2020</b>	RunNo: <b>17890</b>						
Client ID: <b>E-1 WF</b>	Batch ID: <b>10136</b>	TestNo: <b>E200.8</b>	<b>E200.8</b>	Analysis Date: <b>12/18/2020</b>	SeqNo: <b>259384</b>						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Lead	99.0	0.104	100	1.65	97.4	70	130				

Sample ID: 20120813-07AMSD	SampType: MSD	TestCode: LEAD_DW	Units: µg/L	Prep Date: 12/18/2020	RunNo: 17890						
Client ID: E-1 WF	Batch ID: 10136	TestNo: E200.8	E200.8	Analysis Date: 12/18/2020	SeqNo: 259385						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Lead	99.8	0.104	100	1.65	98.1	70	130	99.0	0.750	20	

Qualifiers: C1 Sample container temperature is out of limit as specified at testcode  
ND Not Detected at the Reporting Limit

H Holding times for preparation or analysis exceeded  
PL Permit Limit

MI Recovery outside control limits due to Matrix In  
RL Reporting Detection Limit

Original





Neilson Research Corporation  
245 S Grape St  
Medford, OR 97501  
TEL: (541) 770-5678 FAX: (541) 770-2901  
Website: www.nrclabs.com

## QC SUMMARY REPORT

WO#: 20120813  
30-Dec-20

Client: Eagle Point School District #9  
Project: WMMS

TestCode: LEAD\_DW

Sample ID: <b>MB-10137</b>	SampType: <b>MBLK</b>	TestCode: <b>LEAD_DW</b>	Units: <b>µg/L</b>	Prep Date: <b>12/18/2020</b>	RunNo: <b>17890</b>						
Client ID: <b>PBW</b>	Batch ID: <b>10137</b>	TestNo: <b>E200.8</b>	<b>E200.8</b>	Analysis Date: <b>12/18/2020</b>	SeqNo: <b>259409</b>						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead	ND	0.103									
------	----	-------	--	--	--	--	--	--	--	--	--

Sample ID: <b>LCS-10137</b>	SampType: <b>LCS</b>	TestCode: <b>LEAD_DW</b>	Units: <b>µg/L</b>	Prep Date: <b>12/18/2020</b>	RunNo: <b>17890</b>						
Client ID: <b>LCSW</b>	Batch ID: <b>10137</b>	TestNo: <b>E200.8</b>	<b>E200.8</b>	Analysis Date: <b>12/18/2020</b>	SeqNo: <b>259410</b>						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead	101	0.104	100	0	101	85	115				
------	-----	-------	-----	---	-----	----	-----	--	--	--	--

Sample ID: <b>20120813-27AMS</b>	SampType: <b>MS</b>	TestCode: <b>LEAD_DW</b>	Units: <b>µg/L</b>	Prep Date: <b>12/18/2020</b>	RunNo: <b>17890</b>						
Client ID: <b>8-4 KS</b>	Batch ID: <b>10137</b>	TestNo: <b>E200.8</b>	<b>E200.8</b>	Analysis Date: <b>12/18/2020</b>	SeqNo: <b>259412</b>						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead	101	0.104	100	3.17	97.7	70	130				
------	-----	-------	-----	------	------	----	-----	--	--	--	--

Sample ID: <b>20120813-27AMSD</b>	SampType: <b>MSD</b>	TestCode: <b>LEAD_DW</b>	Units: <b>µg/L</b>	Prep Date: <b>12/18/2020</b>	RunNo: <b>17890</b>						
Client ID: <b>8-4 KS</b>	Batch ID: <b>10137</b>	TestNo: <b>E200.8</b>	<b>E200.8</b>	Analysis Date: <b>12/18/2020</b>	SeqNo: <b>259413</b>						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead	101	0.104	100	3.17	98.2	70	130	101	0.455	20	
------	-----	-------	-----	------	------	----	-----	-----	-------	----	--

Qualifiers: C1 Sample container temperature is out of limit as specified at testcode  
ND Not Detected at the Reporting Limit

H Holding times for preparation or analysis exceeded  
PL Permit Limit

MI Recovery outside control limits due to Matrix In  
RL Reporting Detection Limit

Original



Neilson Research Corporation  
245 S Grape St  
Medford, OR 97501  
TEL: (541) 770-5678 FAX: (541) 770-2901  
Website: www.nrclabs.com

## QC SUMMARY REPORT

WO#: 20120813  
30-Dec-20

Client: Eagle Point School District #9  
Project: WMMS

TestCode: LEAD\_DW

Sample ID: <b>MB-10150</b>	SampType: <b>MBLK</b>	TestCode: <b>LEAD_DW</b>	Units: <b>µg/L</b>	Prep Date: <b>12/18/2020</b>	RunNo: <b>17890</b>						
Client ID: <b>PBW</b>	Batch ID: <b>10150</b>	TestNo: <b>E200.8</b>	<b>E200.8</b>	Analysis Date: <b>12/18/2020</b>	SeqNo: <b>259437</b>						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead	ND	0.103									
------	----	-------	--	--	--	--	--	--	--	--	--

Sample ID: <b>LCS-10150</b>	SampType: <b>LCS</b>	TestCode: <b>LEAD_DW</b>	Units: <b>µg/L</b>	Prep Date: <b>12/18/2020</b>	RunNo: <b>17890</b>						
Client ID: <b>LCSW</b>	Batch ID: <b>10150</b>	TestNo: <b>E200.8</b>	<b>E200.8</b>	Analysis Date: <b>12/18/2020</b>	SeqNo: <b>259438</b>						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead	97.0	0.104	100	0	97.0	85	115				
------	------	-------	-----	---	------	----	-----	--	--	--	--

Sample ID: <b>20120813-47AMS</b>	SampType: <b>MS</b>	TestCode: <b>LEAD_DW</b>	Units: <b>µg/L</b>	Prep Date: <b>12/18/2020</b>	RunNo: <b>17905</b>						
Client ID: <b>18-7 S</b>	Batch ID: <b>10150</b>	TestNo: <b>E200.8</b>	<b>E200.8</b>	Analysis Date: <b>12/20/2020</b>	SeqNo: <b>259931</b>						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead	101	0.104	100	0.796	100	70	130				
------	-----	-------	-----	-------	-----	----	-----	--	--	--	--

Sample ID: <b>20120813-47AMSD</b>	SampType: <b>MSD</b>	TestCode: <b>LEAD_DW</b>	Units: <b>µg/L</b>	Prep Date: <b>12/18/2020</b>	RunNo: <b>17905</b>						
Client ID: <b>18-7 S</b>	Batch ID: <b>10150</b>	TestNo: <b>E200.8</b>	<b>E200.8</b>	Analysis Date: <b>12/20/2020</b>	SeqNo: <b>259932</b>						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead	98.0	0.104	100	0.796	97.2	70	130	98.4	0.428	20	
------	------	-------	-----	-------	------	----	-----	------	-------	----	--

Qualifiers: C1 Sample container temperature is out of limit as specified at testcode  
ND Not Detected at the Reporting Limit

H Holding times for preparation or analysis exceeded  
PL Permit Limit

MI Recovery outside control limits due to Matrix In  
RL Reporting Detection Limit

Original

## Sample Log-In Check List

Client Name: **EAGLEPTSCHOOL**

Work Order Number: **20120813**

RcptNo: **1**

Logged by: **Naomi Orr** **12/15/2020 12:55:00 PM**

Completed By: **Krizzle Calip** **12/16/2020 8:18:49 AM**

Reviewed By: **Naomi Orr** **12/30/2020 12:52:06 PM**





### Chain of Custody

1. Is Chain of Custody complete? Yes ☒ No ☐ Not Present ☐  
2. How was the sample delivered? Client

### Log In

3. Coolers are present? Yes ☐ No ☐ NA ☒  
4. Shipping container/cooler in good condition? Yes ☒ No ☐  
Custody seals intact on shipping container/cooler? Yes ☐ No ☐ Not Present ☒  
No. Seal Date: Signed By:  
5. Was an attempt made to cool the samples? Yes ☐ No ☐ NA ☒  
6. Were all samples received at a temperature of  $>0^{\circ}\text{C}$  to  $6.0^{\circ}\text{C}$ ? Yes ☐ No ☐ NA ☒  
7. Sample(s) in proper container(s)? Yes ☒ No ☐  
8. Sufficient sample volume for indicated test(s)? Yes ☒ No ☐  
9. Are samples (except VOA and ONG) properly preserved? Yes ☒ No ☐  
10. Was preservative added to bottles? Yes ☒ No ☐ NA ☐  
11. Is the headspace in the VOA vials less than 1/4 inch or 6 mm? Yes ☐ No ☐ HNO<sub>3</sub> pH<2  
No VOA Vials ☒  
12. Were any sample containers received broken? Yes ☐ No ☒  
13. Does paperwork match bottle labels? Yes ☒ No ☐  
(Note discrepancies on chain of custody)  
14. Are matrices correctly identified on Chain of Custody? Yes ☒ No ☐  
15. Is it clear what analyses were requested? Yes ☒ No ☐  
16. Were all holding times able to be met? Yes ☒ No ☐  
(If no, notify customer for authorization.)

### Special Handling (if applicable)

17. Was client notified of all discrepancies with this order? Yes ☐ No ☐ NA ☒

Person Notified:  Date:   
By Whom:  Via: ☐ eMail ☐ Phone ☐ Fax ☐ In Person  
Regarding:   
Client Instructions:

18. Additional remarks:

The sample submitted contained visible sediments (fraction 24 and 25).

### Cooler Information

Cooler No	Temp °C	Condition	Seal Intact	Seal No	Seal Date	Signed By
-----------	---------	-----------	-------------	---------	-----------	-----------

# Chain of Custody Record

Page 1 of 6

This Chain of Custody is a LEGAL DOCUMENT and must be filled out accurately.

## Section A

### Required Client Information

Company: EAGLE POINT S.D. #9  
Address: 550 WILSON WAY  
WHITE CITY OR 97503  
Email: HARDINGJ@EAGLEPNT.K12.OR.US  
Phone: 541-830-6376 Fax: \_\_\_\_\_  
Collected By (Print): PAUL WILMOT  
Collected By (Sign): Paul Wilmot  
Email Report ☒ Yes \_\_\_ No \_\_\_ Mail Report \_\_\_ Yes \_\_\_ No  
Fax Report \_\_\_ Yes \_\_\_ No

## Section B

### Required Project Information

Project Name: WMMMS  
Project Number: 541-951-4416  
Report To: JOHN  
Copy To: \_\_\_\_\_

## Section C

### Invoice Information

Attention: \_\_\_\_\_  
Company Name: \_\_\_\_\_  
Address: \_\_\_\_\_  
P.O. # \_\_\_\_\_

## Section D

### Rush Status (Subject to Scheduling)

☒ Standard 10-14 Days  
\_\_\_ 5 Business Days (50% surcharge)  
\_\_\_ 3 Business Days (75% surcharge)  
\_\_\_ 24 - 48 hours (100% surcharge)  
\_\_\_ Other \_\_\_\_\_  
Authorized \_\_\_ Yes \_\_\_ No

### Analysis Requested

## Section E

### Sample Information

Sample ID	Comp/Grab	Matrix*	Date Collected	Time Collected	No. of Containers	Analysis Requested										Remarks/Field Data	NRC Sample # (Lab Use Only)
A-1	WF		12-15	7:30	1	X											01
A-2	WF		12-15	7:30	1	X											02
B-1	WF		12-15	7:35	1	X											03
B-2	WF		12-15	7:35	1	X											04
C-1	WF		12-15	7:37	1	X											05
D-1	WF		12-15	9:56	1	X											06
E-1	WF		12-15	7:41	1	X											07
F-1	WF		12-15	7:45	1	X											08
G-1	WF		12-15	7:46	1	X											09
H-1	WF		12-15	7:50	1	X											10

\*Matrix: DW - Drinking Water WW - Wastewater W - Water S - Soil/Solid SL - Sludge O - Oil WP - Wipe OT - Other

## Section F

### Relinquish/Receive

Relinquish/Receive	Sign	Print	Date	Time
Relinquished By: <u>Paul Wilmot</u>		<u>PAUL WILMOT</u>	<u>12/15</u>	<u>11:45 AM</u>
Received By: <u>John Harding</u>		<u>John Harding</u>	<u>12/15</u>	<u>11:45</u>
Relinquished By: <u>John Harding</u>		<u>John Harding</u>	<u>12/15</u>	<u>12:55</u>
Received By: _____		_____	_____	_____
Relinquished By: <u>Naomi Orr</u>		<u>Naomi Orr</u>	<u>12-15-2020</u>	<u>12:55</u>
Received By Laboratory: _____		_____	_____	_____

## Section G

### Lab Use Only

Temp: Amb  
4°C +/- 2°C: \_\_\_ Yes \_\_\_ No ☒  
Received on Ice: \_\_\_ Yes \_\_\_ No ☒  
Number of Bottles Received: 58  
pH Checked: NIA  
COC Seals Intact: \_\_\_ Yes \_\_\_ No ☒ NA  
Field Blank Included: \_\_\_ Yes \_\_\_ No ☒

Received Via \_\_\_ UPS \_\_\_ FedEx \_\_\_ Other ☒ Hand

Payment: ☒ Invoice \_\_\_ Cash \_\_\_ VISA, M/C \_\_\_ Check # \_\_\_\_\_ Amount \_\_\_\_\_



# Chain of Custody Record

Page 2 of 6

This Chain of Custody is a LEGAL DOCUMENT and must be filled out accurately.

## Section A

### Required Client Information

Company: EAGLE POINT S.D. #9  
Address: 550 WILSON WAY  
WHITE CITY OR 97503  
Email: HARDINGJ@EAGLEPNT.K12.OR.US  
Phone: 541-830-6376 Fax: \_\_\_\_\_  
Collected By (Print): PAUL WILMOT  
Collected By (Sign): Paul Wilmot  
Email Report ☒ Yes \_\_\_ No \_\_\_ Mail Report \_\_\_ Yes \_\_\_ No  
Fax Report \_\_\_ Yes \_\_\_ No

## Section B

### Required Project Information

Project Name: WMMS  
Project Number: 541-951-4416  
Report To: JOHN  
Copy To: \_\_\_\_\_  
P.O. # \_\_\_\_\_

## Section C

### Invoice Information

Attention: \_\_\_\_\_  
Company Name: \_\_\_\_\_  
Address: \_\_\_\_\_  
P.O. # \_\_\_\_\_

## Section D

### Rush Status (Subject to Scheduling)

☒ Standard 10-14 Days  
\_\_\_ 5 Business Days (50% surcharge)  
\_\_\_ 3 Business Days (75% surcharge)  
\_\_\_ 24 - 48 hours (100% surcharge)  
\_\_\_ Other \_\_\_\_\_  
Authorized \_\_\_ Yes \_\_\_ No

## Section E

### Sample Information

Sample ID	Comp/Grab	Matrix*	Date Collected	Time Collected	No. of Containers	Lead	Analysis Requested	Remarks/Field Data	NRC Sample # (Lab Use Only)
<u>I-1 WF</u>			<u>12-15</u>	<u>7:52</u>	<u>1</u>	<u>X</u>			<u>11</u>
<u>I-2 WF</u>			<u>12-15</u>	<u>7:52</u>	<u>1</u>	<u>X</u>			<u>12</u>
<u>1-1 S</u>			<u>12-15</u>	<u>7:57</u>	<u>1</u>	<u>X</u>			<u>13</u>
<u>2-1 S</u>			<u>12-15</u>	<u>7:58</u>	<u>1</u>	<u>X</u>			<u>14</u>
<u>3-1 S</u>			<u>12-15</u>	<u>8:00</u>	<u>1</u>	<u>X</u>			<u>15</u>
<u>3-2 S</u>			<u>12-15</u>	<u>8:00</u>	<u>1</u>	<u>X</u>			<u>16</u>
<u>4-1 S</u>			<u>12-15</u>	<u>8:02</u>	<u>1</u>	<u>X</u>			<u>17</u>
<u>4-2 S</u>			<u>12-15</u>	<u>8:02</u>	<u>1</u>	<u>X</u>			<u>18</u>
<u>5-1 S</u>			<u>12-15</u>	<u>8:05</u>	<u>1</u>	<u>X</u>			<u>19</u>

\*Matrix: DW - Drinking Water WW - Wastewater W - Water S - Soil/Solid SL - Sludge O - Oil WP - Wipe OT - Other

## Section F

### Relinquish/Receive

Relinquish/Receive	Sign	Print	Date	Time
Relinquished By: <u>Paul Wilmot</u>	<u>Paul Wilmot</u>	<u>PAUL WILMOT</u>	<u>12/15</u>	<u>11:45 AM</u>
Received By: <u>John Harding</u>	<u>John Harding</u>	<u>John Harding</u>	<u>12/15</u>	<u>11:45</u>
Relinquished By: <u>John Harding</u>	<u>John Harding</u>	<u>John Harding</u>	<u>12/15</u>	<u>12:55</u>
Received By: _____	_____	_____	_____	_____
Relinquished By: _____	_____	_____	_____	_____
Received By Laboratory: <u>Naomi Orr</u>	<u>Naomi Orr</u>	<u>Naomi Orr</u>	<u>12-15-2020</u>	<u>12:55</u>

## Section G

### Lab Use Only

Temp: Amb  
4°C +/- 2°C: \_\_\_ Yes X No  
Received on Ice: \_\_\_ Yes X No  
Number of Bottles Received: 58  
pH Checked: N/A  
COC Seals Intact: \_\_\_ Yes \_\_\_ No X NA  
Field Blank Included: \_\_\_ Yes X No

Received Via \_\_\_ UPS \_\_\_ FedEx \_\_\_ Other X Hand

Payment: X Invoice \_\_\_ Cash \_\_\_ VISA, M/C \_\_\_ Check # \_\_\_\_\_ Amount \_\_\_\_\_

# Chain of Custody Record

Page 3 of 6

This Chain of Custody is a LEGAL DOCUMENT and must be filled out accurately.

Section A Required Client Information	Section B Required Project Information	Section C Invoice Information	Section D Rush Status (Subject to Scheduling)
Company: <u>EAGLE POINT S.D. #9</u>	Project Name: <u>WMMMS</u>	Attention:	<input checked="" type="checkbox"/> Standard 10-14 Days
Address: <u>550 WILSON WAY</u>	Project Number: <u>541-951-4416</u>	Company Name:	<input type="checkbox"/> 5 Business Days (50% surcharge)
<u>WHITE CITY OR 97503</u>	Report To: <u>JOHN</u>	Address:	<input type="checkbox"/> 3 Business Days (75% surcharge)
Email: <u>HARDINGJ@EAGLEPNT.K12.OR.US</u>	Copy To:		<input type="checkbox"/> 24 - 48 hours (100% surcharge)
Phone: <u>541-830-6376</u> Fax:		P.O. #	<input type="checkbox"/> Other
Collected By (Print): <u>PAUL WILMOT</u>			Authorized <input type="checkbox"/> Yes <input type="checkbox"/> No
Collected By (Sign): <u>Paul Wilmot</u>			
Email Report <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Mail Report <input type="checkbox"/> Yes <input type="checkbox"/> No			
Fax Report <input type="checkbox"/> Yes <input type="checkbox"/> No			

Section E Sample Information					Analysis Requested												NRC Workorder # (Lab Use Only) <u>20120813</u>		
Sample ID	Comp/Grab	Matrix*	Date Collected	Time Collected	No. of Containers													Remarks/Field Data	NRC Sample # (Lab Use Only)
6-1 S			12-15	8:05	1	X													20
7-1 S			12-15	8:10	1	X													21
7-2 S			12-15	8:10	1	X													22
7-3 S			12-15	8:10	1	X													23
8-1 KS			12-15	8:20	1	X													24
8-2 KS			12-15	8:20	1	X													25
8-3 KS			12-15	8:20	1	X													26
8-4 KS			12-15	8:20	1	X													27
8-5 KS			12-15	8:20	1	X													28
8-6 KS			12-15	8:20	1	X													29

\*Matrix: DW - Drinking Water WW - Wastewater W - Water S - Soil/Solid SL - Sludge O - Oil WP - Wipe OT - Other

Section F Relinquish/Receive		Sign	Print	Date	Time	Section G Lab Use Only	
Relinquished By:	<u>Paul Wilmot</u>		<u>PAUL WILMOT</u>	<u>12/15</u>	<u>11:45 AM</u>	Temp	<u>Amb</u>
Received By:	<u>John Harding</u>		<u>John Harding</u>	<u>12/15</u>	<u>11:45</u>	4°C +/- 2°C:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Relinquished By:	<u>John Harding</u>		<u>John Harding</u>	<u>12/15</u>	<u>12:55</u>	Received on Ice:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Received By:						Number of Bottles Received:	<u>58</u>
Relinquished By:	<u>Naomi Orr</u>		<u>Naomi Orr</u>	<u>12-15-2010</u>	<u>12:55</u>	pH Checked:	<u>N/A</u>
Received By Laboratory:						COC Seals Intact:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA
						Field Blank Included:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
						Received Via	<input type="checkbox"/> UPS <input type="checkbox"/> FedEx <input checked="" type="checkbox"/> Other <input type="checkbox"/> Hand
						Payment:	<input checked="" type="checkbox"/> Invoice <input type="checkbox"/> Cash <input type="checkbox"/> VISA, M/C <input type="checkbox"/> Check # <input type="checkbox"/> Amount





Environmental Testing Laboratory  
245 South Grape Street \* Medford, OR 97501  
(541) 770-5678 fax (541) 770-2901

# Chain of Custody Record

This Chain of Custody is a LEGAL DOCUMENT and must be filled out accurately.

Page 4 of 6

## Section A Required Client Information

Company: EAGLE POINT S.D. #9  
Address: 550 WILSON WAY  
WHITE CITY OR 97503  
Email: HARDINGJ@EAGLEPNT.K12.OR.US  
Phone: 541-830-6376 Fax: \_\_\_\_\_  
Collected By (Print): PAUL WILMOT  
Collected By (Sign): Paul Wilmot  
Email Report ☒ Yes \_\_\_ No Mail Report \_\_\_ Yes \_\_\_ No  
Fax Report \_\_\_ Yes \_\_\_ No

## Section B Required Project Information

Project Name: WMMMS  
Project Number: 541-951-4416  
Report To: JOHN  
Copy To: \_\_\_\_\_

## Section C Invoice Information

Attention: \_\_\_\_\_  
Company Name: \_\_\_\_\_  
Address: \_\_\_\_\_  
P.O. # \_\_\_\_\_

## Section D Rush Status (Subject to Scheduling)

☒ Standard 10-14 Days  
\_\_\_ 5 Business Days (50% surcharge)  
\_\_\_ 3 Business Days (75% surcharge)  
\_\_\_ 24 - 48 hours (100% surcharge)  
\_\_\_ Other \_\_\_\_\_  
Authorized \_\_\_ Yes \_\_\_ No

## Section E Sample Information

Sample ID	Comp/Grab	Matrix*	Date Collected	Time Collected	No. of Containers	Analysis Requested										NRC Workorder # (Lab Use Only)	Remarks/Field Data	NRC Sample # (Lab Use Only)
9-1	S		12-15	9:14	1	X												30
9-2	S		12-15	9:14	1	X												31
9-3	S		12-15	9:14	1	X												32
10-1	S		12-15	9:16	1	X												33
10-2	S		12-15	9:16	1	X												34
10-3	S		12-15	9:16	1	X												35
11-1	S		12-15	9:21	1	X												36
12-1	S		12-15	9:25	1	X												37
13-1	S		12-15	9:25	1	X												38
14-1	S		12-15	9:28	1	X												39

\*Matrix: DW - Drinking Water WW - Wastewater W - Water S - Soil/Solid SL - Sludge O - Oil WP - Wipe OT - Other

## Section F

### Relinquish/Receive

Relinquished By:	Sign	Print	Date	Time
Relinquished By: <u>Paul Wilmot</u>	<u>Paul Wilmot</u>	<u>PAUL WILMOT</u>	<u>12/15</u>	<u>11:45 AM</u>
Received By: <u>John Harding</u>	<u>John Harding</u>	<u>John Harding</u>	<u>12/15</u>	<u>11:45</u>
Relinquished By: <u>John Harding</u>	<u>John Harding</u>	<u>John Harding</u>	<u>12/15</u>	<u>12:55</u>
Received By: _____	_____	_____	_____	_____
Relinquished By: <u>Naomi Orr</u>	<u>Naomi Orr</u>	<u>Naomi Orr</u>	<u>12-15-2020</u>	<u>12:55</u>
Received By Laboratory: _____	_____	_____	_____	_____

## Section G Lab Use Only

Temp: amb  
4°C +/- 2°C: \_\_\_ Yes ☒ No  
Received on Ice: \_\_\_ Yes ☒ No  
Number of Bottles Received: 58  
pH Checked: N/A  
COC Seals Intact: \_\_\_ Yes \_\_\_ No ☒ NA  
Field Blank Included: \_\_\_ Yes ☒ No  
Received Via \_\_\_ UPS \_\_\_ FedEx \_\_\_ Other ☒ Hand  
Payment: ☒ Invoice \_\_\_ Cash \_\_\_ VISA, M/C \_\_\_ Check # \_\_\_\_\_ Amount \_\_\_\_\_

# Chain of Custody Record

Page 5 of 6

This Chain of Custody is a LEGAL DOCUMENT and must be filled out accurately.

Section A Required Client Information	Section B Required Project Information	Section C Invoice Information	Section D Rush Status (Subject to Scheduling)
Company: <u>EAGLE POINT S.D. #9</u>	Project Name: <u>WMMMS</u>	Attention:	<input checked="" type="checkbox"/> Standard 10-14 Days
Address: <u>550 WILSON WAY</u>	Project Number: <u>541-951-4416</u>	Company Name:	<input type="checkbox"/> 5 Business Days (50% surcharge)
<u>WHITE CITY OR 97503</u>	Report To: <u>JOHN</u>	Address:	<input type="checkbox"/> 3 Business Days (75% surcharge)
Email: <u>HARDINGJ@EAGLEPNT.K12.OR.US</u>	Copy To:		<input type="checkbox"/> 24 - 48 hours (100% surcharge)
Phone: <u>541-830-6376</u> Fax:		P.O. #	<input type="checkbox"/> Other _____
Collected By (Print): <u>PAUL WILMOT</u>			Authorized <input type="checkbox"/> Yes <input type="checkbox"/> No
Collected By (Sign): <u>Paul Wilmot</u>			
Email Report <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Mail Report <input type="checkbox"/> Yes <input type="checkbox"/> No			
Fax Report <input type="checkbox"/> Yes <input type="checkbox"/> No			

Section E Sample Information					Analysis Requested										NRC Workorder # (Lab Use Only) <u>20120813</u>		
Sample ID	Comp/Grab	Matrix*	Date Collected	Time Collected	No. of Containers											Remarks/Field Data	NRC Sample # (Lab Use Only)
15-1 Sink			12-15	9:32	1	X											40
16-1 S			12-15	9:35	1	X											41
16-2 S			12-15	9:35	1	X											42
16-3 S			12-15	9:35	1	X											43
17-1 S			12-15	9:38	1	X											44
17-2 S			12-15	9:38	1	X											45
17-3 S			12-15	9:38	1	X											46
18-1 S			12-15	9:55	1	X											47
18-2 S			12-15	9:55	1	X											48
19-1 S			12-15	10:00	1	X											49

\*Matrix: DW - Drinking Water WW - Wastewater W - Water S - Soil/Solid SL - Sludge O - Oil WP - Wipe OT - Other

Section F Relinquish/Receive		Sign		Print		Date		Time		Section G Lab Use Only	
Relinquished By:	<u>Paul Wilmot</u>			<u>PAUL WILMOT</u>		<u>12/15</u>		<u>11:45 AM</u>		Temp <u>amb</u>	
Received By:	<u>John Harding</u>			<u>John Harding</u>		<u>12/15</u>		<u>11:45</u>		4°C +/- 2°C: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
Relinquished By:	<u>John Harding</u>			<u>John Harding</u>		<u>12/15</u>		<u>12:55</u>		Received on Ice: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
Received By:										Number of Bottles Received: <u>N/A 58</u>	
Relinquished By:	<u>Paul Wilmot</u>									pH Checked: <u>N/A</u>	
Received By Laboratory:	<u>Naomi Orr</u>			<u>Naomi Orr</u>		<u>12-15-2020</u>		<u>1255</u>		COC Seals Intact: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <u>NA</u>	
										Field Blank Included: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
										Received Via <input type="checkbox"/> UPS <input type="checkbox"/> FedEx <input checked="" type="checkbox"/> Other <u>X</u> Hand	
										Payment: <input checked="" type="checkbox"/> Invoice <input type="checkbox"/> Cash <input type="checkbox"/> VISA, M/C <input type="checkbox"/> Check # _____ Amount _____	



# Chain of Custody Record

Page 6 of 6

This Chain of Custody is a LEGAL DOCUMENT and must be filled out accurately.

## Section A Required Client Information

Company: EAGLE POINT S.D. #9  
Address: 550 WILSON WAY  
WHITE CITY OR 97503  
Email: HARDINGJ@EAGLEPNT.K12.OR.US  
Phone: 541-830-6376 Fax: \_\_\_\_\_  
Collected By (Print): PAUL WILMOT  
Collected By (Sign): Paul Wilmot  
Email Report ☒ Yes \_\_\_ No Mail Report \_\_\_ Yes \_\_\_ No  
Fax Report \_\_\_ Yes \_\_\_ No

## Section B Required Project Information

Project Name: WMM.S  
Project Number: 541-951-4416  
Report To: JOHN  
Copy To: \_\_\_\_\_

## Section C Invoice Information

Attention: \_\_\_\_\_  
Company Name: \_\_\_\_\_  
Address: \_\_\_\_\_  
P.O. # \_\_\_\_\_

## Section D Rush Status (Subject to Scheduling)

☒ Standard 10-14 Days  
\_\_\_ 5 Business Days (50% surcharge)  
\_\_\_ 3 Business Days (75% surcharge)  
\_\_\_ 24 - 48 hours (100% surcharge)  
\_\_\_ Other \_\_\_\_\_  
Authorized \_\_\_ Yes \_\_\_ No

## Section E Sample Information

Sample ID	Comp/Grab	Matrix*	Date Collected	Time Collected	No. of Containers	Analysis Requested										NRC Workorder # (Lab Use Only)	Remarks/Field Data	NRC Sample # (Lab Use Only)
20-1		Slack	12-15	9:59	1	X												40
21-1		S	12-15	10:05	1	X												41
22-1		S	12-15	10:08	1	X												42
22-2		S	12-15	10:08	1	X												43
22-3		S	12-15	10:08	1	X												44
23-1		S	12-15	10:10	1	X												45
23-2		S	12-15	10:10	1	X												46
23-3		S	12-15	10:10	1	X												47
24-1		S	12-15	10:12	1	X												48

\*Matrix: DW - Drinking Water WW - Wastewater W - Water S - Soil/Solid SL - Sludge O - Oil WP - Wipe OT - Other

## Section F Relinquish/Receive

Relinquished By:	Sign	Print	Date	Time
Relinquished By: <u>Paul Wilmot</u>		<u>PAUL WILMOT</u>	<u>12/15</u>	<u>11:45AM</u>
Received By: <u>John Harding</u>		<u>John Harding</u>	<u>12/15</u>	<u>11:45</u>
Relinquished By: <u>John Harding</u>		<u>John Harding</u>	<u>12/15</u>	<u>12:55</u>
Received By:				
Relinquished By:				
Received By Laboratory: <u>Naomi Orr</u>		<u>Naomi Orr</u>	<u>12-15-2020</u>	<u>1255</u>

## Section G Lab Use Only

Temp: Amb  
4°C +/- 2°C: \_\_\_ Yes \_\_\_ No  
Received on Ice: \_\_\_ Yes \_\_\_ No  
Number of Bottles Received: 58  
pH Checked: NIA  
COC Seals Intact: \_\_\_ Yes \_\_\_ No \_\_\_ NA  
Field Blank Included: \_\_\_ Yes \_\_\_ No

Received Via \_\_\_ UPS \_\_\_ FedEx \_\_\_ Other ☒ Hand

Payment: ☒ Invoice \_\_\_ Cash \_\_\_ VISA, M/C \_\_\_ Check # \_\_\_ Amount \_\_\_