

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077  
 Telephone: 856-858-4800 Fax:cs@emsl.com  
 EMSL-CIN-01

**EMSL Order ID:** 012507111  
**LIMS Reference ID:** AD07111  
**EMSL Customer ID:** EPIC62

**Attention:** James Eberts  
 Epic Environmental Services, LLC [EPIC62]  
 80 Fork Bridge Road  
 Pittsgrove, NJ 08318  
 (856) 205-1077  
 jeberts@epicenviro.com

**Project Name:** CCESC LIW Sampling  
**Customer PO:** 24-2351C  
**EMSL Sales Rep:** Justin Monturano  
**Received:** 01/21/2025 11:45  
**Reported:** 01/29/2025 15:34

**Analytical Results**

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
Sample: CC-FB Lims Reference ID: AD07111-01 Matrix: Drinking Water Sampled: 12/20/24 07:08:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	01/22/25 17:28	01/28/25 01:01	JW1	EPA 200.8 (DA)/EPA 200.8
Sample: CC-WC-Hall1 Lims Reference ID: AD07111-02 Matrix: Drinking Water Sampled: 12/20/24 07:08:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	01/22/25 17:28	01/28/25 01:03	JW1	EPA 200.8 (DA)/EPA 200.8
Sample: CC-BF-Hall1 Lims Reference ID: AD07111-03 Matrix: Drinking Water Sampled: 12/20/24 07:11:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	01/22/25 17:00	01/28/25 01:54	JW1	EPA 200.8 (DA)/EPA 200.8
Sample: CC-WC-Hall2L Lims Reference ID: AD07111-04 Matrix: Drinking Water Sampled: 12/20/24 07:12:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	01/22/25 17:00	01/28/25 01:56	JW1	EPA 200.8 (DA)/EPA 200.8
Sample: CC-WC-Hall2R Lims Reference ID: AD07111-05 Matrix: Drinking Water Sampled: 12/20/24 07:14:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	01/22/25 17:00	01/28/25 02:03	JW1	EPA 200.8 (DA)/EPA 200.8
Sample: CC-BF-Hall2 Lims Reference ID: AD07111-06 Matrix: Drinking Water Sampled: 12/20/24 07:15:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	01/22/25 17:00	01/28/25 02:05	JW1	EPA 200.8 (DA)/EPA 200.8
Sample: CC-CS-207 Lims Reference ID: AD07111-07 Matrix: Drinking Water Sampled: 12/20/24 07:16:00									
<b>Metals</b>									
Lead	2.31		1	1.00	µg/L	01/22/25 17:00	01/28/25 02:12	JW1	EPA 200.8 (DA)/EPA 200.8
Sample: CC-IM-207 Lims Reference ID: AD07111-09 Matrix: Drinking Water Sampled: 12/20/24 07:17:00									
<b>Metals</b>									
Lead	1.91		1	1.00	µg/L	01/22/25 17:00	01/28/25 02:14	JW1	EPA 200.8 (DA)/EPA 200.8
Sample: CC-CS-206 Lims Reference ID: AD07111-10 Matrix: Drinking Water Sampled: 12/20/24 07:19:00									
<b>Metals</b>									
Lead	3.39		1	1.00	µg/L	01/22/25 17:00	01/28/25 02:16	JW1	EPA 200.8 (DA)/EPA 200.8





**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077  
Telephone: 856-858-4800 Fax:cs@emsl.com  
EMSL-CIN-01

**EMSL Order ID:** 012507111  
**LIMS Reference ID:** AD07111  
**EMSL Customer ID:** EPIC62

**Attention:** James Eberts  
Epic Environmental Services, LLC [EPIC62]  
80 Fork Bridge Road  
Pittsgrove, NJ 08318  
(856) 205-1077  
jeberts@epicenviro.com

**Project Name:** CCESC LIW Sampling  
**Customer PO:** 24-2351C  
**EMSL Sales Rep:** Justin Monturano  
**Received:** 01/21/2025 11:45  
**Reported:** 01/29/2025 15:34

**Certified Analyses included in this Report**

Analyte	Certifications
<b>EPA 200.8 in Drinking Water</b>	
Lead	NJDEP

**List of Certifications**

Code	Description	Number	Expires
PADEP	Pennsylvania Department of Environmental Protection	68-00367	11/30/2025
NYSDOH	New York State Department of Health	10872	04/01/2025
NJDEP	New Jersey Department of Environmental Protection	03036	06/30/2025
MADEP	Massachusetts Department of Environmental Protection	M-NJ337	06/30/2025
CTDPH	Connecticut Department of Public Health	PH-0270	06/23/2026
California ELAP	California Water Boards	1877	06/30/2025
AIHA LAP	EMSL Analytical, Inc. Cinnaminson, NJ AIHA-LAP, LLC-ELLAP Accredited	100194	01/01/2025
A2LA	A2LA Environmental Certificate	2845.01	07/31/2026

Please see the specific Field of Testing (FOT) on [www.emsl.com](http://www.emsl.com) <<http://www.emsl.com>> for a complete listing of parameters for which EMSL is certified.



**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077  
Telephone: 856-858-4800 Fax:cs@emsl.com  
EMSL-CIN-01

**EMSL Order ID:** 012507111  
**LIMS Reference ID:** AD07111  
**EMSL Customer ID:** EPIC62

**Attention:** James Eberts  
Epic Environmental Services, LLC [EPIC62]  
80 Fork Bridge Road  
Pittsgrove, NJ 08318  
(856) 205-1077  
jeberts@epicenviro.com

**Project Name:** CCESC LIW Sampling  
  
**Customer PO:** 24-2351C  
**EMSL Sales Rep:** Justin Monturano  
**Received:** 01/21/2025 11:45  
**Reported:** 01/29/2025 15:34

**Notes and Definitions**

<b>Item</b>	<b>Definition</b>
(Dig)	For metals analysis, sample was digested.
[2C]	Reported from the second channel in dual column analysis.
DF	Dilution Factor
MDL	Method Detection Limit.
ND	Analyte was NOT DETECTED at or above the detection limit.
NR	Spike/Surrogate showed no recovery.
Q	Qualifier
RL	Reporting Limit
Wet	Sample is not dry weight corrected.

Measurement of uncertainty and any applicable definitions of method modifications are available upon request. Per EPA NLLAP policy, sample results are not blank corrected.

Owen McKenna Laboratory Manager or other approved signatory

EMSL maintains liability limited to cost of analysis. Interpretation and use of test results are the responsibility of the client. This report relates only to the samples reported above, and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. The report reflects the samples as received. Results are generated from the field sampling data (sampling volumes and areas, locations, etc.) provided by the client on the Chain of Custody. Samples are within quality control criteria and met method specifications unless otherwise noted.

4007111

**Environmental Chemistry**  
**Chain of Custody**  
EMSL Order Number (Lab Use Only):

EMSL Analytical, Inc.  
200 Route 130 North  
Cinnaminson, NJ 08077  
PHONE: 1-800-220-3675  
FAX: (856) 786-5974

Report To Contact Name: James Eberts  
Company Name: Epic Environmental Services, LLC  
Street: 80 Fork Bridge Road  
City: Pittsgrove State/Province: NJ Zip/Postal Code: 08318  
Phone: 856-205-1077 Fax: 856-205-1077  
Bill To Company: Epic Environmental Services, LLC  
Attention To: James Eberts / Timothy Eberts  
Street: 80 Fork Bridge Road  
City: Pittsgrove State/Province: NJ Zip/Postal Code: 08318  
Phone: 856-205-1077 Fax: 856-205-1077

Project Name: OCEC LW sampling  
U.S. State where Samples Collected: NJ  
Email Results To: jeberts@epicenviro.com / teberts@epic  
Number of Samples in Shipment: 10  
Purchase Order: 24-2351C  
Date of Shipment: 1/21/25

Sample for Compliance? Yes  No  If yes, NPDES?  Other (Specify):  
Samples Collected by: EMSL  Client  check one  
Standard Turnaround Time:  2 Weeks The following TATs are subject to lab approval:  1 Week  4 Days  3 Days  2 Days  1 Day  
Samples Received Chilled (Y/N):  
Failure to complete will hinder processing of samples  
List Tests(s) Needed

Client Sample ID	Comp	Grab	Collect Date/Time	Matrix	Preservative	EPA 200.8 Total Lead	Field pH	Field pH Test Time	Field Temp. Deg C	Field Temp. Test Time	Comments
CC-FB	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1/21/25	W	2	X					Field blank
CC-WC-H4112	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0708	W		X					
CC-BF-H4112	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0711	W		X					
CC-WC-H4112	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0712	W		X					
CC-WC-H4112	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0714	W		X					
Released By (Signature)			Date & Time	Received By			Date & Time				
<i>[Signature]</i>			1/21/25 1030	<i>[Signature]</i>			1/21/25 11:45am				

Please indicate reporting requirements:  Results Only  Results and QC  Reduced Deliverables  Disk Deliverable  Other \_\_\_\_\_  
Instructions or Comments: Note: Field pH and Field Temperature are tested on the same day as the date of sample collection.  
Analyze FIRST DRAW Samples. Analyze FLUSH samples if corresponding First Draw result is above 15.5 ppb  
Rec'd No. \_\_\_\_\_  
(Lab) Received Temperature: \_\_\_\_\_ °C



EMSL ANALYTICAL, INC.

# Environmental Chemistry Chain of Custody

EMSL Order Number / Lab Use Only

AD07111

EMSL Analytical, Inc.  
200 Rt. 130 N  
Cinnaminson, NJ 08077

PHONE: (800) 220-3675  
EMAIL: EnvChemistry2@EMSL.com

Additional Pages of the Chain of Custody are only necessary if needed for additional sample information. Special Instructions and/or Regulatory Requirements (Sample Specifications, Processing Methods, Limits of Detection, etc.)

Client Sample ID	Comp	Grab	Date / Time Collected	Matrix		Preservative		List Test(s) Needed (Write in test below, then check on sample line)								Comments		
				DW=Drinking Water	WW=Waste Water	1 HCL	2 HNO3	3 H2SO4	4 ICE	5 Other	Test 1:	Test 2:	Test 3:	Test 4:	Test 5:		Test 6:	Test 7:
CC-13F-H4112	<input type="checkbox"/>	<input type="checkbox"/>	12/20/24 0750 PM				2		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
CC-CS-207	<input type="checkbox"/>	<input type="checkbox"/>	0716						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
↓ ELSN	<input type="checkbox"/>	<input type="checkbox"/>	0716						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
CC-1M-207	<input type="checkbox"/>	<input type="checkbox"/>	0717						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
CC-CS-206	<input type="checkbox"/>	<input type="checkbox"/>	0719						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
↓ ELSN	<input type="checkbox"/>	<input type="checkbox"/>	0720						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Method of Shipment:

Relinquished by: *[Signature]*

Relinquished by: *[Signature]*

Date/Time: 11/21/25 1030

Date/Time: 11/21/25

Sample Condition Upon Receipt: Received by: *[Signature]* Date/Time: *[Blank]*

Received on lot?  Check if Yes:  Date/Time: *[Blank]*

AGREE TO ELECTRONIC SIGNATURE (By checking, I consent to signing this Chain of Custody document by electronic signature.)

EMSL Analytical, Inc.'s Laboratory Terms and Conditions are incorporated into this Chain of Custody by reference in their entirety. Submission of samples to EMSL Analytical, Inc. constitutes acceptance and acknowledgment of all terms and conditions by Customer.

P 2 of 2