

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077  
 Telephone: 856-858-4800 Fax:cs@emsl.com  
 EMSL-CIN-01

**EMSL Order ID:** 012507497  
**LIMS Reference ID:** AD07497  
**EMSL Customer ID:** EPIC62

**Attention:** James Eberts  
 Epic Environmental Services, LLC [EPIC62]  
 80 Fork Bridge Road  
 Pittsgrove, NJ 08318  
 (856) 205-1077  
 jeberts@epicenviro.com

**Project Name:** Audubon Park Pre-K LIW  
**Customer PO:** 24-1042  
**EMSL Sales Rep:** Justin Monturano  
**Received:** 01/21/2025 14:30  
**Reported:** 01/31/2025 18:25

**Analytical Results**

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
<b>Sample: AP-FB/Field Blank</b> Lims Reference ID: <b>AD07497-01</b> Matrix: <b>Drinking Water</b> <b>Sampled: 01/19/25 00:00:00</b>									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	01/27/25 12:44	01/29/25 21:19	PL	EPA 200.8 (DA)/EPA 200.8
<b>Sample: AP-01-SO-NURSE</b> Lims Reference ID: <b>AD07497-02</b> Matrix: <b>Drinking Water</b> <b>Sampled: 01/19/25 09:40:00</b>									
<b>Metals</b>									
Lead	1.46		1	1.00	µg/L	01/27/25 12:44	01/29/25 21:25	PL	EPA 200.8 (DA)/EPA 200.8
<b>Sample: AP-01-BF-HALL1</b> Lims Reference ID: <b>AD07497-04</b> Matrix: <b>Drinking Water</b> <b>Sampled: 01/19/25 09:43:00</b>									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	01/27/25 12:44	01/29/25 21:27	PL	EPA 200.8 (DA)/EPA 200.8
<b>Sample: AP-01-SO-RM3</b> Lims Reference ID: <b>AD07497-05</b> Matrix: <b>Drinking Water</b> <b>Sampled: 01/19/25 09:44:00</b>									
<b>Metals</b>									
Lead	7.22		1	1.00	µg/L	01/27/25 12:44	01/29/25 21:29	PL	EPA 200.8 (DA)/EPA 200.8
<b>Sample: AP-01-SO-RMS</b> Lims Reference ID: <b>AD07497-07</b> Matrix: <b>Drinking Water</b> <b>Sampled: 01/19/25 09:46:00</b>									
<b>Metals</b>									
Lead	2.35		1	1.00	µg/L	01/27/25 12:44	01/29/25 21:31	PL	EPA 200.8 (DA)/EPA 200.8

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077  
 Telephone: 856-858-4800 Fax:cs@emsl.com  
 EMSL-CIN-01

**EMSL Order ID:** 012507497  
**LIMS Reference ID:** AD07497  
**EMSL Customer ID:** EPIC62

**Attention:** James Eberts  
 Epic Environmental Services, LLC [EPIC62]  
 80 Fork Bridge Road  
 Pittsgrove, NJ 08318  
 (856) 205-1077  
 jeberts@epicenviro.com

**Project Name:** Audubon Park Pre-K LIW  
**Customer PO:** 24-1042  
**EMSL Sales Rep:** Justin Monturano  
**Received:** 01/21/2025 14:30  
**Reported:** 01/31/2025 18:25

**Certified Analyses included in this Report**

Analyte	Certifications
<b>EPA 200.8 in Drinking Water</b>	
Lead	NJDEP

**List of Certifications**

Code	Description	Number	Expires
PADEP	Pennsylvania Department of Environmental Protection	68-00367	11/30/2025
NYSDOH	New York State Department of Health	10872	04/01/2025
NJDEP	New Jersey Department of Environmental Protection	03036	06/30/2025
MADEP	Massachusetts Department of Environmental Protection	M-NJ337	06/30/2025
CTDPH	Connecticut Department of Public Health	PH-0270	06/23/2026
California ELAP	California Water Boards	1877	06/30/2025
AIHA LAP	EMSL Analytical, Inc. Cinnaminson, NJ AIHA-LAP, LLC-ELLAP Accredited	100194	01/01/2025
A2LA	A2LA Environmental Certificate	2845.01	07/31/2026

Please see the specific Field of Testing (FOT) on [www.emsl.com](http://www.emsl.com) <<http://www.emsl.com>> for a complete listing of parameters for which EMSL is certified.



**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077  
Telephone: 856-858-4800 Fax:cs@emsl.com  
EMSL-CIN-01

**EMSL Order ID:** 012507497  
**LIMS Reference ID:** AD07497  
**EMSL Customer ID:** EPIC62

**Attention:** James Eberts  
Epic Environmental Services, LLC [EPIC62]  
80 Fork Bridge Road  
Pittsgrove, NJ 08318  
(856) 205-1077  
jeberts@epicenviro.com

**Project Name:** Audubon Park Pre-K LIW  
  
**Customer PO:** 24-1042  
**EMSL Sales Rep:** Justin Monturano  
**Received:** 01/21/2025 14:30  
**Reported:** 01/31/2025 18:25

**Notes and Definitions**

<b>Item</b>	<b>Definition</b>
(Dig)	For metals analysis, sample was digested.
[2C]	Reported from the second channel in dual column analysis.
DF	Dilution Factor
MDL	Method Detection Limit.
ND	Analyte was NOT DETECTED at or above the detection limit.
NR	Spike/Surrogate showed no recovery.
Q	Qualifier
RL	Reporting Limit
Wet	Sample is not dry weight corrected.

Measurement of uncertainty and any applicable definitions of method modifications are available upon request. Per EPA NLLAP policy, sample results are not blank corrected.

Owen McKenna Laboratory Manager or other approved signatory

EMSL maintains liability limited to cost of analysis. Interpretation and use of test results are the responsibility of the client. This report relates only to the samples reported above, and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. The report reflects the samples as received. Results are generated from the field sampling data (sampling volumes and areas, locations, etc.) provided by the client on the Chain of Custody. Samples are within quality control criteria and met method specifications unless otherwise noted.



EMSL ANALYTICAL, INC.  
LABORATORY PRODUCTS TRAINING

EMSL ANALYTICAL, INC.  
LABORATORY PRODUCTS TRAINING

## Environmental Chemistry Chain of Custody

EMSL Order Number (Lab Use Only):

AD07497

EMSL Analytical, Inc.  
200 Route 130 North

Cinnaminson, NJ 08077  
PHONE: 1-800-220-3675  
FAX: (856) 786-5974

Report To Contact Name: James Eberts				Bill To Company: Epic Environmental Services, LLC							
Company Name: Epic Environmental Services, LLC				Attention To: James Eberts / Timothy Eberts							
Street: 80 Fork Bridge Road				Street: 80 Fork Bridge Road							
City: Pittsgrove		State/Province: NJ		City: Pittsgrove		State/Province: NJ					
Zip/Postal Code: 08318		Zip/Postal Code: 08318		Phone: 856-205-1077		Fax:					
Project Name: Audubon Park Pre-K LIW				Email Results To: jeberts@epicenviro.com / teberts@epicenviro.com		Purchase Order: 24-1042					
U.S. State where Samples Collected: NJ				Number of Samples in Shipment: <del>5</del> 8		Date of Shipment: 1/21/2025					
Sample for Compliance? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> If yes, NPDES? <input type="checkbox"/> Other (Specify):											
Samples Collected by: EMSL <input type="checkbox"/> Client <input checked="" type="checkbox"/> check one				Sampled By (Signature): Casey Lyons		Samples Received Chilled (Y/N)					
Standard Turnaround Time: <input checked="" type="checkbox"/> 2 Weeks				The following TATs are subject to lab approval: <input type="checkbox"/> 1 Week <input type="checkbox"/> 4 Days <input type="checkbox"/> 3 Days <input type="checkbox"/> 2 Days <input type="checkbox"/> 1 Day							
Failure to complete will hinder processing of samples			Matrix	Preservative	List Test(s) Needed						
Client Sample ID	Comp	Grab	Collect Date/Time	W=Water S=Soil A=Air SL=Sludge O= Other	1=HCL 2=HNO3 3=H2SO4 4=ICE 5=Other	EPA 200.8	Field pH	Field pH Test Time	Field Temp. Deg C	Field Temp. Test Time	Comments
1 AP -FB	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1/19/25	W	2	X					Field Blank
2 AP-8001-SO-NURSE	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0940	W		X					
3 ↓ (Flush)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0941	W		X					Flush
4 AP-01-BF-HALL 1	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0943	W		X					
5 AP-01-SO-RM3	<input type="checkbox"/>	<input checked="" type="checkbox"/>	↓ 0944	W	↓	X					Rec'd Pres.
Released By (Signature)			Date & Time		Received By			Date & Time			
Casey Lyons			1/21/2025		J. O'Connell			1/21/25 1430			
Please indicate reporting requirements: <input checked="" type="checkbox"/> Results Only <input type="checkbox"/> Results and QC <input type="checkbox"/> Reduced Deliverables <input type="checkbox"/> Disk Deliverable <input type="checkbox"/> Other _____											
Instructions or Comments: Note: Field pH and Field Temperature are tested on the same day as the date of sample collection.											
Analyze FIRST DRAW Samples. Analyze FLUSH samples if corresponding First Draw result is above 15.5 ppb											

(Lab) Received Temperature: \_\_\_\_\_ °C



**Environmental Chemistry  
Chain of Custody**  
EMSL Order Number (Lab Use Only):

AD07497

PHONE:  
FAX:

*Additional Pages of the Chain of Custody are only necessary if needed for additional sample information*

Failure to complete will hinder processing of samples				Matrix	Preservative	List Test(s) Needed							Comments	
Client Sample ID	Comp	Grab	Collect Date/Time	W=Water S=Soil A=Air SL=Sludge O= Other	1=HCL 2=HNO3 3=H2SO4 4=ICE 5=Other	EPA				Field pH	Field pH Test Time	Field Temp Deg C		Field Temp Test Time
6 AP-01-SO-RM3 (Flush)	<input type="checkbox"/>	<input type="checkbox"/>	1/19/25 0945	W	2	200.8								Flush
7 AP-01-SO-RM5	<input type="checkbox"/>	<input type="checkbox"/>	↓ 0946	W	↓									
8 ↓ (Flush)	<input type="checkbox"/>	<input type="checkbox"/>	↓ 0947	W	↓									Flush
_____	<input type="checkbox"/>	<input checked="" type="checkbox"/>	_____	W	_____									_____
	<input type="checkbox"/>	<input checked="" type="checkbox"/>		W										
	<input type="checkbox"/>	<input checked="" type="checkbox"/>		W										
	<input type="checkbox"/>	<input checked="" type="checkbox"/>		W										
	<input type="checkbox"/>	<input checked="" type="checkbox"/>		W										
	<input type="checkbox"/>	<input checked="" type="checkbox"/>		W										
	<input type="checkbox"/>	<input checked="" type="checkbox"/>		W										
	<input type="checkbox"/>	<input checked="" type="checkbox"/>		W										
	<input type="checkbox"/>	<input checked="" type="checkbox"/>		W										
	<input type="checkbox"/>	<input checked="" type="checkbox"/>		W										
	<input type="checkbox"/>	<input checked="" type="checkbox"/>		W										
	<input type="checkbox"/>	<input checked="" type="checkbox"/>		W										

(Lab) Received Temperature: \_\_\_\_\_ °C

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077  
 Telephone: 856-858-4800 Fax:cs@emsl.com  
 EMSL-CIN-01

**EMSL Order ID:** 012507478  
**LIMS Reference ID:** AD07478  
**EMSL Customer ID:** EPIC62

**Attention:** James Eberts  
 Epic Environmental Services, LLC [EPIC62]  
 80 Fork Bridge Road  
 Pittsgrove, NJ 08318  
 (856) 205-1077  
 jeberts@epicenviro.com

**Project Name:** \_Master Project-EPIC62  
**Customer PO:** 24-1042  
**EMSL Sales Rep:** Justin Monturano  
**Received:** 01/21/2025 14:30  
**Reported:** 01/31/2025 18:23

**Analytical Results**

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
<b>Sample: AHS-FB/FB</b> Lims Reference ID: <b>AD07478-01</b> Matrix: <b>Drinking Water</b> <b>Sampled: 01/19/25 07:07:00</b>									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	01/28/25 13:38	01/29/25 23:35	PL	EPA 200.8 (DA)/EPA 200.8
<b>Sample: AHS-01-WC-HBA14</b> Lims Reference ID: <b>AD07478-02</b> Matrix: <b>Drinking Water</b> <b>Sampled: 01/19/25 07:07:00</b>									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	01/28/25 13:38	01/29/25 23:41	PL	EPA 200.8 (DA)/EPA 200.8
<b>Sample: AHS-01-BF-HBA14</b> Lims Reference ID: <b>AD07478-03</b> Matrix: <b>Drinking Water</b> <b>Sampled: 01/19/25 07:07:00</b>									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	01/28/25 13:38	01/29/25 23:43	PL	EPA 200.8 (DA)/EPA 200.8
<b>Sample: AHS-01-IM-CAFE</b> Lims Reference ID: <b>AD07478-04</b> Matrix: <b>Drinking Water</b> <b>Sampled: 01/19/25 07:09:00</b>									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	01/28/25 13:38	01/29/25 23:45	PL	EPA 200.8 (DA)/EPA 200.8
<b>Sample: AHS-01-SO-KIT</b> Lims Reference ID: <b>AD07478-05</b> Matrix: <b>Drinking Water</b> <b>Sampled: 01/19/25 07:10:00</b>									
<b>Metals</b>									
Lead	1.05		1	1.00	µg/L	01/28/25 13:38	01/29/25 23:47	PL	EPA 200.8 (DA)/EPA 200.8
<b>Sample: AHS-01-WC-HBFAC</b> Lims Reference ID: <b>AD07478-07</b> Matrix: <b>Drinking Water</b> <b>Sampled: 01/19/25 07:13:00</b>									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	01/28/25 13:38	01/30/25 07:56	PL	EPA 200.8 (DA)/EPA 200.8
<b>Sample: AHS-01-BF-HBFAC</b> Lims Reference ID: <b>AD07478-08</b> Matrix: <b>Drinking Water</b> <b>Sampled: 01/19/25 07:13:00</b>									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	01/28/25 13:38	01/30/25 07:58	PL	EPA 200.8 (DA)/EPA 200.8
<b>Sample: AHS-01-SO-FAC</b> Lims Reference ID: <b>AD07478-09</b> Matrix: <b>Drinking Water</b> <b>Sampled: 01/19/25 07:14:00</b>									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	01/28/25 13:38	01/30/25 08:00	PL	EPA 200.8 (DA)/EPA 200.8
<b>Sample: AHS-01-SO-HE1</b> Lims Reference ID: <b>AD07478-11</b> Matrix: <b>Drinking Water</b> <b>Sampled: 01/19/25 07:17:00</b>									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	01/28/25 13:38	01/30/25 08:02	PL	EPA 200.8 (DA)/EPA 200.8

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077  
 Telephone: 856-858-4800 Fax:cs@emsl.com  
 EMSL-CIN-01

**EMSL Order ID:** 012507478  
**LIMS Reference ID:** AD07478  
**EMSL Customer ID:** EPIC62

**Attention:** James Eberts  
 Epic Environmental Services, LLC [EPIC62]  
 80 Fork Bridge Road  
 Pittsgrove, NJ 08318  
 (856) 205-1077  
 jeberts@epicenviro.com

**Project Name:** \_Master Project-EPIC62  
**Customer PO:** 24-1042  
**EMSL Sales Rep:** Justin Monturano  
**Received:** 01/21/2025 14:30  
**Reported:** 01/31/2025 18:23

### Analytical Results (Continued)

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
Sample: AHS-01-SO-HE2 Lims Reference ID: AD07478-13 Matrix: Drinking Water Sampled: 01/19/25 07:17:00									
<b>Metals</b>									
Lead	2.10		1	1.00	µg/L	01/28/25 13:38	01/30/25 08:04	PL	EPA 200.8 (DA)/EPA 200.8
Sample: AHS-01-SO-HE3 Lims Reference ID: AD07478-15 Matrix: Drinking Water Sampled: 01/19/25 07:17:00									
<b>Metals</b>									
Lead	1.82		1	1.00	µg/L	01/28/25 13:38	01/30/25 08:06	PL	EPA 200.8 (DA)/EPA 200.8
Sample: AHS-01-SO-HE4 Lims Reference ID: AD07478-17 Matrix: Drinking Water Sampled: 01/19/25 07:17:00									
<b>Metals</b>									
Lead	1.68		1	1.00	µg/L	01/28/25 13:38	01/30/25 08:12	PL	EPA 200.8 (DA)/EPA 200.8
Sample: AHS-01-SO-HE5 Lims Reference ID: AD07478-19 Matrix: Drinking Water Sampled: 01/19/25 07:17:00									
<b>Metals</b>									
Lead	2.38		1	1.00	µg/L	01/28/25 13:38	01/30/25 08:14	PL	EPA 200.8 (DA)/EPA 200.8
Sample: AHS-01-SO-HE6 Lims Reference ID: AD07478-21 Matrix: Drinking Water Sampled: 01/19/25 07:17:00									
<b>Metals</b>									
Lead	2.96		1	1.00	µg/L	01/28/25 13:38	01/30/25 08:20	PL	EPA 200.8 (DA)/EPA 200.8
Sample: AHS-02-WC-HBA11 Lims Reference ID: AD07478-23 Matrix: Drinking Water Sampled: 01/19/25 07:20:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	01/28/25 13:38	01/30/25 08:22	PL	EPA 200.8 (DA)/EPA 200.8
Sample: AHS-02-BF-HBA11 Lims Reference ID: AD07478-24 Matrix: Drinking Water Sampled: 01/19/25 07:20:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	01/28/25 13:38	01/30/25 08:24	PL	EPA 200.8 (DA)/EPA 200.8
Sample: AHS-02-WC-AUDR Lims Reference ID: AD07478-25 Matrix: Drinking Water Sampled: 01/19/25 07:22:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	01/28/25 13:38	01/30/25 08:26	PL	EPA 200.8 (DA)/EPA 200.8
Sample: AHS-02-WC-HBA126 Lims Reference ID: AD07478-26 Matrix: Drinking Water Sampled: 01/19/25 07:24:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	01/28/25 13:38	01/30/25 08:27	PL	EPA 200.8 (DA)/EPA 200.8

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077  
 Telephone: 856-858-4800 Fax:cs@emsl.com  
 EMSL-CIN-01

**EMSL Order ID:** 012507478  
**LIMS Reference ID:** AD07478  
**EMSL Customer ID:** EPIC62

**Attention:** James Eberts  
 Epic Environmental Services, LLC [EPIC62]  
 80 Fork Bridge Road  
 Pittsgrove, NJ 08318  
 (856) 205-1077  
 jeberts@epicenviro.com

**Project Name:** \_Master Project-EPIC62  
**Customer PO:** 24-1042  
**EMSL Sales Rep:** Justin Monturano  
**Received:** 01/21/2025 14:30  
**Reported:** 01/31/2025 18:23

### Analytical Results (Continued)

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
Sample: AHS-02-BF-HBA126 Lims Reference ID: AD07478-27 Matrix: Drinking Water Sampled: 01/19/25 07:24:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	01/28/25 13:38	01/30/25 08:29	PL	EPA 200.8 (DA)/EPA 200.8
Sample: AHS-02-WC-HBA114 Lims Reference ID: AD07478-28 Matrix: Drinking Water Sampled: 01/19/25 07:26:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	01/28/25 13:38	01/30/25 08:31	PL	EPA 200.8 (DA)/EPA 200.8
Sample: AHS-02-BF-HBA114 Lims Reference ID: AD07478-29 Matrix: Drinking Water Sampled: 01/19/25 07:26:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	01/28/25 13:41	01/30/25 00:40	PL	EPA 200.8 (DA)/EPA 200.8
Sample: AHS-02-WC-AUDL Lims Reference ID: AD07478-30 Matrix: Drinking Water Sampled: 01/19/25 07:27:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	01/28/25 13:41	01/30/25 00:46	PL	EPA 200.8 (DA)/EPA 200.8
Sample: AHS-02-WC-HBA104 Lims Reference ID: AD07478-31 Matrix: Drinking Water Sampled: 01/19/25 07:29:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	01/28/25 13:41	01/30/25 00:48	PL	EPA 200.8 (DA)/EPA 200.8
Sample: AHS-02-BF-HBA104 Lims Reference ID: AD07478-32 Matrix: Drinking Water Sampled: 01/19/25 07:29:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	01/28/25 13:41	01/30/25 00:50	PL	EPA 200.8 (DA)/EPA 200.8
Sample: AHS-03-WC-HBA211 Lims Reference ID: AD07478-33 Matrix: Drinking Water Sampled: 01/19/25 07:31:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	01/28/25 13:41	01/30/25 00:52	PL	EPA 200.8 (DA)/EPA 200.8
Sample: AHS-03-BF-HBA211 Lims Reference ID: AD07478-34 Matrix: Drinking Water Sampled: 01/19/25 07:31:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	01/28/25 13:41	01/30/25 00:58	PL	EPA 200.8 (DA)/EPA 200.8
Sample: AHS-03-WC-HBA202 Lims Reference ID: AD07478-35 Matrix: Drinking Water Sampled: 01/19/25 07:33:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	01/28/25 13:41	01/30/25 01:00	PL	EPA 200.8 (DA)/EPA 200.8

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077  
 Telephone: 856-858-4800 Fax:cs@emsl.com  
 EMSL-CIN-01

**EMSL Order ID:** 012507478  
**LIMS Reference ID:** AD07478  
**EMSL Customer ID:** EPIC62

**Attention:** James Eberts  
 Epic Environmental Services, LLC [EPIC62]  
 80 Fork Bridge Road  
 Pittsgrove, NJ 08318  
 (856) 205-1077  
 jeberts@epicenviro.com

**Project Name:** \_Master Project-EPIC62  
**Customer PO:** 24-1042  
**EMSL Sales Rep:** Justin Monturano  
**Received:** 01/21/2025 14:30  
**Reported:** 01/31/2025 18:23

### Analytical Results (Continued)

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
Sample: AHS-03-BF-HBA202 Lims Reference ID: AD07478-36 Matrix: Drinking Water Sampled: 01/19/25 07:33:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	01/28/25 13:41	01/30/25 01:01	PL	EPA 200.8 (DA)/EPA 200.8
Sample: AHS-02-WC-HBB103 Lims Reference ID: AD07478-37 Matrix: Drinking Water Sampled: 01/19/25 07:35:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	01/28/25 13:41	01/30/25 01:03	PL	EPA 200.8 (DA)/EPA 200.8
Sample: AHS-02-BF-HBB103 Lims Reference ID: AD07478-38 Matrix: Drinking Water Sampled: 01/19/25 07:35:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	01/28/25 13:41	01/30/25 01:05	PL	EPA 200.8 (DA)/EPA 200.8
Sample: AHS-02-WC-HBB109 Lims Reference ID: AD07478-39 Matrix: Drinking Water Sampled: 01/19/25 07:37:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	01/28/25 13:41	01/30/25 01:07	PL	EPA 200.8 (DA)/EPA 200.8
Sample: AHS-02-BF-HBB109 Lims Reference ID: AD07478-40 Matrix: Drinking Water Sampled: 01/19/25 07:37:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	01/28/25 13:41	01/30/25 01:13	PL	EPA 200.8 (DA)/EPA 200.8
Sample: AHS-01-WC-BOYLR Lims Reference ID: AD07478-41 Matrix: Drinking Water Sampled: 01/19/25 07:40:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	01/28/25 13:41	01/30/25 01:15	PL	EPA 200.8 (DA)/EPA 200.8
Sample: AHS-01-BF-BOYLR Lims Reference ID: AD07478-42 Matrix: Drinking Water Sampled: 01/19/25 07:40:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	01/28/25 13:41	01/30/25 01:21	PL	EPA 200.8 (DA)/EPA 200.8
Sample: AHS-01-WC-GIRLLR Lims Reference ID: AD07478-43 Matrix: Drinking Water Sampled: 01/19/25 07:42:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	01/28/25 13:41	01/30/25 01:23	PL	EPA 200.8 (DA)/EPA 200.8
Sample: AHS-01-BF-GIRLLR Lims Reference ID: AD07478-44 Matrix: Drinking Water Sampled: 01/19/25 07:42:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	01/28/25 13:41	01/30/25 01:25	PL	EPA 200.8 (DA)/EPA 200.8

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077  
 Telephone: 856-858-4800 Fax:cs@emsl.com  
 EMSL-CIN-01

**EMSL Order ID:** 012507478  
**LIMS Reference ID:** AD07478  
**EMSL Customer ID:** EPIC62

**Attention:** James Eberts  
 Epic Environmental Services, LLC [EPIC62]  
 80 Fork Bridge Road  
 Pittsgrove, NJ 08318  
 (856) 205-1077  
 jeberts@epicenviro.com

**Project Name:** \_Master Project-EPIC62  
**Customer PO:** 24-1042  
**EMSL Sales Rep:** Justin Monturano  
**Received:** 01/21/2025 14:30  
**Reported:** 01/31/2025 18:23

### Analytical Results (Continued)

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
Sample: AHS-02-WC-HBB123 Lims Reference ID: AD07478-45 Matrix: Drinking Water Sampled: 01/19/25 07:44:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	01/28/25 13:41	01/30/25 01:27	PL	EPA 200.8 (DA)/EPA 200.8
Sample: AHS-02-BF-HBB123 Lims Reference ID: AD07478-46 Matrix: Drinking Water Sampled: 01/19/25 07:44:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	01/28/25 13:41	01/30/25 01:29	PL	EPA 200.8 (DA)/EPA 200.8
Sample: AHS-02-IM-TRAIN Lims Reference ID: AD07478-47 Matrix: Drinking Water Sampled: 01/19/25 07:46:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	01/28/25 13:41	01/30/25 01:31	PL	EPA 200.8 (DA)/EPA 200.8
Sample: AHS-02-HB-TRAIN Lims Reference ID: AD07478-48 Matrix: Drinking Water Sampled: 01/19/25 07:48:00									
<b>Metals</b>									
Lead	3.03		1	1.00	µg/L	01/28/25 13:41	01/30/25 01:33	PL	EPA 200.8 (DA)/EPA 200.8
Sample: AHS-01-WC-HBC5 Lims Reference ID: AD07478-49 Matrix: Drinking Water Sampled: 01/19/25 07:50:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	01/28/25 13:43	01/30/25 13:12	PL	EPA 200.8 (DA)/EPA 200.8
Sample: AHS-01-BF-HBC5 Lims Reference ID: AD07478-50 Matrix: Drinking Water Sampled: 01/19/25 07:50:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	01/28/25 13:43	01/30/25 13:18	PL	EPA 200.8 (DA)/EPA 200.8
Sample: AHS-01-WC-HBD1 Lims Reference ID: AD07478-51 Matrix: Drinking Water Sampled: 01/19/25 07:52:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	01/28/25 13:43	01/30/25 13:20	PL	EPA 200.8 (DA)/EPA 200.8
Sample: AHS-01-BF-HBD1 Lims Reference ID: AD07478-52 Matrix: Drinking Water Sampled: 01/19/25 07:52:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	01/28/25 13:43	01/30/25 13:22	PL	EPA 200.8 (DA)/EPA 200.8
Sample: AHS-01-WC-HBC8 Lims Reference ID: AD07478-53 Matrix: Drinking Water Sampled: 01/19/25 07:54:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	01/28/25 13:43	01/30/25 13:24	PL	EPA 200.8 (DA)/EPA 200.8

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077  
 Telephone: 856-858-4800 Fax:cs@emsl.com  
 EMSL-CIN-01

**EMSL Order ID:** 012507478  
**LIMS Reference ID:** AD07478  
**EMSL Customer ID:** EPIC62

**Attention:** James Eberts  
 Epic Environmental Services, LLC [EPIC62]  
 80 Fork Bridge Road  
 Pittsgrove, NJ 08318  
 (856) 205-1077  
 jeberts@epicenviro.com

**Project Name:** \_Master Project-EPIC62  
**Customer PO:** 24-1042  
**EMSL Sales Rep:** Justin Monturano  
**Received:** 01/21/2025 14:30  
**Reported:** 01/31/2025 18:23

### Analytical Results (Continued)

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
Sample: AHS-01-BF-HBC8 Lims Reference ID: AD07478-54 Matrix: Drinking Water Sampled: 01/19/25 07:54:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	01/28/25 13:43	01/30/25 13:30	PL	EPA 200.8 (DA)/EPA 200.8
Sample: AHS-02-WC-HBC105 Lims Reference ID: AD07478-55 Matrix: Drinking Water Sampled: 01/19/25 07:56:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	01/28/25 13:43	01/30/25 13:32	PL	EPA 200.8 (DA)/EPA 200.8
Sample: AHS-02-BF-HBC105 Lims Reference ID: AD07478-56 Matrix: Drinking Water Sampled: 01/19/25 07:56:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	01/28/25 13:43	01/30/25 13:34	PL	EPA 200.8 (DA)/EPA 200.8
Sample: AHS-02-SO-NUROFF Lims Reference ID: AD07478-57 Matrix: Drinking Water Sampled: 01/19/25 07:58:00									
<b>Metals</b>									
Lead	1.10		1	1.00	µg/L	01/28/25 13:43	01/30/25 13:36	PL	EPA 200.8 (DA)/EPA 200.8
Sample: AHS-02-SO-NURRR/FLUSH Lims Reference ID: AD07478-59 Matrix: Drinking Water Sampled: 01/19/25 08:00:00									
<b>Metals</b>									
Lead	2.73		1	1.00	µg/L	01/28/25 13:43	01/30/25 13:38	PL	EPA 200.8 (DA)/EPA 200.8
Sample: AHS-02-WC-HBC108 Lims Reference ID: AD07478-60 Matrix: Drinking Water Sampled: 01/19/25 08:03:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	01/28/25 13:43	01/30/25 13:40	PL	EPA 200.8 (DA)/EPA 200.8
Sample: AHS-02-BF-HBC108 Lims Reference ID: AD07478-61 Matrix: Drinking Water Sampled: 01/19/25 08:03:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	01/28/25 13:43	01/30/25 13:46	PL	EPA 200.8 (DA)/EPA 200.8
Sample: AHS-03-WC-HBC205 Lims Reference ID: AD07478-62 Matrix: Drinking Water Sampled: 01/19/25 08:05:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	01/28/25 13:43	01/30/25 13:47	PL	EPA 200.8 (DA)/EPA 200.8
Sample: AHS-03-BF-HBC205 Lims Reference ID: AD07478-63 Matrix: Drinking Water Sampled: 01/19/25 08:05:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	01/28/25 13:43	01/30/25 13:53	PL	EPA 200.8 (DA)/EPA 200.8



**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077  
Telephone: 856-858-4800 Fax:cs@emsl.com  
EMSL-CIN-01

**EMSL Order ID:** 012507478  
**LIMS Reference ID:** AD07478  
**EMSL Customer ID:** EPIC62

**Attention:** James Eberts  
Epic Environmental Services, LLC [EPIC62]  
80 Fork Bridge Road  
Pittsgrove, NJ 08318  
(856) 205-1077  
jeberts@epicenviro.com

**Project Name:** \_Master Project-EPIC62  
**Customer PO:** 24-1042  
**EMSL Sales Rep:** Justin Monturano  
**Received:** 01/21/2025 14:30  
**Reported:** 01/31/2025 18:23

**Analytical Results**  
(Continued)

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
---------	--------	---	----	----	-------	--------------------	--------------------	------------------	-------------------------

Sample: AHS-03-WC-HBC206 Lims Reference ID: AD07478-64 Matrix: Drinking Water Sampled: 01/19/25 08:07:00

**Metals**

Lead	ND		1	1.00	µg/L	01/28/25 13:43	01/30/25 13:55	PL	EPA 200.8 (DA)/EPA 200.8
------	----	--	---	------	------	----------------	----------------	----	--------------------------

Sample: AHS-03-BF-HBC206 Lims Reference ID: AD07478-65 Matrix: Drinking Water Sampled: 01/19/25 08:07:00

**Metals**

Lead	ND		1	1.00	µg/L	01/28/25 13:43	01/30/25 13:57	PL	EPA 200.8 (DA)/EPA 200.8
------	----	--	---	------	------	----------------	----------------	----	--------------------------



**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077  
Telephone: 856-858-4800 Fax:cs@emsl.com  
EMSL-CIN-01

**EMSL Order ID:** 012507478  
**LIMS Reference ID:** AD07478  
**EMSL Customer ID:** EPIC62

**Attention:** James Eberts  
Epic Environmental Services, LLC [EPIC62]  
80 Fork Bridge Road  
Pittsgrove, NJ 08318  
(856) 205-1077  
jeberts@epicenviro.com

**Project Name:** \_Master Project-EPIC62  
  
**Customer PO:** 24-1042  
**EMSL Sales Rep:** Justin Monturano  
**Received:** 01/21/2025 14:30  
**Reported:** 01/31/2025 18:23

**Certified Analyses included in this Report**

Analyte	Certifications
<i>EPA 200.8 in Drinking Water</i>	
Lead	NJDEP

**List of Certifications**

Code	Description	Number	Expires
PADEP	Pennsylvania Department of Environmental Protection	68-00367	11/30/2025
NYSDOH	New York State Department of Health	10872	04/01/2025
NJDEP	New Jersey Department of Environmental Protection	03036	06/30/2025
MADEP	Massachusetts Department of Environmental Protection	M-NJ337	06/30/2025
CTDPH	Connecticut Department of Public Health	PH-0270	06/23/2026
California ELAP	California Water Boards	1877	06/30/2025
AIHA LAP	EMSL Analytical, Inc. Cinnaminson, NJ AIHA-LAP, LLC-ELLAP Accredited	100194	01/01/2025
A2LA	A2LA Environmental Certificate	2845.01	07/31/2026

Please see the specific Field of Testing (FOT) on [www.emsl.com](http://www.emsl.com) <<http://www.emsl.com>> for a complete listing of parameters for which EMSL is certified.



**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077  
Telephone: 856-858-4800 Fax:cs@emsl.com  
EMSL-CIN-01

**EMSL Order ID:** 012507478  
**LIMS Reference ID:** AD07478  
**EMSL Customer ID:** EPIC62

**Attention:** James Eberts  
Epic Environmental Services, LLC [EPIC62]  
80 Fork Bridge Road  
Pittsgrove, NJ 08318  
(856) 205-1077  
jeberts@epicenviro.com

**Project Name:** \_Master Project-EPIC62  
  
**Customer PO:** 24-1042  
**EMSL Sales Rep:** Justin Monturano  
**Received:** 01/21/2025 14:30  
**Reported:** 01/31/2025 18:23

**Notes and Definitions**

<b>Item</b>	<b>Definition</b>
(Dig)	For metals analysis, sample was digested.
[2C]	Reported from the second channel in dual column analysis.
DF	Dilution Factor
MDL	Method Detection Limit.
ND	Analyte was NOT DETECTED at or above the detection limit.
NR	Spike/Surrogate showed no recovery.
Q	Qualifier
RL	Reporting Limit
Wet	Sample is not dry weight corrected.

Measurement of uncertainty and any applicable definitions of method modifications are available upon request. Per EPA NLLAP policy, sample results are not blank corrected.

Owen McKenna Laboratory Manager or other approved signatory

EMSL maintains liability limited to cost of analysis. Interpretation and use of test results are the responsibility of the client. This report relates only to the samples reported above, and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. The report reflects the samples as received. Results are generated from the field sampling data (sampling volumes and areas, locations, etc.) provided by the client on the Chain of Custody. Samples are within quality control criteria and met method specifications unless otherwise noted.

EMSL Analytical, Inc.  
200 Route 130 North

Cinnaminson, NJ 08077  
PHONE: 1-800-220-3675  
FAX: (856) 786-5974



**Environmental Chemistry  
Chain of Custody**  
EMSL Order Number (Lab Use Only):

[Epic62]

ADO7478

Report To Contact Name: James Eberts				Bill To Company: Epic Environmental Services, LLC											
Company Name: Epic Environmental Services, LLC				Attention To: James Eberts / Timothy Eberts											
Street: 80 Fork Bridge Road				Street: 80 Fork Bridge Road											
City: Pittsgrove		State/Province: NJ		Zip/Postal Code: 08318		City: Pittsgrove		State/Province: NJ		Zip/Postal Code: 08318					
Phone : 856-205-1077				Fax :				Phone: 856-205-1077				Fax:			
Project Name: <u>Audubon MS/HS LTJw</u>				Email Results To: jeberts@epicenviro.com / teberts@epicenviro.com				Purchase Order: <u>24-1042</u>							
U.S. State where Samples Collected: NJ				Number of Samples in Shipment: <u>65</u>				Date of Shipment: <u>1/21/2025</u>							
Sample for Compliance? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> If yes, NPDES? <input type="checkbox"/> Other (Specify):															
Samples Collected by: EMSL <input type="checkbox"/> Client <input checked="" type="checkbox"/> check one				Sampled By (Signature): <u>Casey Lyons</u>				Samples Received Chilled (Y/N)							
Standard Turnaround Time: <input checked="" type="checkbox"/> 2 Weeks				The following TATs are subject to lab approval: <input checked="" type="checkbox"/> 1 Week <input type="checkbox"/> 4 Days <input type="checkbox"/> 3 Days <input type="checkbox"/> 2 Days <input type="checkbox"/> 1 Day											
Failure to complete will hinder processing of samples				Matrix		Preservative		List Test(s) Needed							
Client Sample ID		Comp	Grab	Collect Date/Time	W=Water S=Soil A=Air SL=Sludge O= Other	1=HCL 2=HNO3 3=H2SO4 4=ICE 5=Other	EPA 200.8				Field pH	Field pH Test Time	Field Temp. Deg C	Field Temp. Test Time	Comments
1 AHS -FB		<input type="checkbox"/>	<input checked="" type="checkbox"/>	1/19/25	W	2	X								Field Blank
2 AHS-01-WC-HBA14		<input type="checkbox"/>	<input checked="" type="checkbox"/>	0707	W		X								
3 AHS-01-BF-HBA14		<input type="checkbox"/>	<input checked="" type="checkbox"/>	0707	W		X								
4 AHS-01-IM-CAFE		<input type="checkbox"/>	<input checked="" type="checkbox"/>	0709	W		X								Rec'd PWS.
5 AHS-01-SO-KIT		<input type="checkbox"/>	<input checked="" type="checkbox"/>	0710	W		X								
Released By (Signature)				Date & Time				Received By				Date & Time			
<u>Casey Lyons</u>				<u>1/21/2025</u>				<u>[Signature]</u>				<u>1/21/25 1430</u>			
Please indicate reporting requirements: <input checked="" type="checkbox"/> Results Only <input type="checkbox"/> Results and QC <input type="checkbox"/> Reduced Deliverables <input type="checkbox"/> Disk Deliverable <input type="checkbox"/> Other															
Instructions or Comments: Note: Field pH and Field Temperature are tested on the same day as the date of sample collection.															
Analyze FIRST DRAW Samples. Analyze FLUSH samples if corresponding First Draw result is above 15.5 ppb															



EMSL ANALYTICAL, INC.  
LABORATORY • PRODUCTS • TRAINING

EMSL ANALYTICAL, INC.  
LABORATORY • PRODUCTS • TRAINING

## Environmental Chemistry Chain of Custody

EMSL Order Number (Lab Use Only):

A007478

PHONE:

FAX:

Additional Pages of the Chain of Custody are only necessary if needed for additional sample information

Failure to complete will hinder processing of samples				Matrix	Preservative	List Test(s) Needed						Comments		
Client Sample ID	Comp	Grab	Collect Date/Time	W=Water S=Soil A=Air SL=Sludge O= Other	1=HCL 2=HNO3 3=H2SO4 4=ICE 5=Other	EPA 200. 8				Field pH	Field pH Test Time		Field Temp Deg C	Field Temp Test Time
6 AHS-01-SO-KIT (Flush)	<input type="checkbox"/>	<input type="checkbox"/>	1/19/25 0711	W	2									Flush
7 AHS-01-WG-HBFAE	<input type="checkbox"/>	<input type="checkbox"/>	0713	W										
8 AHS-01-BF-HBFAE	<input type="checkbox"/>	<input type="checkbox"/>	0713	W										
9 AHS-01-SO-FAE	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0714	W										
10 ↓ (Flush)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0715	W										Flush
11 AHS-01-SO-HE1	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0717	W										
12 ↓ (Flush)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0718	W										Flush
13 AHS-01-SO-HE2	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0717	W										
14 ↓ (Flush)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0718	W										Flush
15 AHS-01-SO-HE3	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0717	W										
16 ↓ (Flush)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0718	W										Flush
17 AHS-01-SO-HE4	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0717	W										
18 ↓ (Flush)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0718	W										Flush
19 AHS-01-SO-HE5	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0717	W										
20 ↓ (Flush)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0718	W										Flush
21 AHS-01-SO-HE6	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0717	W										
22 ↓ (Flush)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	↓ 0718	W	↓									Flush

(Lab) Received Temperature: \_\_\_\_\_ °C



EMSL ANALYTICAL, INC.  
LABORATORY • PRODUCTS • TRAINING

EMSL ANALYTICAL, INC.  
LABORATORY • PRODUCTS • TRAINING

## Environmental Chemistry Chain of Custody

EMSL Order Number (Lab Use Only):

AD07478

PHONE:  
FAX:

*Additional Pages of the Chain of Custody are only necessary if needed for additional sample information*

Failure to complete will hinder processing of samples				Matrix	Preservative	List Test(s) Needed							Comments	
Client Sample ID	Comp	Grab	Collect Date/Time	W=Water S=Soil A=Air SL=Sludge O= Other	1=HCL 2=HNO3 3=H2SO4 4=ICE 5=Other	EPA				Field pH	Field pH Test Time	Field Temp Deg C		Field Temp Test Time
23			1/19/25 0720	W	2	200.								
24			0720	W										
25			0722	W										
26		X	0724	W										
27		X	0724	W										
28		X	0726	W										
29		X	0726	W										
30		X	0727	W										
31		X	0729	W										
32		X	0729	W										
33		X	0731	W										
34		X	0731	W										
35		X	0733	W										
36		X	0733	W										
37		X	0735	W										
38		X	0735	W										
39		X	0737	W										

(Lab) Received Temperature: \_\_\_\_\_ °C



## Environmental Chemistry Chain of Custody

EMSL Order Number (Lab Use Only):

ADO7478

PHONE:  
FAX:

*Additional Pages of the Chain of Custody are only necessary if needed for additional sample information*

Failure to complete will hinder processing of samples				Matrix	Preservative	List Test(s) Needed						Comments		
Client Sample ID	Comp	Grab	Collect Date/Time	W=Water S=Soil A=Air SL=Sludge O= Other	1=HCL 2=HNO3 3=H2SO4 4=ICE 5=Other	EPA				Field pH	Field pH Test Time		Field Temp Deg C	Field Temp Test Time
40			1/19/25 0737	W	2	200.8								
41			0740	W										
42			0740	W										
43		<input checked="" type="checkbox"/>	0742	W										
44		<input checked="" type="checkbox"/>	0742	W										
45		<input checked="" type="checkbox"/>	0744	W										
46		<input checked="" type="checkbox"/>	0744	W										
47		<input checked="" type="checkbox"/>	0746	W										
48		<input checked="" type="checkbox"/>	0748	W										
49		<input checked="" type="checkbox"/>	0750	W										
50		<input checked="" type="checkbox"/>	0750	W										
51		<input checked="" type="checkbox"/>	0752	W										
52		<input checked="" type="checkbox"/>	0752	W										
53		<input checked="" type="checkbox"/>	0754	W										
54		<input checked="" type="checkbox"/>	0754	W										
55		<input checked="" type="checkbox"/>	0756	W										
56		<input checked="" type="checkbox"/>	0756	W										

(Lab) Received Temperature: \_\_\_\_\_ °C



EMSL ANALYTICAL, INC.  
LABORATORY PRODUCTS TRAINING

EMSL ANALYTICAL, INC.  
LABORATORY PRODUCTS TRAINING

## Environmental Chemistry Chain of Custody

EMSL Order Number (Lab Use Only):

ADO7478

PHONE:

FAX:

*Additional Pages of the Chain of Custody are only necessary if needed for additional sample information*

Failure to complete will hinder processing of samples				Matrix	Preservative	List Test(s) Needed						Comments		
Client Sample ID	Comp	Grab	Collect Date/Time	W=Water S=Soil A=Air SL=Sludge O= Other	1=HCL 2=HNO3 3=H2SO4 4=ICE 5=Other	EPA 200. 8				Field pH	Field pH Test Time		Field Temp Deg C	Field Temp Test Time
57 AHS-02-SO-NUR0FF	<input type="checkbox"/>	<input type="checkbox"/>	1/19/25 0758	W	2									
58 ↓ (Flush)	<input type="checkbox"/>	<input type="checkbox"/>	0759	W										Flush
59 AHS-02-SO-NURRR	<input type="checkbox"/>	<input type="checkbox"/>	0800	W										
60 AHS-02-WC-HBC108	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0803	W										
61 AHS-02-BF-HBC108	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0803	W										
62 AHS-03-WC-HBC205	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0805	W										
63 AHS-03-BF-HBC205	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0805	W										
64 AHS-03-WC-HBC206	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0807	W										
65 AHS-03-BF-HBC206	<input type="checkbox"/>	<input checked="" type="checkbox"/>	↓ 0807	W										
_____	<input type="checkbox"/>	<input checked="" type="checkbox"/>	_____	W										_____
	<input type="checkbox"/>	<input checked="" type="checkbox"/>		W										
	<input type="checkbox"/>	<input checked="" type="checkbox"/>		W										
	<input type="checkbox"/>	<input checked="" type="checkbox"/>		W										
	<input type="checkbox"/>	<input checked="" type="checkbox"/>		W										
	<input type="checkbox"/>	<input checked="" type="checkbox"/>		W										
	<input type="checkbox"/>	<input checked="" type="checkbox"/>		W										
	<input type="checkbox"/>	<input checked="" type="checkbox"/>		W										

(Lab) Received Temperature: \_\_\_\_\_ °C

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077  
 Telephone: 856-858-4800 Fax:cs@emsl.com  
 EMSL-CIN-01

**EMSL Order ID:** 012507306  
**LIMS Reference ID:** AD07306  
**EMSL Customer ID:** EPIC62

**Attention:** James Eberts  
 Epic Environmental Services, LLC [EPIC62]  
 80 Fork Bridge Road  
 Pittsgrove, NJ 08318  
 (856) 205-1077  
 jeberts@epicenviro.com

**Project Name:** Haviland ES LTW  
**Customer PO:** 24-1083  
**EMSL Sales Rep:** Justin Monturano  
**Received:** 01/21/2025 14:30  
**Reported:** 02/05/2025 14:53

**Analytical Results**

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
<b>Sample: HAV-FB/Field Blank</b>									
			<b>Lims Reference ID: AD07306-01</b>			<b>Matrix: Drinking Water</b>		<b>Sampled: 01/19/25 00:00:00</b>	
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	01/24/25 13:36	01/29/25 15:52	PL	EPA 200.8 (DA)/EPA 200.8
<b>Sample: HAS-01-WC-HB114</b>									
			<b>Lims Reference ID: AD07306-02</b>			<b>Matrix: Drinking Water</b>		<b>Sampled: 01/19/25 10:07:00</b>	
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	01/24/25 13:36	01/29/25 15:57	PL	EPA 200.8 (DA)/EPA 200.8
<b>Sample: HAS-01-BF-HB114</b>									
			<b>Lims Reference ID: AD07306-03</b>			<b>Matrix: Drinking Water</b>		<b>Sampled: 01/19/25 10:08:00</b>	
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	01/24/25 13:36	01/29/25 15:59	PL	EPA 200.8 (DA)/EPA 200.8
<b>Sample: HAS-02-WC-HB18</b>									
			<b>Lims Reference ID: AD07306-04</b>			<b>Matrix: Drinking Water</b>		<b>Sampled: 01/19/25 10:09:00</b>	
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	01/24/25 13:36	01/29/25 16:01	PL	EPA 200.8 (DA)/EPA 200.8
<b>Sample: HAS-02-BF-HB18</b>									
			<b>Lims Reference ID: AD07306-05</b>			<b>Matrix: Drinking Water</b>		<b>Sampled: 01/19/25 10:10:00</b>	
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	01/24/25 13:36	01/29/25 16:03	PL	EPA 200.8 (DA)/EPA 200.8
<b>Sample: HAS-02-SO-NUR</b>									
			<b>Lims Reference ID: AD07306-06</b>			<b>Matrix: Drinking Water</b>		<b>Sampled: 01/19/25 10:12:00</b>	
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	01/24/25 13:36	01/29/25 16:09	PL	EPA 200.8 (DA)/EPA 200.8
<b>Sample: HAS-02-WC-HB201</b>									
			<b>Lims Reference ID: AD07306-08</b>			<b>Matrix: Drinking Water</b>		<b>Sampled: 01/19/25 10:14:00</b>	
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	01/24/25 13:36	01/29/25 16:11	PL	EPA 200.8 (DA)/EPA 200.8
<b>Sample: HAS-02-BF-HB201</b>									
			<b>Lims Reference ID: AD07306-09</b>			<b>Matrix: Drinking Water</b>		<b>Sampled: 01/19/25 10:15:00</b>	
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	01/24/25 13:36	01/29/25 16:13	PL	EPA 200.8 (DA)/EPA 200.8
<b>Sample: HAS-01-WC-HB128L</b>									
			<b>Lims Reference ID: AD07306-10</b>			<b>Matrix: Drinking Water</b>		<b>Sampled: 01/19/25 10:17:00</b>	
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	01/24/25 13:36	01/29/25 16:15	PL	EPA 200.8 (DA)/EPA 200.8

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077  
 Telephone: 856-858-4800 Fax:cs@emsl.com  
 EMSL-CIN-01

**EMSL Order ID:** 012507306  
**LIMS Reference ID:** AD07306  
**EMSL Customer ID:** EPIC62

**Attention:** James Eberts  
 Epic Environmental Services, LLC [EPIC62]  
 80 Fork Bridge Road  
 Pittsgrove, NJ 08318  
 (856) 205-1077  
 jeberts@epicenviro.com

**Project Name:** Haviland ES LTW  
  
**Customer PO:** 24-1083  
**EMSL Sales Rep:** Justin Monturano  
**Received:** 01/21/2025 14:30  
**Reported:** 02/05/2025 14:53

### Analytical Results (Continued)

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
Sample: HAS-01-BF-HB128 Lims Reference ID: AD07306-11 Matrix: Drinking Water Sampled: 01/19/25 10:18:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	01/24/25 13:36	01/29/25 16:17	PL	EPA 200.8 (DA)/EPA 200.8
Sample: HAS-02-WC-HB223L Lims Reference ID: AD07306-12 Matrix: Drinking Water Sampled: 01/19/25 10:18:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	01/24/25 13:36	01/29/25 16:19	PL	EPA 200.8 (DA)/EPA 200.8
Sample: HAS-01-SO-FAC Lims Reference ID: AD07306-13 Matrix: Drinking Water Sampled: 01/19/25 10:20:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	01/24/25 13:36	01/29/25 16:25	PL	EPA 200.8 (DA)/EPA 200.8
Sample: HAS-01-SO-KIT Lims Reference ID: AD07306-15 Matrix: Drinking Water Sampled: 01/19/25 10:23:00									
<b>Metals</b>									
Lead	2.11		1	1.00	µg/L	01/24/25 13:36	01/29/25 16:27	PL	EPA 200.8 (DA)/EPA 200.8

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077  
 Telephone: 856-858-4800 Fax:cs@emsl.com  
 EMSL-CIN-01

**EMSL Order ID:** 012507306  
**LIMS Reference ID:** AD07306  
**EMSL Customer ID:** EPIC62

**Attention:** James Eberts  
 Epic Environmental Services, LLC [EPIC62]  
 80 Fork Bridge Road  
 Pittsgrove, NJ 08318  
 (856) 205-1077  
 jeberts@epicenviro.com

**Project Name:** Haviland ES LTW  
  
**Customer PO:** 24-1083  
**EMSL Sales Rep:** Justin Monturano  
**Received:** 01/21/2025 14:30  
**Reported:** 02/05/2025 14:53

**Certified Analyses included in this Report**

Analyte	Certifications
<b>EPA 200.8 in Drinking Water</b>	
Lead	NJDEP

**List of Certifications**

Code	Description	Number	Expires
PADEP	Pennsylvania Department of Environmental Protection	68-00367	11/30/2025
NYSDOH	New York State Department of Health	10872	04/01/2025
NJDEP	New Jersey Department of Environmental Protection	03036	06/30/2025
MADEP	Massachusetts Department of Environmental Protection	M-NJ337	06/30/2025
CTDPH	Connecticut Department of Public Health	PH-0270	06/23/2026
California ELAP	California Water Boards	1877	06/30/2025
AIHA LAP	EMSL Analytical, Inc. Cinnaminson, NJ AIHA-LAP, LLC-ELLAP Accredited	100194	03/01/2025
A2LA	A2LA Environmental Certificate	2845.01	07/31/2026

Please see the specific Field of Testing (FOT) on [www.emsl.com](http://www.emsl.com) <<http://www.emsl.com>> for a complete listing of parameters for which EMSL is certified.



**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077  
Telephone: 856-858-4800 Fax:cs@emsl.com  
EMSL-CIN-01

**EMSL Order ID:** 012507306  
**LIMS Reference ID:** AD07306  
**EMSL Customer ID:** EPIC62

**Attention:** James Eberts  
Epic Environmental Services, LLC [EPIC62]  
80 Fork Bridge Road  
Pittsgrove, NJ 08318  
(856) 205-1077  
jeberts@epicenviro.com

**Project Name:** Haviland ES LTW  
  
**Customer PO:** 24-1083  
**EMSL Sales Rep:** Justin Monturano  
**Received:** 01/21/2025 14:30  
**Reported:** 02/05/2025 14:53

**Notes and Definitions**

<b>Item</b>	<b>Definition</b>
(Dig)	For metals analysis, sample was digested.
[2C]	Reported from the second channel in dual column analysis.
DF	Dilution Factor
MDL	Method Detection Limit.
ND	Analyte was NOT DETECTED at or above the detection limit.
NR	Spike/Surrogate showed no recovery.
Q	Qualifier
RL	Reporting Limit
Wet	Sample is not dry weight corrected.

Measurement of uncertainty and any applicable definitions of method modifications are available upon request. Per EPA NLLAP policy, sample results are not blank corrected.

Owen McKenna Laboratory Manager or other approved signatory

EMSL maintains liability limited to cost of analysis. Interpretation and use of test results are the responsibility of the client. This report relates only to the samples reported above, and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. The report reflects the samples as received. Results are generated from the field sampling data (sampling volumes and areas, locations, etc.) provided by the client on the Chain of Custody. Samples are within quality control criteria and met method specifications unless otherwise noted.



EMSL Analytical, Inc.  
200 Route 130 North

Cinnaminson, NJ 08077  
PHONE: 1-800-220-3675  
FAX: (856) 786-5974

## Environmental Chemistry Chain of Custody

EMSL ANALYTICAL, INC.  
LABORATORY • PRODUCTS • TRAINING

EMSL ANALYTICAL, INC.  
LABORATORY • PRODUCTS • TRAINING

EMSL Order Number (Lab Use Only):

AD 07306

Report To Contact Name: James Eberts <span style="float: right;">EPIC62</span>				Bill To Company: Epic Environmental Services, LLC							
Company Name: Epic Environmental Services, LLC				Attention To: James Eberts / Timothy Eberts							
Street: 80 Fork Bridge Road				Street: 80 Fork Bridge Road							
City: Pittsgrove		State/Province: NJ		City: Pittsgrove		State/Province: NJ					
Zip/Postal Code: 08318				Zip/Postal Code: 08318							
Phone : 856-205-1077		Fax :		Phone: 856-205-1077		Fax:					
Project Name: <u>Haviland ES ITW</u>				Email Results To: jeberts@epicenviro.com / teberts@epicenviro.com		Purchase Order: <u>24-1083</u>					
U.S. State where Samples Collected: NJ				Number of Samples in Shipment: <u>16</u>		Date of Shipment: <u>1/21/2025</u>					
Sample for Compliance? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> If yes, NPDES? <input type="checkbox"/> Other (Specify):											
Samples Collected by: EMSL <input type="checkbox"/> Client <input checked="" type="checkbox"/> check one				Sampled By (Signature): <u>Casey Lyons</u>		Samples Received Chilled (Y/N)					
Standard Turnaround Time: <input checked="" type="checkbox"/> 2 Weeks			The following TATs are subject to lab approval: <input checked="" type="checkbox"/> 1 Week <input type="checkbox"/> 4 Days <input type="checkbox"/> 3 Days <input type="checkbox"/> 2 Days <input type="checkbox"/> 1 Day								
Failure to complete will hinder processing of samples			Matrix		Preservative		List Test(s) Needed				
Client Sample ID	Comp	Grab	Collect Date/Time	W=Water S=Soil A=Air SL=Sludge O= Other	1=HCL 2=HNO3 3=H2SO4 4=ICE 5=Other	EPA 200.8	Field pH	Field pH Test Time	Field Temp. Deg C	Field Temp. Test Time	Comments
HAV -FB	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1/19/2025	W	2	X					Field Blanks
HAS-01-WC-HB114	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1007	W		X					
HAS-01-BF-HB114	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1008	W		X					
HAS-02-WC-HB18	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1009	W		X					Rec'd PWS.
HAS-02-BF-HB18	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1010	W		X					
Released By (Signature)			Date & Time			Received By			Date & Time		
<u>Casey Lyons</u>			<u>1/21/2025</u>			<u>[Signature]</u>			<u>1/21/25 1430</u>		
Please indicate reporting requirements: <input checked="" type="checkbox"/> Results Only <input type="checkbox"/> Results and QC <input type="checkbox"/> Reduced Deliverables <input type="checkbox"/> Disk Deliverable <input type="checkbox"/> Other _____											
Instructions or Comments: <span style="float: right;">Note: Field pH and Field Temperature are tested on the same day as the date of sample collection.</span>											
Analyze FIRST DRAW Samples. Analyze FLUSH samples if corresponding First Draw result is above 15.5 ppb											

(Lab) Received Temperature: \_\_\_\_\_ °C



EMSL ANALYTICAL, INC.  
LABORATORY • PRODUCTS • TRAINING

EMSL ANALYTICAL, INC.  
LABORATORY • PRODUCTS • TRAINING

# Environmental Chemistry Chain-of-Custody

EMSL Order Number (Lab Use Only):

AD 07306

PHONE:  
FAX:

Additional Pages of the Chain of Custody are only necessary if needed for additional sample information

Failure to complete will hinder processing of samples				Matrix	Preservative	List Test(s) Needed						Comments		
Client Sample ID	Comp	Grab	Collect Date/Time	W=Water S=Soil A=Air SL=Sludge O= Other	1=HCL 2=HNO3 3=H2SO4 4=ICE 5=Other	EPA				Field pH	Field pH Test Time		Field Temp Deg C	Field Temp Test Time
HAS-02-SO-NUR	<input type="checkbox"/>	<input type="checkbox"/>	1/19/25 1012	W	2	200.								
↓ (Flush)	<input type="checkbox"/>	<input type="checkbox"/>	1013	W										Flush
HAS-02-WC-HB201	<input type="checkbox"/>	<input type="checkbox"/>	1014	W										
HAS-02-BF-HB201	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1015	W										
HAS-01-WC-HB128L	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1017	W										
HAS-01-BF-HB128	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1018	W										
HAS-02-WC-HB223L	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1018	W										
HAS-01-SO-FAC	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1020	W										
↓ (Flush)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1021	W										Flush
HAS-01-SO-KIT	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1023	W										
↓ (Flush)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1024	W										Flush
_____	<input type="checkbox"/>	<input checked="" type="checkbox"/>	_____	W	_____									_____
	<input type="checkbox"/>	<input checked="" type="checkbox"/>		W										
	<input type="checkbox"/>	<input checked="" type="checkbox"/>		W										
	<input type="checkbox"/>	<input checked="" type="checkbox"/>		W										
	<input type="checkbox"/>	<input checked="" type="checkbox"/>		W										
	<input type="checkbox"/>	<input checked="" type="checkbox"/>		W										

(Lab) Received Temperature: \_\_\_\_\_ °C

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077  
 Telephone: 856-858-4800 Fax:cs@emsl.com  
 EMSL-CIN-01

**EMSL Order ID:** 012507501  
**LIMS Reference ID:** AD07501  
**EMSL Customer ID:** EPIC62

**Attention:** James Eberts  
 Epic Environmental Services, LLC [EPIC62]  
 80 Fork Bridge Road  
 Pittsgrove, NJ 08318  
 (856) 205-1077  
 jeberts@epicenviro.com

**Project Name:** Mansion Ave ES LIW  
**Customer PO:** 24-1042  
**EMSL Sales Rep:** Justin Monturano  
**Received:** 01/21/2025 14:30  
**Reported:** 01/31/2025 18:27

**Analytical Results**

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
<b>Sample: MAS - FB/FIELD BLANK</b> Lims Reference ID: <b>AD07501-01</b> Matrix: <b>Drinking Water</b> <b>Sampled: 01/19/25 00:00:00</b>									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	01/27/25 12:44	01/29/25 21:37	PL	EPA 200.8 (DA)/EPA 200.8
<b>Sample: MAS-01-WC-HBMO</b> Lims Reference ID: <b>AD07501-02</b> Matrix: <b>Drinking Water</b> <b>Sampled: 01/19/25 08:40:00</b>									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	01/27/25 12:44	01/29/25 21:39	PL	EPA 200.8 (DA)/EPA 200.8
<b>Sample: MAS-01-BF-HBMO</b> Lims Reference ID: <b>AD07501-03</b> Matrix: <b>Drinking Water</b> <b>Sampled: 01/19/25 08:40:00</b>									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	01/27/25 12:44	01/29/25 21:41	PL	EPA 200.8 (DA)/EPA 200.8
<b>Sample: MAS-01-SO-FAC</b> Lims Reference ID: <b>AD07501-04</b> Matrix: <b>Drinking Water</b> <b>Sampled: 01/19/25 08:42:00</b>									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	01/27/25 12:44	01/29/25 21:43	PL	EPA 200.8 (DA)/EPA 200.8
<b>Sample: MAS-02-WC-HB207</b> Lims Reference ID: <b>AD07501-06</b> Matrix: <b>Drinking Water</b> <b>Sampled: 01/19/25 08:44:00</b>									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	01/27/25 12:44	01/29/25 21:45	PL	EPA 200.8 (DA)/EPA 200.8
<b>Sample: MAS-02-BF-HB207</b> Lims Reference ID: <b>AD07501-07</b> Matrix: <b>Drinking Water</b> <b>Sampled: 01/19/25 08:15:00</b>									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	01/27/25 12:44	01/29/25 21:47	PL	EPA 200.8 (DA)/EPA 200.8
<b>Sample: MAS-01-SO-MAIN</b> Lims Reference ID: <b>AD07501-08</b> Matrix: <b>Drinking Water</b> <b>Sampled: 01/19/25 08:17:00</b>									
<b>Metals</b>									
Lead	10.2		1	1.00	µg/L	01/27/25 12:44	01/29/25 21:53	PL	EPA 200.8 (DA)/EPA 200.8
<b>Sample: MAS-01-SO-NURRR</b> Lims Reference ID: <b>AD07501-10</b> Matrix: <b>Drinking Water</b> <b>Sampled: 01/19/25 08:19:00</b>									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	01/27/25 12:44	01/29/25 21:55	PL	EPA 200.8 (DA)/EPA 200.8
<b>Sample: MAS-01-SO-NUR</b> Lims Reference ID: <b>AD07501-12</b> Matrix: <b>Drinking Water</b> <b>Sampled: 01/19/25 08:19:00</b>									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	01/27/25 12:44	01/29/25 22:01	PL	EPA 200.8 (DA)/EPA 200.8

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077  
 Telephone: 856-858-4800 Fax:cs@emsl.com  
 EMSL-CIN-01

**EMSL Order ID:** 012507501  
**LIMS Reference ID:** AD07501  
**EMSL Customer ID:** EPIC62

**Attention:** James Eberts  
 Epic Environmental Services, LLC [EPIC62]  
 80 Fork Bridge Road  
 Pittsgrove, NJ 08318  
 (856) 205-1077  
 jeberts@epicenviro.com

**Project Name:** Mansion Ave ES LIW  
**Customer PO:** 24-1042  
**EMSL Sales Rep:** Justin Monturano  
**Received:** 01/21/2025 14:30  
**Reported:** 01/31/2025 18:27

### Analytical Results (Continued)

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
Sample: MAS-01-SO-KIT Lims Reference ID: AD07501-14 Matrix: Drinking Water Sampled: 01/19/25 08:21:00									
<b>Metals</b>									
Lead	1.56		1	1.00	µg/L	01/27/25 12:44	01/29/25 22:03	PL	EPA 200.8 (DA)/EPA 200.8
Sample: MAS-02-WC-HB224 Lims Reference ID: AD07501-16 Matrix: Drinking Water Sampled: 01/19/25 08:24:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	01/27/25 12:44	01/29/25 22:05	PL	EPA 200.8 (DA)/EPA 200.8
Sample: MAS-02-BF-HB224 Lims Reference ID: AD07501-17 Matrix: Drinking Water Sampled: 01/19/25 08:24:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	01/27/25 15:19	01/27/25 23:02	JW1	EPA 200.8 (DA)/EPA 200.8
Sample: MAS-01-WC--HB131 Lims Reference ID: AD07501-18 Matrix: Drinking Water Sampled: 01/19/25 08:26:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	01/27/25 12:44	01/29/25 22:07	PL	EPA 200.8 (DA)/EPA 200.8
Sample: MAS-01-BF--HB131 Lims Reference ID: AD07501-19 Matrix: Drinking Water Sampled: 01/19/25 08:26:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	01/27/25 12:44	01/29/25 22:09	PL	EPA 200.8 (DA)/EPA 200.8
Sample: MAS-01-WC-HB132 Lims Reference ID: AD07501-20 Matrix: Drinking Water Sampled: 01/19/25 08:28:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	01/27/25 12:44	01/29/25 22:11	PL	EPA 200.8 (DA)/EPA 200.8
Sample: MAS-01-BF-HB132 Lims Reference ID: AD07501-21 Matrix: Drinking Water Sampled: 01/19/25 08:28:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	01/27/25 12:44	01/29/25 22:12	PL	EPA 200.8 (DA)/EPA 200.8
Sample: MAS-02-BF-HB214 Lims Reference ID: AD07501-22 Matrix: Drinking Water Sampled: 01/19/25 08:28:00									
<b>Metals</b>									
Lead	ND		1	1.00	µg/L	01/27/25 15:19	01/27/25 23:04	JW1	EPA 200.8 (DA)/EPA 200.8

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077  
 Telephone: 856-858-4800 Fax:cs@emsl.com  
 EMSL-CIN-01

**EMSL Order ID:** 012507501  
**LIMS Reference ID:** AD07501  
**EMSL Customer ID:** EPIC62

**Attention:** James Eberts  
 Epic Environmental Services, LLC [EPIC62]  
 80 Fork Bridge Road  
 Pittsgrove, NJ 08318  
 (856) 205-1077  
 jeberts@epicenviro.com

**Project Name:** Mansion Ave ES LIW  
  
**Customer PO:** 24-1042  
**EMSL Sales Rep:** Justin Monturano  
**Received:** 01/21/2025 14:30  
**Reported:** 01/31/2025 18:27

**Certified Analyses included in this Report**

Analyte	Certifications
<b>EPA 200.8 in Drinking Water</b>	
Lead	NJDEP

**List of Certifications**

Code	Description	Number	Expires
PADEP	Pennsylvania Department of Environmental Protection	68-00367	11/30/2025
NYSDOH	New York State Department of Health	10872	04/01/2025
NJDEP	New Jersey Department of Environmental Protection	03036	06/30/2025
MADEP	Massachusetts Department of Environmental Protection	M-NJ337	06/30/2025
CTDPH	Connecticut Department of Public Health	PH-0270	06/23/2026
California ELAP	California Water Boards	1877	06/30/2025
AIHA LAP	EMSL Analytical, Inc. Cinnaminson, NJ AIHA-LAP, LLC-ELLAP Accredited	100194	01/01/2025
A2LA	A2LA Environmental Certificate	2845.01	07/31/2026

Please see the specific Field of Testing (FOT) on [www.emsl.com](http://www.emsl.com) <<http://www.emsl.com>> for a complete listing of parameters for which EMSL is certified.



**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077  
Telephone: 856-858-4800 Fax:cs@emsl.com  
EMSL-CIN-01

**EMSL Order ID:** 012507501  
**LIMS Reference ID:** AD07501  
**EMSL Customer ID:** EPIC62

**Attention:** James Eberts  
Epic Environmental Services, LLC [EPIC62]  
80 Fork Bridge Road  
Pittsgrove, NJ 08318  
(856) 205-1077  
jeberts@epicenviro.com

**Project Name:** Mansion Ave ES LIW  
  
**Customer PO:** 24-1042  
**EMSL Sales Rep:** Justin Monturano  
**Received:** 01/21/2025 14:30  
**Reported:** 01/31/2025 18:27

**Notes and Definitions**

<b>Item</b>	<b>Definition</b>
(Dig)	For metals analysis, sample was digested.
[2C]	Reported from the second channel in dual column analysis.
DF	Dilution Factor
MDL	Method Detection Limit.
ND	Analyte was NOT DETECTED at or above the detection limit.
NR	Spike/Surrogate showed no recovery.
Q	Qualifier
RL	Reporting Limit
Wet	Sample is not dry weight corrected.

Measurement of uncertainty and any applicable definitions of method modifications are available upon request. Per EPA NLLAP policy, sample results are not blank corrected.

Owen McKenna Laboratory Manager or other approved signatory

EMSL maintains liability limited to cost of analysis. Interpretation and use of test results are the responsibility of the client. This report relates only to the samples reported above, and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. The report reflects the samples as received. Results are generated from the field sampling data (sampling volumes and areas, locations, etc.) provided by the client on the Chain of Custody. Samples are within quality control criteria and met method specifications unless otherwise noted.



## Environmental Chemistry Chain of Custody

EMSL Order Number (Lab Use Only):

ADO7501

Report To Contact Name: James Eberts				Bill To Company: Epic Environmental Services, LLC							
Company Name: Epic Environmental Services, LLC				Attention To: James Eberts / Timothy Eberts							
Street: 80 Fork Bridge Road				Street: 80 Fork Bridge Road							
City: Pittsgrove	State/Province: NJ	Zip/Postal Code: 08318	City: Pittsgrove	State/Province: NJ	Zip/Postal Code: 08318						
Phone : 856-205-1077	Fax :		Phone: 856-205-1077	Fax:							
Project Name: <u>Mansion Ave ES LTW</u>			Email Results To: jeberts@epicenviro.com / teberts@epicenviro.com		Purchase Order: <u>24-1042</u>						
U.S. State where Samples Collected: NJ			Number of Samples in Shipment: <u>22</u>		Date of Shipment: <u>1/21/2025</u>						
Sample for Compliance? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> If yes, NPDES? <input type="checkbox"/> Other (Specify):											
Samples Collected by: EMSL <input type="checkbox"/> Client <input checked="" type="checkbox"/> check one			Sampled By (Signature): <u>Casey Lyons</u>			Samples Received Chilled (Y/N)					
Standard Turnaround Time: <input checked="" type="checkbox"/> 2 Weeks			The following TATs are subject to lab approval: <input checked="" type="checkbox"/> 1 Week <input type="checkbox"/> 4 Days <input type="checkbox"/> 3 Days <input type="checkbox"/> 2 Days <input type="checkbox"/> 1 Day								
Failure to complete will hinder processing of samples			Matrix	Preservative	List Test(s) Needed						
Client Sample ID	Comp	Grab	Collect Date/Time	W=Water S=Soil A=Air SL=Sludge O= Other	1=HCL 2=HNO3 3=H2SO4 4=ICE 5=Other	EPA 200.8	Field pH	Field pH Test Time	Field Temp. Deg C	Field Temp. Test Time	Comments
1 MAS -FB	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1/19/25	W	2	X					Field Blanks
2 MAS-01-WC-HBMO	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0840	W		X					
3 MAS-01-BF-HBMO	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0840	W		X					
4 MAS-01-SO-FAC	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0842	W		X					
5 ↓ (Flush)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	↓ 0843	W	↓	X					Flush
Released By (Signature)			Date & Time		Received By			Date & Time			
<u>Casey Lyons</u>			<u>1/21/25</u>								
Please indicate reporting requirements: <input checked="" type="checkbox"/> Results Only <input type="checkbox"/> Results and QC <input type="checkbox"/> Reduced Deliverables <input type="checkbox"/> Disk Deliverable <input type="checkbox"/> Other _____											
Instructions or Comments:						Note: Field pH and Field Temperature are tested on the same day as the date of sample collection.					
Analyze FIRST DRAW Samples. Analyze FLUSH samples if corresponding First Draw result is above 15.5 ppb											



EMSL ANALYTICAL, INC.  
LABORATORY PRODUCTS TRAINING

EMSL ANALYTICAL, INC.  
LABORATORY PRODUCTS TRAINING

## Environmental Chemistry Chain of Custody

EMSL Order Number (Lab Use Only):

ADO 7501

PHONE:  
FAX:

*Additional Pages of the Chain of Custody are only necessary if needed for additional sample information*

Failure to complete will hinder processing of samples			Matrix W=Water S=Soil A=Air SL=Sludge O= Other	Preservative 1=HCL 2=HNO3 3=H2SO4 4=ICE 5=Other	List Test(s) Needed						Comments		
Client Sample ID	Comp	Grab			Collect Date/Time	EPA				Field pH		Field pH Test Time	Field Temp Deg C
6 MAS-02-WC-HB207	<input type="checkbox"/>	<input type="checkbox"/>	1/19/25 0844	W	2	200.8							
7 MAS-02-BF-HB207	<input type="checkbox"/>	<input type="checkbox"/>	0815	W									
8 MAS-01-SO-MAIN	<input type="checkbox"/>	<input type="checkbox"/>	0817	W									
9 ↓ (Flush)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0818	W									Flush
10 MAS-01-SO-NURRR	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0819	W									
11 ↓ (Flush)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0820	W									Flush
12 MAS-01-SO-NUR	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0819	W									
13 ↓ (Flush)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0820	W									Flush
14 MAS-01-SO-KIT	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0821	W									
15 ↓ (Flush)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0822	W									Flush
16 MAS-02-WC-HB224	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0824	W									
17 MAS-02-BF-HB224	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0824	W									
18 MAS-01-WC-HB131	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0826	W									
19 MAS-01-BF-HB131	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0826	W									
20 MAS-01-WC-HB132	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0828	W									
21 MAS-01-BF-HB132	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0828	W									
22 MAS-02-BF-HB24	<input type="checkbox"/>	<input checked="" type="checkbox"/>	↓ 0830	W	↓								

(Lab) Received Temperature: \_\_\_\_\_ °C