



MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com



Workorder: HS,Kennedy, &Jefferson LC (61285)
Account #: 2190
Project #: 202410037

Client: Institute for Environmental Assessment (IEA)
PO: 202410037

Emma Squires-Sperling
IEA / Brooklyn Park
9201 W Broadway Suite #600
Brooklyn Park, MN 55445

Certificate of Analysis

Approval

All data reported has been reviewed and approved by:

Dave Smahel, Inorganic Chemistry/Feed Lab Manager New Ulm, MN

Analyses performed under Minnesota Department of Health Accreditation conforms to the current TNI standards.

NEW ULM LAB CERTIFICATIONS:
MN LAB # 027-015-125ND WW/DW # R-040

BISMARCK LAB CERTIFICATIONS:
MN LAB # 038-999-267ND W/DW # ND-016

Workorder Comments

All samples were preserved with nitric acid upon receipt at the laboratory.

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Thursday, September 5, 2024 11:55:58 AM

**MINNESOTA VALLEY TESTING LABORATORIES, INC.**

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com

**Workorder:** HS,Kennedy, &Jefferson LC (61285)**Client:** Institute for Environmental Assessment (IEA)**Analytical Results**

Lab ID:	61285001	Date Collected:	08/21/2024 07:00		Matrix:	Potable Water	
Sample ID:	082124-WILLMAR-01	Date Received:	08/28/2024 12:58				
Temp @ Receipt (C):							
Sample Desc:	Gym Bottle Filler						
Parameter	Results	Units	MCL	Method	Analyzed	Qual	
Lead	<0.5	ug/L	15	EPA 200.8	09/04/2024 14:43		
Lab ID:	61285002	Date Collected:	08/21/2024 07:02		Matrix:	Potable Water	
Sample ID:	082124-WILLMAR-02	Date Received:	08/28/2024 12:58				
Temp @ Receipt (C):							
Sample Desc:	Gym Fountain						
Parameter	Results	Units	MCL	Method	Analyzed	Qual	
Lead	<0.5	ug/L	15	EPA 200.8	09/04/2024 14:44		
Lab ID:	61285003	Date Collected:	08/21/2024 07:20		Matrix:	Potable Water	
Sample ID:	082124-WILLMAR-03	Date Received:	08/28/2024 12:58				
Temp @ Receipt (C):							
Sample Desc:	Concession Stand Faucet						
Parameter	Results	Units	MCL	Method	Analyzed	Qual	
Lead	0.90	ug/L	15	EPA 200.8	09/04/2024 14:45		
Lab ID:	61285004	Date Collected:	08/21/2024 07:22		Matrix:	Potable Water	
Sample ID:	082124-WILLMAR-04	Date Received:	08/28/2024 12:58				
Temp @ Receipt (C):							
Sample Desc:	Vistor Locker Rm Faucet						
Parameter	Results	Units	MCL	Method	Analyzed	Qual	
Lead	7.26	ug/L	15	EPA 200.8	09/04/2024 14:46		
Lab ID:	61285005	Date Collected:	08/21/2024 07:25		Matrix:	Potable Water	
Sample ID:	082124-WILLMAR-05	Date Received:	08/28/2024 12:58				
Temp @ Receipt (C):							
Sample Desc:	Home Locker Rm Facuet						
Parameter	Results	Units	MCL	Method	Analyzed	Qual	
Lead	6.16	ug/L	15	EPA 200.8	09/04/2024 14:48		
Lab ID:	61285006	Date Collected:	08/21/2024 07:40		Matrix:	Potable Water	
Sample ID:	082124-WILLMAR-06	Date Received:	08/28/2024 12:58				
Temp @ Receipt (C):							
Sample Desc:	Concession Stand Outside Spigot						

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Thursday, September 5, 2024 11:55:58 AM

**MINNESOTA VALLEY TESTING LABORATORIES, INC.**

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com

**Workorder:** HS,Kennedy, &Jefferson LC (61285)**Client:** Institute for Environmental Assessment (IEA)**Analytical Results**

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	09/04/2024 14:49	

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Thursday, September 5, 2024 11:55:58 AM



MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com



Workorder: HS,Kennedy, &Jefferson LC (61285)

Client: Institute for Environmental Assessment (IEA)

Institute for Environmental

WO: 61285



MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Thursday, September 5, 2024 11:55:58 AM

Page 4 of 6



MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com



Workorder: HS,Kennedy, &Jefferson LC (61285)

Client: Institute for Environmental Assessment (IEA)

Chain of Custody

9201 West Broadway North, Suite 600
Bismarck, ND 58501
763.315.7900 1.800.233.9513



Client Name		Willmar Public Schools		Building Name		High School, Kennedy, & Jefferson LC		Analytical Lab		MVTL	
Contact Name		Aaron Hess		Project #		202410037		Project Name		Willmar - 2024 Lead in Water Sampling	
Phone #		507-829-7372		IEA Fax #				Written Sample Results To		aaron.hess@ieasafety.com	
Other Information											
Sampled By		Aaron Hess		Date		8/21/2024		Time		7:00 AM	
Shipped By		MVTL 1126 N Front St Building #New Ulm, MN 56073		Date		8/26/2024		Time			
Received By				Date				Sample Condition		Temperature	
Lab Number	Sample Number	Sample Location (EX: Kitchen Room 123 NW Corner Left - KS)	Sample Type			Date Sampled	Time Sampled	Volume/ Bottle Type	Analysis Required	Comments & Observations	
			Water	Soil	Other						
0821	082124-WILLMAR-01	Gym Bottle Filler	X			8/21/2024	7:00 AM	250 ml unpreserved	Lead	Jefferson Learning Center	
0822	082124-WILLMAR-02	Gym Fountain	X			8/21/2024	7:02 AM	250 ml unpreserved	Lead	Jefferson Learning Center	
0823	082124-WILLMAR-03	Concession Stand Faucet	X			8/21/2024	7:20 AM	250 ml unpreserved	Lead	Kennedy Football Field	
0824	082124-WILLMAR-04	Visitor Locker Rm Faucet	X			8/21/2024	7:22 AM	250 ml unpreserved	Lead	Kennedy Football Field	
0825	082124-WILLMAR-05	Home Locker Rm Faucet	X			8/21/2024	7:25 AM	250 ml unpreserved	Lead	Kennedy Football Field	
0826	082124-WILLMAR-06	Concession Stand Outside Spigot	X			8/21/2024	7:40 AM	250 ml unpreserved	Lead	High School Football Field	

Received Beau Williams 8/28/24 Ambient 23.9 Tm 9:58 12:58
CM Ann 6 28Aug24 12:58 23.9 C Tm 9:38

Original - Analytical Lab
Copy - Client File
Copy - IEA Lab

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Thursday, September 5, 2024 11:55:58 AM

Page 5 of 6



MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com



Workorder: HS,Kennedy, &Jefferson LC (61285)

Client: Institute for Environmental Assessment (IEA)



Sample Condition Checklist

Date: 28 Aug 29 Time: 1258 ☐ AM ☒ PM By: CM
Account Name: IEA-Williamar Account #: _____
Bill of Lading #: _____ Cooler #: _____
Temp: 23.9 °C ROI ☐ Ambient ☒ Tracking #: _____
TM#: 938 Ice Crystals Present In Sample ☐ Other: _____
MVTL Courier: Brian Williams UPS Air ☐ FedEx Air ☐ Speedee ☐
MVTL Route: _____ Walk-In ☐ UPS Ground ☐ Fed Ex Ground ☐

Containers Supplied by MVTL: Yes ☒ No ☐

Designate customer supplied containers as "Other" in container size column

Comments:									Container Type				Preservation								pH					
Number	Containers Size (mL)								(G)	(P)	(AG)	(AP)	NaHSO ₄	Na ₂ O ₅ S ₂	NONE	HNO ₃	H ₂ SO ₄	NaOH	HCl	SUB*	<2	>9	>12	N/A	Add	
6	(100)	(120)	(125)	(250)	(290)	(500)	(1000)	Other	(G)	(P)	(AG)	(AP)	NaHSO ₄	Na ₂ O ₅ S ₂	NONE	HNO ₃	H ₂ SO ₄	NaOH	HCl	SUB*	<2	>9	>12	N/A	Add	
	(100)	(120)	(125)	(250)	(290)	(500)	(1000)	Other	(G)	(P)	(AG)	(AP)	NaHSO ₄	Na ₂ O ₅ S ₂	NONE	HNO ₃	H ₂ SO ₄	NaOH	HCl	SUB*	<2	>9	>12	N/A	Add	
	(100)	(120)	(125)	(250)	(290)	(500)	(1000)	Other	(G)	(P)	(AG)	(AP)	NaHSO ₄	Na ₂ O ₅ S ₂	NONE	HNO ₃	H ₂ SO ₄	NaOH	HCl	SUB*	<2	>9	>12	N/A	Add	
	(100)	(120)	(125)	(250)	(290)	(500)	(1000)	Other	(G)	(P)	(AG)	(AP)	NaHSO ₄	Na ₂ O ₅ S ₂	NONE	HNO ₃	H ₂ SO ₄	NaOH	HCl	SUB*	<2	>9	>12	N/A	Add	
	(100)	(120)	(125)	(250)	(290)	(500)	(1000)	Other	(G)	(P)	(AG)	(AP)	NaHSO ₄	Na ₂ O ₅ S ₂	NONE	HNO ₃	H ₂ SO ₄	NaOH	HCl	SUB*	<2	>9	>12	N/A	Add	
	(100)	(120)	(125)	(250)	(290)	(500)	(1000)	Other	(G)	(P)	(AG)	(AP)	NaHSO ₄	Na ₂ O ₅ S ₂	NONE	HNO ₃	H ₂ SO ₄	NaOH	HCl	SUB*	<2	>9	>12	N/A	Add	
	(100)	(120)	(125)	(250)	(290)	(500)	(1000)	Other	(G)	(P)	(AG)	(AP)	NaHSO ₄	Na ₂ O ₅ S ₂	NONE	HNO ₃	H ₂ SO ₄	NaOH	HCl	SUB*	<2	>9	>12	N/A	Add	
	(100)	(120)	(125)	(250)	(290)	(500)	(1000)	Other	(G)	(P)	(AG)	(AP)	NaHSO ₄	Na ₂ O ₅ S ₂	NONE	HNO ₃	H ₂ SO ₄	NaOH	HCl	SUB*	<2	>9	>12	N/A	Add	
									I DO NOT OPEN THE PLASTIC BAGS HOLDING THE SAMPLE BOTTLES!!																	
	Low Level Mercury Kit																								n/a	
	4 oz Jar								Clear		Amber			MeOH					None							n/a
	2 oz Jar								Clear		Amber			MeOH					None							n/a
	Vials	Individual	Set of 2	Set of 3					Clear		Amber			HCl		H ₃ PO ₄	H ₂ SO ₄		None						n/a	
	Vials	Individual	Set of 2	Set of 3					Clear		Amber			HCl		H ₃ PO ₄	H ₂ SO ₄		None						n/a	
	Trip Blank	Individual	Set of 2	Set of 3																n/a						
	Moisture Vial																				n/a					
	Manure Bottle																				n/a					
	CHECKED FOR PRESERVATION!																									

*ANY CONTAINER SENT TO A SUBCONTRACT LABORATORY WILL NOT BE CHECKED FOR PRESERVATION!

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Thursday, September 5, 2024 11:55:58 AM

**MINNESOTA VALLEY TESTING LABORATORIES, INC.**

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com



Workorder: WEAC Middle,Kennedy&Jefferson (47403) **Client:** Institute for Environmental Assessment (IEA)
Account #: 2190 **PO:** 202410037
Project #: 202410037

Emma Squires-Sperling
IEA / Brooklyn Park
9201 W Broadway Suite #600
Brooklyn Park, MN 55445

Certificate of Analysis**Approval**

All data reported has been reviewed and approved by:

Dave Smahel, Inorganic Chemistry/Feed Lab Manager New Ulm, MN

Analyses performed under Minnesota Department of Health Accreditation conforms to the current TNI standards.

NEW ULM LAB CERTIFICATIONS:
MN LAB # 027-015-125ND WW/DW # R-040

BISMARCK LAB CERTIFICATIONS:
MN LAB # 038-999-267ND W/DW # ND-016

Workorder Comments

All samples were preserved with nitric acid upon receipt at the laboratory.

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Thursday, May 16, 2024 11:49:45 AM

Page 1 of 9

**MINNESOTA VALLEY TESTING LABORATORIES, INC.**

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com



Workorder: WEAC Middle,Kennedy&Jefferson (47403) **Client:** Institute for Environmental Assessment (IEA)

Analytical Results

Lab ID:	47403001	Date Collected:	05/01/2024 06:00		Matrix:	Potable Water	
Sample ID:	042924-WILLMAR-01	Date Received:	05/03/2024 11:00				
Temp @ Receipt (C):							
Sample Desc:	Room 252 Kaffe						
Parameter	Results	Units	MCL	Method	Analyzed	Qual	
Lead	1.29	ug/L	15	EPA 200.8	05/15/2024 19:30		

Lab ID:	47403002	Date Collected:	05/01/2024 06:00		Matrix:	Potable Water	
Sample ID:	042924-WILLMAR-01	Date Received:	05/03/2024 11:00				
Temp @ Receipt (C):							
Sample Desc:	Kitchen Prep Front Prep Faucet						
Parameter	Results	Units	MCL	Method	Analyzed	Qual	
Lead	<0.5	ug/L	15	EPA 200.8	05/15/2024 19:31		

Lab ID:	47403003	Date Collected:	05/01/2024 06:00		Matrix:	Potable Water	
Sample ID:	042924-WILLMAR-02	Date Received:	05/03/2024 11:00				
Temp @ Receipt (C):							
Sample Desc:	Cafeteria Bottle Filler						
Parameter	Results	Units	MCL	Method	Analyzed	Qual	
Lead	<0.5	ug/L	15	EPA 200.8	05/15/2024 19:44		

Lab ID:	47403004	Date Collected:	05/01/2024 06:00		Matrix:	Potable Water	
Sample ID:	042924-WILLMAR-03	Date Received:	05/03/2024 11:00				
Temp @ Receipt (C):							
Sample Desc:	Cafeteria Fountain						
Parameter	Results	Units	MCL	Method	Analyzed	Qual	
Lead	<0.5	ug/L	15	EPA 200.8	05/15/2024 19:45		

Lab ID:	47403005	Date Collected:	05/01/2024 06:00		Matrix:	Potable Water	
Sample ID:	042924-WILLMAR-04	Date Received:	05/03/2024 11:00				
Temp @ Receipt (C):							
Sample Desc:	Lounge Faucet						
Parameter	Results	Units	MCL	Method	Analyzed	Qual	
Lead	<0.5	ug/L	15	EPA 200.8	05/15/2024 19:46		

Lab ID:	47403006	Date Collected:	05/01/2024 06:00		Matrix:	Potable Water	
Sample ID:	042924-WILLMAR-05	Date Received:	05/03/2024 11:00				
Temp @ Receipt (C):							
Sample Desc:	153 Choir Bottle Filler						

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Thursday, May 16, 2024 11:49:45 AM

**MINNESOTA VALLEY TESTING LABORATORIES, INC.**

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com



Workorder: WEAC Middle,Kennedy&Jefferson (47403) **Client:** Institute for Environmental Assessment (IEA)

Analytical Results

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	05/15/2024 19:47	
Lab ID: 47403007 Date Collected: 05/01/2024 06:00 Matrix: Potable Water Sample ID: 042924-WILLMAR-06 Date Received: 05/03/2024 11:00 Temp @ Receipt (C): Sample Desc: 153 Choir Fountain						
Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	05/15/2024 19:48	
Lab ID: 47403008 Date Collected: 05/01/2024 06:00 Matrix: Potable Water Sample ID: 042924-WILLMAR-07 Date Received: 05/03/2024 11:00 Temp @ Receipt (C): Sample Desc: Hallway 101 Bottle Filler						
Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	05/15/2024 19:49	
Lab ID: 47403009 Date Collected: 05/01/2024 06:00 Matrix: Potable Water Sample ID: 042924-WILLMAR-08 Date Received: 05/03/2024 11:00 Temp @ Receipt (C): Sample Desc: Hallway 101 Fountain						
Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	05/15/2024 19:50	
Lab ID: 47403010 Date Collected: 05/01/2024 06:00 Matrix: Potable Water Sample ID: 042924-WILLMAR-09 Date Received: 05/03/2024 11:00 Temp @ Receipt (C): Sample Desc: Room 116 Bubbler						
Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	1.24	ug/L	15	EPA 200.8	05/15/2024 19:51	
Lab ID: 47403011 Date Collected: 05/01/2024 06:00 Matrix: Potable Water Sample ID: 042924-WILLMAR-10 Date Received: 05/03/2024 11:00 Temp @ Receipt (C): Sample Desc: Room 110 Bubbler						
Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	0.67	ug/L	15	EPA 200.8	05/15/2024 19:52	

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Thursday, May 16, 2024 11:49:45 AM

**MINNESOTA VALLEY TESTING LABORATORIES, INC.**

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com



Workorder: WEAC Middle,Kennedy&Jefferson (47403) **Client:** Institute for Environmental Assessment (IEA)

Analytical Results

Lab ID: 47403012 **Date Collected:** 05/01/2024 06:00 **Matrix:** Potable Water
Sample ID: 042924-WILLMAR-11 **Date Received:** 05/03/2024 11:00
Temp @ Receipt (C):
Sample Desc: Kitchen Faucet Left

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	0.57	ug/L	15	EPA 200.8	05/15/2024 19:53	

Lab ID: 47403013 **Date Collected:** 05/01/2024 06:00 **Matrix:** Potable Water
Sample ID: 042924-WILLMAR-12 **Date Received:** 05/03/2024 11:00
Temp @ Receipt (C):
Sample Desc: Kitchen Faucet Right

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	05/15/2024 20:02	

Lab ID: 47403014 **Date Collected:** 05/01/2024 06:00 **Matrix:** Potable Water
Sample ID: 042924-WILLMAR-13 **Date Received:** 05/03/2024 11:00
Temp @ Receipt (C):
Sample Desc: Hallway 108 Bottle Filler

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	05/15/2024 20:03	

Lab ID: 47403015 **Date Collected:** 05/01/2024 06:00 **Matrix:** Potable Water
Sample ID: 042924-WILLMAR-14 **Date Received:** 05/03/2024 11:00
Temp @ Receipt (C):
Sample Desc: Hallway 108 Fountain

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	05/15/2024 20:04	

Lab ID: 47403016 **Date Collected:** 05/01/2024 06:00 **Matrix:** Potable Water
Sample ID: 042924-WILLMAR-15 **Date Received:** 05/03/2024 11:00
Temp @ Receipt (C):
Sample Desc: Room 107 Faucet

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	6.58	ug/L	15	EPA 200.8	05/15/2024 20:05	

Lab ID: 47403017 **Date Collected:** 05/01/2024 06:00 **Matrix:** Potable Water
Sample ID: 042924-WILLMAR-16 **Date Received:** 05/03/2024 11:00
Temp @ Receipt (C):
Sample Desc: Room 106 Faucet

Parameter	Results	Units	MCL	Method	Analyzed	Qual
-----------	---------	-------	-----	--------	----------	------

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Thursday, May 16, 2024 11:49:45 AM

**MINNESOTA VALLEY TESTING LABORATORIES, INC.**

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com



Workorder: WEAC Middle,Kennedy&Jefferson (47403) **Client:** Institute for Environmental Assessment (IEA)

Analytical Results

Lead	7.83	ug/L	15	EPA 200.8	05/15/2024 20:06	
<hr/>						
Lab ID:	47403018	Date Collected:	05/01/2024 06:00	Matrix:	Potable Water	
Sample ID:	042924-WILLMAR-17	Date Received:	05/03/2024 11:00			
Temp @ Receipt (C):						
Sample Desc:	Gym Bottle Filler					
Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	8.85	ug/L	15	EPA 200.8	05/15/2024 20:07	
<hr/>						
Lab ID:	47403019	Date Collected:	05/01/2024 06:00	Matrix:	Potable Water	
Sample ID:	042924-WILLMAR-18	Date Received:	05/03/2024 11:00			
Temp @ Receipt (C):						
Sample Desc:	Gym Fountain					
Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	5.83	ug/L	15	EPA 200.8	05/15/2024 20:08	
<hr/>						
Lab ID:	47403020	Date Collected:	05/01/2024 06:00	Matrix:	Potable Water	
Sample ID:	042924-WILLMAR-19	Date Received:	05/03/2024 11:00			
Temp @ Receipt (C):						
Sample Desc:	Room 105 Faucet					
Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	2.30	ug/L	15	EPA 200.8	05/15/2024 20:09	
<hr/>						
Lab ID:	47403021	Date Collected:	05/01/2024 06:00	Matrix:	Potable Water	
Sample ID:	042924-WILLMAR-20	Date Received:	05/03/2024 11:00			
Temp @ Receipt (C):						
Sample Desc:	Room 104 Faucet					
Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	3.37	ug/L	15	EPA 200.8	05/15/2024 20:10	
<hr/>						
Lab ID:	47403022	Date Collected:	05/01/2024 06:00	Matrix:	Potable Water	
Sample ID:	042924-WILLMAR-21	Date Received:	05/03/2024 11:00			
Temp @ Receipt (C):						
Sample Desc:	Room 101A Faucet					
Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	3.57	ug/L	15	EPA 200.8	05/15/2024 20:11	

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Thursday, May 16, 2024 11:49:45 AM

Page 5 of 9

**MINNESOTA VALLEY TESTING LABORATORIES, INC.**

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com



Workorder: WEAC Middle,Kennedy&Jefferson (47403) **Client:** Institute for Environmental Assessment (IEA)

Analytical Results

Lab ID:	47403023	Date Collected:	05/01/2024 06:00	Matrix:	Potable Water	
Sample ID:	042924-WILLMAR-22	Date Received:	05/03/2024 11:00			
Temp @ Receipt (C):						
Sample Desc:	Room 103 Faucet					
Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	2.12	ug/L	15	EPA 200.8	05/15/2024 20:19	

Lab ID:	47403024	Date Collected:	05/01/2024 06:00	Matrix:	Potable Water	
Sample ID:	042924-WILLMAR-23	Date Received:	05/03/2024 11:00			
Temp @ Receipt (C):						
Sample Desc:	Room 102 Faucet					
Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	4.53	ug/L	15	EPA 200.8	05/15/2024 20:20	

Lab ID:	47403025	Date Collected:	05/01/2024 06:00	Matrix:	Potable Water	
Sample ID:	042924-WILLMAR-24	Date Received:	05/03/2024 11:00			
Temp @ Receipt (C):						
Sample Desc:	Room 101 Faucet					
Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	18.1	ug/L	15	EPA 200.8	05/15/2024 20:21	

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Thursday, May 16, 2024 11:49:45 AM



MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com



Workorder: WEAC Middle,Kennedy&Jefferson (47403) **Client:** Institute for Environmental Assessment (IEA)



MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Thursday, May 16, 2024 11:49:45 AM

Page 7 of 9



MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com



Workorder: WEAC Middle, Kennedy & Jefferson (47403) **Client:** Institute for Environmental Assessment (IEA)

1 of 3

Chain of Custody

9201 West Broadway North, Suite 600
Bismarck, ND 58503
763.315.7900 • 1.800.233.9513

47403

Client Name		Willmar Public Schools		Building Name		WEAC, Middle School, Kennedy, & Jefferson LC		Analytical Lab		MVTL	
Contact Name		Aaron Hess		Project #		202410037		Project Name		Willmar - 2024 Lead in Water Sampling	
Phone #		507-829-7372		IEA Fax #				Written Sample Results To		aaron.hess@ieasafety.com	
Other Information											
Sampled By		Aaron Hess		Date		5/1/2024		Time		6:00 AM	
Shipped By		MVTL 1126 N Front St Building #New Ulm, MN 56073		Date		5/3/2024		Time			
Received By				Date				Sample Condition		Temperature	
Lab Number	Sample Number	Sample Location (EX: Kitchen Room 123 NW Corner Left - KS)	Sample Type			Date Sampled	Time Sampled	Volume/ Bottle Type	Analysis Required	Comments & Observations	
			Water	Soil	Other						
	042924-WILLMAR-01	Room 252 Kaffe	X			4/29/2024	8:00 AM	250 ml unpreserved	Lead	WEAC	
	050124-WILLMAR-01	Kitchen Prep Front Prep Faucet	X			5/1/2024	6:00 AM	250 ml unpreserved	Lead	Willmar Middle School	
	050124-WILLMAR-02	Cafeteria Bottle Filler	X			5/1/2024	6:02 AM	250 ml unpreserved	Lead	Willmar Middle School	
	050124-WILLMAR-03	Cafeteria Fountain	X			5/1/2024	6:02 AM	250 ml unpreserved	Lead	Willmar Middle School	
	050124-WILLMAR-04	Lounge Faucet	X			5/1/2024	6:04 AM	250 ml unpreserved	Lead	Willmar Middle School	
	050124-WILLMAR-05	153 Choir Bottle Filler	X			5/1/2024	6:04 AM	250 ml unpreserved	Lead	Willmar Middle School	
	050124-WILLMAR-06	153 Choir Fountain	X			5/1/2024	6:05 AM	250 ml unpreserved	Lead	Willmar Middle School	
	050124-WILLMAR-07	Hallway 101 Bottle Filler	X			5/1/2024	6:08 AM	250 ml unpreserved	Lead	Willmar Middle School	
	050124-WILLMAR-08	Hallway 101 Fountain	X			5/1/2024	6:08 AM	250 ml unpreserved	Lead	Willmar Middle School	
	050124-WILLMAR-09	Room 116 Bubblers	X			5/1/2024	6:25 AM	250 ml unpreserved	Lead	Kennedy Elementary	
	050124-WILLMAR-10	Room 110 Bubblers	X			5/1/2024	6:27 AM	250 ml unpreserved	Lead	Kennedy Elementary	
	050124-WILLMAR-11	Kitchen Faucet Left	X			5/1/2024	6:40 AM	250 ml unpreserved	Lead	Jefferson Learning Center	
	050124-WILLMAR-12	Kitchen Faucet Right	X			5/1/2024	6:41 AM	250 ml unpreserved	Lead	Jefferson Learning Center	
	050124-WILLMAR-13	Hallway 108 Bottle Filler	X			5/1/2024	6:43 AM	250 ml unpreserved	Lead	Jefferson Learning Center	
	050124-WILLMAR-14	Hallway 108 Fountain	X			5/1/2024	6:43 AM	250 ml unpreserved	Lead	Jefferson Learning Center	
	050124-WILLMAR-15	Room 107 Faucet	X			5/1/2024	6:45 AM	250 ml unpreserved	Lead	Jefferson Learning Center	
	050124-WILLMAR-16	Room 106 Faucet	X			5/1/2024	6:46 AM	250 ml unpreserved	Lead	Jefferson Learning Center	
	050124-WILLMAR-17	Gym Bottle Filler	X			5/1/2024	6:47 AM	250 ml unpreserved	Lead	Jefferson Learning Center	
	050124-WILLMAR-18	Gym Fountain	X			5/1/2024	6:47 AM	250 ml unpreserved	Lead	Jefferson Learning Center	
	050124-WILLMAR-19	Room 105 Faucet	X			5/1/2024	6:48 AM	250 ml unpreserved	Lead	Jefferson Learning Center	
	050124-WILLMAR-20	Room 104 Faucet	X			5/1/2024	6:49 AM	250 ml unpreserved	Lead	Jefferson Learning Center	
	050124-WILLMAR-21	Room 101A Faucet	X			5/1/2024	6:51 AM	250 ml unpreserved	Lead	Jefferson Learning Center	
	050124-WILLMAR-22	Room 103 Faucet	X			5/1/2024	6:53 AM	250 ml unpreserved	Lead	Jefferson Learning Center	
	050124-WILLMAR-23	Room 102 Faucet	X			5/1/2024	6:54 AM	250 ml unpreserved	Lead	Jefferson Learning Center	
	050124-WILLMAR-24	Room 101 Faucet	X			5/1/2024	6:58 AM	250 ml unpreserved	Lead	Jefferson Learning Center	

Original - Analytical Lab
Copy - Client File
Copy - IEA Lab

Brian Williams 17.2 774 11:00 3 May 24 CM AM 6 3 May 24 1100 17.2C 774

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Thursday, May 16, 2024 11:49:45 AM



MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com



Workorder: WEAC Middle, Kennedy & Jefferson (47403) Client: Institute for Environmental Assessment (IEA)



Sample Condition Checklist

Date: 3 May 24 Time: 11:00 AM By: CM
Account Name: IEA-Willmar Account #
Bill of Lading #: Cooler #:
Temp: 17.2 °C ROI: Ambient: Tracking #:
TMI: 77.9 Ice Crystals Present in Sample: Other:
MVTL Courier: Ryan Williams
MVTL Route: Walk-In: UPS Air: FedEx Air: Speedee:
Mail: UPS Ground: FedEx Ground:

Containers Supplied by MVTL: Yes No Designate customer supplied containers as "Other" in container size column

Comments:

Number	Containers Size (mL)	Container Type	Preservation	pH
25	(100) (120) (125) (250) (290) (500) (1000) Other	(G) (P) (AG) (AP)	NaHSO ₄ Na ₂ O ₃ S ₂ NONE HNO ₃ H ₂ SO ₄ NaOH HCl SUB*	<2 >9 >12 N/A Add
	(100) (120) (125) (250) (290) (500) (1000) Other	(G) (P) (AG) (AP)	NaHSO ₄ Na ₂ O ₃ S ₂ NONE HNO ₃ H ₂ SO ₄ NaOH HCl SUB*	<2 >9 >12 N/A Add
	(100) (120) (125) (250) (290) (500) (1000) Other	(G) (P) (AG) (AP)	NaHSO ₄ Na ₂ O ₃ S ₂ NONE HNO ₃ H ₂ SO ₄ NaOH HCl SUB*	<2 >9 >12 N/A Add
	(100) (120) (125) (250) (290) (500) (1000) Other	(G) (P) (AG) (AP)	NaHSO ₄ Na ₂ O ₃ S ₂ NONE HNO ₃ H ₂ SO ₄ NaOH HCl SUB*	<2 >9 >12 N/A Add
	(100) (120) (125) (250) (290) (500) (1000) Other	(G) (P) (AG) (AP)	NaHSO ₄ Na ₂ O ₃ S ₂ NONE HNO ₃ H ₂ SO ₄ NaOH HCl SUB*	<2 >9 >12 N/A Add
	(100) (120) (125) (250) (290) (500) (1000) Other	(G) (P) (AG) (AP)	NaHSO ₄ Na ₂ O ₃ S ₂ NONE HNO ₃ H ₂ SO ₄ NaOH HCl SUB*	<2 >9 >12 N/A Add
	(100) (120) (125) (250) (290) (500) (1000) Other	(G) (P) (AG) (AP)	NaHSO ₄ Na ₂ O ₃ S ₂ NONE HNO ₃ H ₂ SO ₄ NaOH HCl SUB*	<2 >9 >12 N/A Add
DO NOT OPEN THE PLASTIC BAGS HOLDING THE SAMPLE BOTTLES				
Low Level Mercury Kit				
4 oz Jar	Clear Amber	MeOH	None	n/a
2 oz Jar	Clear Amber	MeOH	None	n/a
Vials Individual Set of 2 Set of 3	Clear Amber	HCl H ₃ PO ₄ H ₂ SO ₄	None	n/a
Vials Individual Set of 2 Set of 3	Clear Amber	HCl H ₃ PO ₄ H ₂ SO ₄	None	n/a
Trip Blank Individual Set of 2 Set of 3			n/a	
Moisture Vial			n/a	
Manure Bottle			n/a	

*ANY CONTAINER SENT TO A SUBCONTRACT LABORATORY WILL NOT BE CHECKED FOR PRESERVATION!

Form # 30-911001-0

Page 1 of 1

Effective Date: 29 September 2021

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Thursday, May 16, 2024 11:49:45 AM

Page 9 of 9

**MINNESOTA VALLEY TESTING LABORATORIES, INC.**

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com



Workorder: WEAC, Middle School, K&J LC (51017)
Account #: 2190
Project #: 202410037

Client: Institute for Environmental Assessment (IEA)
PO: 202410037

Emma Squires-Sperling
IEA / Brooklyn Park
9201 W Broadway Suite #600
Brooklyn Park, MN 55445

Certificate of Analysis**Approval**

All data reported has been reviewed and approved by:

Dave Smahel, Inorganic Chemistry/Feed Lab Manager New Ulm, MN

Analyses performed under Minnesota Department of Health Accreditation conforms to the current TNI standards.

NEW ULM LAB CERTIFICATIONS:
MN LAB # 027-015-125ND WW/DW # R-040

BISMARCK LAB CERTIFICATIONS:
MN LAB # 038-999-267ND W/DW # ND-016

Workorder Comments

All samples were preserved with nitric acid upon receipt at the laboratory.

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Thursday, June 13, 2024 4:53:59 AM

**MINNESOTA VALLEY TESTING LABORATORIES, INC.**

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com

**Workorder:** WEAC, Middle School, K&J LC (51017)**Client:** Institute for Environmental Assessment (IEA)**Analytical Results**

Lab ID:	51017001	Date Collected:	06/04/2024 07:00	Matrix:	Potable Water		
Sample ID:	06042024-WILLMAR-01	Date Received:	06/10/2024 10:15				
Temp @ Receipt (C):							
Sample Desc:	Room 107 Faucet						
Parameter		Results	Units	MCL	Method	Analyzed	Qual
Lead		<0.5	ug/L	15	EPA 200.8	06/11/2024 17:47	

Lab ID:	51017002	Date Collected:	06/04/2024 07:02	Matrix:	Potable Water		
Sample ID:	06042024-WILLMAR-02	Date Received:	06/10/2024 10:15				
Temp @ Receipt (C):							
Sample Desc:	Room 106 Faucet						
Parameter		Results	Units	MCL	Method	Analyzed	Qual
Lead		<0.5	ug/L	15	EPA 200.8	06/11/2024 17:49	

Lab ID:	51017003	Date Collected:	06/04/2024 07:05	Matrix:	Potable Water		
Sample ID:	06042024-WILLMAR-03	Date Received:	06/10/2024 10:15				
Temp @ Receipt (C):							
Sample Desc:	Room 101 Faucet						
Parameter		Results	Units	MCL	Method	Analyzed	Qual
Lead		<0.5	ug/L	15	EPA 200.8	06/11/2024 17:50	

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Thursday, June 13, 2024 4:53:59 AM

Page 2 of 5




MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com



Workorder: WEAC, Middle School, K&J LC (51017)

Client: Institute for Environmental Assessment (IEA)



MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Thursday, June 13, 2024 4:53:59 AM

Page 3 of 5

MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com



Workorder: WEAC, Middle School, K&J LC (51017)

Client: Institute for Environmental Assessment (IEA)

1 of 1

Chain of Custody

9201 West Broadway North, Suite 600
Brooklyn Park, MN 55445
763.315.7900 1.800.233.9513

51017

[illegible]

AMB JB 10 June 24 1015

21.7 TM 938

Original - Analytical Lab
Copy - Client File
Copy - IEA Lab

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Thursday, June 13, 2024 4:53:59 AM

Page 4 of 5



MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com



Workorder: WEAC, Middle School, K&J LC (51017)

Client: Institute for Environmental Assessment (IEA)



Sample Condition Checklist

Date: 10 June 24 Time: 1015 ☒ AM ☐ PM By: JB
Account Name: IEA / Willmar Public Schools Account #
Bill of Lading #: Cooler #:
Temp: 21.7 °C ROI ☐ Ambient ☒ Tracking #: 1Z C1F 921 03 0662 5619
TM#: 938 Ice Crystals Present in Sample ☐
MVTL Courier: Other:
MVTL Route: Walk-In ☐ UPS Air ☐ FedEx Air ☐ SpeedDee ☐
Mail ☐ UPS Ground ☒ FedEx Ground ☐
Containers Supplied by MVTL: Yes ☒ No ☐ Designate customer supplied containers as "Other" in container size column

Containers Size (mL)		Container Type		Preservation				pH		
Number										
<u>3</u>	(100) (120) (125) <u>(250)</u> (290) (500) (1000) Other	(G)	<u>(P)</u> (AG) (AP)	NaHSO ₄	Na ₂ O ₃ S ₂	<u>NONE</u>	HNO ₃ H ₂ SO ₄ NaOH HCl SUB*	<2 >9 >12	<u>N/A</u>	Add
	(100) (120) (125) (250) (290) (500) (1000) Other	(G)	(P) (AG) (AP)	NaHSO ₄	Na ₂ O ₃ S ₂	NONE	HNO ₃ H ₂ SO ₄ NaOH HCl SUB*	<2 >9 >12	N/A	Add
	(100) (120) <u>(125)</u> (250) (290) (500) (1000) Other	(G)	(P) (AG) (AP)	NaHSO ₄	Na ₂ O ₃ S ₂	NONE	HNO ₃ H ₂ SO ₄ NaOH HCl SUB*	<2 >9 >12	N/A	Add
	(100) (120) (125) (250) (290) (500) (1000) Other	(G)	(P) (AG) (AP)	NaHSO ₄	Na ₂ O ₃ S ₂	NONE	HNO ₃ H ₂ SO ₄ NaOH HCl SUB*	<2 >9 >12	N/A	Add
	(100) (120) (125) (250) (290) (500) (1000) Other	(G)	(P) (AG) <u>(AP)</u>	NaHSO ₄	Na ₂ O ₃ S ₂	NONE	HNO ₃ H ₂ SO ₄ NaOH HCl SUB*	<2 >9 >12	N/A	Add
	(100) (120) (125) (250) (290) (500) (1000) Other	(G)	(P) (AG) (AP)	NaHSO ₄	<u>Na₂O₃S₂</u>	NONE	HNO ₃ H ₂ SO ₄ NaOH HCl SUB*	<2 >9 >12	N/A	Add
	(100) (120) (125) (250) (290) (500) (1000) Other	(G)	(P) (AG) (AP)	NaHSO ₄	Na ₂ O ₃ S ₂	NONE	HNO ₃ H ₂ SO ₄ NaOH HCl SUB*	<2 >9 >12	N/A	Add
Low Level Mercury Kit										
I DO NOT OPEN THE PLASTIC BAGS HOLDING THE SAMPLE BOTTLES!!										
4 oz Jar		Clear	Amber	MeOH		None			n/a	
2 oz Jar		Clear	Amber	MeOH		None			n/a	
Vials Individual Set of 2 Set of 3		Clear	Amber	HCl	H ₃ PO ₄	H ₂ SO ₄	None		n/a	
Vials Individual Set of 2 Set of 3		Clear	Amber	HCl	H ₃ PO ₄	H ₂ SO ₄	None		n/a	
Trip Blank Individual Set of 2 Set of 3									n/a	
Moisture Vial									n/a	
Manure Bottle									n/a	

*ANY CONTAINER SENT TO A SUBCONTRACT LABORATORY WILL NOT BE CHECKED FOR PRESERVATION!

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Thursday, June 13, 2024 4:53:59 AM

**MINNESOTA VALLEY TESTING LABORATORIES, INC.**

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com



Workorder: Kennedy, ALC & WEAC (40557)
Account #: 2190
Project #: 202410037

Client: Institute for Environmental Assessment (IEA)
PO: 202410037

Emma Squires-Sperling
IEA / Brooklyn Park
9201 W Broadway Suite #600
Brooklyn Park, MN 55445

Certificate of Analysis**Approval**

All data reported has been reviewed and approved by:

Dave Smahel, Inorganic Chemistry/Feed Lab Manager New Ulm, MN

Analyses performed under Minnesota Department of Health Accreditation conforms to the current TNI standards.

NEW ULM LAB CERTIFICATIONS:
MN LAB # 027-015-125ND WW/DW # R-040

BISMARCK LAB CERTIFICATIONS:
MN LAB # 038-999-267ND W/DW # ND-016

Workorder Comments

All samples were preserved with nitric acid upon receipt at the laboratory.

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Friday, February 16, 2024 2:47:53 PM

Page 1 of 20

**MINNESOTA VALLEY TESTING LABORATORIES, INC.**

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com

**Workorder:** Kennedy, ALC & WEAC (40557)**Client:** Institute for Environmental Assessment (IEA)**Analytical Results****Lab ID:** 40557001 **Date Collected:** 02/08/2024 06:00 **Matrix:** Potable Water**Sample ID:** 020824-WILLMAR-01 **Date Received:** 02/09/2024 13:55**Temp @ Receipt (C):****Sample Desc:** Hallway 133 Gym Bottle Filler

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 17:59	

Lab ID: 40557002 **Date Collected:** 02/08/2024 06:00 **Matrix:** Potable Water**Sample ID:** 020824-WILLMAR-02 **Date Received:** 02/09/2024 13:55**Temp @ Receipt (C):****Sample Desc:** Hallway 133 Gym Fountain

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 18:00	

Lab ID: 40557003 **Date Collected:** 02/08/2024 06:00 **Matrix:** Potable Water**Sample ID:** 020824-WILLMAR-03 **Date Received:** 02/09/2024 13:55**Temp @ Receipt (C):****Sample Desc:** Kitchen Back Sprayer

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	0.94	ug/L	15	EPA 200.8	02/14/2024 18:01	

Lab ID: 40557004 **Date Collected:** 02/08/2024 06:00 **Matrix:** Potable Water**Sample ID:** 020824-WILLMAR-04 **Date Received:** 02/09/2024 13:55**Temp @ Receipt (C):****Sample Desc:** Kitchen Back Faucet

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	1.08	ug/L	15	EPA 200.8	02/14/2024 18:02	

Lab ID: 40557005 **Date Collected:** 02/08/2024 06:00 **Matrix:** Potable Water**Sample ID:** 020824-WILLMAR-05 **Date Received:** 02/09/2024 13:55**Temp @ Receipt (C):****Sample Desc:** Kitchen Mid Back Faucet Left

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	0.56	ug/L	15	EPA 200.8	02/14/2024 18:04	

Lab ID: 40557006 **Date Collected:** 02/08/2024 06:00 **Matrix:** Potable Water**Sample ID:** 020824-WILLMAR-06 **Date Received:** 02/09/2024 13:55**Temp @ Receipt (C):****Sample Desc:** Kitchen Mid Back Sprayer Right

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Friday, February 16, 2024 2:47:53 PM

Page 2 of 20

**MINNESOTA VALLEY TESTING LABORATORIES, INC.**

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com

**Workorder:** Kennedy, ALC & WEAC (40557)**Client:** Institute for Environmental Assessment (IEA)**Analytical Results**

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 18:05	

Lab ID: 40557007
Sample ID: 020824-WILLMAR-07
Temp @ Receipt (C):
Sample Desc: Kitchen Steamer Kettle Sprayer

Date Collected: 02/08/2024 06:00
Date Received: 02/09/2024 13:55
Matrix: Potable Water

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	1.35	ug/L	15	EPA 200.8	02/14/2024 18:06	

Lab ID: 40557008
Sample ID: 020824-WILLMAR-08
Temp @ Receipt (C):
Sample Desc: Kitchen Front Island Faucet

Date Collected: 02/08/2024 06:00
Date Received: 02/09/2024 13:55
Matrix: Potable Water

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 18:07	

Lab ID: 40557009
Sample ID: 020824-WILLMAR-09
Temp @ Receipt (C):
Sample Desc: Cafeteria Bottle Filler

Date Collected: 02/08/2024 06:00
Date Received: 02/09/2024 13:55
Matrix: Potable Water

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 18:08	

Lab ID: 40557010
Sample ID: 020824-WILLMAR-10
Temp @ Receipt (C):
Sample Desc: Cafeteria Fountain

Date Collected: 02/08/2024 06:00
Date Received: 02/09/2024 13:55
Matrix: Potable Water

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 18:09	

Lab ID: 40557011
Sample ID: 020824-WILLMAR-11
Temp @ Receipt (C):
Sample Desc: Staff Lounge Faucet

Date Collected: 02/08/2024 06:00
Date Received: 02/09/2024 13:55
Matrix: Potable Water

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 18:19	

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Friday, February 16, 2024 2:47:53 PM

**MINNESOTA VALLEY TESTING LABORATORIES, INC.**

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com

**Workorder:** Kennedy, ALC & WEAC (40557)**Client:** Institute for Environmental Assessment (IEA)**Analytical Results**

Lab ID: 40557012 **Date Collected:** 02/08/2024 06:00 **Matrix:** Potable Water
Sample ID: 020824-WILLMAR-12 **Date Received:** 02/09/2024 13:55
Temp @ Receipt (C):
Sample Desc: Elevator Bottle Filler

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 18:20	

Lab ID: 40557013 **Date Collected:** 02/08/2024 06:00 **Matrix:** Potable Water
Sample ID: 020824-WILLMAR-13 **Date Received:** 02/09/2024 13:55
Temp @ Receipt (C):
Sample Desc: Elevator Fountain

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 18:21	

Lab ID: 40557014 **Date Collected:** 02/08/2024 06:00 **Matrix:** Potable Water
Sample ID: 020824-WILLMAR-14 **Date Received:** 02/09/2024 13:55
Temp @ Receipt (C):
Sample Desc: Main Office Faucet

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	8.37	ug/L	15	EPA 200.8	02/14/2024 18:22	

Lab ID: 40557015 **Date Collected:** 02/08/2024 06:00 **Matrix:** Potable Water
Sample ID: 020824-WILLMAR-15 **Date Received:** 02/09/2024 13:55
Temp @ Receipt (C):
Sample Desc: Nurses Office Faucet

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	2.25	ug/L	15	EPA 200.8	02/14/2024 18:23	

Lab ID: 40557016 **Date Collected:** 02/08/2024 06:00 **Matrix:** Potable Water
Sample ID: 020824-WILLMAR-16 **Date Received:** 02/09/2024 13:55
Temp @ Receipt (C):
Sample Desc: Nurses Office Bathroom Faucet

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	3.29	ug/L	15	EPA 200.8	02/14/2024 18:25	

Lab ID: 40557017 **Date Collected:** 02/08/2024 06:00 **Matrix:** Potable Water
Sample ID: 020824-WILLMAR-17 **Date Received:** 02/09/2024 13:55
Temp @ Receipt (C):
Sample Desc: Hallway 152 Bottle Filler

Parameter	Results	Units	MCL	Method	Analyzed	Qual
-----------	---------	-------	-----	--------	----------	------

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Friday, February 16, 2024 2:47:53 PM

**MINNESOTA VALLEY TESTING LABORATORIES, INC.**

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com

**Workorder:** Kennedy, ALC & WEAC (40557)**Client:** Institute for Environmental Assessment (IEA)**Analytical Results**

Lead	0.51	ug/L	15	EPA 200.8	02/14/2024 18:26
------	------	------	----	-----------	------------------

Lab ID: 40557018	Date Collected: 02/08/2024 06:00	Matrix: Potable Water
Sample ID: 020824-WILLMAR-18	Date Received: 02/09/2024 13:55	
Temp @ Receipt (C):		
Sample Desc: Hallway 152 Fountain		

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	0.52	ug/L	15	EPA 200.8	02/14/2024 18:27	

Lab ID: 40557019	Date Collected: 02/08/2024 06:00	Matrix: Potable Water
Sample ID: 020824-WILLMAR-19	Date Received: 02/09/2024 13:55	
Temp @ Receipt (C):		
Sample Desc: Hallway 168 Bottle Filler		

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 18:28	

Lab ID: 40557020	Date Collected: 02/08/2024 06:00	Matrix: Potable Water
Sample ID: 020824-WILLMAR-20	Date Received: 02/09/2024 13:55	
Temp @ Receipt (C):		
Sample Desc: Hallway 168 Fountain		

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 18:29	

Lab ID: 40557021	Date Collected: 02/08/2024 06:00	Matrix: Potable Water
Sample ID: 020824-WILLMAR-21	Date Received: 02/09/2024 13:55	
Temp @ Receipt (C):		
Sample Desc: Hallway 218 Bottle Filler		

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 18:38	

Lab ID: 40557022	Date Collected: 02/08/2024 06:00	Matrix: Potable Water
Sample ID: 020824-WILLMAR-22	Date Received: 02/09/2024 13:55	
Temp @ Receipt (C):		
Sample Desc: Hallway 218 Fountain		

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 18:40	

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Friday, February 16, 2024 2:47:53 PM

Page 5 of 20

**MINNESOTA VALLEY TESTING LABORATORIES, INC.**

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com

**Workorder:** Kennedy, ALC & WEAC (40557)**Client:** Institute for Environmental Assessment (IEA)**Analytical Results**

Lab ID:	40557023	Date Collected:	02/08/2024 06:00	Matrix:	Potable Water	
Sample ID:	020824-WILLMAR-23	Date Received:	02/09/2024 13:55			
Temp @ Receipt (C):						
Sample Desc:	Hallway 213 Bottle Filler					
Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 18:41	

Lab ID:	40557024	Date Collected:	02/08/2024 06:00	Matrix:	Potable Water	
Sample ID:	020824-WILLMAR-24	Date Received:	02/09/2024 13:55			
Temp @ Receipt (C):						
Sample Desc:	Hallway 213 Fountain					
Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 18:42	

Lab ID:	40557025	Date Collected:	02/08/2024 06:00	Matrix:	Potable Water	
Sample ID:	020824-WILLMAR-25	Date Received:	02/09/2024 13:55			
Temp @ Receipt (C):						
Sample Desc:	Hallway 203 Bottle Filler					
Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 18:43	

Lab ID:	40557026	Date Collected:	02/08/2024 06:00	Matrix:	Potable Water	
Sample ID:	020824-WILLMAR-26	Date Received:	02/09/2024 13:55			
Temp @ Receipt (C):						
Sample Desc:	Hallway 203 Fountain					
Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 18:44	

Lab ID:	40557027	Date Collected:	02/08/2024 06:00	Matrix:	Potable Water	
Sample ID:	020824-WILLMAR-27	Date Received:	02/09/2024 13:55			
Temp @ Receipt (C):						
Sample Desc:	Hallway Auditorium Bottle Filler					
Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 18:45	

Lab ID:	40557028	Date Collected:	02/08/2024 06:00	Matrix:	Potable Water	
Sample ID:	020824-WILLMAR-28	Date Received:	02/09/2024 13:55			
Temp @ Receipt (C):						
Sample Desc:	Hallway Auditorium Fountain					
Parameter	Results	Units	MCL	Method	Analyzed	Qual

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Friday, February 16, 2024 2:47:53 PM

Page 6 of 20

**MINNESOTA VALLEY TESTING LABORATORIES, INC.**

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com

**Workorder:** Kennedy, ALC & WEAC (40557)**Client:** Institute for Environmental Assessment (IEA)**Analytical Results**

Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 18:47
------	------	------	----	-----------	------------------

Lab ID: 40557029	Date Collected: 02/08/2024 06:00	Matrix: Potable Water
Sample ID: 020824-WILLMAR-29	Date Received: 02/09/2024 13:55	
Temp @ Receipt (C):		
Sample Desc: Hallway Stage Bottle Filler		

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 18:48	

Lab ID: 40557030	Date Collected: 02/08/2024 06:00	Matrix: Potable Water
Sample ID: 020824-WILLMAR-30	Date Received: 02/09/2024 13:55	
Temp @ Receipt (C):		
Sample Desc: Hallway Stage Fountain		

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 18:49	

Lab ID: 40557031	Date Collected: 02/08/2024 06:00	Matrix: Potable Water
Sample ID: 020824-WILLMAR-31	Date Received: 02/09/2024 13:55	
Temp @ Receipt (C):		
Sample Desc: Room 138 Faucet		

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	103	ug/L	15	EPA 200.8	02/14/2024 19:04	

Lab ID: 40557032	Date Collected: 02/08/2024 06:00	Matrix: Potable Water
Sample ID: 020824-WILLMAR-32	Date Received: 02/09/2024 13:55	
Temp @ Receipt (C):		
Sample Desc: Room 140 Lounge Faucet		

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	2.35	ug/L	15	EPA 200.8	02/14/2024 18:59	

Lab ID: 40557033	Date Collected: 02/08/2024 06:00	Matrix: Potable Water
Sample ID: 020824-WILLMAR-33	Date Received: 02/09/2024 13:55	
Temp @ Receipt (C):		
Sample Desc: Room 122 Bubbler		

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	0.70	ug/L	15	EPA 200.8	02/14/2024 19:01	

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Friday, February 16, 2024 2:47:53 PM

Page 7 of 20

**MINNESOTA VALLEY TESTING LABORATORIES, INC.**

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com

**Workorder:** Kennedy, ALC & WEAC (40557)**Client:** Institute for Environmental Assessment (IEA)**Analytical Results**

Lab ID:	40557034	Date Collected:	02/08/2024 06:00	Matrix:	Potable Water	
Sample ID:	020824-WILLMAR-34	Date Received:	02/09/2024 13:55			
Temp @ Receipt (C):						
Sample Desc:	Hallway 120 Bottle Filler					
Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 19:02	
Lab ID:	40557035	Date Collected:	02/08/2024 06:00	Matrix:	Potable Water	
Sample ID:	020824-WILLMAR-35	Date Received:	02/09/2024 13:55			
Temp @ Receipt (C):						
Sample Desc:	Hallway 120 Fountain					
Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 19:05	
Lab ID:	40557036	Date Collected:	02/08/2024 06:00	Matrix:	Potable Water	
Sample ID:	020824-WILLMAR-36	Date Received:	02/09/2024 13:55			
Temp @ Receipt (C):						
Sample Desc:	Room 118 Faucet					
Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	2.70	ug/L	15	EPA 200.8	02/14/2024 19:06	
Lab ID:	40557037	Date Collected:	02/08/2024 06:00	Matrix:	Potable Water	
Sample ID:	020824-WILLMAR-37	Date Received:	02/09/2024 13:55			
Temp @ Receipt (C):						
Sample Desc:	Room 118 Bubbler					
Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	1.94	ug/L	15	EPA 200.8	02/14/2024 19:07	
Lab ID:	40557038	Date Collected:	02/08/2024 06:00	Matrix:	Potable Water	
Sample ID:	020824-WILLMAR-38	Date Received:	02/09/2024 13:55			
Temp @ Receipt (C):						
Sample Desc:	Room 116 Bubbler					
Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	6.07	ug/L	15	EPA 200.8	02/14/2024 19:08	
Lab ID:	40557039	Date Collected:	02/08/2024 06:00	Matrix:	Potable Water	
Sample ID:	020824-WILLMAR-39	Date Received:	02/09/2024 13:55			
Temp @ Receipt (C):						
Sample Desc:	Room 114 Bubbler					
Parameter	Results	Units	MCL	Method	Analyzed	Qual

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Friday, February 16, 2024 2:47:53 PM

Page 8 of 20

**MINNESOTA VALLEY TESTING LABORATORIES, INC.**

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com

**Workorder:** Kennedy, ALC & WEAC (40557)**Client:** Institute for Environmental Assessment (IEA)**Analytical Results**

Lead		3.31	ug/L	15	EPA 200.8	02/14/2024 19:09	
Lab ID:	40557040	Date Collected:	02/08/2024 06:00		Matrix:	Potable Water	
Sample ID:	020824-WILLMAR-40	Date Received:	02/09/2024 13:55				
Temp @ Receipt (C):							
Sample Desc:	Room 110 Bubbler						
Parameter	Results	Units	MCL	Method	Analyzed	Qual	
Lead	8.28	ug/L	15	EPA 200.8	02/14/2024 19:10		
Lab ID:	40557041	Date Collected:	02/08/2024 06:00		Matrix:	Potable Water	
Sample ID:	020824-WILLMAR-41	Date Received:	02/09/2024 13:55				
Temp @ Receipt (C):							
Sample Desc:	Room 108 Bubbler						
Parameter	Results	Units	MCL	Method	Analyzed	Qual	
Lead	0.87	ug/L	15	EPA 200.8	02/14/2024 19:20		
Lab ID:	40557042	Date Collected:	02/08/2024 06:00		Matrix:	Potable Water	
Sample ID:	020824-WILLMAR-42	Date Received:	02/09/2024 13:55				
Temp @ Receipt (C):							
Sample Desc:	Room 108 Faucet						
Parameter	Results	Units	MCL	Method	Analyzed	Qual	
Lead	1.69	ug/L	15	EPA 200.8	02/14/2024 19:21		
Lab ID:	40557043	Date Collected:	02/08/2024 06:00		Matrix:	Potable Water	
Sample ID:	020824-WILLMAR-43	Date Received:	02/09/2024 13:55				
Temp @ Receipt (C):							
Sample Desc:	Room 106 Faucet						
Parameter	Results	Units	MCL	Method	Analyzed	Qual	
Lead	3.40	ug/L	15	EPA 200.8	02/14/2024 19:22		
Lab ID:	40557044	Date Collected:	02/08/2024 06:00		Matrix:	Potable Water	
Sample ID:	020824-WILLMAR-44	Date Received:	02/09/2024 13:55				
Temp @ Receipt (C):							
Sample Desc:	Room 104 Faucet						
Parameter	Results	Units	MCL	Method	Analyzed	Qual	
Lead	0.92	ug/L	15	EPA 200.8	02/14/2024 19:23		

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Friday, February 16, 2024 2:47:53 PM

Page 9 of 20

**MINNESOTA VALLEY TESTING LABORATORIES, INC.**

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com

**Workorder:** Kennedy, ALC & WEAC (40557)**Client:** Institute for Environmental Assessment (IEA)**Analytical Results**

Lab ID:	40557045	Date Collected:	02/08/2024 06:00	Matrix:	Potable Water	
Sample ID:	020824-WILLMAR-45	Date Received:	02/09/2024 13:55			
Temp @ Receipt (C):						
Sample Desc:	Room 102 Faucet					
Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	2.30	ug/L	15	EPA 200.8	02/14/2024 19:24	

Lab ID:	40557046	Date Collected:	02/08/2024 06:00	Matrix:	Potable Water	
Sample ID:	020824-WILLMAR-46	Date Received:	02/09/2024 13:55			
Temp @ Receipt (C):						
Sample Desc:	Room 102 Bubbler					
Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	2.82	ug/L	15	EPA 200.8	02/14/2024 19:26	

Lab ID:	40557047	Date Collected:	02/08/2024 06:00	Matrix:	Potable Water	
Sample ID:	020824-WILLMAR-47	Date Received:	02/09/2024 13:55			
Temp @ Receipt (C):						
Sample Desc:	Room 105 Bubbler					
Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	0.74	ug/L	15	EPA 200.8	02/14/2024 19:27	

Lab ID:	40557048	Date Collected:	02/08/2024 06:00	Matrix:	Potable Water	
Sample ID:	020824-WILLMAR-48	Date Received:	02/09/2024 13:55			
Temp @ Receipt (C):						
Sample Desc:	Room 105 Faucet					
Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	0.78	ug/L	15	EPA 200.8	02/14/2024 19:28	

Lab ID:	40557049	Date Collected:	02/08/2024 06:00	Matrix:	Potable Water	
Sample ID:	020824-WILLMAR-49	Date Received:	02/09/2024 13:55			
Temp @ Receipt (C):						
Sample Desc:	Room 107 Bubbler					
Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	0.68	ug/L	15	EPA 200.8	02/14/2024 19:29	

Lab ID:	40557050	Date Collected:	02/08/2024 06:00	Matrix:	Potable Water	
Sample ID:	020824-WILLMAR-50	Date Received:	02/09/2024 13:55			
Temp @ Receipt (C):						
Sample Desc:	Room 107 Faucet					
Parameter	Results	Units	MCL	Method	Analyzed	Qual

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Friday, February 16, 2024 2:47:53 PM

Page 10 of 20

**MINNESOTA VALLEY TESTING LABORATORIES, INC.**

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com

**Workorder:** Kennedy, ALC & WEAC (40557)**Client:** Institute for Environmental Assessment (IEA)**Analytical Results**

Lead	1.52	ug/L	15	EPA 200.8	02/14/2024 19:30
------	------	------	----	-----------	------------------

Lab ID: 40557051	Date Collected: 02/08/2024 06:00	Matrix: Potable Water
Sample ID: 020824-WILLMAR-51	Date Received: 02/09/2024 13:55	
Temp @ Receipt (C):		
Sample Desc: Room 112 Faucet		

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	0.81	ug/L	15	EPA 200.8	02/14/2024 19:44	

Lab ID: 40557052	Date Collected: 02/08/2024 06:00	Matrix: Potable Water
Sample ID: 020824-WILLMAR-52	Date Received: 02/09/2024 13:55	
Temp @ Receipt (C):		
Sample Desc: Room 112 Bubbler		

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	0.77	ug/L	15	EPA 200.8	02/14/2024 19:45	

Lab ID: 40557053	Date Collected: 02/08/2024 06:00	Matrix: Potable Water
Sample ID: 020824-WILLMAR-53	Date Received: 02/09/2024 13:55	
Temp @ Receipt (C):		
Sample Desc: ALC Breakroom Faucet		

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	2.17	ug/L	15	EPA 200.8	02/14/2024 19:46	

Lab ID: 40557054	Date Collected: 02/08/2024 06:00	Matrix: Potable Water
Sample ID: 020824-WILLMAR-54	Date Received: 02/09/2024 13:55	
Temp @ Receipt (C):		
Sample Desc: Hallway Office Bottle Filler		

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 19:48	

Lab ID: 40557055	Date Collected: 02/08/2024 06:00	Matrix: Potable Water
Sample ID: 020824-WILLMAR-55	Date Received: 02/09/2024 13:55	
Temp @ Receipt (C):		
Sample Desc: Hallway Office Fountain		

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 19:49	

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Friday, February 16, 2024 2:47:53 PM

Page 11 of 20

**MINNESOTA VALLEY TESTING LABORATORIES, INC.**

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com

**Workorder:** Kennedy, ALC & WEAC (40557)**Client:** Institute for Environmental Assessment (IEA)**Analytical Results**

Lab ID: 40557056 **Date Collected:** 02/08/2024 06:00 **Matrix:** Potable Water
Sample ID: 020824-WILLMAR-56 **Date Received:** 02/09/2024 13:55
Temp @ Receipt (C):
Sample Desc: Hallway 100 Bottle Filler

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 19:50	

Lab ID: 40557057 **Date Collected:** 02/08/2024 06:00 **Matrix:** Potable Water
Sample ID: 020824-WILLMAR-57 **Date Received:** 02/09/2024 13:55
Temp @ Receipt (C):
Sample Desc: Hallway 100 Fountain

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 19:51	

Lab ID: 40557058 **Date Collected:** 02/08/2024 06:00 **Matrix:** Potable Water
Sample ID: 020824-WILLMAR-58 **Date Received:** 02/09/2024 13:55
Temp @ Receipt (C):
Sample Desc: ALC Kitchen Faucet Left

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	2.32	ug/L	15	EPA 200.8	02/14/2024 19:52	

Lab ID: 40557059 **Date Collected:** 02/08/2024 06:00 **Matrix:** Potable Water
Sample ID: 020824-WILLMAR-59 **Date Received:** 02/09/2024 13:55
Temp @ Receipt (C):
Sample Desc: ALC Kitchen Faucet Right

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	1.01	ug/L	15	EPA 200.8	02/14/2024 19:53	

Lab ID: 40557060 **Date Collected:** 02/08/2024 06:00 **Matrix:** Potable Water
Sample ID: 020824-WILLMAR-60 **Date Received:** 02/09/2024 13:55
Temp @ Receipt (C):
Sample Desc: Hallway 208 Bottle Filler

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 19:55	

Lab ID: 40557061 **Date Collected:** 02/08/2024 06:00 **Matrix:** Potable Water
Sample ID: 020824-WILLMAR-61 **Date Received:** 02/09/2024 13:55
Temp @ Receipt (C):
Sample Desc: Hallway 208 Fountain

Parameter	Results	Units	MCL	Method	Analyzed	Qual
-----------	---------	-------	-----	--------	----------	------

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Friday, February 16, 2024 2:47:53 PM

**MINNESOTA VALLEY TESTING LABORATORIES, INC.**

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com

**Workorder:** Kennedy, ALC & WEAC (40557)**Client:** Institute for Environmental Assessment (IEA)**Analytical Results**

Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 20:04
------	------	------	----	-----------	------------------

Lab ID: 40557062	Date Collected: 02/08/2024 06:00	Matrix: Potable Water
Sample ID: 020824-WILLMAR-62	Date Received: 02/09/2024 13:55	
Temp @ Receipt (C):		
Sample Desc: Room 203 Faucet		

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	4.13	ug/L	15	EPA 200.8	02/14/2024 20:05	

Lab ID: 40557063	Date Collected: 02/08/2024 06:00	Matrix: Potable Water
Sample ID: 020824-WILLMAR-63	Date Received: 02/09/2024 13:55	
Temp @ Receipt (C):		
Sample Desc: ALC Hallway 203 Bottle Filler		

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 20:06	

Lab ID: 40557064	Date Collected: 02/08/2024 06:00	Matrix: Potable Water
Sample ID: 020824-WILLMAR-64	Date Received: 02/09/2024 13:55	
Temp @ Receipt (C):		
Sample Desc: ALC Hallway 203 Fountain		

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 20:07	

Lab ID: 40557065	Date Collected: 02/08/2024 06:00	Matrix: Potable Water
Sample ID: 020824-WILLMAR-65	Date Received: 02/09/2024 13:55	
Temp @ Receipt (C):		
Sample Desc: Hallway 106 Bottle Filler		

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	0.52	ug/L	15	EPA 200.8	02/14/2024 20:09	

Lab ID: 40557066	Date Collected: 02/08/2024 06:00	Matrix: Potable Water
Sample ID: 020824-WILLMAR-66	Date Received: 02/09/2024 13:55	
Temp @ Receipt (C):		
Sample Desc: Hallway 106 Fountain		

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	0.55	ug/L	15	EPA 200.8	02/14/2024 20:10	

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Friday, February 16, 2024 2:47:53 PM

Page 13 of 20

**MINNESOTA VALLEY TESTING LABORATORIES, INC.**

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com

**Workorder:** Kennedy, ALC & WEAC (40557)**Client:** Institute for Environmental Assessment (IEA)**Analytical Results**

Lab ID: 40557067 **Date Collected:** 02/08/2024 06:00 **Matrix:** Potable Water
Sample ID: 020824-WILLMAR-67 **Date Received:** 02/09/2024 13:55
Temp @ Receipt (C):
Sample Desc: Hallway 351 Fountain Left

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	0.97	ug/L	15	EPA 200.8	02/14/2024 20:11	

Lab ID: 40557068 **Date Collected:** 02/08/2024 06:00 **Matrix:** Potable Water
Sample ID: 020824-WILLMAR-68 **Date Received:** 02/09/2024 13:55
Temp @ Receipt (C):
Sample Desc: Hallway 351 Fountain Right

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	2.43	ug/L	15	EPA 200.8	02/14/2024 20:12	

Lab ID: 40557069 **Date Collected:** 02/08/2024 06:00 **Matrix:** Potable Water
Sample ID: 020824-WILLMAR-69 **Date Received:** 02/09/2024 13:55
Temp @ Receipt (C):
Sample Desc: Hallway District Office Left

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	1.10	ug/L	15	EPA 200.8	02/14/2024 20:13	

Lab ID: 40557070 **Date Collected:** 02/08/2024 06:00 **Matrix:** Potable Water
Sample ID: 020824-WILLMAR-70 **Date Received:** 02/09/2024 13:55
Temp @ Receipt (C):
Sample Desc: Hallway District Office Right

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	3.02	ug/L	15	EPA 200.8	02/14/2024 20:14	

Lab ID: 40557071 **Date Collected:** 02/08/2024 06:00 **Matrix:** Potable Water
Sample ID: 020824-WILLMAR-71 **Date Received:** 02/09/2024 13:55
Temp @ Receipt (C):
Sample Desc: Room 252 RO

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 20:24	

Lab ID: 40557072 **Date Collected:** 02/08/2024 06:00 **Matrix:** Potable Water
Sample ID: 020824-WILLMAR-72 **Date Received:** 02/09/2024 13:55
Temp @ Receipt (C):
Sample Desc: Room 252 Faucet

Parameter	Results	Units	MCL	Method	Analyzed	Qual
-----------	---------	-------	-----	--------	----------	------

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Friday, February 16, 2024 2:47:53 PM

**MINNESOTA VALLEY TESTING LABORATORIES, INC.**

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com

**Workorder:** Kennedy, ALC & WEAC (40557)**Client:** Institute for Environmental Assessment (IEA)**Analytical Results**

Lead		7.41	ug/L	15	EPA 200.8	02/14/2024 20:25
Lab ID:	40557073	Date Collected:	02/08/2024 06:00		Matrix:	Potable Water
Sample ID:	020824-WILLMAR-73	Date Received:	02/09/2024 13:55			
Temp @ Receipt (C):						
Sample Desc:	Hallway 100 Fountain					
Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	0.66	ug/L	15	EPA 200.8	02/14/2024 20:26	

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Friday, February 16, 2024 2:47:53 PM

Page 15 of 20




MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com



Workorder: Kennedy, ALC & WEAC (40557)

Client: Institute for Environmental Assessment (IEA)



MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Friday, February 16, 2024 2:47:53 PM

Page 16 of 20



MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com



Workorder: Kennedy, ALC & WEAC (40557)

Client: Institute for Environmental Assessment (IEA)

1 of 3

Chain of Custody

9201 West Broadway North, Suite 600
Bismarck, ND 58503
763.315.7900 • 1.800.233.8613



Client Name			Building Name			Analytical Lab			MVTL		
Contact Name			Project #			Project Name			Willmar - 2024 Lead in Water Sampling		
Phone #			IEA Fax #			Written Sample Results To			aaron.hess@ieasafety.com		
507-829-7372											
Other Information											
Sampled By			Date	Time	Analysed By	Analyst			Date & Time		
Shipped By			Date	Time	Turnaround Time	Notes					
Received By			Date	Time	Sample Condition	Temperature					
Lab Number	Sample Number	Sample Location (EX: Kitchen Room 123 NW Corner Left - KS)	Sample Type			Date Sampled	Time Sampled	Volume/ Bottle Type	Analysis Required	Comments & Observations	
			Water	Soil	Other						
821	020824-WILLMAR-01	Hallway 133 Gym Bottle Filler	X			2/8/2024	5:56 AM	250 ml unpreserved	Lead	Kennedy Elementary	
822	020824-WILLMAR-02	Hallway 133 Gym Fountain	X			2/8/2024	5:56 AM	250 ml unpreserved	Lead	Kennedy Elementary	
823	020824-WILLMAR-03	Kitchen Back Sprayer	X			2/8/2024	5:56 AM	250 ml unpreserved	Lead	Kennedy Elementary	
824	020824-WILLMAR-04	Kitchen Back Faucet	X			2/8/2024	5:59 AM	250 ml unpreserved	Lead	Kennedy Elementary	
825	020824-WILLMAR-05	Kitchen Mid Back Faucet Left	X			2/8/2024	6:01 AM	250 ml unpreserved	Lead	Kennedy Elementary	
826	020824-WILLMAR-06	Kitchen Mid Back Sprayer Right	X			2/8/2024	6:02 AM	250 ml unpreserved	Lead	Kennedy Elementary	
827	020824-WILLMAR-07	Kitchen Steamer Kettle Sprayer	X			2/8/2024	6:04 AM	250 ml unpreserved	Lead	Kennedy Elementary	
828	020824-WILLMAR-08	Kitchen Front Island Faucet	X			2/8/2024	6:04 AM	250 ml unpreserved	Lead	Kennedy Elementary	
829	020824-WILLMAR-09	Cafeteria Bottle Filler	X			2/8/2024	6:04 AM	250 ml unpreserved	Lead	Kennedy Elementary	
10	020824-WILLMAR-10	Cafeteria Fountain	X			2/8/2024	6:08 AM	250 ml unpreserved	Lead	Kennedy Elementary	
11	020824-WILLMAR-11	Staff Lounge Faucet	X			2/8/2024	6:22 AM	250 ml unpreserved	Lead	Kennedy Elementary	
12	020824-WILLMAR-12	Elevator Bottle Filler	X			2/8/2024	6:22 AM	250 ml unpreserved	Lead	Kennedy Elementary	
13	020824-WILLMAR-13	Elevator Fountain	X			2/8/2024	6:23 AM	250 ml unpreserved	Lead	Kennedy Elementary	
14	020824-WILLMAR-14	Main Office Faucet	X			2/8/2024	6:24 AM	250 ml unpreserved	Lead	Kennedy Elementary	
15	020824-WILLMAR-15	Nurses Office Faucet	X			2/8/2024	6:25 AM	250 ml unpreserved	Lead	Kennedy Elementary	
16	020824-WILLMAR-16	Nurses Office Bathroom Faucet	X			2/8/2024	6:26 AM	250 ml unpreserved	Lead	Kennedy Elementary	
17	020824-WILLMAR-17	Hallway 152 Bottle Filler	X			2/8/2024	6:27 AM	250 ml unpreserved	Lead	Kennedy Elementary	
18	020824-WILLMAR-18	Hallway 152 Fountain	X			2/8/2024	6:29 AM	250 ml unpreserved	Lead	Kennedy Elementary	
19	020824-WILLMAR-19	Hallway 168 Bottle Filler	X			2/8/2024	6:30 AM	250 ml unpreserved	Lead	Kennedy Elementary	
20	020824-WILLMAR-20	Hallway 168 Fountain	X			2/8/2024	6:32 AM	250 ml unpreserved	Lead	Kennedy Elementary	
21	020824-WILLMAR-21	Hallway 218 Bottle Filler	X			2/8/2024	6:33 AM	250 ml unpreserved	Lead	Kennedy Elementary	
22	020824-WILLMAR-22	Hallway 218 Fountain	X			2/8/2024	6:34 AM	250 ml unpreserved	Lead	Kennedy Elementary	
23	020824-WILLMAR-23	Hallway 213 Bottle Filler	X			2/8/2024	6:36 AM	250 ml unpreserved	Lead	Kennedy Elementary	
24	020824-WILLMAR-24	Hallway 213 Fountain	X			2/8/2024	6:36 AM	250 ml unpreserved	Lead	Kennedy Elementary	
25	020824-WILLMAR-25	Hallway 203 Bottle Filler	X			2/8/2024	6:36 AM	250 ml unpreserved	Lead	Kennedy Elementary	
26	020824-WILLMAR-26	Hallway 203 Fountain	X			2/8/2024	6:37 AM	250 ml unpreserved	Lead	Kennedy Elementary	
27	020824-WILLMAR-27	Hallway Auditorium Bottle Filler	X			2/8/2024	6:37 AM	250 ml unpreserved	Lead	Kennedy Elementary	
28	020824-WILLMAR-28	Hallway Auditorium Fountain	X			2/8/2024	6:38 AM	250 ml unpreserved	Lead	Kennedy Elementary	
29	020824-WILLMAR-29	Hallway Stage Bottle Filler	X			2/8/2024	6:39 AM	250 ml unpreserved	Lead	Kennedy Elementary	

Original - Analytical Lab
Copy - Client File
Copy - IEA Lab

Amg 53 09 FEB 24 1355 7.9 774
Brian Williams 9 FEB 2024 13:55 7.9 774

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Friday, February 16, 2024 2:47:53 PM

Page 17 of 20



MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com



Workorder: Kennedy, ALC & WEAC (40557)

Client: Institute for Environmental Assessment (IEA)

2 of 3

Chain of Custody

9201 West Broadway North, Suite 600
Brooklyn Park, MN 55443
763.315.7960 • 1.800.233.3513



40557

Client Name			Building Name			Analytical Lab			MVTL			
Contact Name			Project #			Project Name			Willmar - 2024 Lead in Water Sampling			
Phone #			IEA Fax #			Written Sample Results To			aaron.hess@ieasafety.com			
Other Information												
Sampled By			Date		Time		Analyzed By		Analyst		Date & Time	
Shipped By			Date		Time		Turnaround Time		Notes			
Received By			Date		Time		Sample Condition		Temperature			
Lab Number	Sample Number	Sample Location (EX: Kitchen Room 123 NW Corner Left - KS)	Sample Type			Date Sampled	Time Sampled	Volume/ Bottle Type	Analysis Required	Comments & Observations		
			Water	Soil	Other							
32	020824-WILLMAR-30	Hallway Stage Fountain	X			2/8/2024	6:40 AM	250 ml unpreserved	Lead	Kennedy Elementary		
32	020824-WILLMAR-31	Room 138 Faucet	X			2/8/2024	6:41 AM	250 ml unpreserved	Lead	Kennedy Elementary		
32	020824-WILLMAR-32	Room 140 Lounge Faucet	X			2/8/2024	6:41 AM	250 ml unpreserved	Lead	Kennedy Elementary		
32	020824-WILLMAR-33	Room 122 Bubbler	X			2/8/2024	6:43 AM	250 ml unpreserved	Lead	Kennedy Elementary		
32	020824-WILLMAR-34	Hallway 120 Bottle Filler	X			2/8/2024	6:45 AM	250 ml unpreserved	Lead	Kennedy Elementary		
32	020824-WILLMAR-35	Hallway 120 Fountain	X			2/8/2024	6:46 AM	250 ml unpreserved	Lead	Kennedy Elementary		
32	020824-WILLMAR-36	Room 118 Faucet	X			2/8/2024	6:47 AM	250 ml unpreserved	Lead	Kennedy Elementary		
32	020824-WILLMAR-37	Room 118 Bubbler	X			2/8/2024	6:48 AM	250 ml unpreserved	Lead	Kennedy Elementary		
32	020824-WILLMAR-38	Room 116 Bubbler	X			2/8/2024	6:50 AM	250 ml unpreserved	Lead	Kennedy Elementary		
32	020824-WILLMAR-39	Room 114 Bubbler	X			2/8/2024	6:54 AM	250 ml unpreserved	Lead	Kennedy Elementary		
32	020824-WILLMAR-40	Room 110 Bubbler	X			2/8/2024	6:56 AM	250 ml unpreserved	Lead	Kennedy Elementary		
32	020824-WILLMAR-41	Room 108 Bubbler	X			2/8/2024	7:17 AM	250 ml unpreserved	Lead	Kennedy Elementary		
32	020824-WILLMAR-42	Room 108 Faucet	X			2/8/2024	7:18 AM	250 ml unpreserved	Lead	Kennedy Elementary		
32	020824-WILLMAR-43	Room 106 Faucet	X			2/8/2024	7:21 AM	250 ml unpreserved	Lead	Kennedy Elementary		
32	020824-WILLMAR-44	Room 104 Faucet	X			2/8/2024	7:21 AM	250 ml unpreserved	Lead	Kennedy Elementary		
32	020824-WILLMAR-45	Room 102 Faucet	X			2/8/2024	7:22 AM	250 ml unpreserved	Lead	Kennedy Elementary		
32	020824-WILLMAR-46	Room 102 Bubbler	X			2/8/2024	7:23 AM	250 ml unpreserved	Lead	Kennedy Elementary		
32	020824-WILLMAR-47	Room 105 Bubbler	X			2/8/2024	7:24 AM	250 ml unpreserved	Lead	Kennedy Elementary		
32	020824-WILLMAR-48	Room 105 Faucet	X			2/8/2024	7:24 AM	250 ml unpreserved	Lead	Kennedy Elementary		
32	020824-WILLMAR-49	Room 107 Bubbler	X			2/8/2024	7:25 AM	250 ml unpreserved	Lead	Kennedy Elementary		
32	020824-WILLMAR-50	Room 107 Faucet	X			2/8/2024	7:27 AM	250 ml unpreserved	Lead	Kennedy Elementary		
32	020824-WILLMAR-51	Room 112 Faucet	X			2/8/2024	7:28 AM	250 ml unpreserved	Lead	Kennedy Elementary		
32	020824-WILLMAR-52	Room 112 Bubbler	X			2/8/2024	7:30 AM	250 ml unpreserved	Lead	Kennedy Elementary		
32	020824-WILLMAR-53	ALC Breakroom Faucet	X			2/8/2024	7:31 AM	250 ml unpreserved	Lead	Garfield ALC		
32	020824-WILLMAR-54	Hallway Office Bottle Filler	X			2/8/2024	7:31 AM	250 ml unpreserved	Lead	Garfield ALC		
32	020824-WILLMAR-55	Hallway Office Fountain	X			2/8/2024	7:32 AM	250 ml unpreserved	Lead	Garfield ALC		
32	020824-WILLMAR-56	Hallway 100 Bottle Filler	X			2/8/2024	7:32 AM	250 ml unpreserved	Lead	Garfield ALC		
32	020824-WILLMAR-57	Hallway 100 Fountain	X			2/8/2024	7:33 AM	250 ml unpreserved	Lead	Garfield ALC		
32	020824-WILLMAR-58	ALC Kitchen Faucet Left	X			2/8/2024	7:33 AM	250 ml unpreserved	Lead	Garfield ALC		

Original - Analytical Lab
Copy - Client File
Copy - IEA Lab

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Friday, February 16, 2024 2:47:53 PM

Page 18 of 20



MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com



Workorder: Kennedy, ALC & WEAC (40557)

Client: Institute for Environmental Assessment (IEA)

Chain of Custody

9201 West Broadway North, Suite 600
Bismarck, ND 58505
763.315.7900 1.800.233.9513



Client Name		Willmar Public Schools		Building Name		Kennedy, ALC & WEAC		Analytical Lab		MVTL	
Contact Name		Aaron Hess		Project #		202410037		Project Name		Willmar - 2024 Lead in Water Sampling	
Phone #		507-829-7372		IEA Fax #				Written Sample Results To		aaron.hess@ieasafety.com	
Other Information											
Sampled By		Aaron Hess		Date		2/8/2024		Time		6:00 AM	
Shipped By		MVTL 1126 N Front St Building #New Ulm, MN 56073		Date		2/8/2024		Time		Turnaround Time	
Received By				Date				Sample Condition		Temperature	
Lab Number	Sample Number	Sample Location (EX: Kitchen Room 123 NW Corner Left - KS)	Sample Type			Date Sampled	Time Sampled	Volume/ Bottle Type	Analysis Required	Comments & Observations	
			Water	Soil	Other						
59	020824-WILLMAR-59	ALC Kitchen Faucet Right	X			2/8/2024	7:34 AM	250 ml unpreserved	Lead	Garfield ALC	
60	020824-WILLMAR-60	Hallway 208 Bottle Filler	X			2/8/2024	7:35 AM	250 ml unpreserved	Lead	Garfield ALC	
61	020824-WILLMAR-61	Hallway 208 Fountain	X			2/8/2024	7:35 AM	250 ml unpreserved	Lead	Garfield ALC	
62	020824-WILLMAR-62	Room 203 Faucet	X			2/8/2024	7:36 AM	250 ml unpreserved	Lead	Garfield ALC	
63	020824-WILLMAR-63	ALC Hallway 203 Bottle Filler	X			2/8/2024	7:36 AM	250 ml unpreserved	Lead	Garfield ALC	
64	020824-WILLMAR-64	ALC Hallway 203 Fountain	X			2/8/2024	7:37 AM	250 ml unpreserved	Lead	Garfield ALC	
65	020824-WILLMAR-65	Hallway 106 Bottle Filler	X			2/8/2024	7:37 AM	250 ml unpreserved	Lead	WEAC	
66	020824-WILLMAR-66	Hallway 106 Fountain	X			2/8/2024	7:38 AM	250 ml unpreserved	Lead	WEAC	
67	020824-WILLMAR-67	Hallway 351 Fountain Left	X			2/8/2024	7:40 AM	250 ml unpreserved	Lead	WEAC	
68	020824-WILLMAR-68	Hallway 351 Fountain Right	X			2/8/2024	7:40 AM	250 ml unpreserved	Lead	WEAC	
69	020824-WILLMAR-69	Hallway District Office Left	X			2/8/2024	7:41 AM	250 ml unpreserved	Lead	WEAC	
70	020824-WILLMAR-70	Hallway District Office Right	X			2/8/2024	7:42 AM	250 ml unpreserved	Lead	WEAC	
71	020824-WILLMAR-71	Room 252 RO	X			2/8/2024	7:44 AM	250 ml unpreserved	Lead	WEAC	
72	020824-WILLMAR-72	Room 252 Faucet	X			2/8/2024	7:45 AM	250 ml unpreserved	Lead	WEAC	
73	020824-WILLMAR-73	Hallway 100 Fountain	X			2/8/2024	7:46 AM	250 ml unpreserved	Lead	WEAC	

Original - Analytical Lab
Copy - Client File
Copy - IEA Lab

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Friday, February 16, 2024 2:47:53 PM

Page 19 of 20



MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com



Workorder: Kennedy, ALC & WEAC (40557)

Client: Institute for Environmental Assessment (IEA)

Sample Condition Checklist

Date: 09 Feb 24 Time: 1355 ☐ AM ☒ PM By: SJ

Account Name: Willmar Public Schools - 020824 Account #:

Bill of Lading #: Cooler #:

Temp: 7.9 °C ROI ☐ Ambient ☒ Tracking #:

TM#: 774 Ice Crystals Present in Sample ☐

MVTL Courier: Brian Williams Other:

MVTL Route: Walk-In ☐ UPS Air ☐ FedEx Air ☐ SpeedDee ☐
Mail ☐ UPS Ground ☐ FedEx Ground ☐

Containers Supplied by MVTL: Yes ☒ No ☐ Designate customer supplied containers as "Other" in container size column

Comments:												pH						
Number	Containers Size (mL)	Container Type				Preservation												
73	(100) (120) (125) (250) (290) (500) (1000) Other	(G)	(P)	(AG)	(AP)	NaHSO ₄	Na ₂ O ₃ S ₂	NONE	HNO ₃	H ₂ SO ₄	NaOH	HCl	SUB*	<2	>9	>12	N/A	Add
	(100) (120) (125) (250) (290) (500) (1000) Other	(G)	(P)	(AG)	(AP)	NaHSO ₄	Na ₂ O ₃ S ₂	NONE	HNO ₃	H ₂ SO ₄	NaOH	HCl	SUB*	<2	>9	>12	N/A	Add
	(100) (120) (125) (250) (290) (500) (1000) Other	(G)	(P)	(AG)	(AP)	NaHSO ₄	Na ₂ O ₃ S ₂	NONE	HNO ₃	H ₂ SO ₄	NaOH	HCl	SUB*	<2	>9	>12	N/A	Add
	(100) (120) (125) (250) (290) (500) (1000) Other	(G)	(P)	(AG)	(AP)	NaHSO ₄	Na ₂ O ₃ S ₂	NONE	HNO ₃	H ₂ SO ₄	NaOH	HCl	SUB*	<2	>9	>12	N/A	Add
	(100) (120) (125) (250) (290) (500) (1000) Other	(G)	(P)	(AG)	(AP)	NaHSO ₄	Na ₂ O ₃ S ₂	NONE	HNO ₃	H ₂ SO ₄	NaOH	HCl	SUB*	<2	>9	>12	N/A	Add
	(100) (120) (125) (250) (290) (500) (1000) Other	(G)	(P)	(AG)	(AP)	NaHSO ₄	Na ₂ O ₃ S ₂	NONE	HNO ₃	H ₂ SO ₄	NaOH	HCl	SUB*	<2	>9	>12	N/A	Add
	(100) (120) (125) (250) (290) (500) (1000) Other	(G)	(P)	(AG)	(AP)	NaHSO ₄	Na ₂ O ₃ S ₂	NONE	HNO ₃	H ₂ SO ₄	NaOH	HCl	SUB*	<2	>9	>12	N/A	Add
	(100) (120) (125) (250) (290) (500) (1000) Other	(G)	(P)	(AG)	(AP)	NaHSO ₄	Na ₂ O ₃ S ₂	NONE	HNO ₃	H ₂ SO ₄	NaOH	HCl	SUB*	<2	>9	>12	N/A	Add
!DO NOT OPEN THE PLASTIC BAGS HOLDING THE SAMPLE BOTTLES!!																		
	Low Level Mercury Kit																	
	4 oz Jar	Clear	Amber	MeOH						None				n/a				
	2 oz Jar	Clear	Amber	MeOH						None				n/a				
	Vials Individual Set of 2 Set of 3	Clear	Amber	HCl		H ₃ PO ₄		H ₂ SO ₄		None		n/a						
	Vials Individual Set of 2 Set of 3	Clear	Amber	HCl		H ₃ PO ₄		H ₂ SO ₄		None		n/a						
	Trip Blank Individual Set of 2 Set of 3	n/a																
	Moisture Vial	n/a																
	Manure Bottle	n/a																

*ANY CONTAINER SENT TO A SUBCONTRACT LABORATORY WILL NOT BE CHECKED FOR PRESERVATION!

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Friday, February 16, 2024 2:47:53 PM

**MINNESOTA VALLEY TESTING LABORATORIES, INC.**

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com



Workorder: High School & Lakeland (40558)
Account #: 2190
Project #: 202410037

Client: Institute for Environmental Assessment (IEA)
PO: 202410037

Emma Squires-Sperling
IEA / Brooklyn Park
9201 W Broadway Suite #600
Brooklyn Park, MN 55445

Certificate of Analysis**Approval**

All data reported has been reviewed and approved by:

Dave Smahel, Inorganic Chemistry/Feed Lab Manager New Ulm, MN

Analyses performed under Minnesota Department of Health Accreditation conforms to the current TNI standards.

NEW ULM LAB CERTIFICATIONS:
MN LAB # 027-015-125ND WW/DW # R-040

BISMARCK LAB CERTIFICATIONS:
MN LAB # 038-999-267ND W/DW # ND-016

Workorder Comments

All samples were preserved with nitric acid upon receipt at the laboratory.

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Friday, February 16, 2024 2:47:53 PM

**MINNESOTA VALLEY TESTING LABORATORIES, INC.**

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com

**Workorder:** High School & Lakeland (40558)**Client:** Institute for Environmental Assessment (IEA)**Analytical Results**

Lab ID: 40558001 **Date Collected:** 02/06/2024 06:00 **Matrix:** Potable Water
Sample ID: 020624-WILLMAR-01 **Date Received:** 02/09/2024 13:55
Temp @ Receipt (C):
Sample Desc: HS Kitchen Steamer Kettle

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 20:27	

Lab ID: 40558002 **Date Collected:** 02/06/2024 06:00 **Matrix:** Potable Water
Sample ID: 020624-WILLMAR-02 **Date Received:** 02/09/2024 13:55
Temp @ Receipt (C):
Sample Desc: HS Kitchen Square Steamer Kettle

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	3.35	ug/L	15	EPA 200.8	02/16/2024 12:51	

Lab ID: 40558003 **Date Collected:** 02/06/2024 06:00 **Matrix:** Potable Water
Sample ID: 020624-WILLMAR-03 **Date Received:** 02/09/2024 13:55
Temp @ Receipt (C):
Sample Desc: HS Kitchen Back Faucet Left

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 20:28	

Lab ID: 40558004 **Date Collected:** 02/06/2024 06:00 **Matrix:** Potable Water
Sample ID: 020624-WILLMAR-04 **Date Received:** 02/09/2024 13:55
Temp @ Receipt (C):
Sample Desc: HS Kitchen Back Spray Right

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 20:29	

Lab ID: 40558005 **Date Collected:** 02/06/2024 06:00 **Matrix:** Potable Water
Sample ID: 020624-WILLMAR-05 **Date Received:** 02/09/2024 13:55
Temp @ Receipt (C):
Sample Desc: Fitness Men's Fountain Left

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 20:31	

Lab ID: 40558006 **Date Collected:** 02/06/2024 06:00 **Matrix:** Potable Water
Sample ID: 020624-WILLMAR-06 **Date Received:** 02/09/2024 13:55
Temp @ Receipt (C):
Sample Desc: Fitness Men's Bottle Filler Right

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Friday, February 16, 2024 2:47:53 PM

**MINNESOTA VALLEY TESTING LABORATORIES, INC.**

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com

**Workorder:** High School & Lakeland (40558)**Client:** Institute for Environmental Assessment (IEA)**Analytical Results**

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 20:32	

Lab ID: 40558007
Sample ID: 020624-WILLMAR-07
Temp @ Receipt (C):
Sample Desc: Fitness Men's Fountain Right

Matrix: Potable Water

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 20:33	

Lab ID: 40558008
Sample ID: 020624-WILLMAR-08
Temp @ Receipt (C):
Sample Desc: Training Rm Fountain Left

Matrix: Potable Water

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 20:34	

Lab ID: 40558009
Sample ID: 020624-WILLMAR-09
Temp @ Receipt (C):
Sample Desc: Training Rm Bottle Filler Right

Matrix: Potable Water

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 20:43	

Lab ID: 40558010
Sample ID: 020624-WILLMAR-10
Temp @ Receipt (C):
Sample Desc: Training Rm Fountain Right

Matrix: Potable Water

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 20:45	

Lab ID: 40558011
Sample ID: 020624-WILLMAR-11
Temp @ Receipt (C):
Sample Desc: 502 Main Gym Bottle Filler

Matrix: Potable Water

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 20:46	

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Friday, February 16, 2024 2:47:53 PM

**MINNESOTA VALLEY TESTING LABORATORIES, INC.**

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com

**Workorder:** High School & Lakeland (40558)**Client:** Institute for Environmental Assessment (IEA)**Analytical Results**

Lab ID: 40558012 **Date Collected:** 02/06/2024 06:00 **Matrix:** Potable Water
Sample ID: 020624-WILLMAR-12 **Date Received:** 02/09/2024 13:55
Temp @ Receipt (C):
Sample Desc: 502 Main Gym Fountain

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 20:47	

Lab ID: 40558013 **Date Collected:** 02/06/2024 06:00 **Matrix:** Potable Water
Sample ID: 020624-WILLMAR-13 **Date Received:** 02/09/2024 13:55
Temp @ Receipt (C):
Sample Desc: Cafeteria Staff Lounge Faucet

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	2.13	ug/L	15	EPA 200.8	02/14/2024 20:48	

Lab ID: 40558014 **Date Collected:** 02/06/2024 06:00 **Matrix:** Potable Water
Sample ID: 020624-WILLMAR-14 **Date Received:** 02/09/2024 13:55
Temp @ Receipt (C):
Sample Desc: Cafeteria Fountain Left

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 20:49	

Lab ID: 40558015 **Date Collected:** 02/06/2024 06:00 **Matrix:** Potable Water
Sample ID: 020624-WILLMAR-15 **Date Received:** 02/09/2024 13:55
Temp @ Receipt (C):
Sample Desc: Cafeteria Fountain Right

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 20:50	

Lab ID: 40558016 **Date Collected:** 02/06/2024 06:00 **Matrix:** Potable Water
Sample ID: 020624-WILLMAR-16 **Date Received:** 02/09/2024 13:55
Temp @ Receipt (C):
Sample Desc: Pool Fountain

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	2.40	ug/L	15	EPA 200.8	02/14/2024 20:51	

Lab ID: 40558017 **Date Collected:** 02/06/2024 06:00 **Matrix:** Potable Water
Sample ID: 020624-WILLMAR-17 **Date Received:** 02/09/2024 13:55
Temp @ Receipt (C):
Sample Desc: 508 Band Faucet

Parameter	Results	Units	MCL	Method	Analyzed	Qual
-----------	---------	-------	-----	--------	----------	------

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Friday, February 16, 2024 2:47:53 PM

**MINNESOTA VALLEY TESTING LABORATORIES, INC.**

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com

**Workorder:** High School & Lakeland (40558)**Client:** Institute for Environmental Assessment (IEA)**Analytical Results**

Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 20:53
------	------	------	----	-----------	------------------

Lab ID: 40558018	Date Collected: 02/06/2024 06:00	Matrix: Potable Water
Sample ID: 020624-WILLMAR-18	Date Received: 02/09/2024 13:55	
Temp @ Receipt (C):		
Sample Desc: 607 Training Room Faucet		

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	0.63	ug/L	15	EPA 200.8	02/14/2024 20:54	

Lab ID: 40558019	Date Collected: 02/06/2024 06:00	Matrix: Potable Water
Sample ID: 020624-WILLMAR-19	Date Received: 02/09/2024 13:55	
Temp @ Receipt (C):		
Sample Desc: 102 Nurse's Office Faucet		

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	1.77	ug/L	15	EPA 200.8	02/14/2024 21:03	

Lab ID: 40558020	Date Collected: 02/06/2024 06:00	Matrix: Potable Water
Sample ID: 020624-WILLMAR-20	Date Received: 02/09/2024 13:55	
Temp @ Receipt (C):		
Sample Desc: 203A Faucet		

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 21:04	

Lab ID: 40558021	Date Collected: 02/06/2024 06:00	Matrix: Potable Water
Sample ID: 020624-WILLMAR-21	Date Received: 02/09/2024 13:55	
Temp @ Receipt (C):		
Sample Desc: 202A Faucet		

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	2.04	ug/L	15	EPA 200.8	02/14/2024 21:05	

Lab ID: 40558022	Date Collected: 02/06/2024 06:00	Matrix: Potable Water
Sample ID: 020624-WILLMAR-22	Date Received: 02/09/2024 13:55	
Temp @ Receipt (C):		
Sample Desc: Hallway 202 Fountain Left		

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 21:07	

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Friday, February 16, 2024 2:47:53 PM

Page 5 of 21

**MINNESOTA VALLEY TESTING LABORATORIES, INC.**

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com

**Workorder:** High School & Lakeland (40558)**Client:** Institute for Environmental Assessment (IEA)**Analytical Results**

Lab ID:	40558023	Date Collected:	02/06/2024 06:00	Matrix:	Potable Water	
Sample ID:	020624-WILLMAR-23	Date Received:	02/09/2024 13:55			
Temp @ Receipt (C):						
Sample Desc:	Hallway 202 Bottle Filler Right					
Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 21:08	

Lab ID:	40558024	Date Collected:	02/06/2024 06:00	Matrix:	Potable Water	
Sample ID:	020624-WILLMAR-24	Date Received:	02/09/2024 13:55			
Temp @ Receipt (C):						
Sample Desc:	Hallway 202 Fountain Right					
Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 21:09	

Lab ID:	40558025	Date Collected:	02/06/2024 06:00	Matrix:	Potable Water	
Sample ID:	020624-WILLMAR-25	Date Received:	02/09/2024 13:55			
Temp @ Receipt (C):						
Sample Desc:	206 FACS Green Faucet					
Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 21:10	

Lab ID:	40558026	Date Collected:	02/06/2024 06:00	Matrix:	Potable Water	
Sample ID:	020624-WILLMAR-26	Date Received:	02/09/2024 13:55			
Temp @ Receipt (C):						
Sample Desc:	206 FACS Yellow Faucet					
Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 21:11	

Lab ID:	40558027	Date Collected:	02/06/2024 06:00	Matrix:	Potable Water	
Sample ID:	020624-WILLMAR-27	Date Received:	02/09/2024 13:55			
Temp @ Receipt (C):						
Sample Desc:	206 FACS Orange Faucet					
Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 21:12	

Lab ID:	40558028	Date Collected:	02/06/2024 06:00	Matrix:	Potable Water	
Sample ID:	020624-WILLMAR-28	Date Received:	02/09/2024 13:55			
Temp @ Receipt (C):						
Sample Desc:	206 FACS Purple Faucet					
Parameter	Results	Units	MCL	Method	Analyzed	Qual

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Friday, February 16, 2024 2:47:53 PM

Page 6 of 21

**MINNESOTA VALLEY TESTING LABORATORIES, INC.**

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com

**Workorder:** High School & Lakeland (40558)**Client:** Institute for Environmental Assessment (IEA)**Analytical Results**

Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 21:14
------	------	------	----	-----------	------------------

Lab ID: 40558029	Date Collected: 02/06/2024 06:00	Matrix: Potable Water
Sample ID: 020624-WILLMAR-29	Date Received: 02/09/2024 13:55	
Temp @ Receipt (C):		
Sample Desc: 206 FACS Red Faucet		

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 18:57	

Lab ID: 40558030	Date Collected: 02/06/2024 06:00	Matrix: Potable Water
Sample ID: 020624-WILLMAR-30	Date Received: 02/09/2024 13:55	
Temp @ Receipt (C):		
Sample Desc: 206 FACS Red RO		

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 18:58	

Lab ID: 40558031	Date Collected: 02/06/2024 06:00	Matrix: Potable Water
Sample ID: 020624-WILLMAR-31	Date Received: 02/09/2024 13:55	
Temp @ Receipt (C):		
Sample Desc: 206 FACS Blue Faucet		

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 18:59	

Lab ID: 40558032	Date Collected: 02/06/2024 06:00	Matrix: Potable Water
Sample ID: 020624-WILLMAR-32	Date Received: 02/09/2024 13:55	
Temp @ Receipt (C):		
Sample Desc: 206 FACS Blue RO		

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 19:00	

Lab ID: 40558033	Date Collected: 02/06/2024 06:00	Matrix: Potable Water
Sample ID: 020624-WILLMAR-33	Date Received: 02/09/2024 13:55	
Temp @ Receipt (C):		
Sample Desc: Media Center Office Faucet		

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	4.92	ug/L	15	EPA 200.8	02/14/2024 19:01	

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Friday, February 16, 2024 2:47:53 PM

Page 7 of 21

**MINNESOTA VALLEY TESTING LABORATORIES, INC.**

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com

**Workorder:** High School & Lakeland (40558)**Client:** Institute for Environmental Assessment (IEA)**Analytical Results**

Lab ID:	40558034	Date Collected:	02/06/2024 06:00	Matrix:	Potable Water	
Sample ID:	020624-WILLMAR-34	Date Received:	02/09/2024 13:55			
Temp @ Receipt (C):						
Sample Desc:	Hallway 105 Fountain Left					
Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 19:02	

Lab ID:	40558035	Date Collected:	02/06/2024 06:00	Matrix:	Potable Water	
Sample ID:	020624-WILLMAR-35	Date Received:	02/09/2024 13:55			
Temp @ Receipt (C):						
Sample Desc:	Hallway 105 Bottle Filler Right					
Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 19:03	

Lab ID:	40558036	Date Collected:	02/06/2024 06:00	Matrix:	Potable Water	
Sample ID:	020624-WILLMAR-36	Date Received:	02/09/2024 13:55			
Temp @ Receipt (C):						
Sample Desc:	Hallway 105 Fountain Right					
Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 19:04	

Lab ID:	40558037	Date Collected:	02/06/2024 06:00	Matrix:	Potable Water	
Sample ID:	020624-WILLMAR-37	Date Received:	02/09/2024 13:55			
Temp @ Receipt (C):						
Sample Desc:	Hallway 705 Fountain Left					
Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 19:05	

Lab ID:	40558038	Date Collected:	02/06/2024 06:00	Matrix:	Potable Water	
Sample ID:	020624-WILLMAR-38	Date Received:	02/09/2024 13:55			
Temp @ Receipt (C):						
Sample Desc:	Hallway 705 Bottle Filler Right					
Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 19:06	

Lab ID:	40558039	Date Collected:	02/06/2024 06:00	Matrix:	Potable Water	
Sample ID:	020624-WILLMAR-39	Date Received:	02/09/2024 13:55			
Temp @ Receipt (C):						
Sample Desc:	Hallway 705 Fountain Right					
Parameter	Results	Units	MCL	Method	Analyzed	Qual

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Friday, February 16, 2024 2:47:53 PM

Page 8 of 21

**MINNESOTA VALLEY TESTING LABORATORIES, INC.**

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com

**Workorder:** High School & Lakeland (40558)**Client:** Institute for Environmental Assessment (IEA)**Analytical Results**

Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 19:15
------	------	------	----	-----------	------------------

Lab ID: 40558040	Date Collected: 02/06/2024 06:00	Matrix: Potable Water
Sample ID: 020624-WILLMAR-40	Date Received: 02/09/2024 13:55	
Temp @ Receipt (C):		
Sample Desc: 803B Faucet		

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	1.83	ug/L	15	EPA 200.8	02/14/2024 19:16	

Lab ID: 40558041	Date Collected: 02/06/2024 06:00	Matrix: Potable Water
Sample ID: 020624-WILLMAR-41	Date Received: 02/09/2024 13:55	
Temp @ Receipt (C):		
Sample Desc: 802C Faucet		

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	1.23	ug/L	15	EPA 200.8	02/14/2024 19:17	

Lab ID: 40558042	Date Collected: 02/06/2024 06:00	Matrix: Potable Water
Sample ID: 020624-WILLMAR-42	Date Received: 02/09/2024 13:55	
Temp @ Receipt (C):		
Sample Desc: Hallway 804 Fountain Left		

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 19:18	

Lab ID: 40558043	Date Collected: 02/06/2024 06:00	Matrix: Potable Water
Sample ID: 020624-WILLMAR-43	Date Received: 02/09/2024 13:55	
Temp @ Receipt (C):		
Sample Desc: Hallway 804 Bottle Filler Right		

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 19:19	

Lab ID: 40558044	Date Collected: 02/06/2024 06:00	Matrix: Potable Water
Sample ID: 020624-WILLMAR-44	Date Received: 02/09/2024 13:55	
Temp @ Receipt (C):		
Sample Desc: Hallway 804 Fountain Right		

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 19:20	

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Friday, February 16, 2024 2:47:53 PM

Page 9 of 21

**MINNESOTA VALLEY TESTING LABORATORIES, INC.**

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com

**Workorder:** High School & Lakeland (40558)**Client:** Institute for Environmental Assessment (IEA)**Analytical Results**

Lab ID:	40558045	Date Collected:	02/06/2024 06:00	Matrix:	Potable Water	
Sample ID:	020624-WILLMAR-45	Date Received:	02/09/2024 13:55			
Temp @ Receipt (C):						
Sample Desc:	Concession Stand Faucet					
Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	3.23	ug/L	15	EPA 200.8	02/14/2024 19:21	

Lab ID:	40558046	Date Collected:	02/06/2024 06:00	Matrix:	Potable Water	
Sample ID:	020624-WILLMAR-46	Date Received:	02/09/2024 13:55			
Temp @ Receipt (C):						
Sample Desc:	Nurse's Office Faucet					
Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 19:22	

Lab ID:	40558047	Date Collected:	02/06/2024 06:00	Matrix:	Potable Water	
Sample ID:	020624-WILLMAR-47	Date Received:	02/09/2024 13:55			
Temp @ Receipt (C):						
Sample Desc:	Kitchen Steam Kettle					
Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	3.22	ug/L	15	EPA 200.8	02/14/2024 19:23	

Lab ID:	40558048	Date Collected:	02/06/2024 06:00	Matrix:	Potable Water	
Sample ID:	020624-WILLMAR-48	Date Received:	02/09/2024 13:55			
Temp @ Receipt (C):						
Sample Desc:	Kitchen Back Sprayer					
Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 19:24	

Lab ID:	40558049	Date Collected:	02/06/2024 06:00	Matrix:	Potable Water	
Sample ID:	020624-WILLMAR-49	Date Received:	02/09/2024 13:55			
Temp @ Receipt (C):						
Sample Desc:	Kitchen Center Island Faucet					
Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 19:32	

Lab ID:	40558050	Date Collected:	02/06/2024 06:00	Matrix:	Potable Water	
Sample ID:	020624-WILLMAR-50	Date Received:	02/09/2024 13:55			
Temp @ Receipt (C):						
Sample Desc:	Cafeteria Fountain Left					
Parameter	Results	Units	MCL	Method	Analyzed	Qual

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Friday, February 16, 2024 2:47:53 PM

Page 10 of 21

**MINNESOTA VALLEY TESTING LABORATORIES, INC.**

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com

**Workorder:** High School & Lakeland (40558)**Client:** Institute for Environmental Assessment (IEA)**Analytical Results**

Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 19:33
------	------	------	----	-----------	------------------

Lab ID: 40558051
Sample ID: 020624-WILLMAR-51
Temp @ Receipt (C):
Sample Desc: Cafeteria Bottle Filler Right

Date Collected: 02/06/2024 06:00
Date Received: 02/09/2024 13:55

Matrix: Potable Water

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 19:34	

Lab ID: 40558052
Sample ID: 020624-WILLMAR-52
Temp @ Receipt (C):
Sample Desc: Cafeteria Fountain Right

Date Collected: 02/06/2024 06:00
Date Received: 02/09/2024 13:55

Matrix: Potable Water

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 19:35	

Lab ID: 40558053
Sample ID: 020624-WILLMAR-53
Temp @ Receipt (C):
Sample Desc: Main Gym Fountain

Date Collected: 02/06/2024 06:00
Date Received: 02/09/2024 13:55

Matrix: Potable Water

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 19:36	

Lab ID: 40558054
Sample ID: 020624-WILLMAR-54
Temp @ Receipt (C):
Sample Desc: A105 Staff Room Faucet

Date Collected: 02/06/2024 06:00
Date Received: 02/09/2024 13:55

Matrix: Potable Water

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 19:38	

Lab ID: 40558055
Sample ID: 020624-WILLMAR-55
Temp @ Receipt (C):
Sample Desc: Hallway B105 Fountain Left

Date Collected: 02/06/2024 06:00
Date Received: 02/09/2024 13:55

Matrix: Potable Water

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 19:39	

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Friday, February 16, 2024 2:47:53 PM

Page 11 of 21

**MINNESOTA VALLEY TESTING LABORATORIES, INC.**

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com

**Workorder:** High School & Lakeland (40558)**Client:** Institute for Environmental Assessment (IEA)**Analytical Results**

Lab ID: 40558056 **Date Collected:** 02/06/2024 06:00 **Matrix:** Potable Water
Sample ID: 020624-WILLMAR-56 **Date Received:** 02/09/2024 13:55
Temp @ Receipt (C):
Sample Desc: Hallway B105 Bottle Filler Right

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 19:40	

Lab ID: 40558057 **Date Collected:** 02/06/2024 06:00 **Matrix:** Potable Water
Sample ID: 020624-WILLMAR-57 **Date Received:** 02/09/2024 13:55
Temp @ Receipt (C):
Sample Desc: Hallway B105 Fountain Right

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 19:41	

Lab ID: 40558058 **Date Collected:** 02/06/2024 06:00 **Matrix:** Potable Water
Sample ID: 020624-WILLMAR-58 **Date Received:** 02/09/2024 13:55
Temp @ Receipt (C):
Sample Desc: B119 Faucet

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 19:42	

Lab ID: 40558059 **Date Collected:** 02/06/2024 06:00 **Matrix:** Potable Water
Sample ID: 020624-WILLMAR-59 **Date Received:** 02/09/2024 13:55
Temp @ Receipt (C):
Sample Desc: B121 Faucet

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 19:50	

Lab ID: 40558060 **Date Collected:** 02/06/2024 06:00 **Matrix:** Potable Water
Sample ID: 020624-WILLMAR-60 **Date Received:** 02/09/2024 13:55
Temp @ Receipt (C):
Sample Desc: B130 Facuet

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 19:51	

Lab ID: 40558061 **Date Collected:** 02/06/2024 06:00 **Matrix:** Potable Water
Sample ID: 020624-WILLMAR-61 **Date Received:** 02/09/2024 13:55
Temp @ Receipt (C):
Sample Desc: B124 Commons Fountain Left

Parameter	Results	Units	MCL	Method	Analyzed	Qual
-----------	---------	-------	-----	--------	----------	------

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Friday, February 16, 2024 2:47:53 PM

**MINNESOTA VALLEY TESTING LABORATORIES, INC.**

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com

**Workorder:** High School & Lakeland (40558)**Client:** Institute for Environmental Assessment (IEA)**Analytical Results**

Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 19:52
------	------	------	----	-----------	------------------

Lab ID: 40558062	Date Collected: 02/06/2024 06:00	Matrix: Potable Water
Sample ID: 020624-WILLMAR-62	Date Received: 02/09/2024 13:55	
Temp @ Receipt (C):		
Sample Desc: B124 Commons Bottle Filler Right		

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 19:53	

Lab ID: 40558063	Date Collected: 02/06/2024 06:00	Matrix: Potable Water
Sample ID: 020624-WILLMAR-63	Date Received: 02/09/2024 13:55	
Temp @ Receipt (C):		
Sample Desc: B124 Commons Fountain Right		

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 19:54	

Lab ID: 40558064	Date Collected: 02/06/2024 06:00	Matrix: Potable Water
Sample ID: 020624-WILLMAR-64	Date Received: 02/09/2024 13:55	
Temp @ Receipt (C):		
Sample Desc: B126 Faucet		

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	0.78	ug/L	15	EPA 200.8	02/14/2024 19:55	

Lab ID: 40558065	Date Collected: 02/06/2024 06:00	Matrix: Potable Water
Sample ID: 020624-WILLMAR-65	Date Received: 02/09/2024 13:55	
Temp @ Receipt (C):		
Sample Desc: C103 Faucet		

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 19:56	

Lab ID: 40558066	Date Collected: 02/06/2024 06:00	Matrix: Potable Water
Sample ID: 020624-WILLMAR-66	Date Received: 02/09/2024 13:55	
Temp @ Receipt (C):		
Sample Desc: C105 Faucet		

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 19:57	

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Friday, February 16, 2024 2:47:53 PM

Page 13 of 21

**MINNESOTA VALLEY TESTING LABORATORIES, INC.**

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com

**Workorder:** High School & Lakeland (40558)**Client:** Institute for Environmental Assessment (IEA)**Analytical Results**

Lab ID:	40558067	Date Collected:	02/06/2024 06:00	Matrix:	Potable Water		
Sample ID:	020624-WILLMAR-67	Date Received:	02/09/2024 13:55				
Temp @ Receipt (C):							
Sample Desc:	C107 Faucet						
Parameter	Results	Units	MCL	Method	Analyzed	Qual	
Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 19:58		
Lab ID:	40558068	Date Collected:	02/06/2024 06:00	Matrix:	Potable Water		
Sample ID:	020624-WILLMAR-68	Date Received:	02/09/2024 13:55				
Temp @ Receipt (C):							
Sample Desc:	C111 Faucet						
Parameter	Results	Units	MCL	Method	Analyzed	Qual	
Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 19:59		
Lab ID:	40558069	Date Collected:	02/06/2024 06:00	Matrix:	Potable Water		
Sample ID:	020624-WILLMAR-69	Date Received:	02/09/2024 13:55				
Temp @ Receipt (C):							
Sample Desc:	C113 Faucet						
Parameter	Results	Units	MCL	Method	Analyzed	Qual	
Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 20:08		
Lab ID:	40558070	Date Collected:	02/06/2024 06:00	Matrix:	Potable Water		
Sample ID:	020624-WILLMAR-70	Date Received:	02/09/2024 13:55				
Temp @ Receipt (C):							
Sample Desc:	Hallway C123 Fountain Left						
Parameter	Results	Units	MCL	Method	Analyzed	Qual	
Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 20:09		
Lab ID:	40558071	Date Collected:	02/06/2024 06:00	Matrix:	Potable Water		
Sample ID:	020624-WILLMAR-71	Date Received:	02/09/2024 13:55				
Temp @ Receipt (C):							
Sample Desc:	Hallway C123 Bottle Filler Right						
Parameter	Results	Units	MCL	Method	Analyzed	Qual	
Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 20:10		
Lab ID:	40558072	Date Collected:	02/06/2024 06:00	Matrix:	Potable Water		
Sample ID:	020624-WILLMAR-72	Date Received:	02/09/2024 13:55				
Temp @ Receipt (C):							
Sample Desc:	Hallway C123 Fountain Right						
Parameter	Results	Units	MCL	Method	Analyzed	Qual	

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Friday, February 16, 2024 2:47:53 PM

Page 14 of 21

**MINNESOTA VALLEY TESTING LABORATORIES, INC.**

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com

**Workorder:** High School & Lakeland (40558)**Client:** Institute for Environmental Assessment (IEA)**Analytical Results**

Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 20:11
------	------	------	----	-----------	------------------

Lab ID: 40558073	Date Collected: 02/06/2024 06:00	Matrix: Potable Water
Sample ID: 020624-WILLMAR-73	Date Received: 02/09/2024 13:55	
Temp @ Receipt (C):		
Sample Desc: C209 Commons Fountain Left		

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 20:12	

Lab ID: 40558074	Date Collected: 02/06/2024 06:00	Matrix: Potable Water
Sample ID: 020624-WILLMAR-74	Date Received: 02/09/2024 13:55	
Temp @ Receipt (C):		
Sample Desc: C209 Commons Bottle Filler Right		

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 20:13	

Lab ID: 40558075	Date Collected: 02/06/2024 06:00	Matrix: Potable Water
Sample ID: 020624-WILLMAR-75	Date Received: 02/09/2024 13:55	
Temp @ Receipt (C):		
Sample Desc: C209 Commons Fountain Right		

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 20:14	

Lab ID: 40558076	Date Collected: 02/06/2024 06:00	Matrix: Potable Water
Sample ID: 020624-WILLMAR-76	Date Received: 02/09/2024 13:55	
Temp @ Receipt (C):		
Sample Desc: B234 Commons Fountain Left		

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 20:15	

Lab ID: 40558077	Date Collected: 02/06/2024 06:00	Matrix: Potable Water
Sample ID: 020624-WILLMAR-77	Date Received: 02/09/2024 13:55	
Temp @ Receipt (C):		
Sample Desc: B234 Common Bottle Filler Right		

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 20:16	

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Friday, February 16, 2024 2:47:53 PM

Page 15 of 21

**MINNESOTA VALLEY TESTING LABORATORIES, INC.**

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com

**Workorder:** High School & Lakeland (40558)**Client:** Institute for Environmental Assessment (IEA)**Analytical Results**

Lab ID:	40558078	Date Collected:	02/06/2024 06:00	Matrix:	Potable Water	
Sample ID:	020624-WILLMAR-78	Date Received:	02/09/2024 13:55			
Temp @ Receipt (C):						
Sample Desc:	B234 Commons Fountain Left					
Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 20:17	

Lab ID:	40558079	Date Collected:	02/06/2024 06:00	Matrix:	Potable Water	
Sample ID:	020624-WILLMAR-79	Date Received:	02/09/2024 13:55			
Temp @ Receipt (C):						
Sample Desc:	A115 Faucet					
Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/14/2024 20:26	

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Friday, February 16, 2024 2:47:53 PM



MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com



Workorder: High School & Lakeland (40558)

Client: Institute for Environmental Assessment (IEA)



MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Friday, February 16, 2024 2:47:53 PM

Page 17 of 21



MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com



Workorder: High School & Lakeland (40558)

Client: Institute for Environmental Assessment (IEA)

Chain of Custody

9201 West Broadway North, Suite 600
Bismarck, ND 58501
763.315.7900 • 1.800.233.9313

40558

Client Name		Willmar Public Schools		Building Name		High School & Lakeland		Analytical Lab		MVTL	
Contact Name		Aaron Hess		Project #		202410037		Project Name		Willmar - 2024 Lead in Water Sampling	
Phone #		507-829-7372		IEA Fax #				Written Sample Results To		aaron.hess@ieasafety.com	
Other Information											
Sampled By		Aaron Hess		Date		2/6/2024		Time		6:00 AM	
Shipped By		MVTL 1126 N Front St Building #New Ulm, MN 56073		Date		2/6/2024		Turnaround Time		Notes	
Received By				Date				Sample Condition		Temperature	
Lab Number	Sample Number	Sample Location (EX: Kitchen Room 123 NW Corner Left - KS)	Sample Type			Date Sampled	Time Sampled	Volume/ Bottle Type	Analysis Required	Comments & Observations	
			Water	Soil	Other						
	020624-WILLMAR-01	HS Kitchen Steamer Kettle	X			2/6/2024	5:56 AM	250 ml unpreserved	Lead	Willmar High School	
	020624-WILLMAR-02	HS Kitchen Square Steamer Kettle	X			2/6/2024	5:56 AM	250 ml unpreserved	Lead	Willmar High School	
	020624-WILLMAR-03	HS Kitchen Back Faucet Left	X			2/6/2024	5:56 AM	250 ml unpreserved	Lead	Willmar High School	
	020624-WILLMAR-04	HS Kitchen Back Spray Right	X			2/6/2024	5:59 AM	250 ml unpreserved	Lead	Willmar High School	
	020624-WILLMAR-05	Fitness Men's Fountain Left	X			2/6/2024	6:01 AM	250 ml unpreserved	Lead	Willmar High School	
	020624-WILLMAR-06	Fitness Men's Bottle Filler Right	X			2/6/2024	6:02 AM	250 ml unpreserved	Lead	Willmar High School	
	020624-WILLMAR-07	Fitness Men's Fountain Right	X			2/6/2024	6:04 AM	250 ml unpreserved	Lead	Willmar High School	
	020624-WILLMAR-08	Training Rm Fountain Left	X			2/6/2024	6:04 AM	250 ml unpreserved	Lead	Willmar High School	
	020624-WILLMAR-09	Training Rm Bottle Filler Right	X			2/6/2024	6:04 AM	250 ml unpreserved	Lead	Willmar High School	
	020624-WILLMAR-10	Training Rm Fountain Right	X			2/6/2024	6:08 AM	250 ml unpreserved	Lead	Willmar High School	
	020624-WILLMAR-11	502 Main Gym Bottle Filler	X			2/6/2024	6:22 AM	250 ml unpreserved	Lead	Willmar High School	
	020624-WILLMAR-12	502 Main Gym Fountain	X			2/6/2024	6:22 AM	250 ml unpreserved	Lead	Willmar High School	
	020624-WILLMAR-13	Cafeteria Staff Lounge Faucet	X			2/6/2024	6:23 AM	250 ml unpreserved	Lead	Willmar High School	
	020624-WILLMAR-14	Cafeteria Fountain Left	X			2/6/2024	6:24 AM	250 ml unpreserved	Lead	Willmar High School	
	020624-WILLMAR-15	Cafeteria Fountain Right	X			2/6/2024	6:25 AM	250 ml unpreserved	Lead	Willmar High School	
	020624-WILLMAR-16	Pool Fountain	X			2/6/2024	6:26 AM	250 ml unpreserved	Lead	Willmar High School	
	020624-WILLMAR-17	508 Band Faucet	X			2/6/2024	6:27 AM	250 ml unpreserved	Lead	Willmar High School	
	020624-WILLMAR-18	607 Training Room Faucet	X			2/6/2024	6:29 AM	250 ml unpreserved	Lead	Willmar High School	
	020624-WILLMAR-19	102 Nurse's Office Faucet	X			2/6/2024	6:30 AM	250 ml unpreserved	Lead	Willmar High School	
	020624-WILLMAR-20	203A Faucet	X			2/6/2024	6:32 AM	250 ml unpreserved	Lead	Willmar High School	
	020624-WILLMAR-21	202A Faucet	X			2/6/2024	6:33 AM	250 ml unpreserved	Lead	Willmar High School	
	020624-WILLMAR-22	Hallway 202 Fountain Left	X			2/6/2024	6:34 AM	250 ml unpreserved	Lead	Willmar High School	
	020624-WILLMAR-23	Hallway 202 Bottle Filler Right	X			2/6/2024	6:36 AM	250 ml unpreserved	Lead	Willmar High School	
	020624-WILLMAR-24	Hallway 202 Fountain Right	X			2/6/2024	6:36 AM	250 ml unpreserved	Lead	Willmar High School	
	020624-WILLMAR-25	206 FACS Green Faucet	X			2/6/2024	6:36 AM	250 ml unpreserved	Lead	Willmar High School	
	020624-WILLMAR-26	206 FACS Yellow Faucet	X			2/6/2024	6:37 AM	250 ml unpreserved	Lead	Willmar High School	
	020624-WILLMAR-27	206 FACS Orange Faucet	X			2/6/2024	6:37 AM	250 ml unpreserved	Lead	Willmar High School	
	020624-WILLMAR-28	206 FACS Purple Faucet	X			2/6/2024	6:38 AM	250 ml unpreserved	Lead	Willmar High School	
	020624-WILLMAR-29	206 FACS Red Faucet	X			2/6/2024	6:39 AM	250 ml unpreserved	Lead	Willmar High School	

Original - Analytical Lab
Copy - Client File
Copy - IEA Lab

Brian Williams 9 FEB 2024 13:57 16.7 774 AMB85 09 FEB 24 1355 16.7C Tm 774

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Friday, February 16, 2024 2:47:53 PM

Page 18 of 21



MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com



Workorder: High School & Lakeland (40558)

Client: Institute for Environmental Assessment (IEA)

Chain of Custody

9201 West Broadway North, Suite 600
Bismarck, ND 58501
763.315.7900 • 1.800.233.9513



Client Name Willmar Public Schools			Building Name High School & Lakeland		Analytical Lab MVTL					
Contact Name Aaron Hess			Project # 202410037		Project Name Willmar - 2024 Lead in Water Sampling					
Phone # 507-829-7372			IEA Fax #		Written Sample Results To aaron.hess@ieasafety.com					
Other Information										
Sampled By Aaron Hess			Date 2/6/2024	Time 6:00 AM	Analyzed By (Company)	Analyst				
Shipped By MVTL 1126 N Front St Building #New Ulm, MN 56073			Date 2/6/2024	Time	Turnaround Time	Notes				
Received By			Date	Time	Sample Condition	Temperature				
Lab Number	Sample Number	Sample Location (EX: Kitchen Room 123 NW Corner Left - KS)	Sample Type			Date Sampled	Time Sampled	Volume/ Bottle Type	Analysis Required	Comments & Observations
			Water	Soil	Other					
	020624-WILLMAR-30	206 FACS Red RO	X			2/6/2024	6:40 AM	250 ml unpreserved	Lead	Willmar High School
	020624-WILLMAR-31	206 FACS Blue Faucet	X			2/6/2024	6:41 AM	250 ml unpreserved	Lead	Willmar High School
	020624-WILLMAR-32	206 FACS Blue RO	X			2/6/2024	6:41 AM	250 ml unpreserved	Lead	Willmar High School
	020624-WILLMAR-33	Media Center Office Faucet	X			2/6/2024	6:43 AM	250 ml unpreserved	Lead	Willmar High School
	020624-WILLMAR-34	Hallway 105 Fountain Left	X			2/6/2024	6:45 AM	250 ml unpreserved	Lead	Willmar High School
	020624-WILLMAR-35	Hallway 105 Bottle Filler Right	X			2/6/2024	6:46 AM	250 ml unpreserved	Lead	Willmar High School
	020624-WILLMAR-36	Hallway 105 Fountain Right	X			2/6/2024	6:47 AM	250 ml unpreserved	Lead	Willmar High School
	020624-WILLMAR-37	Hallway 705 Fountain Left	X			2/6/2024	6:48 AM	250 ml unpreserved	Lead	Willmar High School
	020624-WILLMAR-38	Hallway 705 Bottle Filler Right	X			2/6/2024	6:50 AM	250 ml unpreserved	Lead	Willmar High School
	020624-WILLMAR-39	Hallway 705 Fountain Right	X			2/6/2024	6:54 AM	250 ml unpreserved	Lead	Willmar High School
	020624-WILLMAR-40	803B Faucet	X			2/6/2024	6:56 AM	250 ml unpreserved	Lead	Willmar High School
	020624-WILLMAR-41	802C Faucet	X			2/6/2024	7:17 AM	250 ml unpreserved	Lead	Willmar High School
	020624-WILLMAR-42	Hallway 804 Fountain Left	X			2/6/2024	7:18 AM	250 ml unpreserved	Lead	Willmar High School
	020624-WILLMAR-43	Hallway 804 Bottle Filler Right	X			2/6/2024	7:21 AM	250 ml unpreserved	Lead	Willmar High School
	020624-WILLMAR-44	Hallway 804 Fountain Right	X			2/6/2024	7:22 AM	250 ml unpreserved	Lead	Willmar High School
	020624-WILLMAR-45	Concession Stand Faucet	X			2/6/2024	7:23 AM	250 ml unpreserved	Lead	Willmar High School
	020624-WILLMAR-46	Nurse's Office Faucet	X			2/6/2024	7:24 AM	250 ml unpreserved	Lead	Lakeland Elementary
	020624-WILLMAR-47	Kitchen Steam Kettle	X			2/6/2024	7:24 AM	250 ml unpreserved	Lead	Lakeland Elementary
	020624-WILLMAR-48	Kitchen Back Sprayer	X			2/6/2024	7:25 AM	250 ml unpreserved	Lead	Lakeland Elementary
	020624-WILLMAR-49	Kitchen Center Island Faucet	X			2/6/2024	7:26 AM	250 ml unpreserved	Lead	Lakeland Elementary
	020624-WILLMAR-50	Cafeteria Fountain Left	X			2/6/2024	7:27 AM	250 ml unpreserved	Lead	Lakeland Elementary
	020624-WILLMAR-51	Cafeteria Bottle Filler Right	X			2/6/2024	7:28 AM	250 ml unpreserved	Lead	Lakeland Elementary
	020624-WILLMAR-52	Cafeteria Fountain Right	X			2/6/2024	7:30 AM	250 ml unpreserved	Lead	Lakeland Elementary
	020624-WILLMAR-53	Main Gym Fountain	X			2/6/2024	7:31 AM	250 ml unpreserved	Lead	Lakeland Elementary
	020624-WILLMAR-54	A105 Staff Room Faucet	X			2/6/2024	7:31 AM	250 ml unpreserved	Lead	Lakeland Elementary
	020624-WILLMAR-55	Hallway B105 Fountain Left	X			2/6/2024	7:32 AM	250 ml unpreserved	Lead	Lakeland Elementary
	020624-WILLMAR-56	Hallway B105 Bottle Filler Right	X			2/6/2024	7:32 AM	250 ml unpreserved	Lead	Lakeland Elementary
	020624-WILLMAR-57	Hallway B105 Fountain Right	X			2/6/2024	7:33 AM	250 ml unpreserved	Lead	Lakeland Elementary
	020624-WILLMAR-58	B119 Faucet	X			2/6/2024	7:33 AM	250 ml unpreserved	Lead	Lakeland Elementary

Original - Analytical Lab
Copy - Client File
Copy - IEA Lab

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Friday, February 16, 2024 2:47:53 PM

Page 19 of 21

MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com



Workorder: High School & Lakeland (40558)

Client: Institute for Environmental Assessment (IEA)

Chain of Custody

9201 West Broadway North, Suite 600
Brooklyn Park, MN 55445
763.315.7900 1.800.233.9513

[illegible]

Original - Analytical Lab
Copy - Client File
Copy - IEA Lab

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Friday, February 16, 2024 2:47:53 PM

Page 20 of 21



MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com



Workorder: High School & Lakeland (40558)

Client: Institute for Environmental Assessment (IEA)

Sample Condition Checklist

Date: 09 Feb 24 Time: 1355 ☐ AM ☐ PM By: SJ

Account Name: Willmar Public Schools - 020624 Account #:

Bill of Lading #: Cooler #:

Temp: 16.7 °C ROI ☐ Ambient ☒ Tracking #:

TM#: 774 Ice Crystals Present in Sample ☐ Other:

MVTL Courier: Brian Williams

MVTL Route: Walk-In ☐ UPS Air ☐ FedEx Air ☐ SpeedDee ☐
Mail ☐ UPS Ground ☐ FedEx Ground ☐

Containers Supplied by MVTL: Yes ☒ No ☐ Designate customer supplied containers as "Other" in container size column

Comments:												Preservation										pH				
Number	Containers Size (mL)								Container Type																	
79	(100)	(120)	(125)	(250)	(290)	(500)	(1000)	Other	(G)	(P)	(AG)	(AP)	NaHSO ₄	Na ₂ O ₃ S ₂	NONE	HNO ₃	H ₂ SO ₄	NaOH	HCl	SUB*	<2	>9	>12	N/A	Add	
	(100)	(120)	(125)	(250)	(290)	(500)	(1000)	Other	(G)	(P)	(AG)	(AP)	NaHSO ₄	Na ₂ O ₃ S ₂	NONE	HNO ₃	H ₂ SO ₄	NaOH	HCl	SUB*	<2	>9	>12	N/A	Add	
	(100)	(120)	(125)	(250)	(290)	(500)	(1000)	Other	(G)	(P)	(AG)	(AP)	NaHSO ₄	Na ₂ O ₃ S ₂	NONE	HNO ₃	H ₂ SO ₄	NaOH	HCl	SUB*	<2	>9	>12	N/A	Add	
	(100)	(120)	(125)	(250)	(290)	(500)	(1000)	Other	(G)	(P)	(AG)	(AP)	NaHSO ₄	Na ₂ O ₃ S ₂	NONE	HNO ₃	H ₂ SO ₄	NaOH	HCl	SUB*	<2	>9	>12	N/A	Add	
	(100)	(120)	(125)	(250)	(290)	(500)	(1000)	Other	(G)	(P)	(AG)	(AP)	NaHSO ₄	Na ₂ O ₃ S ₂	NONE	HNO ₃	H ₂ SO ₄	NaOH	HCl	SUB*	<2	>9	>12	N/A	Add	
	(100)	(120)	(125)	(250)	(290)	(500)	(1000)	Other	(G)	(P)	(AG)	(AP)	NaHSO ₄	Na ₂ O ₃ S ₂	NONE	HNO ₃	H ₂ SO ₄	NaOH	HCl	SUB*	<2	>9	>12	N/A	Add	
	(100)	(120)	(125)	(250)	(290)	(500)	(1000)	Other	(G)	(P)	(AG)	(AP)	NaHSO ₄	Na ₂ O ₃ S ₂	NONE	HNO ₃	H ₂ SO ₄	NaOH	HCl	SUB*	<2	>9	>12	N/A	Add	
	(100)	(120)	(125)	(250)	(290)	(500)	(1000)	Other	(G)	(P)	(AG)	(AP)	NaHSO ₄	Na ₂ O ₃ S ₂	NONE	HNO ₃	H ₂ SO ₄	NaOH	HCl	SUB*	<2	>9	>12	N/A	Add	
	Low Level Mercury Kit								**!DO NOT OPEN THE PLASTIC BAGS HOLDING THE SAMPLE BOTTLES!!**																	
	4 oz Jar								Clear	Amber	MeOH								None				n/a			
	2 oz Jar								Clear	Amber	MeOH								None				n/a			
	Vials	Individual	Set of 2	Set of 3					Clear	Amber	HCl				H ₃ PO ₄				H ₂ SO ₄				None		n/a	
	Vials	Individual	Set of 2	Set of 3					Clear	Amber	HCl				H ₃ PO ₄				H ₂ SO ₄				None		n/a	
	Trip Blank																								n/a	
	Moisture Vial																								n/a	
	Manure Bottle																								n/a	

*ANY CONTAINER SENT TO A SUBCONTRACT LABORATORY WILL NOT BE CHECKED FOR PRESERVATION!

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Friday, February 16, 2024 2:47:53 PM

**MINNESOTA VALLEY TESTING LABORATORIES, INC.**

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com



Workorder: Roosevelt, Middle, Jefferson (40566)
Account #: 2190
Project #: 202410037

Client: Institute for Environmental Assessment (IEA)
PO: 202410037

Emma Squires-Sperling
IEA / Brooklyn Park
9201 W Broadway Suite #600
Brooklyn Park, MN 55445

Certificate of Analysis**Approval**

All data reported has been reviewed and approved by:

Dave Smahel, Inorganic Chemistry/Feed Lab Manager New Ulm, MN

Analyses performed under Minnesota Department of Health Accreditation conforms to the current TNI standards.

NEW ULM LAB CERTIFICATIONS:
MN LAB # 027-015-125ND WW/DW # R-040

BISMARCK LAB CERTIFICATIONS:
MN LAB # 038-999-267ND W/DW # ND-016

Workorder Comments

All samples were preserved with nitric acid upon receipt at the laboratory.

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Friday, February 16, 2024 2:47:54 PM

**MINNESOTA VALLEY TESTING LABORATORIES, INC.**

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com

**Workorder:** Roosevelt, Middle, Jefferson (40566)**Client:** Institute for Environmental Assessment (IEA)**Analytical Results**

Lab ID:	40566001	Date Collected:	02/07/2024 06:00		Matrix:	Potable Water
Sample ID:	020724-WILLMAR-01	Date Received:	02/09/2024 13:55			
Temp @ Receipt (C):						
Sample Desc:	Kitchen Kettle Sprayer					
Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	1.04	ug/L	15	EPA 200.8	02/15/2024 15:16	
Lab ID:	40566002	Date Collected:	02/07/2024 06:00		Matrix:	Potable Water
Sample ID:	020724-WILLMAR-02	Date Received:	02/09/2024 13:55			
Temp @ Receipt (C):						
Sample Desc:	Kitchen Back Faucet					
Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	0.62	ug/L	15	EPA 200.8	02/15/2024 15:17	
Lab ID:	40566003	Date Collected:	02/07/2024 06:00		Matrix:	Potable Water
Sample ID:	020724-WILLMAR-03	Date Received:	02/09/2024 13:55			
Temp @ Receipt (C):						
Sample Desc:	Kitchen Front Faucet					
Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/15/2024 15:18	
Lab ID:	40566004	Date Collected:	02/07/2024 06:00		Matrix:	Potable Water
Sample ID:	020724-WILLMAR-04	Date Received:	02/09/2024 13:55			
Temp @ Receipt (C):						
Sample Desc:	Hallway103 Fountain Left					
Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/15/2024 15:20	
Lab ID:	40566005	Date Collected:	02/07/2024 06:00		Matrix:	Potable Water
Sample ID:	020724-WILLMAR-05	Date Received:	02/09/2024 13:55			
Temp @ Receipt (C):						
Sample Desc:	Hallway 103 Bottle Filler Right					
Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/15/2024 15:21	
Lab ID:	40566006	Date Collected:	02/07/2024 06:00		Matrix:	Potable Water
Sample ID:	020724-WILLMAR-06	Date Received:	02/09/2024 13:55			
Temp @ Receipt (C):						
Sample Desc:	Hallway 103 Fountain Right					

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Friday, February 16, 2024 2:47:54 PM

**MINNESOTA VALLEY TESTING LABORATORIES, INC.**

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com

**Workorder:** Roosevelt, Middle, Jefferson (40566)**Client:** Institute for Environmental Assessment (IEA)**Analytical Results**

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/15/2024 15:22	

Lab ID: 40566007
Sample ID: 020724-WILLMAR-07
Temp @ Receipt (C):
Sample Desc: Hallway 102 Fountain Left

Date Collected: 02/07/2024 06:00
Date Received: 02/09/2024 13:55
Matrix: Potable Water

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/15/2024 15:23	

Lab ID: 40566008
Sample ID: 020724-WILLMAR-08
Temp @ Receipt (C):
Sample Desc: Hallway 102 Bottle Filler Right

Date Collected: 02/07/2024 06:00
Date Received: 02/09/2024 13:55
Matrix: Potable Water

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/15/2024 15:24	

Lab ID: 40566009
Sample ID: 020724-WILLMAR-09
Temp @ Receipt (C):
Sample Desc: Hallway 102 Fountain Right

Date Collected: 02/07/2024 06:00
Date Received: 02/09/2024 13:55
Matrix: Potable Water

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/15/2024 15:25	

Lab ID: 40566010
Sample ID: 020724-WILLMAR-10
Temp @ Receipt (C):
Sample Desc: Room 202 Faucet

Date Collected: 02/07/2024 06:00
Date Received: 02/09/2024 13:55
Matrix: Potable Water

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/15/2024 15:26	

Lab ID: 40566011
Sample ID: 020724-WILLMAR-11
Temp @ Receipt (C):
Sample Desc: Main Office Faucet

Date Collected: 02/07/2024 06:00
Date Received: 02/09/2024 13:55
Matrix: Potable Water

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/15/2024 15:34	

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Friday, February 16, 2024 2:47:54 PM

Page 3 of 24

**MINNESOTA VALLEY TESTING LABORATORIES, INC.**

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com

**Workorder:** Roosevelt, Middle, Jefferson (40566)**Client:** Institute for Environmental Assessment (IEA)**Analytical Results**

Lab ID: 40566012 **Date Collected:** 02/07/2024 06:00 **Matrix:** Potable Water
Sample ID: 020724-WILLMAR-12 **Date Received:** 02/09/2024 13:55
Temp @ Receipt (C):
Sample Desc: Main Office Conf. Faucet

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/15/2024 15:35	

Lab ID: 40566013 **Date Collected:** 02/07/2024 06:00 **Matrix:** Potable Water
Sample ID: 020724-WILLMAR-13 **Date Received:** 02/09/2024 13:55
Temp @ Receipt (C):
Sample Desc: Nurses Office Faucet

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	0.73	ug/L	15	EPA 200.8	02/15/2024 15:36	

Lab ID: 40566014 **Date Collected:** 02/07/2024 06:00 **Matrix:** Potable Water
Sample ID: 020724-WILLMAR-14 **Date Received:** 02/09/2024 13:55
Temp @ Receipt (C):
Sample Desc: Hallway 300 Bottle Filler Left

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/15/2024 15:37	

Lab ID: 40566015 **Date Collected:** 02/07/2024 06:00 **Matrix:** Potable Water
Sample ID: 020724-WILLMAR-15 **Date Received:** 02/09/2024 13:55
Temp @ Receipt (C):
Sample Desc: Hallway 300 Fountain Left

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/15/2024 15:38	

Lab ID: 40566016 **Date Collected:** 02/07/2024 06:00 **Matrix:** Potable Water
Sample ID: 020724-WILLMAR-16 **Date Received:** 02/09/2024 13:55
Temp @ Receipt (C):
Sample Desc: Hallway 300 Fountain Right

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/15/2024 15:39	

Lab ID: 40566017 **Date Collected:** 02/07/2024 06:00 **Matrix:** Potable Water
Sample ID: 020724-WILLMAR-17 **Date Received:** 02/09/2024 13:55
Temp @ Receipt (C):
Sample Desc: Bathroom 408 Fountain Left

Parameter	Results	Units	MCL	Method	Analyzed	Qual
-----------	---------	-------	-----	--------	----------	------

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Friday, February 16, 2024 2:47:54 PM

**MINNESOTA VALLEY TESTING LABORATORIES, INC.**

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com

**Workorder:** Roosevelt, Middle, Jefferson (40566)**Client:** Institute for Environmental Assessment (IEA)**Analytical Results**

Lead	<0.5	ug/L	15	EPA 200.8	02/15/2024 15:40
------	------	------	----	-----------	------------------

Lab ID: 40566018	Date Collected: 02/07/2024 06:00	Matrix: Potable Water
Sample ID: 020724-WILLMAR-18	Date Received: 02/09/2024 13:55	
Temp @ Receipt (C):		
Sample Desc: Bathroom 408 Fountain Right		

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/15/2024 15:41	

Lab ID: 40566019	Date Collected: 02/07/2024 06:00	Matrix: Potable Water
Sample ID: 020724-WILLMAR-19	Date Received: 02/09/2024 13:55	
Temp @ Receipt (C):		
Sample Desc: Hallway 608 Bottle Filler Left		

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/15/2024 15:42	

Lab ID: 40566020	Date Collected: 02/07/2024 06:00	Matrix: Potable Water
Sample ID: 020724-WILLMAR-20	Date Received: 02/09/2024 13:55	
Temp @ Receipt (C):		
Sample Desc: Hallway 608 Fountain Left		

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/15/2024 15:43	

Lab ID: 40566021	Date Collected: 02/07/2024 06:00	Matrix: Potable Water
Sample ID: 020724-WILLMAR-21	Date Received: 02/09/2024 13:55	
Temp @ Receipt (C):		
Sample Desc: Hallway 608 Fountain Right		

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/15/2024 15:52	

Lab ID: 40566022	Date Collected: 02/07/2024 06:00	Matrix: Potable Water
Sample ID: 020724-WILLMAR-22	Date Received: 02/09/2024 13:55	
Temp @ Receipt (C):		
Sample Desc: Bathroom 500 Fountain Left		

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/15/2024 15:53	

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Friday, February 16, 2024 2:47:54 PM

Page 5 of 24

**MINNESOTA VALLEY TESTING LABORATORIES, INC.**

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com

**Workorder:** Roosevelt, Middle, Jefferson (40566)**Client:** Institute for Environmental Assessment (IEA)**Analytical Results**

Lab ID:	40566023	Date Collected:	02/07/2024 06:00	Matrix:	Potable Water	
Sample ID:	020724-WILLMAR-23	Date Received:	02/09/2024 13:55			
Temp @ Receipt (C):						
Sample Desc:	Bathroom 500 Fountain Right					
Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/15/2024 15:54	

Lab ID:	40566024	Date Collected:	02/07/2024 06:00	Matrix:	Potable Water	
Sample ID:	020724-WILLMAR-24	Date Received:	02/09/2024 13:55			
Temp @ Receipt (C):						
Sample Desc:	Room 504 Faucet					
Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	1.26	ug/L	15	EPA 200.8	02/15/2024 15:55	

Lab ID:	40566025	Date Collected:	02/07/2024 06:00	Matrix:	Potable Water	
Sample ID:	020724-WILLMAR-25	Date Received:	02/09/2024 13:55			
Temp @ Receipt (C):						
Sample Desc:	Hallway 506 Fountain Left					
Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/15/2024 15:56	

Lab ID:	40566026	Date Collected:	02/07/2024 06:00	Matrix:	Potable Water	
Sample ID:	020724-WILLMAR-26	Date Received:	02/09/2024 13:55			
Temp @ Receipt (C):						
Sample Desc:	Hallway 506 Bottle Filler Right					
Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/15/2024 15:57	

Lab ID:	40566027	Date Collected:	02/07/2024 06:00	Matrix:	Potable Water	
Sample ID:	020724-WILLMAR-27	Date Received:	02/09/2024 13:55			
Temp @ Receipt (C):						
Sample Desc:	Hallway 506 Fountain Right					
Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/15/2024 15:58	

Lab ID:	40566028	Date Collected:	02/07/2024 06:00	Matrix:	Potable Water	
Sample ID:	020724-WILLMAR-28	Date Received:	02/09/2024 13:55			
Temp @ Receipt (C):						
Sample Desc:	Room 508 Faucet					
Parameter	Results	Units	MCL	Method	Analyzed	Qual

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Friday, February 16, 2024 2:47:54 PM

Page 6 of 24

**MINNESOTA VALLEY TESTING LABORATORIES, INC.**

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com

**Workorder:** Roosevelt, Middle, Jefferson (40566)**Client:** Institute for Environmental Assessment (IEA)**Analytical Results**

Lead	0.84	ug/L	15	EPA 200.8	02/15/2024 15:59	
<hr/>						
Lab ID:	40566029	Date Collected:	02/07/2024 06:00	Matrix:	Potable Water	
Sample ID:	020724-WILLMAR-29	Date Received:	02/09/2024 13:55			
Temp @ Receipt (C):						
Sample Desc:	Room 509 Faucet					
Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	1.15	ug/L	15	EPA 200.8	02/15/2024 16:00	
<hr/>						
Lab ID:	40566030	Date Collected:	02/07/2024 06:00	Matrix:	Potable Water	
Sample ID:	020724-WILLMAR-30	Date Received:	02/09/2024 13:55			
Temp @ Receipt (C):						
Sample Desc:	Room 511 Faucet					
Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	4.79	ug/L	15	EPA 200.8	02/15/2024 16:01	
<hr/>						
Lab ID:	40566031	Date Collected:	02/07/2024 06:00	Matrix:	Potable Water	
Sample ID:	020724-WILLMAR-31	Date Received:	02/09/2024 13:55			
Temp @ Receipt (C):						
Sample Desc:	Room 319 Faucet					
Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	1.73	ug/L	15	EPA 200.8	02/15/2024 16:10	
<hr/>						
Lab ID:	40566032	Date Collected:	02/07/2024 06:00	Matrix:	Potable Water	
Sample ID:	020724-WILLMAR-32	Date Received:	02/09/2024 13:55			
Temp @ Receipt (C):						
Sample Desc:	Room 318 Faucet					
Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	3.05	ug/L	15	EPA 200.8	02/15/2024 16:11	
<hr/>						
Lab ID:	40566033	Date Collected:	02/07/2024 06:00	Matrix:	Potable Water	
Sample ID:	020724-WILLMAR-33	Date Received:	02/09/2024 13:55			
Temp @ Receipt (C):						
Sample Desc:	317 Bottle Filler Left					
Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/15/2024 16:12	

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Friday, February 16, 2024 2:47:54 PM

Page 7 of 24

**MINNESOTA VALLEY TESTING LABORATORIES, INC.**

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com

**Workorder:** Roosevelt, Middle, Jefferson (40566)**Client:** Institute for Environmental Assessment (IEA)**Analytical Results**

Lab ID:	40566034	Date Collected:	02/07/2024 06:00	Matrix:	Potable Water		
Sample ID:	020724-WILLMAR-34	Date Received:	02/09/2024 13:55				
Temp @ Receipt (C):							
Sample Desc:	317 Fountain Left						
Parameter	Results	Units	MCL	Method	Analyzed	Qual	
Lead	<0.5	ug/L	15	EPA 200.8	02/15/2024 16:13		
Lab ID:	40566035	Date Collected:	02/07/2024 06:00	Matrix:	Potable Water		
Sample ID:	020724-WILLMAR-35	Date Received:	02/09/2024 13:55				
Temp @ Receipt (C):							
Sample Desc:	317 Fountain Right						
Parameter	Results	Units	MCL	Method	Analyzed	Qual	
Lead	<0.5	ug/L	15	EPA 200.8	02/15/2024 16:14		
Lab ID:	40566036	Date Collected:	02/07/2024 06:00	Matrix:	Potable Water		
Sample ID:	020724-WILLMAR-36	Date Received:	02/09/2024 13:55				
Temp @ Receipt (C):							
Sample Desc:	Hallway 311 Fountain Left						
Parameter	Results	Units	MCL	Method	Analyzed	Qual	
Lead	<0.5	ug/L	15	EPA 200.8	02/15/2024 16:15		
Lab ID:	40566037	Date Collected:	02/07/2024 06:00	Matrix:	Potable Water		
Sample ID:	020724-WILLMAR-37	Date Received:	02/09/2024 13:55				
Temp @ Receipt (C):							
Sample Desc:	Hallway 311 Bottle Filler Right						
Parameter	Results	Units	MCL	Method	Analyzed	Qual	
Lead	<0.5	ug/L	15	EPA 200.8	02/15/2024 16:16		
Lab ID:	40566038	Date Collected:	02/07/2024 06:00	Matrix:	Potable Water		
Sample ID:	020724-WILLMAR-38	Date Received:	02/09/2024 13:55				
Temp @ Receipt (C):							
Sample Desc:	Hallway 311 Fountain Right						
Parameter	Results	Units	MCL	Method	Analyzed	Qual	
Lead	<0.5	ug/L	15	EPA 200.8	02/15/2024 16:17		
Lab ID:	40566039	Date Collected:	02/07/2024 06:00	Matrix:	Potable Water		
Sample ID:	020724-WILLMAR-39	Date Received:	02/09/2024 13:55				
Temp @ Receipt (C):							
Sample Desc:	306 Work Room Faucet						
Parameter	Results	Units	MCL	Method	Analyzed	Qual	

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Friday, February 16, 2024 2:47:54 PM

**MINNESOTA VALLEY TESTING LABORATORIES, INC.**

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com

**Workorder:** Roosevelt, Middle, Jefferson (40566)**Client:** Institute for Environmental Assessment (IEA)**Analytical Results**

Lead	0.97	ug/L	15	EPA 200.8	02/15/2024 16:18
------	------	------	----	-----------	------------------

Lab ID: 40566040	Date Collected: 02/07/2024 06:00	Matrix: Potable Water
Sample ID: 020724-WILLMAR-40	Date Received: 02/09/2024 13:55	
Temp @ Receipt (C):		
Sample Desc: Room 807 Bubbler		

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/15/2024 16:19	

Lab ID: 40566041	Date Collected: 02/07/2024 06:00	Matrix: Potable Water
Sample ID: 020724-WILLMAR-41	Date Received: 02/09/2024 13:55	
Temp @ Receipt (C):		
Sample Desc: Room 808 Bubbler		

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/15/2024 16:27	

Lab ID: 40566042	Date Collected: 02/07/2024 06:00	Matrix: Potable Water
Sample ID: 020724-WILLMAR-42	Date Received: 02/09/2024 13:55	
Temp @ Receipt (C):		
Sample Desc: Room 809 Bubbler		

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/15/2024 16:28	

Lab ID: 40566043	Date Collected: 02/07/2024 06:00	Matrix: Potable Water
Sample ID: 020724-WILLMAR-43	Date Received: 02/09/2024 13:55	
Temp @ Receipt (C):		
Sample Desc: Room 812 Bubbler		

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/15/2024 16:29	

Lab ID: 40566044	Date Collected: 02/07/2024 06:00	Matrix: Potable Water
Sample ID: 020724-WILLMAR-44	Date Received: 02/09/2024 13:55	
Temp @ Receipt (C):		
Sample Desc: Room 811 Bubbler		

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/15/2024 16:30	

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Friday, February 16, 2024 2:47:54 PM

Page 9 of 24

**MINNESOTA VALLEY TESTING LABORATORIES, INC.**

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com

**Workorder:** Roosevelt, Middle, Jefferson (40566)**Client:** Institute for Environmental Assessment (IEA)**Analytical Results**

Lab ID:	40566045	Date Collected:	02/07/2024 06:00	Matrix:	Potable Water	
Sample ID:	020724-WILLMAR-45	Date Received:	02/09/2024 13:55			
Temp @ Receipt (C):						
Sample Desc:	Kitchen Steamer Kettler Sprayer					
Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	2.05	ug/L	15	EPA 200.8	02/15/2024 16:31	

Lab ID:	40566046	Date Collected:	02/07/2024 06:00	Matrix:	Potable Water	
Sample ID:	020724-WILLMAR-46	Date Received:	02/09/2024 13:55			
Temp @ Receipt (C):						
Sample Desc:	Kitchen Steamer Goose Neck Faucet					
Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	1.33	ug/L	15	EPA 200.8	02/15/2024 16:33	

Lab ID:	40566047	Date Collected:	02/07/2024 06:00	Matrix:	Potable Water	
Sample ID:	020724-WILLMAR-47	Date Received:	02/09/2024 13:55			
Temp @ Receipt (C):						
Sample Desc:	Kitchen Island Faucet by Kettles					
Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/15/2024 16:34	

Lab ID:	40566048	Date Collected:	02/07/2024 06:00	Matrix:	Potable Water	
Sample ID:	020724-WILLMAR-48	Date Received:	02/09/2024 13:55			
Temp @ Receipt (C):						
Sample Desc:	Kitchen Island Faucet by Silverware					
Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	1.71	ug/L	15	EPA 200.8	02/15/2024 16:35	

Lab ID:	40566049	Date Collected:	02/07/2024 06:00	Matrix:	Potable Water	
Sample ID:	020724-WILLMAR-49	Date Received:	02/09/2024 13:55			
Temp @ Receipt (C):						
Sample Desc:	Kitchen Prep Front Prep Faucet					
Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	5.46	ug/L	15	EPA 200.8	02/15/2024 16:36	

Lab ID:	40566050	Date Collected:	02/07/2024 06:00	Matrix:	Potable Water	
Sample ID:	020724-WILLMAR-50	Date Received:	02/09/2024 13:55			
Temp @ Receipt (C):						
Sample Desc:	Cafeteria Bottle Filler					
Parameter	Results	Units	MCL	Method	Analyzed	Qual

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Friday, February 16, 2024 2:47:54 PM

Page 10 of 24

**MINNESOTA VALLEY TESTING LABORATORIES, INC.**

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com

**Workorder:** Roosevelt, Middle, Jefferson (40566)**Client:** Institute for Environmental Assessment (IEA)**Analytical Results**

Lead	23.9	ug/L	15	EPA 200.8	02/15/2024 16:37
------	------	------	----	-----------	------------------

Lab ID: 40566051	Date Collected: 02/07/2024 06:00	Matrix: Potable Water
Sample ID: 020724-WILLMAR-51	Date Received: 02/09/2024 13:55	
Temp @ Receipt (C):		
Sample Desc: Cafeteria Fountain		

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	20.4	ug/L	15	EPA 200.8	02/15/2024 16:49	

Lab ID: 40566052	Date Collected: 02/07/2024 06:00	Matrix: Potable Water
Sample ID: 020724-WILLMAR-52	Date Received: 02/09/2024 13:55	
Temp @ Receipt (C):		
Sample Desc: Hallway Lounge Fountain		

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	3.01	ug/L	15	EPA 200.8	02/15/2024 16:50	

Lab ID: 40566053	Date Collected: 02/07/2024 06:00	Matrix: Potable Water
Sample ID: 020724-WILLMAR-53	Date Received: 02/09/2024 13:55	
Temp @ Receipt (C):		
Sample Desc: Lounge Faucet		

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	5.03	ug/L	15	EPA 200.8	02/15/2024 16:51	

Lab ID: 40566054	Date Collected: 02/07/2024 06:00	Matrix: Potable Water
Sample ID: 020724-WILLMAR-54	Date Received: 02/09/2024 13:55	
Temp @ Receipt (C):		
Sample Desc: Boys Locker Room Bottle Filler		

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	2.61	ug/L	15	EPA 200.8	02/15/2024 16:52	

Lab ID: 40566055	Date Collected: 02/07/2024 06:00	Matrix: Potable Water
Sample ID: 020724-WILLMAR-55	Date Received: 02/09/2024 13:55	
Temp @ Receipt (C):		
Sample Desc: Boys Locker Room Fountain		

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	3.32	ug/L	15	EPA 200.8	02/15/2024 16:53	

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Friday, February 16, 2024 2:47:54 PM

Page 11 of 24

**MINNESOTA VALLEY TESTING LABORATORIES, INC.**

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com

**Workorder:** Roosevelt, Middle, Jefferson (40566)**Client:** Institute for Environmental Assessment (IEA)**Analytical Results**

Lab ID:	40566056	Date Collected:	02/07/2024 06:00	Matrix:	Potable Water		
Sample ID:	020724-WILLMAR-56	Date Received:	02/09/2024 13:55				
Temp @ Receipt (C):							
Sample Desc:	Girls Locker Room Bottle Filler						
Parameter	Results	Units	MCL	Method	Analyzed	Qual	
Lead	<0.5	ug/L	15	EPA 200.8	02/15/2024 16:54		
Lab ID:	40566057	Date Collected:	02/07/2024 06:00	Matrix:	Potable Water		
Sample ID:	020724-WILLMAR-57	Date Received:	02/09/2024 13:55				
Temp @ Receipt (C):							
Sample Desc:	Girls Locker Room Fountain						
Parameter	Results	Units	MCL	Method	Analyzed	Qual	
Lead	<0.5	ug/L	15	EPA 200.8	02/15/2024 16:56		
Lab ID:	40566058	Date Collected:	02/07/2024 06:00	Matrix:	Potable Water		
Sample ID:	020724-WILLMAR-58	Date Received:	02/09/2024 13:55				
Temp @ Receipt (C):							
Sample Desc:	153 Choir Fountain						
Parameter	Results	Units	MCL	Method	Analyzed	Qual	
Lead	11.6	ug/L	15	EPA 200.8	02/15/2024 16:57		
Lab ID:	40566059	Date Collected:	02/07/2024 06:00	Matrix:	Potable Water		
Sample ID:	020724-WILLMAR-59	Date Received:	02/09/2024 13:55				
Temp @ Receipt (C):							
Sample Desc:	Main Office Faucet						
Parameter	Results	Units	MCL	Method	Analyzed	Qual	
Lead	7.50	ug/L	15	EPA 200.8	02/15/2024 16:58		
Lab ID:	40566060	Date Collected:	02/07/2024 06:00	Matrix:	Potable Water		
Sample ID:	020724-WILLMAR-60	Date Received:	02/09/2024 13:55				
Temp @ Receipt (C):							
Sample Desc:	Hallway Main Office Bottle Filler						
Parameter	Results	Units	MCL	Method	Analyzed	Qual	
Lead	<0.5	ug/L	15	EPA 200.8	02/15/2024 16:59		
Lab ID:	40566061	Date Collected:	02/07/2024 06:00	Matrix:	Potable Water		
Sample ID:	020724-WILLMAR-61	Date Received:	02/09/2024 13:55				
Temp @ Receipt (C):							
Sample Desc:	Hallway Main Office Fountain						
Parameter	Results	Units	MCL	Method	Analyzed	Qual	

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Friday, February 16, 2024 2:47:54 PM

Page 12 of 24

**MINNESOTA VALLEY TESTING LABORATORIES, INC.**

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com

**Workorder:** Roosevelt, Middle, Jefferson (40566)**Client:** Institute for Environmental Assessment (IEA)**Analytical Results**

Lead	<0.5	ug/L	15	EPA 200.8	02/15/2024 17:07
------	------	------	----	-----------	------------------

Lab ID: 40566062	Date Collected: 02/07/2024 06:00	Matrix: Potable Water
Sample ID: 020724-WILLMAR-62	Date Received: 02/09/2024 13:55	
Temp @ Receipt (C):		
Sample Desc: MS Nurses Office Faucet		

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	4.23	ug/L	15	EPA 200.8	02/15/2024 17:08	

Lab ID: 40566063	Date Collected: 02/07/2024 06:00	Matrix: Potable Water
Sample ID: 020724-WILLMAR-63	Date Received: 02/09/2024 13:55	
Temp @ Receipt (C):		
Sample Desc: Hallway 101 Fountain		

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	15.7	ug/L	15	EPA 200.8	02/15/2024 17:09	

Lab ID: 40566064	Date Collected: 02/07/2024 06:00	Matrix: Potable Water
Sample ID: 020724-WILLMAR-64	Date Received: 02/09/2024 13:55	
Temp @ Receipt (C):		
Sample Desc: Hallway 111 Bottle Filler		

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/15/2024 17:10	

Lab ID: 40566065	Date Collected: 02/07/2024 06:00	Matrix: Potable Water
Sample ID: 020724-WILLMAR-65	Date Received: 02/09/2024 13:55	
Temp @ Receipt (C):		
Sample Desc: Hallway 111 Fountain		

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/15/2024 17:11	

Lab ID: 40566066	Date Collected: 02/07/2024 06:00	Matrix: Potable Water
Sample ID: 020724-WILLMAR-66	Date Received: 02/09/2024 13:55	
Temp @ Receipt (C):		
Sample Desc: Hallway W107 Fountain Left		

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/15/2024 17:12	

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Friday, February 16, 2024 2:47:54 PM

Page 13 of 24

**MINNESOTA VALLEY TESTING LABORATORIES, INC.**

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com

**Workorder:** Roosevelt, Middle, Jefferson (40566)**Client:** Institute for Environmental Assessment (IEA)**Analytical Results**

Lab ID:	40566067	Date Collected:	02/07/2024 06:00	Matrix:	Potable Water	
Sample ID:	020724-WILLMAR-67	Date Received:	02/09/2024 13:55			
Temp @ Receipt (C):						
Sample Desc:	Hallway W107 Bottle Filler Right					
Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/15/2024 17:13	
Lab ID:	40566068	Date Collected:	02/07/2024 06:00	Matrix:	Potable Water	
Sample ID:	020724-WILLMAR-68	Date Received:	02/09/2024 13:55			
Temp @ Receipt (C):						
Sample Desc:	Hallway W107 Fountain Right					
Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/15/2024 17:14	
Lab ID:	40566069	Date Collected:	02/07/2024 06:00	Matrix:	Potable Water	
Sample ID:	020724-WILLMAR-69	Date Received:	02/09/2024 13:55			
Temp @ Receipt (C):						
Sample Desc:	Hallway 128 Bottle Filler					
Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/15/2024 17:15	
Lab ID:	40566070	Date Collected:	02/07/2024 06:00	Matrix:	Potable Water	
Sample ID:	020724-WILLMAR-70	Date Received:	02/09/2024 13:55			
Temp @ Receipt (C):						
Sample Desc:	Hallway 128 Fountain					
Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/15/2024 17:16	
Lab ID:	40566071	Date Collected:	02/07/2024 06:00	Matrix:	Potable Water	
Sample ID:	020724-WILLMAR-71	Date Received:	02/09/2024 13:55			
Temp @ Receipt (C):						
Sample Desc:	Hallway 131 Fountain					
Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	1.22	ug/L	15	EPA 200.8	02/15/2024 17:25	
Lab ID:	40566072	Date Collected:	02/07/2024 06:00	Matrix:	Potable Water	
Sample ID:	020724-WILLMAR-72	Date Received:	02/09/2024 13:55			
Temp @ Receipt (C):						
Sample Desc:	Hallway N105A Fountain Left					
Parameter	Results	Units	MCL	Method	Analyzed	Qual

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Friday, February 16, 2024 2:47:54 PM

Page 14 of 24

**MINNESOTA VALLEY TESTING LABORATORIES, INC.**

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com

**Workorder:** Roosevelt, Middle, Jefferson (40566)**Client:** Institute for Environmental Assessment (IEA)**Analytical Results**

Lead	<0.5	ug/L	15	EPA 200.8	02/15/2024 17:26
------	------	------	----	-----------	------------------

Lab ID: 40566073	Date Collected: 02/07/2024 06:00	Matrix: Potable Water
Sample ID: 020724-WILLMAR-73	Date Received: 02/09/2024 13:55	
Temp @ Receipt (C):		
Sample Desc: Hallway N105A Bottle Filler		

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/15/2024 17:27	

Lab ID: 40566074	Date Collected: 02/07/2024 06:00	Matrix: Potable Water
Sample ID: 020724-WILLMAR-74	Date Received: 02/09/2024 13:55	
Temp @ Receipt (C):		
Sample Desc: Hallway N105A Fountain Right		

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/15/2024 17:28	

Lab ID: 40566075	Date Collected: 02/07/2024 06:00	Matrix: Potable Water
Sample ID: 020724-WILLMAR-75	Date Received: 02/09/2024 13:55	
Temp @ Receipt (C):		
Sample Desc: Kitchen Faucet Left		

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	56.1	ug/L	15	EPA 200.8	02/15/2024 17:29	

Lab ID: 40566076	Date Collected: 02/07/2024 06:00	Matrix: Potable Water
Sample ID: 020724-WILLMAR-76	Date Received: 02/09/2024 13:55	
Temp @ Receipt (C):		
Sample Desc: Kitchen Faucet Right		

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	11.6	ug/L	15	EPA 200.8	02/15/2024 17:30	

Lab ID: 40566077	Date Collected: 02/07/2024 06:00	Matrix: Potable Water
Sample ID: 020724-WILLMAR-77	Date Received: 02/09/2024 13:55	
Temp @ Receipt (C):		
Sample Desc: Hallway 110 Bottle Filler		

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/15/2024 17:31	

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Friday, February 16, 2024 2:47:54 PM

Page 15 of 24

**MINNESOTA VALLEY TESTING LABORATORIES, INC.**

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com

**Workorder:** Roosevelt, Middle, Jefferson (40566)**Client:** Institute for Environmental Assessment (IEA)**Analytical Results**

Lab ID: 40566078 **Date Collected:** 02/07/2024 06:00 **Matrix:** Potable Water
Sample ID: 020724-WILLMAR-78 **Date Received:** 02/09/2024 13:55
Temp @ Receipt (C):
Sample Desc: Hallway 110 Fountain

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/15/2024 17:32	

Lab ID: 40566079 **Date Collected:** 02/07/2024 06:00 **Matrix:** Potable Water
Sample ID: 020724-WILLMAR-79 **Date Received:** 02/09/2024 13:55
Temp @ Receipt (C):
Sample Desc: Hallway 108 Bottle Filler

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	9.59	ug/L	15	EPA 200.8	02/15/2024 17:33	

Lab ID: 40566080 **Date Collected:** 02/07/2024 06:00 **Matrix:** Potable Water
Sample ID: 020724-WILLMAR-80 **Date Received:** 02/09/2024 13:55
Temp @ Receipt (C):
Sample Desc: Hallway 108 Fountain

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	6.07	ug/L	15	EPA 200.8	02/15/2024 17:34	

Lab ID: 40566081 **Date Collected:** 02/07/2024 06:00 **Matrix:** Potable Water
Sample ID: 020724-WILLMAR-81 **Date Received:** 02/09/2024 13:55
Temp @ Receipt (C):
Sample Desc: Room 107 Faucet

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	12.3	ug/L	15	EPA 200.8	02/15/2024 17:43	

Lab ID: 40566082 **Date Collected:** 02/07/2024 06:00 **Matrix:** Potable Water
Sample ID: 020724-WILLMAR-82 **Date Received:** 02/09/2024 13:55
Temp @ Receipt (C):
Sample Desc: Room 106 Faucet

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	14.2	ug/L	15	EPA 200.8	02/15/2024 17:44	

Lab ID: 40566083 **Date Collected:** 02/07/2024 06:00 **Matrix:** Potable Water
Sample ID: 020724-WILLMAR-83 **Date Received:** 02/09/2024 13:55
Temp @ Receipt (C):
Sample Desc: Room 105 Faucet

Parameter	Results	Units	MCL	Method	Analyzed	Qual
-----------	---------	-------	-----	--------	----------	------

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Friday, February 16, 2024 2:47:54 PM

**MINNESOTA VALLEY TESTING LABORATORIES, INC.**

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com

**Workorder:** Roosevelt, Middle, Jefferson (40566)**Client:** Institute for Environmental Assessment (IEA)**Analytical Results**

Lead	11.7	ug/L	15	EPA 200.8	02/15/2024 17:45
------	------	------	----	-----------	------------------

Lab ID: 40566084	Date Collected: 02/07/2024 06:00	Matrix: Potable Water
Sample ID: 020724-WILLMAR-84	Date Received: 02/09/2024 13:55	
Temp @ Receipt (C):		
Sample Desc: Room 104 Faucet		

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	13.9	ug/L	15	EPA 200.8	02/15/2024 17:46	

Lab ID: 40566085	Date Collected: 02/07/2024 06:00	Matrix: Potable Water
Sample ID: 020724-WILLMAR-85	Date Received: 02/09/2024 13:55	
Temp @ Receipt (C):		
Sample Desc: Room 101A Faucet		

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	5.21	ug/L	15	EPA 200.8	02/15/2024 17:47	

Lab ID: 40566086	Date Collected: 02/07/2024 06:00	Matrix: Potable Water
Sample ID: 020724-WILLMAR-86	Date Received: 02/09/2024 13:55	
Temp @ Receipt (C):		
Sample Desc: Room 103 Faucet		

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	10.2	ug/L	15	EPA 200.8	02/15/2024 17:48	

Lab ID: 40566087	Date Collected: 02/07/2024 06:00	Matrix: Potable Water
Sample ID: 020724-WILLMAR-87	Date Received: 02/09/2024 13:55	
Temp @ Receipt (C):		
Sample Desc: Room 103 Bubbler		

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	9.31	ug/L	15	EPA 200.8	02/15/2024 17:49	

Lab ID: 40566088	Date Collected: 02/07/2024 06:00	Matrix: Potable Water
Sample ID: 020724-WILLMAR-88	Date Received: 02/09/2024 13:55	
Temp @ Receipt (C):		
Sample Desc: Hallway 103 Bottle Filler		

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/15/2024 17:50	

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Friday, February 16, 2024 2:47:54 PM

Page 17 of 24

**MINNESOTA VALLEY TESTING LABORATORIES, INC.**

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com

**Workorder:** Roosevelt, Middle, Jefferson (40566)**Client:** Institute for Environmental Assessment (IEA)**Analytical Results**

Lab ID:	40566089	Date Collected:	02/07/2024 06:00	Matrix:	Potable Water	
Sample ID:	020724-WILLMAR-89	Date Received:	02/09/2024 13:55			
Temp @ Receipt (C):						
Sample Desc:	Hallway 103 Fountain					
Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	<0.5	ug/L	15	EPA 200.8	02/15/2024 17:51	

Lab ID:	40566090	Date Collected:	02/07/2024 06:00	Matrix:	Potable Water	
Sample ID:	020724-WILLMAR-90	Date Received:	02/09/2024 13:55			
Temp @ Receipt (C):						
Sample Desc:	Room 102 Faucet					
Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	9.05	ug/L	15	EPA 200.8	02/15/2024 17:52	

Lab ID:	40566091	Date Collected:	02/07/2024 06:00	Matrix:	Potable Water	
Sample ID:	020724-WILLMAR-91	Date Received:	02/09/2024 13:55			
Temp @ Receipt (C):						
Sample Desc:	Room 101 Faucet					
Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	12.9	ug/L	15	EPA 200.8	02/15/2024 18:01	

Lab ID:	40566092	Date Collected:	02/07/2024 06:00	Matrix:	Potable Water	
Sample ID:	020724-WILLMAR-92	Date Received:	02/09/2024 13:55			
Temp @ Receipt (C):						
Sample Desc:	Room 110 Faucet					
Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	4.59	ug/L	15	EPA 200.8	02/15/2024 18:02	

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Friday, February 16, 2024 2:47:54 PM

Page 18 of 24



MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com



Workorder: Roosevelt, Middle, Jefferson (40566)

Client: Institute for Environmental Assessment (IEA)



MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Friday, February 16, 2024 2:47:54 PM

Page 19 of 24



MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com



Workorder: Roosevelt, Middle, Jefferson (40566)

Client: Institute for Environmental Assessment (IEA)

Chain of Custody

9201 West Broadway North, Suite 600
Bismarck, ND 58503
763.315.7900 1.800.233.9513



40566

Client Name		Willmar Public Schools		Building Name		Roosevelt, Middle School & Jefferson		Analytical Lab		MVTL	
Contact Name		Aaron Hess		Project #		202410037		Project Name		Willmar - 2024 Lead in Water Sampling	
Phone #		507-829-7372		IEA Fax #				Written Sample Results To		aaron.hess@ieasafety.com	
Other Information											
Sampled By		Aaron Hess		Date		2/7/2024		Time		6:00 AM	
Shipped By		MVTL 1126 N Front St Building #New Ulm, MN 56073		Date		2/7/2024		Time			
Received By				Date				Sample Condition		Temperature	
Lab Number	Sample Number	Sample Location (EX: Kitchen Room 123 NW Corner Left - KS)	Sample Type			Date Sampled	Time Sampled	Volume/ Bottle Type	Analysis Required	Comments & Observations	
			Water	Soil	Other						
	020724-WILLMAR-01	Kitchen Kettle Sprayer	X	001		2/7/2024	5:56 AM	250 ml unpreserved	Lead	Roosevelt Elementary	
	020724-WILLMAR-02	Kitchen Back Faucet	X	002		2/7/2024	5:56 AM	250 ml unpreserved	Lead	Roosevelt Elementary	
	020724-WILLMAR-03	Kitchen Front Faucet	X	003		2/7/2024	5:56 AM	250 ml unpreserved	Lead	Roosevelt Elementary	
	020724-WILLMAR-04	Hallway 103 Fountain Left	X	004		2/7/2024	5:59 AM	250 ml unpreserved	Lead	Roosevelt Elementary	
	020724-WILLMAR-05	Hallway 103 Bottle Filler Right	X	005		2/7/2024	6:01 AM	250 ml unpreserved	Lead	Roosevelt Elementary	
	020724-WILLMAR-06	Hallway 103 Fountain Right	X	006		2/7/2024	6:02 AM	250 ml unpreserved	Lead	Roosevelt Elementary	
	020724-WILLMAR-07	Hallway 102 Fountain Left	X	007		2/7/2024	6:04 AM	250 ml unpreserved	Lead	Roosevelt Elementary	
	020724-WILLMAR-08	Hallway 102 Bottle Filler Right	X	008		2/7/2024	6:04 AM	250 ml unpreserved	Lead	Roosevelt Elementary	
	020724-WILLMAR-09	Hallway 102 Fountain Right	X	009		2/7/2024	6:04 AM	250 ml unpreserved	Lead	Roosevelt Elementary	
	020724-WILLMAR-10	Room 202 Faucet	X	010		2/7/2024	6:08 AM	250 ml unpreserved	Lead	Roosevelt Elementary	
	020724-WILLMAR-11	Main Office Faucet	X	011		2/7/2024	6:22 AM	250 ml unpreserved	Lead	Roosevelt Elementary	
	020724-WILLMAR-12	Main Office Conf Faucet	X	012		2/7/2024	6:22 AM	250 ml unpreserved	Lead	Roosevelt Elementary	
	020724-WILLMAR-13	Nurses Office Faucet	X	013		2/7/2024	6:23 AM	250 ml unpreserved	Lead	Roosevelt Elementary	
	020724-WILLMAR-14	Hallway 300 Bottle Filler Left	X	014		2/7/2024	6:24 AM	250 ml unpreserved	Lead	Roosevelt Elementary	
	020724-WILLMAR-15	Hallway 300 Fountain Left	X	015		2/7/2024	6:25 AM	250 ml unpreserved	Lead	Roosevelt Elementary	
	020724-WILLMAR-16	Hallway 300 Fountain Right	X	016		2/7/2024	6:26 AM	250 ml unpreserved	Lead	Roosevelt Elementary	
	020724-WILLMAR-17	Bathroom 408 Fountain Left	X	017		2/7/2024	6:27 AM	250 ml unpreserved	Lead	Roosevelt Elementary	
	020724-WILLMAR-18	Bathroom 408 Fountain Right	X	018		2/7/2024	6:29 AM	250 ml unpreserved	Lead	Roosevelt Elementary	
	020724-WILLMAR-19	Hallway 608 Bottle Filler Left	X	019		2/7/2024	6:30 AM	250 ml unpreserved	Lead	Roosevelt Elementary	
	020724-WILLMAR-20	Hallway 608 Fountain Left	X	020		2/7/2024	6:32 AM	250 ml unpreserved	Lead	Roosevelt Elementary	
	020724-WILLMAR-21	Hallway 608 Fountain Right	X	021		2/7/2024	6:33 AM	250 ml unpreserved	Lead	Roosevelt Elementary	
	020724-WILLMAR-22	Bathroom 500 Fountain Left	X	022		2/7/2024	6:34 AM	250 ml unpreserved	Lead	Roosevelt Elementary	
	020724-WILLMAR-23	Bathroom 500 Fountain Right	X	023		2/7/2024	6:36 AM	250 ml unpreserved	Lead	Roosevelt Elementary	
	020724-WILLMAR-24	Room 504 Faucet	X	024		2/7/2024	6:36 AM	250 ml unpreserved	Lead	Roosevelt Elementary	
	020724-WILLMAR-25	Hallway 506 Fountain Left	X	025		2/7/2024	6:36 AM	250 ml unpreserved	Lead	Roosevelt Elementary	
	020724-WILLMAR-26	Hallway 506 Bottle Filler Right	X	026		2/7/2024	6:37 AM	250 ml unpreserved	Lead	Roosevelt Elementary	
	020724-WILLMAR-27	Hallway 506 Fountain Right	X	027		2/7/2024	6:37 AM	250 ml unpreserved	Lead	Roosevelt Elementary	
	020724-WILLMAR-28	Room 508 Faucet	X	028		2/7/2024	6:38 AM	250 ml unpreserved	Lead	Roosevelt Elementary	
	020724-WILLMAR-29	Room 509 Faucet	X	029		2/7/2024	6:39 AM	250 ml unpreserved	Lead	Roosevelt Elementary	

Original - Analytical Lab
Copy - Client File
Copy - IEA Lab

Brian Williams

9 FEB 2024

13:59

AMB SS 09 FEB 24 1355 17.7 °C 774

Report Date: Friday, February 16, 2024 2:47:54 PM



MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com



Workorder: Roosevelt, Middle, Jefferson (40566)

Client: Institute for Environmental Assessment (IEA)

Chain of Custody

9201 West Broadway North, Suite 600
Bismarck, ND 58503
763.315.7900 • 1.800.233.9513



Client Name			Willmar Public Schools		Building Name		Roosevelt, Middle School & Jefferson		Analytical Lab		MVTL							
Contact Name			Aaron Hess				Project #		202410037		Project Name		Willmar - 2024 Lead in Water Sampling					
Phone #			507-829-7372				IEA Fax #							aaron.hess@ieasafety.com				
Other Information																		
Sampled By			Aaron Hess		Date		2/7/2024		Time		6:00 AM		Analysed By (Company)		Analyst		Date & Time	
Shipped By			MVTL 1126 N Front St Building #New Ulm, MN 56073				Date		2/7/2024		Time		Turnaround Time		Notes			
Received By							Date				Time		Sample Condition		Temperature			
Lab Number	Sample Number	Sample Location (EX: Kitchen Room 123 NW Corner Left - KS)	Sample Type			Date Sampled	Time Sampled	Volume/ Bottle Type	Analysis Required	Comments & Observations								
			Water	Soil	Other													
	020724-WILLMAR-30	Room 511 Faucet	X	30		2/7/2024	6:40 AM	250 ml unpreserved	Lead	Roosevelt Elementary								
	020724-WILLMAR-31	Room 319 Faucet	X	31		2/7/2024	6:41 AM	250 ml unpreserved	Lead	Roosevelt Elementary								
	020724-WILLMAR-32	Room 318 Faucet	X	32		2/7/2024	6:41 AM	250 ml unpreserved	Lead	Roosevelt Elementary								
	020724-WILLMAR-33	317 Bottle Filler Left	X	33		2/7/2024	6:43 AM	250 ml unpreserved	Lead	Roosevelt Elementary								
	020724-WILLMAR-34	317 Fountain Left	X	34		2/7/2024	6:45 AM	250 ml unpreserved	Lead	Roosevelt Elementary								
	020724-WILLMAR-35	317 Fountain Right	X	35		2/7/2024	6:46 AM	250 ml unpreserved	Lead	Roosevelt Elementary								
	020724-WILLMAR-36	Hallway 311 Fountain Left	X	36		2/7/2024	6:47 AM	250 ml unpreserved	Lead	Roosevelt Elementary								
	020724-WILLMAR-37	Hallway 311 Bottle Filler Right	X	37		2/7/2024	6:48 AM	250 ml unpreserved	Lead	Roosevelt Elementary								
	020724-WILLMAR-38	Hallway 311 Fountain Right	X	38		2/7/2024	6:50 AM	250 ml unpreserved	Lead	Roosevelt Elementary								
	020724-WILLMAR-39	306 Work Room Faucet	X	39		2/7/2024	6:54 AM	250 ml unpreserved	Lead	Roosevelt Elementary								
	020724-WILLMAR-40	Room 807 Bubbler	X	40		2/7/2024	6:56 AM	250 ml unpreserved	Lead	Roosevelt Elementary								
	020724-WILLMAR-41	Room 808 Bubbler	X	41		2/7/2024	7:17 AM	250 ml unpreserved	Lead	Roosevelt Elementary								
	020724-WILLMAR-42	Room 809 Bubbler	X	42		2/7/2024	7:18 AM	250 ml unpreserved	Lead	Roosevelt Elementary								
	020724-WILLMAR-43	Room 812 Bubbler	X	43		2/7/2024	7:21 AM	250 ml unpreserved	Lead	Roosevelt Elementary								
	020724-WILLMAR-44	Room 811 Bubbler	X	44		2/7/2024	7:21 AM	250 ml unpreserved	Lead	Roosevelt Elementary								
	020724-WILLMAR-45	Kitchen Steamer Kettler Sprayer	X	45		2/7/2024	7:22 AM	250 ml unpreserved	Lead	Willmar Middle School								
	020724-WILLMAR-46	Kitchen Steamer Goose Neck Faucet	X	46		2/7/2024	7:23 AM	250 ml unpreserved	Lead	Willmar Middle School								
	020724-WILLMAR-47	Kitchen Island Faucet by Kettles	X	47		2/7/2024	7:24 AM	250 ml unpreserved	Lead	Willmar Middle School								
	020724-WILLMAR-48	Kitchen Island Faucet by Silverware	X	48		2/7/2024	7:24 AM	250 ml unpreserved	Lead	Willmar Middle School								
	020724-WILLMAR-49	Kitchen Prep Front Prep Faucet	X	49		2/7/2024	7:25 AM	250 ml unpreserved	Lead	Willmar Middle School								
	020724-WILLMAR-50	Cafeteria Bottle Filler	X	50		2/7/2024	7:27 AM	250 ml unpreserved	Lead	Willmar Middle School								
	020724-WILLMAR-51	Cafeteria Fountain	X	51		2/7/2024	7:28 AM	250 ml unpreserved	Lead	Willmar Middle School								
	020724-WILLMAR-52	Hallway Lounge Fountain	X	52		2/7/2024	7:30 AM	250 ml unpreserved	Lead	Willmar Middle School								
	020724-WILLMAR-53	Lounge Faucet	X	53		2/7/2024	7:31 AM	250 ml unpreserved	Lead	Willmar Middle School								
	020724-WILLMAR-54	Boys Locker Room Bottle Filler	X	54		2/7/2024	7:31 AM	250 ml unpreserved	Lead	Willmar Middle School								
	020724-WILLMAR-55	Boys Locker Room Fountain	X	55		2/7/2024	7:32 AM	250 ml unpreserved	Lead	Willmar Middle School								
	020724-WILLMAR-56	Girls Locker Room Bottle Filler	X	56		2/7/2024	7:32 AM	250 ml unpreserved	Lead	Willmar Middle School								
	020724-WILLMAR-57	Girls Locker Room Fountain	X	57		2/7/2024	7:33 AM	250 ml unpreserved	Lead	Willmar Middle School								
	020724-WILLMAR-58	153 Choir Fountain	X	58		2/7/2024	7:33 AM	250 ml unpreserved	Lead	Willmar Middle School								

Original - Analytical Lab
Copy - Client File
Copy - IEA Lab

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Friday, February 16, 2024 2:47:54 PM

Page 21 of 24



MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com



Workorder: Roosevelt, Middle, Jefferson (40566)

Client: Institute for Environmental Assessment (IEA)

Chain of Custody

9201 West Broadway North, Suite 600
Bismarck, ND 58503
763.315.7900 • 1.800.233.5513

40566

Client Name Willmar Public Schools			Building Name Roosevelt, Middle School & Jefferson			Analytical Lab MVTL				
Contact Name Aaron Hess			Project # 202410037			Project Name Willmar - 2024 Lead in Water Sampling				
Phone # 507-829-7372			IEA Fax #			Written Sample Results To aaron.hess@ieasafety.com				
Other Information										
Sampled By Aaron Hess			Date 2/7/2024	Time 6:00 AM	Analysed By (Company)		Analyst	Date & Time		
Shipped By MVTL 1126 N Front St Building #New Ulm, MN 56073			Date 2/7/2024	Time	Turnaround Time		Notes			
Received By			Date	Time	Sample Condition		Temperature			
Lab Number	Sample Number	Sample Location (EX: Kitchen Room 123 NW Corner Left - KS)	Sample Type			Date Sampled	Time Sampled	Volume/ Bottle Type	Analysis Required	Comments & Observations
			Water	Soil	Other					
020724-WILLMAR-59		Main Office Faucet	X	39		2/7/2024	7:34 AM	250 ml unpreserved	Lead	Willmar Middle School
020724-WILLMAR-60		Hallway Main Office Bottle Filler	X	60		2/7/2024	7:35 AM	250 ml unpreserved	Lead	Willmar Middle School
020724-WILLMAR-61		Hallway Main Office Fountain	X	61		2/7/2024	7:35 AM	250 ml unpreserved	Lead	Willmar Middle School
020724-WILLMAR-62		MS Nurses Office Faucet	X	62		2/7/2024	7:36 AM	250 ml unpreserved	Lead	Willmar Middle School
020724-WILLMAR-63		Hallway 101 Fountain	X	63		2/7/2024	7:36 AM	250 ml unpreserved	Lead	Willmar Middle School
020724-WILLMAR-64		Hallway 111 Bottle Filler	X	64		2/7/2024	7:37 AM	250 ml unpreserved	Lead	Willmar Middle School
020724-WILLMAR-65		Hallway 111 Fountain	X	65		2/7/2024	7:37 AM	250 ml unpreserved	Lead	Willmar Middle School
020724-WILLMAR-66		Hallway W107 Fountain Left	X	66		2/7/2024	7:38 AM	250 ml unpreserved	Lead	Willmar Middle School
020724-WILLMAR-67		Hallway W107 Bottle Filler Right	X	67		2/7/2024	7:40 AM	250 ml unpreserved	Lead	Willmar Middle School
020724-WILLMAR-68		Hallway W107 Fountain Right	X	68		2/7/2024	7:40 AM	250 ml unpreserved	Lead	Willmar Middle School
020724-WILLMAR-69		Hallway 128 Bottle Filler	X	69		2/7/2024	7:41 AM	250 ml unpreserved	Lead	Willmar Middle School
020724-WILLMAR-70		Hallway 128 Fountain	X	70		2/7/2024	7:42 AM	250 ml unpreserved	Lead	Willmar Middle School
020724-WILLMAR-71		Hallway 131 Fountain	X	71		2/7/2024	7:44 AM	250 ml unpreserved	Lead	Willmar Middle School
020724-WILLMAR-72		Hallway N105A Fountain Left	X	72		2/7/2024	7:45 AM	250 ml unpreserved	Lead	Willmar Middle School
020724-WILLMAR-73		Hallway N105A Bottle Filler	X	73		2/7/2024	7:46 AM	250 ml unpreserved	Lead	Willmar Middle School
020724-WILLMAR-74		Hallway N105A Fountain Right	X	74		2/7/2024	7:48 AM	250 ml unpreserved	Lead	Willmar Middle School
020724-WILLMAR-75		Kitchen Faucet Left	X	75		2/7/2024	8:02 AM	250 ml unpreserved	Lead	Jefferson Learning Center
020724-WILLMAR-76		Kitchen Faucet Right	X	76		2/7/2024	8:02 AM	250 ml unpreserved	Lead	Jefferson Learning Center
020724-WILLMAR-77		Hallway 110 Bottle Filler	X	77		2/7/2024	8:02 AM	250 ml unpreserved	Lead	Jefferson Learning Center
020724-WILLMAR-78		Hallway 110 Fountain	X	78		2/7/2024	8:04 AM	250 ml unpreserved	Lead	Jefferson Learning Center
020724-WILLMAR-79		Hallway 108 Bottle Filler	X	79		2/7/2024	8:05 AM	250 ml unpreserved	Lead	Jefferson Learning Center
020724-WILLMAR-80		Hallway 108 Fountain	X	80		2/7/2024	8:06 AM	250 ml unpreserved	Lead	Jefferson Learning Center
020724-WILLMAR-81		Room 107 Faucet	X	81		2/7/2024	8:07 AM	250 ml unpreserved	Lead	Jefferson Learning Center
020724-WILLMAR-82		Room 106 Faucet	X	82		2/7/2024	8:09 AM	250 ml unpreserved	Lead	Jefferson Learning Center
020724-WILLMAR-83		Room 105 Faucet	X	83		2/7/2024	8:10 AM	250 ml unpreserved	Lead	Jefferson Learning Center
020724-WILLMAR-84		Room 104 Faucet	X	84		2/7/2024	8:10 AM	250 ml unpreserved	Lead	Jefferson Learning Center
020724-WILLMAR-85		Room 101A Faucet	X	85		2/7/2024	8:11 AM	250 ml unpreserved	Lead	Jefferson Learning Center
020724-WILLMAR-86		Room 103 Faucet	X	86		2/7/2024	8:12 AM	250 ml unpreserved	Lead	Jefferson Learning Center
020724-WILLMAR-87		Room 103 Bubbler	X	87		2/7/2024	8:14 AM	250 ml unpreserved	Lead	Jefferson Learning Center
020724-WILLMAR-88		Hallway 103 Bottle Filler	X	88		2/7/2024	8:15 AM	250 ml unpreserved	Lead	Jefferson Learning Center

Original - Analytical Lab
Copy - Client File
Copy - IEA Lab

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Friday, February 16, 2024 2:47:54 PM

Page 22 of 24

MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com



Workorder: Roosevelt, Middle, Jefferson (40566)

Client: Institute for Environmental Assessment (IEA)

Chain of Custody

9201 West Broadway North, Suite 600
Brooklyn Park, MN 55445
763.315.7900 1.800.233.9513

[illegible]

Original - Analytical Lab
Copy - Client File
Copy - IEA Lab

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Friday, February 16, 2024 2:47:54 PM

Page 23 of 24

**MINNESOTA VALLEY TESTING LABORATORIES, INC.**

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com

**Workorder:** Roosevelt, Middle, Jefferson (40566)**Client:** Institute for Environmental Assessment (IEA)**Sample Condition Checklist**

Date: 09 Feb 24 Time: 1355 ☐ AM ☒ PM By: SJ

Account Name: Willmar Public Schools - 020724 Account #:

Bill of Lading #: Cooler #:

Temp: 17.7 °C ROI ☐ Ambient ☒ Tracking #:

TM#: 774 Ice Crystals Present in Sample ☐

MVTL Courier: Brian Williams Other:

MVTL Route: Walk-In ☐ UPS Air ☐ FedEx Air ☐ Speedee ☐
Mail ☐ UPS Ground ☐ FedEx Ground ☐

Containers Supplied by MVTL: Yes ☒ No ☐ Designate customer supplied containers as "Other" in container size column

Comments:												pH						
Number	Containers Size (mL)	Container Type			Preservation													
92	(100) (120) (125) (250) (290) (500) (1000) Other	(G)	(P)	(AG)	(AP)	NaHSO ₄	Na ₂ O ₃ S ₂	NONE	HNO ₃	H ₂ SO ₄	NaOH	HCl	SUB*	<2	>9	>12	N/A	Add
	(100) (120) (125) (250) (290) (500) (1000) Other	(G)	(P)	(AG)	(AP)	NaHSO ₄	Na ₂ O ₃ S ₂	NONE	HNO ₃	H ₂ SO ₄	NaOH	HCl	SUB*	<2	>9	>12	N/A	Add
	(100) (120) (125) (250) (290) (500) (1000) Other	(G)	(P)	(AG)	(AP)	NaHSO ₄	Na ₂ O ₃ S ₂	NONE	HNO ₃	H ₂ SO ₄	NaOH	HCl	SUB*	<2	>9	>12	N/A	Add
	(100) (120) (125) (250) (290) (500) (1000) Other	(G)	(P)	(AG)	(AP)	NaHSO ₄	Na ₂ O ₃ S ₂	NONE	HNO ₃	H ₂ SO ₄	NaOH	HCl	SUB*	<2	>9	>12	N/A	Add
	(100) (120) (125) (250) (290) (500) (1000) Other	(G)	(P)	(AG)	(AP)	NaHSO ₄	Na ₂ O ₃ S ₂	NONE	HNO ₃	H ₂ SO ₄	NaOH	HCl	SUB*	<2	>9	>12	N/A	Add
	(100) (120) (125) (250) (290) (500) (1000) Other	(G)	(P)	(AG)	(AP)	NaHSO ₄	Na ₂ O ₃ S ₂	NONE	HNO ₃	H ₂ SO ₄	NaOH	HCl	SUB*	<2	>9	>12	N/A	Add
	(100) (120) (125) (250) (290) (500) (1000) Other	(G)	(P)	(AG)	(AP)	NaHSO ₄	Na ₂ O ₃ S ₂	NONE	HNO ₃	H ₂ SO ₄	NaOH	HCl	SUB*	<2	>9	>12	N/A	Add
!DO NOT OPEN THE PLASTIC BAGS HOLDING THE SAMPLE BOTTLES!!																		
Low Level Mercury Kit																		
4 oz Jar		Clear	Amber				MeOH	None								n/a		
2 oz Jar		Clear	Amber				MeOH	None								n/a		
Vials	Individual	Set of 2	Set of 3	Clear	Amber				HCl	H ₃ PO ₄	H ₂ SO ₄	None				n/a		
Vials	Individual	Set of 2	Set of 3	Clear	Amber				HCl	H ₃ PO ₄	H ₂ SO ₄	None				n/a		
Trip Blank		Individual	Set of 2	Set of 3														
Moisture Vial																		
Manure Bottle																		

*ANY CONTAINER SENT TO A SUBCONTRACT LABORATORY WILL NOT BE CHECKED FOR PRESERVATION!

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Friday, February 16, 2024 2:47:54 PM

Page 24 of 24

**MINNESOTA VALLEY TESTING LABORATORIES, INC.**

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com

Member
ACIL

Workorder: Kennedy (41740)
Account #: 2190
Project #: 202410037

Client: Institute for Environmental Assessment (IEA)
PO: 202410037

Emma Squires-Sperling
IEA / Brooklyn Park
9201 W Broadway Suite #600
Brooklyn Park, MN 55445

Certificate of Analysis**Approval**

All data reported has been reviewed and approved by:

Dave Smahel, Inorganic Chemistry/Feed Lab Manager New Ulm, MN

Analyses performed under Minnesota Department of Health Accreditation conforms to the current TNI standards.

NEW ULM LAB CERTIFICATIONS:
MN LAB # 027-015-125ND WW/DW # R-040

BISMARCK LAB CERTIFICATIONS:
MN LAB # 038-999-267ND W/DW # ND-016

Workorder Comments

All samples were preserved with nitric acid upon receipt at the laboratory.

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Tuesday, March 5, 2024 9:36:26 AM

Page 1 of 5

**MINNESOTA VALLEY TESTING LABORATORIES, INC.**

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com

Member
ACIL

Workorder: Kennedy (41740)**Client:** Institute for Environmental Assessment (IEA)**Analytical Results**

Lab ID: 41740001 **Date Collected:** 02/27/2024 12:00 **Matrix:** Potable Water
Sample ID: 022724-Willmar-01 **Date Received:** 02/28/2024 09:28
Temp @ Receipt (C):
Sample Desc: Main Office Faucet

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	3.52	ug/L	15	EPA 200.8	03/04/2024 13:14	

Lab ID: 41740002 **Date Collected:** 02/27/2024 12:03 **Matrix:** Potable Water
Sample ID: 022724-Willmar-02 **Date Received:** 02/28/2024 09:28
Temp @ Receipt (C):
Sample Desc: Room 138 Faucet

Parameter	Results	Units	MCL	Method	Analyzed	Qual
Lead	17.1	ug/L	15	EPA 200.8	03/04/2024 13:16	

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Tuesday, March 5, 2024 9:36:26 AM



MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com

Member
ACIL

Workorder: Kennedy (41740)

Client: Institute for Environmental Assessment (IEA)

Institute for Environmental
WO: 41740



MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Tuesday, March 5, 2024 9:36:26 AM

Page 3 of 5



MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com

Member
ACIL

Workorder: Kennedy (41740)

Client: Institute for Environmental Assessment (IEA)

Chain of Custody

9201 West Emmons Blvd, Suite 400
Bismarck, ND 58503
701.258.9724



41740

Client Name		Willmar Public Schools		Submitting Name		Kennedy		Analytical Lab		MVTL	
Contact Name		Aaron Hess		Project #		202410037		Project Name		Willmar - 2024 Lead in Water Sampling	
Phone #		507-829-7372		QA Fee #				Written Sample Instructions		attached to this Chain of Custody	
Other Information											
Sampled By		Aaron Hess		Date		2/27/2024		Time		12:00 PM	
Shipped By		MVTL 1126 N Front St Building #New Ulm, MN 56073		Date		2/27/2024		Time			
Received By				Date				Sample Condition		Temperature	
Lab Number	Sample Number	Sample Location (DX: Kitchen Room 123 NW Corner Left - KS)	Sample Type			Date Sampled	Time Sampled	Volume/ Bottle Type	Analysis Required	Comments & Observations	
			Water	Soil	Other						
631	022724-WILLMAR-01	Main Office Faucet	X			2/27/2024	12:00 PM	250 ml unpreserved	Lead	Kennedy Elementary	
	022724-WILLMAR-02	Room 138 Faucet	X			2/27/2024	12:03 PM	250 ml unpreserved	Lead	Kennedy Elementary	

AMB cm No ice or ice packs 28Feb24 0928

3.9 CTM 938

Original - Analytical Lab
Copy - Client File
Copy - HCLAB

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Tuesday, March 5, 2024 9:36:26 AM

Page 4 of 5



MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.MVTL.com

Member
ACIL

Workorder: Kennedy (41740)

Client: Institute for Environmental Assessment (IEA)



Sample Condition Checklist

Date: 28 Feb 24 Time: 0928 ☒ AM ☐ PM By: CM
Account Name: IEA - Willmar Account # _____
Bill of Lading #: _____ Cooler #: _____
Temp: 3.9 °C ROI ☐ Ambient ☒ Tracking #: 8P0230780300147/03
TM#: 938 Ice Crystals Present in Sample ☐
MVTL Courier: _____ Other: notice of ice packs
MVTL Route: _____ Walk-In ☐ UPS Air ☐ FedEx Air ☐ Speedee ☒
Mail ☐ UPS Ground ☐ FedEx Ground ☐
Containers Supplied by MVTL: Yes ☒ No ☐ Designate customer supplied containers as "Other" in container size column

Comments:		Container Type				Preservation								pH				
Number	Containers Size (mL)	(G)	(P)	(AG)	(AP)	NaHSO ₄	Na ₂ O ₃ S ₂	NONE	HNO ₃	H ₂ SO ₄	NaOH	HCl	SUB*	<2	>9	>12	N/A	Add
<div>Z</div>	(100) (120) (125) (250) (290) (500) (1000) Other	(G)	(P)	(AG)	(AP)	NaHSO ₄	Na ₂ O ₃ S ₂	NONE	HNO ₃	H ₂ SO ₄	NaOH	HCl	SUB*	<2	>9	>12	N/A	Add
	(100) (120) (125) (250) (290) (500) (1000) Other	(G)	(P)	(AG)	(AP)	NaHSO ₄	Na ₂ O ₃ S ₂	NONE	HNO ₃	H ₂ SO ₄	NaOH	HCl	SUB*	<2	>9	>12	N/A	Add
	(100) (120) (125) (250) (290) (500) (1000) Other	(G)	(P)	(AG)	(AP)	NaHSO ₄	Na ₂ O ₃ S ₂	NONE	HNO ₃	H ₂ SO ₄	NaOH	HCl	SUB*	<2	>9	>12	N/A	Add
	(100) (120) (125) (250) (290) (500) (1000) Other	(G)	(P)	(AG)	(AP)	NaHSO ₄	Na ₂ O ₃ S ₂	NONE	HNO ₃	H ₂ SO ₄	NaOH	HCl	SUB*	<2	>9	>12	N/A	Add
	(100) (120) (125) (250) (290) (500) (1000) Other	(G)	(P)	(AG)	(AP)	NaHSO ₄	Na ₂ O ₃ S ₂	NONE	HNO ₃	H ₂ SO ₄	NaOH	HCl	SUB*	<2	>9	>12	N/A	Add
	(100) (120) (125) (250) (290) (500) (1000) Other	(G)	(P)	(AG)	(AP)	NaHSO ₄	Na ₂ O ₃ S ₂	NONE	HNO ₃	H ₂ SO ₄	NaOH	HCl	SUB*	<2	>9	>12	N/A	Add
	(100) (120) (125) (250) (290) (500) (1000) Other	(G)	(P)	(AG)	(AP)	NaHSO ₄	Na ₂ O ₃ S ₂	NONE	HNO ₃	H ₂ SO ₄	NaOH	HCl	SUB*	<2	>9	>12	N/A	Add
	(100) (120) (125) (250) (290) (500) (1000) Other	(G)	(P)	(AG)	(AP)	NaHSO ₄	Na ₂ O ₃ S ₂	NONE	HNO ₃	H ₂ SO ₄	NaOH	HCl	SUB*	<2	>9	>12	N/A	Add
Low Level Mercury Kit		**DO NOT OPEN THE PLASTIC BAGS HOLDING THE SAMPLE BOTTLES!!**																
4 oz Jar		Clear	Amber	MeOH				None				n/a						
2 oz Jar		Clear	Amber	MeOH				None				n/a						
Vials	Individual Set of 2 Set of 3	Clear	Amber	HCl		H ₃ PO ₄		H ₂ SO ₄		None		n/a						
Vials	Individual Set of 2 Set of 3	Clear	Amber	HCl		H ₃ PO ₄		H ₂ SO ₄		None		n/a						
Trip Blank Individual Set of 2 Set of 3		n/a																
Moisture Vial		n/a																
Manure Bottle		n/a																

*ANY CONTAINER SENT TO A SUBCONTRACT LABORATORY WILL NOT BE CHECKED FOR PRESERVATION!

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.

Report Date: Tuesday, March 5, 2024 9:36:26 AM