

Disease (link to details)	Symptoms: Your student may have...	Should the student stay home?
Fifth Disease (Parvovirus)	<ul style="list-style-type: none"> may have a sore throat or a low-grade fever rash often begins with very cheeks and moves to the arms, upper body, buttocks, & legs rash on body looks very fine, lacy, & pink. 	No. Students do not need to stay home from school if other rash-causing illnesses are ruled out by a health care provider.
Head Lice	<ul style="list-style-type: none"> Itching of the head and neck Eggs (nits) glued to the hair near the scalp May have crawling lice in the hair Scratch marks on the head or back of the neck 	No. Your student does not need to stay home from school, but it is recommended that your student be treated for head lice and avoid head-to-head contact with other students.
Impetigo	<ul style="list-style-type: none"> sores on the skin with a thick golden-yellow discharge that dries, crusts, & sticks to the skin 	Yes. Keep your student home from school if impetigo is confirmed by your health care provider until 24 hours after treatment is started and the sores are drying.
Influenza (the flu)	<ul style="list-style-type: none"> may have chills, body aches, fever, & headache may also have a cough, runny or stuffy nose, and sore throat. Illness may last up to 7 days 	Yes. Keep your student home from school until 24 hours after fever is gone (without use of fever reducing medicine) & your student is healthy enough for routine activities.
Mono (mononucleosis)	<ul style="list-style-type: none"> may have a sore throat, swollen glands, headache, fever, & sometimes a rash. may be very tired less common symptoms may be jaundice (yellowing of the skin or eyes) or enlarged spleen or liver 	<p>No. Students do not need to stay home if they are healthy enough for routine activities.</p> <p>Sports: Students with an enlarged spleen should avoid contact sports until cleared by their health care provider.</p>
Scabies	<ul style="list-style-type: none"> may have a rash of pink bumps or tiny blisters & may itch the most at night. Sometimes you can only see scratch marks. Common locations for the rash and itching are between fingers, around wrists and elbows, & armpits. 	Yes. Keep your student home from school until 24 hours after treatment by a healthcare provider begins.
Strep Throat (Streptococcal Infection)	<ul style="list-style-type: none"> may have fever, red sore throat, & swollen glands may have headache may have stomach pain & vomiting may have a very fine red rash that feels like sandpaper 	<p>Yes. Keep your student home from school until 12 hours after antibiotic treatment begins & the fever is gone.</p> <p>If the student tests positive for strep but does not have symptoms, they do not need to stay home.</p>