



# Life Science Laboratories, Inc.

Date Printed: 11/16/23

## Laboratory Analysis Report Prepared For Canisteo Greenwood CSD

Client Project ID: Lead Study: Canisteo Greenwood 2023 Greenwood Sch.

LSL Project ID: 2316343

Canisteo Greenwood CSD  
84 Greenwood St.  
Canisteo, NY 14823

Phone: (607) 698-4225  
FAX: (607) 698-2833

A copy of this report was sent to: [moyer@gstbores.org](mailto:moyer@gstbores.org)  
Hornell DOH

Sample ID: Canisteo Greenwood CSD	LSL Sample ID: 2316343-001
Location: Lead Study	Receive Date/Time: 10/25/23 10:27
Sampled: 10/25/23 6:05	Project Rec'd by: mak02
Sampled By: MO	Matrix: PWS

Analytical Method	Prep Method	Prep Date	Analysis Date & Time	Analyst Initials
Analyte	Result Units			
(1) EPA 200.8, Rev. 5.4 Metals	EPA 200.2			
Please refer to the next page	9			MT

Life Science Laboratories, Inc. warrants, to the best of its knowledge and belief, the accuracy of the analytical test results contained in this report, but makes no other warranty, expressed or implied, especially no warranties of merchantability or fitness for a particular purpose. By the Client's acceptance and/or use of this report, the Client agrees that LSL is hereby released from any and all liabilities, claims, damages or causes of action affecting or which may affect the Client as regards to the results contained in this report. The Client further agrees that the only remedy available to the Client in the event of proven non-conformity with the above warranty shall be for LSL to re-perform the analytical test(s) at no charge to the Client. The data contained in this report are for the exclusive use of the Client to whom it is addressed, and the release of these data to any other party, or the use of the name, trademark or service mark of Life Science Laboratories, Inc. especially for the use of advertising to the general public, is strictly prohibited without express prior written consent of Life Science Laboratories, Inc. This report may only be reproduced in its entirety. No partial duplication is allowed. The Chain of Custody and the Sample Receipt documents submitted with these samples are considered by LSL to be an appendix of this report and may contain data qualifiers and specific information that pertains to the samples included in this report. The analytical result(s) in this report are only representative of the sample(s) submitted for analysis. LSL makes no claim of a sample's representativeness, or integrity, if sampling was not performed by LSL personnel.

LSL Central Lab  
5854 Butternut Drive  
East Syracuse, NY 13057  
Tel. (315) 445-1900  
Fax (315) 445-1104  
NYS DOH ELAP #10248

LSL North Lab  
131 St. Lawrence Avenue  
Waddington, NY 13694  
Tel. (315) 388-4476  
Fax (315) 388-4061  
NYS DOH ELAP #10900

LSL Finger Lakes Lab  
16 N. Main St., PO Box 424  
Wayland, NY 14572  
Tel. (585) 213-4090  
Fax (585) 213-4192  
NYS DOH ELAP #11667

LSL Southern Tier Office  
Cuba, NY  
Tel. (585) 209-4032  
  
LSL MidLakes Office  
Canandaigua, NY  
Tel. (585) 728-3320

Reviewed by:

Date:

11/21/2023

Analysis performed at: (1) LSL Central Lab, (2) LSL North Lab, (3) LSL Finger Lakes Lab

Dr. Joseph L. Jeraci, Lead Tech. Director



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Canisteo Greenwood CSD  
**Location:**  
**Matrix:** PWS

**Client Sample ID:** *Fountain across rm 100*

**Lab ID:** 2316343-001A  
**Collection Date:** 10/25/23 6:05  
**Date Received:** 10/25/23 10:27

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	0.0051 *	mg/L	11/09/23 14:04

**Qualifiers:** \* Value may exceed the Acceptable Level  
 E Value exceeds the instrument calibration range  
 J Analyte detected below the PQL  
 P Prim./Conf. column %D or RPD exceeds limit

B Analyte detected in the associated Method Blank  
 H Holding times for preparation or analysis exceeded  
 ND Not Detected at the Practical Quantitation Limit (PQL)  
 S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Canisteo Greenwood CSD  
**Location:**  
**Matrix:** PWS

**Client Sample ID:** *Fountain across rm 199*

**Lab ID:** 2316343-002A  
**Collection Date:** 10/25/23 6:07  
**Date Received:** 10/25/23 10:27

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	0.0012	mg/L	11/09/23 14:07

**Qualifiers:** \* Value may exceed the Acceptable Level  
 E Value exceeds the instrument calibration range  
 J Analyte detected below the PQL  
 P Prim./Conf. column %D or RPD exceeds limit

B Analyte detected in the associated Method Blank  
 H Holding times for preparation or analysis exceeded  
 ND Not Detected at the Practical Quantitation Limit (PQL)  
 S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Canisteo Greenwood CSD  
**Location:**  
**Matrix:** PWS

**Client Sample ID:** *Fountain Main Lobby Right*

**Lab ID:** 2316343-003A  
**Collection Date:** 10/25/23 6:10  
**Date Received:** 10/25/23 10:27

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	11/09/23 14:11

**Qualifiers:** \* Value may exceed the Acceptable Level  
 E Value exceeds the instrument calibration range  
 J Analyte detected below the PQL  
 P Prim./Conf. column %D or RPD exceeds limit

B Analyte detected in the associated Method Blank  
 H Holding times for preparation or analysis exceeded  
 ND Not Detected at the Practical Quantitation Limit (PQL)  
 S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Canisteo Greenwood CSD  
**Location:**  
**Matrix:** PWS

**Client Sample ID:** *Fountain Main Lobby Left*

**Lab ID:** 2316343-004A  
**Collection Date:** 10/25/23 6:10  
**Date Received:** 10/25/23 10:27

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8,Rev.5.4</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	11/09/23 14:14

**Qualifiers:**

- \* Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Canisteo Greenwood CSD  
**Location:**  
**Matrix:** PWS

**Client Sample ID:** *Nurse TR Sink*

**Lab ID:** 2316343-005A  
**Collection Date:** 10/25/23 6:15  
**Date Received:** 10/25/23 10:27

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8, Rev. 5.4</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	11/09/23 14:18

**Qualifiers:**

- \* Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Canisteo Greenwood CSD  
**Location:**  
**Matrix:** PWS

**Client Sample ID:** *Prep Sink Island*

**Lab ID:** 2316343-006A  
**Collection Date:** 10/25/23 6:17  
**Date Received:** 10/25/23 10:27

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8, Rev. 5.4</b>	<b>(EPA 200.2)</b>
Lead	0.0013	mg/L	11/09/23 14:21

**Qualifiers:**

- \* Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Canisteo Greenwood CSD  
**Location:**  
**Matrix:** PWS

**Client Sample ID:** *Kitchen Prep Sink Island End*

**Lab ID:** 2316343-007A  
**Collection Date:** 10/25/23 6:17  
**Date Received:** 10/25/23 10:27

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8, Rev. 5.4</b>	<b>(EPA 200.2)</b>
Lead	0.0013	mg/L	11/09/23 14:32

**Qualifiers:**

- \* Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse, NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Canisteo Greenwood CSD  
**Location:**  
**Matrix:** PWS

**Client Sample ID:** *Faculty rm 118 Sink*

**Lab ID:** 2316343-008A  
**Collection Date:** 10/25/23 6:20  
**Date Received:** 10/25/23 10:27

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8, Rev. 5.4</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	11/09/23 14:36

**Qualifiers:**

- \* Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits



**Life Science Laboratories, Inc.**  
 5854 Butternut Drive  
 East Syracuse , NY 13057 (315) 445-1900

# Analytical Results

State Certification No: 10248

**CLIENT:** Life Science Labs-LIMS  
**Project:** Canisteo Greenwood CSD  
**Location:**  
**Matrix:** PWS

**Client Sample ID:** *Concession Lobby Sink*

**Lab ID:** 2316343-009A  
**Collection Date:** 10/25/23 6:25  
**Date Received:** 10/25/23 10:27

Analyte	Result and Qualifiers	Units	Date Analyzed
<b>METALS BY ICPMS</b>		<b>EPA 200.8, Rev. 5.4</b>	<b>(EPA 200.2)</b>
Lead	< 0.0010	mg/L	11/09/23 14:39

**Qualifiers:**

- \* Value may exceed the Acceptable Level
- E Value exceeds the instrument calibration range
- J Analyte detected below the PQL
- P Prim./Conf. column %D or RPD exceeds limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Practical Quantitation Limit (PQL)
- S Spike Recovery outside accepted recovery limits



# Life Science Laboratories, Inc.

## CHAIN OF CUSTODY RECORD

2316343

Due Date: 200  
Invoiced Governmental Agency

LSL Central Lab  
5854 Butternut Drive  
E. Syracuse, NY 13057  
p) 315-445-1105  
f) 315-445-1301

LSL North Lab.  
131 St. Lawrence Ave.  
Waddington, N.Y. 13694  
p) 315-388-4476  
f) 315-388-4061

LSL Finger Lakes Lab  
16 N. Main St.  
Wayland, NY 14572  
p) 585-728-3320  
f) 585-728-2711

LSL Midlakes Office  
493 S. Main St.  
Canandaigua, NY 14424  
p) 585-728-3320  
f) 585-728-2711

LSL Southern Tier Office  
24 W. Main St.  
Cuba, NY 14727  
p) 585-209-4032  
Office # 2

<b>Report Address:</b> Canisteo Greenwood CSD		<b>Turnaround Time</b>		*Additional Charges may apply																																																		
<b>Company:</b> 84 Greenwood st Canisteo NY		Normal <input type="checkbox"/> Pre-Authorized <input type="checkbox"/>		3-Day* <input type="checkbox"/> 7-Day* <input type="checkbox"/>																																																		
Street: 84 Greenwood st		14 DAY <input checked="" type="checkbox"/> 2-Day* <input type="checkbox"/>																																																				
City/State: Canisteo NY		Date Needed or Special Instructions: Please fax lab report to NYSDOH (Hornell), email school district and Mike Oyer moyer@qstboboces.org																																																				
Phone: 607 698 4225		Authorization or P.O. #																																																				
email: tcrook@cgcsd.org		ALL SAMPLES MUST BE KEPT COLD AFTER SAMPLING AND DELIVERED TO THE LAB ON ICE																																																				
Client's Sample Identifications	Sample Date	Sample Time	Type grab/comp	Matrix	Preserv Added	Containers		Analyses	Pres. Check	LSL ID#																																												
						#	size/type																																															
drink fountain across rm 100	10/25/23	6:05 AM	grab	PWS	HNO3	1	250ml	Lead	<input checked="" type="checkbox"/>	001A																																												
drink fountain across rm 199	10/25/23	6:07 AM	grab	PWS	HNO3	1	250ml	Lead		002A																																												
fountain main lobby right	10/25/23	6:10 AM	grab	PWS	HNO3	1	250ml	Lead		003A																																												
fountain main lobby left	10/25/23	6:10 AM	grab	PWS	HNO3	1	250ml	Lead		004A																																												
nurse TR sink	10/25/23	6:15 AM	grab	PWS	HNO3	1	250ml	Lead		005A																																												
prep sink island	10/25/23	6:17 AM	grab	PWS	HNO3	1	250ml	Lead		006A																																												
kitchen prep sink island end	10/25/23	6:17 AM	grab	PWS	HNO3	1	250ml	Lead		007A																																												
faculty rm 118 sink	10/25/23	6:26 AM	grab	PWS	HNO3	1	250ml	Lead		008A																																												
concession lobby sink	10/25/23	6:25 AM	grab	PWS	HNO3	1	250ml	Lead		009A																																												
<table border="1"> <tr> <td colspan="6">Custody Transfers</td> <td colspan="2">Received By: Mike Oyer</td> <td colspan="2">Received By:</td> <td colspan="1">Date</td> </tr> <tr> <td colspan="6">Sampled By:</td> <td colspan="2">Relinquished By:</td> <td colspan="2">Rec'd for Lab By: MK</td> <td colspan="1">10-25-23</td> </tr> <tr> <td colspan="6">Relinquished By:</td> <td colspan="2">Relinquished By:</td> <td colspan="2">Received Intact: Y N</td> <td colspan="1">10-27</td> </tr> <tr> <td colspan="6">Shipment Method:</td> <td colspan="2"></td> <td colspan="2"></td> <td colspan="1"></td> </tr> </table>											Custody Transfers						Received By: Mike Oyer		Received By:		Date	Sampled By:						Relinquished By:		Rec'd for Lab By: MK		10-25-23	Relinquished By:						Relinquished By:		Received Intact: Y N		10-27	Shipment Method:										
Custody Transfers						Received By: Mike Oyer		Received By:		Date																																												
Sampled By:						Relinquished By:		Rec'd for Lab By: MK		10-25-23																																												
Relinquished By:						Relinquished By:		Received Intact: Y N		10-27																																												
Shipment Method:																																																						
LSL use only: Received on Ice Yes or No <input checked="" type="checkbox"/> No Sample Temp 20.5 Containers this COC 9																																																						

\*\*\* All areas of this Chain of Custody Record MUST be filled out in order to process samples in a timely manner IN PEN ONLY\*\*\*  
Business and receiving hours vary by location. Please call local lab or 585-728-3320 for more info.