MATERIAL SAFETY DATA SHEET



FOR CHEMICAL EMERGENCY, SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT, CALL CHEMTREC - DAY OR NIGHT 1-800-424-9300

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

FORMULATED FOR:

LOVELAND PRODUCTS, INC

P.O. Box 1286 • Greeley, CO 80632-1286

24-Hour Emergency Phone: 1-800-424-9300

Medical Emergencies: 1-800-992-5994

U.S. Coast Guard National Response Center: 1-800-424-8802

PRODUCT NAME:

CROSSBOW* L HERBICIDE

CHEMICAL NAME:

2,4-Dichlorphenoxyacetic acid, butoxyethyl ester; 3,5,6-Trichloro-2-pyridinyloxyacetic acid, butoxyethyl ester

CHEMICAL FAMILY:

Chlorinated Phenoxy-Systemic Herbicide

EPA REG. NO.:

62719-260-34704

MSDS Number: 62719260-09-LPI

MSDS Revisions: Sections 2, 4, 7, 8, 13

Date of Issue: 08/28/09

Supersedes: 06/26/08

2. HAZARDS IDENTIFICATION SUMMARY

KEEP OUT OF REACH OF CHILDREN - CAUTION – Harmful if swallowed. Causes moderate eye irritation. Prolonged or frequently repeated skin contact may cause allergic skin reaction in some individuals. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

This product is a reddish brown liquid with sweet odor.

3. COMPOSITION, INFORMATION ON INGREDIENTS

Chemical Ingredients:	Percentage by Weight:	CAS No.	TLV (Units)
2,4-D butoxyethyl ester ¹ Triclopyr butoxyethyl ester ²	34.40 16.50	1929-73-3 64700-56-7	none established none established
Inert Ingredients, including Kerosene	49.10	8008-20-6	200 mg/m³ (Skin)

4. FIRST AID MEASURES

If swallowed:

NOTE TO PHYSICIAN:

Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a Poison Control Center or

doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

If in eyes:

Hold eye open and rinse slowly and gently with water 15-20 minutes. Remove contact lenses, if present, after the first 5

minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. This product may pose and aspiration pneumonia hazard. Contains petroleum distillates.

FOR A MEDICAL EMERGENCY INVOLVING THIS PRODUCT CALL: 1-800-992-5994. Have the product label or container with you when calling a poison control center or doctor, or going for treatment.

5. FIRE FIGHTING MEASURES

FLASH POINT (°F/Test Method):

FLAMMABLE LIMITS (LFL & UFL): EXTINGUISHING MEDIA:

HAZARDOUS COMBUSTION PRODUCTS: SPECIAL FIRE FIGHTING PROCEDURES:

UNUSUAL FIRE AND EXPLOSION HAZARDS:

148°F / 64°C (Seta flash)

LFL: Not established; UFL: Not established Water fog, foam, CO₂, dry chemical.

Noxious fumes under fire conditions.

May emit noxious fumes. Wear self-contained breathing apparatus and full protective gear. Combustible. If water is used to fight fire, contain runoff, using dikes to prevent contamination of water supplies. Do not allow water runoff to enter nearby streams, ponds or lakes. Keep containers

cool with water spray to avoid possible explosion due to internal pressure buildup.

5. ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:

In case of leak or spill, contain by absorbing spilled liquid with clay or other absorbent material; scoop or sweep up material and place in a container for possible land application according to label use or for proper disposal. Dike area in case of large spills. Do not use water for cleanup. Check local, state and federal regulations for proper disposal.

CAUTION: Keep spills and cleaning runoff from flowing onto adjacent land, or into municipal sewers and open bodies of water.

SOLUBILITY: Emulsifies

pH: Not established

HANDLING AND STORAGE

HANDLING: Wash hands after handling, and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove clothing

immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into

clean clothing. Keep away from children.

Store in original container only. Store above 10°F/-12°C or agitate before use. Do not store near heat or open flame. Do STORAGE:

not contaminate water, food, or feed by storage or disposal.

Personal Protective Equipment (PPE): All mixers, loaders, applicators, flaggers, and other handlers must wear: long sleeved shirt and long pants, shoes plus socks, chemical-resistant gloves made of any waterproof material such as barrier laminate, nitrile rubber, neoprene rubber, and Viton®, protective eyewear, chemical-resistant apron when mixing or loading, cleaning up spills or equipment, or otherwise exposed to the concentrate. Follow manufacturer's instructions for cleaning and maintaining PPE. If no instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. After each day of use, clothing or PPE must not be reused until it has been cleaned.

EXPOSURE CONTROLS / PERSONAL PROTECTION

ENGINEERING CONTROLS: When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets with requirements listed in the

Worker Protection Standard (WPS) for agricultural pesticides [40CFR 170.240 (d)(4-6)], the handler PPE

requirements may be reduced or modified as specified in the WPS. Pilots must use an enclosed cockpit that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4-6)]

Not normally required, if vapors exceed acceptable levels, wear a NIOSH approved pesticide respirator with RESPIRATORY PROTECTION:

BOILING POINT: (Kerosene): >347°F/>175°C

cartridges for pesticide vapors.

EYE PROTECTION:

Chemical goggles or shielded safety glasses.

Wear protective clothing; long-sleeved shirts and pants, hat, rubber boots with socks. Wear rubber or chemical-SKIN PROTECTION:

resistant gloves.

OSHA PEL 8 hr TWA

BULK DENSITY: 8.45 lbs/gal.

ACGIH TLV-TWA

Kerosene 2,4-D Acid not listed 10 mg/m³

200 mg/m3 (Skin) (P)X 10 mg/m³

PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR: Reddish brown liquid with sweet odor.

SPECIFIC GRAVITY (Water = 1): 1.013 g/ml

VAPOR PRESSURE: (Kerosene): 0.1 mm Hg @ 100°F/37.8°C

PERCENT VOLATILE (by volume): Not established Note:

EVAPORATION RATE: Not established These physical data are typical values based on material tested but may vary from sample to sample.

Typical values should not be construed as a guaranteed analysis of any specific lot or as specification items.

10. STABILITY AND REACTIVITY

STABILITY: Stable CONDITIONS TO AVOID: Avoid temperatures above or near flash point.

INCOMPATIBILITY: Acids, bases, and oxidizing materials.

HAZARDOUS DECOMPOSITION PRODUCTS: Noxious fumes may be formed in a fire situation.

HAZARDOUS POLYMERIZATION: Will not occur.

11. TOXICOLOGICAL INFORMATION

Acute Oral LD₅₀ (rat): 1000-2589 mg/kg Acute Dermal LD₅₀ (rabbit): >5000 mg/kg

Eye Irritation (rabbit): Causes moderate eye irritation Skin Irritation (rabbit): May cause moderate irritation Inhalation LC₅₀ (rat): 5 mg/L (male); >5 mg/L (female) (4 HR). Skin Sensitization (guinea pig): Not established

Carcinogenic Potential: 2,4-D Acid has been determined to be a possible human carcinogen (Group 2B) by IARC; not classifiable as a human

carcinogen by ACGIH; Kerosene is a confirmed animal carcinogen with unknown relevance to humans by ACGIH.

12. ECOLOGICAL INFORMATION

This product is toxic to fish and aquatic organisms. Drift or runoff may adversely affect fish and non-target plants. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment wash waters.

Most cases of groundwater contamination involving phenoxy herbicides such as 2,4-D have been associated with mixing/loading and disposal sites. Caution should be exercised when handling 2,4-D pesticides at such sites to prevent Contamination of groundwater supplies. Triclopyr has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow may result in groundwater contamination.

13. DISPOSAL CONSIDERATIONS

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to the label instructions, contact your State Pesticide or Environmental Control Agency, or the hazardous waste representative at the nearest EPA Regional Office for guidance. Containers 5 gallons or less: Container Reuse; Non-refillable container. Do not reuse or refill this container. Offer for recycling if available. Triple rinse or pressure rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container % full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Pressure rinse as follows: Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 psi for at least 30 seconds. Drain for 10 seconds after the flow begins to drip. Refillable Containers larger than 5 gallons: Container Reuse: Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller container before final disposal, empty the remaining contents from this container into application equipment or a mix tank. Fill the container about 10% full with water and, if possible, spray all sides while adding water. If practical, agitate vigorously or recirculate water with the pump for two minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times. Nonrefillable containers larger than 5 gallons: Container Reuse; Non-refillable container. Do not reuse or refill this container. Offer for recycling if available. Triple rinse or pressure rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the insate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Pressure rinse as follows: Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect insate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 psi for at least 30 seconds. Drain for 10 seconds after the flow begins to drip. Do not contaminate water, food, or feed by storage or disposal.

14. TRANSPORT INFORMATION

DOT Shipping Description: LESS THAN 55 GALLONS: NOT REGULATED BY USDOT

DOT Shipping Description: 55 GALLONS AND ABOVE: RQ ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (2,4-D ACID), 9,

UN3082, ERG GUIDE 171

U.S. Surface Freight Classification: COMPOUND, TREE OR WEED KILLING, NOI (NMFC 50320, SUB 2: CLASS 60)

Consult appropriate ICAO/IATA and IMDG regulations for shipment requirements in the Air and Maritime shipping modes.

NFPA & HMIS Hazard Ratings:	NFPA		HMIS
	Health Flammability Instability	0 Least 1 Slight 2 Moderate 3 High 4 Severe	1 Health 2 Flammability 0 Reactivity G PPE
SARA Hazard Notification/Reporting SARA Title III Hazard Category:	Immediate Y Delayed Y		Y Sudden Release of Pressure N

SARA, Title III, Section 313: 2,4-D butoxyethyl ester (CAS: 1929-73-3) 34.4%

RCRA Waste Code: Not listed CA Proposition 65: Not listed

16. OTHER INFORMATION

MSDS STATUS: Sections 2, 4, 7, 8, 13 revised

PREPARED BY: Registrations and Regulatory Affairs

REVIEWED BY: Environmental/ Regulatory Services

12,4-D Acid equivalent: 23.7%; 2 lb/gal. 2Triclopyr acid equivalent: 11.9%; 1 lb/gal. *Crossbow is a trademark of Dow AgroSciences, LLC

X(P): Avoid prolonged and repeated skin contact which can lead to diesel fuels dermal irritation and may be associated with an increased risk of skin cancer.

Disclaimer and Limitation of Liability: This data sheet was developed from information on the constituent materials identified herein and does not relate to the use of such materials in combination with any other material or process. No warranty is expressed or implied with respect to the completeness or ongoing accuracy of the information contained in this data sheet, and LOVELAND PRODUCTS, Inc. disclaims all liability for reliance on such information. This data sheet is not a guarantee of safety. Users are responsible for ensuring that they have all current information necessary to safely use the product described by this data sheet for their specific purpose.